



ANNUAL REPORT

2017-2018

**STORM WATER
MANAGEMENT AUTHORITY,
INC.**

1 Table of Contents

1	Table of Contents	2
	Appendices.....	5
1	General Information	6
1.1	Introduction	6
1.2	Contact Lists.....	8
1.2.1	Municipality Contacts	8
1.2.2	JCDH Contacts	10
2	Program Evaluation	10
2.1	Objective of Program	10
2.2	Major Findings	10
2.3	Major Accomplishments	11
2.4	Overall Strengths and Weaknesses.....	12
2.4.1	Strengths	12
2.4.2	Weakness	13
2.5	Future Direction of the Program.....	13
2.6	SWMPP Overall Effectiveness	13
2.7	Actions Not Accomplished	13
3	Narrative Report.....	14
3.1	Storm Water Collections System Operations	14
3.1.1	Objective	14
3.1.2	Activities Complete or in Progress	14
3.1.3	General Discussion	14
3.1.4	Status	14
3.1.5	Assessment	15
3.1.6	Proposed Revisions	15
3.1.7	Annual Reporting	15
3.2	Public Education and Public Involvement on Storm Water Impacts	16
3.2.1	Objective	16
3.2.2	Description of Educational Programs	16
3.2.3	General Discussion	18
3.2.4	Status	18
3.2.5	Assessment	18
3.2.6	Proposed Revisions	18
3.2.7	Annual Reporting	18
3.3	Illicit Discharge Detection and Elimination (IDDE).....	19

3.3.1	Objective	19
3.3.2	Activities Complete or in Progress	19
3.3.3	General Discussion	20
3.3.4	Status	20
3.3.5	Assessment	20
3.3.6	Proposed Revisions	20
3.3.7	Annual Reporting	21
3.4	Construction Site Storm Water Runoff Control	22
3.4.1	Objective	22
3.4.2	Activities Complete or in Progress	22
3.4.3	General Discussion	23
3.4.4	Status	24
3.4.5	Assessment	24
3.4.6	Proposed Revisions	24
3.4.7	Annual Reporting	24
3.5	Post Construction Storm Water Management in New Development and Re-Development	26
3.5.1	Objective	26
3.5.2	Activities Complete or in Progress	26
3.5.3	General Discussion	27
3.5.4	Status	27
3.5.5	Assessment	27
3.5.6	Proposed Revisions	27
3.5.7	Annual Reporting	28
3.6	Spill Prevention and Response	29
3.6.1	Objective	29
3.6.2	Activities Complete or in Progress	29
3.6.3	General Discussion	29
3.6.4	Status	29
3.6.5	Assessment	29
3.6.6	Proposed Revisions	29
3.6.7	Annual Reporting	30
3.7	Pollution Prevention/Good Housekeeping for Municipal Operations	31
3.7.1	Objective	31
3.7.2	Activities Complete or in Progress	31
3.7.3	General Discussion	31

3.7.4	Status	32
3.7.5	Assessment	32
3.7.6	Proposed Revisions	32
3.7.7	Annual Reporting	32
3.8	Application of Pesticides, Herbicides and Fertilizers (PHFs)	33
3.8.1	Objective	33
3.8.2	Activities Complete or in Progress	33
3.8.3	General Discussion	33
3.8.4	Status	33
3.8.5	Assessment	33
3.8.6	Proposed Revisions	33
3.8.7	Annual Reporting	34
3.9	Oils, Toxics, and Household Hazardous Waste Control	34
3.9.1	Objective	34
3.9.2	Activities Complete or in Progress	34
3.9.3	General Discussion	34
3.9.4	Status	34
3.9.5	Assessment	34
3.9.6	Proposed Revisions	34
3.9.7	Annual Reporting	35
3.10	Industrial Storm Water Runoff.....	36
3.10.1	Objective	36
3.10.2	Activities Complete or in Progress	36
3.10.3	General Discussion	36
3.10.4	Status	36
3.10.5	Assessment	36
3.10.6	Proposed Revisions	36
3.10.7	Annual Reporting	37
4	Monitoring	38
4.1	Objective	38
4.2	Monitoring Program	38
4.2.1	Continuous Monitoring.....	38
4.2.2	Continuous Monitoring Data	41
4.2.2.1	Shades Creek Data	41
4.2.2.2	Cahaba River Data	44

4.2.2.3	Valley Creek Data.....	47
4.2.3	Wet Weather Sampling.....	50
4.2.4	Wet Sampling Data	53
4.3	General Discussion.....	62
4.4	Status	63
4.5	Assessment	63
4.6	Proposed Revisions.....	63
4.7	Annual Reporting	63
5	Fiscal Analysis.....	63

Appendices

Appendix A: Contracts and Bylaws

Appendix B: SWMPP

Appendix C: Public Education and Public Involvement

Appendix D: Illicit Discharge Detection and Elimination

Appendix E: Construction Site Storm Water Runoff Control

Appendix F: Post-Construction Storm Water Management

Appendix G: Oils Toxics and Household Hazardous Waste Control

Appendix H: Industrial Storm Water Runoff Control

Appendix I: Monitoring Data

Appendix J: Fiscal Analysis

1 General Information

1.1 Introduction

The passage of **Legislative Act 95-775** in 1997 enabled the mayors of municipalities within Jefferson County to establish Storm Water Management Authority, Inc. (SWMA). The requirements of the National Pollution Discharge Elimination System (NPDES) permit # ALS000001, issued by Alabama Department of Environmental Management (ADEM), and the United States Environmental Protection Agency's (EPA) Title 40 Code of Federal Regulations Part 122 (40 CFR 122), charged that SWMA, in coordination with all co-permittees of the permit, would work to meet the obligations of the approved Storm Water Management Program (SWMP). The permit was renewed in 2001.

Over the 2016-2017 fiscal year, ADEM ended the co-permittee arrangement and issued 15 individual Phase 1 permits to member cities of SWMA. Listed below are the cities, their new NPDES permit number, and the date of their issuance:

Permit Number	Permittee	Permit Issuance Date
ALS000015	Trussville	January 1, 2017
ALS000016	Homewood	July 1, 2017
ALS000019	Irondale	July 1, 2017
ALS000018	Mountain Brook	July 1, 2017
ALS000020	Tarrant	July 1, 2017
ALS000017	Vestavia Hills	July 1, 2017
ALS000026	Gardendale	August 1, 2017
ALS000028	Hueytown	August 1, 2017
ALS000030	Midfield	August 1, 2017
ALS000031	Pleasant Grove	August 1, 2017
ALS000021	Adamsville	September 1, 2017
ALS000023	Brighton	September 1, 2017
ALS000024	Brookside	September 1, 2017
ALS000025	Fairfield	September 1, 2017
ALS000029	Lipscomb	October 1, 2017

While the municipalities of Center Point, Clay and Pinson are members of SWMA, they do not have a permit at this time. All elements of the MS4 permit were addressed for these cities, however, the information was not included in this report. Documentation is available upon request.

SWMA continues to function on behalf of all the permittees listed above to meet the compliance requirements of each NPDES permit. SWMA has subcontracted with the Jefferson County Department of Health (JCDH) to perform certain responsibilities. SWMA members, the Board of Directors, and mayors are aware that the ultimate responsibility toward permit

compliance lies with the municipality. SWMA's contract with JCDH and SWMA Bylaws are found in **Appendix A**.

Therefore, the primary objective of SWMA, JCDH, and all permittees (hereinafter referred to as "**Program**") is to implement the SWMP in such a manner as to effectively prohibit the discharge of non-storm water into the MS4 and to reduce the discharge of pollutants from the MS4 to Maximum Extent Practicable (MEP).

The 2017-2018 annual report covers the reporting period from October 1st, 2017 through September 30th, 2018. The five year permit cycle for the members of SWMA will expire in 2022.

Submission of this report to ADEM is pursuant to Part IV of the permit.

1.2 Contact Lists

1.2.1 Municipality Contacts

Municipality	Name	Title	Work #	E-mail Address	Address
Adamsville	Pam Palmer	Mayor	674-5671	pyropam@charter.net	4828 Main St., Adamsville, AL 35005
Adamsville	Ron Mosley	Public Works Dir.	674-8177	rmosley@cityofadamsville.org	4828 Main St., Adamsville, AL 35005
Brighton	Eddie Cooper	Mayor	428-9547	cityofbrighton@att.net	3700 Main St., Brighton AL 35020
Brighton	Hazel Williams	City Clerk	428-9547	cityofbrighton@att.net	3700 Main St., Brighton AL 35020
Brookside	Roger McCondichie	Mayor	674-9275	rogermccondichie@townofbrookside.net	2711 Municipal Ln, Brookside, AL 35036
Brookside	Debbie Keedy	City Clerk	674-9275	dkeedy@townofbrookside.net	2711 Municipal Ln, Brookside, AL 35036
Fairfield	Edward May II	Mayor	788-2492	mayoredmayesq@gmail.com	4701 Gary Ave., Fairfield, AL 35064
Fairfield	Kennedy Lee	Public Works	783-6008	klee@fairfieldal.us	4701 Gary Ave., Fairfield, AL 35064
Gardendale	Stan Hogeland	Mayor	631-8789	stan@cityofgardendale.com	960 Main St., Gardendale, AL 35071
Gardendale	Robert Ryant	Public Works Dir.	369-9923	rryant@cityofgardendale.com	960 Main St., Gardendale, AL 35071
Graysville	Clark-Julio Davis	Mayor	674-5643		246 S Main St., Graysville, AL 35073
Graysville	Frank Barnes	Public Works Sup.	674-5643	fbarnes9251@bellsouth.net	246 S Main St., Graysville, AL 35073
Homewood	Scott McBrayer	Mayor	332-6107	Scott.McBrayer@DignityMemorial.com	187 Citation Ct., Homewood, AL 35209
Homewood	J.J. Bischoff	Chief of Staff	332-6112		187 Citation Ct., Homewood, AL 35209
Hueytown	Steve Ware	Mayor	491-7010	mayorsteveware@hueytownal.org	1318 Hueytown Rd., Hueytown, AL 35023
Hueytown	Mike Butts	Public Works Sup.	491-9113	publicworks@hueytownal.org	1318 Hueytown Rd., Hueytown, AL 35023
Irondale	Charles Moore	Mayor	956-9200	mayor@cityofirondaleal.gov	101 20th St. S, Irondale, AL 35210

Municipality	Name	Title	Work #	E-mail Address	Address
Irondale	Frank Pennington	Public Works Director	951-1420	fpennington@cityofirondaleal.gov	101 20th St. S, Irondale, AL 35210
Lipscomb	Brenda Renz	Mayor	428-6374	bghrenz@att.net	5512 Avenue H, Lipscomb, AL 35020
Lipscomb	Jacquelyn Robertson	City Council	428-6374	jacquelynrobertson22@yahoo.com	5512 Avenue H, Lipscomb, AL 35020
Midfield	Garry Richardson	Mayor	923-7578	grichardson@cityofmidfield.com	725 Bessemer Super Hwy Midfield, AL 35228
Midfield	Jeff Zissette	Public Works Director	923-2071	zissettej@gmail.com	725 Bessemer Super Hwy Midfield, AL 35228
Mountain Brook	Stewart H. Welch, III	Mayor	802-3825	Stewart@welchgroup.com	56 Church St., Mountain Brook, AL 35213
Mountain Brook	Sam Gaston	City Manager	802-3879	gastons@mtnbrook.org	56 Church St., Mountain Brook, AL 35213
Pleasant Grove	Jerry Brasseale	Mayor	744-1724	pgmayor@cityofpg.net	501 Park Rd., Pleasant Grove, AL 35127
Pleasant Grove	Tom (Doug) Hyche	Inspector	744-1726	dhyche.inspections@yahoo.com	501 Park Rd., Pleasant Grove, AL 35127
Tarrant	Loxcil Tuck	Mayor	849-2800	ltuck@cityoftarrant.com	1604 Pinson Valley Pkwy., Birmingham, AL 35217
Tarrant	Chris O'Rear	Parks and Recreation Supervisor	849-2800	corear@cityoftarrant.com	1604 Pinson Valley Pkwy., Birmingham, AL 35217
Trussville	Buddy Choat	Mayor	655-7478	bchoat@trussville.org	131 Main St., Trussville, AL 35173
Trussville	David Arnette	Building Inspections Superintendent	655-5483	darnett@trussville.org	131 Main St., Trussville, AL 35173
Vestavia Hills	Ashley C. Curry	Mayor	978-3675	acurry@vhal.org	513 Montgomery Hwy., Vestavia Hills, AL 35216
Vestavia Hills	Jeff Downes	City Manager	978-0195	jdownes@vhal.org	513 Montgomery Hwy., Vestavia Hills, AL 35216

1.2.2 JCDH Contacts

Name	Title	Work #	E-mail Address	Address
Jeff Swinney	Program Manager	930-1279	Jeff.Swinney@jcdh.org	1400 Sixth Ave S Birmingham, AL 35233
Scott Hofer	Public Health Engineer	930-1274	Scott.Hofer@jcdh.org	1400 Sixth Ave S Birmingham, AL 35233
Jonika Smith	Environmental Health Specialist	558-2103	Jonika.Smith@jcdh.org	1400 Sixth Ave S Birmingham, AL 35233

2 Program Evaluation

2.1 *Objective of Program*

The Purpose of the SWMA program is to comply with the requirements of the NPDES permits to prohibit the discharge of non-storm water into the municipal separate storm sewer system (MS4) to the maximum extent practical.

2.2 *Major Findings*

The Fish Bioassessment Program has been a valuable longitudinal study in determining the water quality of the watersheds within SWMA municipalities. The program has been in existence since the fall of 2010. Each major stream has two sites; one located high in the watershed and one located lower in the watershed. The procedures used for capturing fish are electrofishing and seining. After processing, all of the fish were released back into the stream. Some of the criteria used to determine the health of a stream include the number of fish species present, the species percentage of the total number present and a physical habitat assessment. The major finding of this study is that no significant trends in water quality have been identified. Therefore, the health of the streams appears to be stable with no signs of improvement or degradation over the length of the study.

2.3 *Major Accomplishments*

- SWMA finalized three pro forma ordinances for the member cities; illicit discharge, post-construction, and erosion and sedimentation control.
- United States Geological Survey (USGS) completed installation of five continuous monitoring sites as required by the new permits.
- JCDH and SWMA assisted the NPDES permitted members with composing their Storm Water Management Program Plan (SWMPP). A SWMPP template can be found in **Appendix B**.
- JCDH completed the first inspections of sites described in the Industrial Storm Water Runoff element of the NPDES permit. Over 450 inspections were performed within SWMA member cities.

2.4 *Overall Strengths and Weaknesses*

2.4.1 Strengths

Industrial Storm Water Runoff – JCDH developed a protocol for use with a smart phone to complete inspections of industrial and high-risk runoff sites. The inspections increased awareness of storm water as well as confirmed proper BMPs are in place to stop illicit discharges.

Water Quality Monitoring – Installation of five USGS continuous monitoring sites will provide real time data on temperature, pH, turbidity, specific conductance, dissolved oxygen, and water level in real time. The data is subject to a rigorous review and approval process by USGS. In addition, this information is available for public viewing.

Complaints and Investigations - The complaint system used by JCDH allows inspectors to efficiently investigate and resolve violations. The system also provides useful documentation of the number and types of complaints received.

Member Reporting - The online program called Storm water Online Activity Report (SOAR) allows standardized reporting of storm water related activities from member cities. City personnel submit activity information remotely that is stored in a centralized database. Standardization of the data allows for better reporting and statistical information.

GIS Mapping of Storm Drains – JCDH and SWMA have been mapping the storm drain systems of member cities. Mapping provides a structural inventory allowing for better maintenance and fiscal planning. This data will also allow for future modeling of the watersheds. At this time, the database includes over 28,000 structures, 88 miles of pipe, and 156 miles of open channel.

Dry Weather Screening – The illicit discharge program utilizes efficient and precise technology to map and record findings about each outfall. JCDH uses a smart phone to complete an electronic questionnaire and record a photo along with the physical description, and pertinent water quality data. The data is stored in the electronic cloud allowing for quick access on any device.

2.4.2 Weakness

Standard Operating Procedure (SOP) Manual- The current SOP manual was completed in 2010. Updates are needed to include new SWMPP protocols and revisions to existing protocols.

2.5 *Future Direction of the Program*

SWMA will continue to provide services to help member cities meet MS4 permit requirements. Accomplishing compliance with permit requirements among all members is the ultimate goal for the Program.

2.6 *SWMPP Overall Effectiveness*

The SWMPP has served as a guide for the Members detailing actions required and personnel responsible for completing these actions to accomplish compliance with the permit. Overall effectiveness of the SWMPP has not been determined as the Members have not had a full reporting period to implement each element. A more complete analysis should be accomplished in 2018-2019 after a full year of activity.

2.7 *Actions Not Accomplished*

The City of Fairfield did not complete a SWMPP during the 2017-2018 reporting period.

3 Narrative Report

3.1 *Storm Water Collections System Operations*

3.1.1 Objective

The objective of the Storm Water Collections System Operation Program is to inspect and maintain structural controls in order to minimize the contamination of the local waterways by storm water runoff.

3.1.2 Activities Complete or in Progress

Activity 1: Permittees shall maintain a map of the structural controls. This activity has been completed for the all member cities.

Activity 2: Inspect existing and newly constructed structural controls on a semi-annual basis as well as maintain the structural control and remove any litter or sedimentation so that the structural control functions as designed. This activity has been completed for the all member cities.

Activity 3: Develop a checklist for inspection and maintenance of structural controls. This activity has been completed.

Activity 4: Maintain an inventory of structural controls as well as the inspection and maintenance records for each structural control. This activity has been completed. Currently, none of the members have reported a structural owned or maintained by the municipality.

3.1.3 General Discussion

The member cities have completed an inventory of publically owned or maintained structural controls within their jurisdictions and none were reported. Should the need arise, the SOAR Program allows cities to store inspections and maintenance documentation online in an organized fashion. A checklist for inspections and maintenance of structural controls was developed and added to permitted SWMA members' SWMPP for use if publically-owned structural controls are constructed.

3.1.4 Status

The members are in compliance at this time. Mechanisms are in place for inspections and maintenance. A program is in place to allow documentation of structural controls when needed.

3.1.5 Assessment

Activities for this element will be assessed once a publically-owned structural control is constructed.

3.1.6 Proposed Revisions

There are no proposed revisions at this time.

3.1.7 Annual Reporting

Annual Report Requirements for Storm Water Collection Operations						
	# of Structural Controls	# of Inspections Performed	Summarization of Maintenance Activities	Amount of Floatables, Etc. removed	Is Maintenance Contracted Out?	New Permittee-owned Structural Controls
Adamsville	0	N/A	N/A	N/A	N/A	0
Brighton	0	N/A	N/A	N/A	N/A	0
Brookside	0	N/A	N/A	N/A	N/A	0
Fairfield	0	N/A	N/A	N/A	N/A	0
Gardendale	0	N/A	N/A	N/A	N/A	0
Homewood	0	N/A	N/A	N/A	N/A	0
Hueytown	0	N/A	N/A	N/A	N/A	0
Irondale	0	N/A	N/A	N/A	N/A	0
Lipscomb	0	N/A	N/A	N/A	N/A	0
Midfield	0	N/A	N/A	N/A	N/A	0
Mountain Brook	0	N/A	N/A	N/A	N/A	0
Pleasant Grove	0	N/A	N/A	N/A	N/A	0
Tarrant	0	N/A	N/A	N/A	N/A	0
Trussville	0	N/A	N/A	N/A	N/A	0
Vestavia Hills	0	N/A	N/A	N/A	N/A	0

3.2 Public Education and Public Involvement on Storm Water Impacts

3.2.1 Objective

The Public Education and Public Involvement Program was designed to inform the community about the impacts from storm water discharges on water bodies and how different segments of the community can reduce possible storm water pollutants.

3.2.2 Description of Educational Programs

Informational Handouts

The Program employs a campaign to educate citizens on the importance of proper storm water pollution prevention through the use of brochures, calendars and pamphlets. The use of these materials is an effective way to reach people that visit JCDH, SWMA, or the various member cities. Brochure holders have been dispensed to allow members the capability to distribute all materials published by SWMA and JCDH. This will allow for the distribution of brochures covering a wide variety of topics. Approximately 1100 brochures were distributed this reporting period.

SWMA and JCDH have developed eight brochures since 2010 covering the following issues: Storm Water Fees, Household Hazardous Waste, Pet Waste Disposal, Fertilizers, Pesticides, Watershed Protection, and Erosion and Sedimentation Control. These can be found in **Appendix C**.

JCDH created a storm water calendar for calendar year 2017. The calendar depicts photos of local creeks and wildlife. Additionally, information is included on various storm water topics along with links to informational sites, recycling services and community events. A copy of the calendar can be found in **Appendix C**.

Outreach Materials

Education and outreach materials have been developed in an effort to reach primary and secondary school students. Topics presented include: watershed protection, safety tips to reduce and/or eliminate litter, excess storm water runoff and household chemicals' entry into storm drains within SWMA member cities. The formats that have been distributed include stickers, bookmarks, magnets, branded carabiners, coloring books/activity sheets, t-shirts, and backpacks. Samples of some of these items can be found in **Appendix C**.

Signage

During the reporting period of 2016-2017 JCDH distributed approximately 800 storm drain markers. During the 2017-2018 reporting period, JCDH designed new road signs denoting the local watershed with an anti-litter message. The signs will bring attention to the local waterways as well as convey an educational message to citizens. See **Appendix C** for pictures of this signage.

Website

For cities that have websites, SWMA and JCDH developed a template webpage containing information on many aspects of storm water. The template webpage informs citizens of their cities' program with information links, educational downloads, hotline numbers, and other pertinent storm water documents as required by the permit.

Reporting Hotline

For citizens who do not have the time or transportation to meet with SWMA or JCDH employees during regular business hours, the JCDH hotline number, 205-930-1999, provides a means to register complaints, express their concerns and to get information on watershed management in their local area.

Watershed Meetings

JCDH and SWMA are involved in multiple cooperative meetings regarding environmental hazards within Jefferson County, and collaborative efforts to improve storm water awareness. These meetings include committees such as the Environmental Quality and Assessment, Valley Creek Cleanup, Litter Quitters, SWMA Board of Directors, and Martin Luther King Day of Service Cleanup Committee.

Public Presentations

JCDH personnel spoke at multiple events throughout the reporting period. Each presentation was customized toward the host's agenda but the objective was to raise awareness of the impacts of storm water. Some of the events attended include UAB's Honors Program Forum on Urbanization and the Turkey Creek Nature Preserve Field Day.

Public Outreach Events

Throughout the reporting period, numerous events provided JCDH and SWMA opportunities to present educational information to a variety of people of diverse economic and cultural backgrounds. Informational brochures and outreach materials were distributed at these events. Some of the events attended include Fiesta Birmingham, Clean as a Whistle, Cahaba River Fry-Down and Valley Creek Clean-Up. Additionally, brochures, T-shirts, and backpacks were issued to the Cities for their individual outreach events.

School Presentations

JCDH conducts a variety presentation to students of all grade levels. Some of the topics covered this year were hydrologic water cycle, watersheds, and nonpoint source pollution. JCDH also supported and participated in the Jefferson County Water Festival.

Jefferson County Erosion and Sedimentation Control Workshop

On April 26th, 2018, an erosion and sedimentation control workshop was offered in a cooperative effort with the Home Builders Association of Alabama, JCDH, the City of Birmingham, the City of Bessemer, SWMA members, and Unincorporated Jefferson County. Information on construction best management practices (BMP) was presented to contractors,

homebuilders, developers, engineers, and municipal staff. The workshop was held at Birmingham's Zoo Lodge and had 34 participants.

Cleanup Events

Twenty-eight cleanup events were held throughout the member cities during the reporting period. The events resulted in the removal of a combined total of approximately 146.9 tons and 658 bags of trash and debris from the watersheds.

3.2.3 General Discussion

The Public Education and Public Involvement on Storm Water Impacts program is a combined effort by JCDH and the SWMA members. JCDH offers educational materials, educational presentations, training materials, personnel, and limited cleanup supplies. The member cities organize the cleanups and community events that provide a venue to educate citizens as well as cleanup the waterways. While the new permit requirements are similar to previous permits, the new permit requires the program to reach out to additional segments of the community.

The cities all have printed material for their storm water program. Cities that have utilized the website template have added more specific educational material in regards to different types of businesses and proper construction practices.

For cities that do not have a website, JCDH composed a calendar that includes educational information and links to information covered by the website template.

3.2.4 Status

The cities are in compliance with the general public component of this element.

3.2.5 Assessment

The educational program for the member cities is engaging and robust. For the most part, the information has reached the intended audience and appears to be having a positive impact. The cleanup events have been well received by the communities as reflected by the number of volunteers. A common goal is for future events to have a reduction in the trash and debris removed from the watersheds. Cities have been encouraged to include a visitor counter for their website.

3.2.6 Proposed Revisions

There are no proposed revisions at this time.

3.2.7 Annual Reporting

Prior to adoption of the SWMPP, the members offered a public comment period to encourage input and participation from the citizens.

A detailed list of the public education events and participants can be found in **Appendix C**.

Communication mechanisms distributed include 500 stickers, 300 bookmarks, 300 magnets, 200 branded carabiners, 1000 coloring books/activity sheets, 500 t-shirts, and 500 backpacks.

3.3 Illicit Discharge Detection and Elimination (IDDE)

3.3.1 Objective

The objective of the Illicit Discharge Detection and Elimination Program is to eliminate illicit discharges into the MS4 to the maximum extent practicable.

3.3.2 Activities Complete or in Progress

Activity 1: Develop and annually update an MS4 map that includes the latitude/longitude of all known major outfalls as well as the names of the waters of the state contiguous to the MS4. This activity was completed for available data.

Activity 2: Enact an ordinance that prohibits non-storm water discharges to the MS4. This activity is in progress.

Activity 3: Have a dry weather screening program designed to detect and address non-storm water discharges into the MS4. A minimum of 20% of the major outfalls must be screened each year. This activity was completed for all cities.

Activity 4: Procedures for tracing the source of a suspect illicit discharge. This activity was completed. Procedures can be found the 2011 SOP manual adopted by SWMA cities.

Activity 5: Procedures for eliminating an illicit discharge. This activity has been completed. Procedures can be found in the 2011 SOP manual adopted by SWMA cities.

Activity 6: Procedures to notify ADEM of suspect illicit discharge discovered within the Permittee's MS4 from an adjacent MS4. This activity was completed for all cities except Fairfield.

Activity 7: A mechanism for the public to report illicit discharges and procedures for appropriate investigation. This activity is in progress.

Activity 8: A training program for appropriate personnel on identification, reporting and corrective action of illicit discharges. SWMA and JCDH has an annual training program. This activity is complete.

Activity 9: Post ordinances or other regulatory mechanisms on their website. This activity is complete for the cities that have websites. The cities without websites have ordinances available at city hall.

3.3.3 General Discussion

SWMA has mapped the outfalls on the major waterbodies referenced in ALR00001 numerous times since the first permit cycle. The data is stored in a Geographic Information System (GIS) format. SWMA also documented their procedures for mapping, tracing sources and eliminating in the 2011 SOP Manual.

The new permit requires the Permittees to map the outfalls that lead to the waters of the state. SWMA and JCDH is using the National Hydrography Dataset (NHD) to identify the waters of the state. With many new unmapped waterways and unknown outfalls, JCDH is inspecting 20% of the total waters of the state within each Permittee's municipal boundary annually. JCDH completed 20% in all permitted cities.

During the 2016-2017 reporting period a buffer of 500 feet was added to all cities to deal with streams on borders. This approach was found to complicate the borders for adjacent cities. JCDH recalculated the stream miles within SWMA cities during the 2017-2018 reporting period without a buffer.

SWMA and JCDH completed a dedicated pro forma illicit discharge ordinance to meet the permit requirements. The members of SWMA prohibit illicit discharges from construction sites through their erosion and sedimentation ordinances enacted in 1999.

SWMA and JCDH developed a SOP for ADEM notification and included it in the SWMPPs for the cities.

Cities with websites were encouraged to publish the material developed by JCDH on their website in regards to illicit discharge. The information included a local phone number to report illicit discharge complaints and information about illicit discharges. SWMA members can refer illicit discharge complaints to JCDH for further investigation. JCDH also advertises (205) 930-1999 in all SWMA literature as a number to report illicit discharges.

JCDH offered a half-day training program to SWMA members to educate municipal workers on different aspects of storm water including illicit discharges. This class was held on the 17th and 24th of October, 2017.

3.3.4 Status

SWMA members are in compliance with the mapping and screening outfalls requirement. The cities with websites have published information about illicit discharges on their website.

3.3.5 Assessment

The program is effectively reducing discharges through complaints system as well through screening.

3.3.6 Proposed Revisions

JCDH has no proposed revisions at this time.

3.3.7 Annual Reporting

Annual Report Requirements for Illicit Discharge Detection and Elimination				
	Total Number of Stream Mileage in City	Stream Mileage to be Walked Each Year (20%)	Stream Mileage Walked during 2017-2018 (percentage walked)	Number of Illicit Discharges Investigated
Adamsville	44.06	8.81	8.81 (20%)	13
Brighton	4.47	0.89	0.95 (21%)	4
Brookside	18.72	3.74	3.82 (20%)	2
Fairfield	1.58	0.32	0.4 (25%)	12
Gardendale	28.28	5.74	5.79 (20%)	27
Homewood	12.27	2.45	2.74 (22%)	29
Hueytown	30.24	6.05	6.3 (21%)	33
Irondale	30.61	6.12	6.4 (21%)	14
Lipscomb	3.14	0.63	0.76 (24%)	0
Midfield	3.62	0.72	0.82 (23%)	20
Mountain Brook	21.15	4.23	4.25 (20%)	42
Pleasant Grove	15.17	3.03	2.98 (20%)	17
Tarrant	6.65	1.33	1.26 (19%)	3
Trussville	51.32	10.26	10.58 (21%)	19
Vestavia Hills	35.28	7.06	7.2 (20%)	51

The SWMA-approved pro forma IDDE ordinance can be found in **Appendix D**. All investigations are documented in JCDH’s complaint system which includes any sampling results and corrective actions taken, including dates. These complaint reports are available from JCDH upon request. Maps of the stream sections walked during 2017 - 2018 and proposed stream sections for 2018-2019 can be found in **Appendix D**.

3.4 *Construction Site Storm Water Runoff Control*

3.4.1 Objective

The objective of the Construction Site Storm Water Runoff Program is to reduce, to the maximum extent practicable, storm water runoff into the MS4 from qualifying construction sites.

3.4.2 Activities Complete or in Progress

Activity 1: Procedures to require all applicable construction sites to obtain the applicable NPDES permits. This activity is completed for cities that submitted a SWMPP.

Activity 2: Having an ordinance that requires effective erosion and sedimentation control. This activity has been completed per the 2001 ordinance adopted by SWMA members.

Activity 3: Requiring construction site operators to control waste at a construction site that may cause adverse impacts to water quality. This activity has been completed.

Activity 4: Enacting procedures for site plan review to ensure effective erosion and sedimentation controls. This is in progress. Many of the municipalities have such procedures in place but they are not formalized.

Activity 5: A mechanism for the public to report construction site pollution. All municipalities receive complaints through their city hall. The complaints may be worked by the municipality or referred to JCDH for further investigation. The municipalities that have websites have published the city's designated party for taking construction complaints.

Activity 6: Inspect sites in accordance with frequency specified in the permit. This activity is in progress. The cities are aware of the frequency for inspecting sites.

Activity 7: Training for the construction site inspection staff in the identification of appropriate construction best management practices. The cities with active construction programs have trained personnel regarding proper construction practices.

Activity 8: Development of a construction site inspection checklist. This activity has been completed.

Activity 9: Implementation of an enforcement response plan. This activity was completed.

Activity 10: The possession of a program that lists educational and training materials as well resources for construction site operators. This activity is in progress. The members with websites are in the process of posting a list of training materials on their Storm Water page.

Activity: 11 Posting ordinances or other regulatory mechanisms on their website. This activity is completed for cities with websites. Member cities that have websites have their ordinances available to the public online. The cities without websites have their ordinances available at city hall.

3.4.3 General Discussion

The cities that have completed their SWMPP have finalized a formal procedure requiring construction sites to obtain applicable NPDES permits.

The member cities are aware of the prescribed frequency for inspections. Since the inspectors for the cities inspect multiple aspects of the construction sites, sites are inspected several times. The cities are evaluating their program in terms of how to effectively document their inspections.

All SWMA members adopted an Erosion and Sedimentation Ordinance in 1999. The ordinance requires effective erosion control including requiring construction site operators to control waste at the construction site. Currently the cities are updating the ordinance to reflect the individual permit status and to improve the enforcement response plan. Cities with active construction sites use a combination of verbal warning, and a “Stop Work Order”.

The cities with active construction have a site plan review process.

Cities that have adopted the website template have information on their own website dedicated to storm water including information about proper construction practices.

JCDH and the member cities receive complaints about construction practices. Complaints at JCDH are entered into a compliant program that documents all aspects of the complaints. The cities receive complaints through advertised numbers as well as general city numbers. SWMA is currently developing a way for the cities to formally document their complaints.

Most cities with active construction programs have an employee trained as a Qualified Credentialed Inspector (QCI). Municipal personnel are also invited to attend Jefferson County’s ESC Workshop which is an abbreviated version of the QCI training program. Additionally, several cities either contract with a Qualified Certified Professional (QCP) or have a QCP on staff.

3.4.4 Status

Cities with active construction sites are in compliance in terms of ordinances and inspecting construction sites. The cities are reviewing how to better document the inspections. Education materials are available to construction site operators in the form of pamphlets. Additional materials will be available with the completion of their websites. Members expect to achieve compliance of the documentation component of this element during the 2018-2019 reporting period.

3.4.5 Assessment

The control is effective but can be improved in terms of inspection documentation and offering additional educational materials on their website.

3.4.6 Proposed Revisions

There are no proposed revisions at this time.

3.4.7 Annual Reporting

Ordinance Hyperlinks for Member Cities	
Adamsville	No existing website at this time. Can request ordinance through city hall
Brighton	No existing website at this time. Can request ordinance through city hall
Brookside	Ordinances are not posted on website at this time. Can request ordinance through city hall
Fairfield	No existing website at this time. Can request ordinance through city hall
Gardendale	https://library.municode.com/al/gardendale/codes/code_of_ordinances?nodeId=PTIILAUSDE_CH103ERSECO
Homewood	https://library.municode.com/al/homewood/codes/code_of_ordinances?nodeId=COOR_CH5BUCOREAC_ARTIVSOERSECO
Hueytown	https://library.municode.com/al/hueytown/codes/code_of_ordinances?nodeId=COOR_CH34EN_ARTIIISTMAERSECO
Irondale	http://cityofirondaleal.gov/
Lipscomb	No existing website at this time. Can request ordinance through city hall
Midfield	http://www.cityofmidfield.com/?page_id=53
Mountain Brook	http://www.mtnbrook.org/Default.asp?ID=261&pg=City+Ordinances+%28Codified%29&hilite=ordinances
Pleasant Grove	https://library.municode.com/al/pleasant_grove/codes/code_of_ordinances?nodeId=PTIICO_CH39EN_ARTIIERSECO
Tarrant	http://www.cityoftarrant.com
Trussville	http://trussville.org/government/ordinances/
Vestavia Hills	http://vhal.org/departments/city-clerk/ordinances/

Construction Sites Summary					
City	# of Construction Sites	# of Construction Site Inspections	# of Formal Enforcement Actions Description of Violations	# of Construction Site Complaints Received*	# of Trained Staff (QCI/QCP/ESC)
Adamsville	1	5	0	0	1 (Contracted QCP)
Brighton	0	0	0	0	0
Brookside	0	0	0	0	0
Fairfield	0	0	0	0	0
Gardendale	72	328	None Reported	0	1 (QCI) 1 (Contracted QCP)
Homewood	34	68	None Reported	0	1 (QCI) 1 (Contracted QCP) 1 (ESC)
Hueytown	5	15	None Reported	0	1 (QCI) 1 (Contracted QCP)
Irondale	54	162	None Reported	0	2 (QCI) 1 (Contracted QCP)
Lipscomb	0	0	0	0	0
Midfield	0	0	0	0	1 (Contracted QCP)
Mountain Brook	36	116	None Reported	0	2 (QCI) 1 (Contracted QCP)
Pleasant Grove	12	24	None Reported	0	1 (QCI) 1 (Contracted QCP)
Tarrant	1	3	None Reported	0	1 (QCI) 1 (Contracted QCP) 1 (ESC)
Trussville	198	600	None Reported	0	1 (QCI) 1 (QCP)
Vestavia Hills	80	240	None Reported	0	1 (QCI) 2 (QCP)

A list of the construction sites is found in the **Appendix E**.

* These numbers reflect the complaints that were referred to JCDH.

3.5 Post Construction Storm Water Management in New Development and Re-Development

3.5.1 Objective

The objective of the Construction Site Storm Water Runoff Program is to reduce, to the maximum extent practicable the pollutants in any storm water runoff to the MS4 from qualifying construction sites.

3.5.2 Activities Complete or in Progress

Activity 1: Require landowners and developers to implement systems to reduce the discharge of pollutants. This activity is still in progress.

Activity 2: Require landowners and developers to mimic pre-construction hydrology runoff in post-construction using permit guidelines. This activity is still in progress.

Activity 3: Encourage landowners and developers to incorporate Low Impact Development. This activity is still in progress.

Activity 4: Adopt or amend an ordinance to ensure applicability and enforceability of post-construction BMPs. This activity is still in progress.

Activity 5: Require the submittal of a post-construction BMP plan. This activity is still in progress.

Activity 6: Require an “as built” certification within 120 days of completion. This activity is still in progress.

Activity 7: Perform and/or require the performance of, at a minimum, an annual post-construction inspection and maintenance of BMPs on new construction sites. This activity is still in progress.

Activity 8: Require the developer/owner/operator to keep records of the inspection and maintenance activities. This activity is still in progress.

Activity 9: Require and/or perform adequate long-term operation and maintenance of post-construction BMPs through legal means. This activity is still in progress.

3.5.3 General Discussion

SWMA members approved a pro-forma post-construction ordinance that met permit requirements listed below:

- **Require landowners and developers to implement systems to reduce the discharge of pollutants.**
- **Require landowners and developers to mimic pre-construction hydrology runoff in post-construction using permit guidelines.**
- **Encourage landowners and developers incorporate Low Impact Development.**
- **Require the submittal of a post-construction BMP plan.**
- **Require an “as built” certification within 120 days of completion.**
- **Perform and/or require the performance of, at a minimum, an annual post-construction inspection and maintenance of BMPs on new construction sites.**
- **Require the developer/owner/operator to keep records of the inspection and maintenance activities.**
- **Require and/or perform adequate long-term operation and maintenance of post-construction BMPs through legal means.**

SWMA has a section in SOAR to identify all new BMPs and save inspection and maintenance sheets for each BMP.

3.5.4 Status

While many cities have passed the post-construction ordinance, SWMA expects all members to pass the ordinance by April of 2019.

3.5.5 Assessment

This program will not be fully effective until the ordinance is in place in all member cities.

3.5.6 Proposed Revisions

There are no proposed revisions at this time.

3.5.7 Annual Reporting

. Post-Construction Controls Summary				
City	Post-Construction Controls Installed and Inspected	Post-Construction Controls Owned by the Cities	# of Inspections Performed	Enforcement Actions
Adamsville	0	0	0	0
Brighton	0	0	0	0
Brookside	0	0	0	0
Fairfield	0	0	0	0
Gardendale	0	0	0	0
Homewood	0	0	0	0
Hueytown	0	0	0	0
Irondale	0	0	0	0
Lipscomb	0	0	0	0
Midfield	0	0	0	0
Mountain Brook	0	0	0	0
Pleasant Grove	0	0	0	0
Tarrant	0	0	0	0
Trussville	0	0	0	0
Vestavia Hills	0	0	0	0

The approved pro-forma ordinance can be found in **Appendix F**

3.6 *Spill Prevention and Response*

3.6.1 Objective

The objective of the Spill Prevention and Response Program is to prevent, contain, and respond to spills that may discharge into the MS4.

3.6.2 Activities Complete or in Progress

Activity 1: Investigate, respond and conduct response actions or coordinate with other agencies that may provide response actions. This activity was completed.

Activity 2: Develop a mechanism to track spills, responses, and clean-up activities for all spills. This activity was completed.

Activity 3: Use an acceptable mapping scheme to identify spill locations, inspection locations and chronic problem areas. This activity has been completed.

Activity 4: Implement a spill prevention/spill response plan. This activity was completed.

Activity 5: Provide training to appropriate personnel in spill and response procedures. This activity was completed.

Activity 6: Establish procedures to ensure that all spills are promptly reported. This activity has been completed.

3.6.3 General Discussion

Member cities have a local mechanism to investigate, respond, and conduct response actions with other agencies. All cities have either a fire department or are part of a fire district. Jefferson County also has an Emergency Management Agency (EMA) which coordinates and/or assist cities with spills and clean-up. EMA also documents spills, response and clean-up activities. JCDH has the capability to exhibit spill locations, locations for inspections, and chronic problem areas in GIS. All of the cities are in the process of formalizing a spill prevention/spill response plan. While all fire response units have training to respond to spills, JCDH offers a training program for non-first responder personnel on spill prevention and response.

3.6.4 Status

SWMA members are in compliance with this program element. The SOAR program offers storage for spill documentation for incidents that do not involve EMA.

3.6.5 Assessment

The program has proven effective in terms of responding to spills. Documentation of spills and spill response for incidents that do not involve EMA needs improvement.

3.6.6 Proposed Revisions

There are no proposed revisions at this time.

3.6.7 Annual Reporting

Spill Response Summary				
City	Location of Spills	Spill Substance	Incident Dates and Times to Resolution	Enforcement Actions
Gardendale	I-65 at MM 274	7,200 gal. of Gasoline	10/09/17	None Reported
Mountain Brook	US 280W at Cherokee Rd	30 gal. of Diesel and Engine Fluids	10/30/17	None Reported
Fairfield	1-20/59 E-N at Lloyd Nolan overpass Exit 118	250 gal. of Diesel	11/02/17	None Reported
Irondale	1-20 W near Exit 135	40 gal. of Diesel	12/16/17	None Reported
Irondale	1459 NB@ MM 26.9 / Grants Mill Road Exit	20 gal. of Engine Oil/Coolant and 50 lbs. of Carbon Black Powder	06/09/18	None Reported
Irondale	120 EB Ramp from 1459 NB	10 gal. Diesel and 39,000 lb. of Chicken Parts	06/13/18	None Reported

3.7 Pollution Prevention/Good Housekeeping for Municipal Operations

3.7.1 Objective

The objective of the Pollution Prevention/Good Housekeeping Program is to prevent and reduce the discharge in storm water run-off from municipal operations to the MEP.

3.7.2 Activities Complete or in Progress

Activity 1: An inventory of all Municipal facilities. This activity is completed for all members except Fairfield.

Activity 2: Develop and implement a short and long term strategy and program for removal of trash from waterways and tributaries. This activity has been completed.

Activity 3: Require appropriate Best Management Practices for events. This activity is in progress.

Activity 4: Provide trash receptacles for high trash generated areas. This activity has been completed.

Activity 5: Develop a Standard Operating Procedure detailing good housekeeping practices. This activity was completed.

Activity 6: Develop a program to inspect municipal facilities with checklists and procedures for correcting noted deficiencies. This activity was completed.

Activity 7: Develop a training program for municipal staff on good housekeeping. This activity is complete.

Activity 8: Assess the water quality impacts of flood management programs. This activity is in progress.

3.7.3 General Discussion

Members of SWMA have been documenting their pollution prevention/good housekeeping activities and municipal operations inspections since 2012. This information is stored in the SOAR program. Completion of the SWMPP will provide members a more accurate record of total municipal facilities and may increase the number of inspections to be performed. The cities have active programs for removing trash from waterways and tributaries. In 2011 SWMA adopted a SOP manual that contains procedures regarding this program element. A SOP for special events was developed and included in the template SWMPP for SWMA cities. SWMA and JCDH offered a half-day training program for municipal employees that covered this program element.

3.7.4 Status

The cities of Tarrant and Vestavia Hills are the only members that have flood management projects in place. The members are in the process of assessing the existence of flood management programs that may be under their responsibility.

3.7.5 Assessment

The members have been successful in removing trash to prevent it from entering waterways and tributaries. Several members sponsor city wide clean ups which also serve to educate the public on importance of clean water. Member cities have adopted a SOP Manual that outlines procedures for numerous pollution prevention/good housekeeping activities.

3.7.6 Proposed Revisions

There are no proposed revisions at this time.

3.7.7 Annual Reporting

City	Amount of Floatable Materials Collected from The MS4	Amount of Leaves Collected	# of Inspections Performed
Adamsville	1424.4 tons	3950 tons	1
Brighton	184 bags	None Reported	None Reported
Brookside	32 bags	None Reported	None Reported
Fairfield	630 cu. yards	None Reported	None Reported
Gardendale	786 bags	None Reported	None Reported
Homewood	125 bags	None Reported	4
Hueytown	81 bags	2765 bags	3
Irondale	1,177.5 bags	11,641 bags	3
Lipscomb	53.68 tons	None Reported	None Reported
Midfield	5,545 bags	164 cu. yards	4
Mountain Brook	413 bags and 78 cu. yards	11,494 cu. yards	3
Pleasant Grove	80 bags	100 bags	None Reported
Tarrant	1182 bags and 90 tons	15 tons	12
Trussville	587 bags	4,118 cu. yards	9
Vestavia Hills	685 bags	None Reported	4

With the exception of Fairfield, all permitted members updated to their municipal inventory, inspection plan or SOP of good housekeeping. The updates can be found in each SWMPP.

3.8 *Application of Pesticides, Herbicides and Fertilizers (PHFs)*

3.8.1 Objective

The objective of the Pesticides, Herbicides and Fertilizers Program is to reduce, to the maximum extent practicable, the discharge of pollutants related to the storage and application of PHFs applied by employees or contractors, to public rights of way, parks, and other public property.

3.8.2 Activities Complete or in Progress

Activity 1: Identify all areas known to receive high application of PHFs and develop a program to detect improper usage. This activity is in progress.

Activity 2: Require evidence of proper certification and licensing for all applicators. This activity is complete.

Activity 3: Maintain an inventory of on-hand PHFs with information about the formulation of the product. This activity is complete.

Activity 4: Maintain information on equipment use and maintenance. This activity is in progress.

Activity 5: Have training on safe usage, storage and disposal of PHFs. This activity is complete.

Activity 6: Inspect and monitor facilities where PHFs are stored. This activity is complete.

Activity 7: Have recordkeeping. This activity is complete.

3.8.3 General Discussion

SWMA members that have active PHF programs are in compliance with keeping records on usage, storage, and disposal of PHFs. The maintenance and use of equipment is addressed in their SWMPP. A plan to inspect and monitor PHF storage facilities in similar fashion to the required municipal facilities inspections of the Good Housekeeping program element is also included in the SWMPP. Members that spray provide the proper training to the personnel involved. JCDH also offered training for city employees on general usage of PHFs. Cities record all PHF related activities in SOAR.

3.8.4 Status

The members comply with the documentation of application and storage of PHFs. The storage facility inspection requirement is addressed in the SWMPP. JCDH and SWMA are in the process of developing a program to include a report of improper usage.

3.8.5 Assessment

Members are documenting areas of PHFs application and storage inventory. Inspection of storage facilities was included in the SWMPP. Efforts to improve detection of improper PHF usage are in progress.

3.8.6 Proposed Revisions

There are no proposed revisions at this time.

3.8.7 Annual Reporting

All records for PHFs are housed in the SOAR program.

3.9 *Oils, Toxics, and Household Hazardous Waste Control*

3.9.1 Objective

The objective of oil, toxics and household hazardous waste control program is to prohibit, to the maximum extent practicable, the discharge of used engine fluids and household hazardous waste into the MS4.

3.9.2 Activities Complete or in Progress

Activity 1: making educational materials on this program available to the public. This activity is complete.

Activity 2: Advertise the location of used oil collection facilities. This activity is complete.

Activity 3: Provide employee training on spill prevention related to this program. This activity is complete.

3.9.3 General Discussion

Currently JCDH and SWMA provide information addressing oils, toxics, and household hazardous wastes that are distributed at each member's city hall. Storm water calendars, website materials and brochures are tools that members use to address these topics including used oil collection facilities. Determining the quantity of used oil collected within each city is difficult due to large number of municipalities located within Jefferson County. Citizens can easily drop off their used oil anywhere regardless of the municipality. Currently, information on the total gallons of recycled oil for Jefferson County is received from the largest used oil collector. JCDH and SWMA also offered a half-day training program for municipal employees that covers this program element. Many cities offered electronics takeback days independently. JCDH is planning two Household Hazardous Waste Takeback Events in 2019 for all Jefferson County residents.

3.9.4 Status

Members are in compliance with all components of this element.

3.9.5 Assessment

Training for employees on Household Hazardous Waste was offered during the 2017-2018 reporting period.

3.9.6 Proposed Revisions

There are no proposed revisions at this time.

3.9.7 Annual Reporting

Within Jefferson County, Universal Environmental Services received 385,461 gallons of recycled oil from Express Oil Change Services, Inc., during this reporting period. Amounts for individual cities were not available.

Regional Electronics takeback events were held in Adamsville and Center Point. The Cities of Vestavia Hills and Clay held independent takeback events. The U.S. Drug Enforcement Administration also held two prescription drug takeback events throughout Jefferson County.

JCDH presented a MS4 training class that included discussion of oils, toxics, and household hazardous waste control on October 17 and 24, 2018. The attendance sheet and agenda can be found in **Appendix G**.

3.10 *Industrial Storm Water Runoff*

3.10.1 Objective

The objective of the industrial storm water runoff program is to inspect, monitor, and control pollutants in the storm water runoff from high-risk facilities.

3.10.2 Activities Complete or in Progress

Activity 1: Annual inspection of Municipal waste landfills, hazardous waste treatment, storage, disposal (TSD) and recovery facilities. This activity is complete.

Activity 2: Annual inspections of industrial facilities and high-risk commercial facilities. This activity is complete.

Activity 3: Use data collected from NPDES permitted facility to review sites. This activity is complete.

3.10.3 General Discussion

JCDH and SWMA implemented a standalone program to inspect the sites from a more storm water-focused perspective. With the completion of each cities' SWMPP, a list of industrial and high-risk commercial facilities was compiled. Facilities within those cities were inspected or documented during the 2017-2018 reporting period. Lists will be updated as needed. Although JCDH did not perform inspections of the Fairfield sites, the City provided documentation that its sites were inspected by the Fairfield Fire Department. This document can be found in **Appendix H.**

3.10.4 Status

This element is complete for all cities.

3.10.5 Assessment

An assessment of this element is not available at this time.

3.10.6 Proposed Revisions

There are no proposed revisions at this time.

3.10.7 Annual Reporting

Member Cities	# of Inspections
Adamsville	35
Brighton	2
Brookside	1
Fairfield	Completed by Fairfield Fire Department
Gardendale	47
Homewood	53
Hueytown	79
Irondale	44
Lipscomb	4
Midfield	18
Mountain Brook	14
Pleasant Grove	17
Tarrant	88
Trussville	17
Vestavia Hills	54

The inspections are in the in **Appendix H**. JCDH also reviewed the 20 NPDES Permits and found a total of 43 instances of excursions. The Discharge Monitoring Reports for the Permitted sites can be found in **Appendix H**.

4 Monitoring

4.1 Objective

The objective of the Monitoring Program is to provide data necessary to assess the effectiveness and adequacy of BMPs implemented under the SWMPP.

4.2 Monitoring Program

Monitoring is accomplished by using both continuous monitoring stations and grab samples collected during a qualifying rain event (wet samples). Grab samples are collected as described, and at the frequency determined by the Member's permit. Analysis of the sampling data is used to assess the water quality of the streams and to identify potential water quality impairments.

4.2.1 Continuous Monitoring

There are five continuous monitoring sites strategically placed throughout SWMA members on Shades Creek, Cahaba River and Valley Creek. The sites are maintained, calibrated, and the data is approved by USGS. The data is available to the public through USGS's website (<https://www.usgs.gov/>). The continuous monitors test for six parameters: temperature, pH/ORP turbidity, conductivity, dissolved oxygen and water level. For this reporting period, analysis of the data was not possible due to stations having different start dates, partial sampling periods and most of the information was not approved by USGS.

The sites are shown in the table below:

WATERSHED	SITE NAME	USGS NAME	LONGITUDE	LATITUDE	APPROXIMATE WATERSHED SIZE (SQ. MI.)*
UPPER SHADES CREEK	MOU-SHC-065M	SHADES CREEK AT ELDER ST NEAR SPRINGDALE AL (02423571)	-86.716126	33.521084	9.1
LOWER SHADES CREEK	HOM-SHC-087M	SHADES CREEK NR HOMEWOOD ALA (02423586)	-86.813676	33.448607	26.9
UPPER CAHABA RIVER	LEE-CAR-053M	CAHABA RIVER NEAR WHITES CHAPEL AL (02423160)	-86.549324	33.605167	50.8
LOWER CAHABA RIVER	VES-CAR-085M	CAHABA RIVER NEAR MOUNTAIN BROOK (02423380)	-86.712765	33.481772	140.3
VALLEY CREEK	BRI-VAC-015M	VALLEY CREEK BELOW BRIGHTON, ALA (02461405)	-86.95317	33.425456	35.0


*The watershed size was derived from the USGS Watershed Boundary Dataset in conjunction with USGS topographical maps. This information shown is an approximation of watershed size.

The activation dates are shown in the table below:

Parameter Recorded	Upper Shades Creek	Lower Shades Creek	Upper Cahaba River	Lower Cahaba River	Valley Creek
Dissolved Oxygen	5/9/2018	5/9/2018	8/9/2011	4/20/2018	5/14/2018
pH	5/9/2018	5/9/2018	9/6/2017	8/21/2018	5/14/2018
Specific Conductance	10/12/2017	5/9/2018	8/9/2011	4/20/2018	5/14/2018
Temperature	10/12/2017	5/9/2018	8/9/2011	4/20/2018	5/14/2018
Turbidity	5/9/2018	5/9/2018	9/6/2017	4/20/2018	5/14/2018
Water Level	10/2/2017	3/28/2018	8/9/2011	10/1/1994	3/30/2018

The percentage of data that is provisional is shown in the table below.


Parameter Recorded	Upper Shades Creek	Lower Shades Creek	Upper Cahaba River	Lower Cahaba River	Valley Creek
Dissolved Oxygen	100%	100%	75%	100%	100%
pH	100%	100%	100%	100%	100%
Specific Conductance	100%	100%	75%	100%	100%
Temperature	69%	100%	75%	100%	100%
Turbidity	100%	100%	100%	100%	100%
Water Level	100%	100%	5%	0%	100%




4.2.2 Continuous Monitoring Data

4.2.2.1 Shades Creek Data


Temperature




Dissolved Oxygen




pH



Turbidity




Specific Conductance




4.2.2.2 Cahaba River Data


Temperature




Dissolved Oxygen




pH



Turbidity




Specific Conductance




4.2.2.3 Valley Creek Data


Temperature




Dissolved Oxygen




pH



Turbidity



Specific Conductance



4.2.3 Wet Weather Sampling

The locations of sampling stations are based upon multiple factors that include, past sampling sites for longevity studies of water quality, ease of access, and strategically located sampling sites to reduce duplication of sampling on the same water body.


The table below describes the member cities and the sites that receive runoff from them. Note the use of color coding to signify sites that have receive runoff from multiple municipalities.

CITY	WATERSHED	ADEM PERMIT REQUIREMENTS	SITE NAME	LONGITUDE	LATITUDE	APPROXIMATE WATERSHED SIZE (SQ. MI.)*
ADAMSVILLE	VILLAGE CREEK	VILLAGE CREEK	ADA-VAC-023M	-87.053491	33.628143	94.4
BRIGHTON	VALLEY CREEK	TRIB TO VALLEY CREEK	BRI-VAC-018T	-86.946071	33.43316	1.4
BRIGHTON	VALLEY CREEK		BRI-VAC-015M	-86.95317	33.425456	35.0
BROOKSIDE	FIVE MILE CREEK	NEWFOUND CREEK	BRO-FMC-030T	-86.915614	33.63953	15.7
BROOKSIDE	FIVE MILE CREEK	FIVE MILE CREEK	BRO-FMC-029M	-86.932013	33.643603	81.6
FAIRFIELD	VALLEY CREEK	TRIB TO VALLEY CREEK	FAI-VAC-010T	-86.907794	33.45815	0.7
FAIRFIELD	VALLEY CREEK		BRI-VAC-018T	-86.946071	33.43316	1.4
FAIRFIELD	VALLEY CREEK		BRI-VAC-015M	-86.95317	33.425456	35.0
GARDENDALE	FIVE MILE CREEK	TRIB TO FIVE MILE CREEK	GAR-FMC-031T	-86.872087	33.655549	7.7
HOMEWOOD	SHADES CREEK	SHADES CREEK	HOM-SHC-087M	-86.813676	33.448607	26.9
HOMEWOOD	SHADES CREEK	TRIBUTARIES TO SHADES CREEK	HOM-SHC-072T	-86.83654	33.438338	3.7
HOMEWOOD	SHADES CREEK	TRIBUTARIES TO SHADES CREEK	HOM-SHC-071T	-86.810539	33.452564	4.0
HUEYTOWN	VALLEY CREEK	VALLEY CREEK	HUE-VAC-003M	-87.059665	33.388139	93.2
HUEYTOWN	VALLEY CREEK	TRIB TO VALLEY CREEK	HUE-VAC-014T	-86.978983	33.434358	2.4
IRONDALE	SHADES CREEK	SHADES CREEK	MOU-SHC-065M	-86.716126	33.521084	9.1
IRONDALE	CAHABA RIVER	CAHABA RIVER	IRO-CAR-057M	-86.652636	33.511484	128.6
LIPSCOMB	VALLEY CREEK	TRIB TO VALLEY CREEK	LIP-VAC-017T	-86.941052	33.425927	0.7
LIPSCOMB	VALLEY CREEK		BRI-VAC-015M	-86.95317	33.425456	35.0

CITY	WATERSHED	ADEM PERMIT REQUIREMENTS	SITE NAME	LONGITUDE	LATITUDE	APPROXIMATE WATERSHED SIZE (SQ. MI.)*
MIDFIELD	VALLEY CREEK	VALLEY CREEK	BRI-VAC-015M	-86.95317	33.425456	35.0
MIDFIELD	VALLEY CREEK		FAI-VAC-010T	-86.907794	33.45815	0.7
MIDFIELD	VALLEY CREEK		BRI-VAC-018T	-86.946071	33.43316	1.4
MOUNTAIN BROOK	SHADES CREEK	SHADES CREEK	MOU-SHC-069M	-86.759513	33.48057	16.5
MOUNTAIN BROOK	SHADES CREEK	TRIBUTARIES TO SHADES CREEK	MOU-SHC-068T	-86.763681	33.476147	3.0
MOUNTAIN BROOK	CAHABA RIVER	TRIBUTARIES TO SHADES CREEK**	MOU-CAR-086T	-86.712698	33.479676	2.4
PLEASANT GROVE	VALLEY CREEK	ROCK CREEK	PLE-VAC-006T	-87.03124	33.485591	16.2
TARRANT	FIVE MILE CREEK	FIVE MILE CREEK	TAR-FMC-036M	-86.788948	33.584886	28.8
TRUSSVILLE	CAHABA RIVER	CABABA RIVER	TRU-CAR-050M	-86.599899	33.622915	21.1
TRUSSVILLE	CAHABA RIVER	CABABA RIVER	LEE-CAR-053M	-86.549324	33.605167	50.8
TRUSSVILLE	CAHABA RIVER	PINCHGUT CREEK	TRU-CAR-051T	-86.607729	33.617775	6.8
TRUSSVILLE	CAHABA RIVER	DRY CREEK	TRU-CAR-048T	-86.599393	33.643242	3.1
VESTAVIA HILLS	CAHABA RIVER	CAHABA RIVER	VES-CAR-085M	-86.712765	33.481772	140.3
VESTAVIA HILLS	PATTON CREEK	PATTON CREEK	VES-CAR-074T	-86.810525	33.410772	6.7


*The watershed size was derived from the United State Geological Survey's (USGS) Watershed Boundary Dataset in conjunction with USGS topographical maps. This information shown is an approximation of watershed size.

**Needs to be modified to be a part of Cahaba River.




4.2.4 Wet Sampling Data


E. Coli




Biological Oxygen Demand




Chemical Oxygen Demand (COD)




Hardness




Total Suspended Solids (TSS)



Turbidity




Total Dissolved Solids (TDS)




Oil and Grease


The oil and grease values for dry weather sampling were all less than 5mg/l.




Total Kjeldahl Nitrogen (TKN)




Ammonia




Nitrate Plus Nitrite




Total Nitrogen




Total Phosphorus




pH




Specific Conductance



Dissolved Oxygen



Temperature



4.3 *General Discussion*

A comparison of the data from the monitoring sites was difficult for various reasons. For example, monitoring sites on the Upper and Lower Shades Creek and the Upper and Lower Cahaba River had different activation dates. Also, the site on Valley Creek was only active for five months during this reporting period. Additionally, the provisional status of much the data created difficulty in completing an analysis. Given more time to collect additional data, USGS will be better able to promptly review and approve the information and allow better analysis of the data for the 2018 -2019 reporting period. Totaled

Review of the wet sample data shows several sites consistently have elevated readings in multiple parameters. In order to identify the sites with multiple elevated parameters, the top three data points of each parameter were weighted with the highest given three points, the second highest given two points and the third highest given one point. The total points for each site were calculated for a score. The sites with the highest score had the most elevated parameters with the highest levels. See **Appendix I** for raw data and the score results.

The top five sites with multiple elevated parameters in order from highest are HOM-SHC-071T, HOM-SHC-087M, BRO-FMC-029M, ADA-VIC-023M, and PLE-VAC-006T.

HOM-SHC-071T showed elevated parameters for Biochemical Oxygen Demand (BOD), Chemical Oxygen Demand (COD), Ammonia Nitrogen, Total Kjeldahl Nitrogen, Total Phosphorus, Total Nitrogen, and Total Suspended Solids (TSS). This site is located on Griffin Creek in Homewood within a heavily urbanized watershed with commercial and high density residential zones. HOM-SHC-087M showed elevated parameters for BOD, COD, Total Kjeldahl Nitrogen, Total Phosphorus, and TSS. This site is located on Shades Creek in Homewood downstream of the convergence of Griffin Creek with Shades Creek. This area of Shades Creek Watershed will need further investigation during the upcoming reporting period for potential runoff sources.

BRO-FMC-029 had high results for Ammonia Nitrogen, Nitrate plus Nitrite, Specific Conductance, Total Dissolved Solids (TDS), and Total Nitrogen. It is located in a rural area of Brookside on Five Mile Creek with limited MS4 infrastructure. ADA-VIC-023M showed elevated results for Nitrate plus Nitrite, Specific Conductance, TDS, and Total Nitrogen. The sampling site is located on Village Creek in Unincorporated Jefferson County downstream of Adamsville. This sampling site is also in a rural area with limited MS4 infrastructure. The MS4s for Brookside and Adamsville will need further investigation during the upcoming reporting period to see if they are the source of the elevated parameters.

PLE-VAC-006T showed elevated results for Specific Conductance and TDS. This site is located in a rural area of Unincorporated Jefferson County on Rock Creek and has limited MS4 infrastructure. One unnamed tributary upstream of this sampling site is located in Pleasant Grove was investigated for elevated parameters during dry weather screening for reporting

period 2017-2018. The water quality was concluded to be the result of drainage from an abandoned mining site.

Attempts were made to fulfill the grab sample requirement for each site but runoff was not always present during minimum qualifying rain events. This issue was further impacted by the small size of some of the watersheds. Temperature and Dissolved Oxygen were not taken on some sites due to equipment malfunction.

4.4 *Status*

Wet samples were completed on all sites except LIP-VAC_017T. The installation of the continuous monitors was completed during the reporting period.

4.5 *Assessment*

Comparison of the continuous monitoring sites was not achieved during this reporting period. Analysis of the wet sample data indicates several sites need further investigation to determine causes of elevated parameters. Additional testing will be performed on these sites during the upcoming reporting period.

4.6 *Proposed Revisions*

There are no proposed revisions at this time.

4.7 *Annual Reporting*

The following information is a graphical summary of the data with an explanation of the data for each component of the monitoring program. Raw sampling data is found in **Appendix I**.

5 Fiscal Analysis

For the Permit year 2017-2018, SWMA was paid based on a \$5.00 per residence and \$15.00 per commercial rate by each member according to land usage. In accordance with Act 2014-439, Alabama Department of Revenue received 5% of the storm water fee collected.

The money collected by SWMA was used to help members meet ADEM permit requirements. The most recent fiscal information available is included in **Appendix J**.

SWMA has been designated to be the authorized agent to prepare the 2017-2018 Annual Report on NPDES Permits for the municipalities listed below. Furthermore, the staff of SWMA, at the direction of the Board of Directors, has prepared and reviewed the content of such report on behalf of the Permittees.

"I certify under the penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."




City of Adamsville
Mayor Pam Palmer



City of Brighton
Mayor Eddie Cooper



City of Brookside
Mayor Roger McCondie



City of Fairfield ~~City Manager~~
~~Mayor Edward May Jr.~~
MARY ROBerson



City of Gardendale
Mayor Stan Hogeland



City of Homewood
Mayor Scott McBrayer



City of Hueytown
Mayor Steve Ware




City of Irondale
Mayor Charles Moore



City of Lipscomb
Mayor Brenda Renz



City of Midfield
Mayor Gary Richardson




City of Mountain Brook
Mayor Stewart Welch III



City of Pleasant Grove
Mayor Jerry Brasseale



City of Tarrant
Mayor Loxcil Tuck



City of Trussville
Mayor Buddy Choat



City of Vestavia Hills
Mayor Ashley Curry

Contracts and Bylaws

SWMA Contract with JCDH

To Bid: Yes No

JCDH ID # EH/AP-46



JEFFERSON COUNTY DEPARTMENT OF HEALTH
CONTRACT COVERSHEET



SERVICE CENTER ORIGINATING CONTRACT: Environmental Health

SERVICE CENTER CONTACT PERSON: Jonathan Stanton TELEPHONE: (205) 930-1292

CONTRACTOR'S NAME: Storm Water Management Authority, Inc. (SWMA) FEDERAL ID #: _____

ADDRESS: 501 Park Road
Pleasant Grove, AL 35127

CONTRACT CONTACT PERSON: Mayor Jerry Brasseale TELEPHONE: (205) 744-1720 FAX: _____

JCDH PAY STATUS: PAYEE PAYOR BILLING NOTATION: YES NO
(Check One)

CONTRACT TERM FROM: 1/1/2017 THRU: 12/31/2017 STATUS: NEW RENEWAL
AMENDMENT

AMOUNT: 644,000.00 / 12 equal monthly payments
NOT TO EXCEED \$ _____

SYNOPSIS/SERVICES PROVIDED:
JCDH will provide stormwater management services to the members of the Storm Water Management Authority, Inc.

If Independent Contractor, explain why needed: _____

ORIGINATION/REVIEW & APPROVAL OF SERVICE CENTER ADMINISTRATOR:

Provisions Reviewed:

Contractor Legal Name
Bid Law Compliance

Term
Proper Signature Lines

Payment
Indemnity

Signature of Service Center Administrator: [Signature] Date 4/13/17

	Date	Initials
FINANCIAL REVIEW:	<u>4/18/17</u>	<u>[Signature]</u>
LEGAL REVIEW: <u>Approved from</u>	<u>4-17-17</u>	<u>ASM</u>
APPOINTING AUTHORITY'S SIGNATURE:	<u>4/18/17</u>	<u>[Signature]</u>
SENT TO PERSONNEL BOARD (IF APPLICABLE):	<u>4/19/17</u>	<u>[Signature]</u>
BOARD OF HEALTH APPROVAL:	<u>4/18/17</u>	<u>[Signature]</u>
SENT TO CONTRACTOR FOR SIGNATURE	<u>4/18/17</u>	<u>[Signature]</u>
SIGNED CONTRACT REC'D & FILED WITH F & A:	<u>4/20/17</u>	<u>[Signature]</u>

APPROVED/DISAPPROVED BY PERSONNEL BOARD: _____	SIGNATURE	TITLE	DATE
(Circle one)			

RECEIVED
APR 18 2017

AGREEMENT
Between the
Jefferson County Board of Health
And the
Storm Water Management Authority, Inc.

THIS AGREEMENT, made this first day of January, 2017, by and between the Jefferson County Board of Health, "**Board**", and The Storm Water Management Authority, Inc. and its Board of Directors hereinafter referred to as "**SWMA**".

WITNESSETH:

WHEREAS, the Board is a county board of health constituted under the laws of the State of Alabama and provides the sanitary and public health work as Jefferson County Department of Health ("**Department**") under supervision of its county health officer.

WHEREAS, SWMA is a public corporation incorporated pursuant to the Storm Water Act, Code of Alabama (1975), §§ 11-89C-1, *et seq.* (the "**Storm Water Act**") and composed of member municipalities that are required to comply with certain Storm Water Laws as defined by Code of Alabama (1975), § 11-89C-2(8), including, but not limited to the federal Clean Water Act of 1972, 33 U.S.C. §§ 1251, *et seq.*, as amended ("**CWA**") and NPDES Permits ("**Permits**") issued to SWMA's member municipalities by the Alabama Department of Environmental Management ("**ADEM**");

WHEREAS, SWMA is incorporated to assist its member municipalities in complying with their obligations under the Storm Water Laws and the Permit and for that purpose performs certain functions on behalf of its members;

WHEREAS, SWMA, in an effort to comply with its members' obligations under the Permit, undertakes to monitor various sites in the field that have been identified and approved by ADEM and the Environmental Protection Agency ("**EPA**");

WHEREAS, it is the intent of the Board and SWMA that the Board will provide the storm water management services for the member municipalities of SWMA, other than those services expressly excluded.

NOW, THEREFORE, in consideration of the premises, the mutual promises and covenants of the parties other good and valuable consideration the parties agree:

I. **PROVISION OF SERVICES BY THE BOARD**

- A. The Department agrees to provide the following services to SWMA (the "**Services**");

1. Wet Weather Monitoring — The Department will monitor, sample, and provide lab analysis for the monitoring component as directed by the Municipal Separate Storm Sewer System (“MS4”) Permits.
2. MS4 Outfall Screening — The Department will sample and provide lab analysis to meet 100% of MS4 outfalls within the five year permit cycle.
3. Illicit Discharge/Illegal Dumping Inspection — The Department will provide field inspections, sampling and lab analysis for dry weather screening for detection of illicit discharges/illegal dumping into the MS4. Provide enforcement assistance to remediate illicit discharges and illegal dumping as determined during these inspections.
4. Complaint Investigations — The Department will investigate all storm water complaints and record all investigations electronically so that a comprehensive report can be provided at any time. Records will be kept in such a manner as to provide documentation should legal proceedings be necessary. The Department will assist member jurisdictions with any necessary enforcement actions.
5. Complaint Reporting System — The Department will provide a day time complaint reporting system, a night time, and weekend hot line as well as a 24-7 web based reporting system for the public to report illegal discharges or illegal dumping into the MS4.
6. Household Hazardous Waste Disposal — The Department will assist any jurisdiction member with the set up and operation of Household Hazardous Waste disposal projects.
7. Erosion and Sediment Control Inspections — The Department will assist with pre-, ongoing, and post-construction inspections as related to the enforcement of erosion and sediment control requirements per the approved best management practices. The Department will notify member jurisdictions in a timely manner of any verified permit violations.
8. Erosion and Sediment Control Workshops — The Department will conduct a minimum of one erosion and sediment control workshops to inform builders of the usage and importance of BMPs on local construction sites.
9. Classroom Education — The Department will develop and present age appropriate (elementary through high school) education on water quality and storm water runoff protection to local (public and private) classrooms in the member jurisdictions at a minimum of one time per year. The Department will provide educational materials and teacher resources.

10. Public Education — The Department will deliver technical and professional presentations on the storm water management program elements and reduction of non-point source pollutants to professional and nonprofessional groups. The Department will also produce and distribute professional informational publications for public education in member jurisdictions.
11. Public Education/Information Online — The Department will provide web based access to storm water issues/information, educational materials, assistance guides on the Department's website.
12. Water Quality Inventory — The Department will continue to update the hydrographic layers of the existing GIS database for each member jurisdiction. Where possible through aerial photography, existing survey information, derived planimetric features, and field data collection, the Department will work to increase the spatial and attribute accuracy of the existing mapped information. Including the collection and integration of data as required by the Permits.
13. Industrial Storm Water Runoff — The Department will implement a program to inspect and monitor storm water runoff to the MS4 from industrial or commercial sites as required in the Permits. Additional sites may be inspected upon request of the Permittees.
14. Full Cooperation with SWMA — The Department will fully cooperate with SWMA by providing information and documentation as more fully set forth in paragraph 7.
15. The Department will be responsible for preparation of the Annual Report to ADEM which is required pursuant to the Permits.
16. Permitting - The Department will provide administrative support to implement NPDES permit requirements.

B. EXCLUDED SERVICES:

SWMA and Department agree to exclude from services the issuance of any permits pursuant to the Erosion & Sedimentation Control Ordinances adopted by SWMA's members in approximately 1999 or any enforcement actions related to such permits.

II. OBLIGATIONS OF SWMA; PAYMENT TERMS

- A. SWMA's obligations under this Agreement (the "Obligations") are as follows:
1. Without cost to SWMA, fully cooperate with the Department in the performance of the Department's Services stated herein.
 2. All water sampling data, GIS data and storm water related documentation will be returned to SWMA upon termination of the Agreement at no cost to SWMA.
- B. SWMA shall pay the Department for the Services performed hereunder as follows:
1. The total amount for the annual contract term payable by SWMA to the Department shall be \$644,000.00 (the "Annual Contract Amount") to be paid in equal monthly installments. SWMA shall remit payment in advance for the Services on the 1st business day of each month in the amount of 1/12 of the Annual Contract Amount (\$53,666.67) beginning January 1, 2016.

III. TERM OF AGREEMENT

The term of this Agreement shall be from January 1, 2017 through December 31, 2017 unless terminated sooner by the parties as provided herein. This Agreement shall renew automatically at the end of each term for a period of one year beginning on January 1 of the year of renewal and ending December 31 the following year unless terminated sooner by the parties as provided herein.

IV. TERMINATION

At any time during the term of this Agreement, this contract may be terminated by either party by giving ninety (90) days written notice to the other party

V. NOT DEBT OF STATE

It is agreed that the terms and commitments contained herein shall not be constituted as a debt of the State of Alabama in violation of Article 11, Section 213 of the Constitution of Alabama of 1901, as amended by Amendment Number 26. It is further agreed that if any provision of this contract shall contravene any statute or Constitutional provision or amendment, either now in effect or which may, during the course of this contract, be enacted, then that conflicting provision in the contract shall be deemed null and void. SWMA's sole remedy for claims for damages arising from any breach of this Agreement or failure to perform this Agreement shall be limited to the filing of a claim with the Board of Adjustment for the State of Alabama.

VI. CIVIL SERVICE SYSTEM

The Board and SWMA acknowledge that the Board is an appointing authority under the Civil Service System of Jefferson County, Alabama (the "System") and that the Board's Services hereunder are subject to said System.

VII. RECORDS AND DOCUMENTS

- A. Upon written request by SWMA, the Department will promptly provide to SWMA such reports, documents, information, and any other similar materials generated by the Department under this Agreement.
- B. Unless required by law, the Department will not use any confidential or proprietary reports, documents or information developed during performance of the Services for any purpose other than the performance of such services without the prior written consent of SWMA.
- C. The Department will maintain records and documents relating to performance of the Services hereunder for a period of not less than five (5) years after completion of the Services or such longer period as may be required by ADEM or EPA. Should the Department thereafter determine that it will no longer retain such records or documents, then sixty (60) days prior to disposing of such records and documents, the Department will notify SWMA of the impending termination of storage, and request that SWMA take delivery of such records and documents. If requested, the Department will deliver copies of such requested documents to SWMA at no cost to SWMA.
- D. Notwithstanding the provisions of subsection VII.C., the Department will not destroy or discard data or information contained within the GIS database to which the Department is provided access unless in the normal course of business and agreed upon in writing by the Department and SWMA.

VIII. NON-EXCLUSIVITY

This Agreement shall not be construed to grant the Department an exclusive right to perform work or provide services to SWMA. SWMA reserves the right to contract with other parties for such services as it deems appropriate.

IX. ASSIGNMENT

The Department shall not assign any of its rights or obligations under this Agreement without the prior written consent of SWMA. This Agreement is binding on the successors and assigns of SWMA and the Department.

X. GOVERNING LAW

The validity and enforceability of this Agreement and every term or provision, as well as the rights and duties of the parties to this Agreement will be governed by the laws of the State of Alabama.

XI. NOTICE

Any information or notices required or permitted under this Agreement shall be deemed to have been sufficiently given if in writing and sent by first-class mail or overnight delivery to the following:

For the Board:

Jefferson County Board of Health
Attn: Dr. Mark E. Wilson, M.D.
1400 6th Avenue South
Birmingham, AL 35233

For SWMA:

Storm Water Management Authority, Inc.
Attn: Mayor Jerry Brasseale
501 Park Road
Pleasant Grove, AL 35217

XII. AMENDMENT

This Agreement may not be amended except by a written agreement executed by the parties.

XIII. ENTIRE AGREEMENT

This Agreement constitutes the entire understanding and agreement between the parties relating to the subject of this Agreement and supersedes all prior agreements, whether written or oral.

XIV. SEVERABILITY

If any portion of this Agreement is determined to be illegal, invalid, or unenforceable, such illegality, invalidity or unenforceability shall not affect any other portion of this Agreement.

XV. SURVIVAL

All covenants, indemnities and other agreements of the parties in this Agreement (or given with this Agreement) shall survive termination of this Agreement.

XVI. HEADINGS

Headings and subheadings are inserted only for convenience and are in no way to be construed as a part of this Agreement or as a limitation of the sections to which they refer.

XVII. COUNTERPARTS

This Agreement may be executed simultaneously in two or more counterparts, each of which shall be deemed an original, but all of which together shall constitute one and the same instrument.

IN WITNESS WHEREOF, the parties have caused this Agreement to be signed by their duly authorized representatives as of the date first above written:

JEFFERSON COUNTY BOARD OF HEALTH

By: MEW MD

**Mark E. Wilson, M.D.
Health Officer**

STORM WATER MANAGEMENT AUTHORITY, INC.

By: Jerry Brasseale

**Jerry Brasseale
Chairman of the Board of Directors**



**JEFFERSON COUNTY DEPARTMENT OF HEALTH
 CONTRACTS**

BE IT RESOLVED that the Board of Health approves the contracts listed below:

CONTRACTOR	STATUS	SERVICES	AMOUNT	TERMS
Storm Water Management Authority, Inc. (EH-46)	Renewal	JCDH to provide storm water management services to the members of the Storm Water Management Authority, Inc.	Not to exceed \$644,000	1/1/2017 – 12/31/2017

BE IT FURTHER RESOLVED that the Health Officer is hereby authorized to sign said contracts and contract related documents for the Board of Health.

Adopted by the Jefferson County
 Board of Health on
April 19, 2017
M.S. [Signature]
 Health Officer

Color Codes: **Red** = Payee **Black** = Payor **Blue** = Reimbursement or No Funds Involved
 * Pending Personnel Board Approval ** Pending Final Negotiations and Legal Review

To Bid: Yes No

JCDH ID # EH/AP-46



JEFFERSON COUNTY DEPARTMENT OF HEALTH
CONTRACT COVERSHEET



SERVICE CENTER ORIGINATING CONTRACT: Environmental Health

SERVICE CENTER CONTACT PERSON: Jonathan Stanton TELEPHONE: (205) 930-1292

CONTRACTOR'S NAME: Storm Water Management Authority, Inc. (SWMA) FEDERAL ID #: _____

ADDRESS: 501 Park Road
Pleasant Grove, AL 35127

CONTRACT CONTACT PERSON: Mayor Jerry Brasseale TELEPHONE: (205) 744-1720 FAX: _____

JCDH PAY STATUS: PAYEE PAYOR BILLING NOTATION: YES NO
(Check One)

CONTRACT TERM FROM: 1/1/2017 THRU: 12/31/2017 STATUS: NEW RENEWAL
AMENDMENT

AMOUNT: 684,000.00 / 12 equal monthly payments

CHARGE TO: FUND _____ CC _____ DIV _____ ACCOUNT # _____ (e.g. 01-02-001-810114)

NOT TO EXCEED \$ _____

SYNOPSIS/SERVICES PROVIDED:
JCDH will provide storm water management services to the members of the Storm Water Management Authority, Inc.

If Independent Contractor, explain why needed: _____

ORIGINATION/REVIEW & APPROVAL OF SERVICE CENTER ADMINISTRATOR:

Provisions Reviewed:
Contractor Legal Name Term Payment
Bid Law Compliance Proper Signature Lines Indemnity

Signature of Service Center Administrator: Jonathan Stanton Date 6-7-18

FINANCIAL REVIEW:	<u>6/12/18</u>	<u>LKH</u>
LEGAL REVIEW: <u>Approved form</u>	<u>6-13-18</u>	<u>LSM</u>
APPOINTING AUTHORITY'S SIGNATURE:	<u>6/14/18</u>	<u>cdj</u>
SENT TO PERSONNEL BOARD (IF APPLICABLE):	<u>n/a</u>	_____
BOARD OF HEALTH APPROVAL:	_____	_____
SENT TO CONTRACTOR FOR SIGNATURE	<u>Rec'd signed 6/8/18</u>	<u>cdj</u>
SIGNED CONTRACT REC'D & FILED WITH F & A:	<u>6/14/18</u>	<u>cdj</u>

APPROVED/DISAPPROVED BY PERSONNEL BOARD: _____ (Circle one)	SIGNATURE	TITLE	DATE
--	-----------	-------	------

AMENDMENT
Between the
Jefferson County Board of Health
And the
Storm water Management Authority, Inc.

This Amendment, effective the 1st day of January, 2017 (the "Amendment"), by and between the Jefferson County Board of Health, hereinafter referred to as "**Board**", and The Storm Water Management Authority, Inc. and its Board of Directors, hereinafter referred to as **SWMA**", hereby amend the Agreement entered into between the parties in September of 2009 (the "Agreement").

WITNESSETH:

WHEREAS, the Board and SWMA wish to renew the Agreement entered into between the parties January 1, 2017, subject to the amendments noted below.

NOW, THEREFORE, in consideration of the premises, mutual promises, and covenants of the parties contained herein and other good and valuable consideration, the parties hereby amend Section II B of the Agreement, titled **OBLIGATIONS OF SWMA; PAYMENT TERMS**, as follows:

Delete the following Section II B 1:

"The total amount for the annual contract term payable by SWMA to the Department shall be \$644,000.00 (the "**Annual Contract Amount**") to be paid in equal monthly installments. SWMA shall remit payment in advance for the Services on the 1st business day of each month in the amount of 1/12 of the Annual Contract Amount (\$53,666.67) beginning October 1, 2016."

And, substitute in lieu thereof the following as Section II B 1:

"The total amount for the annual contract term payable by SWMA to the Board shall be \$684,000.00 (the "**Annual Contract Amount**") to be paid in equal monthly installments. SWMA shall remit payment in advance for the Services on the 1st business day of each month in the amount of 1/12 of the Annual Contract Amount (\$57,000.00) beginning January 1, 2017."

All other terms and conditions of the Agreement shall remain in full force and effect.

IN WITNESS WHEREOF, the parties have caused this Amendment to be signed by their duly authorized representatives as of the date first above written:

JEFFERSON COUNTY BOARD OF HEALTH

By: MEW MD
Mark E. Wilson, M.D.
Health Officer

**STORM WATER MANAGEMENT
AUTHORITY, INC.**

By: Jerry Brasseale
Jerry Brasseale, Mayor Pleasant Grove
Chairman of the Board of Directors
Roger McEndichie

SWMA Bylaws

INAL DRAFT

9/08/1998

Approved
10/15/98

**BYLAWS
OF THE
STORM WATER MANAGEMENT AUTHORITY, INC.**

Section 1. Name. The name of this organization shall be the Storm Water Management Authority, Inc. ("Authority").

Section 2. Objectives and Purposes. The objectives and purposes of the Authority shall be to serve as a public corporation pursuant to Act No. 95-775, Legislature of Alabama 1995, as codified from time to time in the Code of Alabama §§ 11-89C-1 et seq. (the "Act"), and to assist the member governing bodies in carrying out implementation of the storm water laws and in undertaking the responsibilities of, and achieving and maintaining compliance with, the National Pollutant Discharge Elimination System ("NPDES") MS4 Permit ALS000001 (as the same may be hereafter extended, modified, or renewed, the "Permit") issued by the Alabama Department of Environmental Management ("ADEM"), and to do all things necessary or convenient to achieve such purposes.

Section 3. Membership. Membership in the Authority shall be open to each "governing body" as defined in the Act which elects to join the Authority, to abide by these Bylaws, and to be a co-permittee under the Permit.

Section 4. Board of Directors.

a. The business of the Authority shall be managed by its Board of Directors, consisting of one representative from each member governing body. The representative shall be the Mayor, if the member governing body is a governing body of a municipality, or a County Commissioner, if the member governing body is a governing body of a county.

9/08/1998

b. The Board of Directors may hold its meetings and have one or more offices and keep the books of the Authority at such places within the boundaries of any member governing body as the Board may, from time to time, determine.

c. In addition to the powers and authorities by these Bylaws expressly conferred upon it, the Board of Directors may exercise all such powers of the Authority and do all such lawful acts and things as are by statute or by the certificate of incorporation granted to them.

d. No member of the Board of Directors shall receive compensation for his or her services rendered as a member of the Authority but each member shall be entitled to receive reimbursement for his or her reasonable actual expenses incurred in the performance of his or her duties as a member of the Board of Directors, which expenses are consistent with the budget, properly documented and approved by the Chair of the Board of Directors of the Authority. A maximum amount of expenses for each event or project for which a member of the Board of Directors seeks reimbursement shall be subject to the approval of the Chair of the Board of Directors in advance of such event or project, and the actual expenses shall also be subject to the approval of the Chair of the Board of Directors after they are incurred and before reimbursement of them is made.

e. Because under the Act each governing body is represented by a member who is a Mayor or County Commissioner, and because of the press of duties attending such elective office, and in order to prevent the Board of Directors from being unable to conduct its ordinary business when the conflicting and multiple duties of the members make their attendance at meetings difficult, any member of the Board of Directors may designate an

19/08/1998

alternate to represent such member at meetings of the Board of Directors; provided, however, that such designation must be made separately for any given meeting, must be made in writing signed by the member so represented, and must state whether the alternate may vote at such meeting on items in the published agenda. Such designation shall be attached to the minutes of the meeting. An alternate with voting power shall be counted for purposes of determining a quorum, and may vote on agenda items, except that alternates may not vote on the adoption of Rules as defined herein. Where an alternate is authorized to cast a vote concerning amendment of Bylaws or election or removal of officers, the designation shall specify that the alternate is so authorized. An alternate may be another member or a non-member, but no person shall act as alternate for more than one (1) member at any given meeting. Also, in the event of absence or disability of a Mayor and consistent with Code of Alabama (1975) § 11-43-42, providing for the exercise of the functions of Mayor during a Mayor's absence or disability, the Mayor pro tempore or chairman pro tempore of a governing body may cast the vote of a governing body as provided in § 11-43-42.

f. It shall be the policy of the Authority to require and enforce ethical standards of conduct. Members of the Board of Directors, and employees of the Authority, shall comply with the code of ethics for public officials and employees set forth in Code of Alabama (1975) § 36-25-1 et seq., as amended from time to time, and rules and regulations promulgated thereunder. The Board of Directors shall require procedures consistent with § 36-25-1 with respect to matters including but not limited to reimbursement of expenses, and business dealings and contracts of the Authority.

Section 5. Meetings of the Board of Directors.

09/08/1998

a. The annual meeting of the Board of Directors shall be held on the second Thursday in September of each year, to elect the Executive Committee and its officers in applicable years, to consider and approve the Authority's budget for the following fiscal year, and to receive the report of the Authority's activities for the current fiscal year. The semi-annual meeting of the Board of Directors shall be held on the second Thursday in March to review and approve the method of funding.

b. The Board of Directors shall elect five members as the Executive Committee. The Executive Committee shall include one member who is a County Commissioner from the largest county participating in the Authority, one member who is the Mayor of the largest city participating in the Authority, and three other members. The Board of Directors shall elect one member of the Executive Committee as Chair, one member as Co-Chair, and one member as Secretary. The Chair, Co-Chair, and Secretary of the Executive Committee shall also serve as the Chair, Co-Chair, and Secretary, respectively, of the Board of Directors. No alternate shall be designated for Executive Committee meetings.

c. Other regular meetings of the Board may be held without public notice (except as may be specifically required by statute) at such time and place as shall be determined from time to time by the Board. The Chair of the Board shall notify the members of the date, hour, and site for the meeting, in writing, not less than ten (10) days prior thereto.

d. Except as may be specifically required by statute, special meetings of the Board may be called by the Chair, or by any two members of the Board, on one day's notice to each member of the Board (if by facsimile, by phone, in person, or by written notice hand-delivered) or 72 hours notice if by U. S. Mail. If a member of the Board does not receive

9/08/1998

such notice, but does attend the special meeting, his or her presence at the special meeting shall satisfy the notice requirement as to such member unless the sole purpose of his or her attendance at the meeting was to protest the manner in which (or purpose for which) it was called.

e. At all meetings of the Board, one-third of the members thereof or designated voting alternates (initially this number is eight) shall be necessary and sufficient to constitute a quorum for the transaction of business. The Chair may vote on all matters. The act of a majority of the Board present at any meeting at which there is a quorum shall be the act of the Board, except as otherwise provided in sections 7 and 13 hereof.

f. The Chair of the Board of Directors shall appoint a Nominating Committee from the members of the Board of Directors. The Nominating Committee shall make recommendations to the Board for the election of members to the Executive Committee, and for the election of officers thereof.

Section 6. Executive Committee. The Executive Committee of the Board shall oversee the executive and administrative functions of the Authority. The Executive Committee shall hold regular quarterly meetings on the second Thursday of March, June, September and December, as well as other meetings which may be called hereunder. The Chair may vote in meetings of the Executive Committee. Day-to-day management of the Authority shall be handled by the administrator of the Authority. The Executive Committee shall receive reports from time to time from the Chair and from the administrator concerning day-to-day operations of the Authority, including such matters as employment of personnel, coordination of activities connected with the Permit, maintenance of records, and provision of assistance to member governing bodies in connection with Permit compliance and related activities. The administrator

/08/1998

shall develop recommendations for action by the Executive Committee, and, on issues requiring Board action, for recommendation by the Executive Committee.

The terms of the members of the Executive Committee shall be three years, beginning on October 1 of the year in which elected to the Executive Committee, with staggered terms. To implement such staggered terms, from the date of election by the Board,

--The initial terms of the first Chair ("first member") and Co-Chair ("second member") of the Executive Committee shall be three years.

--The initial terms of the first Secretary ("third member") and the fourth member shall be two years.

--The initial term of the fifth member of the Executive Committee shall be one year. Upon expiration of each term, the Board of Directors shall receive recommendations from the Nominating Committee and shall elect new officers for the Executive Committee. Vacancies occurring in the Executive Committee shall be filled by the Board of Directors of the Authority.

Action may be taken by the Executive Committee without a meeting, provided all committee members are notified twenty-four (24) hours in advance of any polling or action and there is consent of a majority of the membership of the Executive Committee. Such consent shall be confirmed in writing within seventy-two (72) hours of such decision.

The Executive Committee shall report its activities and transactions at the next following regular meeting of the Board of Directors.

Without limiting the authority of the Executive Committee, said Committee shall have the following specific authority, with such additional authority as is necessary to implement the performance of the following activities:

19/08/1998

- a. To engage personnel or services deemed necessary to perform the function of the Authority, consistent with the approved budget, under such terms and conditions as it shall prescribe;
- b. To organize the Board of Directors into such committees or other groups as will in its judgment serve to efficiently accomplish the purposes or ends for which the Authority was established and created under law (such committees may include, in an advisory capacity, persons other than members of the Board of Directors);
- c. To designate such programs of study and research as will promote the purposes for which the Authority was established and created;
- d. To publish such records, reports or findings, in writing, as may in its judgment be of use or value to the public or other interested party or parties;
- e. At the annual meeting of the Board in each fiscal year, the Executive Committee shall provide a summary of the Authority's activities during the current calendar year;
- f. To make application for and to accept on behalf of the Authority any funds, gifts, donations, assistance or governmental grants, under such conditions as it shall deem appropriate, not inconsistent with the power of the Authority, as prescribed by law;
- g. To recommend, not later than the March quarterly meeting of each fiscal year, the proposed fee structure method and the approximate amount of revenue to be collected by the method selected, for the following fiscal year, and, no later than the June quarterly meeting of each year, the Authority's annual budget for the following fiscal year, in order that member governing bodies may adopt and transmit any revised instructions concerning

09/08/1998

fees for the following fiscal year to the Tax Assessor and Tax Collector by no later than July 31 of the current fiscal year (as directed by the Tax Collector).

Matters not delegated to the Executive Committee, including election of officers, amendment of the Bylaws or Articles of Incorporation, rulemaking procedures, and approval of the annual budget, shall be determined by the Board of Directors.

Section 7. Rulemaking Procedures. As used herein, "Rule" shall have the meaning set forth in §11-89C -2(6) of the Act, as the same may be from time to time amended. As of the date of adoption of these Bylaws, "Rule" means any regulation or standard of general applicability of the Authority which prescribes or recommends law, procedure or policy to be adopted by the member governing bodies of the Authority, specifically including all pro forma ordinances, regulations, resolutions, rules, procedures or remedies for such member governing bodies. In development of any Rule of the Authority, or procedures for the enforcement of such, the Authority shall follow the procedures set forth in the Act in §11-89C-4(b), as the same may be from time to time amended. As of the date of adoption of these Bylaws, the Act requires that the Authority's procedures include all of the following:

a. Set a date and time for a public hearing and afford the public and interested parties an opportunity to offer written comments, and to present testimony and evidence in support of their respective positions as to the proposed resolutions, ordinances, remedies, or procedures, and to have counsel to represent them at their own expense. The Board of Directors shall consider fully all written and oral submissions presented. At the conclusion of the public hearing and any continuation thereof, the Board of Directors may modify or withdraw such proposals, or may adopt such pro forma resolutions, ordinances,

09/08/1998

remedies, or procedures which are reasonable and supported by evidence from the proposal itself, the public comments submitted thereupon and the public hearing record and which shall be thereafter presented to the member governing bodies for their consideration. Adoption of any Rule shall require an affirmative vote of at least two thirds (2/3) (initially this number is sixteen) of the members of the Board of Directors. Upon adoption of a Rule, the Authority shall issue a statement reflecting the reasoning and evidence supporting adoption of the Rule and an explanation for rejecting the evidence or assertions made urging that the Rule be modified or not adopted.

b. Give notice of the hearing by publishing in a newspaper of general circulation published within the counties in which the member governing bodies exist, at least 30 days prior to the date of the hearing, stating the date, time and location of the hearing, and including either the terms or the substance of the proposals to be considered or a description of the subjects and issues involved, the address of the location where copies of the proposed resolution, ordinances, remedies and procedures may be inspected or copies thereof obtained, and the manner in which interested persons may present their views thereon. Every proposed Rule shall be accompanied by a thorough statement identifying and explaining the purpose and support for its adoption. The notice shall also be mailed to all persons who pay in advance the cost of the mailing and who have made timely request of the corporation in advance for advance notice of any such hearings.

c. Make available for public inspection and copying, at a charge of \$.25/page or such amount as the Executive Committee may establish from time to time, any

09/08/1998

such proposed resolutions, ordinances, remedies, and procedures at least thirty (30) days prior to the hearing.

Section 8. Officers. The officers of the Authority shall hold office until their successors are chosen and qualified in their stead. No member shall simultaneously hold than more than one office (Chair, Co-Chair, Secretary). Any officer elected or appointed by the Board may be removed at any time by the affirmative vote of two-thirds of the members of the Board. Their duties shall be as follows:

a. **Chair.** The Chair of the Executive Committee is also Chair of the Board of Directors. He/she shall preside at all meetings of the Board and see that all orders and recommendations of the Board are carried into effect. The Chair shall be available for the administrator to consult between meetings of the Executive Committee, in order to carry out the day-to-day management of the Authority. Decisions reached as a result of such consultation shall be reported to the Executive Committee at its next meeting. The Chair shall execute all contracts of the Authority. The Chair shall recommend appointments to all committees of the Authority, except the Executive Committee, subject to the approval of the Executive Committee. The Chair shall oversee or provide for recordation of minutes of all proceedings of the Board of Directors and Executive Committee in book(s) to be kept for that purpose. The Chair shall give, or cause to be given, notice of all meetings of the Board. The Chair shall also keep in safe custody the seal of the Authority and shall affix the same to any instrument requiring it and shall attest it. The Chair shall be the custodian of all funds of the Authority and shall withdraw and expend the same from time to time in accordance with the budget approved by the Board of Directors. He/she shall perform such other duties as may be prescribed by the Board.

b. **Co-Chair.** The Co-Chair of the Board of Directors shall have the same powers and duties as the Chair except that he/she shall exercise such powers and duties, and preside at meetings of the Board, only in the absence of or unavailability of the Chair. The signature of either the Co-Chair or the Chair on contracts, bonds and obligations of the Authority shall be sufficient.

c. **Secretary.** The Secretary of the Board of Directors shall be an officer of the Board and shall preside at meetings in the absence of the Chair and Co-Chair.

Section 9. Duties of Officers May Be Delegated. In case of the absence of any officer of the Authority or for any other reason that the Board may deem sufficient, the Board may delegate, for the time being, the powers and duties, or any of them, of such officer, to any other officer, provided that a majority of the entire Board concur therein.

Section 10. Funds and Checkwriting Authority.

a. The Authority may enter into an agreement with the Jefferson County Finance Department to act as custodian of the Authority's funds and to write such checks, transfer such funds and make such payments as may be directed pursuant to such agreement. The Authority may in such agreement specify procedures for authorization of such checks, transfers and payments by designated officer(s) and/or employees of the Authority.

b. The Authority may not make gifts, donations, or contributions to any person, firm, corporation, association or any other entity.

Section 11. Fiscal Year. The fiscal year shall begin on October 1 and end on September 30 of the following year. The fee structure for each member governing body shall

09/08/1998.

be adopted by the Authority no later than March 31 of each year. The Authority's annual budget for the upcoming fiscal year shall be approved by September 15 of each year.

Section 12. Notices.

a. Whenever, under the provisions of these Bylaws, notice is required to be given to any member of the Board of Directors, such notice may be given to him/her in person, by mail, by telephone, by facsimile transmission, or by certified or registered mail mailed to his/her address as it appears in the records of the Authority.

b. Any member of the Board of Directors may waive any notice required to be given under these Bylaws, either before or after the meeting of which notice is required to be given. Such waiver shall be confirmed in writing.

Section 13. Amendments. These Bylaws may be altered or amended by the affirmative vote of a majority of the members of the Board of Directors at any regular meeting of the Board, or at any special meeting of the Board if at least ten (10) days' notice is provided of the proposed alteration or amendment in the notice of such meeting.

Section 14. Seal. The Authority's seal shall have inscribed thereon the name of the Authority and the words "CORPORATE SEAL".

Section 15. Parliamentary Procedures. In all cases (1) where not inconsistent with these Bylaws and any special rules of order the Authority may adopt, and (2) where applicable, the rules contained in the current edition of Robert's Rules of Order, Newly Revised, shall govern the Authority.

Section 16. Member Governing Bodies.

a. Adoption of Ordinances and Resolutions. To maintain membership herein, a member governing body shall adopt such ordinances and resolutions as may be adopted by the Authority as Rules following the rule-making procedure described herein. Each member governing body shall satisfy all statutory requirements applicable to it for adoption of ordinances or resolutions, as applicable, before adopting any such Rule. Adoption by a member governing body of any ordinance or resolution recommended by the Board or authorized by the Act shall require an affirmative vote of at least a majority of the members of the council or commission authorized to adopt such ordinances or resolutions in the governing body.

b. Financial Support. Each member governing body shall, no later than July 31 of an applicable year, adopt and forward to the Authority and to the Jefferson County Tax Collector an ordinance and/or resolution directing the Jefferson County Tax Collector to collect and to forward, during the upcoming fiscal year, such member governing body's required annual financial support (pursuant to the fee structure voted by the Authority) for the upcoming fiscal year to the Authority. The administrator shall provide to the Board, quarterly in December, March, June and September of each year, information provided by the Tax Collector on the payments collected on behalf of each member governing body.

c. Continued Membership. Members of governing bodies shall follow all Rules, pro forma ordinances and resolutions, and enforcement procedures adopted by the Board of Directors, in order for the Authority to achieve a uniform, consistent and cost-effective stormwater program. Deviation from such Rules, pro forma ordinances and resolutions and enforcement procedures will result in termination of such member governing body from membership in the Authority, pursuant to procedures to be adopted by the Board of Directors

09/08/1998

and which shall provide notice of such deviation and a reasonable opportunity to comply. Such procedures may be adopted as an amendment to these Bylaws. In the event of such termination, the Executive Committee shall determine the amount of any refund to be provided to such terminated member governing body from fees collected by the Tax Collector on behalf of such member governing body.

Section 17. Membership and Withdrawal.

a. The members of the Authority are, as of the date of adoption of these Bylaws: the City of Adamsville, the City of Bessemer, the City of Birmingham, the City of Brighton, the City of Brookside, the City of Fairfield, the City of Fultondale, the City of Gardendale, the City of Graysville, the City of Homewood, the City of Hoover, the City of Hueytown, the City of Irondale, the City of Leeds, the City of Lipscomb, the Town of Maytown, the City of Midfield, the City of Mountain Brook, the City of Mulga, the City of Pleasant Grove, the City of Tarrant, the City of Trussville, the City of Vestavia Hills, and the Jefferson County Commission.

b. A member governing body which desires to withdraw from the Authority must provide notice of such withdrawal by adopting an ordinance or resolution, in accordance with law, no later than January 15 of a fiscal year, which notice shall become effective on October 1 of the next year.

c. A governing body as defined in the Act which desires to join the Authority and to comply with all requirements for membership as set forth herein shall, no later than January 15 of a fiscal year, adopt in accordance with law and submit to the Board of Directors an ordinance or resolution in form satisfactory to the Board of Directors, requesting

09/08/1998

to become a member governing body in the Authority, indicating its intent to abide by these Bylaws, and authorizing its Mayor (if a city) or commissioner (if a county) to serve as a member of the Board of Directors of the Authority. The Board of Directors shall promptly act on such request, generally at its March meeting, in order that the applicant governing body may be admitted effective October 1 of the next fiscal year.

Section 18. Employees.

a. The Authority shall use the Jefferson County Personnel Board to engage personnel to serve as the classified employees of the Authority (including the administrator or executive director of the Authority). Salaries and benefits shall be in accordance with the Jefferson County Personnel Board or the governing body from which the classified employee is assigned.

b. The Authority may employ individuals directly or indirectly through loaned, detailed or assigned employees from the member governing bodies or other entities.

City of Irondale's SWMPP



STORM WATER MANAGEMENT PROGRAM PLAN
January 31, 2019

Prepared For
City of Irondale
101 20th Street South
Irondale, Alabama 35210

Prepared by
Jefferson County Department of Health.
1400 Sixth Avenue South
Birmingham, Alabama 35233
(205) 930-1230

Signatory and Certification Requirements:

I certify under the penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information the information is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.



Charles Moore
Mayor, City of Irondale

1-22-19
Date

Address: 101 20th Street South
Irondale, Alabama 35210

Phone: (205) 956-9200

CONTENTS

INTRODUCTION.....	8
Regulatory Overview.....	8
MS4 Jurisdictional Boundary	9
LEGAL AUTHORITY AND ENFORCEMENT.....	9
STORM WATER COLLECTION SYSTEMS OPERATIONS.....	14
Structural Controls Mapping.....	14
Structural Controls Inspection	14
Standard Operating Procedure (SOP) for Structural Control Inspection and Maintenance Procedures.....	14
Stabilization and Re-Vegetation of Eroded Areas.....	14
Floatables, Litter, Sediment and Debris in Structural Controls	15
PUBLIC EDUCATION AND PUBLIC INVOLVEMENT ON STORM WATER IMPACTS 	16
Development and Implementation of the SWMPP	16
Public Access to City Storm Water Documents.....	16
Targeted Pollutant Sources for Public Education	16
Reduction of Litter Floatables and Debris	16
Educating Individuals and Households on Reducing Storm Water Pollution	16
Community Involvement with the Storm Water Program.....	17
General Public	17
Businesses.....	17
Homeowners, Landscapers, and Property Managers.....	17
Engineers, Contractors, and Developers	18
Evaluating the Effectiveness of the Public Education Program.....	18
Public Awareness Activities	18

ILLICIT DISCHARGE DETECTION AND ELIMINATION (IDDE) 19

- MS4 Map..... 19
- Ordinance/Regulatory Mechanism..... 19
- Dry Weather Screening Program..... 19
- Source Identification 20
- Illicit Discharge Elimination 20
- ADEM Notification by the City 20
- Illicit Discharge Reporting by the Public 21
- Personnel Training 21
- Ordinance/Regulatory Mechanism Availability 21

CONSTRUCTION SITE STORM WATER RUNOFF CONTROL..... 22

- Erosion and Sedimentation Control Complaints..... 22
- Site Plan Reviews..... 22
- Site Inspection Plan 22
- Training of MS4 Site Inspection Staff..... 22
- Construction Site Inspection Checklist..... 23
- Enforcement Response Plan (ERP)..... 23
- Construction Site Operator Training 23

**POST-CONSTRUCTION STORM WATER MANAGEMENT IN NEW DEVELOPMENT
AND RE-DEVELOPMENT..... 24**

- Ordinance/Regulatory Mechanism..... 24
- Inventory of Post Construction Structural Controls 24

SPILL PREVENTION AND RESPONSE 25

- City Response Protocol 25
- Spill Prevention/Spill Response Plan 25
- Personnel Spill Prevention/Response Training..... 25

POLLUTION PREVENTION/GOOD HOUSEKEEPING FOR MUNICIPAL OPERATIONS	26
Municipal Facilities Inventory	26
Good Housekeeping Practices SOP	26
Inspection Plan	26
Good Housekeeping Training Program.....	26
Short Term and long Term Trash Removal Strategy	26
APPLICATION OF PESTICIDES, HERBICIDES, AND FERTILIZERS (PHF)	28
Application and Storage.....	28
PHF Training Program.....	28
OILS, TOXICS, AND HOUSEHOLD HAZARDOUS WASTE.....	30
Public Education on Proper Disposal	30
Annual Employee Training.....	30
INDUSTRIAL STORM WATER RUNOFF.....	30
Inventory of High Risk Facilities.....	30
Inspection of High Risk Facilities	30
WET-WEATHER MONITORING AND REPORTING	32
Monitoring Locations	32
Impaired Waterways.....	32
Monitoring Parameters and Frequency.....	32
Sample Type, Collection and Analysis	33
Other requirements.....	35
SWMPP Plan Review and Modification	35
Annual Report.....	35

FIGURES

Figure 1: MS4 Boundary.....	13
Figure 2: Municipal Properties.....	27
Figure 3: PHF Distribution.....	29
Figure 4: Industrial and High Risk Facilities.....	31
Figure 5: Sampling Sites.....	34

APPENDICES

Appendix A – Irondale Storm Water Program Documents

Appendix B - Storm Water Collection Systems Operations

Appendix C - Illicit Discharge Detection and Elimination (IDDE)

Appendix D - Construction Site Storm Water Runoff Control

Appendix E - Spill Prevention and Response

Appendix F - Pollution Prevention/Good Housekeeping for Municipal Operations

Appendix G – Industrial Storm Water Runoff

INTRODUCTION

REGULATORY OVERVIEW

The City of Irondale (City) was issued by the Alabama Department of Environmental Management (ADEM) a Municipal Separate Storm Sewer System (MS4) Individual Phase I Permit (ALS000019) on June 7th, 2017 (**Appendix A**). This permit went into effect on July 1, 2017. Previously, the City was included as a Co-Permittee under permit number ALS000001.

As a condition of this permit, “The permittee is required to develop, revise, implement, maintain and enforce a storm water management program (SWMP) which shall include controls necessary to reduce the discharge of pollutants from its MS4 consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26. These requirements shall be met by the development and implementation of a storm water management program plan (SWMPP) which addresses the best management practices (BMPs), control techniques and systems, design and engineering methods, public participation and education, monitoring, and other appropriate provisions designed to reduce the discharge of pollutants from the MS4 to the Maximum Extent Practicable (MEP)”.

Per the requirements of NPDES Permit Number ALS000019, BMPs, measurable goals, and responsibility designations are provided for each of the following program elements:

- Storm Water Collection System Operations
- Public Education and Public Involvement on Storm Water Impacts
- Illicit Discharge Detection and Elimination
- Construction Site Storm Water Runoff Control
- Post-Construction Storm Water Management in New Development and Re- Development
- Spill Prevention and Response
- Pollution Prevention/Good Housekeeping for Municipal Operations
- Application of Pesticides, Herbicides, and Fertilizers
- Oils, Toxics, and Household Hazardous Waste Control
- Industrial Storm Water Runoff

ADEM defines the fiscal year as October 1st to September 30th. Annual reports are required to be submitted to ADEM no later than January 31st following the previous fiscal year.

MS4 JURISDICTIONAL BOUNDARY

Irondale's MS4 boundary is bound to the north by the city of Birmingham and Trussville, to the south by the city of Mountain Brook and Vestavia, and to the east and west by Birmingham and Leeds respectively. Approximately 16 square miles of residential, commercial, industrial, undeveloped lands, and streams make up the MS4 boundary. See **Figure 1: MS4 Boundary**.

There are two waterbodies, Cahaba River and Shades Creek, which are considered impaired by the U.S. Environmental Protection Agency and ADEM and flow through sections of Irondale. Cahaba River's designated use above Grant's Mill Bridge is Fish and Wildlife and below the bridge is Outstanding Alabama Waters (OAW) and Public Water Supply (PWS). Cahaba River has an approved Total Maximum Daily Loads (TMDLs) for Siltation (Habitat Alteration) and Nutrients. Shades Creek's designated use is Fish and Wildlife (F&W). Shades Creek has an approved Total Maximum Daily Loads (TMDLs) for Siltation (Habitat Alteration), Turbidity, and Pathogens (Fecal Coliform).

LEGAL AUTHORITY AND ENFORCEMENT

Part II C of the permit requires the City to review and revise its ordinances and regulatory mechanisms as necessary to comply with the permit. Below is a summary of the current ordinances, municipal codes, and regulations related to the management of Irondale's MS4. These ordinances are found in **Appendix A**.

- **Ordinance 2018-11, Erosion and Sedimentation Control Ordinance:** Controls sedimentation leaving construction sites. The ordinance describes the fees, regulations, and the requirements surrounding a land disturbing permit issuance.
- **Ordinance 464-83, Subdivision Regulations:** Approved by the Planning and Zoning Board and carry the force of a City Ordinance. They address design requirements for residential and commercial storm water infrastructure.
- **Ordinance 00-12, Tree Ordinance:** Encourages the planting of trees and shrubs to aid in the prevention of erosion and sedimentation, reduce storm water runoff, help control drainage, and restore denuded soil subsequent to construction and grading.

- **Ordinance 2006-36, Flood Ordinance:** Promotes public health, safety and general welfare by controlling construction and construction practices in and around the floodplain as well as controlling the alteration of natural floodplains, stream channels, and natural protective barriers which are involved in the accommodation of floodwaters.
- **Ordinance 2017-57, Garbage, Refuse, and Trash Ordinance:** Makes it unlawful to litter upon any curb, gutter, sidewalk, avenue, highway, tunnel, park, parkway, or lot within the city limits. This ordinance also institutes a law against any person sweeping or depositing grass clippings, limbs, leaves, bushes, solid waste or any other materials on public streets, curb lines, sidewalks and gutters.
- **Ordinance 4-0794, Junked and Abandoned Motor Vehicles Ordinance:** Establishes a law against leaving abandoned and non-usable motor vehicles in the street or within public view.
- **Ordinance 2018-12, Post Construction Ordinance:** Establishes procedures to address the discharge of pollutants in post-construction storm water runoff to the MS4 from new development and re-development.
- **Ordinance 2018-13, Illicit Discharge Ordinance:** Prohibits non- storm water discharges to the MS4.

In 2011 the City of Irondale also adopted a Standard Operating Procedure (SOP) Manual detailing guidelines for addressing many activities associated with the program elements. The SOP Manual is found in **Appendix A**.

The following table reflects which City department is responsible for implementing or coordinating BMPs for each separate program element:

DEPARTMENT	RESPONSIBILITIES
Storm Water Collection Systems Operations	
JCDH/SWMA	Maintain map of City owned/maintained structural controls
Inspections	Semi-annual inspection of new and existing structural controls
Inspections	Develop SOP, inspection checklist, and maintenance procedures
Public Works	Stabilize and re-vegetate eroded areas as needed
Public Works	Remove floatable, litter, sediment, and debris from structural controls
Public Education and Public Involvement on Storm Water Impacts	
Administration	Seek and consider public input in the development and implementation of the SWMPP
Public Works	Post signs prohibiting littering and illegal dumping
Administration	Educating individuals and households on reducing storm water pollution
Administration	Community involvement in the storm water program
Administration	Evaluate the effectiveness of the public education program
Administration	Organize annual cleanup
Illicit Discharge Detection and Elimination (IDDE)	
JCDH/SWMA	Develop MS4 map of outfalls
Administration	Develop applicable ordinances and other regulatory mechanisms
JCDH/SWMA	Screen 20% of the stream miles during dry weather conditions
JCDH/SWMA/City Personnel	Illicit discharge source identification
JCDH/Code Enforcement	Elimination of illicit discharges
Administration	Procedures to notify ADEM of a suspected illicit discharge entering the MS4 from an adjacent MS4
Administration	Illicit discharge public reporting system
JCDH/SWMA	Educating employees on detecting an IDDE , tracing the source of and eliminating illicit discharge
Administration	Ordinance/Regulatory mechanism availability
Construction Site Storm Water Runoff Control	
Inspections/Engineering	Site plan reviews
Inspections/Engineering	Site inspection plan
Inspections	Inspection staff training
Inspections	Construction site inspection checklist
Administration	Enforcement Response Plan (ERP)
Administration and Inspections	Construction site operator education

DEPARTMENT	RESPONSIBILITIES
Post-Construction Storm Water Management in New Development and Re-Development	
Administration	Develop applicable ordinances and other regulatory mechanisms
Inspections	Inventory of post construction structural controls
Spill Prevention and Response	
Fire	Spill prevention/spill response plan
Fire/JCDH	Educating employees on spill prevention/spill response
Pollution Prevention/Good Housekeeping for Municipal Operations	
All Departments	Inventory of municipal facilities
All Departments	Good housekeeping practices SOP
All Departments	Inspection plan
JCDH	Educating employees on good housekeeping
Application of Pesticides, Herbicides, and Fertilizers(PHFs)	
Public Works/ Private Applicator	Application and storage of PHFs
JCDH	Educating employees on PHFs usage and storage
Oils, Toxics, and Household Hazardous Waste Control	
Administration	Public education on proper disposal
JCDH	Educating employees on oils, toxics, and household hazardous waste
Industrial Storm Water Runoff	
Administration/JCDH	Inventory of high risk facilities
JCDH	Inspection of high risk facilities
Wet Weather Monitoring and Reporting	
JCDH	Monitoring locations
JCDH	Impaired waterways review
JCDH	Sampling
Other Requirements	
Administration/JCDH	SWMPP plan review and modification
Administration/JCDH	Annual Report submittal




Figure 1: MS4 Boundary

STORM WATER COLLECTION SYSTEMS OPERATIONS

STRUCTURAL CONTROLS MAPPING

The City currently has no owned/maintained structural controls within the MS4 boundary limits.

The City will monitor the addition of any City owned/ maintained structural controls.

Responsible Department: Inspections

STRUCTURAL CONTROLS INSPECTION

As stated in the permit, all existing and new structural controls owned/maintained by the Permittee shall be inspected using a standard inspection form found in **Appendix B** on a semi-annual basis, at a minimum. While the City does not own/maintain structure controls currently, any future inspections will be performed by a city inspector and/or a contractor. Any deficiencies or maintenance recommendations listed on the inspection form in regards to the structural control will be addressed by Public Works.

Responsible Department: Inspections

STANDARD OPERATING PROCEDURE (SOP) FOR STRUCTURAL CONTROL INSPECTION AND MAINTENANCE PROCEDURES

The standard inspection form found in **Appendix B** is used to document structural control inspections. Once any maintenance is completed, a city inspector and/or a contractor will re-inspect the Structural Control to ensure the structure can effectively function as designed.

Responsible Department: Inspections

STABILIZATION AND RE-VEGETATION OF ERODED AREAS

During the inspection of the structural controls, areas of erosion will be documented. The Public Works Department will receive a copy of the inspection documentation noting the eroded areas and will stabilize and re-vegetate these areas.

Responsible Department: Public Works

FLOATABLES, LITTER, SEDIMENT AND DEBRIS IN STRUCTURAL CONTROLS

All floatables, litter, sediment, and/or debris found during the structural inspection will be documented. The Public Works Department will receive a copy of the inspection documentation and will remove the noted items. Public Works will maintain documentation of the estimated amounts of floatables, litter, sediment and debris removed during maintenance activities using the Storm Water Online Activity Record (SOAR) program. The maintenance form can be found in **Appendix B**

Responsible Department: Public Works

PUBLIC EDUCATION AND PUBLIC INVOLVEMENT ON STORM WATER IMPACTS

DEVELOPMENT AND IMPLEMENTATION OF THE SWMPP

The City seeks public input on the SWMPP by posting the draft SWMPP on Irondale’s website for comments. Notification announcements will be made at council meetings. The Council-approved SWMPP for the upcoming year will then be posted on the website and be submitted yearly with the annual report on January 31st.

Responsible Department: Administration

PUBLIC ACCESS TO CITY STORM WATER DOCUMENTS

The City posts copies of the current Annual Report, draft SWMPP, current SWMPP and the NPDES permit on the City’s website. The documents will be updated on the website as they are approved by the city council and/or submitted to ADEM.

Responsible Department: Administration

TARGETED POLLUTANT SOURCES FOR PUBLIC EDUCATION

The City discusses targeted pollutant sources in the section of the SWMPP titled “Community Involvement with the Storm Water Program”.

REDUCTION OF LITTER FLOATABLES AND DEBRIS

The City currently maintains litter signage in Beacon Park, Ruffner Park, Ellard Park, the Cahaba River Walk and other places. The City will investigate options for installing additional signage, in practical locations, referencing the City’s litter control ordinance. Administration will approve the messages and Public Works will install the signs and/or labels.

Responsible Department: Administration and Public Works

EDUCATING INDIVIDUALS AND HOUSEHOLDS ON REDUCING STORM WATER POLLUTION

The City posts on its website information describing Irondale’s Storm Water Program. The information includes general information about the storm water permit with links and brochures about different ways to reduce storm water pollution in relation to the different community segments. The information and links will be modified and/or updated on the

website as needed. These same brochures on storm water issues are placed at City Hall for public pickup.

Responsible Department: Administration

COMMUNITY INVOLVEMENT WITH THE STORM WATER PROGRAM

GENERAL PUBLIC

The City developed a storm water page on its website and placed brochures containing information in City facilities that informs the general public of:

- General impacts litter has on waterbodies and ways to reduce the litter
- General impacts of storm water on surface water from impervious surfaces
- Source control BMPs in areas of pet waste, home vehicle maintenance, landscaping and rain water reuse.
- Impacts of illicit discharges and how to report them.

The storm water page will be updated as needed.

Responsible Department: Administration

BUSINESSES

The City developed a storm water page on its website and placed brochures containing information in City facilities on the following business-related topics:

- Information on BMPs for use and storage of automotive chemicals, hazardous cleaning supplies, carwash soaps and other hazardous materials.
- Impacts of illicit discharges and how to report them.

The storm water page will be updated as needed.

Responsible Department: Administration

HOMEOWNERS, LANDSCAPERS, AND PROPERTY MANAGERS

The City developed a storm water page on its website and placed brochures in City facilities informing homeowners, landscapers, and property managers on the following topics:

- BMPs and storage of pesticides, herbicides, and fertilizers.
- Detention/retention pond maintenance.
- General impacts of storm water from impervious surfaces into surface water.

The storm water page will be updated as needed.

Responsible Department: Administration

ENGINEERS, CONTRACTORS, AND DEVELOPERS

The City developed a storm water page on its website and placed brochures in City facilities to inform engineers, contractors and developers on the following topics:

- Impacts of increased storm water flows into receiving waterbodies.
- Run-off reduction techniques and low impact development (LID)/Green infrastructure practices. Specifically addressing site design, pervious pavement, alternative parking lot design, retention of forests and mature trees.

The storm water page will be updated as needed.

Responsible Department: Administration

EVALUATING THE EFFECTIVENESS OF THE PUBLIC EDUCATION PROGRAM

The City will evaluate the effectiveness of the public education program by monitoring and reporting the number of visitors to the storm water page and the number of brochures that are picked up from the City facilities on an annual basis.

Responsible Department: Administration

PUBLIC AWARENESS ACTIVITIES

Currently the City is planning to host or participate in a cleanup annually. The tonnage collected by the City will be included in the annual report.

Responsible Department: Administration

ILLCIT DISCHARGE DETECTION AND ELIMINATION (IDDE)

MS4 MAP

Maps of the major outfalls, structural controls owned/maintained by the City, and waters of the State within the MS4 boundary that receive discharge from the major outfalls can be found in **Appendix C**. Also, a list of the major outfalls' latitude and longitude coordinates can be found in **Appendix C**.

JCDH will update the MS4 map and provide a list of location coordinates annually on behalf of the City.

Responsible Party: JCDH

ORDINANCE/REGULATORY MECHANISM

Ordinance 2018-13, passed in 2018, addresses illicit discharges as required by the City's Permit.

Responsible Department: Administration

DRY WEATHER SCREENING PROGRAM

Dry weather screening of 20% of the stream miles will be performed annually with 100 percent of the major outfalls screened at least once per the five year permit period. This work will be completed by JCDH. Currently there are no priority outfalls identified within the MS4 boundary, but if illicit discharges are identified during the dry weather inspections, those outfalls will be screened on an annual basis. JCDH shall use the EPA's guidance manual, *Illicit Discharge Detection and Elimination, A Guidance Manual for Program Development and Technical Assessments*, Center for Watershed Protection, October, 2004, for the main source of investigative techniques and guidance for the dry weather screening process. Outfalls will be field inspected after a minimum of 72 hours of dry weather. Data sheets found in **Appendix C** will be filled out for each outfall inspected. Protocols for dry weather are also found in the Standard Operating Procedure Manual. In addition to the required dry weather screening program, Public Works staff will be educated annually to recognize and report potential illicit discharges while conducting their day to day operations. Also, all citizen complaints regarding potential illicit discharges will be investigated.

Responsible Party: JCDH

SOURCE IDENTIFICATION

If during the dry weather screenings, Public Works' identification, or citizen complaint, an outfall is found to be discharging a liquid, the city inspector or JCDH personnel will traverse upstream of the discharge in an attempt to identify the source of the discharge. If the discharge source is unidentifiable, then a sample of the discharge shall be collected by JCDH and analyzed by a qualified lab. Based on the lab results, the outfall will be prioritized and scheduled for further investigation if needed.

Responsible Parties: Inspections Department and/or JCDH

ILLICIT DISCHARGE ELIMINATION

Once the source and responsible party of an illicit discharge has been identified, either the City will take action through its pertinent ordinances or JCDH will through its regulations.

Responsible Parties: Inspections Department or JCDH

ADEM NOTIFICATION BY THE CITY

If a suspected illicit discharge enters the City's MS4 boundary from an adjacent MS4, the City will notify the adjacent MS4 and the ADEM Water Division within 48 hours of observing the suspected illicit discharge. The Standard Operating Procedure for this action is found in **Appendix C**.

Responsible Department: Inspections Department

ILLCIT DISCHARGE REPORTING BY THE PUBLIC

The City receives calls for illicit discharges at the City Hall phone number 205-956-9200 frequently. There is also a phone number, 205-930-1999, listed on the City's website to report illicit discharges.

Responsible Department: Administration

PERSONNEL TRAINING

Non-First Responder City Personnel will be trained by JCDH on IDDE identification and response annually.

Responsible Party: JCDH

ORDINANCE/REGULATORY MECHANISM AVAILABILITY

All ordinances and regulatory mechanisms can be found on the City's website, <http://cityofirondaleal.gov/> , or through the link to Municode on the City's website.

Responsible Department: Administration

CONSTRUCTION SITE STORM WATER RUNOFF CONTROL

EROSION AND SEDIMENTATION CONTROL COMPLAINTS

The City frequently receives calls about construction and sedimentation runoff at the city hall phone number (205-956-9200). These calls are directed to the Department of Building Inspections and Permitting (205-951-1417). The City website lists the Department of Building Inspections and Permitting as the contact number for construction complaints.

Responsible Department: Building Inspections and Permitting

SITE PLAN REVIEWS

According to Ordinance 2018-11, a BMP plan must be submitted to the City along with the permit application before the commencement of any land disturbance. The City must either approve or disapprove the BMP plan within 14 days. Reasons for disapproval must be submitted to the applicant in writing. All revisions have an additional 14-day response time. Land disturbing activity may not be commenced prior to the issuance of the permit by the City.

Responsible Department: Building Inspections and Permitting

SITE INSPECTION PLAN

The City will perform a monthly inspection, at a minimum, on sites that have been issued land disturbance permits. Monthly inspections are required due to the Cahaba River's impaired status resulting in Irondale's sites being categorized as "Priority Construction Sites". Erosion controls and best management practices will be inspected during these inspections. Deficiencies identified during an inspection will be subjected to enforcement procedures outlined in the Erosion Control Ordinance.

Responsible Department: Building Inspections and Permitting

TRAINING OF MS4 SITE INSPECTION STAFF

City staff responsible for construction site inspections receive QCI training annually.

Responsible Department: Building Inspections and Permitting

CONSTRUCTION SITE INSPECTION CHECKLIST

See **Appendix D** for the City's construction site inspection checklist.

Responsible Department: Building Inspections and Permitting

ENFORCEMENT RESPONSE PLAN (ERP)

An Enforcement Response Plan is included in Ordinance 2018-11

Responsible Department: Building Inspections and Permitting

CONSTRUCTION SITE OPERATOR TRAINING

The City provides construction site operator's informational materials regarding appropriate application and maintenance of erosion and sediment controls when they receive their permits from the Inspections Department. The City developed a storm water page on its website and has brochures at City facilities that inform the engineers, contractors and developers on:

- Impacts of increased storm water flows into receiving waterbodies.
- Run-off reduction techniques and low impact development (LID)/Green infrastructure practices. Specifically addressing site design, pervious pavement, alternative parking lot design, retention of forests and mature trees.

The storm water page will be updated as needed.

Responsible Department: Administration and Building Inspections and Permitting

POST-CONSTRUCTION STORM WATER MANAGEMENT IN NEW DEVELOPMENT AND RE-DEVELOPMENT

ORDINANCE/REGULATORY MECHANISM

City Ordinance 2018-12 meets the requirements for post-construction storm water management.

The Post-Construction Ordinance addresses the following:

- Procedures to develop, implement and enforce systems of appropriate structural and/or non-structural BMPs.
- Procedures to develop, implement and enforce performance standards.
- Procedures for encouragement of the utilization of LID/green infrastructure practices.
- Procedures to ensure compliance including sanctions and enforcement mechanisms.
- Procedures for post-construction inspections to include tracking and enforcement.
- Procedures to ensure adequate long-term operation and maintenance of BMPs.

Responsible Department: Administration and Building Inspections and Permitting

INVENTORY OF POST CONSTRUCTION STRUCTURAL CONTROLS

The City currently has no publically-owned structural controls. The City will develop a list of privately-owned structural controls for those built after the codification of the new requirements. The City will update annually the list of publicly-owned post construction structural controls and the privately-owned structurally controls under the new requirements.

Responsible Department: Building Inspections and Permitting

SPILL PREVENTION AND RESPONSE

CITY RESPONSE PROTOCOL

The Irondale Fire Department is responsible for investigating, responding, and conducting response actions for any spill within the City's boundaries. Jefferson County's Emergency Management Agency (EMA) will additionally respond at the request of the City. Irondale's Fire Department and EMA track the spills, the response, and the cleanup activities for all spills.

SPILL PREVENTION/SPILL RESPONSE PLAN

The City's SOP for spill response is found in **Appendix E**.

Responsible Department: Fire

PERSONNEL SPILL PREVENTION/RESPONSE TRAINING

Irondale Fire Department is responsible for the training and certification of their personnel. An annual training will be provided to municipal personnel on spill prevention/response.

Responsible Party: JCDH

POLLUTION PREVENTION/GOOD HOUSEKEEPING FOR MUNICIPAL OPERATIONS

MUNICIPAL FACILITIES INVENTORY

See **Figure 2: Municipal Properties** for a map of municipal properties as well as the locations for vehicle and equipment maintenance facilities. The map shows which department maintains which properties. Generally, Parks and Recreation use pesticides, herbicides and fertilizers while Public Works only mows. The map will be reviewed annually and updated if needed. JCDH will compile the data provided by each Department.

Responsible Department: All Departments

GOOD HOUSEKEEPING PRACTICES SOP

The SOP detailing good housekeeping practices is found in the 2011 SWMA SOP Manual.

Responsible Department: All Departments

INSPECTION PLAN

Annual inspections will be conducted for municipal facilities, to include municipal maintenance shops and equipment yards, for good housekeeping practices, including BMPs. See **Appendix F** for the inspection checklist.

Responsible Department: All Departments

GOOD HOUSEKEEPING TRAINING PROGRAM

City staff will be educated annually on good housekeeping practices. The 2011 SWMA SOP Manual contains procedures related to Good Housekeeping.

Responsible Party: JCDH

SHORT TERM AND LONG TERM TRASH REMOVAL STRATEGY

The City has a SOP for special events that promotes the reduction of trash and debris into the City's MS4 as well as Waters of the State (**Appendix F**).

Responsible Party: JCDH




Figure 2: Municipal Properties

APPLICATION OF PESTICIDES, HERBICIDES, AND FERTILIZERS (PHF)

APPLICATION AND STORAGE

The Public Works Department keeps annual records of pesticides, herbicides, and fertilizers (PHFs) used at municipal facilities. Each chemical used is applied per the labeling instructions. Material safety data sheets (MSDS) on each product are found in the chemical storage areas. City staff responsible for application of PHFs receive annual training in safe use, storage, and disposal of PHFs. A map of the scheduled spraying sites for the year is found in **Figure 3: PHF Distribution**. The scheduled spraying is subject to change. All contractors contracted to apply pesticides or herbicides to City property shall provide proper certification and licensing before performing work. Also, contractors contracted to apply fertilizer must provide qualification in utilizing proper nutrient management practices.

City facilities that store PHFs will be inspected annually to determine proper storage, product labeling, and MSDS accessibility (**Figure 2: Municipal Properties**). The SOP manual contains procedures related to usage and storage of PHFs.

Responsible Department: Public Works

PHF TRAINING PROGRAM

City staff will be educated annually on proper PHF practices.

Responsible Party: JCDH




Figure 3: PHF Distribution

OILS, TOXICS, AND HOUSEHOLD HAZARDOUS WASTE

PUBLIC EDUCATION ON PROPER DISPOSAL

The city has contact information on the City's website on where to report spills, illicit discharges and improper disposals.

The City also provides a link on the City's website that allows citizens to search for oil recycling sites in or near the City. Brochures on oils, toxics, and household hazardous waste are on the City storm water website as well as placed in City facilities for public pick-up.

Responsible Department: Administration

ANNUAL EMPLOYEE TRAINING

Annual training on spill prevention is provided to City personnel by JCDH.

Responsible Party: JCDH

INDUSTRIAL STORM WATER RUNOFF

INVENTORY OF HIGH RISK FACILITIES

The City maintains a list of industrial and high risk facilities within the city limits, see **Appendix G**. This list is updated annually.

The list of industrial facilities will be reviewed annually for completeness and accuracy and will be updated when necessary. A map of the industrial and high risk facilities can be found in **Figure 3: Industrial and High Risk Facilities**.

Responsible Party: JCDH and Administration

INSPECTION OF HIGH RISK FACILITIES

JCDH will inspect these sites annually on behalf of the city. See **Appendix G** for the Industrial Inspection form.

Responsible Party: JCDH




Figure 4: Industrial and High Risk Facilities

WET-WEATHER MONITORING AND REPORTING

MONITORING LOCATIONS

JCDH will take wet-weather grab samples at sites on Cahaba River and Shades Creek annually on behalf of the City. See **Figure 4: Sampling Sites** for a map of the sampling sites

The site locations are as follows:

Water Body	Latitude, Longitude	Description
Cahaba River	33.511484, -86.652636	Grab Sample
Shades Creek	33.520615, -86.716795	Grab Sample and Water Quality Sonde Site

An hourly water quality sonde will be placed on Shades Creek. The sonde will be managed by the United States Geological Survey (USGS). The site's title is USGS 02423571 Shades Creek at Elder St. near Springdale AL.

Responsible Party: JCDH

IMPAIRED WATERWAYS

The City will review the waterbodies listed in the latest final §303(d) list, annually. If a waterbody becomes listed that falls within the MS4 boundary, the SWMPP will be updated as needed.

Responsible Party: JCDH

MONITORING PARAMETERS AND FREQUENCY

Grab samples will be analyzed for the following parameters:

- a. E.Coli
- b. Total Nitrogen (TN) (mg/l)
- c. Total Phosphorus (mg/l)
- d. Total Suspended Solids (TSS) (mg/l)
- e. Temperature
- f. pH/ORP
- g. Turbidity (NTU)
- h. Conductivity
- i. Dissolved Oxygen (mg/l)

- j. Ammonia Nitrogen (NH₃-N) (mg/l)
- k. Biochemical Oxygen Demand (BOD) (mg/l)
- l. Chemical Oxygen Demand (COD) (mg/l)
- m. Hardness as CaCO₃ (mg/l)
- n. Nitrate plus Nitrite Nitrogen (NO₃+NO₂-N) (mg/l)
- o. Oil and Grease (mg/l)
- p. Total Dissolved Solids (TDS) (mg/l)
- q. Total Kjeldahl Nitrogen (TKN) (mg/l)

The water quality sonde will monitor the following parameters at least hourly:

- a. Temperature
- b. pH/ORP
- c. Turbidity (NTU)
- d. Conductivity
- e. Dissolved Oxygen
- f. Water level

Responsible Party: JCDH

SAMPLE TYPE, COLLECTION AND ANALYSIS

JCDH will collect grab samples and submit them to a certified laboratory for analysis.

Responsible Party: JCDH




Figure 5: Sampling Sites

OTHER REQUIREMENTS

SWMPP PLAN REVIEW AND MODIFICATION

This plan will be reviewed annually and updated as necessary.

Responsible Department: All Departments

ANNUAL REPORT

The Annual report will be compiled by JCDH for the city of Irondale.

Responsible Party: JCDH

APPENDIX A

Irondale Storm Water Program Documents

Alabama Department of Environmental Management
adem.alabama.gov

1400 Coliseum Blvd. 36110-2400 ■ Post Office Box 301463
Montgomery, Alabama 36130-1463
(334) 271-7700 ■ FAX (334) 271-7950

JUN - 7 2017

Certified Mail # 91 7108 2133 3936 7155 3634

Honorable Charles Moore
Mayor, City of Irondale
PO BOX 100188
Irondale, Alabama 35210

RE: Municipal Separate Storm Sewer System (MS4) Individual Phase I Permit
NPDES Number ALS000019
City of Irondale MS4
Jefferson County (073)

Dear Mayor Moore:

The Department has made a final determination to issue NPDES Permit No. ALS000019 to the City of Irondale for discharges from its MS4. The NPDES Permit Number ALS000019 will be effective July 1, 2017 and expire on June 30, 2022.

The Department notified the public of its tentative determination to issue NPDES Permit No. ALS000019 on January 27, 2017. Interested persons were provided the opportunity to submit comments on the Department's tentative decision through February 27, 2017. In accordance with ADEM Admin Code r. 335-6-6-.21(7), a response to all comments received during the public comment period are provided with the enclosed permit.

The City of Irondale is responsible for compliance with all provisions of the permit including, but not limited to, the performance of any monitoring, the submittal of any reports, and the preparation and implementation of any plans required by the permit.

Please note that On October 22, 2015, EPA finalized the National Pollutant Discharge Elimination System (NPDES) Electronic Reporting Rule (Federal Register Vol. 80 No. 24). As required by this rule, the Department has included, in this permit, a requirement that on and after December 21, 2020, annual reports shall be submitted to the Department electronically in a prescribed manner acceptable to the Department.

If you have questions concerning this permit, please contact Marla Smith either by email at mssmith@adem.alabama.gov or by phone at 334-270-5616.

Sincerely,



Jeffery W. Kitchens, Chief
Stormwater Management Branch
Water Division

JWK/mss

File: FPER/6374

Enclosures: Permit and Response to Comments

cc: Ms. Kacy Sable /Environmental Protection Agency



NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

PERMITTEE: CITY OF IRONDALE

AREA OF COVERAGE: CORPORATE BOUNDARIES OF THE CITY OF IRONDALE

PERMIT NUMBER: ALS000019

RECEIVING WATERS: WATERBODIES WITHIN THE CORPORATE BOUNDARIES OF CITY OF IRONDALE

In accordance with and subject to the provisions of the Federal Water Pollution Control Act, as amended, 33 U.S.C. §§1251-1378 (the "FWPCA"), the Alabama Water Pollution Control Act, as amended, Code of Alabama 1975, §§ 22-22-1 to 22-22-14 (the "AWPCA"), the Alabama Environmental Management Act, as amended, Code of Alabama 1975, §§22-22A-1 to 22-22A-15, and rules and regulations adopted thereunder, and subject further to the terms and conditions set forth in this permit, the Permittee is hereby authorized to discharge into the above-named receiving waters.

ISSUANCE DATE: JUNE 7, 2017

EFFECTIVE DATE: JULY 1, 2017

EXPIRATION DATE: JUNE 30, 2022

GLENN A. DEAN

Alabama Department of Environmental Management

Table of Contents

Part I. Applicability4

- A. Permit Area.....4
- B. Authorized Discharges.....4
- C. Prohibited Discharges4

Part II. Storm Water Pollution Prevention & Management Programs5

- A. Storm Water Management Program5
- B. Storm Water Program Elements and Requirements.....5
 - 1. Storm Water Collections System Operations5
 - 2. Public Education and Public Involvement on Storm Water Impacts6
 - 3. Illicit Discharge Detection and Elimination (IDDE).....8
 - 4. Construction Site Storm Water Runoff Control9
 - 5. Post-Construction Storm Water Management in New Development and Re-Development12
 - 6. Spill Prevention and Response14
 - 7. Pollution Prevention/Good Housekeeping for Municipal Operations14
 - 8. Application of Pesticides, Herbicides, and Fertilizers (PHFs).....16
 - 9. Oils, Toxics, and Household Hazardous Waste Control17
 - 10. Industrial Storm Water Runoff.....17
- C. Legal Authority18
- D. SWMPP Plan Review and Modification18
- E. Impaired Waters and Total Maximum Daily Loads (TMDLs)19
- F. Responsibilities of Permittee.....20

Part III. Monitoring and Reporting.....20

- A. Monitoring Locations20
- B. Monitoring Parameters and Frequency20
- C. Sample Type, Collection and Analysis21

Part IV. Annual Reporting Requirements21

Part V. Standard and General Permit Conditions23

- A. Certification and Signature of Reports23
- B. Submittals23
- C. Retention of Records23
- D. Duty to Comply23

Table of Contents (continued)

E. Civil and Criminal Liability	24
F. Duty to Reapply	24
G. Need to Halt or Reduce an Activity Not a Defense	24
H. Duty to Mitigate.....	24
I. Duty to Provide Information	24
J. Other Information	24
K. Signatory Requirements.....	25
L. Oil and Hazardous Substance Liability.....	25
M. Property and Other Rights.....	25
N. Severability.....	25
O. Compliance with Statutes and Rules	25
P. Proper Operations and Maintenance	25
Q. Monitoring Records.....	25
R. Monitoring Methods	26
S. Right of Entry and Inspection	26
T. Additional Monitoring by the Permittee	26
U. Permit Modification and Revocation.....	26
V. Termination of Coverage for a Single Permittee	28
W. Modification of Storm Water Mangament Program	28
X. Changes in Monitoring Outfalls	28
Y. Definitions.....	28

PART I Applicability

A. Permit Area

This permit applies to the corporate boundaries of the City of Irondale that are regulated by the Permittee and discharge to the Permittee's Municipal Separate Storm Sewer System (MS4).

B. Authorized Discharges

1. This permit authorizes all existing or new storm water point source discharges to waters of the State of Alabama from those portions of the (MS4s) owned or operated by the Permittee. Discharge of pollutants shall be reduced to the Maximum Extent Practicable (MEP), shall not cause, nor contribute to, violations of Alabama Water Quality Standards, and shall be in compliance with Total Maximum Daily Loads (TMDLs) where applicable.
2. This permit authorizes the following non-storm water discharges provided that they do not cause or contribute to a violation of water quality standards and provided that they have been determined not to be substantial contributor pollutants by the Permittee or the Department:
 - a. Water line flushing
 - b. Landscape irrigation (not consisting of treated, or untreated wastewater unless authorized by the Department)
 - c. Diverted stream flows
 - d. Uncontaminated ground water infiltration
 - e. Uncontaminated pumped groundwater
 - f. Discharges from potable water sources
 - g. Foundation and footing drains
 - h. Air conditioning drains
 - i. Irrigation water (not consisting of treated, or untreated, wastewater unless authorized by the Department)
 - j. Rising ground water
 - k. Springs
 - l. Water from crawl space pumps
 - m. Lawn watering runoff
 - n. Individual residential car washing, to include charitable carwashes
 - o. Residual street wash water
 - p. Discharge or flows from firefighting activities (including fire hydrant flushing)
 - q. Flows from riparian habitats and wetlands
 - r. Dechlorinated swimming pool discharges

C. Prohibited Discharges

The following discharges are not authorized by this permit:

1. Discharges that are mixed with sources of non-storm water, unless such non-storm water discharges are in compliance with a separate NPDES permit or where those dischargers have been determined not to represent significant sources of pollution, as identified by, and in compliance with, Part I.B.2;
2. Discharges of materials resulting from a spill, except emergency discharges required to prevent imminent threat to human health or to prevent severe property damage, provided reasonable and prudent measures have been taken to minimize the impact of the discharges; and

3. The discharge of sanitary wastewater through cross connections or other illicit discharges through the MS4 is prohibited.

PART II Storm Water Pollution Prevention and Management Programs

A. Storm Water Management Program (SWMP)

1. The Permittee is required to develop, revise, implement, maintain and enforce a storm water management program (SWMP) which shall include controls necessary to reduce the discharge of pollutants from its MS4 consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26. These requirements shall be met by the development and implementation of a storm water management program plan (SWMPP) which addresses the best management practices (BMPs), control techniques and systems, design and engineering methods, public participation and education, monitoring, and other appropriate provisions designed to reduce the discharge of pollutants from the MS4 to the MEP.
2. The Permittee shall provide and maintain adequate finance, staff, equipment, and support capabilities necessary to implement the SWMPP and comply with the requirements of this permit.
3. The SWMPP must address the minimum program elements referenced in Part II.B. to include the following:
 - a. A map of the Permittee's MS4 corporate boundaries;
 - b. The BMPs that will be implemented for each control measure. Low impact development (LID)/green infrastructure (GI) shall be considered where feasible. Information on LID/GI is available on the following websites: <http://www.adem.alabama.gov/programs/water/waterforms/LIDHandbook.pdf> and <http://epa.gov/polwaste/green/index.cfm>;
 - c. The measureable goals for each of the program elements outlined in Part II.B.;
 - d. The proposed schedule – including interim milestones, as appropriate, inspections, and the frequency of actions needed to fully implement each program element; and
 - e. The person and/or persons responsible for implementing or coordinating the BMPs for each separate program element.
4. Once the SWMPP is acknowledged by ADEM, activities and associated schedules outlined by the SWMPP or updates to the SWMPP are conditions of this permit.
5. Unless otherwise specified in this permit, the Permittee shall be in compliance with the conditions of this permit by the effective date.

B. Storm Water Program Elements and Requirements

1. **Storm Water Collection System Operations**
 - a. Structural Controls
 - i. For Permittee owned/maintained structural controls, the structural controls shall be operated in a manner to reduce the discharge of pollutants, to the MEP;
 - ii. For Permittee owned/maintained structural controls, the Permittee shall include in the SWMPP and implement the following:
 1. Maintain a map of the structural controls;

2. Inspect existing and newly constructed structural controls on a semi- annual basis, at a minimum;
 3. Develop a standard operating procedure (SOP) or inspection checklist for structural control inspection and maintenance procedures;
 4. Stabilization and re-vegetation of eroded areas as needed; and
 5. Floatables, litter, sediment and debris, in structural controls, shall be removed as needed.
- iii. The Permittee shall maintain an inventory of structural controls, and maintain a tracking system for inspections and maintenance of the control structures; and
- iv. The Permittee shall report each year in the annual report the following structural control information:
1. The number of inspections performed on structural controls, to include follow-up inspections. The inspection documentation (i.e. checklist) shall be made available upon request;
 2. A summarization of the maintenance activities performed on structural controls;
 3. The estimated amount of floatable, litter, sediment and debris that was removed, if applicable;
 4. Copies of any contractual agreements for maintenance activities if not performed by the Permittee, if requested by the Department. The contractual agreement should specify maintenance activities performed and schedule; and
 5. Updated structural controls map of Permittee-owned structural controls added during the preceding year with geographic coordinates.

2. **Public Education and Public Involvement on Storm Water Impacts**

- a. The Permittee must further develop and implement a public education and outreach program to inform the community about the impacts from storm water discharges on water bodies and the steps that the public can take to reduce pollutants in storm water runoff to the MEP. The Permittee shall continuously implement this program in the areas served by the MS4.
- b. The Permittee shall include within the SWMPP the methods for how it will:
1. Seek and consider public input in the development, revision and implementation of the SWMPP;
 2. Identify targeted pollutant sources the Permittee's public education program is intended to address;
 3. Plans to specifically address the reduction of litter, floatables and debris from entering the MS4, that may include, but is not limited to:
 - a. Labeling storm drain inlets and catch basins with "no dumping" message; and
 - b. Posting signs referencing local codes that prohibit littering and illegal dumping at designated public access points to open channels, creeks, and other relevant waterbodies
 4. Inform and involve individuals and households about the steps they can take to reduce storm water pollution; and
 5. Inform individuals and groups on how to become involved in the storm water program (with activities such as local stream and lake restoration activities). The target audiences and subject areas for the education program that are likely to have

significant storm water impacts should include, but is not limited to, the following:

- i. General Public
 - a. General impacts litter has on water bodies, how trash is delivered to streams via the MS4 and ways to reduce the litter;
 - b. General impacts of storm water flows into surface water from impervious surface; and
 - c. Source control BMPs in areas of pet waste, vehicle maintenance, landscaping and rain water reuse.
 - d. Impacts of illicit discharges and how to report them.
 - ii. General Public and Businesses to include Home-Based and Mobile Businesses
 - a. BMPs for use and storage of automotive chemicals, hazardous cleaning supplies, carwash soaps and other hazardous materials;
 - b. Impacts of illicit discharges and how to report them.
 - iii. Homeowners, Landscapers, Property Managers and City Personnel
 - a. Landscape techniques that protect water quality;
 - b. BMPs for use and storage of pesticides, herbicides and fertilizers;
 - c. BMPs for carpet cleaning and auto repair and maintenance; and
 - d. Storm water pond maintenance.
 - iv. Engineers, City Personnel, Land Use Planners, Contractors and Developers
 - a. Impacts of increased storm water flows into receiving water bodies;
 - b. Technical standards for construction site sediment and erosion control;
 - c. Storm water treatment and flow control BMPs; and
 - d. Run-off reduction techniques and low impact development (LID)/green infrastructure (GI) practices that may include, but not limited to, site design, pervious pavement, alternative parking lot design, retention of forests and mature trees to assist in storm water treatment and flow control BMPS.
6. Evaluate the effectiveness of the public education and public involvement program; and
 7. Organize and participate in activities that target the removal of litter, floatables, and debris from area waterways. The minimum number and the waterways these activities will target will be addressed in the SWMPP.
- c. The Permittee shall report each year in the annual report the following information:
 - 1) A description of the activities used to involve groups and/or individuals in the development and implementation of the SWMPP;
 - 2) A description of the individuals and groups targeted and how many groups and/or individuals participated. If exact participation is not readily quantifiable, an estimation will be sufficient;
 - 3) A description of the communication mechanisms or advertisements used to inform the public and the number of applications that were distributed (i.e. number of printed brochures, copies of newspapers, workshops, public service announcements, etc);
 - 4) Results of the evaluation as required in Part II.B.2.b.6.; and
 - 5) A list of the activities required in Part II.B.2.b.7 and the estimated amount of litter, floatables and debris removed during each activity.
 - d. The current SWMPP and latest annual report should be posted on the Permittee's website.

3. Illicit Discharge Detection and Elimination (IDDE)

- a. The Permittee shall implement an ongoing program to detect and eliminate illicit discharges into the MS4, to the maximum extent practicable. The program shall include, at a minimum, the following:
 - 1) The development and annual update of an MS4 map. An initial map shall be provided in the SWMPP with updates provided each year in the annual report. The map shall include, at a minimum:
 - a. The latitude/longitude of all known major outfalls;
 - b. The names of all waters of the State within the MS4 area that receive discharges from these major outfalls; and,
 - 2) To the extent allowable under State law, an ordinance or other regulatory mechanism that prohibits non-storm water discharges to the MS4. The ordinance or other regulatory mechanism shall:
 - a. Include escalating enforcement procedures and actions;
 - b. Require the removal of illicit discharges and the immediate cessation of improper disposal practices upon identification of responsible parties. Where the removal of illicit discharge within ten (10) working days is not possible, the ordinance shall require the operator of the illicit discharge to take all reasonable and prudent measures to minimize the discharge of pollutants to the MS4; and
 - c. Provide for the review of the IDDE ordinance and update as necessary.
 - 3) A dry weather screening program designed to detect and address non-storm water discharges to the MS4. This program must address, at a minimum, dry weather screening of twenty (20) percent of the major outfalls at least once per year with all (100 percent) major outfalls screened at least once per five years. Also, priority areas, as described by the Permittee in the SWMPP, will be dry weather screened on a more frequent schedule as outlined in the SWMPP. If any flow, from an unidentified source, is observed during the dry weather screening of an outfall, then the Permittee shall follow the sampling protocol as outlined in the SWMPP and developed in accordance with EPA's guidance manual, *Illicit Discharge Detection and Elimination, A Guidance Manual for Program Development and Technical Assessments*, Center for Watershed Protection, October, 2004.
 - 4) Procedures for tracing the source of a suspect illicit discharge as outlined in the SWMPP. At a minimum, these procedures will be followed to investigate portions of the MS4 that, based on the results of the field screening or other appropriate information, indicate a reasonable potential of containing illicit discharges or other sources of non-storm water.
 - 5) Procedures for eliminating an illicit discharge as outlined in the SWMPP;
 - 6) Procedures to notify ADEM of a suspect illicit discharge entering the Permittee's MS4 from an adjacent MS4 as outlined in the SWMPP;
 - 7) A mechanism for the public to report illicit discharges discovered within the Permittee's MS4 and procedures for appropriate investigation of such reports;
 - 8) A training program for appropriate personnel on identification, reporting, and corrective action of illicit discharges; and

- 9) The Permittee shall post on its website the ordinance or other regulatory mechanism as required by Part II.B.3.a.2 of this Permit.
- b. The Permittee shall report each year in the annual report the following information:
- 1) List of outfalls observed during the dry weather screening of the current year and a list of the outfalls to be dry weather screened during the upcoming year;
 - 2) Updated MS4 map(s), if necessary;
 - 3) Copies of the IDDE ordinance or other regulatory mechanism or provide a hyperlink for the ordinance or regulatory mechanism location on the Permittee's website; and,
 - 4) The number of illicit discharges investigated, any associated sampling results, and the summary of corrective actions taken to include dates and timeframe of response.

4. Construction Site Storm Water Runoff Control

- a. The Permittee shall further develop/revise, implement and enforce an ongoing program to reduce, to the maximum extent practicable, the pollutants in any storm water runoff to the MS4 from qualifying construction sites. The program shall include the following, at a minimum:
- 1) Procedures to require all applicable construction sites to obtain coverage under ADEM NPDES General Permit ALR10000 or other applicable NPDES permits;
 - 2) To the extent allowed under State law, an ordinance or other regulatory mechanism to require effective erosion and sediment controls on qualifying construction sites, as well as sanctions to ensure compliance;
 - 3) Requirements for construction site operators to control waste such as discarded building materials, concrete truck washout, chemicals, litter, and sanitary waste at the construction site that may cause adverse impacts to water quality;
 - 4) Procedures for site plan review to ensure the selection of effective erosion and sediment controls are consistent with the Alabama Handbook for Erosion Control, Sediment Control, and Stormwater Management on Construction Sites and Urban Areas published by the Alabama Soil and Water Conservation Committee (hereinafter the "Alabama Handbook") and are appropriate for site conditions. Site plan review may be prioritized based on criteria outlined in the Permittee's SWMPP and may include, but is not limited to, size and location within priority watersheds. The plan review process will also consider potential water quality impacts;
 - 5) A mechanism for the public to report complaints regarding pollution discharges from construction sites;
 - 6) Inspection of sites to verify use and proper maintenance of appropriate BMPs. Inspections of construction sites shall be performed in accordance with the frequency specified in the table below:

Site	Inspection Frequency
Priority Construction Sites (Defined in Part V.Y.)	At a minimum, inspections must occur monthly
Other sites determined by the Permittee or Permitting Authority to be a significant threat to water quality*	
All construction sites not meeting the criteria specified above.	At a minimum, inspections must occur every two months

<p>*In evaluating the threat to water quality, the following factors must be considered: soil erosion potential; site slope; project size and type; sensitivity of receiving waterbodies; proximity to receiving waterbodies; non-storm water discharges; past record of non-compliance by the operators of the construction site; and other factors deemed relevant to the MS4.</p>	

- 7) Training for the Permittee's construction site inspection staff in the identification of appropriate construction best management practices (Example: QCI training in accordance with ADEM Admin Code. r. 335-6-12 or the Alabama Construction Site General Permit);
 - 8) Development of a construction site inspection checklist;
 - 9) Implementation of an enforcement response plan (ERP), which sets out the Permittee's potential responses to violations through progressively stricter actions as needed to achieve compliance. The ERP must include a system for tracking formal actions and ADEM referrals. Types of enforcement actions may include, but not limited to the following:
 - a. Verbal Warnings—Verbal warnings are primarily consultative in nature and must specify the nature of the violation and required corrective action;
 - b. Written Notices—Written Notices must stipulate the nature of the violation and the required corrective action, with deadlines for taking such action; and
 - c. Escalated Enforcement Measures—Citations, stop work orders, withholding plan approvals/authorizations, monetary penalties, or additional measures to address persistent non-compliance, repeat or escalating violations or incidents of major environmental harm.
 - 10) A program to make available a list of education and training materials and resources to construction site operators in the appropriate application and maintenance of erosion and sediment controls; and
 - 11) The Permittee shall post on its website the ordinance or other regulatory mechanism required by Part II.B.4.a.2.
- b. The Permittee shall include within the SWMPP the following information:
- 1) Procedures for site plan reviews required by Part II.B.4.a.4;
 - 2) A site inspection plan meeting the requirements of Part II.B.4.a.6;
 - 3) Plans for the training of MS4 site inspection staff as required by Part II.B.4.a.7;
 - 4) A copy of the construction site inspection checklist as required by Part II.B.4.a.8;
 - 5) The ERP as required by Part II.B.4.a.9;
 - 6) Procedures and schedule for making available a list of education and training materials and resources to construction site operators in the appropriate application and maintenance of erosion and sediment controls required by Part II.B.4.a.10.
- c. The Permittee shall report each year in the annual report the following information:
- 1) A copy or a hyperlink to the ordinance or regulatory mechanism location on the Permittee's website;
 - 2) List of all active qualifying construction sites within the MS4 to include the inspections as required by Part II.B.4.a.6; and
 - 3) A summary of the following:

- a. Number of construction site inspections;
 - b. Number of formal enforcement actions and description of violations;
 - c. Number of construction site runoff complaints received.
 - d. Number of new staff trained and follow-up training provided to existing staff.
- d. The Permittee shall maintain the following information and make it available upon request:
- 1) Documentation of all inspections conducted of construction sites. The inspection documentation shall include, at a minimum, the following:
 - a. Facility type;
 - b. Inspection date;
 - c. Name and signature of inspector;
 - d. Location of construction project;
 - e. Owner/operator information (name, address, phone number, fax, and email);
 - f. Description of the storm water BMP condition that may include, but not limited to, the quality of: vegetation and soils, inlet and outlet channels and structures, embankments, slopes, and safety benches; spillways, weirs, and other control structures; and sediment and debris accumulation in storage and forebay areas as well as in and around inlet and outlet structures; and
 - g. Photographic documentation of any issues and/or concerns.
 - 2) Documentation of enforcement actions taken at construction sites to include, at a minimum, the following:
 - a. Name of owner/operator;
 - b. Location of construction project;
 - c. Description of violation;
 - d. Required schedule for returning to compliance;
 - e. Description of enforcement response used, including escalated responses if repeat violations occur;
 - f. Accompanying documentation of enforcement responses (e.g. notices of non-compliance, notices of violations, etc.); and
 - g. Any referrals to different Departments or Agencies.
 - 3) Records of public complaints including:
 - a. Date, time and description of the complaint;
 - b. Location of subject construction sites; and
 - c. Identification of any actions taken (e.g. inspections, enforcement, corrections). Identifying information must be sufficient to cross-reference inspection and enforcement records.
 - 4) Educational and Training Documentation for Construction Site Operators
 - a. List of education and training materials and resources

5. Post-Construction Stormwater Management in Qualifying New Development and Re-Development

The Permittee must develop/revise and implement a program, within 365 days from the effective date of this permit, to address the discharge of pollutants in post-construction storm water runoff to the MS4 from new development and re-development. Post-Construction Stormwater Management refers to the activities that take place after construction occurs, and includes structural and non-structural controls including low-impact development and green infrastructure practices to obtain permanent stormwater management over the life of the property's use. These post construction controls should be considered during the initial site development planning phase.

- a. The Permittee shall develop/revise and implement project review and enforcement procedures for qualifying new development and redevelopment projects, to the maximum extent practicable. Specifically, the Permittee shall:
 - 1) Require landowners and developers to, the MEP, implement systems of appropriate structural and/or non-structural BMPs designed to reduce the discharge of pollutants, which may include, but is not limited to, the following:
 - a. Minimize the amount of impervious surfaces;
 - b. Preserve and protect ecologically sensitive areas that provide water quality benefits;
 - c. Provide vegetated buffers along waterways, and reduce discharges to surface waters from impervious surfaces such as parking lots;
 - d. Implement policies to protect trees, native soils and other vegetation; and
 - e. Minimize topsoil stripping and compacted soils where feasible.
 - 2) Require landowners and developers to develop and maintain best management practices to ensure, to the maximum extent practicable, that post-construction runoff mimics pre-construction hydrology of the site. A 1.1 inch rainfall over a 24-hour period preceded by a 72-hour antecedent dry period shall be the basis for the design and implementation of post construction BMPs;
 - 3) Encourage landowners and developers to incorporate the use of low impact development (LID)/green infrastructure where feasible. Information on low impact development (LID)/green infrastructure is available on the following website:<http://www.adem.alabama.gov/programs/water/waterforms/LIDHandbook.pdf> and <http://epa.gov/nps/lid>;
 - 4) To the extent allowed under State law, adopt or amend an ordinance or other regulatory mechanism to ensure the applicability and enforceability of post-construction BMPs at all new qualifying development and redevelopment projects;
 - 5) Require the submittal of a post-construction BMP plan, for review, as outlined in the SWMPP. The post-construction BMP plan review process may be integrated with the construction plan review process under Section II.B.4.a.4;
 - 6) Require the submittal of an 'as built' certification of the post-construction BMPs within 120 days of completion;
 - 7) Perform and/or require the performance of, at a minimum, an annual post-construction inspection to ensure that design standards are being met and require corrective actions to poorly functioning or inadequately maintained post-construction BMPs. The Permittee shall document its post-construction inspection. Such documentation shall include, at a minimum:
 - a. Facility type
 - b. Inspection date

- c. Name and signature of inspector
 - d. Site location
 - e. Owner information (name, address, phone number, fax, and email)
 - f. Description of the storm water BMP condition that may include the quality of: vegetation and soils, inlet and outlet channels and structures, embankments, slopes, and safety benches; spillways, weirs, and other control structures; and sediment and debris accumulation in storage and forebay areas as well as in and around inlet and outlet structures;
 - g. Photographic documentation of all critical storm water BMP components;
 - h. Specific maintenance items or violations that need to be corrected by the owner/operator of the storm water control or BMP; and
 - i. Maintenance agreements for long-term BMP operations and maintenance.
- 8) The Permittee shall maintain or require the developer/ owner/operator to keep records of post-construction inspections, maintenance activities and make them available to the Department upon request;
- 9) Require and/or perform adequate long-term operation and maintenance of post-construction BMPs, including one or more of the following, as applicable:
- a. The developer's signed statement accepting responsibility for maintenance until the maintenance responsibility is legally transferred to another party; and/or
 - b. Written conditions in the sales or lease agreement that require the recipient to assume responsibility for maintenance; and/or
 - c. Written conditions in project conditions, covenants and restrictions for residential properties assigning maintenance responsibilities to a home owner's association, or other appropriate group, for maintenance of structural and treatment control management practices; and/or
 - d. Any other legally enforceable agreement that assigns permanent responsibility for maintenance of structural or treatment control management practices.
- b. The Permittee shall include within the SWMPP the following information:
- 1) Procedures to develop, implement and enforce systems of appropriate structural and/or non-structural BMPs;
 - 2) Procedures to develop, implement and enforce performance standards;
 - 3) Procedures for encouragement of the utilization of LID/green infrastructure practices;
 - 4) Procedures to ensure compliance with the ordinance or regulatory mechanism, including the sanctions and enforcement mechanisms the Permittee will use to ensure compliance. If an ordinance or regulatory mechanism needs to be developed, then the Permittee must provide a timeline for the development of the ordinance and/or regulatory mechanism;
 - 5) Procedures for post-construction inspections, to include tracking and enforcement;
 - 6) Procedures to ensure adequate long-term operation and maintenance of BMPs; and,
 - 7) Development of an inventory of post-construction structural controls.
- c. The Permittee shall report each year in the annual report the following information:

- 1) Provide a hyperlink for the ordinance or regulatory mechanism location on the Permittee's website;
- 2) A list of the post-construction structural controls installed and inspected during the permit year;
- 3) Updated inventory of post-construction structural controls including those owned by the Permittee;
- 4) Number of inspections performed on post-construction structural controls; and,
- 5) Summary of enforcement actions.

6. Spill Prevention and Response

- a. The Permittee shall further develop/revise and implement a program to prevent, contain, and respond to spills that may discharge into the MS4. The Permittee must, at a minimum:
 - 1) Investigate, respond, and conduct response actions or coordinate w/other agencies that may provide response actions as outlined in the SWMPP;
 - 2) Develop a mechanism to track spills, response, and cleanup activities for all spills;
 - 3) Use GIS or acceptable mapping scheme to identify spill locations, locations for inspections, and chronic problem areas;
 - 4) Implement a spill prevention/spill response plan;
 - 5) Provide training of appropriate personnel in spill and response procedures and techniques to mitigate pollutant discharges from spills to the MS4; and
 - 6) Establish procedures to ensure that all spills are able to be promptly reported to appropriate authority.
- b. The Permittee shall include within the SWMPP the following information:
 - 1) The spill prevention/spill response plan; and
 - 2) Procedures to provide training of personnel in spill prevention and response.
- c. The Permittee shall report each year in the annual report the following information:
 - 1) Summary of spills occurring during the reporting year, to include the following, at a minimum:
 - a. Location;
 - b. Spill Substance (i.e. fuel, oil, etc);
 - c. Photographs (Spill and After clean-up) to be made available upon request; and
 - d. Incident dates and time to resolution, including any enforcement actions taken and their result.
 - 2) Documentation of employee training as required by Part II.B.6.b.2
 - a. Title of Training Presentations; and
 - b. Dated Attendance Sheets.

7. Pollution Prevention/Good Housekeeping for Municipal Operations

- a. The Permittee shall further develop/revise, implement, and maintain a program that will prevent or reduce the discharge of pollutants in storm water run-off from municipal operations to the MEP. The program elements shall include, at a minimum, the following:

- 1) An inventory of all municipal facilities, including municipal facilities that have the potential to discharge pollutants via storm water runoff;
 - 2) Develop and implement a short and long term strategy and program for the removal of trash from the waterways and tributaries in the permitted area in such a manner to quantify the removal of trash per year, which shall be included in the annual report. These strategies shall be included in the Permittee's SWMPP and shall be updated as necessary. This program shall address the following, at a minimum:
 - a. Direct removal of trash from waterbodies;
 - b. Direct removal of trash from the MS4;
 - c. Direct removal of trash prior to entry to the MS4;
 - d. Prevention through disposal alternatives; and
 - e. Prevention through waste reduction practices, additional enforcement, and/or initiatives.
 - 3) Require the following measures to be implemented in the public right of way for any event or wherever it is anticipated that substantial quantities of trash or litter may generated:
 - a. Arrangement for temporary protection of preventative measures to the catch basins, where feasible, and
 - b. Provide proper disposal of trash receptacles, clean up of catch basins, as needed, and grounds of the event area within one business day subsequent to the event.
 - 4) Ensure that trash receptacles, or similar trash capturing devices are provided and maintained in areas identified as high trash generated areas;
 - 5) A Standard Operating Procedures (SOP) detailing good housekeeping practices to be employed at appropriate municipal facilities and during municipal operations that may include, but not limited to, the following:
 - a. Equipment washing;
 - b. Street sweeping;
 - c. Maintenance of municipal roads owned, operated, or under the responsibility of the Permittee;
 - d. Storage and disposal of chemicals and waste materials;
 - e. Vegetation control, cutting, removal, and disposal of the cuttings;
 - f. Vehicle fleets/equipment maintenance and repair;
 - g. External Building maintenance; and
 - h. Materials storage facilities and storage yards.
 - 6) A program for inspecting municipal facilities, to include municipal maintenance shops and equipment yards, for good housekeeping practices, including BMPs. The program shall include checklists and procedures for correcting noted deficiencies;
 - 7) A training program for municipal facility staff in good housekeeping practices as outlined in the SOP developed pursuant to Part II.B.7.a.(5); and
 - 8) The Permittee shall assess the water quality impacts for those flood management projects owned, operated, or the responsibility of the Permittee. The feasibility of retro-fitting existing structural control devised to provide additional pollutant removal from the storm water shall be evaluated.
- b. The Permittee shall include within the SWMPP the following information:

- 1) The inventory of municipal facilities required by Part II.B.7.a.(1);
- 2) Schedule for developing the SOP of good housekeeping practices required by Part II.B.7.a.(5);
- 3) An inspection plan and schedule, including checklists and any other materials needed to comply with Part II.B.7.a.(6); and
- 4) A description of the training program and training schedule required by Part II.B.7.a.(7).

c. The Permittee shall report each year in the annual report the following information:

- 1) Any updates to the municipal facility inventory;
- 2) An estimated amount of floatable material collected from the MS4 as required by Part II.B.7.a.(2-4);
- 3) Any updates to the inspection plan;
- 4) Any updates to the SOP of good housekeeping practices; and
- 5) Summary of inspection reports of municipal facilities

d. The Permittee shall maintain the following information and make it available upon request:

- 1) Records of inspections and corrective actions, if any; and
- 2) Training records including the dates of each training activities and names of personnel in attendance.

8. Application of Pesticide, Herbicide, and Fertilizers (PHFs)

a. For the *Application of Pesticide, Herbicide, and Fertilizers (PHFs)*, the Permittee shall implement controls to reduce, to the *MEP*, the discharge of pollutants related to the storage and application of PHFs applied by employees or contractors, to public rights of way, parks, and other public property. The Permittee shall implement programs to encourage the reduction of the discharge of pollutants related to application and distribution of PHFs. For those controls implemented, the Permittee will obtain coverage and maintain compliance with ADEM NPDES Pesticide General Permit ALG870000, if applicable, or other applicable NPDES permits. In addition, the Permittee shall address priorities to include the following:

- 1) Identify all areas known to receive high applications of PHFs, develop a program to detect improper usage, and prioritize problem areas;
- 2) Require evidence of proper certification and licensing for all applicators contracted to apply pesticides or herbicides on municipal property; require that applicators contracted to apply fertilizer are qualified in utilizing proper nutrient management practices;
- 3) Maintain an inventory of on-hand PHFs with information about the formulations of various products, including how to recognize the chemical constituents from the label, their respective uses, directions and precautions for applicators that explain if products should be diluted, mixed or only used alone, and, proper storage of products;
- 4) Equipment use and maintenance;
- 5) Training in safe use, storage and disposal of PHFs;
- 6) Inspection and monitoring of facilities where PHFs are stored; and
- 7) Record keeping.

9. Oils, Toxics, and Household Hazardous Waste Control

- a. The Permittee shall prohibit to the MEP the discharge or disposal of used motor vehicle fluids and household hazardous wastes into the MS4. Specific activities to be completed under this item are:
 - 1) Make available material educating the public about used oil facility locations, hotline numbers, and alternatives to toxic materials;
 - 2) Advertise the location of used oil collection facilities; and
 - 3) Provide employee training on spill prevention at all municipal facilities where oils or toxic materials are used.
- b. The Permittee shall include within the SWMPP the following information:
 - 1) Procedures to develop, implement, and enforce a program for oils, toxics, and household hazardous waste control to include educational information and employee training.
- c. The Permittee shall report each year in the annual report the following information:
 - 1) Quantities of Household Hazardous Waste and used oil collected; and
 - 2) Oils, Toxics, and Household Hazardous Waste Control training workshops
 - a. Dated attendance sheet; and
 - b. Titles of presentations.

10. Industrial Storm Water Runoff

- a. The Permittee shall implement a program to inspect, monitor and control pollutants in storm water runoff to the MS4 from municipal waste landfills, hazardous waste treatment, storage, disposal and recovery facilities, and industrial facilities and high risk commercial facilities. Facilities to be addressed under this program include: facilities that have reported under the requirements of the Emergency Planning and Community Right to Know Act (EPCRA) Title III, Section 313; and any other industrial or commercial discharge that the Permittee determines is contributing substantial pollutants loading to the MS4 ("high risk facilities"). The program must provide for, at a minimum:
 - 1) Annual inspections of municipal waste landfills, hazardous waste treatment, storage, disposal (TSD) and recovery facilities;
 - 2) Annual inspections, at a minimum, of industrial facilities and high-risk commercial facilities that do not have an NPDES permit issued by the Department as outlined in the SWMPP, and
 - 3) Data collected by a NPDES permitted facility to satisfy the monitoring requirements of an NPDES, State, land application or local pretreatment discharge permit may be used to satisfy Part II.B.10.a of the Permit. The Permittee may require the facility to conduct self-monitoring to satisfy this requirement, if necessary.
- b. The Permittee shall include in the SWMPP a list of all municipal waste landfills, hazardous waste treatment, storage, disposal and recovery facilities, high risk commercial facilities, and industrial facilities, both NPDES permitted and non-NPDES permitted, within the MS4.

- c. The Permittee shall include in the annual report a summary of inspections performed for the year and enforcement, if applicable.

C. *Legal Authority*

To the extent allowed under State law, the Permittee must review and revise its relevant ordinances or other regulatory mechanisms, or adopt any new ordinances that provide it with adequate legal authority to control pollutant discharges into and from its MS4, and to implement and enforce its SWMPP. To be considered adequate, this legal authority must, at a minimum, authorize the Permittee to:

1. Prohibit non-storm water discharges unless such storm water discharges are in compliance with a separate NPDES permit, or determined by the Department not to be a significant contributor of pollutants to waters of the State;
2. Prohibit and eliminate illicit connections to the MS4. Illicit connections include pipes, drains, open channels, or other conveyances that have the potential to allow an illicit discharge to enter the MS4;
3. Control the discharge of spills, and prohibit dumping or disposal of materials other than storm water into the MS4;
4. Require operators of construction sites and industrial and commercial facilities to minimize the discharge of pollutants to the MS4 to the maximum extent practicable through the installation, implementation, and maintenance of appropriate controls, including installation, implementation and long-term maintenance of post construction controls;
5. Request information to determine compliance with ordinances or other regulatory mechanism;
6. Inspect and monitor at reasonable times any facilities, equipment, practices, or operations for active or potential polluted storm water discharges to the MS4;
7. Promptly require that dischargers cease and desist discharging and/or clean-up and abate a discharge;
8. Levy citations or administrative fines against responsible parties to include but not limited to non-compliant construction sites;
9. Require recovery and remediation costs from responsible parties; and
10. Provide the authority to enter into interagency agreements with other entities for the purpose of controlling the contribution of pollutants to the maximum extent practicable from one MS4 to another MS4.

D. *SWMPP Plan Review and Modification*

1. The Permittee shall submit to the Department within nine months of the effective date of this permit a SWMPP. The Permittee shall implement plans to seek and consider public input in the development, revision and implementation of this SWMPP, as required by Part II.B.2.b.1. Thereafter, the Permittee shall perform an annual review of the current SWMPP and must modify the SWMPP, as necessary, to maintain compliance with the permit. Any modifications to the SWMPP shall be submitted to the Department at the time a modification is made. Modifications made to the SWMPP may include, but are not limited to, the replacement of ineffective or infeasible BMPs or the addition of components, controls and requirements.
2. The Permittee shall implement the SWMPP on all new areas added to their municipal separate storm sewer system (or for which they become responsible for implementation of storm water quality controls) as soon as practicable. Implementation of the program in any new area shall consider the plans of the SWMPP of the previous MS4 ownership, if any.

E. Impaired Waters and Total Maximum Daily Loads (TMDLs)

1. The Permittee must determine whether the discharge from any part of the MS4 contributes directly or indirectly to a waterbody that is included on the latest §303(d) list or designated by the Department as impaired;
2. If the Permittee's MS4 discharges to a waterbody included on the latest §303(d) or designated by the Department as impaired, it must demonstrate the discharges, as controlled by the Permittee, do not cause or contribute to the impairment. The SWMPP must detail the BMPs that are being utilized to control discharges of pollutants associated with the impairment. If existing BMPs are not sufficient to achieve this demonstration, the Permittee must, within six (6) months following the publication of the latest final §303(d) list, Department designation, or the effective date of this permit, submit a revised SWMPP detailing new or modified BMPs. The SWMPP must be revised as directed by the Department and the new or modified BMPs must be implemented within one year from the publication of the latest final §303(d) list or Department designation.
3. Permittees discharging from MS4s into waters with EPA-Approved TMDLs and/or EPA-Established TMDLs
 - a. The Permittee must determine whether its MS4 discharges to a waterbody for which a total maximum daily load (TMDL) has been established or approved by EPA. If an MS4 discharges into a water body with an EPA approved or established TMDL, then the SWMPP must include BMPs targeted to meet the assumptions and requirements of the TMDL. If additional BMPs will be necessary to meet the requirements of the TMDL, the SWMPP must include a schedule for installation and/or implementation of such BMPs. A monitoring component to assess the effectiveness of the BMPs in achieving the TMDL requirements must also be included in the SWMPP. Monitoring can entail a number of activities including, but not limited to: outfall monitoring, in-stream monitoring, and/or modeling. Monitoring data, along with an analysis of this data, shall be included in the Annual Report.
 - b. If, during this permit cycle, a TMDL is approved by EPA or a TMDL is established by EPA for any waterbody into which an MS4 discharges, the Permittee must review the applicable TMDL to see if it includes requirements for control of storm water discharges from the MS4.
 - a. If it is found that the Permittee must implement specific allocations of the TMDL, it must assess whether the assumptions and requirements of the TMDL are being met through implementation of existing BMPs or if additional BMPs are necessary. The SWMPP must include BMPs targeted to meet the assumptions and requirements of the TMDL. If existing BMPs are not sufficient, the Permittee must, within six (6) months following the approval or establishment of the TMDL by EPA, submit a revised SWMPP detailing new or modified BMPs to be utilized along with a schedule of installation and/or implementation of such BMPs. Any new or modified BMPs must be implemented within one year, unless an alternate date is approved by the Department, from the establishment or approval of the TMDL by EPA. A monitoring

component to assess the effectiveness of the BMPs in achieving the TMDL requirements must also be included in the SWMPP. Monitoring can entail a number of activities including, but not limited to: outfall monitoring, in-stream monitoring, and/or modeling. Monitoring data, along with an analysis of this data, shall be included in the Annual Report.

F. Responsibilities of Permittee

If the Permittee is relying on another entity to satisfy one or more requirements of this permit, then the Permittee must note that fact in the SWMPP. The Permittee remains responsible for compliance with the permit and reliance on another entity will not be a defense or justification for non-compliance if the entity fails to implement the permit requirements.

PART III Monitoring and Reporting

The Permittee shall implement a monitoring program to provide data necessary to assess the effectiveness and adequacy of BMPs implemented under the SWMPP. The quality of the streams receiving MS4 discharges shall continue to be monitored to assess the water quality of the streams and to identify potential water quality impairments. This shall be accomplished by the following:

A. Monitoring Locations

1. Proposed monitoring locations and descriptions of their respective characteristics shall be described in the SWPPP with actual locations described in the annual report;

Waterbody	Frequency
Shades Creek	Hourly Sonde Annual (Grab) Sample
Cahaba River	Annual (Grab) Sample

2. In addition to the requirements in Part III.A.1., if a waterbody (not listed in Part III.A.1) within the MS4 jurisdiction is listed on the latest final §303(d) list, or otherwise designated impaired by the Department, or for which a TMDL is approved or established by EPA, during this permit cycle, then the Permittee must revise its monitoring program to include monitoring that addresses the impairment or TMDL. Any revisions to the monitoring program shall be documented in the SWMPP and Annual Report. In addition, the permit may be modified by the Department to establish the additional or revised monitoring locations.

B. Monitoring Parameters and Frequency

1. Water quality data shall be obtained by a water quality probe (i.e sonde) at Shades Creek with a minimum frequency of hourly and shall consist of the following:
 - a. Temperature;
 - b. pH/ORP;
 - c. Turbidity (NTU);
 - d. Conductivity;
 - e. Dissolved Oxygen (mg/l)
 - f. Water level

2. Grab samples shall be collected on Shades Creek and Cahaba River at each instream monitoring station and analyzed for the following parameters:
 - a. E.Coli;
 - b. Total Nitrogen (TN) (mg/l);
 - c. Total Phosphorus (mg/l);
 - d. Total Suspended Solids (TSS) (mg/l);
 - e. Temperature;
 - f. pH/ORP;
 - g. Turbidity (NTU);
 - h. Conductivity;
 - i. Dissolved Oxygen (mg/l);
 - j. Ammonia Nitrogen (NH₃-N) (mg/l);
 - k. Biochemical Oxygen Demand (BOD) (mg/l);
 - l. Chemical Oxygen Demand (COD) (mg/l);
 - m. Hardness as CaCO₃ (mg/l);
 - n. Nitrate plus Nitrite Nitrogen (NO₃+NO₂-N) (mg/l);
 - o. Oil and Grease (mg/l);
 - p. Total Dissolved Solids (TDS) (mg/l);
 - q. Total Kjeldahl Nitrogen (TKN) (mg/l); and
3. The Permittee must include in the instream monitoring program any additional parameters attributed with the latest final §303(d) list or otherwise designated by the Department as impaired or are included in an EPA-approved or EPA-established TMDL.

C. *Sample Type, Collection and Analysis*

1. Grab samples taken within the first two hours of discharge shall be used for the analysis;
2. Grab samples shall be collected resulting from a storm event that is greater than 0.1 inches in magnitude and that occurs at least 72 hours from the previously measurable (greater than 0.1 inch rainfall) storm event;
3. Analysis and collection of grab samples shall be done in accordance with the methods specified at 40 CFR Part 136. Where an approved 40 CFR Part 136 does not exist, then a Department approved alternative method may be used;
4. If the Permittee is unable to collect grab samples due to adverse conditions, the Permittee must submit a description of why samples could not be collected, including available documentation of the event. An adverse climatic condition which may prohibit the collection of samples includes weather conditions that create dangerous conditions for personnel (such as local flooding, high winds, hurricane, tornadoes, electrical storms, etc.) or otherwise make the collection of a sample impracticable (drought, extended frozen conditions, etc.).

PART IV Annual Reporting Requirements

1. The Permittee shall submit to the Department an annual report (1 hardcopy and 1 electronic copy) no later than January 31 of each year. The annual report shall cover the previous fiscal year beginning October 1 through September 30.
2. On or after December 21, 2020, all annual reports shall be submitted to the Department electronically in a prescribed manner acceptable to the Department.
3. The Permittee shall sign and certify the annual report in accordance with Part V.K.
4. The annual report shall include the following information, at a minimum, and in addition to those requirements referenced in Part II.B and Part III:

- a. A list of contacts and responsible parties (e.g.: agency, name, phone number, address, & email address) who had input to and are responsible for the preparation of the annual report.
- b. An overall evaluation of the storm water management program developments and progress for the following:
 - 1) Major findings such as water quality improvements or degradation;
 - 2) Major accomplishments;
 - 3) Overall program strengths/weaknesses;
 - 4) Future direction of the program;
 - 5) The Permittee(s) will make an overall determination of the effectiveness of the SWMPP taking into account water quality/watershed improvements; and
 - 6) Required actions that were not performed, and reasons why the actions were not accomplished.
- c. The annual report will include a narrative report of all program elements referenced in Part II.B of this permit. The activities concerning a program element shall be discussed as follows:
 - 1) Program element activities completed and in progress;
 - 2) General discussion of element. Explanation for all element activities that have not been fully implemented or completed. Results of activities shall be summarized and discussed (e.g.: maintenance caused by inspection, pollutants detected by monitoring, investigations as a result of dry and wet weather screening, number and nature of enforcement item, education activities/participation);
 - 3) Status of program element with compliance, implementation, and augmentation schedules in Part II of the permit;
 - 4) Assessment of controls; and
 - 5) Discussion of proposed element revisions.
- d. The annual report shall contain a monitoring section which discusses the progress and results of the monitoring programs required under Part III of the permit and shall include, at a minimum, the following information.
 - 1) Status of implementation of the monitoring program;
 - 2) Map(s) showing the monitoring station locations, latitude/longitude, and narrative site descriptions, including watershed size;
 - 3) Raw data, results, methods of evaluating the data, graphical summaries of the data, and an explanation/discussion of the data for each component of the monitoring program;
 - 4) An analysis of the results of each monitoring program component;
 - 5) A comparison of the reporting year's data to the previous five years of data to establish a trend analysis to determine the relative health of the receiving water;
 - 6) All monitoring reports and supporting data shall be submitted in hardcopy and/or electronically in a format deemed acceptable to the Department concurrently with the submission of the Annual Report; Failure to provide this data in a format appropriate to the Department for review shall be a violation of this permit; and
 - 7) The interpretation of the analytical data, required by Part III.B.1-2 of the Permit, for determinacy of meeting water quality standards.

- e. Provide the status of the implementation and proposed changes to the SWMPP to include assessment of controls and specific improvements or degradation to water quality;
- f. Provide a summary of inspections and enforcement actions for regulatory program. Enforcement actions should include a corrective actions summary;
- g. Implementation status of the public education programs; and
- h. Status of expenditures and budget for the past fiscal year and the next fiscal year for the Permittee's program. The analysis shall indicate budgets and funding sources.

PART V Standard and General Permit Conditions

A. Certification and Signature of Reports

All reports required by the permit and other information requested by the Director shall be signed and certified in accordance with Part V.K. of this permit.

B. Submittals

All documents required to be submitted to the Department by this permit, shall be addressed to:

Alabama Department of Environmental Management
 Stormwater Management Branch, Water Division
 Post Office Box 301463
 Montgomery, Alabama 36130-1463

Certified and Registered Mail shall be addressed to:

Alabama Department of Environmental Management
 Stormwater Management Branch, Water Division
 1400 Coliseum Blvd
 Montgomery, Alabama 36110-2059

C. Retention of Records

The Permittee shall retain the storm water quality management program developed in accordance with Part II of this permit until at least five years after coverage under this permit terminates. The Permittee shall retain all records of all monitoring information, copies of all reports required by this permit, and records required by this permit, and records of all other data required by or used to demonstrate compliance with this permit, until at least three years after coverage under this permit terminates. This period may be explicitly modified by alternative provisions of this permit or extended by request of the Director at any time.

D. Duty to Comply

The Permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the Clean Water Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

E. Civil and Criminal Liability

1. Tampering

Any person, who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained or performed under this permit shall, upon conviction, be subject to penalties as provided by AWPCA.

2. False Statements

Any person knowingly makes any false statement, representation, or certification in any record or other documentation submitted or required to be maintained under this permit, including monitoring reports or reports of compliance or non-compliance, shall, upon conviction, be punished as provided by AWPCA

3. Relief from Liability

Nothing in this permit shall be construed to relieve the Permittee(s) of civil and criminal liability under AWPCA or FWPCA for non-compliance with any term or condition of this permit.

F. Duty to Reapply

1. If the Permittee intends to continue an activity regulated by this permit beyond the expiration of this permit, the Permittee must apply for and obtain a new permit. The application shall be submitted at least 180 days prior to expiration of this permit.

2. Failure of the Permittee to apply for re-issuance at least 180 days prior to permit expiration will void the automatic continuation of the expiring permit provided by ADEM Administrative Code, Rule 335-6-6.-06, and should the permit not be re-issued for any reason any discharge after expiration of this permit will be an unpermitted discharge.

G. Need to Halt or Reduce an Activity Not a Defense

It shall not be a defense for a Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

H. Duty to Mitigate

The Permittee shall take all reasonable steps to minimize or prevent any discharge in violation of this permit which has a reasonable likelihood of adversely affecting human or the environment.

I. Duty to Provide Information

The Permittee shall furnish to the Director, within a reasonable time, any information which the Director may request to determine whether cause exists for modifying, suspending, or revoking this permit in whole or in part, or to determine compliance with this permit. The Permittee shall also furnish to the Director upon request copies of records required to be kept by this permit.

J. Other Information

If the Permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Director, it shall promptly submit such facts or information with a written explanation for the mistake and/or omission.

K. *Signatory Requirements*

All reports and forms to be submitted by this permit, AWPCA and the Department's rules and regulations, shall be signed by a "responsible official" of the Permittee, as defined in ADEM Administrative Code, Rule 335-6-6-.09, or a "duly authorized representative" of such official, as defined by ADEM Administrative Code, Rule 335-6-6-.09, and shall bear the following certification:

"I certify under the penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

L. *Oil and Hazardous Substance Liability*

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the Permittee from any responsibilities, liabilities, or penalties to which the Permittee is or may be subject under Section 311 of FWPCA.

M. *Property and Other Rights*

This permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to persons or property or invasion of other private rights, or any infringement of Federal, State, or local laws or regulations, nor does it authorize or approve the construction of any physical structures or facilities or the undertaking of any work in any waters of the State of Alabama.

N. *Severability*

The provision of this permit are severable, and if any provision of this permit or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of the permit shall not be affected thereby.

O. *Compliance with Statutes and Rules*

This permit is issued under ADEM Administrative Code, Chapter 335-6-6. All provisions of this chapter that are applicable to this permit are hereby made a part of this permit.

This permit does not authorize the non-compliance with or violation of any laws of the State of Alabama or the United States of America or any regulations or rules implementing such laws.

P. *Proper Operations and Maintenance*

The Permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the Permittee to achieve compliance with the conditions of this permit and with the requirements of storm water pollution prevention plans. Proper operation and maintenance requires the operation of backup or auxiliary facilities or similar systems, installed by a Permittee only when necessary to achieve compliance with conditions of the permit.

Q. *Monitoring Records*

1. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.
2. The Permittee shall retain records of all monitoring information including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of reports required by this permit, and records of all data used to

complete the application of this permit, for a period of at least three (3) years from the date of the sample, measurement, report or application. This period may be extended at the request of the Director at any time.

R. *Monitoring Methods*

Monitoring must be conducted according to test procedures approved under 40 CFR Part 136, unless other test procedures have been specified in this permit.

S. *Right of Entry and Inspection*

The Permittee shall allow the Director or an authorized representative, upon presentation of credentials and other documents as may be required by law, to:

1. Enter upon any of the permittee's premises where a regulated facility or activity or point source is located or in which any records must be maintained under conditions of this permit;
2. Have access to and copy, at reasonable times, any records required to be maintained by the terms and conditions of this permit;
3. Inspect, at reasonable times, any point source, any monitoring equipment or practices being maintained to comply with this permit, or any treatment or control or systems being maintained to comply with this permit; and
4. Sample or monitor, at reasonable times, for the purposes of determining permit compliance or as otherwise authorized by AWPCA, any substances or parameters at any location.

T. *Additional Monitoring by the Permittee*

If the Permittee monitors more frequently than required by this permit, using test procedures approved under 40 CFR Part 136 or as specified in this permit, the results of this monitoring shall be included in the calculation and reporting of the data submitted in the monitoring report. Such increased monitoring frequency shall also be indicated on the monitoring report.

U. *Permit Modification and Revocation*

1. This permit may be modified or revoked or reissued, in whole or in part, during its term for cause including but not limited to, the following:
 - a. If cause for termination under Part V.A.3., of this permit exists, the Director may choose to revoke or re-issue this permit instead of terminating the permit;
 - b. If a request to transfer this permit has been received, the Director may decide to revoke and re-issue or to modify the permit; or
 - c. If modification or revocation and re-issuance is requested by the Permittee and cause exists, the Director may grant the request.
2. This permit may be modified during its term for cause, including but not limited to:
 - a. If cause for termination under Part V.A.3., of this permit exists, the Director may choose to modify this permit instead of terminating this permit;
 - b. The Director has received new information that was not available at the time of permit issuance and that would have justified the application of different permit conditions at the time of issuance;

- c. Errors in calculation of discharge limitation or typographical or clerical errors were made;
 - d. To the extent allowed by ADEM Administrative Code, Rule 335-6-6-.17, when the standards or regulations on which the permit was based have been changed by promulgation of amended standards or regulations or judicial decision after the permit was issued;
 - e. To the extent allowed by ADEM Administrative Code, Rule 335-6-6-.17, permit may be modified to change compliance schedules;
 - f. To incorporate an applicable Section 307(a) of FWPCA toxic effluent standard or prohibition;
 - g. When required by the re-opener conditions in this permit;
 - h. Upon failure of the State to notify, as required by Section 402(b)(3) of FWPCA, another State whose water may be affected by a discharge permitted by this permit;
 - i. When required to correct technical mistakes, such as errors in calculation, or mistaken interpretations of law made in determining permit conditions;
 - j. When requested by the Permittee and the Director determines that the modification has cause and will not result in a violation of federal or State law, rules, or regulations;
 - k. To add a new Permittee who is the owner or operator of a portion of the Municipal Separate Storm Sewer System; or
 - l. To change portions of the Storm Water Quality Management Program that is considered permit conditions.
3. This permit may be terminated during its term for cause, including but not limited to, the following:
- a. Violation of any term or condition of this permit;
 - b. The permittee's misrepresentation or failure to disclose fully all relevant facts in the permit application or during the permit issuance or the permittee's misrepresentation of any relevant facts at any time;
 - c. Materially false or inaccurate statements or information in the permit application or the permit;
 - d. The permittee's discharge threatens human life or welfare or the maintenance or water quality standards; or
 - e. Any other cause allowed by ADEM Administrative Code, Rule 335-6-6.
4. This permit may be suspended during its term for cause, including but not limited to, the reasons for termination listed above.
5. The filing of a request by the Permittee for modification, suspension or revocation of this permit, in whole or in part, does not stay any permit term condition.

V. *Termination of Coverage for a Single Permittee*

Permit Coverage may be terminated, in accordance with the provision of 30 CFR 122.64 and 124.5, for a single Permittee without terminating coverage for other permittees.

W. *Modification of Storm Water Management Program*

Only those portions of the Storm Water Management Program specifically required as permit conditions shall be subject to modification requirements of 40 CFR 124.5. Replacement of an ineffective or infeasible BMP implementing a required component of the Storm Water Management Program with an alternate BMP expected to achieve the goals of the ineffective or infeasible BMP shall be considered a minor modification to the SWMPP and not modification to the Permit.

X. *Changes in Monitoring Outfalls*

This permit is issued on a system-wide basis in accordance with CWA §402(p)(3)(i) and authorizes discharges from all portions of the MS4. Since all outfalls are authorized, changes in monitoring outfalls, other than those with specific numeric effluent limitations, shall be considered minor modifications to the permit and will be made in accordance with the procedures at 40 CFR 122.63.

Y. *Definitions*

1. “Alabama Handbook” means the September 2014 edition of the Alabama Handbook for Erosion Control, Sediment Control, And Stormwater Management on Construction Sites and Urban Areas, Alabama Soil and Water Conservation Committee (ASWCC) published at the time permit is effective.
2. “Arithmetic Mean” means the summation of the individual values of any set values divided by the number of individual values.
3. “AWPCA” means Code of Alabama 1975, Title 22, the Alabama Water Pollution Control Act, as amended.
4. “Best Management Practices” (BMPs) means activities, prohibitions of practices, maintenance procedures, and other management practices implemented to prevent or reduce the discharge of pollutants to waters of the State. BMPs also include treatment systems, operating procedures, and practices to control facility runoff, spillage or leaks, sludge or water disposal, or drainage from raw material storage.
5. “Bypass” means the intentional diversion of waste streams from any portion of a treatment facility.
6. “Control Measure” as used in this permit, refers to any Best Management Practice or other method used to prevent or reduce the discharge of pollutants to waters of the State.
7. “CWA” or “The Act” means the Clean Water Act (formerly referred to as the Federal Water Pollution Control Act or Federal Water Pollution Control Act Amendments of 1972) Pub.L. 92-500, as amended Pub. L. 95-217, Pub. L. 95-576, Pub. L. 96-483 and Pub. L. 97-117, 33 U.S.C. 1251 et.seq.
8. “Department” means the Alabama Department of Environmental Management or an authorized representative.
9. “Discharge”, when used without a qualifier, refers to “discharge of a pollutant” as defined as ADEM Administrative Code 335-6-6-.02(m).

10. "Flood Management Project" means a project that will alter, modify or change the base flood elevation of a 1% annual chance flood event.
11. "Flow-weighted composite sample" means a composite sample consisting of a mixture of aliquots collected at a constant time interval, where the volume of each aliquot is proportional to the flow rate of the discharge at the time of sampling.
12. "Green Infrastructure" refers to systems and practices that use or mimic natural processes to infiltrate, evapotranspire (the return of water to the atmosphere either through evaporation or by plants), or reuse stormwater or runoff on the site where it is generated.
13. "Hydrology" refers to the physical characteristics of storm water discharge, including the magnitude, duration, frequency, and timing of discharge.
14. "Illicit connection" means any man-made conveyance connecting a non-storm water discharge directly to a municipal separate storm sewer system.
15. "Illicit discharge" means any discharge to a municipal separate storm sewer that is not composed entirely of storm water except discharges pursuant to a NPDES permit.
16. "Industrial Land Use" means land utilized in connection with manufacturing, processing, or raw materials storage at facilities identified under Alabama State Law.
17. "Infiltration" means water other than wastewater that enters a sewer system, including foundation drains, from the ground through such means as defective pipes, pipe joints, connections, or manholes. Infiltration does not include, and is distinguished from, inflow.
18. "Landfill" means an area of land or an excavation in which wastes are placed for permanent disposal, and which is not a land application unit, surface impoundment, injection well, or waste pile.
19. "Large" municipal separate storm sewer system means all municipal separate storm sewers that are either: (i) located in an incorporated place (city) with a population of 250,000 or more as determined by the latest decennial census.
20. "Low Impact Development" (LID) is an approach to land development (or re-development) that works with nature to manage stormwater as close to its source as possible. LID employs principles such as preserving and recreating natural landscape features, minimizing effective imperviousness to create functional and appealing site drainage that treat stormwater as a resource rather than a waste product.
21. "Major outfall" is the point(s) where the MS4 discharges to a water of the State from (1) a pipe (or closed conveyance) system with a cross-sectional area equal to or greater than 7.07 square feet (e.g., if a single circular pipe system, an inside diameter of 36 inches or greater),(2) a single conveyance other than a pipe, such as an open channel ditch, which is associated with a drainage area of more than 50 acres,(3) a pipe (or closed conveyance) system draining "industrial land use" with a cross-sectional area equal to or greater than 0.79 square feet (e.g., if a single circular pipe system, an inside diameter of 12 inches or greater),(4) or a single conveyance other than a pipe, such as an open channel ditch, which is associated with an "industrial land use" drainage area of more than 2 acres;For the purpose of this permit, outfalls of the "double barrel" type, whose combined cross-sectional area is greater than 7.07 square feet, equivalent to a single circular pipe outfall with an inside diameter of 36 inches or greater, are also considered major outfalls.

22. "MEP" is an acronym for "Maximum Extent Practicable," the technology-based discharge standards and controls necessary for municipal separate storm sewer systems to reduce pollutants in storm water discharges that was established by CWA Section 402(p). These standards and controls may consist of a combination of best management practices, control techniques, system design and engineering methods, and such other provisions for the reduction of pollutants discharged from a MS4 as described in the storm water management system.
23. "Medium" municipal separate storm sewer system means all municipal separate storm sewers that are either: (i) located in an incorporated place (city) with a population of 100,000 or more but less than 250,000 as determined by the latest decennial census.
24. "MS4" is an acronym for "Municipal Separate Storm Sewer System" and is used to refer to either a large, medium, or small municipal separate storm sewer system. The term is used to refer to either the system operated by a single entity or a group of systems within an area that are operated by multiple entities.
25. "Municipal Separate Storm System" is defined at 40 CFR Part 122.26(b)(8) and means a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels, or storm drains): (i) Owned or operated by a State, city, town, borough, county, parish, district, association, or other public body (created by or pursuant to State law) having jurisdiction over disposal of sewage, industrial wastes, storm water, or other wastes, including special districts under State law such as a sewer district, flood control district or drainage district, or similar entity, or a designated and approved management agency under section 208 of the CWA that discharges to waters of the United States; (ii) Designed or used for collecting or conveying storm water; (iii) Which is not a combined sewer; and (iv) Which is not part of a Publicly Owned Treatment Works (POTW) as defined in ADEM Administrative Code 335-6-6-.02(nn).
26. "Permittee" means each individual co-applicant for an NPDES permit who is only responsible for permit conditions relating to the discharge that they own or operate.
27. "Point Source" means any discernible, confined, and discrete conveyance, including but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, landfill leachate collection system, vessel or other floating craft from which pollutants are or may be discharged. This term does not include return flows from irrigated agriculture or agricultural storm water runoff.
28. "Priority Construction Site" means any qualifying construction site in an area where the MS4 discharges to a waterbody which is listed on the most recently approved 303(d) list of impaired waters for turbidity, siltation, or sedimentation, any waterbody for which a TMDL has been finalized or approved by EPA for turbidity, siltation or sedimentation, any waterbody assigned the Outstanding Alabama Water use classification in accordance with ADEM Admin. Code r. 335-6-10-.09, and any waterbody assigned a special designation in accordance with 335-6-10-.10.
29. "Qualifying Construction Site" means any construction activity that results in a total land disturbance of one or more acres and activities that disturb less than one acre but are part of a larger common plan of development or sale that would disturb one or more acres. Qualifying construction sites do not include land disturbance conducted by entities under the jurisdiction and supervision of the Alabama Public Service Commission.
30. "Qualifying New Development and Redevelopment" means any site that results from the disturbance of one acre or more of land or the disturbance of less than one acre of land if part of a larger common plan of development or sale that is greater than one acre. Qualifying new development and redevelopment does not include land disturbances conducted by entities under the jurisdiction and supervision of the Alabama Public Service Commission.

31. "Storm water" is defined at 40 CFR Part 122.26(b)(13) and means storm water runoff, snow melt runoff, and surface runoff and drainage.
32. "Structural Controls" means an engineered BMP constructed with rigid walls and/or weirs and piped drainage that utilize active or passive treatment and/or mechanical systems for the purpose of treating storm water runoff.
33. "Structural Flood Control" means structural measures that control the 1% annual chance floodwaters by construction of barriers, storage areas or by modifying / redirecting channels.

ALABAMA STORMWATER PARTNERSHIP RESPONSE TO COMMENTS

Comment (1): *Storm Water Collection System Operations* – Like the other structural controls in this section, roadside ditches should be operated, inspected and maintained. Under federal regulations, “ditches” are “used for collecting or conveying stormwater” and the MS4 is responsible for these ditches. 40 CFR Part 122.26(b)(8). Roadside ditches are an integral component of the MS4 that may have significant potential for improving or degrading the water quality of the MS4 discharge. For example, efforts by the municipality to reduce channel erosion within roadside ditches will reduce sediment loading from the MS4 discharge. Structural controls are defined under Part V, Section Y, as “...an engineered BMP constructed with rigid walls and/or weirs and piped drainage that utilize active or passive treatment and/or mechanical systems for the purpose of treating storm water runoff.” This definition would exclude roadside ditches as those are not ‘constructed with rigid walls’. However, such conveyances are integral for stormwater conveyance and to some degree the infiltration of stormwater. Minimizing erosion in those conveyances is crucial for protecting water quality of storm water discharges by the municipality.

We urge ADEM to either modify the definition of what constitutes a ‘structural control’ or include an additional section in these permits that addresses the integrity and erosion potential of conveyances, whether those are constructed of concrete or are earthen or grass-lined conveyances.

Response (1): A municipal separate storm sewer is defined in 40 CFR 122.26(b)(8) as a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels, or storm drains) which is owned or operated by a public body designed or used for collecting or conveying storm water. The intent of the draft permit is to require the Permittee to implement, maintain and enforce a comprehensive stormwater management program which involves using management practices, control techniques and system, design and engineering methods, and such other provisions which are appropriate to reduce the **discharge of pollutants** from its municipal separate storm sewer system (MS4) consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26. Since “ditches” is included as part of the definition of MS4s then they are considered conveyances, not structural controls, unless they are designed to infiltrate stormwater. The Department believes that the Draft Permit addresses the commenter’s concerns and no changes were made based on this comment.

Comment (2): Additionally, we have previously requested that at least the number of inspections of the structural controls be reported in the annual report. We believe this was ADEM’s intention since in its response to the Alabama Stormwater Partnership comments on Trussville’s draft permit, ADEM wrote, “The Permittee is required to include in the annual report the number of inspections performed on the structural controls to include follow-up inspections. (Part II.B.1.a.iv.1).” ADEM Response 1 to the ASP Comments. However, Trussville’s permit and these new draft permits are still written in a way to allow

the number of inspections to “be made available upon request”. II.B.1.a.iv.1. These permits currently state that the number of inspections AND the inspection documentation shall be made available upon request. We recommend deleting the “and” so that just the inspection documentation shall be made available upon request consistent with ADEM’s intent.

Response (2): The Department believes that the language in Part II.B.1.a.iv.1 of the Draft Permit is clear; however, to provide additional clarity, Part II. B.1.a.iv.1 language has been revised to state: “The number of inspections performed on structural controls, to include follow-up inspections. The inspection documentation (i.e. checklist) shall be made available upon request.”

Comment (3): *Public Education and Public Involvement on Storm Water Impacts* - The SWMPP is required to provide a mechanism to “Seek and consider public input in the development, revision and implementation of the SWMP.” Of the Public Education and Public Involvement programs available for review on various MS4 websites, there is proportionately much more emphasis on education than on seeking input and public involvement to guide stormwater programs. Most programs have good information to share, but none that we have reviewed have a formal avenue for input from the public beyond reporting potential stormwater problems. This aspect of this program element needs greater emphasis. For example, none of these municipalities have invited input on the development of their SWMPP on their websites or have a process in place to inform known stakeholders of the opportunity for involvement. It is very difficult for the public to be aware these opportunities are available unless the MS4s make some effort to notify the public that such an effort is underway.

Recently, the City of Oxford passed an ordinance to establish a Citizen Advisory Committee for their Stormwater Program. We understand this was done in part due to ADEM’s encouragement. We hope you will also encourage the MS4s that are the focus of these permits to establish a similar stormwater Citizen Advisory Committee

Response (3): With regards to several of the entities referenced in your comments (Homewood, Irondale, Mountain Brook, Vestavia Hills), their permits are still draft permits, and this requirement within the draft permits (Part II.D.1) will not take effect until the permits are effective. Also, JCHD is not a MS4 Permittee. Regarding the remainder of the entities mentioned in your comments, your comment stated that none of these municipalities have invited input on the development of their SWMPP on their websites or have a process in place to inform known stakeholders of the opportunity for involvement. While Part II.B.2.b.1 of the Draft Permit requires the Permittee to seek and consider public input in the development, revision and implementation of the SWMPP, it does not specify the mechanism the Permittee must implement to accomplish this requirement. This allows flexibility for each Permittee to determine what practice(s) to utilize in notifying its stakeholders regarding input and participation in the development of the stormwater program. For example, one Phase II MS4 Permittee sent a letter to its citizens, notifying them of the SWMPP and instructions on how to become involved in the stormwater program. This letter was included in the City’s SWMPP submitted to the Department.

As required by Part II.D.1 of the Draft Permit, the Permittee is required to submit a SWMPP to the Department, and the Permittee shall implement plans to seek and consider public input in the development, revision and implementation of **this** SWMPP. Therefore, the Department believes that the Permittee will be seeking and accepting public input on its SWMPP if you have any concerns you would like to relay to the Permittee.

With regard to Oxford, please note that a Citizen Advisory Committee was one of the possible public involvement options listed in the 2011 Phase II MS4 General Permit (ALR040000 Part III.B.2.(b)iv).

Comment (4): *Illicit Discharge Detection and Elimination (IDDE)* – We encourage these MS4s to develop the investigation protocols for IDDE efforts as required by these permits. While this capacity is a requirement of this draft permit and of the previous applicable permits, some MS4s are still weak in this area. For example, fecal coliforms (probably from an illicit discharge) have contaminated Shades Creek near Elder Street in Birmingham for many years. We and Alabama Water Watch Volunteers have reported this problem only to be told by the City of Birmingham that this is Jefferson County’s and told by Jefferson County Environmental Services Department that Birmingham is responsible. Similarly, where Valley Creek emerges from under downtown Birmingham, significant fecal contamination has been documented for many years. We understand that such problems are very difficult to resolve; however, this emphasizes the need for ADEM to set a deadline for the resolution of IDDE problems. For example, ADEM could model the deadline that Tennessee includes in its Phase II permit: illicit discharges should be removed as “soon as practicable, but not longer than xx days, unless an appropriate deadline is approved”. Also, the way these draft permits are currently written give the MS4s an out. Immediate cessation is only required until after “identification of the responsible party” which as we have seen, takes years. II.B.3.a.2.b

None of the SWMPs we have reviewed have or describe an explicit protocol for tracing the source of such problems nor is there any reference to following the sampling / detection protocol outlined in the EPA Guidance Manual by the Center for Watershed Protection as is required by the draft permit. (II.B.3.a.3.-4). This highlights a potential general weakness in the implementation of IDDE programs by even the more sophisticated MS4 programs. We understand that identifying illicit discharges beneath downtown Birmingham is a daunting prospect, but more progress toward that goal is urgently needed to protect public health.

Response (4): As defined in 40 CFR 122.26(b)(8), MS4s are a **conveyance or system of conveyances** and therefore, MS4s are not considered to create most illicit discharges. Part II.B.3.a.2.b of the Draft Permit requires the Permittee to remove illicit discharges and requires the immediate cessation of improper disposal practices upon identification of responsible parties. It would be difficult, if not impossible, to remove an illicit discharge without having identified the party responsible for the illicit discharge. Please note that the Draft Permit states that immediate cessation of the discharge is required; however, this may not always be feasible, which is why the Draft Permit states where the removal of

illicit discharges within ten (10) working days is not possible, the ordinance shall require the operator of the illicit discharge to take all reasonable and prudent measures to minimize the discharge of pollutants to the MS4. This language is consistent with previously issued Phase I MS4 permits, and no changes were made to the Draft Permit based on this comment.

Please note that Part I.C.3 of the Draft Permit also prohibits the discharge of sanitary wastewater through cross connections or other illicit discharges through the MS4.

Regarding your comment highlighting a potential general weakness in the implementation of the IDDE programs, several of the entities mentioned in your comments have only recently received a **draft** permit, which included the requirement in Part II.B.3.a.3-4 that references EPA's Illicit Discharge Detection and Elimination, A Guidance Manual for Program Development and Technical Assessments, Center for Watershed Protection, October, 2004. This is not a requirement within their current administratively extended 2001 MS4 Phase I ALS000001 permit. However, based on MS4 audits performed by the Department in 2015 and 2016 on ALS000001 Permittees, it is the Department's understanding that these Permittees have adopted JCDH Guidelines and Standard Operating procedures to include an IDDE program for identifying, tracing and eliminating illicit discharges (2010 Guidelines and Standard Operating Procedures, JCDH website). Since Part II.D. of the Draft Permit requires the Permittee to seek public input in the development, implementation and revision of the SWMPP, you may also voice any concerns regarding components of the IDDE program with the Permittee.

Comment (5): *Construction Site Storm Water Runoff Control* – We note that the stormwater programs with the best construction site compliance are those with an ordinance that allow their city inspectors to issue 'stop work' orders. We urge ADEM to strongly encourage MS4s to establish and implement 'stop work' authority when violations are evident on construction sites as a way of controlling pollutants to the Maximum Extent Practicable (MEP).

These draft permits require that the MS4 inspect construction sites every two months, at a minimum, unless consideration of various listed factors dictates that monthly inspections are appropriate. However, most of these listed factors are relevant to the sites in these MS4s, and therefore ADEM should require monthly inspections to avoid ambiguity. For example, four of these MS4s eventually drain to the Cahaba River, the focus of a watershed siltation TMDL. Additionally, most of the area within these MS4s has been developed, leaving almost exclusively marginal development sites located on steep, difficult locations. One of those factors listed is 'proximity to receiving waterbodies'. We agree that the question of whether a discharge to receiving waters occurs is relevant, however, it should not be the determining factor. Eventually, any pollutant discharge that does not assimilate will be delivered to the waters of the US and be carried downstream. From our perspective, it would be very unlikely to impossible to identify a construction site in these MS4s that does not qualify as being a significant threats to water quality or one that is not a 'Priority Construction Site'. We suggest ADEM require monthly inspections of construction sites

by the MS4s in the upper Cahaba River to avoid any possible confusion about the appropriate inspection regime.

Response (5): The Draft Permit requires, in Part II.B.4.a.9, for the Permittee to implement an enforcement response plan (ERP), which sets out the Permittee's potential responses to violations through progressively stricter actions. This may include, but not be limited to: verbal warnings, written notices, and escalated enforcement measures (i.e. citations, stop work orders, etc).

Regarding your inspection comment, Part II.B.4.a.6 of the Draft Permit requires sites that are located within a priority areas to be inspected monthly, at a minimum. Also, other sites that are determined by the Permittee or the Permitting Authority to be a significant threat to water quality shall be monitoring monthly, at a minimum. Part II.B.4.b.2 of the Draft Permit requires the Permittee to submit within the SWMPP a site inspection plan meeting the requirements of Part II.B.4.a.6. The Department reviews all SWMPPs and provides comments as deemed appropriate. Also, please note that the public has an opportunity to engage in the development and implementation of the Permittee's SWMPP as detailed in Part II.D.1. of the Draft Permit, so any concerns you may have regarding construction site inspections may also be addressed with the individual Permittee.

Comment (6): *Post-Construction Stormwater Management in Qualifying New Development and Re-Development* –We encourage ADEM to specifically note in Part II, B.) 5.) a.) 2.) that the maximum extent practicable standard includes adoption of BMPs that minimize the magnitude of stormwater runoff volume. An engineer might assume that the definition of magnitude provided at *Y. Definitions 12. "Hydrology"* only addresses the magnitude of the 'runoff rate' and fail to include a consideration of the magnitude of the volume of stormwater runoff. In fact, the training many engineers have received focused exclusively on management of runoff *rates* and not on management of runoff volume. Alternatively, the definition of "Hydrology" in *Y. Definitions 12. "Hydrology"* should be amended to make that clarification.

Response (6): The Department believes that the definition of hydrology provides the Permittee with an understanding of what must be performed to comply with Part II.B.5 of the Draft Permit. Additionally, the definition used in the Draft Permit is consistent with the other recently-issued MS4 Phase I Permits. No changes were made to the Draft Permit in response to this comment.

Comment (7): ADEM is aware that we believe the post-construction standard included in AL MS4 permits (1.1" value as the basis for the design and implementation of post-construction BMPs) is inadequate to mimic, to the maximum extent practicable, the pre-construction hydrology of a development project to the extent required to reduce instream erosion and pollutant loading to our streams.

ADEM has indicated they do not have the authority to regulate stormwater volume. The Clean Water Act is a minimum standard that must be addressed by the State program. State regulations must be adequate to enforce the federal standard. If Alabama's statutes remain

as a hurdle for adoption of maximum extent practical (MEP) standards, then those fall short of what the federal laws require. There is a clear mandate for ADEM to minimize pollutant discharge to the maximum extent practicable. ADEM has a broad responsibility to manage and regulate discharge of pollutants. Reduction of stormwater runoff volume *will reduce the discharge of pollutants*.

As the Alabama Stormwater Partnership pointed out in their previous comments on Trussville's DRAFT MS4 permit, "The Clean Water Act states and EPA reiterates that 'The statute requires the inclusion of *any* control measures determined to be necessary to reduce the pollutants to the maximum extent practicable. This *compels* the inclusion of controls to reduce the discharge of pollutants to the maximum extent practicable (emphasis added).' We believe that using the 2.2" rain event as the basis for BMP design for the Birmingham area is an essential 'maximum extent practicable' standard justifiable on the basis that it would reduce downstream sediment loading to river segments with a siltation TMDL.

There is a clear mandate for ADEM to minimize pollutant discharge to the maximum extent practicable. ADEM has a broad responsibility to manage and regulate discharge of pollutants. Reduction of stormwater runoff volume *will reduce the discharge of pollutants*.

Response (7): Regarding the 1.1 inch rainfall over a 24-hour period preceded by a 72-hour antecedent dry period, this requirement is the basis for the design of the BMPs. Once the BMPs are installed, the landowners/developers will be expected to operate and maintain the BMPs as designed, to the MEP. Importantly, what constitutes MEP is not a "one size fits all," but is determined on a case-by-case basis, which means that provisions may be different for each Permittee.

Regarding your comment for the need to reduce the discharge of pollutants, the intent of the draft Permit is to require the Permittee to implement, maintain and enforce a comprehensive stormwater management program. This involves using management practices, control techniques and system, design and engineering methods, and such other provisions which are appropriate to reduce the discharge of pollutants **from the MS4** consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26. 40 CFR 122.26(d)(2)(iv)(A)(2) is clear that the Permittee is responsible for controlling the **discharge of pollutants** in stormwater runoff from new developments and significant redevelopments. Please note that flow is not a pollutant under the Clean Water Act. The Department finds that the language in the Draft Permit regarding post construction controls is appropriate, and the design storm specified in the Draft Permit meets the statutory and regulatory requirements.

In addition, the Permittee shall not cause or contribute to violations of Alabama Water Quality Standards, and shall be in compliance with applicable TMDLs. Part II.E of the Draft Permit contains requirements regarding discharges into a water body with an EPA-approved or established TMDL, including BMPs targeted to meet the assumptions and requirements of the TMDL, schedules for installation and/or implementation of such

BMPs, and monitoring to assess the effectiveness of the BMPs in achieving the TMDL requirements.


Comment (8): *Spill Prevention and Response* – Our review of on-line SWMPs reveals that MS4s rarely have vigorous spill prevention programs. The SWMPs generally say ‘We rely on the Fire Department for Spill Response’. The available SWMPs rarely address the spill ‘prevention’ component of the program.

Their ‘response’ component of Spill Prevention and Response programs available on-line are often limited to reliance on whatever response the local fire department may undertake. The adequacy of that response is not clear. The MS4’s SWMP should spell out greater details about the resources and capabilities of what their fire departments can do per the requirements in the permits, especially if the MS4 is relying on those departments. Hoover’s Program is an exception that sets a good standard in this regard. We urge ADEM to encourage other MS4s to emulate Hoover’s Spill Prevention and Response Program.

Response (8): Part II.B.6.a.1 of the Draft Permit requires the Permittee to investigate, respond and conduct, but does allow a Permittee to coordinate with other agencies that may provide response actions as outlined in the SWMPP. The Department reviews all SWMPPs and provides comments as deemed appropriate. Also, please note that the public has an opportunity to engage in the development and implementation of the Permittees SWMPP as detailed in Part II.D.1. of the Draft Permit, so any concerns you may have regarding the spill prevention and response programs may also be addressed with the individual Permittee.

Comment (9): Evaluating the efficacy of these MS4 programs relies entirely on adequate water quality monitoring. ADEM places emphasis on monitoring 303(d) and TMDL waters. Based on the distribution of Sonde monitoring locations and the statistical inadequacy of ‘annual grab’ sampling (described in detail below), the proposed monitoring by MS4s, when pooled together, will not be adequate to make a statistically valid assessment of water quality conditions in the Cahaba River. The proposed collective monitoring approach will be inadequate as a basis to require MS4s to adopt enhanced BMPs should their current programs fail to achieve water quality and biological improvements. We renew our request that ADEM facilitate a joint monitoring plan for the upper Cahaba River basin that will provide the data necessary to meet MS4 expectations and allow shared costs and shared data. We understand that ADEM’s implementation of the MS4 program tries to balance the requirements of the MS4 regulations with the MEP capabilities of the permittees. It is also important to ensure that the MS4 investments in monitoring will be cost effective, that these investments will yield actionable data and are coordinated with all monitoring in the basin to address gaps and overlaps. CRS would like to be a stakeholder and resource towards development of that program. In the meantime,

the monitoring requirements of the MS4 permits must be enhanced.



We believe that collecting hourly Sonde data will be very helpful. Unfortunately, it appears that no MS4 downstream of Vestavia Hills will be collecting this type of information for the Cahaba River mainstem. The overall health of the basin would be served if ADEM required one of the downstream MS4s to locate a Sonde in the Cahaba River mainstem. A comparison of such data with that collected by Trussville and the City of Vestavia would be very informative.

The map above, modified from the Cahaba Siltation (Habitat Alteration) TMDL, shows the approximate deployment locations of proposed monitoring Sondes in the Upper Cahaba basin. While data from these locations will be valuable, a considerable portion of the upper Cahaba subject to the Siltation TMDL, and still within an MS4 jurisdiction, will not be monitored. The table below arranges MS4 Monitoring activity in roughly an upstream to downstream order within the Cahaba River basin:

MS4	Hourly Sonde Monitoring [†]	Grab Sample Location (frequency)
Trussville	Cahaba River	Cahaba (semi-annual*) Pinchgut Cr (semi-annual) Dry Cr (semi-annual)
Irondale		Cahaba (annual) Shades Cr (annual)
Vestavia	Cahaba River	Cahaba (annual) Patton Cr (annual)
Homewood	Shades Creek	Shades Cr (annual) Tributaries of Shades (annual)
Mountain Brook		Shades Cr (annual) Tributaries of Shades (annual)
Hoover	Patton Creek (two locations) Lee Branch	
Alabaster		Buck Creek, multiple locations (quarterly**)
Pelham		Buck Creek (quarterly) Cahaba Valley Cr (quarterly) Pea Vine Cr (biannually***)
Helena		Cahaba (semi-annual) Buck Creek (semi-annual)
Shelby County	Cahaba Valley Creek	Cahaba Valley Cr (semi-annual) Lee Branch (semi-annual)

[†] Hoover's Sonde measurements are collected at 15 minute intervals.

* Semi-annual means two times per year.

** Quarterly means four times per year.

*** Biannual means once per two years.

These draft permits direct some MS4s to collect 'turbidity' data using Sonde technology. However, the Cahaba Siltation (Habitat alteration) TMDL focuses on Total Suspended Solids (TSS). If the TMDL is framed in terms of TSS, then MS4s should be monitoring TSS. TSS data from annual grab samples will be of limited help, as described in the following paragraph. TSS is important because without that data, it will be difficult to impossible to assess the progress toward achieving the TMDL goals. Since it is difficult to estimate TSS from turbidity, we question whether it is helpful to require turbidity to be the parameter monitored. TSS can be estimated by acoustic Doppler meter backscatter methodology. Evaluation of the Cahaba's Siltation (Habitat Alteration) TMDL progress would be facilitated if the MS4s were required to collect hourly TSS data.

The use of annual grab samples as a water quality monitoring approach is statistically inadequate. The temporal variability of water quality data is typically quite large. There are so many factors that influence water quality parameter values that it can be difficult to obtain an accurate estimate of actual parameter values. Such variability necessitates sampling more often so as to obtain a sufficient sample size to provide reasonable margins of error.

'Power analysis' is an approach that allows an investigator to determine the magnitude of a statistically valid sample size if the following three values are known:

- 1) The magnitude of the difference you would like to be able to detect between two parameter estimates. For this context, we chose 8 mg/l.
- 2) The variance of the variable.
- 3) The desired power of the test. Power is the probability that, if the difference in means is real, it will be detected as statistically "significant" in any one test. Usually, you want power to be relatively high; e.g., around 80% or more.

As an example, we used the EPA's STORET system to examine TSS data from the Cahaba at Highway 52 Bridge from 2012 to 2016. The average TSS value for this data was about 14 mg/l with a variance of about 493 (mg/l). If we want an 80% probability of detecting a change of 8 mg/l (an 8 mg/l change is a reasonable difference we would wish to be able to detect) then a sample size of 61 is needed. Using an annual grab sample regimen, these MS4s would not have enough data to make a valid assessment of the adequacy of their stormwater program for a very, very long time.

Data collection with an automated Sonde will provide valuable water quality information. We hope this monitoring technology will be more widely adopted by the MS4s. We appreciate that ADEM has encouraged some MS4s to adopt this technology. However, Sonde probes are not available for all water quality parameters. For those important parameters that may not be acquired with automated Sonde technology, where grab samples are essential (such as for TSS determination), we recommend collecting and analyzing quarterly or monthly grab samples. Quarterly sampling is a bare minimum to have any statistically reasonable level of accuracy. Even at that compromised sample collection rate, the MS4s may not have a statistically valid assessment of the required parameters for over a decade.

As for the variability of data for other parameters, we have not yet done those analyses. However, TSS information is the basis for the Siltation (Habitat alteration) TMDL for the Cahaba River and therefore should be considered when establishing monitoring requirements for the MS4s to assess whether or not progress is being made toward the goals of that TMDL.

As these draft permits are currently written, ADEM will be unable to determine whether these MS4s are holding steady or making progress toward achieving the Cahaba's Siltation (Habitat Alteration) TMDL goals or even if they are losing ground. More frequent/intensive and more accurate assessments are needed to provide the necessary data to allow sound environmental management decisions to be made in a timely manner.

Response (9): Regarding your comment on requiring the use of sondes within the Draft Permit, the use of sondes was an approach proposed by some of the Permittees, not unilaterally required by the Department.

It is the Department's understanding that one entity will be handling the monitoring for these Permittees, and the monitoring will be based on a watershed approach. These Permittees have a history of working closely together and with the surrounding MS4 entities, and there is nothing in this Draft Permit that prohibits or restricts these MS4 entities from working together to address stormwater issues, to include monitoring. Additionally, the Department has been conducting monitoring on both the main stem of the Cahaba River as well as tributaries for the pollutants of concern. Other agencies, such as United States Geological Survey (USGS), also perform sampling with real-time stations on both the main stem of the Cahaba River and its tributaries. The Department reviews the monitoring plans and provides comments when necessary. Again, the public has an opportunity to engage in the development and implementation of the Permittee's SWMPP as detailed in Part II.D.1. of the Draft Permit.

Part III.B of the Draft Permit requires the Permittee to sample total suspended solids (TSS) via grab samples. This Draft Permit provides specific requirements, in addition to monitoring, that shall be addressed by the Permittee's SWMPP, including BMPs selected by the Permittee which are adequate to assist in compliance with the TMDLs. Part II.E. of the Draft Permit requires monitoring to address the BMP effectiveness for TMDL implementation. If existing BMPs are not sufficient, then the BMPs must be revised. Also, Part IV.d. of the Draft Permit requires the Permittee to submit within the Annual Report a monitoring section which discusses the progress and results of the monitoring programs and includes, at a minimum, the following information: status of implementation of monitoring program; monitoring locations; raw data, to include, an explanation/discussion of the data for each component of the monitoring program; an interpretation of the analytical data for determinacy of meeting water quality standards. As with monitoring plans, the Department reviews all annual reports, to include monitoring data, and will continue to review this data individually and on a watershed basis. The Department provides feedback on the data as deemed appropriate.

BARD RESPONSE TO COMMENTS

Comment (1): The Draft Permit Improperly Incorporates Guidance Provisions as Mandatory Permit Requirements.

According to ADEM's own regulations, NPDES permits issued to large or medium MS4s must include the applicable requirements of 40 C.F.R. § 122.42(c). *See* ADEM Admin. Rule 335-6-6-.11. Currently, the proposed Draft Permit incorporates a number of guidance provisions that go beyond what the CWA and Phase I regulations require. BARD acknowledges and commends ADEM for the changes it has made to address this guidance issue in the recent MS4 draft permits it has issued. Nevertheless, guidance provisions classified as mandatory requirements still exist in the Draft Permit. This is not administratively proper, as guidance provisions are not legally binding. Alabama's Administrative Procedure Act ("AAPA") requires a public notice and comment rulemaking before any compliance standard can have the effect of law. *See* Ala. Code §§ 41-22-1, *et seq.* Because ADEM has not complied with the AAPA in this regard, it must: (1) remove all proposed provisions not enumerated in applicable rules and regulations as permit requirements before finalizing the permit; (2) suspend the permit renewal process until the provisions are properly promulgated through notice and comment rulemaking, or (3) revise the Draft Permit such that the provisions are included as recommendations of the agency, but not mandatory permit requirements.

The inclusion of these guidance provisions as permit requirements undercuts the maximum extent practicable ("MEP") standard promulgated by EPA to serve as the lodestar for the entire MS4 program and the creation of individual permits for regulated MS4s. Under both the CWA and EPA's Phase I regulations, a municipality must develop and implement a storm water management program designed to reduce the discharge of pollutants from its respective MS4 to the MEP. *See, e.g.,* 33 U.S.C. § 1342(p)(3)(B)(iii); 40 C.F.R. § 122.26(d)(2)(iv); 55 Fed. Reg. 47989, 47994 (Nov. 16, 1990). Despite the importance of the term, EPA intentionally left MEP undefined in its regulations in order to provide both permitting authorities and regulated MS4s maximum flexibility in implementing MS4 program requirements. While EPA's Phase I regulations provided little insight as to what constitutes MEP, EPA's 1999 rulemaking for small MS4s (known as "Phase II") attempted to describe how MEP should be applied in practice. *See, e.g.* 64 Fed. Reg. 68722, 68732 (December 8, 1999). The Phase II discussion of MEP is very useful in the present context since section 402(p)(3)(B)(iii) of the CWA—the source of the MEP standard—makes no distinction between large, medium, or small MS4s. EPA's reasoning therefore applies equally to all MS4s irrespective of size. *See* 64 Fed. Reg. at 68737 (noting that the minimum control measures required by the Phase II rule for small MS4s are "very similar to a number of the permit requirements for medium and large MS4s under the existing storm water program").

In its Phase II rulemaking, EPA explains that MEP is a site-specific standard that should be applied in a flexible manner, taking into account cost considerations and water quality effects. 64 Fed. Reg. at 68732. The pollutant reduction procedures that represent MEP are likely to differ significantly between MS4s because of each system's unique local hydrologic and geologic concerns and potentially divergent pollutant control strategies. *Id.* at 68754. EPA recommends that permit writers and individual MS4s evaluate the following factors in determining what constitutes MEP for a given regulated governing body: (1) the size of the MS4, (2) the local climate, (3)

implementation schedules, (4) the financial constraints of a given county or municipality, (5) beneficial uses of receiving water, (5) hydrology, (6) geology, (7) the capacity of the county or municipality to perform operation and maintenance, (8) conditions of receiving waters, (9) specific local concerns, and (10) other aspects included in a comprehensive watershed plan. *See* 64 Fed. Reg. at 68732, 68754. EPA instructed that each regulated governing body be afforded the flexibility it needs to determine what BMPs will appropriately fulfill the applicable minimum control measures and satisfy MEP. *See id.*

In stark contrast to these aforementioned principles, ADEM's Draft Permit directly incorporates a number of generic, guidance provisions from various sources—including, but not limited, to EPA's MS4 Program Evaluation Guidance—and imposes them as mandatory requirements for minimum control measures. Despite not being required by the Phase I regulations, these currently proposed permit requirements must be included in the City's Storm Water Management Plan and implemented as a part of its MS4 program. This is directly contrary to EPA's intent to allow counties or municipalities maximum flexibility in developing their programs.

By proposing to include the guidance provisions as mandatory permit requirements, ADEM is effectively eliminating the MEP standard that governs when, how, and under what conditions the County should implement certain guidance provisions or other BMPs to reduce pollutants to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the CWA. ADEM's incorporation of mandatory guidance provisions handcuffs the County, leaving it very little discretionary authority to implement the MS4 program how it sees fit in compliance with the Phase I regulations.

BARD is also concerned that ADEM and/or other interested stakeholders will treat the City's Draft Permit as a template or baseline for future NPDES permits reissued to Phase I MS4s within the State over the coming years. This concern is seemingly justified given that this Draft Permit is almost identical to ones recently issued by ADEM to the City of Montgomery, City of Mobile and Shelby County. The substantially similar permits for these governing bodies located in geologically and hydrologically diverse areas of the State provide clear evidence that ADEM is not properly adhering to the MEP standard EPA intended to be fundamental to the MS4 permitting process. *See* 64 Fed. Reg. at 68754 (providing that “the pollutant reduction procedures that represent MEP may be different for each MS4 . . . [g]iven the unique local hydrologic and geologic concerns that may exist among the various MS4s and the possible differing pollutant control strategies.”); *see also* 55 Fed. Reg. 47989, 48001, 48038 (providing that “[the Environmental Protection Agency (“EPA”)] notes that each municipal program will be tailored to the conditions in that city” and that the controls utilized by each MS4 “may be different in different permits”). It is a basic premise of EPA's rulemaking that the significantly different circumstances characterizing each MS4 disallows generic permit conditions which can be applied interchangeably to each system. Instead, each MS4 must be given the flexibility necessary to evaluate what BMPs are appropriate to satisfy the applicable minimum control measures under its unique circumstances. *Id.* At 68754. ADEM must reevaluate this Draft Permit to account for any relevant unique circumstances affecting the City and its MS4. And, BARD asks that ADEM remain cognizant of this principle as it drafts new permits for other MS4s in the future.

Response (1): Your comment does not identify portions of the Draft Permit you feel incorporate “guidance provisions classified as mandatory requirements.” The intent of the Draft Permit is to require the Permittee to implement, maintain and enforce a comprehensive stormwater management program which involves using management practices, control techniques and system, design and engineering methods, and such other provisions which are appropriate to reduce the discharge of pollutants from its MS4 consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26. The Draft Permit language and provisions have been agreed to by the Permittee instead of being unilaterally required as suggested by your comment.

The Department agrees that the permitted entity should be granted flexibility to determine what BMPs are appropriate to fulfill the applicable minimum control measures and satisfy the MEP standard. For this reason, the specific BMPs the Permittee utilizes to meet Permit requirements will be determined by the Permittee and laid out in the SWMPP, which will be reviewed by the Department. So, while the overarching Draft Permit requirements may be similar or identical to those found in other Phase I permits, the BMPs utilized to meet these requirements will likely vary, giving the Permittee the flexibility in implementation. The Department believes that the terms of this Draft Permit meet the statutory and regulatory requirements and are achievable by the Permittee.

Comment (2): The Draft Permit Disregards the Alabama State Legislature’s Instructions as to the Scope of MS4 Programs.

The Phase I regulations are an unfunded federal mandate. In revising Chapter 11-89C of the Alabama Code during the last legislative session, the Alabama Legislature recently clarified what ADEM may require of counties and municipalities to comply with this unfunded mandate. As explained in detail below, the current Draft Permit conflicts with the tenets of these statutory provisions.

As background, the Alabama Legislature first voiced its growing concern in 1997 regarding the significant costs municipalities are required to incur simply to comply with the Phase I regulations. In a joint resolution, lawmakers made clear that municipal MS4 programs need to be limited to that which is “absolutely required to satisfy the relevant federal laws and regulations.” *See* Ala. Act 97-931 (H.J.R. 144) (1997). Under the recently amended Chapter 11-89C of the Alabama Code, the Legislature explicitly provides that any and all rules and regulations ADEM adopts related to storm water discharges into MS4s “shall be limited to include only those rules, regulations, and/or aspects that are absolutely required to satisfy the storm water laws.” *See* Ala. Code §11-89C-9(a); *see also* Ala. Code § 11-89C-1(e) (instructing that the “substantive scope” “of such local programs [is to be limited] to include only those rules, regulations, and/or aspects that are absolutely required to satisfy the Clean Water Act, as specifically set out in the Code of Federal Regulations.”). These prohibitions were collectively intended to limit both the *jurisdictional and substantive scope* of the local MS4 programs to matters absolutely required by the relevant federal laws and regulations. *Id.* By doing so, the Alabama Legislature ensured that the costs associated with MS4 programs “would be restrained by the strict limitations on the scope of such programs to that scope absolutely required by the relevant federal laws and regulations.” Ala. Act 97-931 (H.J.R. 144) (1997). By incorporating requirements beyond those required by the Phase I regulations, ADEM is unlawfully disregarding the statutory limitations set forth in

Section 11-89C-9(a).

Before finalizing the Draft Permit (or any future Phase I MS4 permit), ADEM must determine that incorporating numerous requirements beyond those mandated by the Phase I regulations is consistent with the recently revised provisions of Chapter 11-89C of the Alabama Code.

Response (2): The Department sees no conflict between the Draft Permit requirements and Ala. Code Chapter 11-89C. In addition, your comment does not indicate which Draft Permit requirements you feel go “beyond those required by the Phase I regulations.” The intent of the Draft Permit is to require the Permittee to implement, maintain and enforce a comprehensive stormwater management program which involves using management practices, control techniques and system, design and engineering methods, and such other provisions which are appropriate to reduce the discharge of pollutants from its MS4 consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26. The stormwater program elements and requirements (Part II.B of the Draft Permit) that must be addressed by the Permittee are those that are listed in 40 CFR 122.26(d)(2)(iv). The specific BMPs the Permittee utilizes to meet each of these elements will be determined by the Permittee and laid out in the SWMPP, which will be reviewed by the Department.

Comment (3): Citations to Handbooks Must Reference the Specific Publication Date and/or Edition

ADEM has incorporated by reference the Low Impact Development (“LID”)/green infrastructure (“GI”) handbook and the Alabama Handbook for Erosion Control, Sediment Control, and Stormwater Management on Construction Sites and Urban Areas published by the Alabama Soil and Water Conservation Committee without specifying the publication date, version, edition, etc., of these materials. This is improper as a matter of administrative law. It is a basic principle of notice and comment rulemaking that the public must be provided a meaningful chance to review, analyze, and offer comments on the rules and regulations that administrative agencies propose as laws. *See* Ala. Code § 41-22-5(a) (“Prior to the adoption, amendment, or repeal of any rule, the agency shall: . . . [provide] a statement of either the terms or substance of the intended action or a description of the subjects and issues involved. . . [and] [a]fford all interested persons reasonable opportunity to submit data, views, or arguments, orally or in writing”). For example, the Alabama Code authorizes ADEM to “adopt, by reference in its rules and without publishing the adopted matter in full, all or any part of a code, standard or regulation which has been adopted by . . . a generally recognized organization or association approved by the joint committee administrative regulation review.” *See* Code § 41-22-9. However, such references must “fully identify the adopted matter *by date and otherwise*” and “copies of the adopted matter” must be made available “*for inspection.*” *Id.* (emphasis added).

While commenters are able to assess and offer comments to standards set forth in the current versions of these handbooks (assuming it is these versions ADEM intends to reference), they have no way to consider what a future version may prescribe. This means that the standards in the Draft Permit could substantively change without an additional public comment period, effectively circumventing the AAPA. ADEM must therefore specify the precise versions or editions of these handbooks it intends to incorporate by reference.

Response (3): To clarify, the following definition has been added to Part V.Y: *Alabama Handbook* means the September 2014 edition of the Alabama Handbook for Erosion Control, Sediment Control, And Stormwater Management on Constructions Sites and Urban Areas, Alabama Soil and Water Conservation Committee (ASWCC) published at the time permit is effective. References to the Low Impact Development (“LID”)/green infrastructure (“GI”) handbook are included for informational purposes only, so there is no need to specify the publication date.

Comment (4): Part II. Subparts A.3.b. and B.5.a.3. Consideration of LID/GI

A conflict exists between these two Draft Permit provisions. Section II.A.3.b. provides that LID/GI *shall* be considered; whereas, Section II.B.5.a.3. of the Draft Permit requires the City to “[e]ncourage” landowners and developers to implement LID/GI when doing so is pragmatic and economically feasible. The use of LID/GI cannot be mandated in the Draft Permit because the use of such control measures is not enumerated in any federal regulation, or accompanying text, that is applicable to MS4s. *See generally* 40 C.F.R. § 122.26; 55 Fed. Reg. 47989-48091; 64 Fed. Reg. 68721-68851. Thus, while it is acceptable for ADEM to encourage permittees to consider the use of LID/GI, it is improper (for the reasons discussed in the guidance provisions general comments set out above) for ADEM to mandate use or consideration of LID/GI since there is no requirement to do so in the Phase I regulations.

Response (4): The Draft Permit states in Part II.A.3.b, LID/GI shall be considered where feasible. Part II.B.5.a.3 of the Draft Permit states to encourage landowners and developers to incorporate the use of low impact development (LID/GI) where feasible. In neither instance is the Department mandating the use of LID/GI, only that it be **considered** and **encouraged** where feasible.

Comment (5): Part II., Subpart B.4. Construction Site Stormwater Runoff Control.

ADEM should clarify that the City is permitted to utilize and incorporate various components of ADEM’s existing construction storm water program to satisfy the requirements of this subpart. Although EPA has informally interpreted the Phase I regulations as prohibiting a medium or large MS4 from relying solely on ADEM’s program (though there is no explicit statement in the Phase I regulations to this effect), there is no reason that a medium or large MS4 cannot incorporate *parts* of ADEM’s program to meet this requirement. Specifically, as EPA has pointed out:

The [Phase I] regulations contemplate a degree of flexibility in allowing Individual Phase I MS4s to design a construction program appropriate for local conditions, provided that the minimum components . . . are included and the local government is able to control discharges from construction sites to the maximum extent practicable. Further, local governments may maximize efficiencies with existing state-level programs. For example, a local government may adopt local requirements that mirror or *incorporate* requirements from the state construction general permit, or it may coordinate its enforcement activities with state enforcement of the state construction general permit.

See March 20, 2008 Letter from Mr. James D. Giattina, Director of Water Management Division, EPA Region IV, to Mr. Steve Jenkins, Chief of Field Operations, Water Division, ADEM (emphasis added). A City could, for example, rely on ADEM's review and approval of Erosion and Sediment Control plans for sites that require ADEM review (i.e. priority sites). This would avoid conflicting opinions (City vs. ADEM) on Erosion and Sediment Control plan design, as well as preventing the City from having to "reinvent the wheel." Moreover, Chapter 11-89C of the Alabama Code provides that any entity in compliance with an ADEM-issued NPDES permit is deemed compliant with any local ordinance issued by the City pursuant to its MS4 obligations, meaning the City could not lawfully require a developer to revise its plans at ADEM-regulated construction sites. Requiring the City to review these plans therefore amounts to unnecessary double regulation and undermines the efficient use of governmental resources without any compelling justification.

Similarly, construction sites that disturb one acre or greater are currently subject to ADEM's general NPDES permit for qualifying construction sites. This general permit requires frequent, periodic inspections. The Draft Permit requires the City to inspect these sites as well. Thus, by requiring the City to implement an inspection program, a third entity is tasked with inspecting such sites (i.e., NPDES Construction Permittee, MS4, and ADEM). This is a waste of resources. The City's role should be limited to quality control, with periodic inspection left to its discretion. The Draft Permit, as presently drafted, requires the City to waste resources in a duplication of ADEM's responsibilities.

Finally, the Draft Permit would require the City to implement an enforcement response plan. This is another needless duplication of ADEM's responsibilities. The City should be allowed to utilize ADEM's existing system for its NPDES construction storm water program and seek enforcement only on those sites that are non-compliant and that ADEM is not addressing. The Draft Permit does not clearly reference that the City may rely upon ADEM and its construction storm water program for the enforcement of all violations at sites regulated by ADEM's general permit for qualifying construction sites. Indeed, revised Chapter 11-89C makes it mandatory for the City to rely upon ADEM for this enforcement to the maximum extent permitted by law. This needs to be more clearly articulated in the text of the Draft Permit.

Response (5): Again, the Department sees no conflict between the Draft Permit and Ala. Code Chapter 11-89C, as the Draft Permit allows the Permittee to rely upon ADEM to the extent allowed. This Draft Permit was developed to meet the requirements set forth in 40 CFR 122.26(d)(2)(iv)(D), and with the consent of the Permittee. If the Department has taken and is proceeding with an enforcement action, then Ala. Code § 11-89C-12 prohibits the Permittee from pursuing an enforcement action for the same alleged violation; however, under Section 11-89C-12(b), the Permittee may pursue enforcement actions for continued or continuing violations.

Comment (6): Part II., Subpart B.5. Post-Construction Storm Water Management in New Development and Re-Development.

BARD is particularly concerned with a number of requirements set out in this subpart. A discussion of each is set out below.

a. The proposed regulation of pre- and post-construction hydrology is improper

How is the City to interpret and implement Section II.B.5.a.2, which requires “preconstruction hydrology” to mimic “post-construction hydrology”? Do these terms refer to flow, volume, timing, or all of these? Should it refer to any of the above or anything other than the discharge of a “pollutant” as it is defined under the CWA, it is outside the scope of the MS4 program and cannot be enforced by ADEM and/or EPA under the MS4 program. Neither the CWA nor the CFR use the term “hydrology,” not even in guidance. In fact, the concept of regulating hydrology through MS4 permits was arguably developed by EPA as a means to unlawfully incorporate section 438 of the Energy Independence and Security Act (“EISA”) into CWA section 402(p)(3)(B). *See generally In Re Joint Base Lewis-McChord Municipal Separate Storm Sewer System*, NPDES Appeal No. 13-09 (EPA App. Bd. 2009).

In December 2007, EISA section 438 established storm water design requirements for federal development and redevelopment projects, stating that such projects over 5,000 square feet must “maintain or restore, to the maximum extent technically feasible, the predevelopment hydrology of the property with regard to the temperature, rate, volume, and duration of flow.” *See* 42 U.S.C. § 17094. In addressing the argument that EPA could not incorporate this provision into a MS4 permit under the auspices of CWA section 402(p)(3)(B), EPA stated:

EPA’s Permit does not purport to implement Section 438 of EISA, 42 U.S.C. § 17094. Further, EPA disagrees that the CWA and EISA § 438 are mutually exclusive unless Congress directs otherwise. Postconstruction performance standards for development sites are established by EPA in Permit Part II.B.5 pursuant to CWA Section 402(p)(3). EPA’s [Fact Sheet] at page 32 explains that these provisions are intended to “...*protect water quality in Puget Sound and its tributaries to the maximum extent practicable, [such that] all new development and redevelopment sites within the surrounding watersheds must be planned, designed, and constructed in a manner that minimizes the negative impact of urbanization by mimicking natural hydrology.*”

U.S. Dep’t of the Army, *Petition for Review of NPDES Permit for Joint Base Lewis-McChord Municipal Separate Storm Sewer System and Request for Oral Argument*, 9 (2009) (quoting EPA, *Response to Comments*, pp. 28-29, response 50) (emphasis in original).

Despite the fact that EPA’s response appears disingenuous in light of the similarity in language between the provisions, EPA asserts that the CWA and EISA are not mutually exclusive “unless Congress directs otherwise.” This rationale is incorrect because agencies may only act on authority expressly granted by Congress, not on authority inferred from Congressional silence. *See Va. Dept. of Transp. v. EPA*, 2013 WL 5374, *3 (E.D. Va. 2013) (“[t]he question is whether the statute grants the agency the authority it is claiming, not whether the statute explicitly withholds that authority”). Hence, ADEM, by proxy, should not adopt hydrology requirements from EISA section 438 and enforce them as mandatory extensions of CWA section 402(p)(3)(B).

Even if EPA and/or ADEM are not seeking to incorporate EISA section 438, hydrology regulations are impermissible because EPA may not regulate storm water flow as a surrogate pollutant. *See Va. Dep’t of Transp.*, 2013 WL 53741, at *4-5 (holding that EPA may not regulate storm water

flow as a surrogate pollutant).⁷ By EPA's own admission, this is precisely what it intends when it imposes hydrology regulations. *See* U.S. Dep't of the Army, Petition for Review of NPDES Permit for Joint Base Lewis-McChord Municipal Separate Storm Sewer System and Request for Oral Argument, 9 (2009) (EPA stating that hydrology regulations are intended to "minimize[] the negative impact of urbanization") (quoting EPA, Response to Comments, pp. 28-29, response 50); *see also* 64 Fed. Reg. at 68760 (in reference to minimizing impervious surfaces (i.e., urbanization) "[t]his strategy can slow the rate of runoff, reduce runoff volumes, attenuate peak flows, and encourage filtering and infiltration of storm water").

If it is not ADEM's intention by and through this provision to regulate storm water flow where a discharge of pollution does not actually occur, the Draft Permit must be redrafted with clear and justiciable terms which explain the purpose of the hydrology regulations under Section II.B.5.a.2.

Response (6): Again, the intent of the Draft Permit is to require the Permittee to implement, maintain and enforce a comprehensive stormwater management program which involves using management practices, control techniques and system, design and engineering methods, and such other provisions which are appropriate to reduce the **discharge of pollutants** from its MS4 consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26(d)(2)(iv)(A)(2). 40 CFR 122.26(d)(2)(iv)(A)(2) is clear that the Permittee is responsible for controlling the **discharge of pollutants** in stormwater runoff from new developments and significant redevelopments. The Department notes that flow is not a pollutant.

Regarding hydrology, the Department believes that the definition provides the Permittee with a clear understanding of what must be performed to comply with Part II.5 of the Draft Permit. Additionally, the definition used in this Draft Permit is consistent with other recently-issued MS4 Phase I Permits.

Comment (7): ***ADEM should not use the MS4 permitting process as a means to regulate land use***

In some form, requiring minimization of impervious surfaces, preservation of ecologically sensitive areas, the establishment of vegetative buffers, protection of vegetation and soil, and/or regulation of hydrology all amount to impermissible attempts to regulate land use by way of federal mandate. Federal authority under the CWA does not go so far as to usurp the "quintessential state and local power" found in the "[r]egulation of land use." *Rapanos v. U.S.*, 547 U.S. 715, 738-39 (2006) ("We ordinarily expect a 'clear and manifest' statement from Congress to authorize an unprecedented intrusion into traditional state authority. The phrase 'the waters of the United States' hardly qualifies.") (Scalia, J. plurality) (citations omitted); *see also Solid Waste Agency of N. Cook Cnty. v. U.S. Army Corps of Eng'rs*, 531 U.S. 159, 174 (2001) (*SWANCC*) (rejecting a similar CWA application because of "significant constitutional questions raised" by impingement of the States' traditional and primary power over land and water use"). The decisions in both *SWANCC* and *Rapanos* turned on how broad the term "waters of the United States" should be interpreted and both cases reasoned that Congress did not authorize "*de facto*" federal regulation of land use through the CWA. *See Rapanos*, 547 U.S. at 738 ("[t]he extensive federal jurisdiction urged by the Government would authorize the Corps to function as a *de facto* regulator of immense

stretches of intrastate land—an authority the agency has shown its willingness to exercise with the scope of discretion that would befit a local zoning board”).

In the present case, ADEM, through the MS4 permitting process, has imposed postconstruction BMPs in the Draft Permit which would allow it to function as a *de facto* regulator of immense stretches of intrastate land with the scope of discretion that would befit a local zoning board. For example, by placing limitations on impervious surfaces and hydrology, and imposing water retention mandates, ADEM has effectively paralyzed opportunities for meaningful, industrial development in the City. Because the CWA only authorizes regulations narrowly tailored to reduce the discharge of pollutants, ADEM authority under section 402(p)(3)(B) should be so limited here.

Response (7): The post-construction BMP requirements in the Draft Permit do not operate to regulate land use. The intent of the Draft Permit is to require the Permittee to implement, maintain and enforce a comprehensive stormwater management program which involves using management practices, control techniques and system, design and engineering methods, and such other provisions which are appropriate to reduce the **discharge of pollutants** from its MS4 consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26(d)(2)(iv)(A)(2). 40 CFR 122.26(d)(2)(iv)(A)(2) is clear that the Permittee is responsible for controlling the discharge of pollutants in stormwater runoff from new developments and significant redevelopments. Regarding the controls required to reduce the discharge of pollutants from new developments and significant redevelopment, 40 CFR 122.26(d)(2)(iv) states, in part, that the Permittee’s program must include:

A description of planning procedures including a comprehensive master plan to develop, implement and enforce controls to reduce the discharge of pollutants from municipal separate storm sewers which receive discharges from areas of new development and significant redevelopment. Such plan shall address controls to reduce pollutants in discharges from municipal separate storm sewers after construction is completed.

The intent of Part II.B.5 of the Draft Permit is to require controls to reduce the **discharge of pollutants** and to ensure that the Permittee retains flexibility in determining the appropriate BMPs utilized to meet the required MEP standard. The Department believes that the Draft Permit is clear in this intent and no changes were made based on this comment.

Comment (8): Other Concerns

BARD questions EPA’s authority to require the submittal of an as-built certification for post-construction BMPs under Section II.B.5.a.6 of the Draft Permit. Regardless of either EPA or ADEM’s legal authority, BARD questions the prudence of creating what will almost assuredly be a costly and onerous requirement for both the developer as well as the City, especially without further clarification regarding the nature of the certification. Is the developer required to certify that the BMPs were built as shown on the plans, that they are effective, or both?

Finally, Section II.5.a.9. of the Draft Permit requires either the City or another entity to perform long-term operation and maintenance of post-construction BMPs. This requirement is beyond the scope of both EPA and ADEM’s authority. Neither regulatory body possesses the authority to

require Alabama municipalities or counties to take over such responsibilities, or to take any other affirmative actions. This requirement must therefore be removed.

Response (8): The requirements in Part II.B.5.a.6 to submit “as-built” certifications along with the inspections of post-construction BMPs will aid in the assurance that the BMPs were installed and are functioning as planned. Part II.B.5.a.9 language has been agreed to by the Permittee, and the Department believes it is achievable for the Permittee. In addition, this language is consistent with recently issued Phase I MS4 permits, and the recently issued Phase II MS4 General Permit (ALR040000).

USPS Tracking® Results

FAQs > (<http://faq.usps.com/?articleId=220900>)

[Track Another Package](#) +

[Remove](#) X

Tracking Number: 9171082133393671553634



Delivered

Product & Tracking Information

[See Available Actions](#)

Postal Product:

First-Class Mail®

Features:

Certified Mail™

DATE & TIME	STATUS OF ITEM	LOCATION
June 15, 2017, 10:09 am	Delivered, PO Box	BIRMINGHAM, AL 35210
<p>Your item has been delivered and is available at a PO Box at 10:09 am on June 15, 2017 in BIRMINGHAM, AL 35210.</p>		
June 9, 2017, 3:26 pm	Departed USPS Facility	BIRMINGHAM, AL 35222
June 9, 2017, 10:41 am	Arrived at USPS Facility	BIRMINGHAM, AL 35222
June 9, 2017, 3:57 am	Departed USPS Facility	MONTGOMERY, AL 36119

[See More](#) ✓

Available Actions

Text Updates	∨
Email Updates	∨
Return Receipt Email	∨

See Less ^

Can't find what you're looking for?

Go to our FAQs section to find answers to your tracking questions.

FAQs (<http://faq.usps.com/?articleId=220900>)

There's an easier way to track your packages.

Why jump from page to page to track packages being sent to you? With My USPS™, you can easily track all your packages in one place. Sign up to:

- Set up automatic email and text alerts, so you'll never have to manually track a package again
- Provide delivery instructions, so your carrier knows where to leave packages

Sign Up

([https://reg.usps.com/entreg/RegistrationAction_input?](https://reg.usps.com/entreg/RegistrationAction_input?app=UspsTools&appURL=https%3A%2F%2Ftools.usps.com%2Fgo%2FTrackConfirmAction%21input%3FtRef%3Dfullpage%26tLc%3D2%26text28777%3D%26tLabels%3D9171082133393671553694%2526)

(<https://www.usps.com/>)

[app=UspsTools&appURL=https%](https://reg.usps.com/entreg/RegistrationAction_input?app=UspsTools&appURL=https%3A%2F%2Ftools.usps.com%2Fgo%2FTrackConfirmAction%21input%3FtRef%3Dfullpage%26tLc%3D2%26text28777%3D%26tLabels%3D9171082133393671553694%2526)

[3A%2F%2Ftools.usps.com%](https://reg.usps.com/entreg/RegistrationAction_input?app=UspsTools&appURL=https%3A%2F%2Ftools.usps.com%2Fgo%2FTrackConfirmAction%21input%3FtRef%3Dfullpage%26tLc%3D2%26text28777%3D%26tLabels%3D9171082133393671553694%2526)

HELPFUL LINKS

- Contact Us
(<https://www.usps.com/help/welcome.htm>)
- Site Index
(<https://www.usps.com/globals/siteindex.htm>)
- FAQs (<http://faq.usps.com/>)

ON ABOUT.USPS.COM

- About USPS Home
(<http://about.usps.com/>)
- Newsroom
(<http://about.usps.com/news/welcome.htm>)
- USPS Service Updates
(<http://about.usps.com/news/services/alerts/welcome.htm>)
- Forms & Publications
(<http://about.usps.com/publications/welcome.htm>)
- Government Services
(<https://www.usps.com/gov-services/gov-services.htm>)
- Careers
(<http://about.usps.com/careers/welcome.htm>)

OTHER USPS SITES

- Business Customer Gateway
(<https://gateway.usps.com/>)
- Postal Inspectors
(<https://postalinspectors.uspis.gov/>)
- Inspector General
(<http://www.uspsoig.gov/>)
- Postal Explorer
(<http://pe.usps.gov/>)
- Post Office Locator
(<http://www.postalmuseum.si.edu/>)
- Resources for Developers
(<https://www.usps.com/webtools/welcome.htm>)

LEGAL INFORMATION

- Privacy Policy
(<http://about.usps.com/who-we-are/privacy-policy/privacy-policy-highlights.htm>)
- Terms of Use
(<http://about.usps.com/termsfuse.htm>)
- FOIA
(<http://about.usps.com/who-we-are/foia/welcome.htm>)
- No FEAR Act EEO Data
(<http://about.usps.com/who-we-are/foia/welcome.htm>)

Copyright © 2017 USPS. All Rights Reserved.



<https://www.facebook.com/USPS?rf=108501355848630>



<https://twitter.com/usps>



<http://www.pinterest.com/uspsstamps/>



<https://www.youtube.com/usps>

Ordinance 2018-11

**STORMWATER MANAGEMENT AUTHORITY, INC.
EROSION AND SEDIMENTATION CONTROL ORDINANCE**

RECITALS

**Article 1
DEFINITIONS**

**Article 2
ADMINISTRATION**

**Article 3
APPLICATION AND FEES**

- Section 3.01 Application.
- Section 3.02 Permit Application Fee.
- Section 3.03 Post Construction Annual Issuance Fee.
- Section 3.04 Data Required on the Application for a Permit.
- Section 3.05 Maintenance of Records.
- Section 3.06 Amended Application; Transfer of Permit.
- Section 3.07 Signatory Requirements.

**Article 4
EXCLUSION**

- Section 4.01
- Section 4.02

**Article 5
BMP APPROVAL REQUIREMENTS**

- Section 5.01 General Requirements.
- Section 5.02 Design and Performance Standards.

**Article 6
MONITORING AND INSPECTION**

- Section 6.01
- Section 6.03 Inspections.

Article 7
ENFORCEMENT AND ABATEMENT

- Section 7.01 NPDES Permits for Storm Water Discharge Associated with Construction Activities.
- Section 7.02 Immediate Threats to Public Health or Welfare.
- Section 7.03 Notification; Enforcement Remedies.
- Section 7.04 Unlawful Acts, Misdemeanor.
- Section 7.05 Judicial Proceedings and Relief.

Article 8
MISCELLANEOUS

- Section 8.01 Notices.
- Section 8.02 References.
- Section 8.03 Severability.
- Section 8.04 Captions.
- Section 8.05 Effective Date.

**STORM WATER MANAGEMENT
EROSION AND SEDIMENTATION CONTROL
ORDINANCE**

RECITALS

WHEREAS, the sedimentation of streams, lakes and other waters of this state constitutes a major pollution problem; and

WHEREAS sedimentation occurs from the erosion or depositing of soil and other materials into the waters, and control of erosion and sedimentation is deemed vital to the public interest and is necessary to the public health and welfare, and expenditures of funds for an erosion and sedimentation control program shall be deemed to benefit the public health and welfare; and

WHEREAS, the purpose of this ordinance is to provide for the creation, administration, control and enforcement of a program to reduce erosion and sedimentation problems pursuant to the National Pollutant Discharge Elimination System ("NPDES") permit ALS000019 from Alabama Department of Environmental Management ("ADEM") for stormwater discharges from the Municipal Separate Storm Sewer System of the City of Irondale ("MS4"), which will permit the development in the City of Irondale, ("City") to continue with the least detrimental effects from pollution by sedimentation; and

WHEREAS, ADEM, pursuant to the authority delegated to it under the Clean Water Act, 33 U.S.C. Section 1251, *et seq.*, has required City to obtain an NPDES permit for stormwater discharges from the MS4, effective March 1, 1995, and, therefore, City is subject to the federal stormwater laws and regulations contained in 33 U.S.C. ¶ 1342 (P) and 40 C.F.R. ¶ 122.26, and is required to adopt a local erosion control ordinance. Act No. 95-775 of the Alabama State Legislature (Code of Alabama 1975, § 11-89C 1-14) and other provisions of the Code of Alabama 1975 grant the authority to adopt such ordinances to the governing bodies of all Class 1 municipalities within the State of Alabama, to the governing bodies of counties in which Class 1 municipalities are located and to the governing bodies of all other municipalities located within such counties, and where any such other municipality is also located partially within an adjoining county, then the governing body of such adjoining county and which governing bodies are specifically designated in 40 C.F.R. part 122, Appendices F, G, H or I or by ADEM pursuant to the authority delegated to it under the Clean Water Act, 33 U.S.C. Section 1251, *et seq.*; and

WHEREAS, it is the purpose of this ordinance to protect and maintain the environment of the City and the short-term and long-term public health, safety and general welfare of the citizens of the City by controlling discharges of pollutants to the City's MS4, thereby, maintaining and improving the quality of the community waters into which the stormwater outfalls flow, including, without limitation, the lakes, streams, ponds, wetlands, sinkholes, and groundwater of the City; and

WHEREAS, this ordinance controls the discharge of certain non-storm water to the MS4 from land on which land-disturbing activities are conducted, to the maximum extent practicable, and provides enforcement procedures and penalties to ensure compliance with such controls; and

WHEREAS, it is further the purpose of this ordinance to enable the City to comply with the NPDES permit and applicable regulations (40 C.F.R. ¶ 122.26) for stormwater discharges; and

WHEREAS, the objectives of this ordinance are to:

- (a) control (i) the contribution of pollutants to the MS4 by stormwater discharges associated with land-disturbing activities and (ii) the quality of stormwater discharged to the MS4 from sites of land-disturbing activity;
- (b) prohibit illicit discharges to the MS4;
- (c) control the discharge to the MS4 of any spills, dumping or disposal of materials other than stormwater from sites of land-disturbing activity; and
- (d) carry out all inspections, surveillance and monitoring procedures necessary to determine compliance and noncompliance with land-disturbing activity permits (singular, "Permit" and plural, "Permits").

NOW, THEREFORE, be it ordained by the City Council of the City of Irondale ("City Council") as follows:

Article 1 DEFINITIONS

Section 1.01 Definitions.

For the purposes of this ordinance, the following words and terms shall have the meaning assigned to them in this section.

Accidental Discharge - a discharge prohibited by this Article into the MS4 or community water which occurs by chance and without planning or consideration before the occurrence.

Adverse Impact - any deleterious effect on waters or wetlands, including their quality, quantity, surface area, species composition, aesthetics or usefulness for human or natural uses which are or may potentially be harmful or injurious to human health, welfare, safety or property or to biological productivity, diversity or stability, or which would unreasonably interfere with the enjoyment of life or property.

Agriculture - activities are undertaken on land for the production of plants, crops, and animals which are useful to man.

Alabama Department of Environmental Management (herein abbreviated as "ADEM") - the State of Alabama regulatory agency, created under Code of Alabama 1975, § 22-22A-1, et seq., responsible for administering and enforcing the storm water laws of the United States of America and the State of Alabama.

Applicant - any person, firm, corporation or governmental agency who executes the necessary forms to procure approval of Best Management Practices Plans from the Official.

Best Management Practices (herein abbreviated as "BMP") - activities, prohibitions of practices, maintenance procedures and management practices designed to prevent or reduce the pollution of waters to the MS4. Best Management Practices also include treatment requirements, operating procedures, and practices to control facility site runoff, spillage or leaks, sludge or waste disposal or drainage from raw material storage and construction sites.

Best Management Practices Plan (herein abbreviated as "BMP Plan") - a set of drawings and/or other documents submitted by a person as a prerequisite to obtaining a Permit, which contains all of the information and specifications about BMP.

Clean Water Act (herein abbreviated as "CWA") - the federal act (33 U.S.C. § 1251 through § 1387) which was formerly referred to as the Federal Water Pollution Control Act and Federal Water Pollution Control Act Amendments of 1972, Public Law 92-500, as amended by Public Law 95-217, Public Law 95-576, Public Law 6-483 and Public Law 97-117, 33 U.S.C. § 1251-1387.

Clearing - the removal of trees and brush from the land, not including the ordinary mowing of grass or the maintenance of previously cleared areas.

Community Waters - any or all rivers, streams, creeks, branches, lakes, reservoirs, ponds, drainage systems, springs, wetlands, wells and other bodies of natural or artificial surface or subsurface water into which the MS4 outfalls flow.

Contour - a line of equal elevation above a specified datum, usually, mean sea level.

Contour Line - a line joining points having or representing equal elevations.

Discharge - the passing of water or other liquid through an opening or along a pipe, conduit or channel; the rate of flow of water, silt, or other mobile substance which emerges from a pipe, conduit or channel, usually expressed as cubic feet per second, gallons per minute or million gallons per day.

Drainage - the removal of surface water from a given area either by gravity or by pumping; commonly applied to surface water and groundwater.

Drainage Area - that area contributing runoff to a single point measured in a horizontal plane, which is enclosed by a ridge line; the area of a drainage basin or watershed, expressed in acres, square miles or another unit of area.

Engineer - a person currently licensed by the Alabama State Board of Registration for Professional Engineers and Land Surveyors to provide engineering services.

Erosion - wearing away of lands by running water.

Erosion Control - the application of measures to reduce erosion of land surfaces.

Grading - any act by which soil is cleared, stripped, stockpiled, excavated, scarified or filled, or any combination thereof.

Illicit Connection - any man-made conveyance connecting an illicit discharge directly to the MS4.

Illicit Discharge - any discharge that is not composed entirely of storm water, except discharges pursuant to an NPDES permit (other than NPDES Permit ALS000019) and discharges which are specifically excepted from this ordinance.

Minor Extension - an addition to an existing utility pipeline or another utility line in which the land disturbed consists of fewer than 7,500 linear feet.

Municipal Separate Storm Sewer (herein abbreviated as "MS3") - a conveyance or conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels and storm drains), owned or operated by a city, town or county or another public body (created by, or pursuant to, State law) having jurisdiction over stormwater.

Municipal Separate Storm Sewer System (herein abbreviated as "MS4") - a system of municipal separate storm sewers, as defined hereinbefore.

NPDES - National Pollutant Discharge Elimination System.

Outfall - a point source (meaning any discernible, confined and discrete conveyance, including, but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container rolling stock, concentrated animal feeding operation, landfill leachate collection system, vessel or other floating craft from which pollutants are or may be discharged, but not including return flows from irrigated agriculture or agricultural water runoff) at the point of a discharge to waters of the United States of America.

Permit - any permit issued pursuant to this ordinance.

Permittee - a person, party, government entity and all others who receive a permit to discharge under the NPDES.

Pollutant - includes, but is not limited to, the pollutants specified in Code of Alabama 1975, § 22-22-1(b) (3) and any other effluent characteristics specified in a Permit.

Pollutant Loading - the amount of a pollutant entering the MS4.

Qualified Credentialed Professional - a Certified Professional in Erosion and Sediment Control ("CPESC") as determined by the Soil and Water Conservation Society ("SWCS") or the International Erosion Control Association ("IECA"). Other

registered or certified professionals such as a professional engineer or a landscape architect, registered land surveyor, registered architect, registered geologist, registered forester, Registered Environmental Manager as determined by the National Registry of Environmental Professionals ("NREP"), Certified Professional Soil Scientist ("CPSS") as determined by the American Registry of Certified Professionals in Agronomy, Crops and Soils ("ARCPACS"), who can document the necessary education, training, and professional certification, registration, or credentials acceptable to the Official and can demonstrate proven experience in the field of erosion and sediment control shall be considered a qualified credentialed professional. The qualified credentialed professional must be in good standing with the authority granting the registration. The qualified credentialed professional must be familiar, and have expertise, with current industry standards for erosion and sediment controls and must be able to inspect and assure that nonstructural BMPs or other pollution control devices (silt fences, erosion control fabric, rock check devices, etc.) and erosion control efforts, such as grading, mulching, seeding and growth management, or management strategies have been properly implemented and regularly maintained according to good engineering practices and the requirements of this permit. A professional engineer ("PE") registered in the state of Alabama must certify the design and construction of structural practices such as spill prevention control and counter measures ("SPCC") plan containment structures, dam construction, etc.

Sediment - solid material settled from suspension in a liquid that has been transported and deposited from its site of origin by air, water, ice or gravity as a product of erosion and has come to rest on the earth's surface either above or below a water surface, usually, inorganic or organic particles originating from weathering, chemical precipitation, or biological activity.

Silviculture - the care and cultivation of forest trees, including site preparation, planting, pruning, thinning and harvesting.

Site - any tract, lot or parcel of land or combination of contiguous tracts, lots or parcels of land which are in one ownership, and any combination of tracts, lots and parcels which are contiguous, are owned by two or more parties and are to be developed as a unit, subdivision or project.

Stabilization - the prevention of soil movement by any of various vegetative and/or structural means.

- Storm Water** - the excess water running off from the surface of a drainage area during and immediately after a period of rain. It is that portion of the rainfall and resulting surface flow that is in excess of that which can be absorbed through the infiltration capacity of the surface of the basin.
- Storm Water Management** - the incorporation of a variety of activities and equipment into a plan to address concerns associated with Storm Water to prevent pollution, improving water quality, keeping pollutants out of the runoff, and the implementation of Best Management Practices.
- Storm Water Management Program** (herein referred to as "the Management Program" or "the Program") - a program which covers the duration of the permit. It shall include a comprehensive planning process which involves public participation and, where necessary, intergovernmental coordination, to reduce the discharge of pollutants, to the maximum extent practicable, using management practices control techniques and system design and engineering methods and such other provisions which are appropriate.
- Storm Water Permit** - a permit which grants permission to the holder to discharge stormwater to the MS4 under the NPDES.
- Stream** - a course of running water usually flowing in a particular direction in a definite channel and discharging into some other course of running water or body of water.
- Structural Controls** - measures incorporated into existing Storm Water drainage systems or newly constructed systems to prevent or minimize the discharge of pollutants for maintaining and/or improving water quantity and quality management; quantitative control by a system of vegetative and structural measures that control the increased volume and rate of surface runoff caused by man-made changes to the land; qualitative control by a system of vegetative, structural and other measures that reduce or eliminate pollutants that might otherwise be carried by surface runoff.
- Turbidity** - a condition in water or wastewater caused by the presence of suspended matter, resulting in the scattering and absorption of light rays. A measure of fine suspended matter in liquids.
- Utility** - a business or service which is engaged in regularly supplying the public with some commodity or service which is of public consequence and need, such as electricity, gas, water, telephone service, and telegraph service.
- Variance** - the modification of the minimum stormwater management requirements in situations in which exceptional circumstances, applicable to the site with respect to which the variance is requested, exist so that strict adherence to the provisions of this ordinance would result in unnecessary hardship and the granting of such modification would not result in a condition contrary to the intent of this ordinance.

**Article 2
ADMINISTRATION**

Section 2.01

The municipal engineer for the City, the municipal building inspections official or employee who is a qualified credentialed professional, such other municipal official or municipal employee who has had sufficient experience dealing with BMP design to enable them to enforce the provisions of this ordinance, an individual or agency contracted to provide such service, shall be responsible, on behalf of the City ("Official"), to enforce the provisions of this ordinance (whenever the word "Official" is used in this ordinance, it shall include the authorized agent of the Official).

**Article 3
APPLICATION AND FEES**

Section 3.01 Application.

- (a) Before the commencement of any land-disturbing activity that is not exempted from obtaining a Permit under this ordinance, the owner of the land on which such activity shall be conducted, or his duly authorized agent, must file with the City of Irondale Building Inspections Office an application for the approval of the owner's BMP Plan. The Official must either approve or disapprove the BMP Plan within fourteen (14) days of the day it is filed with the Official. If the BMP Plan is disapproved, the Official must inform the Applicant, in writing, of the reasons for its disapproval. If the Applicant, on one or more occasions, revises the BMP Plan or submits to the Official additional documents or information in connection with the BMP Plan, the Official must make a written response to the Applicant with respect to whether such revised BMP Plan and/or additional documents and information have been approved or disapproved by the Official. All such additional responses must be made by the Official to the Applicant within fourteen (14) days of the day such revised BMP Plan, or additional documents or information are submitted to the Official. The land-disturbing activity may not be commenced before the issuance of the Permit by the Official. The issuance of the Permit shall not excuse the owner from the need to obtain other required state and local permits or licenses.
- (b) The minimum standards for the issuance of a Permit must meet the requirements of this ordinance.
- (c) Facilities that are covered under an ADEM NPDES permit for stormwater discharge associated with construction activities ("ADEM NPDES permit") shall submit an ADEM Notice of Registration (NOR) with their application. The Notice of Intent (NOI) may be provided until the NOR is received from ADEM. Copies of all monitoring data and reports shall be submitted to the City in the same manner as they are submitted to ADEM and in the frequency specified by the City.

Section 3.02 Permit Application Fee.

Each application for the issuance of a Permit shall include all erosion and sediment control, vegetation and drainage and shall be based on the engineer or contractor's estimate of these items. The applicant must submit Best Management Practice Plans with the application and fee to the City of Irondale Building Official. Each application for the issuance of a Clearing and/or Earthwork permit shall be accompanied by a non-refundable fee associated with the Building Permit application as follows:

\$1,000 or less	\$40.00
\$1,001 to \$10,000	\$80.00
\$10,001 to \$25,000	\$120.00
\$25,001 to \$50,000	\$200.00
\$50,001 to 100,000	\$250.00
\$100,001 to 200,000	\$500.00
\$200,000 & over	Plus 0.05 percent

In addition to the Clearing and/or Earthwork permit, a surety bond or a cash bond, with the City of Irondale having the right to determine which type of security shall be furnished. A surety bond or cash bond (a surety bond and a cash bond shall be herein collectively referred to as a "security") shall be furnished to the City of Irondale in accordance with the following provisions:

- The City Official shall require a surety bond or a cash bond in such amount as specified herein to assure that the work, if not completed or if not in accordance with the permitted plans and specifications, will be corrected to eliminate hazardous conditions, erosion and/or drainage problems. In lieu of a surety bond required by the City of Irondale, the owner may file a cash bond with the City of Irondale in an amount equal to that which would be required in the surety bond.
- The surety shall contain, or have attached to it as an exhibit, a legal description of the site. The security shall remain in effect for such reasonable period as may be required by the City Official.
- The security for clearing operations only shall be for \$1000.00 per acre for each acre, or fraction of an acre, disturbed or affected by such operations.
- The security for earthwork or clearing and earthwork operations shall be for \$3,000.00 per acre for each acre, or fraction of an acre, disturbed or affected by such operations.
- Security equal to double the amounts required above herein shall be required where clearing or earthwork is performed in areas designated as floodways, floodplains, or areas susceptible to landslides.
- Each letter of credit must be issued by a bank which has its principal office in Jefferson County, Alabama.
- Each letter of credit must be issued by a bank which is reasonably satisfactory to the City of Irondale, and each surety bond must be issued by a surety company which is qualified to do business in Alabama and which is otherwise reasonably satisfactory to the City of Irondale.

Any person, contractors, or sub-contractors who commences clearing and/or earthwork before obtaining the necessary permits as listed above, shall be subject to a \$100.00 penalty plus a double permit fee.

To help defray the City's cost of processing and reviewing the application and the inspections associated with the application. Sites that are required to have Post-Construction controls as stated in Ordinance # (2018-12) will have an additional fee of \$1500 to defray the City's cost of processing and reviewing the structure's design and the associated inspection and maintenance BMPs. The applicant must submit three sets of its BMP Plan with its application and fee to the Official.

Section 3.03 Post Construction Annual Issuance Fee.

An annual issuance fee of \$100.00 will be paid to the City to defray the administrative cost of inspecting Post-Construction controls and maintaining inspection records.

Section 3.04 Data Required on the Application for a Permit.

- (a) All applications for a Permit must include the following information:
- (1) name of Applicant;
 - (2) the telephone number of applicants, telecopier number, if any, of the applicant, and e-mail address, if any, of Applicant;
 - (3) address where the Applicant or another person who can furnish information about the land-disturbing activity can be reached;
 - (4) name, address, telephone number, telecopier number, if any, and e-mail address, if any, of the owner of the project, the owner of the property on which the project is to be located and the ground lessee of the property, if any, on which the land-disturbing activity is to be conducted if the applicant is not the owner of the project and such property;
 - (5) legal description and address, if any, of the property upon which the land-disturbing activity is to be conducted;
 - (6) names, addresses, telephone numbers, telecopier numbers, if any, and e-mail addresses, if any, of all contractors and subcontractors who shall implement any BMP Plan; provided, however, that if the contractor and the subcontractors have not been selected when the application for a permit is filed, the Applicant shall furnish such information to the Official within five (5) days of the day or days on which the contractor and/or subcontractors are selected;
 - (7) name, address, telephone number, telecopier number, if any, and e-mail address, if any, of the qualified credentialed professional who has approved the BMP Plan application (this is required for all land-disturbing activities except those related to the construction of individual single-family residences);
 - (8) each application for a Permit must be accompanied by a map or a plot of the land on which the land-disturbing activity will be conducted and any other information that is required under the

provisions of Article 5.

- (b) The detail of the BMP Plan must be commensurate with the size of the project, the severity of the site condition and potential for off-site damage, as provided in Article 5.

Section 3.05 Maintenance of Records.

Records of compliance with the provisions of the Permit shall be maintained in the office of the owner or the applicant, shall be available to the Contact Person and shall be made available at any time for review by the Official; provided, that if such records are maintained without the State of Alabama and, because of their size, cannot be transmitted to the Official by telecopier, such records must be delivered to the Official (at no expense to the City or the Official) within forty-eight (48) hours of the earliest of the receipt by the owner, applicant or Contact Person of a request by the Official for such records.

Section 3.06 Amended Application; Transfer of Permit.

- (a) A Permit may be amended, without the payment of an additional fee, upon the filing with the Official of an amended or restated Permit application, containing all changes from the original application; provided, that the holder of the Permit shows to the reasonable satisfaction of the Official that there are no proposed changes which may affect the quantity and/or quality of stormwater runoff. If an amended or restated application is filed with the Official with respect to land-disturbing activities for which a Permit has been issued, such existing Permit shall continue in effect, and the holder of the Permit may continue to operate under it unless and until an amended Permit is issued in response to the amended or restated application ("Amended Permit") at which time the original Permit shall expire, and all land-disturbing activities must be conducted in accordance with the Amended Permit.
- (b) A Permit may be transferred, without the payment of an additional fee, upon the filing with the Official of an application for transfer; provided, that the holder and proposed transferee of the Permit show to the reasonable satisfaction of the Official that, upon or following the transfer, there will be no proposed changes which may affect the quantity and/or quality of stormwater runoff. If there is a request for the transfer of a Permit and there are to be one or more changes in the operation of the project which is the source of the land-disturbing activity which may affect the quantity and/or quality of stormwater runoff, the new owner or operator of such project must apply to the City for a new Permit prior to his involvement with the operation of such project.

Section 3.07 Signatory Requirements.

- (a) All applications and correspondence required by this ordinance to be submitted to the Official shall be signed as follows:
 - (1) If an application or correspondence is submitted by a corporation, it must be signed by the president of the corporation or by a vice-president of the corporation who is in charge of a principal business function of the corporation, or any other person who performs

similar policy-making or decision-making functions for the corporation, or who has been authorized to sign such applications and/or correspondence by a resolution adopted by the board of directors of the corporation. Proof of the authority of the signatory shall be provided to the Official, upon his request.

- (2) If an application or correspondence is submitted by a limited liability company, it must be signed by a manager or other person who serves the same or similar function as the president of a corporation.
 - (3) If an application or correspondence is submitted by a partnership, it must be signed by a general partner of the partnership.
 - (4) If an application or correspondence is submitted by a sole proprietorship, it must be signed by the proprietor.
 - (5) If an application or correspondence is submitted by a municipality, the State or the federal government or by any municipal, state or federal agency, it must be signed by either the chief executive officer or a principal executive officer of any such government or by either the chief executive officer, a principal executive officer or a senior executive officer having responsibility for the overall operations of a principal geographic unit of any such governmental agency.
- (b) Any person signing any application or correspondence required by this ordinance shall make the following certification: "I certify, under penalty of law, that this document and all attachments were prepared under my direction or supervision and that I have personally examined, and I am familiar with, the information in this document and such attachments. Based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and civil penalty."

Article 4 EXCLUSION

Section 4.01

No person may conduct any land-disturbing activity without having obtained a Permit from the Official.

Section 4.02

Land-disturbing activities shall include any land change which may result in soil erosion from water or wind and the movement of sediment to the MS4, including, but not limited to, the clearing, dredging, grading, excavating, transporting and filling of land, except that the term shall not include the following:

- (a) Any land change on the property about which the owner of the property has submitted information to the Authority proving, to the satisfaction of the Authority, that such property does not drain to the MS4. Such information may be submitted to the Official, who shall promptly deliver it to the Authority, and the determination as to whether such property drains to the MS4 shall be made by the Authority.
- (b) Agriculture.
- (c) Silviculture.
- (d) Such minor land-disturbing activities as home gardens, landscaping on individual residential lots (excluding landscaping performed by, or on behalf of, a developer or builder, who builds a house on any such lot), home repairs, home maintenance work, minor additions to houses, the construction, maintenance or repair of accessory structures and other related activities which result in minor soil erosion.
- (e) Minor land-disturbing activities such as individual connections for utility services and sewer services for single or two-family residences, minor grading for driveways, yard areas, and sidewalks, excluding any grading done by, or on behalf of, a developer or builder in connection with the construction of a house.
- (f) Minor maintenance, minor repair, and the minor extension of any existing underground public utility lines, except sewer lines; provided, that the utility company which owns such lines has received approval of a general BMP Plan from the Authority for such maintenance, repair, and extension; and provided further, that any utility company making a minor extension in connection with which the land disturbed consists of more than 1,000 linear feet must give the Official written notice of such extension prior to the commencement of such minor extension.
- (g) The construction, repair or rebuilding of railroad tracks.
- (h) Minor subsurface exploratory excavations under the direction of soils engineers or engineering geologists.

- (i) The opening of individual burial sites in property which has been approved for such use by all necessary governmental authorities.
- (j) Digging of water wells or environmental monitoring wells.

The activities referred to in items (b) through (i) above may be undertaken without a Permit; however, the persons conducting these excluded activities shall remain responsible for otherwise conducting such activities in accordance with the provisions of this ordinance and any other applicable law, including the proper control of sedimentation and runoff to the MS4. This ordinance shall apply to such land-disturbing activities that drain to the MS4 if a stormwater pollution problem is shown to be caused by such activity following monitoring procedures and complaints.

Article 5

BMP APPROVAL REQUIREMENTS

Section 5.01 General Requirements.

No land-disturbing activity shall be conducted within the City until a Permit has been issued by the Official allowing such activity pursuant to the provisions of this ordinance. The following are BMP approval requirements:

- (a) Persons conducting land-disturbing activities shall take all reasonable measures referred to, or provided for, in this ordinance to protect all public and private property from damage caused by such activities and to reduce stormwater pollution to the maximum extent practicable.
- (b) No land-disturbing activities subject to this ordinance shall be undertaken except in accordance with the following requirements:
 - (1) The person(s) proposing to conduct any land-disturbing activity or an agent, contractor or other representative of such person must contact the Official at least five (5) business days before commencement of the land-disturbing activity to advise the Official of the commencement of such land-disturbing activity, unless, for good cause shown, the Official permits such person, contractor, agent or other representative to contact him nearer to the date of the commencement of such land-disturbing activity.
 - (2) Other than land-clearing activities required to install the appropriate BMP in accordance with BMP Plans, any down slope erosion and sediment control measures, on-site stream channel protection and upslope diversion of drainage required by the BMP Plan shall be in place and functional before any clearing or earth-moving operations begin, and shall be constructed and maintained throughout the construction period. Temporary measures may be removed at the beginning of the workday, but shall be replaced at the end of the workday.
 - (3) The angle for graded slopes and fills shall be no greater than the angle, which can be retained by vegetative cover or other adequate erosion control devices or structures. Any slope or fill which has

been graded shall, within fourteen (14) days of the completion of such grading or the completion of any phase of grading, be planted or otherwise provided with a ground cover, materials, devices or structures sufficient to restrain erosion. The BMPs shall remain in place in accordance with the BMP Plan until the graded slope or fill is stabilized.

- (4) Adequate protective measures shall be provided for the containment of hazardous substances and any other materials which may pollute the MS4, including petroleum products, lubricants, and paint.
- (5) All control measures shall be checked, and repaired as necessary, monthly in dry periods and within twenty-four (24) hours after any rainfall at the site of .75 inch within a twenty-four (24)-hour period. During prolonged rainfalls, daily checking and, if necessary, repairing shall be done. The Permittee shall maintain written records of such checks and repairs, which records shall be subject to the inspection of the Official at any reasonable time.
- (6) The BMP Plan shall show the size of the disturbed area and a schedule of the projected starting and completion dates of the land-disturbing activity.
- (7) A site plan, accompanied by a written description of BMPs which are shown on the site plan and a schedule of implementation during land-disturbing activities and construction shall be furnished to the Official before the commencement of any land-disturbing activities.
- (8) A description of, and procedures for, proper storage, handling and disposal of construction materials stored on-site which could contribute to the pollutant loading to the MS4, shall be furnished to the Official before the commencement of any land-disturbing activities.

Section 5.02 Design and Performance Standards.

The following are required for all land-disturbing activities except those related to the construction of individual single-family residences.

All applications for a Permit must contain, or be accompanied by, the materials and information necessary to satisfy the requirements of Sections 5.01 and 5.02 and must be accompanied by soil erosion and sediment control plan ("Control Plan"). The Control Plan shall be prepared by a Qualified Credentialed Professional and shall include the following:

- (a) The Control Plan shall be accompanied by a map or plot of the property upon which land-disturbing activities are to be conducted, prepared by a registered land surveyor, showing the present contour lines of such property, and the present contour lines of at least the nearest twenty-five (25) feet of the properties immediately adjacent to such property and the existing grades and elevations of all streets which abut such property. Such map or plot shall show all existing

drainage facilities and all-natural drainage on such property and such adjacent property.

- (b) All proposed contours, the proposed temporary and permanent disposition of surface water and the proposed drainage structures; provided, however, the Control Plans for utility projects, except sewer projects, shall not be required to show the proposed contours.
- (c) The proposed contours in the map or plot shall be depicted in contour intervals of two (2) or fewer feet; provided, however, the Control Plans for utility projects, except sewer projects, shall not be required to show the proposed contours. All maps, plots, and plans submitted shall be on a sheet of paper at least twenty-four (24) inches by thirty-six (36) inches and drawn to a scale of not less than one-inch equals 100 feet. Contour intervals of more than two (2) feet and maps, plots or plans which are smaller than the required size may be approved by the Official, upon written request and for a good cause shown.
- (d) The Control Plan shall contain a description of the existing site conditions, a description of adjacent topographical features, the information necessary to determine the erosion qualities of the soil on the site, potential problem areas of soil and erosion and sedimentation, soil stabilization specifications, storm water management considerations, a projected time schedule for the commencement and completion of the land-disturbing activity, specifications for BMP Plan maintenance during the project and after the completion of the project, clearing and grading limits, and all other information needed to depict accurately the solutions to potential soil erosion and sedimentation problems to the MS4. The Control Plan shall include the series of BMPs and shall be reviewed by, and subject to the approval of, the Official before the issuance of the Permit.
- (e) Where appropriate, in the opinion of the qualified credentialed professional who prepares the Control Plan, to the maximum extent practicable, the Control Plan shall include measures to reduce erosion and other adverse impact to MS4 drainage which would result from an increase in the volume of water and the rate of runoff of water during the conduct of land-disturbing activities.
- (f) Whenever the Official determines that a Control Plan does not comply with this ordinance, he shall notify the applicant in writing of how the Control Plan does not comply with this ordinance.
- (g) To the maximum extent practicable, sediment in runoff water must be minimized by using appropriate BMPs.
- (h) Structural controls shall be designed and maintained as required to minimize erosion and pollution to the maximum extent practicable. All surface water flowing toward the construction area shall, to the maximum extent practicable, either be passed through the site in a protected channel or diverted by using berms, channels or sediment

traps, as necessary. Erosion and sediment control measures shall be designed, according to the size and slope of the disturbed areas or drainage areas, to minimize erosion and to control sediment, to the maximum extent practicable. Discharges from sediment basins and traps must be conducted in a manner consistent with good engineering practices. Sediment-laden, or otherwise polluted, water discharged to MS4 must be addressed in a manner consistent with good engineering practices and the requirements of this ordinance.

- (i) Control measures shall be maintained as an effective barrier to sedimentation and erosion in accordance with the provisions of this ordinance.
- (j) There shall be no distinctly visible floating scum, oil or other matter contained in the stormwater discharge. The stormwater discharge to an MS4 must not cause an unnatural color (except dyes or other substances discharged to an MS4 for the purpose of environmental studies and which do not have a harmful effect on the bodies of water within the MS4) or odor in the community waters. The stormwater discharge to the MS4 must result in no materials in concentrations sufficient to be hazardous or otherwise detrimental to humans, livestock, wildlife, plant life or fish and aquatic life in the community waters.
- (k) When the land-disturbing activity is finished, and stable vegetation or other permanent controls have been established on all remaining exposed soil, the owner of the land where the land-disturbing activity was conducted, or his authorized agent, shall notify the Official of these facts, and request a final inspection. The Official shall then inspect the site within five (5) working days after receipt of the notice, and may require additional measures to stabilize the soil and control erosion and sedimentation. If the Official requires additional measures, written notice of such additional measures shall be delivered to the owner, and the owner shall continue to be covered by the Permit issued with respect to the land-disturbing activity until a final, and complete inspection is made and the Official approves the project as having been satisfactorily completed and delivers to the owner, within ten (10) days of the date of such approval, a certification of completion showing that the requirements of the Permit have been fulfilled. At that time the site and/or the project constructed thereon may come under the operation of other ordinances of the City.

Article 6
MONITORING AND INSPECTION

Section 6.01

The Official may periodically monitor the quality of stormwater and the concentration of pollutants in stormwater discharges from land-disturbing activities permitted to the MS4 pursuant to this ordinance.

Section 6.02 Inspections.

- (a) The Official, bearing proper identification, may enter and inspect all land-disturbing activities for regular periodic inspections, investigations, monitoring, observations, measurements, enforcement, sampling, and testing to verify compliance with the provisions of this ordinance and the specific BMP Plans and Control Plans for such land-disturbing activities. The Official shall notify the owner of such property, his Contact Person or his representative on the construction site before inspection, and the inspections shall be conducted at reasonable times. The owner or operator of a construction site concerning which an NPDES permit has been issued shall provide the Official with the information required in Section 3.01(c) before the commencement of the work on the construction site. The Official shall inspect the construction site to confirm the implementation and the maintenance of BMP Plans. Otherwise, such site shall be inspected when the Official believes, as a result of complaints or monitoring activity, that land-disturbing activities on the site are causing a substantial pollutant loading which threatens the MS4.
- (b) Upon the refusal by any property owner to allow the Official to enter, or to continue an inspection on, a site on which land-disturbing activities or construction work is being done, the Official shall terminate the inspection or confine the inspection to areas to which no objection is raised. If an agent of the Official was making or attempting to make, such inspection, the agent shall promptly report to the Official the refusal and the reasons for the refusal, if the reasons are known by the agent. The Official may seek appropriate legal remedies to enable him to make or complete such inspection, including seeking appropriate legal remedies from any court having jurisdiction over the matter. If the court grants a remedy to the Official, the property owner must reimburse the City all of the costs and expenses incurred by the City in obtaining such remedy, including court costs and reasonable attorneys' fees.
- (c) If the Official has reasonable cause to believe that discharges from the land-disturbing activities to the MS4 may cause an imminent threat to human health or the environment, an inspection of the site may take place at any time and without notice to the owner of the property or a representative on site. The Official shall present proper credentials upon request of the owner or his representative.
- (d) At any time during the conduct of an inspection, or at such other times as the Official may request information from an owner or his representative,

the owner or representative may identify areas of its business, material or processes which contain a trade secret and an inspection of which might reveal such trade secret. If the Official has no clear and convincing reason to question such assertion of the owner or his representative, the inspection report shall note that trade secret information has been omitted. To the extent practicable, the Official shall protect all information which is designated as a trade secret by the owner or his representative.

Article 7 ENFORCEMENT AND ABATEMENT

Section 7.01 NPDES Permits for Storm Water Discharge Associated with Construction Activities.

- (a) No enforcement action shall be taken by the City for a violation of the terms of this ordinance if any of the following has occurred:
 - (1) ADEM has issued a notice of violation with respect to the same alleged violation and is proceeding with an enforcement action with respect to such alleged violation;
 - (2) ADEM has issued an administrative order with respect to the same alleged violation and is proceeding with an enforcement action concerning such violation; or
 - (3) ADEM has commenced, and is proceeding with, an enforcement action, or has completed any other type of administrative or civil action, concerning such alleged violation.
- (b) Any determination or resolution made by ADEM with respect to an alleged violation shall be final, and the alleged violation shall not be made the subject of any additional enforcement action by the City; provided, however, that an enforcement action may be pursued by the City for continued or continuing substantial violations, subject to the provisions of Section 7.03(b) and pursuant to the following:
 - (1) ADEM will provide the Official with access to the ADEM NPDES permits issued with respect to each property within its jurisdiction, including inspections and notification of any enforcement actions taken by ADEM.
 - (2) The Official will notify ADEM and the permit holder, in writing, when the Official demonstrates that an NPDES permit holder is causing a substantial pollutant loading to the MS4.
 - (3) The Official may rely on ADEM to regulate and to take enforcement actions against Permittees until a Permittee is in continuing substantial violation of its NPDES permit and ADEM has failed to respond in a timely manner in accordance with Code of Alabama 1975, § 11-89C-1 et seq. If there is a continuing substantial violation of an ADEM NPDES permit and ADEM fails to respond as stated above, the Permittee shall be subject to this ordinance for that violation.

Section 7.02 Immediate Threats to Public Health or Welfare.

Notwithstanding any other provision in this ordinance to the contrary, in the event of an immediate threat to the public health or welfare, the Official may take all appropriate measures to remove or alleviate such threat.

Section 7.03 Notification; Enforcement Remedies.

- (a) Verbal Warning: Whenever the Official finds that any person is in violation of any provision of this ordinance, or any order issued hereunder, the Official or his agent may serve upon such person a verbal warning of violation.
- (b) Notification of Violation: Whenever the Official finds that any person is in violation of any provision of this ordinance, or any order issued hereunder, the Official or his agent may serve upon such person written notice of the violation. Within ten (10) calendar days of the date of such notice, an explanation of the violation and a plan for the satisfactory correction and future prevention thereof, including specific required actions, shall be submitted to the Official. Submission of such plan shall in no way relieve such person in violation of this ordinance of liability for any violations occurring before or after receipt of the notice of violation.
- (c) Compliance Order: When the Official finds that any person has violated, or continues to violate, this ordinance, he may issue a compliance order to the violator, directing that, within a specified time period, adequate structures and devices be installed, or procedures implemented and properly operated, or other action be taken, to remedy such violation. Compliance orders may also contain such other requirements as may be reasonably necessary and appropriate to address such violation, including the construction of appropriate structures, installation of devices and self-monitoring and management practices.
- (d) Cease and Desist Orders: When the Official finds that any person has violated, or continues to violate, this ordinance or any order issued under this ordinance; the Official may issue an order to such person to cease and desist all such violations immediately, and direct such person in violation of this ordinance to:
 - (1) comply with this ordinance forthwith; or
 - (2) take such appropriate remedial or preventive action as may be required to address properly a continuing or threatened a violation of this ordinance, including halting operations and terminating the discharge.

Section 7.04 Unlawful Acts, Misdemeanor.

It shall be unlawful for any person to:

- (a) violate any provision of this ordinance;
- (b) violate the provisions of any Permit issued pursuant to this ordinance; Such person shall be guilty of a misdemeanor; and each day of such violation, failure or refusal to comply with this ordinance shall be deemed a separate offense and punishable accordingly. Any person found to be in violation of

any of the provisions of this ordinance shall be punished by a fine of not less than \$100.00 and not more than \$500.00 and/or up to 180 days in jail.

Section 7.05 Judicial Proceedings and Relief.

- (a) The Official may initiate proceedings in any court of competent jurisdiction against any person who has, or who, the Official has reason to believe, is about to:
 - (1) violate any provision of this ordinance;
 - (2) violate any provision of a Permit;
 - (3) fail or refuse to comply with any lawful order issued by the Official

- (b) The Official, with the consent of the City Council, may also initiate civil proceedings in any court of competent jurisdiction seeking monetary damages for any damages caused to public stormwater facilities by any person, and may seek injunctive or other equitable relief to enforce compliance with the provisions of this ordinance or to force compliance with any lawful orders of the Official or the Board.

**Article 8
MISCELLANEOUS**

Section 8.01 Notices.

Whenever the City is required or permitted to:

- (a) give notice to any party; such notice must be in writing; or
- (b) deliver a document to any party; such notice or document may be delivered by personal delivery, certified mail (return receipt requested), registered mail (return receipt requested) or a generally recognized overnight carrier, to the address of such party which is in the records of the City or is otherwise known to the City.

Section 8.02 References.

Whenever an Article or Section is referred to in this ordinance, unless the context indicates the contrary, such reference shall be to an article or section of this ordinance.

Section 8.03 Severability.

The provisions of this ordinance are severable. If any part of this ordinance is determined by a court of law to be invalid, unenforceable or unconstitutional, such determination shall not affect any other part of this ordinance.


Section 8.04 Captions.

The captions of articles and sections are for the purpose of reference only, and such captions shall not affect the meaning of any provision of this ordinance.

Section 8.05 Effective Date.

This ordinance shall be published as required by law and shall become effective June 7, 2018.

ADOPTED & APPROVED this the 7th day of June 2018.


Charles Moore, Mayor

CERTIFICATION

I, James D. Stewart Jr., City Clerk of the City of Irondale, Alabama, hereby certifies the above to be a true and correct copy of a resolution adopted by the City Council of the City of Irondale at its regular meeting held on June 7, 2018, as same appears in the minutes of record of said meeting.

ATTEST:


James D. Stewart Jr., City Clerk

SUBDIVISION REGULATIONS

for the

City of Irondale

Adopted

August 2, 1983

Ordinance Number 464-83

Book Number 55

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
RULES OF PROCEDURE	
1. Rules	1
2. Meetings	1
3. Agenda	1
4. Applications	1
5. Study	2
6. Quorum	2
7. Subdivision Plats	2
ARTICLE I GENERAL PROVISIONS	
1. Authority	3
2. Jurisdiction	3
3. Separability and Severability	3
4. Definitions	3
5. Amendments	6
ARTICLE II PROCEDURE	
1. Application for Approval	7
2. Fees and Notice; Resubdivisions	7
3. Preliminary Plat Approval	8
4. Effect of Preliminary Plat Approval	8
5. Engineering Requirements	8
6. Final Plat Fee and Recording	9
7. Approval of Final Plat	9
8. Final Plat Fee and Recording	10
9. Small Subdivision and Resubdivisions	10
ARTICLE III PLAT REQUIREMENTS	
1. Preliminary Plat	12
2. Vicinity Sketch	13
3. The Final Plat	13
ARTICLE IV DESIGN STANDARDS	
1. Street Plan	19
2. Street and Subdivision Names	25
3. Alleys, Easements and Half Streets	25
4. Storm Water Drainage and Flooded Areas	25

IRONDALE PLANNING COMMISSION

RULES OF PROCEDURE

1. Rules.

"Roberts Rules of Order" shall govern the order of business and conduct of meetings of the Planning Commission.

2. Meetings.

- (a) The Planning and Zoning Commission will hold one (1) regular scheduled meeting per month on the last Thursday of each month, commencing at 7:00 p.m.
- (b) Special meetings of the Planning Commission may be called by the Chairman upon the giving of three (3) days written notice to the membership.
- (c) Extraordinary meetings of the Planning Commission may be called by the Chairman or Vice-Chairman upon the request of any three (3) members of the Planning Commission, provided that the membership shall be notified by telephone at least four (4) hours prior to such meeting.
- (d) All meetings of the Planning Commission shall be held in the City Hall.

3. Agenda.

An agenda for each meeting shall be prepared by the City Clerk approved by the Chairman, and mailed to members not later than six (6) days prior to each regular monthly meeting of the Planning Commission.

4. Applications.

Subdivision plats and applications for recommendations as to vacation of lands shall be filed and handled in accordance with the provisions of the Subdivision Regulations.

5. Platting Requirements	26
6. Public Areas	27
ARTICLE V REQUIRED IMPROVEMENTS: BOND	
1. Improvements	28
2. Bond and Surety: Amount and Release	29
3. Maintenance Bond	29
ARTICLE VI VARIANCES	
1. Modifications, Variances and Waivers	30
2. Conditions of and Applications for Variance	30
ARTICLE VII VALUATION OF PUBLIC LANDS	
1. Applications	31
2. Investigations and Recommendations	31
3. Final Plat of Resubdivisions	32
ARTICLE VIII CONDOMINIUM, UNIT AND PLANNED DEVELOPMENT PROJECT	
1. Approval Required	33
2. Application (Required Evidence)	33
3. Filing Fees	35
4. Filed as Subdivision	35
5. Hearing (Notice of)	36
6. Hearing Required	37
7. Commission Records	37
8. Action on Application	37
9. Action of Application	37
10. Expiration of Permit	38

5. Study.

The Planning Commission may defer action on any matter, presented to it at a regular meeting, until the next regular meeting of the Commission, so that proper study of the matter may be made by the membership.

6. Quorum.

Unless otherwise provided by statute, a majority of the members shall constitute a quorum for the conduct of business.

7. Subdivision Plats.

The City Clerk, or the Chairman of the Planning Commission shall be the persons authorized to sign plats approved by the Planning Commission.

IRONDALE PLANNING COMMISSION
SUBDIVISION REGULATIONS

ARTICLE I. GENERAL PROVISIONS

1. Authority.

Under the provisions of Title 11-52 (1 thru 84) Code of Alabama, 1975, which provisions are hereby made a part hereof, these following regulations governing the subdivisions of land and hereby adopted by the Irondale Planning and Zoning Commission. A copy of these regulations shall be certified to the Probate Judge of Jefferson County, Alabama, and returned to the Clerk of the City of Irondale.

2. Jurisdiction.

On and after August 2, 1933 these regulations shall govern each and every subdivision of land within the corporate limits of the City of Irondale, Alabama, as now or hereafter established, and within such territory outside the corporate limits as the Irondale Planning Commission shall now or hereafter have within its jurisdiction.

3. Separability and Severability.

Should any section or provision of these regulations be for any reason held void or invalid, it shall not affect the validity of any other section or provision hereof which is not itself void or invalid.

4. Definitions.

- (a) Alley: Any public way designed primarily for vehicular access to the back or side or premises otherwise abutting on a street, unless officially designated otherwise.
- (b) Architect: A registered professional architect in good standing with the State Board of Registration for Practicing Architects and licensed to do business in the City of Irondale.
- (c) City: The City of Irondale, Alabama, together with any extraterritorial planning jurisdiction thereof.

- (d) City Council: The chief legislative body of the City.
- (e) Common Areas: All that area within the bounds of the project and including all of the building or buildings, except those units and/or areas specifically deeded to an owner, such as, but not limited to:
 1. The land on which the building or buildings are located.
 2. The foundation columns, girders, beams, supports, main walls, roofs, corridors, entrances and exists of the building.
 3. The basement, yards, gardens and parking areas.
 4. The premises for the lodging of janitors or persons in charge of the property.
 5. Installations of central services such as power, light, gas, hot water, cold water, heating, and refrigeration, air conditioning and incineration.
 6. The elevators, tanks, pumps, motors, fans, compressors, ducts and in general all apparatus and installation existing for common use.
 7. All other parts of the property necessary for or convenient to the existence maintenance or safety of common use areas.
- (f) City Clerk: The City Clerk of the City of Irondale, Alabama.
- (g) Condominium: A joint dominion or sovereignty, joint ownership in common with others in a parcel of land and in certain parts of a building thereon, which would normally be used by all occupants, such as yards, foundations, etc., which are the common areas, together with an individual ownership in fee title or a particular unit and/or units in such a building or project.
- (h) Comprehensive Plan: The official city plan or master plan for the City of Irondale adopted in accordance with the provisions of Title 11-52 (1 thru 84) Code of Alabama, 1975
- (i) Engineer: A registered professional engineer, qualified to practice in this area of expertise, in good standing with the State Board of Registration for Professional Engineers and Land Surveyors, and licensed to do business in the City of Irondale.

- (j) Final Plat: The completed subdivision plan in form for approval and recording.
- (k) Lot: A parcel or portion of land in a subdivision or plat of land separated from other parcels or portions of land by description as on a subdivision or record of survey, map or by metes and bounds of what is existing or by any other approved description.
- (l) Major Street Plan: The official Major Street Plan of the City of Irondale adopted, amended and recorded in accordance with the provisions of Title 11-52, Code of Alabama, 1975.
- (m) Planned Development Project: A tract of land where improvements and development is to be controlled by a development plan duly approved and adopted by the Irondale Planning and Zoning Commission.
- (n) Planning Commission: The Irondale Planning and Zoning Commission, a legal agency of the City.
- (o) Preliminary Plat: A tentative plat of a proposed subdivision for presentation to the Planning Commission for its consideration.
- (p) Roadway: That portion of a street between the regularly established curb lines, or that part of a street or alley devoted to vehicular traffic.
- (q) Sidewalk Area: That portion of a street not included in the roadway, and devoted in whole or in part to pedestrian traffic.
- (r) Street: A public way for the vehicular or pedestrian traffic, whether designated as a street, highway, thoroughfare, parkway, throughway, road, avenue, boulevard, land, place or however otherwise designated, excepting, however, an alley.
- (s) Subdivider or Applicant: Any individual, firm, association, syndicate, copartnership, corporation, trust or any other legal entity commencing proceedings under these regulations to effect a subdivision of land hereunder for himself or for another.

- (t) Subdivision: The division of a lot, tract, or parcel of land into two (2) or more lots, plots, sites, or other divisions of land, whether described by metes and bounds or by any other description, for the purpose, whether immediate or future of sale or building development. Also, unit condominium division of land and buildings shall be included in the meaning of "subdivision" as defined herein. It includes resubdivision and, where appropriate to the context, relates to the process of subdividing or to the land, buildings or territory subdivided.
- (u) Surveyor: A qualified Registered Land Surveyor in good standing with the State Board of Registration for P.E. & L.S. and licensed to do business in the City of Irondale.
- (v) Unit: A part of the property designed or intended for any type of independent use including one or more floors of a part or parts thereof, which has direct access to a public street, or way, or to a common area leading to a public street, or way, or to an easement of right-of-way leading to a public street, or way.

5. Amendments.

The Planning Commission may from time to time adopt amendments that will tend to increase the effectiveness of these Subdivision Regulations or expedite the approval of subdivision plats. These Subdivision Regulations and amendments thereto may be changed or amended by the Planning Commission after a public hearing by giving due notice as required by law.

ARTICLE II. PROCEDURE

1. Application for Approval.

- (a) To obtain approval of a proposed subdivision, the Subdivider or Applicant shall submit to the Planning Commission a Preliminary Plat, a Vicinity Sketch, a list of the names and addresses of owners of record of parcels of land immediately adjoining the proposed subdivision, and final Plat prepared in accordance with the requirements as set forth in Article II herein below. No owner of land or Subdivider shall proceed with improvement or sale of land subdivided after July 5, 1983, without the written approval of the Planning Commission.
- (b) The Subdivider shall apply and submit ~~three~~ copies of the Preliminary Plat and five (5) copies of a Vicinity Sketch to the office of the City Clerk of the City of Irondale at least fifteen (15) days prior to a regularly scheduled meeting of the Planning Commission, Otherwise, the proposed subdivision shall not be considered at that meeting.
- (c) The City Clerk shall forward ~~two~~ (2) of said copies to the City Engineer who shall submit his written recommendations, if any, to the Planning Commission by the time of its initial hearing on said plat.

2. Fees and Notice; Resubdivisions.

- (a) To defray the cost of filing said application and Preliminary Plat, notifying interested parties of, investigations of, and holding a hearing upon, a fee of ~~fifty dollars (\$50)~~ shall be paid by the Subdivider at the time of filing the application for approval of the Preliminary Plat, together with the cost of giving legal notice.
- (b) ~~Notice by certified mail~~ to parties owning contiguous properties shall be given at least ten (10) days prior to the hearing on the Preliminary Plat, in accordance with the provisions of of Title 11-52 (1 thru 84) Code of Alabama, 1975.

- (c) . When application is made for approval of a resubdivision under the provisions of subsections (b) and (c) of Section 9 of this Article, the fee of fifty dollars (\$50) shall be paid and the Subdivider may also pay the Final Plat fee at the same time.

3. Preliminary Plat Approval.

The Planning Commission shall approve, approve conditionally, or disapprove such Preliminary Plat within thirty (30) days after the submission thereof to it at its regular meeting. If approved conditionally the conditions and reasons therefor shall be stated and, if necessary, the Planning Commission may require the Subdivider to submit a revised Preliminary Plat. If any of the requirements are modified or waived, the reasons for such shall be specified. If the Planning Commission should disapprove the Preliminary Plat, the reasons for such action shall be stated and if possible recommendations made on the basis of which the proposed Subdivision would be approved. One (1) copy of the Preliminary Plat as acted upon by the Planning Commission shall be retained in its office, one (1) copy forwarded to the City Engineer, and one (1) copy returned to the Subdivider.

4. Effect of Preliminary Plat Approval.

Receipt of the approved copy of the Preliminary Plat by the Subdivider is authorization, subject to the obtaining of proper permits, that he may proceed with the construction of any improvements under the direction and supervision of the City Engineer, and with the staking of streets and lots in preparation for the Final Plat.

5. Engineering Requirements.

- (a) The Subdivider shall furnish the City Engineer all plans and information necessary for engineering consideration and approval for the construction of the proposed improvements. Such plans and information shall be furnished separately and apart from the Preliminary Plat and Vicinity Sketch. All storm drainage systems, sanitary sewer systems, on-site disposal systems, roadway horizontal and vertical alignment and cross-section and other design related information shall be done by a

Registered Professional Engineer, licensed in the State of Alabama and experienced in such design. All layout of lots and property lines shall be done by a Registered Land Surveyor, licensed in the State of Alabama.

- (b) Before starting construction, necessary arrangements must be made between the Subdivider and the City Engineer for adequate laboratory and construction inspection to insure that the improvements shall comply with the Standard Construction Specifications of the City of Irondale.

6. Final Plat Filing and Execution.

- (a) The Subdivider shall file the Final Plat and four (4) copies thereof, which copies shall be distributed as in Section 1 (c) of this Article by the City Clerk at least ten (10) days prior to the date of the meeting of the Subdivision Committee at which time it is to be considered.
- (b) All Final Plats shall have been signed and executed by all necessary parties before being filed.

7. Approval of Final Plat.

Approval or disapproval of the Final Plat shall take place within thirty (30) days after the date of submittal unless the Subdivider agrees to an extension of that time. If the Final Plat is disapproved, the grounds for refusal shall be stated in the records of the Planning and Zoning Commission. The action of the Planning Commission shall be shown on the Final Plat with the date of action shown over the signature of the person authorized by the Planning and Zoning Commission to sign such plats.

Approval of the Final Plat carries with it the condition that the Planning and Zoning Commission must be notified in writing by the City Engineer that either (1) all required improvements have been satisfactorily installed and completed by the Subdivider, or (2) a bond has been posted to secure the same, before such Final Plat is signed as approved by the Planning Commission and the City Engineer and before said Plat is submitted to the Council for passage of

the resolution assenting to the dedication of any public ways or lands.

8. Final Plat Fees and Recording.

- (a) When application is made for Final Plat approval, the Subdivider shall pay any additional fee to defray the expense of investigating, hearing, and acting upon the Final Plat, as follows:

~~Each residential lot in subdivision,.....\$5.00..~~

~~Each acre or portion thereof in subdivision not zoned for residential use or devoted to public purpose.....\$5.00..~~

~~Actual cost of recording and making four (4) copies of Final Plat.~~

- (b) ~~The Final Plat shall be filed for record in the Office of the Probate Judge of Jefferson County by the City as agent for the Owner. Three (3) copies shall be made showing the Map Book Volume and page numbers where the Final Plat is recorded; one (1) of said copies shall be sent to and filed by the Engineering Department, one (1) to the Building Department, and one (1) shall be retained by the City Clerk. Said Final Plat shall then be returned to the Subdivider.~~

9. Small Subdivisions and Resubdivisions.

- (a) Where a proposed subdivision is of such small size or contains so few lots as to present no engineering problems and few, if any, planning problems, the Planning Commission may waive the filing of the Preliminary Plat, may require only the five (5) copies of the Final Plat and five (5) copies of the Vicinity Sketch, and may approve the final Plat at the time of the initial hearing.

- (b) Where a proposed resubdivision upgrades or maintains relatively constant lot sizes or conditions and the Subdivider has secured a written waiver of legal notice and hearing from the immediately adjoining property owners, the City Engineer and the City Clerk may, after investigation, approve said resubdivision for immediate recordation and the Planning Commission shall ratify their action at its next regular meeting at which time said application appears on its agenda.
- (c) Where applications for resubdivision are filed under (b) above, such shall be filed together with all maps and other matter on or before 5 p.m., ten (10) days prior to a regular scheduled meeting of the Planning Commission. The City Engineer and the City Clerk may recommend said applications to be held over for regular action by the Planning Commission if they deem such advisable.

ARTICLE III. PLAT REQUIREMENTS

1. Preliminary Plat.

The Preliminary Plat shall show the following:

- (a) Date, North Point, Title, and Graphic Scale: Scale shall not be more than sixty (60) feet to the inch unless lot contains one (1) acre or more, but in no event more than one hundred (100) feet to the inch.
- (b) Topography: Based on City of Irondale, Alabama, Geodetic, or U. S. Coast and Geodetic Sea Level Datum. Contours at one (1) foot interval, unless grade is five per cent (5%) - ten per cent (10%) in which case contours shall be at two (2) foot intervals.
- (c) Streets: Names, together with a letter from the Post Office Department stating that there is no duplication of proposed names within the metropolitan area of the City, right-of-way and roadway widths, and approximate grades.
- (d) Other Rights-of-way or Easements: Locations, widths and purposes.
- (e) Utilities: Location of those on or adjacent to the tract to be subdivided, including size and elevation.
- (f) Lot lines, Lot and Block numbers and approximate dimensions.
- (g) Number of Section, Township and Range with exact ties to all recognized existing quarter section corners within or close to the proposed Subdivision.
- (h) If any portion of the land of the proposed Subdivision is subject to inundation by storm sewers or overflow or ponding of local storm water, such fact and portion shall be clearly shown and identified.
- (i) Proposed Street Lights and Signs: Location, size and type including proposed traffic control signage and/or signals.
- (j) Proposed parks, school sites, or other public open spaces.
- (k) Any other information that may be necessary for the full and proper consideration of the proposed Subdivision.

Each modification, variance, or waiver of these Subdivision Regulations sought by a Subdivider shall be specially applied for, in writing by the Subdivider. A copy of said application shall be filed with the City Clerk and to the City Engineer following the closing of each docket. Any condition shown on the Preliminary or Final Plat (or on engineering plans or data called for by Section 5 of Article II) which would require a modification, variance, or waiver, shall constitute a ground for disapproval of the Preliminary or Final Plat unless such special application for modification, variance, or waiver is made.

2. Vicinity Sketch.

A Vicinity Sketch or key map shall be shown on or accompany the Preliminary Plat. This sketch or map shall show all existing subdivisions, streets, and tract lines of acreage parcels, and right-of-way width of all streets abutting the proposed subdivision. It shall also show streets and alleys in the proposed subdivision may connect with existing and proposed streets and alleys in neighboring subdivisions or undeveloped property to produce the most advantageous development of the entire neighboring area.

3. The Final Plat.

The Final Plat shall be an original drawing in ink, on mylar, and shall be tied to an accepted section corner based on the U.S. Government Survey of this area which shows the relationship to the Huntsville Base Line and the Huntsville Meridan. A resurvey of a part of a subdivision may be tied to the original subdivision. This plat also show the following:

- (a) Tract boundary lines with order of closure of unadjusted survey, right-of-way lines of streets, easements, and other right-of-way, and property lines of lots, with accurate dimensions, bearings, of deflection angles, radii, arcs, and central angles of all curves.
- (b) Name and right-of-way width of each street and other right-of-way.

- (c) Location, dimensions, and purposes of any easements.
- (d) Number to identify each lot or site.
- (e) Purpose for which sites, other than residential lots, are dedicated or reserved, it being understood that any reservations of areas for other than residential purposes shall be subject to the proper zoning thereof.
- (f) The minimum building setback line on all lots and other sites.
- (g) Location and description of monuments. (Iron pipes shall be designated by a small open circle at point of installation.)
- (h) Reference to recorded subdivision plats of adjoining platted land by Map Book Volume and page number.
- (i) Title, graphic scale, written scale, north arrow, name and registration number of surveyor, and date, together with the quarter section or quarter sections in which the subdivision is located based on the Government Survey of that area.
- (j) Space for the approval of the City Engineer and the Irondale Planning and Zoning Commission.
- (k) The total acreage in a subdivision not zoned for residential or devoted to public purposes.
- (l) On all lots when there is no mortgagee, whether there is a dedication of property for street purposes or not, a certificate substantially in form as follows:

STATE OF ALABAMA
JEFFERSON COUNTY

The undersigned _____, surveyor, and _____ owner(s), hereby certify that this plat or map was made pursuant to a survey made by said surveyor and that said survey and this plat or map were made at the instance of said owner(s); that this plat or map is a true and correct plat or map of lands shown therein and known or to be known as (name of subdivision or resurvey) showing the subdivisions into which is proposed to divide said lands, giving the length, width and name of each street, as well as the number of each lot and block and showing the relation of the lands to the

government survey (or, if the plot is a resurvey of an existing recorded subdivision, "showing the relation of the lands to the survey of _____ as recorded in the probate Office of Jefferson County in Map Book _____, page _____"); and that iron pins have been installed at all lot corners and curve points as shown and designated by small open circles on said plat or map. Said owner(s) also certifies (certify) that he (she, they, it) is (are) the owner(s) of said lands and that the same are not subject to any mortgage. Said owner(s) dedicates (dedicate) streets, alleys and public grounds as shown by said plat or map. Said owner(s) agrees (agree) that the City of Irondale may at any time change the natural or existing grade of any street, alley or public grounds, or any part thereof, from the natural or existing grade to the permanent grade without the payment of compensation or damages to the abutting owner; and this agreement shall be a covenant running with the lands. The undersigned appoints the City of Irondale as agent for the purpose of filing said plat or map, together with this instrument, for record, and certify that we have full authority to execute this instrument and map.

Dated _____, 19__.

(Execution and Acknowledgement by Surveyor and Owner(s).)

- (m) On all plats when there is a mortgagee, whether there is a dedication of property for street purposes or not, a certificate substantially in form as follows:

STATE OF ALABAMA
JEFFERSON COUNTY

The undersigned _____, surveyor, and _____ owner(s), hereby certify that this plat or map was made pursuant to a survey made by said surveyor and that said survey and this plat or map were made and correct map of lands shown therein

and known or to be known as (name of subdivision or resurvey) showing the subdivisions into which it is proposed to divide said lands, giving the length and bearings of the boundaries of each lot and its number, showing the streets, alleys and public grounds, giving the bearings, length, width and name of each street, as well as the number of each lot and block, and showing the relation of the lands to the government survey (or, if the plot is a resurvey of an existing recorded subdivision, "showing the relation of the lands to the survey of _____ as recorded in the Probate Office of Jefferson County in Map Book _____, page _____"); and that iron pins have been installed at all lot corners and curve points as shown and designated by small open circles on said plat or map. Said owner(s) also certifies (certify) that he (she, they, it) is (are) the owner(s) of said lands and that the same are not subject to any mortgage, except a mortgage or mortgages held by the following mortgagee(s):

Said owner(s) and said mortgagee(s) dedicate streets, alleys, and public grounds as shown by said plat or map. Said owner(s) and said mortgagee(s) agree that the City of Irondale may at any time change the natural or existing grade of any street, alley or public grounds, or any part thereof, from the natural or existing grade to the permanent grade without the payment of compensation or damages to the abutting owner; and this agreement shall be a covenant running with the lands. The undersigned appoints the City of Irondale as agent for the purpose of filing said plat or map, together with this instrument, for record, and certify that we have full authority to execute this instrument and map.

Dated _____, 19__.

(Executed and Acknowledgement by Surveyor, Owner(s) and Mortgagee(s).)

- (n) Notary's acknowledgement of the certificate referred to in (l) or (m) above, substantially in form as follows:

STATE OF ALABAMA
JEFFERSON COUNTY

I, _____, as Notary Public in and for said County and State, do hereby certify that _____, whose name is signed to the foregoing certificate as Surveyor, and _____, whose name is signed to same as Owner (and _____, whose name is signed to same as Mortgagee), that after having been duly informed of the contents of said certificate, they executed same voluntarily as such individuals (or in any other capacities) with full authority therefor.

Given under my hand and seal this _____ day of _____, 19__.

Notary Public

- (o) On all plats where there is a dedication of land for street purposes, whether in the form of new streets, additional right-of-way for existing streets, or merely curve radii where there were angle corners formerly existing, a resolution substantially in for as follows:

BE IT RESOLVED BY the Council of the City of Irondale that the assent of this body be, and the same hereby is, given to the dedication of the streets, alleys and public grounds as shown on plat or map of _____ which said plat or map is certified to have been made by _____ as surveyor, at the instance of _____ as owner, and has been exhibited to this Council, said plat or map being further identified by a recital of the approval of this Council signed by _____ City Clerk, of even date herewith. But this shall not be construed as an assumption of dominion by the City over any street, alley or

public grounds shown on said plat or map or impose liability upon the City for the upkeep of same.

- (p) Where a street or alley has been vacated, a note on the plat indicating such and referring to the recorded instruments of vacation by Deed Book and page number.
- (q) If there are existing structures on land proposed to be subdivided or resubdivided or on immediately adjoining land in which the Subdivider has or has had or will have an interest, three (3) copies of a survey plot plan showing the exact location of such structures, with their relation to the proposed subdivision or resubdivision shall accompany the Final Plat, two (2) of which shall be forwarded to the City Engineer.
- (r) The Final Plat shall be accompanied by three (3) copies of any Protective Covenants running with the land in form of recording.

ARTICLE IV. DESIGN STANDARDS

1. Street Plan.

- (a) All streets shall be platted along contour elevations which will result in minimum grades and greatest visibility wherever practicable, with consideration given to the anticipated use of the land.
- (b) The proposed street layout shall be made according to good land planning practice for the type development proposed and shall be coordinated with the street systems of the surrounding areas. All streets must provide for the continuation or appropriate projection of principle streets in surrounding areas and provide reasonable means of ingress and egress for surrounding acreage tracts. Street patterns in all subdivisions shall be in conformity with the Major Street Plan of the City of Irondale.
- (c) In subdivisions which border on or have included within the proposed areas to be subdivided any expressway or major or minor arterial street or streets, access to lots abutting such major traffic arteries shall be provided in a manner such that the individual lots shall not have direct access to such expressway or arterial street.
- (d) Reserve strips or "spite" strips for unspecified or unacceptable purposes are prohibited. Without special approval of the Planning and Zoning Commission and the City Council there shall be no ditches permitted within a developed subdivision for the conveyance of the storm water unless said open ditch remains within the bounds and flow patterns of natural and undisturbed drainage way.
- (e) In the event a development is deemed to have probable effect of detrimentally changing the downstream storm water patterns of existing developed area the City Engineer may require the developer to provide for storm detention facilities that will minimize the impact of the upstream development on the downstream

development. These retention facilities shall be designed to retain the developed volume of runoff from a 25 year 24 hour storm with a release rate equal to the undeveloped peak discharge rate of a 10 year 24 hour storm event. Overflow structures from retention facilities shall be designed to safely and adequately pass a storm event appropriate to the downstream conditions when safety and public health are considered.

(f) Streets shall conform to the following standards:

1. The geometric design of all roadways for streets classified as freeways, expressways, major arterials and minor arterials shall conform generally with A Policy on Arterial Highways in Urban Areas, published by the American Association of State Highway Officials, including any published supplement to this policy, but in no case shall the minimum standards be less than the following, except as provided in this Article under Section 1., Subsection (3), Item (1) and in Article VI, Section 1, of these Subdivision Regulations.

	Minimum Right-of-Way	Minimum Pavement Width
a. Freeways and/or Expressways	200 Feet	Ala. Hwy. Dept. Std.
b. Major Arterial Street	100 Feet	48 Feet
c. Minor Arterial Street	80 Feet	26 Feet

2. Collector Streets shall conform to the following standards:

MINIMUM COLLECTOR STREET DESIGN STANDARDS

	<u>TOPOGRAPHIC GRADIENTS</u>		
	0-8%	8.1 - 15%	Over 15%
a. Right-of-way Width in feet	60	60	60
b. Pavement Width in feet	24	24	24
c. Minimum Sight Distance in feet	250	200	150
d. Maximum Grade	12%	12%	12%
e. Minimum Centerline Radii in feet	350	350	350
f. Sidewalks (minimum width in feet)	4	4	4
g.	The minimum distance between the facing of the curb and the required sidewalk shall be three (3) feet.		
h.	All curbs and gutters installed in conformity with these regulations shall be minimum six (6) inch vertical face with one (1) foot of gutter, or an overall width of combined curb and gutter of eighteen (18) inches.		
i.	The minimum spacing of collector street intersection along any major arterial or minor arterial street shall be 1300 feet from centerline to centerline.		
j.	All commercial or industrial service streets shall be constructed to the minimum collector street standards.		

3. Local streets shall conform to the following standards:

MINIMUM LOCAL STREET DESIGN STANDARDS

TOPOGRAPHIC GRADIENTS

	0-8%	8.1 - 15%	OVER 15%
a. Right-of-way Width in Feet	60	60	60
b. Pavement Width in Feet	24	24	24
c. Minimum Sight Distance in Feet	200	150	110
d. Maximum Street Grade	10%	15%	22%
e. Maximum Cul-de-Sac Length in Feet:			
Single Fam. Dist.	1000	1000	1000
Multi-Fam. Dist.	500	500	500
f. Minimum Centerline Radii in Feet	250	175	150
g. Sidewalks (minimum width in feet)	4	4	4
k. The minimum distance between the face of the curb and the required sidewalk shall be three (3) feet.			
l. All Cul-de-sacs shall terminate in a circle with a radius of not less than 50 feet with a minimum pavement radius of 90 feet.			
m. All curbs and gutters installed in conformity with these regulations shall be minimum six (6) inch vertical face with one (1) foot of gutter, or an overall width of combined curb and gutter of eighteen (18) inches.			
n. All sidewalks installed in conformity with these regulations shall be along at least one (1) side of all local streets except no sidewalks shall be required on culs-de-sac 500 feet or less in length in single family subdivisions. Sidewalks shall be installed on both sides of all local streets within 2000 feet of a school.			

- o. Subdivisions along existing or dedicated or platted streets where rights-of-way to meet minimum standards. When subdivisions are adjacent to or include within their boundaries an expressway, major arterial street, minor arterial street or collector street, the subdivider shall be required to post a bond to insure the installation of improvements not in excess of local street standards all expense for roadway width in excess of local street standard will be borne by the City of Irondale. In the event that the City of Irondale has not appropriated its share of the roadway expense within five (5) years from the date that the subdivider shall have posted a bond or cash or certified or cashier's check or a certificate of deposit with the City of Irondale; the said bond shall be deemed to be terminated and the said cash or certified or cashier's check or certificate of deposit shall be returned to the subdivider by the City of Irondale.
- p. All driveways shall be installed in accordance with the provisions of the General City Code of the City of Irondale.
- q. All streets not classified as freeways, expressways, major arterials and minor arterials shall conform to the following intersection design standards:

MINIMUM INTERSECTION DESIGN STANDARDS

TOPOGRAPHIC GRADIENTS

	0-8%	8.1 - 15%	Over 15%
1. Clear Horizontal Sight Distance (Length along each approach leg)	90'	90'	90'
2. Vertical Alignment within 100 feet of the centerline of intersections	5%	5%	5%

3. The minimum center-line off-set of adjacent street intersections shall be as follows:

Local - Local	150 Feet
Local - Collector	150 Feet
Collector - Collector	200 Feet

r. Street alignment shall be designed to eliminate sharp curves and street jogs. Streets shall intersect at right angles if possible and in no case at an angle of 80 degrees.

s. Curb radii of collector and local streets shall be as follows:

Local - Local	25 Feet
Local - Collector	25 Feet
Collector - Collector	25 Feet

t. Streets shall be graded to a minimum line of seven (7) feet back of the curb line with a rise of not less than eight (8) inches nor more than fifteen (15) inches from the flow line of the gutter unless the topography in such as to make this prohibited.

u. The provisions of Article IV, Section 1 of the Subdivision Regulations shall be complied with provided, that the Subdivision Committee will have the authority to grant waivers requested but only if the Community Development Director and the City Engineer recommend in writing said waivers. Before granting any waivers of the provisions of Article IV, Section 1, the Subdivision Committee must have considered a report, in any, from the City Engineer regarding any waivers requested, provided such report from the City Engineer shall have been submitted to the City Clerk at least 24 hours prior to the scheduled Subdivision Committee meeting at which the request for waivers will be heard.

2. Street and Subdivision Names.

- a. Street names for all subdivision plats shall be subject to approval of the City Clerk.
- b. Subdivision names for plats shall be subject to the approval of the Planning Commission and shall not duplicate the name of any plat already recorded in Jefferson County.

3. Alleys, Easements, and Half Streets.

Alleys are not required in residential districts but may be required in commercial or industrial districts if it is determined by the Planning Commission that conditions necessitate alleys in any such district. In no case shall alleys be less than 20 feet in width with curb radii at street intersections of at least 15 feet.

Easements shall be not less than ten (10) feet in width except in cases of double tiered lots where a width of seven and one-half (7 1/2) feet from each tier will be permitted. Where there exists a storm water ditch, creek or any other such watercourse, the easement shall be of sufficient width that such watercourse may be installed and maintained efficiently. The location of any storm water ditch, creek, or other such watercourse shall not be changed without the approval of the Planning Commission upon recommendation of the City Clerk and the City Engineer.

Half streets will not be permitted except in such cases where there exists a half street contiguous thereto.

4. Storm Water Drainage and Flooded Areas

- a. All Subdivisions shall be provided with adequate storm sewers. Cases where the size of such storm sewer would make the cost prohibitive in relation to the value of the land shall be planned and shown in dotted lines for future development and shall be excluded from the proposed subdivision until properly designed and funded. All storm drainage systems shall be designed on a minimum storm event of 25 year return and 24 hour duration, as required to be in harmony with up

- and downstream existing and planned conditions, or as required by the City Engineer.
- b. Lakes, ponds, creeks and similar areas will be accepted for maintenance only if sufficient land is dedicated as a public recreation area or park or if such area constitutes a necessary part of the drainage control system. Such area must be approved by the Park and Recreation Board and accepted by the City Council.
 - c. Areas subject to periodic flooding caused by poor drainage facilities will not be accepted by the Planning Commission unless the Subdivider makes necessary provisions to eliminate such flooding.

5. Platting Requirements.

a. Blocks:

1. Blocks shall be laid out with special attention given to the type of use contemplated.
2. Length of blocks shall be from five hundred to thirteen hundred (500 to 1300) feet.
3. Width of blocks shall be from two hundred fifty to four hundred (250-400) feet in order to permit double tiered lots.
4. Blocks with lots having double frontage on streets shall be avoided.
5. The forgoing dimensions may be adjusted by the Planning Commission where the type of use or nature of the topography requires such modification.

b. Lots:

1. Lot sizes, shapes and locations shall be made with due regard to topographic conditions, contemplated use, and the surrounding area. A resubdivision, or a subdivision in an area already subdivided, shall improve, rather than detract from, the surrounding neighborhood.
2. Where easements for public utilities storm or sanitary sewers are contemplated, the lot lines shall be located in such a manner as to facilitate the construction of such improvements and the maintenance thereof.

3. Lot areas and widths shall meet or exceed minimum zoning and health requirements in the area in which the property is located, but the Planning Commission may choose greater requirements if it finds that a proposed subdivision, through meeting minimum zoning requirements, would tend to depreciate the value of surrounding or adjacent properties or would impose an undue burden on the City in furnishing municipal services to the area.
4. Corner lots shall be made larger than interior lots and shall provide at least the same minimum setback on the side as required on the front by the zoning ordinances.
5. Lot lines shall be substantially at right angles to the streets except on curves where they shall be radial. Where the distance between rear lot corners on double tiered lots would be less than ten (10) feet the radial lines shall be deviated so that the corners will be the same.

6. Public Areas.

- a. In all subdivisions suitable open spaces may be required to be set aside for park and recreation areas for acquisition by the Irondale Park and Recreation Board.

ARTICLE V. REQUIRED IMPROVEMENTS: BOND

1. Improvements.

Prior to the approval of the Final Plat the Subdivider shall have installed or constructed the following improvements, or posted bond as provided for in Section 2 of this Article:

- a. All streets shall have been designed and constructed in conformity with the requirements set out in Article IV.
- b. On both sides of each street there shall have been constructed a standard curb (with face no less than six (6) inches in height) and gutter, and a minimum roadway as prescribed in Section 1 (f) of Article IV.
- c. On all streets, including side streets and alleys, a suitable hard surfaced permanent type of pavement shall be constructed, meeting the requirements of the City of Irondale Standard Construction Specifications.
- d. Water, gas and sanitary sewer mains shall have been constructed prior to installation of paving with all mains being extended and all lots having sufficient stubouts to insure that subsequent cutting of pavement is avoided. Where septic tanks are necessary, sanitary sewers shall also be installed and capped until such time as connection may be had with a sanitary sewer system.
- e. Sidewalks shall have been constructed, if deemed essential for public safety by the Planning Commission and the City Engineer.
- f. Adequate storm sewers shall have been constructed, subject to the provisions of Article IV, Section 4 (a).
- g. Subdividers shall have installed or paid for street signs and street lights approved by and at points designated by the City Engineer.

2. Bond and Surety: Amount and Release.

- a. "In the event it is decided by the Planning Commission that the requirements set out in Section 1 of this Article need not immediately be met by the Subdivider, the requirements may be modified by the Subdivider as authorized by the Planning Commission. The requirements may be modified by the execution of an agreement between the City and the Subdivider that such improvements shall be installed and constructed within a reasonable and specified length of time. Bond shall be required to insure the fulfillment of such agreement and shall be in cash, by certified or cashier's check, acceptable certificates of deposit approved by the City Engineer, or made by a surety company authorized to do business in the State of Alabama."
- b. Such bond shall not exceed one hundred-fifteen per cent (115%) of the estimated cost of the improvements. The surety shall not be released from said bond except by a release in writing from the City Engineer.

3. Maintenance Bond.

- a. In any case in which the City Engineer may have reasonable doubt concerning the stability or proper construction of any improvement required herein upon his recommendation the Council may require a maintenance bond for ten (10) years for street construction maintenance and one (1) year for sewer lines and facilities. This bond shall be in cash or be made by a Surety Company authorized to do business in the State of Alabama.
- b. The City Engineer shall secure from all developers a letter or statement in which said developer shall agree to maintain the backfill and any improvements located thereon or therein of any ditch which has been dug in connection with the installation of such improvements and such letter or statement shall be binding on the developer for any period of one (1) year after acceptance of such improvements by the City of Irondale.

ARTICLE VI. VARIANCES

1. Modification, Variances, and Waivers

If it be determined that strict compliance with these regulations would result in extraordinary hardship to the Subdivider due to unusual topography or conditions beyond the control of the Subdivider, then the Planning Commission may modify, vary or waive such requirements provided that such modification, variance, or waiver will not nullify the intent or purpose of these Subdivision Regulations, and provided further that such modification, variance, or waiver and the reason therefor shall be entered upon the minutes of the Planning Commission.

2. Conditions of, and Applications for Variances.

- a. In granting modifications, variances or waivers, the Planning Commission may attach such other reasonable conditions as will, in its judgement, justify such modifications, variances or waivers and still maintain substantially the objectives of these Regulations.
- b. Each and every modification, variance, or waiver of these Subdivision Regulations sought by a Subdivider shall be specifically applied for, in the numerical order of the Subdivision Regulations, in writing by the Subdivider on forms supplied by the City Clerk who shall then forward copy of said application to the City Engineer immediately following the passage of the fifteenth (15th) day prior to a regularly scheduled meeting of the Planning Commission. Any condition shown on the Preliminary or Final Plat (or on engineering plans or data called for by Section 5 of Article II) which would require a modification, variance, or waiver, shall constitute a ground for disapproval of the preliminary or Final Plat unless such special application for a modification, variance, or waiver is made.

ARTICLE VII. VACATION OF PUBLIC LANDS

1. Applications.

- a. Applicants seeking the recommendations of the Planning Commission as to a proposed vacation of public streets, alleys, ways, parks, or other lands, shall apply as though seeking approval of a subdivision, paying the Preliminary Plat fee, but submitting only five (5) copies of a Vicinity Sketch showing the public lands proposed to be vacated.
- b. Applicants may, at the time of submission of the Vicinity Sketch, also submit a Final Plat and five (5) copies thereof, showing the old property lines erased and new property lines as proposed to be established, so that the approval of said Final Plat might be expedited.
- c. Neither the City of Irondale, nor any officers, agents, or employees of the City acting in his or her official capacity, nor any agency of the City shall be required to pay a fee under this Article.

2. Investigation and Recommendation.

- a. Copies of Vicinity Sketches and Plats shall be distributed by the Planning Commission as provided in the case of regular subdivision applications, and written recommendations, if any, submitted to the Planning Commission.
- b. Upon hearing the application, the Planning Commission shall make its recommendations to the City Council as to whether said proposed vacation is in the best interest of the City. As this is only a recommendations, the applicant may then prepare the proper Declaration of Vacation and Resolution of Assent for submission to the City through the office of the City Engineer, and shall meet all statutory requirements concerning vacation of lands.

3. Final Plat of Resubdivision.

- a. As the effect of vacating public ways establishes new property lines of abutting properties in the center of such vacated ways, the applicant shall, within a reasonable time after the passage of the resolution assenting to the vacation thereof by the Council, submit a Final Plat erasing old property lines and establishing new ones for the approval of the Planning Commission.
- b. Said Final Plat shall show the vacated land in dotted lines, with reference to the Deed Book and page where the instruments of vacation are recorded. The Final Plat shall comply with all other applicable requirements of the Subdivision Regulations.

ARTICLE VIII. CONDOMINIUM, UNIT AND PLANNED
DEVELOPMENT PROJECT

1. Approval Required.

No building or structure, for any unit, condominium, or planned development project shall be erected unless there is first secured approval of said project by the Irondale Planning Commission as provided in these Regulations.

2. Application (Required Evidence):

The application for a cooperative, unit, condominium, or planned development project, as provided herein, shall be made to the Irondale Planning Commission in triplicate, on forms furnished by said Commission. Such application shall be accompanied by:

- a. Legal Description: The legal description of the property involved, with legal description of each proposed unit of condominium, or planned development ownership and the legal description of the common areas, together with the existing zoning.
- b. Architectural Plans:
 - 1. Preliminary Approval: Three (3) sets of Preliminary Architectural Plans drawn to scale, fully dimensioned and keyed to the legal descriptions, including site development plans, front elevation, skeleton elevations cross sections showing all units and sizes thereof, typical separation of units or unit ownership, common areas, location of all utilities and the proposed use for buildings and structures of the project or parts thereof in compliance with the existing zoning and bearing the approval of the Building Inspector of the City of the City of Irondale.
 - 2. Final Approval: Three (3) sets of complete architectural plans drawn to scale, fully dimensioned, keyed to the legal descriptions, together with elevations, plans of each floor of the building, cross sections showing all dimensions and all units, separation of units or unit ownership, common areas, location of

all utilities, and the proposed use for all buildings and structures of all utilities, and the the project and parts thereof in compliance with the existing zoning and bearing the approval of the Building Inspector of the City of Irondale.

- c. Surveyors' Certificate: Three (3) sets of a survey drawn to scale and fully dimensioned showing the size of and the location of the existing and proposed structures on the said land together with the dimensions of all yards, parking spaces and open spaces, and showing all common areas of the project and certified as to the accuracy and validity by a Surveyor.
- d. Ground Plans: Three (3) copies of complete plans drawn to scale and fully dimensioned showing all roads, playing grounds, recreational areas, sidewalks, area lighting, parking, utilities, curbing and other facilities; and showing the relationship of the various buildings, structures, and open spaces to each other.
- e. Plans for Entire Area: If the said project is a portion of a larger holding intended for subsequent development, three (3) copies of such plans shall be submitted indicating the development of the entire area.
- f. Plat Requirements: The plat requirements for preliminary and final approval shall be as established in Article III of the Subdivision Regulations. The plat shall show all land of the condominium development resurveyed into one lot.
- g. Declaration Restrictions & Development Deed Requirements: Three (3) copies of the proposed condominium, unit and/or Planned Development Deed and the proposed Declaration Restrictions of said project, which shall include the following:
 - 1. Common Area Easement: Easements shall be provided for the use of the common area which permit only such developments as are consistent with the designated uses of the common area and which explicitly prohibit other uses.
 - 2. Maintenance: A declaration as to the maintenance of the common area as defined herein, shall define the intent and

8/02/83

ARTICLE VIII. CONDOMINIUM, UNIT
& PLANNED DEVELOPMENT PROJECT

34

limitations intended and shall include the establishment by the developer of a separate account, in a local financial institution, designated for the faithful performance of those allegations and further that the maintenance funds paid by the individual unit owners shall accumulate in this fund for this purpose.

3. Perpetual Deed and Restrictions: The Deeds and Restrictions shall be recorded and shall run with the land.
 4. Airspace Ownership: Deeds and Declarations of Restrictions shall provide that whenever the building settles or changes locations, the ownership of said airspace stipulated on the recorded deeds and plans, shall automatically shift in location so as to accommodate the natural settlement or changing location of a building or apartment unit.
- h. Ability and Intent to Construct: Evidence satisfactory to the Planning Commission of the ability and intention of the applicant to proceed with actual construction work in accordance with said plans within twelve (12) months after the effective date of such approval, and fully complete same.
- i. Application in Conjunction With Others: A condominium project application may be submitted in conjunction with Planned Unit or Development, and may be treated together.

3. Filing Fees:

The Planning Commission shall charge and collect a fee of \$50.00 for the filing of each condominium project application, in addition to regular subdivision fees, and said charge being due and payable at the time of filing such application.

4. Filed As A Subdivision:

The Developer shall subdivide the property into units and common areas and condominium, planned unit or planned development projects will be filed as a subdivision in a manner as prescribed in Article I through VII of these Subdivision Regulations for the Preliminary Plats,

Vicinity Sketches, Final Plats. Upon the recording of the final plat conveyances may be made of parcels shown on said plat and plans by Lot and Block Number, parcel and unit number or by such other designation as may be shown on such map and plans.

PLATS AND SKETCHES

- a. Plats and Sketches: Preliminary Plats, Vicinity Sketches and Final Plats shall be filed with the same information as required on any other subdivision.
- b. Reviewed by Commission: The maps will be reviewed in the same manner as any other subdivision.
- c. "As-Built", Site and Architectural Plans of Units to be Recorded: The final plans of site and architectural developments together with legal description of the property, and each proposed unit and of each common area shall be recorded in the Office of Probate Court Jefferson County, Alabama.
- d. Amendments to Recorded Map and Plans: Whenever the subdivision map and plans as required herein have been recorded and there are intended changes in size, shape or location of buildings and/or units, then an amendment to the recorded map shall be made in accordance with the same procedure as set forth in the filing and recording of the original application.

5. Hearing (Notice of):

Upon receipt in the proper form of any such application, the Planning Commission shall hold a public hearing thereon following the procedure as established in Article II of these Subdivision Regulations. Notice of the time and place of hearing shall be sent to each owner of property within a minimum distance of three hundred (300) feet of the exterior boundary of the lot or parcel of land under the same ownership and/or as described in such application, or if deemed advisable, the Planning Commission shall cause said notice to be published in a newspaper of general circulation in the City at least ten (10) days prior to the meeting. For the purpose of this section "Property Owner" shall mean that owner shown upon the latest assessment rolls of the County.

6. Hearing Required:

If the application does not conform to all requirements of the Zoning Ordinance of the City of Irondale and all the Subdivision Regulations, heretofore, or hereinafter, enacted, a public hearing shall be held thereon prior to granting or denying either a zone change, a variance, a conditional use or waiver of subdivision improvement requirements. Prior to said public hearing the City of Irondale shall make an investigation thereof and shall present to the Planning Commission precisely the manner in which the condominium project application varies with the Land Use or Subdivision Ordinances, and his recommendation thereon.

7. Commission Records:

From the time of filing such application, the application, together with all plans and data submitted, shall become a part of the permanent records of the Planning Commission and shall be made available for public inspection in said Commission's office, the City Clerks office of the City of Irondale.

8. Investigation of Facts:

The Planning Commission shall cause to be made by its own members or the Community Development Director as its agent when assigned for the purpose, an investigation of the facts bearing on any application for a condominium project sufficient to assure that the action taken on each application is sufficient to assure the intent of these Regulations.


9. Action on Applications:

If, in the opinion of the Planning Commission, the necessary facts and conditions apply, so that in fact there is substantial adherence to the aims of this Article and the Subdivision Regulations in general to the particular property referred to in the application for planned unit, condominium, or planned development project, and that the same comes within the purview of the Commission and sound planning, it may approve same in whole or in part. If, however, such facts and conditions do not prevail nor apply, or if granting of the said

permits will adversely affect the property of the persons in the vicinity of the applicant's property, or for any other valid reason, the Commission may disapprove the application as submitted.

10. Expiration of Permit:

Each Permit or Conditional Permit authorized under the provisions of this Chapter which is not actually established or the actual construction commenced on the buildings or structures involved within twelve (12) months from the date of its authorization by the Planning Commission, shall become null and void. In the event some construction work is involved, it must actually commence within the stated period and must be diligently prosecuted to completion.



Sec. 5:24. - Tree and landscape ordinance.

Section 1. *Ordinance authority.*

- 1.1 The planning and zoning commission of the city, under the authority of Ordinance No. 1-0598, zoning ordinance of the city, has authority in all zoning districts as pertains to the regulation and requirements of landscaping and buffer areas.
- 1.2 The ordinance requires buffer/greenbelts in many of the zoning districts and, under article V, special use regulations, has the authority to cause or require additional plans and landscaping beyond the normal greenbelt requirements.

Section 2. *Review.*

The planning and zoning commission may refer all landscape projects that, in their opinion, require additional review to the design review committee established under Section IV of Ordinance No. 99-72 (section 5:23 of this article) and amendment Ordinance No. 2000-13. One member of the tree commission and the city arborist will also serve on the design review committee with respect to tree and landscape ordinance compliance. The design review committee will review the submitted plans and make written comments and recommendations with respect to compliance with this tree and landscape ordinance and may make recommendations for changes to be considered by the planning and zoning commission for their final decision.

Section 3. *Purpose.*

It is the purpose of this ordinance to promote and protect the public health, safety and general welfare by providing for the regulation of the planting, maintenance and removal of trees, shrubs and other plants in public street or highway rights-of-way, parks and other city-owned property as well as those on private property which, in the opinion of the city arborist, constitute a threat to life or property. By such regulation it is intended that the preservation, conservation and replacement of trees and other plants shall be practiced to the fullest practicable extent.

Section 4. *Applicability.*

The provisions of this ordinance shall apply to all properties within the city;

- 4.1 When new improvements require the submission to and approval of a site plan or subdivision plan by the planning and zoning commission.
- 4.2 When clearing and grading operations are planned in preparation for site development or modification.
- 4.3 When requests are made to cut or remove trees or shrubs from public property.
- 4.4 When, in the opinion of the city arborist, a tree on private property fits the definition of a problem tree.
- 4.5 When an individual citizen or property owner requests to be allowed to cut trees or shrubbery on or over public property.
- 4.6 When a major public improvement project includes new planting or the removal of existing plants.

Section 5. *Definitions.*

Except as listed below, words used herein shall bear the meanings given to them in the Random House Dictionary of the English Language, Second Edition, Unabridged.

Buffer: Space between adjacent properties either left in natural vegetation or planted in trees and or other vegetation.

Caliper: The diameter the trunk of a tree measured 12 inches above the ground.

City: The City of Irondale, Alabama, its agents and agencies.

City arborist: A person so certified by the Jefferson County Personnel Board and approved by the city council who is certified as such by the International Society of Arboriculture or holds a degree from an accredited school of forestry or in absence of a qualified employee, the person temporarily appointed by the mayor to discharge the duties thereof.

City-owned property: Rights-of-way and other property owned by the city.

Crown: The portion of a tree consisting of the branches whose tips extend farthest from the trunk and all branches above that level.

DBH: Diameter at breast height, a standard measure of tree size. It is the diameter of the trunk measured four and one-half feet above the ground. If a tree splits into two or more trunks below four and one-half feet, the trunk is measured where it is narrowest below the split.

Dripline: A vertical line extending from the outer extremities of a tree's crown down to the ground.

Landmark tree: A tree so designated by the historical commission, the city, the county, the state or the federal government, because of species rarity, old age, abnormality, scenic enhancement, association with a historical person or event or some other condition making the tree unique.

Large tree: A tree attaining a mature height of 15 feet or more.

Private tree: A tree growing on privately owned property.

Problem tree: A tree that is potentially unsafe due to a structural defect and constitutes a threat to public property or public safety.

Public tree: A tree growing in a park, in the right-of-way of a public street, highway or on other city-owned property.

Small tree: A tree attaining a mature height of less than 15 feet.

Species list: The city's list of plant species approved for planting in the city. (See subsection 8.2)

Topping: The severe cutting back of the trunk and/or limbs within a tree's crown, disfiguring the tree.

Tree: A self-supporting woody plant, usually having a single woody trunk and a potential DBH of two inches or more.

Tree cover: The area directly beneath the crown and within the dripline of the tree.

Tree lawn: The space between a street or highway right-of-way and the curbline or other edge of paving.

Section 6. *Licensing and permitted activities.*

6.1 *Licensing.* Any person or company paid a fee for the business of planting, cutting, trimming, pruning, removing, or otherwise modifying trees within the city shall obtain an appropriately classified business license.

6.2 *Permit required for tree removal.* No person shall remove, cut above ground, or otherwise disturb any tree within city-owned property without city approval and then procuring the necessary permit from the city clerk. This section is not applicable to removal of trees for site development and subdivision projects approved for construction by the city. The city shall determine if trees or shrubs on city-owned property are problem trees after examination by the city arborist and, if so determined, to cause such trees or shrubs to be removed.

6.3 Trees may be removed for the following reasons:

1. Problem trees or trees that are deteriorated.
2. Diseased or infectious trees and trees in decline.
3. Trees or their root systems causing visible damage to structures, and or areas used for pedestrian and vehicle traffic.

4. Trees within utility easements, which can not be properly pruned by the local utility company as determined by the city arborist.
 5. Trees to be removed, cut, pruned or disturbed as detailed on plans approved by the planning and zoning commission and after all other applicable permits for construction have been issued. Example: Clearing of existing right-of-way to provide proper sight distance at a new proposed street intersection.
- 6.4 *Application.* Applications for permits must be made at the office of the city clerk at least five business days in advance of the time the work is to be done on forms provided by the city. The city clerk will forward the permit application to the city arborist for his review and recommendations. The permit will contain a date of expiration and the work shall be completed in the time allowed on the permit. The city arborist will inspect the site and tree(s) and forward the approval application to the mayor for his approval. The city arborist may void the permit if any of the conditions of the permit as granted are violated. The applicant shall notify the city arborist upon completion of the work and request a final inspection and release from the terms of the permit.
- 6.5 *Utility companies.* Utility companies or their subcontractors engaged in removal or pruning of trees on city-owned property for the purpose of line clearance should notify the city arborist as to the location and scope of the work they will be performing. The city arborist will work with the companies to enhance the work for the best interests of the city to maintain an acceptable visual appearance and promote proper growth in the future. Rather than allow the topping of trees, the utility company may be required to completely remove said trees, including the stump to a minimum of six inches below the low point of the surrounding grade adjacent to the stump and to plant a replacement small tree or shrub as approved by the city arborist.
- 6.6 *Request for new tree plantings.* Requests from private citizens for new trees to be planted near their property and located in the street right-of-way or on the other public property will be accommodated in accordance with planting priorities set by the city council and reviewed and recommended for approval by the city arborist. The city arborist may request the design review committee, the beautification advisory committee and/or the tree commission for their review and recommendations.
- 6.7 *Excavation within street rights-of-way.* Excavation within the street right-of-way for the purpose of removing or planting trees by a contractor or individual shall not be undertaken without notification to and approval by the city. All necessary bonding requirements and street construction procedures must be followed. An underground utility request shall also be made to the Alabama Line Location Service or other approved line locator service which shall locate and mark all utility lines before the individual or contractor commences excavation.
- 6.8 *Regulated activities.* Unless specifically authorized in writing by the city, no person shall damage, cut, carve, transplant or remove any tree, shrub, or other plant materials on city-owned property, except for city employees under the supervision of the city arborist and who are performing their daily duties as assigned by the city arborist relating to landscaping and work incidental thereto. No person or other entity shall attach any rope, wire, nails, advertising posters or other similar objects to any tree or shrub in the public rights-of-way or other city-owned property.
- 6.9 *Sight distances/obstruction of rights-of-way.* It shall be the duty of the property owner of any parcel bordering on a public street to ensure that trees and shrubs on their property are planted and pruned in a manner that will not obstruct free passage or the vision of vehicular or pedestrian traffic, sidewalks, traffic signs, or the proper lighting of street intersections or alleyways.
- 6.10 *Corrective action.* Any person or other entity failing to comply with the provisions of this ordinance shall be notified in writing by the city attorney to take corrective action within ten days of the written notice. Such notice will be delivered by registered mail or hand delivered by an official of the city to the owner of record of the subject property. When a person or other entity to whom the notice was delivered shall fail to comply within the specified time, the city shall take

appropriate action to correct the specified problem and all the cost incurred by the city to correct the problem shall be assessed to that person or other entity.

- 6.11 *Emergency work.* Any emergency work activity immediately necessary to protect life or property or to maintain safe access to any property in the event of a natural disaster shall be exempted from the provisions of this ordinance. The city arborist and/or the superintendent of public works shall be notified as soon as possible of the location and or locations of performed emergency work in order that the situation may be reviewed and proper guidance may be provided concerning public property, trees or shrubs involved in the emergency work.
- 6.12 *Penalties.* Any person, firm or corporation violating any of the provisions of this ordinance shall be guilty of a misdemeanor offense and shall be assessed the maximum fine provided for the destruction of public property.

Section 7. *Landscaping.*

Submittals for building permits for new subdivision and the development of commercial and industrial property, shall include landscape plans, designating all existing trees, showing trees and shrubs proposed for planting on city rights-of-way, at entrances and exits, in buffer areas, in parking lots and similar locations. Such plantings shall conform to the requirements set forth for buffers and greenbelts in the city's zoning ordinance (Ord. No. 1-0598).

Section 8. *Tree planting, maintenance and removal.*

- 8.1 *General:* No tree on public property shall be planted, removed, cut above the ground or otherwise damaged without prior written approval of the city arborist. All such operations shall comply with all provisions of this ordinance.
- 8.2 *Species:* All plants shall be selected from a list obtainable from the city clerk's office. Any other plants proposed for use in the city must be approved by the city arborist.
- 8.3 *Spacing:* Small trees shall be planted no closer together than thirty (30) feet; large trees, 40 feet unless a variance is granted by the city.
- 8.4 *Utility lines:* Only small trees shall be planted under or within ten lateral feet of overhead utility lines. No trees shall be planted directly over or within five lateral feet of buried utility lines.
- 8.5 *Distance from curbs and sidewalks:* Small trees shall be planted no closer to curbs or sidewalks than four feet; large trees no closer than six feet.
- 8.6 *Topping:* The topping of any tree is strictly forbidden except in rare cases approved in writing by the city arborist.
- 8.7 *Clearing:* All clearing of land shall be held to the minimum amount necessary to accomplish the purpose for which it is done. Clearing and all other land disturbance shall be carried out in strict compliance with the provisions of all applicable city ordinances and best management practices.

Section 9. *Tree protection.*

- 9.1 *Disease or infestation:* Upon discovery within the city limits of any disease or pestilence which will endanger the growth or health of trees, whether on public or private property, the city shall immediately cause written notice to be served upon the owner of the property where evidence of the problem is observed. The notice shall require said owner, whether a public or private entity, to eradicate, remove or otherwise control or abate such condition within a reasonable time as set forth in the notice. Failure to comply will be just cause for the city to take appropriate action and the cost incurred by the city shall be assessed against the property owner.
- 9.2 Trees to be retained on a building or development site shall be protected by the use of barriers, by preventing siltation, grading or the burying of utility lines within the trees' driplines and by refraining from any activity that may result in damage to the tree(s).

9.3 Landmark trees shall be diligently protected from any and all activities which may result in their being damaged in any manner.

Section 10. *Nuisance trees.*

The city may declare to be a public nuisance any tree, shrub, plant or plant part which:

- (a) Is a problem tree or is diseased or infected as described in 9.1 above, or
- (b) Is dead or dying and will fall onto public property, or
- (c) Is obstructing the free passage of pedestrians or vehicles; obstructing the view of traffic lights or signs, or is interfering with the proper lighting of a street or sidewalk and/or poses a threat to safety in any manner, as determined by the chief of police or his designee, and/or qualified engineer engaged by the city.

The city shall notify in writing the owner of any such public nuisance, requiring said owner to remove the public nuisance within a reasonable time as set forth in the notice. Upon the failure of the owner to comply with the terms of the notice, the city may cause the required removal to be done and the cost incurred by the city shall be assessed against the property owner.

Section 11. *Authority of the city arborist.*

11.1 *Rules:* The city arborist shall have the authority and the power to enforce rules and regulations approved by the city council and specifications concerning the trimming, spraying, removal, planting, pruning, maintenance and protection of trees, shrubs, vines, hedges and other plants on any public property within the city.

11.2 *Master plan:* The city arborist shall recommend rules, regulations and a master street tree plan to be adopted by the city council and which the city council may amend or add thereto from time to time as circumstances make it advisable to do so. Such plan shall specify by species and other particulars the types, placement and spacing of trees to be planted on the streets and other public property of the city. On and after the date of adoption by the city of the master street tree plan, all planting shall conform thereto.

(Ord. No. 00-12, §§ 1—11, 5-2-2000)

Editor's note— Ord. No. 00-12, §§ 1—11, adopted May 2, 2000, did not specifically amend the Code; hence, inclusion herein as § 5:24 was at the discretion of the editor.

Chapter 7 - FLOOD DAMAGE PREVENTION^[1]

Footnotes:

--- (1) ---

Cross reference— Planning and zoning commission, § 2-61 et seq.; buildings and building regulations, ch. 4; stormwater detention and drainage, ch. 15; water, ch. 18; zoning, app. A.

ARTICLE I. - IN GENERAL

Sec. 7-1. - Definitions.

Unless specifically defined below, words or phrases used in this chapter shall be interpreted so as to give them the meaning they have in common usage and to give this chapter its most reasonable application.

Addition (to an existing building) means any walled and roofed expansion to the perimeter of a building in which the addition is connected by a common load-bearing wall other than a fire wall. Any walled and roofed addition, which is connected by a fire wall or is separated by an independent perimeter load-bearing wall shall be considered new construction.

Appeal means a request for a review of the building inspector's or city engineer's interpretation of any provision of this chapter.

Area of shallow flooding means a designated AO or AH zone on a community's flood insurance rate map (FIRM) with base flood depths from one to three feet, and/or where a clearly defined channel does not exist, where the path of flooding is unpredictable and indeterminate, and where velocity flow may be evident.

Area of special flood hazard is the land in the floodplain within a community subject to a one percent or greater chance of flooding in any given year. In the absence of official designation by the Federal Emergency Management Agency, areas of special flood hazard shall be those designated by the local community and referenced in section 7-7.

Base flood means the flood having a one percent chance of being equaled or exceeded in any given year.

Basement means that portion of a building having its floor subgrade (below ground level) on all sides.

Building means any structure built for support, shelter, or enclosure for any occupancy or storage.

Development means any man-made change to improved or unimproved real estate, including, but not limited to, buildings or other structures, mining, dredging, filling, grading, paving, excavation, drilling operations, and permanent storage of equipment or materials.

Elevated building means a non-basement building built to have the lowest floor of the lowest enclosed area elevated above the ground level by means of fill, solid foundation perimeter walls, pilings, columns, piers, or shear walls adequately anchored so as not to impair the structural integrity of the building during a base flood event.

Existing Construction. Any structure for which the "start of construction" commenced before March 17, 1987.

Existing manufactured home park or subdivision means a manufactured home park or subdivision for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including at a minimum the installation of utilities, the construction of streets, and final site grading or the pouring of concrete pads) is completed before March 17, 1987.

Expansion to an existing manufactured home park or subdivision means the preparation of additional sites by the construction of facilities for servicing the lots on which the manufactured homes are to be affixed, including the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads.

Flood or Flooding means a general and temporary condition of partial or complete inundation of normally dry land areas from:

- (1) The overflow of inland or tidal waters; or
- (2) The unusual and rapid accumulation or runoff of surface waters from any source.

Flood hazard boundary map (FHBM) means an official map of a community, issued by the Federal Insurance Administration, where the boundaries of areas of special flood hazard have been defined as Zone A.

Flood insurance rate map (FIRM) means an official map of a community, issued by the Federal Insurance Administration, delineating the areas of special flood hazard and/or risk premium zones applicable to the community.

Flood insurance study means the official report by the Federal Insurance Administration evaluating flood hazards and containing flood profiles and water surface elevations of the base flood.

Floodplain means any land area susceptible to flooding.

Floodway (regulatory floodway) means the channel of a river or other watercourse and the adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than a designated height.

Functionally dependent facility means a facility which cannot be used for its intended purpose unless it is located or carried out in close proximity to water, such as a docking or port facility necessary for the loading and unloading of cargo or passengers, shipbuilding, or ship repair facilities. The term does not include long-term storage, manufacture, sales, or service facilities.

Highest adjacent grade means the highest natural elevation of the ground surface, prior to construction, adjacent to the proposed walls of a structure.

Historic structure means any structure that is:

- (1) Listed individually in the National Register of Historic Places (a listing maintained by the U.S. Department of Interior) or preliminarily determined by the secretary of the interior as meeting the requirements for individual listing on the national register;
- (2) Certified or preliminarily determined by the secretary of the interior as contributing to the historical significance of a registered historic district or a district preliminarily determined by the secretary to qualify as a registered historic district;
- (3) Individually listed on a state inventory of historic places and determined as eligible by states with historic preservation programs which have been approved by the secretary of the interior; or
- (4) Individually listed on a local inventory of historic places and determined as eligible by communities with historic preservation programs that have been certified either:
 - a. By an approved state program as determined by the secretary of the interior, or
 - b. Directly by the secretary of the interior in states without approved programs.

Levee means a man-made structure, usually an earthen embankment, designed and constructed in accordance with sound engineering practices to contain, control, or divert the flow of water so as to provide protection from temporary flooding.

Levee system means a flood protection system which consists of a levee, or levees, and associated structures, such as closure and drainage devices, which are constructed and operated in accordance with sound engineering practices.

Lowest floor means the lowest floor of the lowest enclosed area (including basement). An unfinished or flood resistant enclosure, used solely for parking of vehicles, building access, or storage, in an area other than a basement, is not considered a building's lowest floor, provided that such enclosure is not built so as to render the structure in violation of other provisions of this code.

Manufactured home means a building, transportable in one or more sections, built on a permanent chassis and designed to be used with or without a permanent foundation when connected to the required utilities. The term also includes park trailers, travel trailers, and similar transportable structures placed on a site for 180 consecutive days or longer and intended to be improved property.

Mean sea level means the average height of the sea for all stages of the tide. It is used as a reference for establishing various elevations within the floodplain. For purposes of this chapter, the term is synonymous with National Geodetic Vertical Datum (NGVD) of 1929 or other datum.

National Geodetic Vertical Datum (NGVD) as corrected in 1929 is a vertical control used as a reference for establishing varying elevations within the floodplain.

New construction means any structure (see definition) for which the start of construction commenced after March 17, 1987, and includes any subsequent improvements to such structures.

New manufactured home park or subdivision means a manufactured home park or subdivision for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including at a minimum, the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) is completed on or after March 17, 1987.

Repetitive Loss means flood-related damages sustained by a structure on two separate occasions during a ten-year period for which the cost of repairs at the time of each such flood event, on the average, equals or exceeds 25 percent of the market value of the structure before the damages occurred.

Recreational vehicle means a vehicle which is:

- (1) Built on a single chassis;
- (2) Four hundred square feet or less when measured at the largest horizontal projection;
- (3) Designed to be self-propelled or permanently towable by a light duty truck; and
- (4) Designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel, or seasonal use.

Remedy a violation means to bring the structure or other development into compliance with state or local flood plain management regulations, or, if this is not possible, to reduce the impacts of its noncompliance. Ways that impacts may be reduced include protecting the structure or other affected development from flood damages, implementing the enforcement provisions of the ordinance or otherwise deterring future similar violations, or reducing federal financial exposure with regard to the structure or other development.

Section 1316: No new flood insurance shall be provided for any property which the administrator finds has been declared by a duly constituted state or local zoning authority or other authorized public body, to be in violation of state or local laws, regulations or ordinances which are intended to discourage or otherwise restrict land development or occupancy in flood-prone areas.

Start of construction means the date the development permit was issued, provided the actual start of construction, repair, reconstruction, or improvement was within 180 days of the permit date. The actual start means the first placement of permanent construction of the structure such as the pouring of slabs or footings, installation of piles, construction of columns, or any work beyond the stage of excavation, and includes the placement of a manufactured home on a foundation. (Permanent construction does not include initial land preparation, such as clearing, grading and filling; nor does it include the installation of streets and/or walkways; nor does it include excavation for a basement, footings, piers or foundations or the erection of temporary forms; nor does it include the installation on the property of buildings appurtenant to the permitted structure, such as garages or sheds not occupied as dwelling units or part of the main structure. (Note: accessory structures are not exempt from any ordinance requirements) For a substantial improvement, the actual start of construction means the first alteration of any wall, ceiling,

floor, or other structural part of a building, whether or not that alteration affects the external dimensions of the building.

Structure means a walled and roofed building that is principally above ground, a manufactured home, a gas or liquid storage tank.

Substantial damage means damage of any origin sustained by a structure whereby the cost of restoring the structure to its before damaged condition would equal or exceed 50 percent of the market value of the structure before the damage occurred. Substantial damage also means flood related damages sustained by a structure on two separate occasions during a ten-year period for which the cost of repairs at the time of each such flood event, on the average, equals or exceeds 25 percent of the market value of the structure before the damages occurred.

Substantial improvement means any reconstruction, rehabilitation, addition, or other improvement of a structure, the cost of which equals or exceeds 50 percent of the market value of the structure before the "start of construction" of the improvement. This term includes structures which have incurred repetitive loss" or substantial damage, regardless of the actual repair work performed. The market value of the building should be (1) the appraised value of the structure prior to the start of the initial repair or improvement, or (2) in the case of damage, the value of the structure prior to the damage occurring. This term includes structures which have incurred "substantial damage", regardless of the actual amount of repair work performed.

For the purpose of this definition, "substantial improvement" is considered to occur when the first alteration of any wall, ceiling, floor, or other structural part of the building commences, whether or not that alteration affects the external dimensions of the building. The term does not, however, include either: (1) any project for improvement of a structure to correct existing violations of state or local health, sanitary, or safety code specifications which have been identified by the local code enforcement official and which are the minimum necessary to assure safe living conditions or; (2) any alteration of a "historic structure", provided that the alteration will not preclude the structure's continued designation as a "historic structure".

Substantially improved existing manufactured home parks or subdivisions is where the repair, reconstruction, rehabilitation or improvement of the streets, utilities and pads equals or exceeds 50 percent of the value of the streets, utilities and pads before the repair, reconstruction or improvement commenced.

Variance is a grant of relief from the requirements of this chapter which permits construction in a manner otherwise prohibited by this chapter.

Violation means the failure of a structure or other development to be fully compliant with the community's floodplain management regulations. A structure or other development without the elevation certificate, other certifications, or other evidence of compliance required in the Code of Federal Regulations (CFR) § 44, Sec. 60.3(b)(5), (c)(4), (c)(10), (d)(3), (e)(2), (e)(4), or (e)(5) and corresponding parts of this chapter is presumed to be in violation until such time as that documentation is provided.

(Ord. No. 99-2, Art. 6, 2-2-99; Ord. No. 2006-36, Art. 6, 9-19-06)

Sec. 7-2. - Statutory authorization.

The legislature of the state has in title 11, chapter 19, sections 1—24, chapter 45, sections 1—11, chapter 52, sections 1—84, and title 41, chapter 9, section 166 of the Code of Alabama, 1975, authorized local government units to adopt regulations designed to promote the public health, safety, and general welfare of its citizenry. Therefore, the city council does hereby ordain this chapter.

(Ord. No. 99-2, Art. 1, § A, 2-2-99; Ord. No. 2006-36, Art. 1, § A, 9-19-06)

Sec. 7-3. - Findings of fact.

- (a) The flood hazard areas of the city are subject to periodic inundation which results in loss of life and property, health and safety hazards, disruption of commerce and governmental services, extraordinary public expenditures for flood relief and protection, and impairment of the tax base, all of which adversely affect the public health, safety and general welfare.
- (b) These flood losses are caused by the occupancy in flood hazard areas of uses vulnerable to floods, which are inadequately elevated, flood-proofed, or otherwise unprotected from flood damages, and by the cumulative effect of obstructions in floodplains causing increases in flood heights and velocities.

(Ord. No. 99-2, Art. 1, § B, 2-2-99; Ord. No. 2006-36, Art. 1, § B, 9-19-06)

Sec. 7-4. - Statement of purpose.

It is the purpose of this chapter to promote the public health, safety and general welfare and to minimize public and private losses due to flood conditions in specific areas by provisions designed to:

- (1) Require that uses vulnerable to floods, including facilities which serve such uses, be protected against flood damage at the time of initial construction;
- (2) Restrict or prohibit uses which are dangerous to health, safety and property due to water or erosion hazards, or which increase flood heights, velocities, or erosion;
- (3) Control filling, grading, dredging and other development which may increase flood damage or erosion; and
- (4) Prevent or regulate the construction of flood barriers which will unnaturally divert floodwaters or which may increase flood hazards to other lands;
- (5) Control the alteration of natural floodplains, stream channels, and natural protective barriers which are involved in the accommodation of floodwaters.

(Ord. No. 99-2, Art. 1, § C, 2-2-99; Ord. No. 2006-36, Art. 1, § C, 9-19-06)

Sec. 7-5. - Objectives.

The objectives of this chapter are:

- (1) To protect human life and health;
- (2) To minimize damage to public facilities and utilities such as water and gas mains, electric, telephone and sewer lines, streets and bridges located in floodplains;
- (3) To help maintain a stable tax base by providing for the sound use and development of flood prone areas in such a manner as to minimize flood blight areas;
- (4) To minimize expenditure of public money for costly flood control projects;
- (5) To minimize the need for rescue and relief efforts associated with flooding and generally undertaken at the expense of the general public;
- (6) To minimize prolonged business interruptions; and
- (7) To insure that potential home buyers are notified that property is in a flood area.

(Ord. No. 99-2, Art. 1, § D, 2-2-99; Ord. No. 2006-36, Art. 1, § D, 9-19-06)

Sec. 7-6. - Lands to which this chapter applies.

This chapter shall apply to all areas of special flood hazard within the jurisdiction of the city.

(Ord. No. 99-2, Art. 2, § A, 2-2-99; Ord. No. 2006-36, Art. 2, § A, 9-19-06)

Sec. 7-7. - Basis for area of special flood hazard.

The areas of special flood hazard identified by the Federal Emergency Management Agency in its flood insurance study (FIS), dated September 29, 2006, with accompanying maps and other supporting data and any revision thereto, are adopted by reference and declared a part of this chapter. For those land areas acquired by a municipality through annexation, the current effective FIS and data for Jefferson County are hereby adopted by reference. Areas of special flood hazard may also include those areas known to have flooded historically or defined through standard engineering analysis by governmental agencies or private parties but not yet incorporated in a FIS.

(Ord. No. 99-2, Art. 2, § B, 2-2-99; Ord. No. 2006-36, Art. 2, § B, 9-19-06)

Sec. 7-8. - Establishment of development permit.

A development permit shall be required in conformance with the provisions of this chapter prior to the commencement of any development activities.

(Ord. No. 99-2, Art. 2, § C, 2-2-99; Ord. No. 2006-36, Art. 2, § C, 9-19-06)

Sec. 7-9. - Compliance.

No structure or land shall hereafter be located, extended, converted or altered without full compliance with the terms of this chapter and other applicable regulations.

(Ord. No. 99-2, Art. 2, § D, 2-2-99; Ord. No. 2006-36, Art. 2, § D, 9-19-06)

Sec. 7-10. - Abrogation and greater restrictions.

This chapter is not intended to repeal, abrogate, or impair any existing ordinance, easements, covenants, or deed restrictions. However, where this chapter and another conflict or overlap, whichever imposes the more stringent restrictions shall prevail.

(Ord. No. 99-2, Art. 2, § E, 2-2-99; Ord. No. 2006-36, Art. 2, § E, 9-19-06)

Sec. 7-11. - Interpretation.

In the interpretation and application of this chapter all provisions shall be: (1) considered as minimum requirements; (2) liberally construed in favor of the governing body, and; (3) deemed neither to limit nor repeal any other powers granted under state statutes.

(Ord. No. 99-2, Art. 2, § A, 2-2-99; Ord. No. 2006-36, Art. 2, § F, 9-19-06)

Sec. 7-12. - Warning and disclaimer of liability.

The degree of flood protection required by this chapter is considered reasonable for regulatory purposes and is based on scientific and engineering considerations. Larger floods can and will occur; flood heights may be increased by man-made or natural causes. This chapter does not imply that land outside the areas of special flood hazard or uses permitted within such areas will be free from flooding or flood damages. This chapter shall not create liability on the part of the city or by any officer or employee

thereof for any flood damages that result from reliance on this chapter or any administrative decision lawfully made thereunder.

(Ord. No. 99-2, Art. 2, § G, 2-2-99; Ord. No. 2006-36, Art. 2, § G, 9-19-06)

Sec. 7-13. - Penalties for violation.

Violation of the provisions of this chapter or failure to comply with any of its requirements, including violation of conditions and safeguards established in connection with grants of variance or special exceptions shall constitute a misdemeanor. Any person who violates this chapter or fails to comply with any of its requirements shall, upon conviction thereof, be fined not more than \$500.00 or imprisoned for not more than 30 days, or both, and in addition, shall pay all costs and expenses involved in the case. Each day such violation continues shall be considered a separate offense. Nothing herein contained shall prevent the city from taking such other lawful actions as is necessary to prevent or remedy any violation.

(Ord. No. 99-2, Art. 2, § H, 2-2-99; Ord. No. 2006-36, Art. 2, § H, 9-19-06)

Secs. 7-14—7-30. - Reserved.

ARTICLE II. - ADMINISTRATION

Sec. 7-31. - Designation of ordinance administrator.

The city engineer is hereby appointed to administer and implement the provisions of this chapter.

(Ord. No. 99-2, Art. 3, § A, 2-2-99; Ord. No. 2006-36, Art. 3, § A, 9-19-06)

Sec. 7-32. - Permit procedures.

Application for a development permit shall be made to the city engineer (floodplain administrator) on forms furnished by the community prior to any development activities, and may include, but not be limited to the following: plans in duplicate drawn to scale showing the elevations of the area in question and the nature, location, dimensions, of existing or proposed structures, earthen fill placement, storage of materials or equipment, and drainage facilities.

Specifically, the following information is required:

(1) *Application stage.*

- a. Elevation in relation to mean sea level (or highest adjacent grade) of the regulatory lowest floor level, including basement, of all proposed structures;
- b. Elevation in relation to mean sea level to which any nonresidential structure will be flood-proofed;
- c. Design certification from a registered professional engineer or architect that any proposed nonresidential flood-proofed structure will meet the flood-proofing criteria of sections 7-52(2) and 7-53(2);
- d. Description of the extent to which any watercourse will be altered or relocated as a result of a proposed development, and;

(2) *Construction stage.* For all new construction and substantial improvements, the permit holder shall provide to the administrator an as-built certification of the regulatory floor elevation or flood-proofing level using appropriate FEMA elevation or flood-proofing certificate immediately after the lowest floor or flood-proofing is completed. When flood-proofing is utilized for

nonresidential structures, said certification shall be prepared by or under the direct supervision of a professional engineer or architect and certified by same.

Any work undertaken prior to submission of these certifications shall be at the permit holder's risk. The city engineer shall review the above referenced certification data submitted. Deficiencies detected by such review shall be corrected by the permit holder immediately and prior to further progressive work being allowed to proceed. Failure to submit certification or failure to make said corrections required hereby, shall be cause to issue a stop-work order for the project.

(Ord. No. 99-2, Art. 3, § B, 2-2-99; Ord. No. 2006-36, Art. 3, § B, 9-19-06)

Sec. 7-33. - Duties and responsibilities of the administrator.

Duties of the city engineer shall include, but shall not be limited to:

- (1) Review all development permits to assure that the permit requirements of this chapter have been satisfied;
- (2) Review proposed development to assure that all necessary permits have been received from governmental agencies from which approval is required by federal or state law, including section 404 of the Federal Water Pollution Control Act Amendments of 1972, 33 U.S.C. 1334. Require that copies of such permits be provided and maintained on file.
- (3) When base flood elevation data or floodway data have not been provided in accordance with section 7-7, then the city engineer shall obtain, review and reasonably utilize any base flood elevation and floodway data available from a federal, state or other sources in order to administer the provisions of article III.
- (4) Verify and record the actual elevation in relation to mean sea level (or highest adjacent grade) of the regulatory floor level, including basement, of all new construction or substantially improved structures in accordance with section 7-32(2).
- (5) Verify and record the actual elevation, in relation to mean sea level to which any new or substantially improved structures have been flood-proofed, in accordance with sections 7-52(2) and 7-53(2).
- (6) When flood-proofing is utilized for a structure, the city engineer shall obtain certification of design criteria from a registered professional engineer or architect in accordance with section 7-32(1)c. and section 7-52(2) or section 7-53(2).
- (7) Notify adjacent communities and the state department of natural resources prior to any alteration or relocation of a watercourse and submit evidence of such notification to the Federal Emergency Management Agency (FEMA), and the state department of economic and community affairs/office of water resources/NFIP state coordinator's office.
- (8) For any altered or relocated watercourse, submit engineering data/analysis within six months to the FEMA and state to ensure accuracy of community flood maps through the letter of map revision process. Assure flood carrying capacity of any altered or relocated watercourse is maintained.
- (9) Where interpretation is needed as to the exact location of boundaries of the areas of special flood hazard (for example, where there appears to be a conflict between a mapped boundary and actual field conditions) the floodplain administrator shall make the necessary interpretation. Any person contesting the location of the boundary shall be given a reasonable opportunity to appeal the interpretation as provided in this chapter.
- (10) All records pertaining to the provisions of this chapter shall be maintained in the office of the floodplain administrator and shall be open for public inspection.

(Ord. No. 99-2, Art. 3, § C, 2-2-99; Ord. No. 2006-36, Art. 3, § C, 9-19-06)

Sec. 7-34. - Variance procedures.

- (a) The board of zoning adjustments, as established by the city council shall hear and decide requests for appeals or variance from the requirements of this chapter.
- (b) The board shall hear and decide appeals when it is alleged an error in any requirement, decision, or determination is made by the building inspector or city engineer in the enforcement or administration of this chapter.
- (c) Any person aggrieved by the decision of the board of zoning adjustments may appeal such decision to the circuit court or court of like jurisdiction, as provided in 11-52-81 of the Code of Alabama.
- (d) Variances may be issued for the repair or rehabilitation of historic structures upon a determination that the proposed repair or rehabilitation will not preclude the structure's continued designation as an historic structure and the variance is the minimum to preserve the historic character and design of the structure.
- (e) Variances may be issued for development necessary for the conduct of a functionally dependent use, provided the criteria of this article are met, no reasonable alternative exists, and the development is protected by methods that minimize flood damage during the base flood and create no additional threats to public safety.
- (f) Variances shall not be issued within any designated floodway if any increase in flood levels during the base flood discharge would result.
- (g) In reviewing such requests, the board of zoning adjustments shall consider all technical evaluations, relevant factors, and all standards specified in this and other sections of this chapter.
- (h) Conditions for variances:
 - (1) A variance shall be issued only when there is:
 - a. A finding of good and sufficient cause;
 - b. A determination that failure to grant the variance would result in exceptional hardship; and
 - c. A determination that the granting of a variance will not result in increased flood heights, additional threats to public safety, extraordinary public expense, create nuisance, cause fraud on or victimization of the public, or conflict with existing local laws or ordinances.
 - (2) The provisions of this chapter are minimum standards for flood loss reduction, therefore any deviation from the standards must be weighed carefully. Variances shall only be issued upon a determination that the variance is the minimum necessary, considering the flood hazard, to afford relief; and, in the instance of an historic structure, a determination that the variance is the minimum necessary so as not to destroy the historic character and design of the building.
 - (3) Any applicant to whom a variance is granted shall be given written notice specifying the difference between the base flood elevation and the elevation of the proposed lowest floor and stating that the cost of flood insurance will be commensurate with the increased risk to life and property resulting from the reduced lowest floor elevation.
 - (4) The city engineer shall maintain the records of all appeal actions and report any variances to the Federal Emergency Management Agency and the state department of economic and community affairs/office of water resources upon request.
- (i) Upon consideration of the factors listed above and the purposes of this chapter, the board of zoning adjustments may attach such conditions to the granting of variances as it deems necessary to further the purposes of this chapter.

(Ord. No. 99-2, Art. 5, 2-2-99; Ord. No. 2006-36, Art. 5, 9-19-06)

Secs. 7-35—7-50. - Reserved.

ARTICLE III. - PROVISIONS FOR FLOOD HAZARD REDUCTION

Sec. 7-51. - General standards.

In all areas of special flood hazard the following provisions are required:

- (1) New construction and substantial improvements of existing structures shall be anchored to prevent flotation, collapse or lateral movement of the structure;
- (2) New construction and substantial improvements of existing structures shall be constructed with materials and utility equipment resistant to flood damage;
- (3) New construction and substantial improvements of existing structures shall be constructed by methods and practices that minimize flood damage;
- (4) Elevated buildings. All new construction or substantial improvements of existing structures that include any fully enclosed area located below the lowest floor formed by foundation and other exterior walls shall be designed so as to be an unfinished or flood-resistant enclosure. The enclosure shall be designed to equalize hydrostatic flood forces on exterior walls by allowing for the automatic entry and exit of floodwaters.
 - a. Designs for complying with this requirement must either be certified by a professional engineer or architect or meet the following minimum criteria:
 1. Provide a minimum of two openings having a total net area of not less than one square inch for every square foot of enclosed area subject to flooding;
 2. The bottom of all openings shall be no higher than one foot above grade; and,
 3. Openings may be equipped with screens, louvers, valves or other coverings or devices provided they permit the automatic flow of floodwater in both directions.
 - b. So as not to violate the "lowest floor" criteria of this chapter, the unfinished or flood resistant enclosure shall only be used for parking of vehicles, limited storage of maintenance equipment used in connection with the premises, or entry to the elevated area; and,
 - c. The interior portion of such enclosed area shall not be partitioned or finished into separate rooms.
- (5) All heating and air conditioning equipment and components, all electrical, ventilation, plumbing, and other service facilities shall be designed and/or located so as to prevent water from entering or accumulating within the components during conditions of flooding.
- (6) Manufactured homes shall be anchored to prevent flotation, collapse, or lateral movement. Methods of anchoring may include, but are not limited to, use of over-the-top or frame ties to ground anchors. This standard shall be in addition to and consistent with applicable state requirements for resisting wind forces.
- (7) New and replacement water supply systems shall be designed to minimize or eliminate infiltration of floodwaters into the system;
- (8) New and replacement sanitary sewage systems shall be designed to minimize or eliminate infiltration of floodwaters into the systems and discharges from the systems into floodwaters;
- (9) On-site waste disposal systems shall be located and constructed to avoid impairment to them or contamination from them during flooding, and;
- (10) Any alteration, repair, reconstruction or improvement to a structure which is not compliant with the provisions of this chapter, shall be undertaken only if the nonconformity is not furthered, extended or replaced.

(Ord. No. 99-2, Art. 4, § B, 2-2-99; Ord. No. 2006-36, Art. 4, § A, 9-19-06)

Sec. 7-52. - Specific standards.

In all areas of special flood hazard designated as A1-30, AE, AH, A (with estimated BFE), the following provisions are required:

- (1) *New construction and substantial improvements.* Where base flood elevation data are available, new construction or substantial improvement of any structure or manufactured home shall have the lowest floor, including basement, elevated no lower than one foot above the base flood elevation. Should solid foundation perimeter walls be used to elevate a structure, openings sufficient to facilitate the unimpeded movements of floodwaters shall be provided in accordance with standards of section 7-51(4), Elevated Buildings.
- (2) *Nonresidential construction.* New construction or the substantial improvement of any nonresidential structure located in A1-30, AE, or AH zones, may be flood-proofed in lieu of elevation. The structure, together with attendant utility and sanitary facilities, must be designed to be water tight to one foot above the base flood elevation, with walls substantially impermeable to the passage of water, and structural components having the capability of resisting hydrostatic and hydrodynamic loads and the effect of buoyancy. A registered professional engineer or architect shall certify that the design and methods of construction are in accordance with accepted standards of practice for meeting the provisions above, and shall provide such certification to the official as set forth above and in section 7-33(6).
- (3) *Standards for manufactured homes and recreational vehicles.* Where base flood elevation data are available:
 - a. All manufactured homes placed or substantially improved on: (i) individual lots or parcels, (ii) in new or substantially improved manufactured home parks or subdivisions, (iii) in expansions to existing manufactured home park or subdivisions, or (iv) on a site in an existing manufactured home park or subdivision where a manufactured home has incurred substantial damage as the result of a flood, must have the lowest floor including basement elevated no lower than one foot above the base flood elevation.
 - b. Manufactured homes placed or substantially improved in an existing manufactured home park or subdivision may be elevated so that either:
 1. The lowest floor of the manufactured home is elevated no lower than one foot above the level of the base flood elevation, or
 2. Where no base flood elevation exists, the manufactured home chassis and supporting equipment is supported by reinforced piers or other foundation elements of at least equivalent strength and is elevated to a maximum of 60 inches (five feet).
 - c. All manufactured homes must be securely anchored to an adequately anchored foundation system to resist flotation, collapse and lateral movement. (Refer: section 7-51)
 - d. All recreational vehicles placed on sites must either:
 1. Be on the site for fewer than 180 consecutive days, fully licensed and ready for highway use if it is licensed, on its wheels or jacking system, attached to the site only by quick disconnect type utilities and security devices, and has no permanently attached structures or additions; or
 2. The recreational vehicle must meet all the requirements for new construction, including the anchoring and elevation requirements of subsection (3)a—c, above.

(Ord. No. 99-2, Art. 4, § B, 2-2-99; Ord. No. 2006-36, Art. 4, § B, 9-19-06)

Sec. 7-53. - Building standards for streams without established base flood elevations and/or floodway (A Zones).

Located within the areas of special flood hazard established in section 7-7, where streams exist but no base flood data have been provided (A zones), the following provisions apply:

- (1) When base flood elevation data or floodway data have not been provided in accordance with section 7-7, then the city engineer shall obtain, review, and reasonably utilize any scientific or historic base flood elevation and floodway data available from a federal, state, or other source, in order to administer the provisions of article III. Only if data are not available from these sources, then the following provisions (2) and (3) shall apply:
- (2) No encroachments, including structures or fill material, shall be located within an area equal to the width of the stream or 25 feet, whichever is greater, measured from the top of the stream bank, unless certification by a registered professional engineer is provided demonstrating that such encroachment shall not result in any increase in flood levels during the occurrence of the base flood discharge.
- (3) All development in zone A must meet the requirements of section 7-51 and section 7-52(1)—(3).
- (4) In special flood hazard areas without base flood elevation data, new construction and substantial improvements of existing structures shall have the lowest floor of the lowest enclosed area (including basement) elevated no less than three feet above the highest adjacent grade at the building site. Also, in the absence of a base flood elevation, a manufactured home must also meet the elevation requirements of section 7-52(3)b.2 in that the structure must be elevated to a maximum of 60 inches (five feet). Openings sufficient to facilitate the unimpeded movements of floodwaters shall be provided in accordance with standards of section 7-51(4), Elevated Buildings.

The city engineer shall certify the lowest floor elevation level and the record shall become a permanent part of the permit file.

(Ord. No. 99-2, Art. 4, § C, 2-2-99; Ord. No. 2006-36, Art. 4, § D, 9-19-06)

Sec. 7-54. - Standards for areas of shallow flooding (AO zones).

Areas of special flood hazard established in section 7-7, may include designated "AO" shallow flooding areas. These areas have base flood depths of one to three feet above ground, with no clearly defined channel. The following provisions apply:

- (1) All new construction and substantial improvements of residential and nonresidential structures shall have the lowest floor, including basement, elevated to the flood depth number specified on the flood insurance rate map (FIRM) above the highest adjacent grade. If no flood depth number is specified, the lowest floor, including basement, shall be elevated at least two feet above the highest adjacent grade. Openings sufficient to facilitate the unimpeded movements of floodwaters shall be provided in accordance with standards of section 7-51(4), Elevated Buildings.

The city engineer shall certify the lowest floor elevation level and the record shall become a permanent part of the permit file.

- (2) New construction or the substantial improvement of a nonresidential structure may be flood-proofed in lieu of elevation. The structure, together with attendant utility and sanitary facilities, must be designed to be water tight to the specified FIRM flood level or two feet (if no map elevation is listed), above highest adjacent grade, with walls substantially impermeable to the passage of water, and structural components having the capability of resisting hydrostatic and hydrodynamic loads and the effect of buoyancy. A registered professional engineer or architect

shall certify that the design and methods of construction are in accordance with accepted standards of practice for meeting the provisions above, and shall provide such certification to the official as set forth above and as required in subsections 7-32(1)c. and (2).

- (3) Drainage paths shall be provided to guide floodwater around and away from any proposed structure.

(Ord. No. 99-2, Art. 4, § D, 2-2-99; Ord. No. 2006-36, Art. 4, § E, 9-19-06)

Sec. 7-55. - Floodways.

Located within areas of special flood hazard established in section 7-7, are areas designated as floodway. A floodway may be an extremely hazardous area due to velocity floodwaters, debris or erosion potential. In addition, the area must remain free of encroachment in order to allow for the discharge of the base flood without increased flood heights. Therefore, the following provisions shall apply:

- (1) The community shall select and adopt a regulatory floodway based on the principle that the area chosen for the regulatory floodway must be designed to carry the waters of the base flood, without increasing the water surface elevation of that flood more than one foot at any point;
- (2) Encroachments are prohibited, including fill, new construction, substantial improvements or other development within the adopted regulatory floodway. Development may be permitted however, provided it is demonstrated through hydrologic and hydraulic analyses performed in accordance with standard engineering practice that the encroachment shall not result in any increase in flood levels or floodway widths during a base flood discharge. A registered professional engineer must provide supporting technical data and certification thereof;
- (3) Require, until a regulatory floodway is designated, that no new construction, substantial improvements, or other development (including fill) shall be permitted within zones A1-30 and AE on the community's FIRM, unless it is demonstrated that the cumulative effect of the proposed development, when combined with all other existing and anticipated development, will not increase the water surface elevation of the base flood more than one foot at any point within the community.
- (4) Only if subsection (2) or (3) above are satisfied, then any new construction or substantial improvement shall comply with all other applicable flood hazard reduction provisions of article III.

(Ord. No. 99-2, Art. 4, § E, 2-2-99; Ord. No. 2006-36, Art. 4, § C, 9-19-06)

Editor's note— Prior to the enactment of Ord. No. 2006-36, adopted Sept. 21, 2006, § 7-55 pertained to coastal high hazard areas (V zones).

Sec. 7-56. - Standards for subdivisions.

- (a) All subdivision proposals shall be consistent with the need to minimize flood damage;
- (b) All subdivision proposals shall have public utilities and facilities such as sewer, gas, electrical and water systems located and constructed to minimize flood damage;
- (c) All subdivision proposals shall have adequate drainage provided to reduce exposure to flood hazards, and;
- (d) Base flood elevation data shall be provided for subdivision proposals and all other proposed development, including manufactured home parks and subdivisions, greater than 50 lots or five acres, whichever is the lesser.

(Ord. No. 99-2, Art. 4, § F, 2-2-99; Ord. No. 2006-36, Art. 4, § F, 9-19-06)

Chapter 7.5 - GARBAGE, REFUSE AND TRASH^[1]

Footnotes:

--- (1) ---

Editor's note— Ord. No. 2004-02, §§ 1—16, adopted Jan. 6, 2004, repealed Ch. 7.5, §§ 7.5-1—7.5-16, in its entirety and enacted a new Ch. 7.5, §§ 7.5-1—7.5-16 to read as set out herein. Former Ch. 7.5 pertained to similar material and derived from Ord. No. 2000-52, §§ 1, 2, adopted Aug. 15, 2000.

Sec. 7.5-1. - Definitions.

For the purposes of this article, the following words and phrases shall have the meanings respectively ascribed to them in this chapter:

Ashes. The residue from the burning of wood, coal, coke or other combustible materials.

Customer. Shall mean the occupant and/or the owner of the premises.

Debris. Shall mean materials not categorized as trash or garbage.

Garbage. Shall mean and include all waste and discarded foods, animal and vegetable matter and all other putrescible waste matter, including food containers, drink containers, food cans and food packaging materials, but not including liquid waste or body waste.

Garbage container. Shall mean and include a receptacle or can having a capacity of not more than 32 gallons of substantial metal or weather resistant plastic construction, with cans having a tight fitting lid or cover, with not less than one handle on the lid of cover and two handles on the side of the receptacle which can be conveniently lifted or moved. The total weight of the container and contents shall not exceed 60 pounds.

Premises. Any residential unit, dwelling, flat, rooming house, apartment house, townhouse, condominium, hospital, school, hotel, club, restaurant, boarding house, eating place, shop, place of business, commercial establishment, manufacturing establishment, courthouse, jail, city hall, post office or other public building.

Posting of notice. Placing a notice of any violation on an entrance or exit of the premises.

Producers. Shall mean any occupant, owner, lessee or other party packaging or setting material in rights-of-way for pick-up.

Route. The particular streets, alleys and right of ways, scheduled by the city for garbage pick-up on particular days of each week.

Sanitation department. The sanitation department of the City of Irondale, Alabama.

Trash. Nonputrescible solid wastes consisting of both combustible and noncombustible wastes, such as paper, cardboard, tin cans, yard clippings, grass cuttings, leaves, tree limbs, wood, glass, bedding, crockery, metals and other nonputrescible solid waste substances not included in the definition of "garbage" as it appears in this chapter.

(Ord. No. 2004-02, § 1, 1-6-04; Ord. No. 2008-46, § 1, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-2. - Collection by the city (generally).

To the extent prescribed in this chapter, trash and garbage accumulated within the corporate boundaries of the city shall be collected, conveyed and disposed of by the sanitation department of the

city under the supervision of the director of public works, who is responsible for enforcement of this chapter.

(Ord. No. 2008-46, § 2, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-3. - Categories not to be collected.

The following categories of trash, debris and garbage will not be collected, conveyed or disposed of by the city. The actual producers thereof, i.e. owners, lessees, occupants and other parties entering on the premises on which such trash, debris and garbage is accumulated, shall be responsible for collecting, conveying and disposing of such trash, debris and garbage in accordance with the provisions of subsection 7.5-8(3):

- (1) Dangerous materials and substances such as poisons, acids, caustics, infected materials, hot ashes, highly inflammable materials and explosives, including but not limited to paint cans (unless empty and open or filled with sand or dirt), lead plate batteries, and any and all material considered hazardous waste by the state department of environmental management;
- (2) Rocks, dirt, earth;
- (3) Rubber, rubber products (i.e. tires), roofing and similar materials;
- (4) Any debris, trash or other materials resulting from demolition, repair, excavation or construction of buildings or structures by contractor, or from work performed by persons in landscaping, tree service, plumbing, heating and cooling and other like businesses, or from a resident performing job and serving as contractor. It shall be the responsibility of the owner to cause this waste to be removed. This subsection does not, however, prohibit a resident from performing minor landscaping work on the resident's property and disposing of the resulting debris in conformance with the terms of this chapter;
- (5) Solid wastes resulting from industrial or commercial processes;
- (6) [Intentionally omitted]
- (7) Trash, debris and garbage not prepared for collection by the city in accordance with the provisions of this chapter;
- (8) Dog and cat litter and the clean-up from animal pens;
- (9) [Intentionally omitted]
- (10) Leaves, grass and cuttings not in a plastic bag or in a container or not placed in the collection service area as defined in section 7.5-4(2) below.

The deposit of any of the foregoing categories of trash, debris and materials in containers or on the street, alley or collection service area as defined in section 7.5-4(2) below for collection shall be deemed a violation of this chapter.

(Ord. No. 2004-02, § 3, 1-6-04; Ord. No. 2005-63, 10-4-05; Ord. No. 2008-46, § 3, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-4. - Service and service requirements.

Service will be provided by the city and the trash and garbage shall be prepared for collection by the residents of the city in the following manner.

- (1) Collection of garbage will be made once weekly. The city shall strive to collect trash and debris on a routine basis. In the event the collection date is a legal holiday or the collection is delayed as a result of circumstances beyond the control of the sanitation department, the collection shall be rescheduled and residents will be notified of an alternate date. Exceptions to this section

may be made in the event of natural disasters or a state of emergency, in the discretion of the mayor.

- (2) Garbage must be stored in a garbage container as herein defined. Use of plastic liner bags or the placement of garbage in plastic trash or garbage bags in the garbage containers is required. Loose garbage placed in containers without being contained in bags will not be collected. Garbage will not be collected from containers which do not meet the city standards. Garbage cans to be emptied, as herein provided, must be outside of basements, garages and other similar enclosed areas, located no further than three feet from the street or alley of the collection route, must be visible and accessible from the public street, private street or alley constituting a part of the route of the city's garbage pickup service, and must not impede or otherwise interfere with any use of the right-of-way. The area which meets all requirements in the preceding sentence shall be referred to in this chapter as the "collection service area". No garbage or garbage container shall be left for more than 24 hours at the collection location after being serviced. It shall be a violation of this chapter for any garbage containers to remain permanently on or at the collection service area. Any owner, occupant, lessee, firm, corporation partnership or other entity who is found to have violated this section of this chapter shall, upon conviction, be punished in accordance with section 1-10 of this Code as adopted on November 10, 1990, or as it may be hereafter amended. Punishment under this section shall be in addition to all other remedies as herein set out and/or contained in any other ordinance.
- (3) No more than three garbage containers, as defined in section 7.5-1, will be removed.
- (4) Logs not exceeding six feet in length and ten inches in diameter will be collected subject to equipment limitations and section 7.5-3.
- (5) Trash, leaves, limbs, bushes, etc. should be placed in the collection service area as herein required. They shall not be placed on the street or in gutters.
- (6) Garbage should be set out by 6:30 a.m. on the morning of scheduled garbage collection service.
- (7) Leaves, grass and cuttings should be placed in a covered container or plastic bag properly secured and placed in the collection service area. Leaves or grass not in a container or plastic bag properly secured will not be picked up. In no instance shall leaves, limbs or vines be placed on the street, over stormwater drains or in gutters. Limbs and vines must be also placed in the collection service area.
- (8) Any dog which harasses city employees in any way must be leashed, chained or locked in a resident's garage or basement, fenced area or kept inside the residence or building on the scheduled days of collection service. Where dogs are kept fenced in, garbage cans must be kept outside the fenced area.
- (9) Garbage, tin cans and other receptacles which have contained food shall, after being drained free of all liquid, be deposited in garbage containers and shall, unless otherwise authorized or directed by the director of public works, be kept in an area not visible from the street until collection day.
- (10) Ashes (including fireplace ashes) shall, after all embers have expired, be deposited in appropriate closed containers, separate and apart from garbage, debris and trash and placed in the collection service area. Such containers shall be fireproof, watertight and equipped with handles adequate to facilitate collection and shall have a capacity of not more than 32 gallons. The total weight of the container and contents shall not exceed 60 pounds.
- (11) Trash (exclusive of leaves, limbs and brush, which must be handled as provided in subsection (5) or (7) above) shall be deposited in trash containers or plastic bags and apart from garbage and ashes. Such containers shall be left for collection in the collection service area. No trash shall be placed in the same container or receptacle with garbage in any amount. Any broken glass or pottery must be placed in a trash container or receptacle and placed for collection as hereinabove provided.

- (12) Trash, debris and garbage not prepared for collection in accordance with the foregoing provisions of this section shall not be collected by the city. Where the failure to comply with such provisions arises by virtue of the failure to properly bag or prepare material for pickup or the use of defective containers, such as containers which leak or which have ragged or sharp edges or other defects, which could hamper or injure city employees and/or other persons engaged in collecting the contents thereof, the owners of such containers or the persons utilizing such containers shall be given 48 hours after notice to correct such defect before such owners or other persons shall be deemed guilty of a violation of this chapter. Notice will be given by placing a tag marked "condemned" on the defective container. The placing of said tag shall be considered properly posted notice of a violation. A garbage container that has been deemed defective or condemned will no longer be serviced by the city. A defective or condemned container placed at curbside or at the collection service area will be picked up by the city only upon the owner's checking of the appropriate box and signing of the condemned tag.

(Ord. No. 2004-02, § 4, 1-6-04; Ord. No. 2005-63, 10-4-05; Ord. No. 2008-46, § 4, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-5. - Powers of public works director.

The public works director or his designated representative shall have authority to implement and enforce the provisions of this chapter.

(Ord. No. 2004-02, § 5, 1-6-04; Ord. No. 2008-46, § 5, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-6. - Dead animals.

Dead animals of less than 75 pounds in weight shall be collected without charge upon request made to the sanitation department or the police department of the city. Such animals must be deposited in appropriate closed containers or plastic bags, separate and apart from other garbage, debris and trash and placed in the collection service area.

It is hereby declared a nuisance and health hazard and in violation of this chapter for a dead animal, regardless of size, to remain undisposed of on any premises within the city for a period of longer than 24 hours duration.

(Ord. No. 2004-02, § 6, 1-6-04; Ord. No. 2008-46, § 6, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-7. - Commercial property and institutions.

Garbage generated by businesses, churches, schools and other private institutions unless excluded herein shall be collected by the city or its representative and disposed of in accordance with health department requirements. Collection shall be on a rotating schedule to provide at least once weekly service to all commercial property. Businesses generating food waste shall utilize a containerized collection system. Businesses generating garbage in excess of eight 32-gallon containers or receptacles per week on a regular basis shall utilize a containerized collection system. All other businesses and institutions shall deposit garbage in garbage containers sufficient to confine all garbage. No loose debris will be collected. Collectors are prohibited from entering any building to make collection. Collections shall be made at the front or rear of all premises or in accordance with this chapter, any other city ordinance or other regulation which takes precedence.

(Ord. No. 2004-02, § 7, 1-6-04; Ord. No. 2008-46, § 7, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-8. - Owner or occupant's duties (generally).

No owner, lessee or other occupant of any premises located within the city shall permit or suffer any trash, garbage or debris to accumulate on such premises. Such accumulation is hereby declared to be a "nuisance" and is prohibited.

Such owner, lessee or other occupant or person shall jointly and severally be responsible for each of the following:

- (1) Providing garbage and trash containers in sufficient size and number, of appropriate design and construction, except as provided in subsection 7.5-4(5) or (7), to accommodate and keep in a safe and sanitary manner all trash and garbage accumulated on such premises between times of collection. Such containers shall be durable, rust resistant, watertight, nonabsorbent construction, equipped with a close fitting cover or lid as hereinabove provided and, if used for storage of ashes, shall be fireproof.
- (2) Depositing into such containers all trash and garbage, except as provided in subsections 7.5-4(5) and (7), from such premises promptly as it accumulates; for keeping such containers in a clean, neat and sanitary condition at all times, which includes tightly securing the lids or covers thereon at all times other than when trash or garbage is being deposited therein or being removed therefrom in accordance with the terms of this chapter; and for generally maintaining the premises in a sanitary condition at all times, which included preventing the access of flies, rodents and animals to such trash and garbage and preventing the soiling of the ground or surface upon which such garbage or waste containers stand.
- (3) Having such trash and garbage not collectible by the city promptly collected, conveyed and disposed of in a manner approved by the county department of health and at the same frequency as the collection service of the city.
- (4) Having such trash and garbage as is collectible by the city prepared for collection in accordance with the provisions of this chapter.

(Ord. No. 2004-02, § 8, 1-6-04; Ord. No. 2008-46, § 8, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-9. - Multiple-family dwellings or buildings and mobile home parks.

The owners, tenants and other occupants of any premises located within the city which is used for business purposes, mobile home parks, or multiple family dwellings shall jointly and severally be responsible for providing a storage area in which shall be kept the garbage containers and trash containers required by this chapter.

It shall be unlawful for any owner, tenant or other occupant of any such property or for any employee, servant, or agent of such person or entity to place or deposit any trash or garbage from such business operation in a trash basket or waste receptacle maintained by the city on the public streets or sidewalks or in any trash or garbage container other than ones located in such storage area.

(Ord. No. 2004-02, § 9, 1-6-04; Ord. No. 2008-46, § 9, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-10. - Unlawful to litter.

It shall be unlawful for any person to throw, cast or otherwise deposit or cause to be thrown, cast or otherwise deposited any paper, garbage, trash, debris, rubbish, containers (either glass, metal or paper) or any other substance of any kind in or upon any curb, gutter, sidewalk, street, avenue, highway, tunnel, sidewalk, park, parkway or lot, vacant or occupied.

It shall be unlawful for any person to sweep or deposit in the public streets, curblines, sidewalks or gutters any solid waste, grass cuttings, limbs, leaves, bushes or any other material or article that would tend to impede the flow of water in the gutters or along the streets or sidewalks or that would tend to clog the storm drainage system or be an obstruction to traffic or pedestrians.

(Ord. No. 2004-02, § 10, 1-6-04; Ord. No. 2008-46, § 10, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-11. - Removal of garbage from garbage containers.

It shall be unlawful for any person to remove any garbage, rubbish, refuse or other like materials from any garbage container except his/her or its own, within the corporate limits of the city after it has been placed therein, except under the orders of an officer, agent or employee of the sanitation department or by some other person removing same for disposal or by any law enforcement agent or other person empowered by law.

(Ord. No. 2004-02, § 11, 1-6-04; Ord. No. 2008-46, § 11, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-12. - Illegal use of another's garbage container to avoid collection fee.

It shall be unlawful for any person or entity not subscribing to the collection service to place their garbage and or trash in a container belonging to another for the purpose of avoiding payment of collection fees. Any such action by any person or entity shall be prima facie evidence of such intent unless proven otherwise by substantial evidence.

(Ord. No. 2004-02, § 12, 1-6-04; Ord. No. 2008-46, § 12, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-13. - Removal of public trash receptacles.

It shall be unlawful for any person to remove or cause to be removed from any street, sidewalk, park or other municipal property in the city any receptacle furnished by or on behalf of the city for the deposit of trash. It shall be unlawful for any person to sit upon, deface, tamper with, mutilate or destroy any such receptacle or cause it to be used in any way which will make it inaccessible for the receipt of trash.

(Ord. No. 2004-02, § 13, 1-6-04; Ord. No. 2008-46, § 13, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-14. - Inspections by health officers; right of health officers to enter at reasonable times; resisting inspection.

Any health officer of the county, the director of public works or such other authorized inspector as may be designated by the director of public works shall, after identifying himself or herself to such persons as may then be present, have the authority to enter at reasonable times upon private property within the city for the purpose of inspecting and investigating such premises with respect to compliance with the terms of this chapter. It shall be unlawful for any person to resist or interfere with such inspection.

(Ord. No. 2004-02, § 14, 1-6-04; Ord. No. 2008-46, § 14, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-15. - Fees and penalties.

(a) *Garbage.*

- (1) Garbage collection, hauling and disposal service is conducted by the city's sanitation department, a division of the department of public works, and is hereinafter referred to as the "garbage collection service" or "collection service."
- (2) For the garbage collection service rendered during each 12-month period beginning on February 1 of each year, each business, institution or residential unit receiving service or eligible to receive service shall pay to the city a fee, unless said business, institution or

residential unit is subject to and compliant with the provisions of section 7.5-16. The total of said fees should approximate the cost to the city of said service and may be periodically determined and adjusted by the city council by amendatory ordinance.

- (3) Any garbage collection service fee shall be the responsibility and liability of the business, institution or residential owner and/or occupant last listed at each premises unless and until a proper discontinuation of service form is completed and received by the city sanitation department, or until such time as the business, institution or owner/occupant becomes subject to the provisions of section 7.5-16 and complies with the requirements set out therein.
- (b) *Trash.* There is no fee for trash and debris collection as long as such trash or debris is handled in a manner consistent with the requirements of this chapter. Improperly bagged or disposed of trash or debris in violation of this chapter shall, after the posting of one 48-hour notice, result in an assessment against the customer and the collection of a fee on the city's cost of removal of said trash and debris with a minimum of a \$100.00 charge.
- (c) *Multiple-family dwellings or buildings and mobile home parks of more than five units.* For the collection service to be rendered for each 12-month period beginning February 1 of each calendar year, unless amended, any person firm, corporation, institution or other entity owning investment property, rental property or mobile home parks consisting of more than five units within the city shall be responsible for all solid waste fees on each occupied unit or rental parcel. Each person, firm, corporation, institution or other entity in charge or control of each residential unit of a multi-family dwelling or apartment or mobile home park, where the city is furnishing such collection service, shall pay to the city a fee per occupied residential unit or mobile home site as follows:
 - If paid monthly \$ 20.00
 - If paid quarterly 60.00
 - If paid semi-annually 110.00
 - If paid annually 220.00
- (d) *Single-family dwelling units.* For the collection service to be rendered for each 12-month period beginning February 1 of each calendar year, unless amended, the persons occupying and in charge or control of each single-family dwelling unit and or/the owner of each single-family dwelling unit shall pay the city a fee per residential unit as follows:
 - If paid monthly \$ 20.00
 - If paid quarterly 60.00
 - If paid semi-annually 110.00
 - If paid annually 220.00
- (e) *Business or institution.* For the collection service rendered for each 12-month period beginning February 1 of each calendar year, unless amended, each business or institution receiving service shall pay the city a fee per unit as follows:
 - If paid monthly \$ 40.00
 - If paid quarterly 120.00
 - If paid semi-annually 220.00
 - If paid annually 440.00
- (f) *When increases apply for prepaid customers.* Any and all increases in garbage collection fees shall not apply for any period, whether that be quarterly, six-month or 12-month, which has been prepaid

by a customer. After the expiration of said quarter, six-month or 12-month prepayment period, any increase in garbage fees shall apply to the prepaying customer.

(g) *Billing procedures, late charges and delinquent accounts.*

- (1) All bills for collection service shall be rendered on behalf of the city by the city clerk and shall be due and payable in advance within ten days from the date rendered, provided that fees may be paid in installments as hereinabove provided, and provided further, that at the initiation of service, a person, firm, corporation, institution or other entity shall pay at a pro-rata rate for the 12-month period in which service for such person is begun. Upon request of a customer who no longer occupies a residential or business site where fees for collection service were paid, a pro-rata refund will be given for quarterly, semi-annual or annual fees paid in advance.
- (2)
 - a. Payments on bills where collection service is billed jointly with water service shall be first applied to outstanding collection service fees. A monthly late fee of \$7.50 shall then be applied to any outstanding charges for water service. This late fee shall be in addition to the late fee for water service charges as set out in section 18-14(b).
 - b. Where collection service only is billed, in the event payment is not made for the collection service within the time provided in paragraph (1) of this subsection, such payment shall be deemed delinquent and shall bear a late penalty of \$7.50 per month for each month until paid. Furthermore, any collection service only bill which remains unpaid for a period of 90 days or more shall bear interest at the rate of 1½ percent per month from the date of delinquency until all of the outstanding balance is paid in full.
 - c. All fees imposed by this subsection 7.5-15(g)(2) are in addition to all other penalties or remedies, civil or criminal, allowed by this chapter.
- (3) All payments for garbage collection, hauling and disposal service or any other payments made pursuant to the provisions of this chapter shall be made as directed on the bill for said service. Water and/or garbage payments may be paid online; however, said payments may only be made in full. No partial payments may be made online. The city shall have the right to proceed for the collection of delinquent garbage collection service fees, suspend services, or both, if garbage collection service fees are not paid within 30 days after the same shall come due and payable pursuant to Code of Ala. 1975, § 22-27-5. In the event delinquent charges and fees are referred to an attorney for collection, the occupant shall pay all costs of collection including a reasonable attorney's fee, special process server fee (as a part of collection) and court costs if a court action is filed.
- (4) In the event an account becomes delinquent and unpaid for a period of 90 days, any subsequent payment shall be applied in the following order: First, to the costs of collection, including, but not limited to, attorney's fees, special process server fees, and court costs; second, to any and all late charges and outstanding interest as calculated hereinabove; third, to the outstanding delinquent balance; and fourth, to the current charges due, if any.
- (5) Any person, firm, corporation, partnership or other entity, who is found to have violated any provision or section of this chapter shall, upon conviction, be punished with a fine of not less than \$50.00 nor more than \$200.00 for each day that the amount remains unpaid, in accordance with Code of Ala. § 22-27-7, as it may be hereafter amended. Punishment under this section shall be in addition to all other remedies as herein set out in section 7.5-15.
- (6) In addition to all other penalties or remedies contained in this section 7.5-15(g), the city may publish the names and account balances of delinquent garbage customers. However, personal information shall not be published.

(Ord. No. 2004-02, § 15, 1-6-04; Ord. No. 2008-46, § 15, 8-7-08; Ord. No. 2010-26, 7-6-10; Ord. No. 2010-34, §§ 1, 2, 8-17-10; Ord. No. 2010-40, 10-8-10; Ord. No. 2010-50, 11-16-10; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-16. - Mandatory service requirement exemptions.

- (a) A person, household, business, industry or any property owner may store, haul and dispose of his or her own solid wastes on his or her land or otherwise, provided such storage, haulage or disposal is accomplished pursuant to an exemption or certificate of exception granted by either the county department of health or the Alabama Department of Environmental Management, pursuant to Code of Alabama § 22-27-3(a)(3) or § 22-27-3(g).
- (b) No exception, exception fee, or any other review, approval or payment shall be required of any generator for the collection, handling or disposal of its own solid waste using facilities or equipment owned by the generator, its corporate parent, affiliate or subsidiary and duly permitted for such use by the state department of environmental management or its successor in function, in compliance with Code of Alabama § 22-27-3(g) (2).
- (c) Additionally, any household (1) whose sole source of income is social security benefits, or (2) whose head of household is 65 years of age or older and the combined income of all adult residents of said household, including applicant, shall not exceed 75 percent of the Federal Poverty Guidelines (for the year the exemption is being requested), shall be granted an exemption from the payment of any residential garbage collection fees required by this article, consistent with Code of Alabama § 22-27-3(a). Any outstanding and/or delinquent balance incurred prior to the exemption approval date shall not be exempt from the assessment and/or collection procedures described in this chapter. Applications for exemptions shall be filed in the office of the clerk on forms provided and shall be granted or denied by the clerk. The household for which the exemption is being requested must be the primary residence of the applicant and garbage collection service must be registered in the name of the applicant requesting the exemption. As proof of eligibility for exemption, applicant shall provide a certified copy of the most recent year's income tax returns for which the exemption is being requested. If applicant and/or any resident of applicant's household are exempt from filing yearly income tax returns, each shall be required to submit a sworn statement declaring such, and shall additionally provide a current statement of benefits received from social security, and current bank statement. All applications for exemptions must be filed between January 1 and January 31 each year the exemption is being requested. No applications received after January 31 shall be accepted. All exemptions shall be in place for a 12 month period. Renewal of exemption shall not be automatic. Applicant shall grant permission for the agents of the city to investigate any or all parts of the information provided on the application by means of signing said application for exemption.
- (d) It shall be unlawful for any person to willfully misrepresent any information or make any false statements for the purpose of receiving an exemption or maintaining an exemption. Pursuant to the Code of Alabama, 1975, § 22-27-7 violation of any provision of this article shall be a misdemeanor and any person firm or corporation found guilty shall upon conviction be punished by a fine of not less than \$50.00 nor more than \$200.00.

(Ord. No. 2004-02, § 16, 1-6-04; Ord. No. 2004-25, 6-15-04) ; Ord. No. 2008-46, § 16, 8-7-08; Ord. No. [2015-2](#), 1-6-15; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-17. - Recycling.

- (a) It shall be unlawful for any person or entity to deposit, place or leave any item in a container marked for recyclable materials other than the following allowed items: junk mail, magazines, clean cardboard boxes, office paper, newspaper, aluminum cans, steel and tin cans, and #1 and #2 plastic bottles. No other items may be placed in a container marked for recyclable materials, including the following non-exhaustive list of prohibited items: plastic bags, Styrofoam, glass, phone books, trash and any item made with #3, #4, #5, #6 or #7 plastic.
- (b) A violation of this section shall carry the following penalty:
 - (1) *First offense.* A first offense shall carry a fine of \$150.00 plus court costs.

- (2) *Second offense.* A second offense shall carry a fine of \$250.00 plus court costs.
 - (3) *Third offense.* A third offense or more shall carry a fine of \$500.00 plus court costs and incarceration in the city jail for a mandatory minimum 48-hour period.
- (c) Recycling services will be provided weekly.

(Ord. No. 2010-13, 4-6-10; Ord. No. [2015-42](#), 3-3-15; Ord. No. [2017-57](#), 6-6-17)

Editor's note— Ord. No. 2010-13, adopted April 6, 2010, was codified herein as § 7.5-17 at the discretion of the editor.

Sec. 7.5-18. - Solid waste operators.

(a) *License required.*

- (1) It is unlawful for any person to operate or cause any other person to operate a motor vehicle upon a public street within the city for the purpose of removing solid waste from a commercial property or construction debris from a residential property located within the city's corporate limits for compensation unless the person that owns or controls the motor vehicle has a valid commercial waste operator's license issued by the city.
- (2) To obtain a commercial solid waste operator's license, application must be made on forms provided by the city for that purpose along with the application fee. The application requires that the applicant:
 - a. State the name under which the operator conducts business, the business address and telephone number;
 - b. State the make and body of each motor vehicle to be used in the city;
 - c. Submit proof of liability insurance for the motor vehicles in the amounts required by state law;
 - d. By submitting the application agrees to abide by and be bound by the provisions of this article and to comply will all the other state and federal laws applicable to the licensee's activities; and
 - e. Submit any other information reasonably required by the city to administer this article.
- (3) Upon proper application, a commercial solid waste operator's license will be issued in the name of the person or entity responsible for the operation of the motor vehicles used for commercial solid waste collection in the city. The license is valid for one year, unless earlier revoked.
- (4) The city clerk or his/her designee may revoke a commercial solid waste operator's license for any violation of this article giving the license prior written notice of the violation and an opportunity to respond in person as to why the license should not be revoked.

(b) *License fee.*

- (1) Each person or entity granted a license under this article must pay a license fee equal to four percent of the operator's gross revenues from the collection, hauling, or transporting of commercial or industrial solid waste collection within the city, after excluding there from the revenues licensee received from the collection, hauling, or transporting of recycled solid waste collection within the city.
- (2) Each licensee must pay the required license fee quarterly to the city within 45 days following each September 30, December 31, March 31, and June 30. Each quarterly payment must be computed on the revenues for the quarter preceding that in which payment is due. Each licensee must provide with each quarterly payment a statement of the gross revenues upon

which the payment is computed, prepared according to generally accepted accounting practices, and signed by an authorized representative of the licensee. The licensee must pay a late fee of 12 percent per annum, compounded daily, on any quarterly payment, or portions thereof, that is paid subsequent to the required payment date.

- (3) Each quarterly payment must be accompanied by a listing of the location and number of commercial containers serviced by the licensee by the licensee in the city.
 - (4) The city may inspect and audit the licensee's records upon which payments to the city are computed and paid. If the city's inspection or audit shows that the licensee has underpaid an amount required to be paid under this article, licensee must pay the deficiency within 60 days of the date the city gives licensee written notice of the deficiency. If the deficiency is more than ten percent of the amount the licensee was required to pay for the quarter, the licensee must also pay a penalty of ten percent per annum of the deficiency and the city's reasonable cost incurred for the inspection or audit.
 - (5) The city's acceptance of a payment is not deemed to be a release or an accord and satisfaction of any claim the city may have for further and additional sums made payable under this article. The city is not liable to refund to the licensee any payment licensee makes to the city that is more than amount required to be paid by the licensee under this article.
- (c) *License regulations.*
- (1) All licensees must identify each vehicle the licensee operates within the city by placing clearly legible letters identifying the name of the person or business responsible for the operation of the motor vehicle.
 - (2) A licensee must notify the city of any change in the information submitted in an application for a license, including a change in the name, address or telephone number of the licensee. The notification must be given to the city in writing within ten days of the change.
 - (3) It is unlawful for any person to operate or use a motor vehicle to unload or empty a solid waste container by means of a mechanical lifting apparatus or device attached to the motor vehicle between the hours of 10:00 p.m. and 7:00 a.m. of the following day, if the container is located within 400 feet of a residential property.
 - (4) All garbage must be transported in leak proof containers or in leak proof vehicle bodies or compartments and must be so fitted and constructed so that the garbage is kept covered at all times except when being loaded and emptied.
- (d) *Suspension or revocation of license.*
- (1) The city may suspend or revoke a license under this article for a violation of this article in accordance with the uniform permit procedures of this Code.
 - (2) A fine of \$500.00 may be imposed on any person or entity that unlawfully operates or uses a motor vehicle to unload or empty a solid waste container by means of a mechanical lifting apparatus or device attached to the motor vehicle between the hours of 10:00 p.m. and 7:00 a.m. of the following day, if the container is located within 400 feet of a residential property.

(Ord. No. [2013-65](#), 4-16-13; Ord. No. [2017-57](#), 6-6-17)

Editor's note— Ord. No. 2013-65, adopted April 16, 2013, was codified herein as § 7.5-18 at the discretion of the editor.

DIVISION 2. - JUNKED AND ABANDONED MOTOR VEHICLES³

Footnotes:

--- (3) ---

Editor's note— Ord. No. 4-0794, §§ 1—10, adopted July 5, 1994, superseded former §§ 9-51 and 9-52 which pertained to junked and abandoned motor vehicles. The provisions of said ordinance have been included herein as a new div. 2, §§ 9-51—9-61. See the Code Comparative Table.

Cross reference— Traffic and motor vehicles, ch. 17.

Sec. 9-51. - Junked, abandoned or non-operational motor vehicles—Exterior storage.

(a) *Generally.* No person in charge of or in control of premises, whether as owner, lessee, tenant, occupant, or otherwise shall allow any partially dismantled, wrecked, junked, discarded or otherwise non-operable motor vehicle to remain on such property longer than 20 days.

(b) *Exceptions:*

(1) This section shall not apply with regard to any vehicle in an enclosed building or so located upon the premises as not to be readily visible from any public place or from any surrounding private property.

(2) This section shall not apply with regard to any vehicle on the premises of a business enterprise operated in a lawful place, other than in a residential district, and operated in a lawful manner, when the keeping or maintenance of such vehicle is necessary and reasonable to the operation of such business enterprise.

(3) This section shall not apply with regard to a vehicle in an appropriate storage place or depository maintained in a lawful place and manner by the city or any other public agency or entity.

(c) *Enforcement.* This section may be enforced either by a police officer of the city or by the building inspector or other person designated by the mayor and council.

(d) *Definitions.* The following definitions shall apply:

Abandoned is defined as being parked or left on premises (not your own or not in front or near your legal residence) or that which is parked in front or on another's property.

Non-operable is defined as being unable to be legally operated on public street (to include a current license tag and/or decal).

(Ord. No. 4-0794, § 1, 7-5-94)

Sec. 9-52. - Same—Storing of abandoned vehicles on public streets.

(a) No person shall be permitted to store or engage in the storage of any vehicle, whether motorized or propelled by another vehicle, of any type, upon the public streets, alleys or rights-of-way within the city for a period not in excess of 72 hours. After the initial 72-hour period, the vehicle shall be cited for illegal parking by a police officer of the city. For such offense, there shall be imposed, upon conviction, a \$50.00 fine assessed against the (1) owner of record, (2) and/or the current owner, (3) or the last person operating the vehicle if he/she can be identified.

(b) The police officer may have the vehicle towed immediately, if in his/her opinion, the vehicle represents an immediate traffic hazard.

- (c) After a period of 72 hours from the date upon which the vehicle is cited by the police department, the police department shall have the right to order the vehicle towed by a private wrecker service and disposed of pursuant to the provisions of state law.
- (d) The terms "store" or "storage" are defined as the vehicle being parked or remaining unmoved in or from the same location for a period in excess of 72 hours.

(Ord. No. 4-0794, § 1, 7-5-94)

Sec. 9-53. - Motor homes, recreational vehicles, travel trailers, boats, or other similar vehicles with two or more axles.

- (a) No person owning, leasing, occupying, possessing and/or having charge of any premises or business within the city shall park, keep or maintain any motor home, recreational vehicle, travel trailer, boat, or any similar type vehicle upon the streets, alleys or rights-of-way within the city.
- (b) Any motor vehicle having more than two axles, including the front axle shall not operate and shall be prohibited from operating in any area which is primarily residential or any area in the city zoned as follows: R-1, R-2. The term "operate" shall include but not be limited to the parking, driving, repairing or otherwise operating of said motor vehicle in said prohibited areas.
- (c) This division shall not prohibit the parking of a legally operable motor vehicle on the street or right-of-way in front of a residence when adequate parking is not available on private property unless:
 - (1) It has been designated and posted as a "No Parking" area.
 - (2) It is on a major thoroughfare and is considered as a traffic hazard by the chief of police or his representative.
 - (3) It is deemed by the chief of police or his representative to impede the proper flow of traffic.
 - (4) It has more than two axles and is in an area zoned R-1 or R-2.

(Ord. No. 4-0794, § 2, 7-5-94)

Sec. 9-54. - Semitrailers.

No semitrailer truck or any part thereof shall be parked upon the public ways of the city, other than for the expeditious loading, delivery, pickup and/or loading of materials.

(Ord. No. 4-0794, § 3, 7-5-94)

Sec. 9-55. - Authority over traffic control devices and authority to post signs.

- (a) The chief of police shall cause to be erected and maintained all official signs, signals or devices to regulate traffic in any street or avenue in the city as he shall see fit in accordance with the exercise of reasonable police power.
- (b) No operator or owner of any motor vehicle, as defined by the Highway Code of the State of Alabama, shall drive, or allow to be driven, any such motor vehicle on any street in a manner contrary to any regulatory sign, signal or device placed by order of the chief of police.
- (c) The chief of police or any other person so designated by the mayor and city council shall post or cause to be posted suitable signs indicating a restricted or prohibited parking zone.

(Ord. No. 4-0794, § 4, 7-5-94)

Sec. 9-56. - No parking zone.

No person shall park a motor vehicle in any designated area when such area is properly marked with yellow paint and/or with an appropriate sign.

(Ord. No. 4-0794, § 5, 7-5-94)

Sec. 9-57. - Emergency vehicles.

The provisions of this division shall not apply to police, fire or other emergency vehicles while in the active discharge of their duties.

(Ord. No. 4-0794, § 6, 7-5-94)

Sec. 9-58. - Owner presumed operator.

The presence of an unattended, junked, abandoned or non-operable motor vehicle on the premises of one who is not the owner or in control of such vehicle or in a restricted or prohibited parking area shall raise a prima facie presumption of evidence that the registered owner of the automobile or other motor vehicle parked or left or caused to be parked or left the automobile or other motor vehicle on such premises, and the burden of proof shall be upon the registered owner to show otherwise.

(Ord. No. 4-0794, § 7, 7-5-94)

Sec. 9-59. - Authority to cite or tow.

Any police officer of the city is hereby authorized to place a traffic citation on a motor vehicle for parking in a designated restricted zone. Any police officer of the city is authorized to remove or cause to be removed to the nearest garage or other place of safety any motor vehicle found parked in a restricted or prohibited zone when such vehicle has been left unattended for a period of 72 hours or is determined by the police officer that such motor vehicle constitutes a hazard to traffic or to the general public of the city by being parked in the restricted parking zone.

(Ord. No. 4-0794, § 8, 7-5-94)

Sec. 9-60. - Punishment.

Except as stated above in section 9-52, the court upon conviction of any part of this division may impose a fine not to exceed \$500.00 and/or impose a jail sentence not to exceed six months. Further, that upon the conviction of the above division, the court may in its discretion impose as an additional fine or cost any expense of towing, storage or disposition of any vehicle involved in the above division by the city.

(Ord. No. 4-0794, § 9, 7-5-94)

Secs. 9-61—9-70. - Reserved.

ORDINANCE 2018-12

**STORMWATER MANAGEMENT AUTHORITY, INC.
POST-CONSTRUCTION ORDINANCE**

RECITALS

**Section 1
DEFINITIONS**

**Section 2
ADMINISTRATION**

**Section 3
POST-CONSTRUCTION BMP DESIGN**

- Section 3.1 Design Standards.
- Section 3.2 Design References.

**Section 4
APPLICATION REQUIREMENTS**

- Section 4.1 Post Construction BMP Design Description.
- Section 4.2 Post-Construction BMP Inspection Plan Description.
- Section 4.3 Post Construction BMP Operation and Maintenance Plan Description.

**Section 5
ENFORCEMENT AND ABATEMENT**

**Section 6
MISCELLANEOUS**

- Section 6.1 Notices.
- Section 6.2 References.
- Section 6.3 Severability.
- Section 6.4 Captions.
- Section 6.5 Ultimate Responsibility.
- Section 6.6 Effective Date.

**STORMWATER MANAGEMENT
POST-CONSTRUCTION
ORDINANCE**

RECITALS

WHEREAS, the City of Irondale operates under the requirements of the Alabama Department of Environmental Management (ADEM) National Pollutant Discharge Elimination System (NPDES) Permit; and

WHEREAS, this permit authorizes stormwater discharges from regulated small municipal separate storm sewer systems (MS4); and

WHEREAS, the City of Irondale must be compliant with the ADEM NPDES Permit by developing, implementing, and enforcing a program to address post-construction stormwater management; and

WHEREAS, the City of Irondale finds it necessary to enact an ordinance to address and enforce post-construction stormwater management standards on Qualifying Sites to prevent or minimize water quality impacts and ensure that the volume and velocity of pre-construction stormwater runoff is not significantly exceeded for the life of the property's use to the maximum extent practical (MEP).

NOW, THEREFORE BE IT ORDAINED by the City Council of the City of Irondale, Alabama, as follows:

Section 1 DEFINITIONS

For the purposes of this ordinance, the following words and terms shall have the meaning assigned to them in this section.

Best Management Practices - (herein abbreviated as "BMP") - activities, prohibitions of practices, maintenance procedures and management practices designed to prevent or reduce the pollution of waters to the MS4. Best Management Practices also include treatment requirements, operating procedures, and practices to control facility site runoff, spillage or leaks, sludge or waste disposal or drainage from raw material storage and construction sites.

Non-structural BMPs - Non-structural BMPs may include but not be limited to the following: preservation of open spaces and vegetation, the establishment of conservation easements, the establishment of buffers along streams and other waters, maintenance of vegetation, BMP inspection and maintenance, planning for future development or redevelopment.

Qualifying Site - Qualifying Site is any new development site or re-development site that results in a total land disturbance of one or more acres and sites that disturb less than one acre but are a part of a larger common development or sale that would disturb one or more acres.

Structural BMPs - Structural BMPs may include, but not be limited to the following: detention/ retention devices, check dams, drainage swales, lined ditches, infiltration basins, porous pavement, outlet protection, velocity dissipation devices, slope protection, constructed wetlands, rain gardens, catch basin inserts, vegetated filter strips, and rain barrels.

Section 2 ADMINISTRATION

The municipal engineer for the City, the municipal official or employee who is a qualified credentialed professional, such other municipal official or municipal employee who has had sufficient experience dealing with BMP design to enable them to enforce the provisions of this ordinance, an individual or agency contracted to provide such service, shall be responsible, on behalf of the City, to enforce the provisions of this ordinance.

Section 3 POST-CONSTRUCTION BMP DESIGN

Section 3.1 Design Standards.

The post-construction BMPs for qualifying sites, which may include a combination of structural BMPs and/or non-structural BMPs, must be designed to ensure that the volume and velocity of pre-construction stormwater runoff, to the maximum extent

practicable, is not significantly exceeded.

The current Post Construction Stormwater Management Technical Memorandum (Addendum A) details acceptable design criteria meeting the requirement of the current NPDES Permit No. _____ and shall be the basis for the design and implementation of post-construction BMPs.

Section 3.2 Design References.

By reference in this Section, the City adopts the following as design references to meet the design standards:

- a) The latest version of the "Alabama Handbook for Erosion Control, Sedimentation Control and Stormwater Management on Construction Sites and Urban Areas," Volumes 1 and 2.
- b) The latest version of the "Low Impact Development Handbook for the State of Alabama."
- c) Any stormwater design manual approved by the city that meets the design requirement of this ordinance.

Section 4 APPLICATION REQUIREMENTS

As part of the Land Disturbance Application, all Qualifying Sites shall include the following components:

Section 4.1 Post-Construction BMP Design Description.

Procedures and strategies of the structural BMPs and/or non-structural BMPs that meet the design standards for Qualifying Sites found in Section 3.1 of this ordinance. Submittal to the City of a certified as-built of the BMPs and a letter of substantial compliance from the design engineer is required within 120 days of construction completion.

Section 4.2 Post-Construction BMP Inspection Plan Description.

Procedures and strategies that will address inspections of the BMPs to confirm proper function require corrective actions to poorly functioning or inadequately maintained BMPs, and require record keeping of maintenance activities, inspections, and corrective actions. The City shall perform or require the performance of an inspection by the developer/ owner/ operator at least once per year. Records of these inspections shall be made available to ADEM upon request and copies shall be provided to the City on an annual basis. The minimum documentation requirements for inspections are as follows:

- a) Facility type

- b) Inspection date
- c) Name and signature of the inspector
- d) Site location
- e) Owner information (name, address, phone number, fax, and email)
- f) Description of the stormwater BMP condition that may include the quality of: vegetation and soils, inlet and outlet channels and structures, embankments, slopes, and safety benches; spillways, weirs, and other control structures; and sediment and debris accumulation in storage and forebay areas as well as in and around inlet and outlet structures;
- g) Photographic documentation of all critical stormwater BMP components;
- h) Specific maintenance items or violations that need to be corrected by the owner/operator of the stormwater control or BMP; and
- i) Maintenance agreements for long-term BMP operations and maintenance.

Section 4.3 Post-Construction BMP Operation and Maintenance Plan Description.

Procedures and strategies that will address adequate long-term operation and maintenance of the BMPs. One or more of the following shall be applicable (as determined by the City) to establish the responsible party for long-term operation and maintenance. The document(s) shall be provided to the City for review. Upon approval, an executed copy shall be put on file in the _____ Department:

- a) The developer's signed statement accepting responsibility for maintenance until the maintenance responsibility is legally transferred to another part.
- b) Written conditions in the sales or lease agreement that require the recipient to assume responsibility for maintenance.
- c) Written conditions in project conditions, covenants, and restrictions for residential properties assigning maintenance responsibilities to a home owner's association or another appropriate group for maintenance of structural and treatment control management practices.
- d) Any other legally enforceable agreement that assigns permanent responsibility for maintenance.

Section 5
ENFORCEMENT AND ABATEMENT

If a responsible party fails or refuses to meet the design, operation, or maintenance standards required by this ordinance, the City, after reasonable notice, may correct a violation of the design standards, operation, or maintenance needs by performing all necessary work to place the measures in proper working condition. If the BMPs become a danger to public safety or public health, the City shall notify in writing the responsible party for changes to design, operation, maintenance, and repairs of the BMP. Upon receipt of that notice, the responsible party shall have 14 calendar days or such additional time as the City shall determine to be reasonably necessary to complete the action, to make changes to design, operation, maintenance, and repairs of the measures in an approved manner. If corrective action is not undertaken within that time, the City may take necessary corrective action. The cost of any action by the City under this Section shall be billed to the responsible party. If the responsible party refuses to pay the bill, the City is entitled to bring an action against the responsible party to pay, file a lien against the property, or both. Costs shall include interest, collection fees, and reasonable attorney fees.

Section 6
MISCELLANEOUS

Section 6.1 Notices.

Whenever the City is required or permitted to:

- (a) give notice to any party; such notice must be in writing; or
- (b) deliver a document to any party; such notice or document may be delivered by personal delivery, certified mail (return receipt requested), registered mail (return receipt requested) or a generally recognized overnight carrier, to the address of such party which is in the records of the City or is otherwise known to the City.

Section 6.2 References.

Whenever a Section is referred to in this ordinance, unless the context clearly indicates the contrary, such reference shall be to a section of this ordinance.

Section 6.3 Severability.

The provisions of this ordinance are severable. If any part of this ordinance is determined by a court of law to be invalid, unenforceable or unconstitutional, such determination shall not affect any other part of this ordinance.

Section 6.4 Captions.

The captions of Sections and sections are for reference only, and such captions shall not affect the meaning of any provision of this ordinance.


Section 6.5 Ultimate Responsibility.

The standards set forth herein and promulgated under this ordinance are minimum standards; therefore, this ordinance does not intend nor imply that compliance by any person will ensure that there will be no contamination, pollution, nor unauthorized discharge of pollutants.

Section 6.6 Effective Date.

This ordinance shall be published as required by law and shall become effective June 7, 2018.

ADOPTED & APPROVED this the 7th day of June 2018.



Charles Moore, Mayor

CERTIFICATION

I, James D. Stewart Jr., City Clerk of the City of Irondale, Alabama, hereby certifies the above to be a true and correct copy of a resolution adopted by the City Council of the City of Irondale at its regular meeting held on June 7, 2018, as same appears in the minutes of record of said meeting.

ATTEST:


James D. Stewart Jr., City Clerk

ADDENDUM A



Overview

In 1990, the U.S. Environmental Protection Agency (EPA) promulgated regulations establishing Phase I of the National Pollutant Discharge Elimination Systems (NPDES) stormwater program. The Phase I program for municipal separate storm sewer systems (MS4s) require operators of “medium” and “large” MS4s that generally serve populations of 100,000 or higher to implement a stormwater management program as a means to control to the maximum extent practicable (MEP) polluted discharges from certain municipal, industrial and construction activities into the MS4.

The Alabama Department of Environmental Management (ADEM) presently has primary jurisdiction over permitting and enforcement of the Stormwater Program for Alabama. The City of _____ (City) was issued NPDES Permit Number ALS0000__ on **DATE**. This NPDES Permit became effective on **DATE** and will expire on **DATE**. The City is required to develop and implement a Stormwater Management Program (SWMP) in accordance with the NPDES Permit requirements.

In accordance with the NPDES Permit, the City is required to develop and implement a Post Construction Stormwater Program to address stormwater runoff from qualifying new development and re-development projects by **DATE**. This memorandum provides technical guidance regarding the City’s updated post-construction stormwater management requirements in accordance with the City’s NPDES Permit.

Applicable Developments

The City’s updated post-construction stormwater management requirements are only applicable to “Qualifying New Development or Redevelopment” projects as defined below:

“Qualifying New Development and Redevelopment” means any site that results from the disturbance of one acre or more of land or the disturbance of less than one acre of land if part of a larger common plan of development or sale that is greater than one acre. Qualifying new development and redevelopment does not include land disturbances conducted by entities under the jurisdiction and supervision of the Alabama Public Service Commission.

Since stormwater detention and retention facilities are the primary Best Management Practices (BMPs) that have historically been used for post-construction stormwater management, this technical memorandum has been developed to address stormwater detention and retention facilities. However, this does not preclude the use of other generally accepted engineering practices.

Implementation

Effective **DATE**, all qualifying new development, and redevelopment projects shall be designed in accordance with this technical memorandum.

Waiver Request

The City recognizes that there are existing project sites that have been constructed or previously approved, before the effective **DATE** of this technical memorandum, that may qualify for a waiver from the updated post-construction stormwater management requirements. As a result, the City has developed an Existing Development, Post Construction Stormwater Management Waiver Request Form (Figure 1) to address existing project sites. In order for an existing project site to be considered for a waiver, the waiver request form shall be completed and submitted to the City for review and approval. If a waiver has been submitted for a development that has not been completed and the density of the development is increased and/or modified, the developer shall resubmit a waiver request for this development.

Water Quality Requirements

Post-construction stormwater runoff quality is an important component of the City's SWMP. In order to meet the requirements of the City's NPDES Permit, a Water Quality Volume (WQv) must be accounted for on each project site, and BMPs must be utilized to store and treat the WQv. The required WQv is based upon the first 1.1 inches of rainfall that occurs on the project site. The WQv can be estimated as described below.

WQv = 1.1 inches / acre of additional impervious area.

For example, an existing 12.5-acre site planned for re-development contains 3 acres of existing impervious area. The proposed development will contain seven total acres of impervious area in the post-development condition. The required WQv shall be calculated as follows:

$$\begin{aligned} \text{WQv} &= 1.1 \text{ inches} * 4 \text{ acres of additional impervious area} \\ &= 1.1 \text{ inches} * (1 \text{ foot} / 12 \text{ inches}) * 4 \text{ acres} * (43,560 \text{ sq. ft.} / 1 \text{ acre}) \\ &= 15,972 \text{ cubic feet of storage required} \end{aligned}$$

The WQv that is required for each project site may be provided in multiple ways to allow greater flexibility during design. There are a number of post-construction BMPs such as detention ponds, retention ponds, bioretention swales, proprietary stormwater quality treatment devices, sand filters, etc. that may be utilized by the Owner and their Engineer-of-Record to meet the water quality requirements.

Low Impact Development (LID)


As an option for meeting the updated post-construction stormwater management requirements, the City encourages Owners and Developers to incorporate the use of low impact development (LID) practices into qualifying development and redevelopment projects. The latest version of the Alabama Low Impact Development is incorporated into this technical memorandum by reference.

Design Standards

For detention and retention ponds, the calculation methodology shall utilize the National Resource Conservation Resources (NRCS) Urban Hydrology for Small Watersheds Technical Release 55 (TR-55) or equivalent. For the determination of pre-construction and post-construction stormwater runoff hydrology, the 24-hour rainfall depths from National Oceanic and Atmospheric Administration (NOAA) Atlas14, Volume 9, Version 2 included in Table 1 shall be used:

Table 1. Design Storms

Storm Event (24 hour)	Rainfall (inches) (Bessemer)	Rainfall (inches) (Bham WSFO)	Rainfall (inches) (Bham AP ASOS)	Rainfall (inches) (Pinson)
2-year	4.09	4.1	4.12	4.11
5-year	4.97	4.99	5.02	4.99
10-Year	5.82	5.83	5.85	5.8
25-Year	7.18	7.15	7.13	7.02
100-Year	9.71	9.56	9.39	9.15



As a part of the City's requirements for post-construction stormwater runoff management, all project sites shall be responsible for ensuring, to the MEP, that post-development runoff mimics pre-development hydrology for the 2-year, 5-year, 10- year, and 25-year rainfall depths listed in Table 1. All stormwater detention or retention facilities must be able to convey the peak flow rate associated with a 100- year, 24-hour storm event. The Owner and/or Developer shall ensure, to the MEP, that installation of post-construction BMPs shall not adversely impact and/or cause flooding of properties located upstream and downstream of post-construction BMPs.

Detention and Retention Ponds

As a part of this technical memorandum, two structural BMPs (detention and retention ponds) have been highlighted as design options to assist in meeting the post-construction stormwater management requirements of the City's NPDES permit. Both detention ponds and retention ponds are fairly simple to design, construct and maintain. However, other structural BMPs may be selected by the Owner and Engineer-of-Record for review and approval by the City and are welcomed to be incorporated into the overall stormwater management plan for each project site.

A Design Form, Detention / Retention Ponds (Figure 2) has been developed by the City to aid in the design, review, and approval of detention and retention facilities. The design form provides a standard format for the Engineer-of-Record to provide information concerning pre-development conditions, post-development conditions, pond outlet configurations, pond storage, and pond peak flow discharges. For a project that contains multiple detention facilities, the Engineer-of-Record may simply provide a Design Form for each facility. While a detention pond can be utilized to meet the stormwater management requirements, some type of filtration system is needed for a detention pond to meet the stormwater quality requirements. The filtration system must allow the volume of water associated with the WQv to drain slowly out of the pond, but should drain within a forty-eight (48) hour period. Figure 3 provides some basic examples of filtering systems that may be applicable to detention ponds.

As-Built Certification

As a part of the NPDES permit, the City must insure the BMPs that have been designed and approved are constructed and operated in accordance with their original design and intent. In an effort to confirm that the constructed BMPs meet the designer's intent, an As-Built Evaluation and Certification form (Figure 4) has been developed. It shall be the Owner's responsibility to have as-built information, such as pond volume, embankment size, and elevations, invert size and elevations, and spillway elevations, field surveyed by a Professional Land Surveyor. It shall be the engineer of record's responsibility to utilize the field surveyed information to fill out the As-Built Evaluation

and Certification Form. The Owner has two options for completing the As-Built Evaluation and Certification:

Option 1 The As-Built Evaluation and Certification form shall be submitted and approved by the City before the issuance of a Certificate of Occupancy (CO) and/or before the recording of the final subdivision plat.

Option 2 If the Owner would like to obtain a CO and/or record the final subdivision plat prior to the City's approval of the As-Built Evaluation and Certification form, the Owner may post a bond or other forms of surety acceptable to the City in the amount of 100% of the construction cost associated with post-construction stormwater management BMPs and the cost associated with the effort required to complete the As-Built Evaluation and Certification. The As-Built Evaluation and Certification form shall be submitted to the City within 120 days of receipt of a CO and/or recording of the final subdivision plat.

Annual Inspections

In order for post-construction BMPs to continue to function in accordance with their original design and installation, annual inspections are required by the City's NPDES permit. The Owner of the project is required to have these annual inspections performed and must then submit the required Annual Inspection Form (Figure 5) to the City. The Annual Inspection Form shall provide documentation concerning the condition of each facility in terms of vegetative cover, erosion that may be occurring, the condition of inlets into the pond and the pond outlet, embankment conditions and any maintenance required and/or performed. The City shall evaluate the documentation submitted to confirm that the stormwater management facilities are continuing to function as designed.

The Annual Inspection Form shall be submitted to the City each year by 30 September.

Operation and Maintenance

It is the responsibility of the Owner to operate and maintain the stormwater management facility and/or BMPs in accordance with the original design intent and approval. If the original Owner or Developer has sold the project or passed ownership on to a Homeowner's Association, then it is the new Owner or HOA's responsibility to maintain the facility and provide any required inspection and maintenance.

Should maintenance be needed at a facility as a result of the Annual Inspection, the Owner shall provide the City documentation of the maintenance required and a schedule for completing all maintenance activities. Once all maintenance activities are completed, the Owner shall provide documentation to the City of the maintenance performed and that the BMP operates as it was designed.

A summary of maintenance activities shall be submitted to the City each year by 30 September. The summary shall cover the previous fiscal year beginning 1 October through 30 September.

List of Figures

Figure 1 – Existing Development Post Construction Stormwater Management Waiver Request Form

Figure 2 – Design Form, Detention / Retention Ponds

Figure 3 – Detention Pond Outlet Structure Example

Figure 4 – As-Built Evaluation and Certification Form

Figure 5 – Annual Inspection Form

Figure 1- Existing Development

Post Construction Stormwater Management Waiver Request Form

City of Irondale - Reviewed by: _____ Date: _____
Comments: Approved Incomplete Other NOTES: _____
Attachments: Master Plan Basin Maps H&H Calculations Development Plan Approval

Site Information - Facility / Site Name: _____
Facility Street Address - _____ Latitude: ____° ____' ____"
_____ Longitude: ____° ____' ____"
Facility Contact: _____ Phone Number: _____
Development Plan Approval on: _____ Total Area to be developed (acres): _____
Anticipated Date of Completion: _____ Area currently developed (acres): _____
Pond Type: Detention Retention Underground Other _____
Attachments: Master Plan Basin Maps H&H Calculations Development Plan Approval

Watershed - *Shades Creek *Cahaba River

*Indicates a Propriety watershed where streams have been included on a 303(d) list as impaired for sediment/siltation or have a Total Maximum Daily Load (TMDL) established for sediment/siltation.

Professional Engineer Certification:

By affixing my professional seal and signature on this form, I hereby certify that the design for this development has been submitted to the City of Irondale on or before July 1, 2018 for review and approval. I further certify that the drainage areas shown in the hydrology and hydraulic (H&H) calculations and/or the attached maps do in fact drain into this facility and that the post-development runoff mimics pre-development hydrology in accordance with the City's stormwater management requirements in effect at the time the project was approved by the City.

Additional Information Attached

Company: _____
Name: _____
Address: _____

Email: _____
Phone: _____
Signature: _____

Figure 2 – Design Form Detention/ Retention Ponds

City of Irondale - Reviewed by: _____ Date: _____

Comments: Approved Incomplete Other NOTES: _____

Attachments: Narrative Basin Maps H&H Calculations Development Plan Approval

LID Calculations

Site Information - Facility / Site Name: _____

Facility Street Address: _____

Facility Contact: _____ Phone Number: _____

BMP Information

Pond Type: Detention Retention Underground Other _____

LID BMP's: Bio retention Permeable Pavement Infiltration Swales Other

Notes: _____

Attachments: Narrative Basin Maps H&H Calculations

Watershed - *Shades Creek *Cahaba River

*Indicates a Propriety watershed where streams have been included on a 303(d) list as impaired for sediment/siltation or have a Total Maximum Daily Load (TMDL) established for sediment/siltation.

Pre-Development Conditions

Pre-Development Basin:	Pre-1	Pre-2	Pre-3	Pre-4	Pre-5	Pre-6
Basin Drainage Area (Acres):	_____	_____	_____	_____	_____	_____
Curve Number:	_____	_____	_____	_____	_____	_____
Time of Concentration (Min.)	_____	_____	_____	_____	_____	_____
Peak discharge (ft ³ /s):	_____	_____	_____	_____	_____	_____
1.10" WQ vol.	_____	_____	_____	_____	_____	_____
4.20" WQ vol.	_____	_____	_____	_____	_____	_____
5.40" WQ vol.	_____	_____	_____	_____	_____	_____
6.20" WQ vol.	_____	_____	_____	_____	_____	_____
7.10" WQ vol.	_____	_____	_____	_____	_____	_____
8.60" WQ vol.	_____	_____	_____	_____	_____	_____

Figure 2 – Design Form Detention/ Retention Ponds

Post-Development Conditions

Post-Development Basin:	Pre-1	Pre-2	Pre-3	Pre-4	Pre-5	Pre-6
Basin Drainage Area (Acres):	_____	_____	_____	_____	_____	_____
Curve Number:	_____	_____	_____	_____	_____	_____
Time of Concentration (Min.)	_____	_____	_____	_____	_____	_____
Peak discharge (ft ³ /s):	_____	_____	_____	_____	_____	_____
1.10" WQ vol.	_____	_____	_____	_____	_____	_____
4.20" WQ vol.	_____	_____	_____	_____	_____	_____
5.40" WQ vol.	_____	_____	_____	_____	_____	_____
6.20" WQ vol.	_____	_____	_____	_____	_____	_____
7.10" WQ vol.	_____	_____	_____	_____	_____	_____
8.60" WQ vol.	_____	_____	_____	_____	_____	_____

Riser and Principal Spillway

Material: _____
 Dimension: _____
 Bottom El. _____
 Top El. _____
 Trash Rack: _____

	Shape	Size	Inv. El.
Orifice 1:	_____	_____	_____
Orifice 2:	_____	_____	_____
Orifice 3:	_____	_____	_____
Orifice 4:	_____	_____	_____

	Shape	Width	Inv. El.
Weir 1:	_____	_____	_____
Weir 2:	_____	_____	_____
Latitude:	_____°	_____'	_____"
Longitude:	_____°	_____'	_____"

Emergency Spillway

Material: _____
 Shape: _____
 Length: _____
 Width: _____
 Crest El.: _____
 Top El.: _____
 Latitude: _____° _____' _____"
 Longitude: _____° _____' _____"

Please attach drawing/sketches or plans for detention or retention ponds to this form.

Figure 2 – Design Form Detention/ Retention Ponds

Facility/Site Name: _____

Pond No.: _____ of _____

Pond Stage area Storage Summary: (Elevations measured in 1 foot increment

Elevation (ft)	Area (ft ²)	Cumulative (ac-ft)	Elevation (ft)	Area (ft ²)	Cumulative (ac-ft)
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Pond Discharge Summary:

Rainfall	Pond In-Q (cfs)	Pond Out-Q (cfs)	Max. Storage (ft)	Outlet Velocity (ft/s)
1.10"	_____	_____	_____	_____
4.20"	_____	_____	_____	_____
5.40"	_____	_____	_____	_____
6.20"	_____	_____	_____	_____
7.10"	_____	_____	_____	_____
8.60"	_____	_____	_____	_____

Professional Engineer Certification:

By affixing my professional seal and signature on this form, I hereby certify that this stormwater management facility provides the required water quality volume (WQ_v) and is designed in accordance with the technical memorandum listed in the City of Irondale’s Post Construction Ordinance. I further certify that the drainage areas shown in the hydrology and hydraulic (H&H) calculations do in fact drain into this facility and that the post-development runoff mimics pre-development hydrology to the maximum extent practicable (MEP).

Company: _____

Seal: _____

Name: _____

Address: _____

E-mail: _____

Phone: _____

Signature: _____

Date: _____





FIGURE 3 - DETENTION POND OUTLET STRUCTURE EXAMPLE

Figure 4 As-Built Evaluation and Certification

City of Irondale - Reviewed by: _____ Date: _____
Comments: Approved Incomplete Other NOTES: _____
Attachments: Photographs H&H Calculations As-built Survey
LID Calculations

Development Information - Facility / Site Name: _____
Facility Street Address: _____

Facility Contact: _____ Phone Number: _____

BMP Information
Pond Type: Detention Retention Underground Other _____
LID BMP's: Bio retention Permeable Pavement Infiltration Swales Other
Notes: _____
Attachments: Narrative Basin Maps H&H Calculations

Watershed - *Shades Creek *Cahaba River
*Indicates a Propriety watershed where streams have been included on a 303(d) list as impaired for sediment/siltation or have a Total Maximum Daily Load (TMDL) established for sediment/siltation.

Comments:

Figure 4 As-Built Evaluation and Certification

Facility/Site Name: _____

Riser and Principal Spillway

Not Applicable

<u>Design</u>	<u>As Built</u>																																								
Material: _____	_____																																								
Dimension: _____	_____																																								
Bottom El. _____	_____																																								
Top El. _____	_____																																								
Trash Rack: _____	_____																																								
<table border="0" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;"></th> <th style="width: 33%;">Shape</th> <th style="width: 33%;">Size</th> <th style="width: 33%;">Inv. El.</th> </tr> </thead> <tbody> <tr> <td>Orifice 1:</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Orifice 2:</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Orifice 3:</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Orifice 4:</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> </tbody> </table>		Shape	Size	Inv. El.	Orifice 1:	_____	_____	_____	Orifice 2:	_____	_____	_____	Orifice 3:	_____	_____	_____	Orifice 4:	_____	_____	_____	<table border="0" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;"></th> <th style="width: 33%;">Shape</th> <th style="width: 33%;">Size</th> <th style="width: 33%;">Inv. El.</th> </tr> </thead> <tbody> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> </tbody> </table>		Shape	Size	Inv. El.	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
	Shape	Size	Inv. El.																																						
Orifice 1:	_____	_____	_____																																						
Orifice 2:	_____	_____	_____																																						
Orifice 3:	_____	_____	_____																																						
Orifice 4:	_____	_____	_____																																						
	Shape	Size	Inv. El.																																						
_____	_____	_____	_____																																						
_____	_____	_____	_____																																						
_____	_____	_____	_____																																						
_____	_____	_____	_____																																						
<table border="0" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;"></th> <th style="width: 33%;">Shape</th> <th style="width: 33%;">Width</th> <th style="width: 33%;">Inv. El.</th> </tr> </thead> <tbody> <tr> <td>Weir 1:</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Weir 2:</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Latitude:</td> <td>_____°</td> <td>_____'</td> <td>_____"</td> </tr> <tr> <td>Longitude:</td> <td>_____°</td> <td>_____'</td> <td>_____"</td> </tr> </tbody> </table>		Shape	Width	Inv. El.	Weir 1:	_____	_____	_____	Weir 2:	_____	_____	_____	Latitude:	_____°	_____'	_____"	Longitude:	_____°	_____'	_____"	<table border="0" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;"></th> <th style="width: 33%;">Shape</th> <th style="width: 33%;">Width</th> <th style="width: 33%;">Inv. El.</th> </tr> </thead> <tbody> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Latitude:</td> <td>_____°</td> <td>_____'</td> <td>_____"</td> </tr> <tr> <td>Longitude:</td> <td>_____°</td> <td>_____'</td> <td>_____"</td> </tr> </tbody> </table>		Shape	Width	Inv. El.	_____	_____	_____	_____	_____	_____	_____	_____	Latitude:	_____°	_____'	_____"	Longitude:	_____°	_____'	_____"
	Shape	Width	Inv. El.																																						
Weir 1:	_____	_____	_____																																						
Weir 2:	_____	_____	_____																																						
Latitude:	_____°	_____'	_____"																																						
Longitude:	_____°	_____'	_____"																																						
	Shape	Width	Inv. El.																																						
_____	_____	_____	_____																																						
_____	_____	_____	_____																																						
Latitude:	_____°	_____'	_____"																																						
Longitude:	_____°	_____'	_____"																																						

Emergency Spillway

Not Applicable

<u>Design</u>	<u>As Built</u>
Material: _____	_____
Shape: _____	_____
Length: _____	_____
Width: _____	_____
Crest El.: _____	_____
Top El.: _____	_____
Latitude: _____° _____' _____"	Latitude: _____° _____' _____"
Longitude: _____° _____' _____"	Longitude: _____° _____' _____"

Comments:

Figure 4 – As-Built Evaluation and Certification

Facility/Site Name: _____ Pond No.: _____ of _____

Pond Stage area Storage Summary: (Elevations measured in 1 foot increments)

<u>Design Volume</u>			<u>As-Built Volume</u>		
Elevation (ft)	Area (ft ²)	Cumulative (ac-ft)	Elevation (ft)	Area (ft ²)	Cumulative (ac-ft)
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Pond Discharge Summary:

Rainfall	<u>Design</u>			<u>As-Built</u>	
	Pond In-Q(cfs)	Pond Out-Q(cfs)	Max. Storage(ft)	Outlet Velocity(ft/s)	Max Stage(ft)
1.10"	_____	_____	_____	_____	_____
4.20"	_____	_____	_____	_____	_____
5.40"	_____	_____	_____	_____	_____
6.20"	_____	_____	_____	_____	_____
7.10"	_____	_____	_____	_____	_____
8.60"	_____	_____	_____	_____	_____

Professional Engineer Certification:

By affixing my professional seal and signature on this form, I hereby certify that this stormwater management facility provides the required water quality volume (WQ_v) and is designed in accordance with the technical memorandum listed in the City of Irondale’s Post Construction Ordinance. I further certify that the drainage areas shown in the hydrology and hydraulic (H&H) calculations do in fact drain into this facility and that the post-development runoff mimics pre-development hydrology to the maximum extent practicable (MEP).

Company: _____
 Name: _____
 Address: _____

Seal:

E-mail: _____
 Phone: _____
 Signature: _____

Date: _____

Figure 5 Annual Inspection Form

Irondale – Reviewed by: _____ Date: _____

Comments: Approved Incomplete Other Notes: _____

Required Attachments: Photographs Maintenance Summary

Owner Information:

Facility Contact: _____

Company/HOA: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Phone: _____ E-Mail: _____

Site Information:

Facility/Site Name: _____

Address/Location: _____ Latitude: ____° ____' ____"

_____ Longitude: ____° ____' ____"

Watershed - *Shades Creek *Cahaba River

*Indicates a Propriety watershed where streams have been included on a 303(d) list as impaired for sediment/siltation or have a Total Maximum Daily Load (TMDL) established for sediment/siltation.

BMP Information

Pond Type: Detention Retention Underground Other _____

LID BMP's: Bio retention Permeable Pavement Infiltration Swales Other

Notes: _____

Attachments: Narrative Basin Maps Photographs

Comments:

Figure 5 Annual Inspection Form

Inspection Observations:

Latitude: ____° ____' ____" Longitude: ____° ____' ____"

1. WQ_v orifice and filter: Obstructed or damaged? _____
2. Staged orifices: obstructed or damaged? _____
3. Condition of vegetation or ground cover? _____
4. Excessive trash accumulated? _____
5. Emergency spillway clogged or damaged? _____
6. Riser and trash rack: Obstructed or damaged? _____
7. Excessive sediment accumulation? _____
8. LID BMPs require maintenance? _____

Maintenance Needed:

Follow-up actions:

Follow-up actions required: yes No If Yes, please explain: _____

Professional Engineer Certification:

By affixing my professional seal and signature on this form, I hereby certify that this stormwater management facility provides the required water quality volume (WQ_v) and is being properly maintained in accordance with the technical memorandum listed in the City of Irondale's Post Construction Ordinance. In my professional opinion, the stormwater management facility is functioning as it was designed.

By affixing my professional seal and signature on this form, I hereby certify that this stormwater management facility requires the above described maintenance in order to provide the required water quality volume (WQ_v) and/or to function as it was designed.

Company: _____

Seal:

Name: _____

Address: _____

E-mail: _____

Phone: _____

Signature: _____

Date: _____

ORDINANCE 2018-13

**STORMWATER MANAGEMENT AUTHORITY, INC.
ILLCIT DISCHARGE ORDINANCE**

RECITALS

**Section 1
DEFINITIONS**

**Section 2
ADMINISTRATION**

**Section 3
ILLCIT DISCHARGES PROHIBITIONS**

- Section 3.1 Prohibition of Illegal Discharges.
- Section 3.2 Illegal Discharge Exemptions.
- Section 3.3 Prohibition of Illicit Connections.

**Section 4
SUSPENSION OF MS4 ACCESS**

- Section 4.1 Suspension Due to Illicit Discharges in Emergency Situations.
- Section 4.2 Suspension Due to the Detection of Illicit Discharge.
- Section 4.3 Post Construction BMP Operation and Maintenance Plan Description.

**Section 5
INDUSTRIAL OR CONSTRUCTION ACTIVITY DISCHARGES**

**Section 6
MONITORING OF DISCHARGES**

**Section 7
REQUIREMENT TO PREVENT, CONTROL, AND REDUCE STORM WATER
POLLUTANTS BY THE USE OF BEST MANAGEMENT PRACTICES**

**Section 8
WATERCOURSE PROTECTION**

**Section 9
NOTIFICATION OF SPILLS**

Section 10
ENFORCEMENT AND ABATEMENT

- Section 10.1 Notice of Violation.
- Section 10.2 Appeal of Notice of Violation.
- Section 10.3 Enforcement Measures After Appeal.
- Section 10.4 Cost of Abatement of the Violation.
- Section 10.5 Injunctive Relief.
- Section 10.6 Compensatory Action.
- Section 10.7 Violations Deemed a Public Nuisance.
- Section 10.8 Criminal Prosecution.
- Section 10.9 Remedies Not Exclusive.

Section 11
MISCELLANEOUS

- Section 11.1 Applicability.
- Section 11.2 Severability.
- Section 11.3 Ultimate Responsibility.
- Section 11.4 Effective Date.

STORM WATER MANAGEMENT ILLICIT DISCHARGE

RECITALS

WHEREAS, the purpose of this ordinance is to provide for the health, safety, and general welfare of the citizens of **IRONDALE** through the regulation of non-storm water discharges to the storm drainage system to the maximum extent practicable as required by federal and state law.

WHEREAS, this ordinance establishes methods for controlling the introduction of pollutants into the municipal separate storm sewer system (MS4) to comply with the requirements of the National Pollutant Discharge Elimination System (NPDES) permit process.

WHEREAS, this ordinance provides the minimum content for implementing and enforcing a STORMWATER management consistent with the Alabama Department of Environmental Management (ADEM) permit currently issued to the **IRONDALE**.

WHEREAS, the objectives of this ordinance are:

1. To regulate the contribution of pollutants to the municipal separate storm sewer system (MS4) by STORMWATER discharges by any user
2. To prohibit Illicit Connections and Discharges to the municipal separate storm sewer system
3. To establish legal authority to carry out all inspection, surveillance and monitoring procedures necessary to ensure compliance with this ordinance

NOW, THEREFORE BE IT ORDAINED by the City Council of the Irondale, Alabama, as follows:

Section 1 DEFINITIONS

For the purposes of this ordinance, the following words and terms shall have the meaning assigned to them in this section.

Authorized enforcement agency: employees or designees of the director of the municipal agency designated to enforce this ordinance.

Best Management Practices (BMPs): schedules of activities, prohibitions of practices, general good housekeeping practices, pollution prevention and educational practices, maintenance procedures, and other management practices to prevent or reduce the discharge of pollutants directly or indirectly to STORMWATER, receiving waters, or STORM WATER conveyance systems. BMPs also include treatment practices, operating procedures, and practices to control site runoff, spillage or leaks, sludge or water disposal, or drainage from raw materials storage.

Clean Water Act. The Federal Water Pollution Control Act (33 U.S.C. § 1251 et seq.), and any subsequent amendments thereto.

Construction Activity. Activities subject to NPDES Construction Permits. Currently, these include construction projects resulting in land disturbance of 1 acre or more. Such activities include but are not limited to clearing and grubbing, grading, excavating, and demolition.

Hazardous Materials. Any material, including any substance, waste, or combination thereof, which because of its quantity, concentration, or physical, chemical, or infectious characteristics may cause, or significantly contribute to, a substantial present or potential hazard to human health, safety, property, or the environment when improperly treated, stored, transported, disposed of, or otherwise managed.

Illegal Discharge. Any direct or indirect non-storm water discharge to the storm drain system, except as exempted in Section X of this ordinance.

Illicit Connections. An illicit connection is defined as either of the following:

1. Any drain or conveyance, whether on the surface or subsurface, which allows an illegal discharge to enter the storm drain system including but not limited to any conveyances which allow any non-storm water discharge including sewage, process wastewater, and wash water to enter the storm drain system and any connections to the storm drain system from indoor drains and sinks, regardless of whether said drain or connection had been previously allowed, permitted, or approved by the **IRONDALE** or,
2. Any drain or conveyance connected from commercial or industrial land use to the storm drain system which has not been documented in plans, maps, or equivalent records and approved by the **IRONDALE**.

Industrial Activity. Activities subject to NPDES Industrial Permits as defined in 40 CFR, Section 122.26 (b) (14).

National Pollutant Discharge Elimination System (NPDES) Storm Water Discharge Permit. Means a permit issued by EPA (or by a State under authority delegated under 33 USC § 1342(b)) that authorizes the discharge of pollutants to waters of the United States, whether the permit is applicable on an individual, group, or general area-wide basis.

Non-Storm Water Discharge. Any discharge to the storm drain system that is not composed entirely of stormwater.

Person. Any individual, association, organization, partnership, firm, corporation or other entity recognized by law and acting as either the owner or as the owner's agent.

Pollutant. Anything which causes or contributes to pollution. Pollutants may include, but are not limited to: paints, varnishes, and solvents; oil and other automotive fluids; non-hazardous liquid and solid wastes and yard wastes; refuse, rubbish, garbage, litter, or other discarded or abandoned objects, ordinances, and accumulations, so that same may cause or contribute to pollution; floatables; pesticides, herbicides, and fertilizers; hazardous substances and wastes; sewage, fecal coliform and pathogens; dissolved and particulate metals; animal wastes; wastes and residues that result from constructing a building or structure; and noxious or offensive matter of any kind.

Premises. Any building, lot, parcel of land, or a portion of land whether improved or unimproved including adjacent sidewalks and parking strips.

Storm Drainage System. Publicly-owned facilities by which stormwater is collected and/or conveyed, including but not limited to any roads with drainage systems, municipal streets, gutters, curbs, inlets, piped storm drains, pumping facilities, retention and detention basins, natural and human-made or altered drainage channels, reservoirs, and other drainage structures.

Storm Water. Any surface flow, runoff, and drainage consisting entirely of water from any form of natural precipitation, and resulting from such precipitation.

Storm Water Pollution Prevention Plan. A document which describes the Best Management Practices and activities to be implemented by a person or business to identify sources of pollution or contamination at a site and the actions to eliminate or reduce pollutant discharges to STORMWATER, STORMWATER Conveyance Systems, and/or Receiving Waters to the Maximum Extent Practicable.

Wastewater means any water or other liquid, other than uncontaminated storm water, discharged from a facility.

Section 2 ADMINISTRATION

The **IRONDALE** shall administer, implement, and enforce the provisions of this ordinance. Any powers granted or duties imposed upon the **IRONDALE** may be enforced by _____ or delegated in writing by an official of the **IRONDALE** to persons or entities acting in the beneficial interest of or in the employ of the agency.

Section 3 ILLICIT DISCHARGE PROHIBITIONS

Section 3.1 Prohibition of Illegal Discharges.

No person shall discharge or cause to be discharged into the municipal storm drain system or watercourses any materials, including but not limited to pollutants or waters containing any pollutants that cause or contribute to a violation of applicable water quality standards, other than stormwater.

Section 3.2 Illegal Discharges Exemptions.

The prohibition shall not apply to any non-storm water discharge permitted under an NPDES permit, waiver, or waste discharge order issued to the discharger and administered under the authority of the Federal Environmental Protection Agency, provided that the discharger is in full compliance with all requirements of the permit, waiver, or order and other applicable laws and regulations, and provided that written approval has been granted for any discharge to the storm drain system.

The following discharges are exempt from discharge prohibitions established by this ordinance provided that they have been determined not to be a substantial contributor of pollutants by the City or Alabama Department of Environmental Management (ADEM):

- a) Water line flushing
- b) Landscape irrigation or lawn watering (not consisting or treated, or untreated wastewater unless otherwise authorized)
- c) Diverted stream flows
- d) Uncontaminated ground water infiltration
- e) Uncontaminated pumped groundwater
- f) Discharges from potable water sources
- g) Foundation or footing drains (not including active groundwater dewatering systems)
- h) air conditioning condensation or drains
- i) Irrigation water (not consisting or treated, or untreated wastewater unless otherwise authorized)
- j) Rising groundwater
- k) Springs
- l) Water from crawl space pumps
- m) Lawn watering runoff
- n) Individual residential car washing, to include charitable carwashes
- o) Residential street wash water
- p) Discharges or flows from firefighting activities (including fire hydrant flushing)
- q) Flows from natural riparian habitat or wetlands
- r) Dechlorinated swimming pool discharges
- s) Dye testing is an allowable discharge but requires a verbal notification to the **IRONDALE** before the time of the test.

Section 3.3 Prohibition of Illicit Connections.

- a) The construction, use, maintenance or continued existence of illicit connections to the storm drain system is prohibited.
- b) This prohibition expressly includes, without limitation, illicit connections made in the past, regardless of whether the connection was permissible under law or practices applicable or prevailing at the time of connection.

- c) A person is considered to be in violation of this ordinance if the person connects a line conveying sewage to the MS4, or allows such a connection to continue.

Section 4 SUSPENSION OF MS4 ACCESS

Section 4.1 Suspension Due to Illicit Discharges in Emergency Situations.

The **IRONDALE** may, without prior notice, suspend MS4 discharge access to a person when such suspension is necessary to stop an actual or threatened discharge which presents or may present imminent and substantial danger to the environment, or the health or welfare of persons, or the MS4 or Waters of the United States. If the violator fails to comply with a suspension order issued in an emergency, the **IRONDALE** may take such steps as deemed necessary to prevent or minimize damage to the MS4 or Waters of the United States, or to minimize danger to persons.

Section 4.2 Suspension Due to the Detection of Illicit Discharge.

Any person discharging to the MS4 in violation of this ordinance may have their MS4 access terminated if such termination would abate or reduce an illicit discharge. The **IRONDALE** will notify a violator of the proposed termination of its MS4 access. The violator may petition the **IRONDALE** for a reconsideration and hearing.

A person commits an offense if the person reinstates MS4 access to premises terminated under this Section, without the prior approval of the **IRONDALE**.

Section 5 INDUSTRIAL, COMMERCIAL OR CONSTRUCTION ACTIVITY DISCHARGES

Any person subject to an industrial, commercial or construction activity NPDES stormwater discharge permit shall comply with all provisions of such permit. Proof of compliance with a said permit may be required in a form acceptable to the **IRONDALE** before the allowing of discharges to the MS4.

Section 6 MONITORING OF DISCHARGES

Section 6.1 Applicability.

This section applies to all facilities that have stormwater discharges associated with industrial, commercial, and construction activity.

Section 6.2 Access to Facilities.

- a) The **IRONDALE** shall be permitted to enter and inspect facilities subject to regulation under this ordinance as often as may be necessary to determine compliance with this ordinance. If a discharger has security measures in force which require proper identification and clearance before entry into its premises, the discharger shall make the necessary arrangements to allow access to representatives of the **IRONDALE**.
- b) Facility operators shall allow the **IRONDALE** ready access to all parts of the premises for the purposes of inspection, sampling, examination, and copying of records that must be kept under the conditions of an NPDES permit to discharge stormwater, and the performance of any additional duties as defined by state and federal law.
- c) The **IRONDALE** shall have the right to set up on any permitted facility such devices as are necessary in the opinion of the **IRONDALE** to conduct monitoring and/or sampling of the facility's stormwater discharge.
- d) The **IRONDALE** has the right to require the discharger to install monitoring equipment as necessary. The facility's sampling and monitoring equipment shall be maintained at all times in a safe and proper operating condition by the discharger at its own expense. All devices used to measure **STORMWATER** flow, and quality shall be calibrated to ensure their accuracy.
- e) Any temporary or permanent obstruction to safe and easy access to the facility to be inspected and/or sampled shall be promptly removed by the operator at the written or oral request of the **IRONDALE** and shall not be replaced. The costs of clearing such access shall be borne by the operator.
- f) Unreasonable delays in allowing the **IRONDALE** access to a permitted facility is a violation of a stormwater discharge permit and of this ordinance. A person who is the operator of a facility with an NPDES permit to discharge stormwater associated with industrial activity commits an offense if the person denies the **IRONDALE** reasonable access to the permitted facility for the purpose of conducting any activity authorized or required by this ordinance.
- g) If the **IRONDALE** has been refused access to any part of the premises from which **STORMWATER** is discharged, and he/she is able to demonstrate probable cause to believe that there may be a violation of this ordinance, or that there is a need to inspect and/or sample as part of a routine inspection and sampling program designed to verify compliance with this ordinance or any order issued hereunder, or to protect the overall public health, safety, and welfare of the community, then the **IRONDALE** may seek issuance of a search warrant from any court of competent jurisdiction.

Section 7
**REQUIREMENT TO PREVENT, CONTROL, AND REDUCE STORMWATER
POLLUTANTS BY THE USE OF BEST MANAGEMENT PRACTICES**

IRONDALE will adopt requirements identifying Best Management Practices for any activity, operation, or facility which may cause or contribute to pollution or contamination of stormwater, the storm drain system, or waters of the U.S. The owner or operator of a commercial or industrial establishment shall provide, at their own expense, reasonable protection from accidental discharge of prohibited materials or other wastes into the municipal storm drain system or watercourses through the use of these structural and non-structural BMPs. Further, any person responsible for a property or premise, which is, or may be, the source of an illicit discharge, may be required to implement, at said person's expense, additional structural and non-structural BMPs to prevent the further discharge of pollutants to the municipal separate storm sewer system. Compliance with all terms and conditions of a valid NPDES permit authorizing the discharge of stormwater associated with industrial activity, to the extent practicable, shall be deemed compliance with the provisions of this section. These BMPs shall be part of a STORMWATER pollution prevention plan (SWPP) as necessary for compliance with the requirements of the NPDES permit.

Section 8
WATERCOURSE PROTECTION

Every person owning property through which a watercourse passes, or such person's lessee, shall keep and maintain that part of the watercourse within the property free of trash, debris, excessive vegetation, and other obstacles that would pollute, contaminate, or significantly retard the flow of water through the watercourse. Also, the owner or lessee shall maintain existing privately-owned structures within or adjacent to a watercourse, so that such structures will not become a hazard to the use, function, or physical integrity of the watercourse.

Section 9
NOTIFICATION OF SPILLS

Notwithstanding other requirements of law, as soon as any person responsible for a facility or operation, or responsible for emergency response for a facility or operation has information of any known or suspected release of materials which are resulting or may result in illegal discharges or pollutants discharging into storm water, the storm drain system or water of the U.S. said person should take all necessary steps to ensure the discovery, containment, and cleanup of such release. In the event of such a release of hazardous materials said person shall immediately notify emergency response agencies of the occurrence via emergency dispatch services. In the event of a release of non-hazardous materials, said person shall notify the **IRONDALE** in person or by phone or facsimile no later than the next business day. Notifications in person or by phone shall be confirmed by written notice addressed and mailed to the **IRONDALE** within three business days of the phone notice. If the discharge of prohibited materials emanates from a commercial or industrial establishment, the owner or operator of such establishment shall also retain an on-site written record of the discharge and the actions taken to prevent its recurrence. Such

records shall be retained for at least three years.

Section 10 ENFORCEMENT AND ABATEMENT

Whenever the **IRONDALE** finds that a person has violated a prohibition or failed to meet a requirement of this Ordinance, the **IRONDALE** may enforce the ordinance with escalating procedures.

Section 10.1 Notification; Enforcement Remedies.

- (a) Warning Notice: A warning notice of violation is the lowest level of formal response to a violation. It is a verbal or written response presented to the violator shortly after a violation has been identified and is intended for minor violations that would not cause significant harm to the environment.

- (b) Notification of Violation: Whenever the Official finds that any person is in violation of any provision of this ordinance, or any order issued hereunder, the Official or his agent may serve upon such person written notice of the violation requiring the removal of illicit discharges and immediate cessation improper disposal practices within ten (10) calendar days of the date of such notice. Compliance by written notice of violation to the responsible person may require without limitation:
 - 1. The performance of monitoring, analyses, and reporting;
 - 2. The abatement or remediation of stormwater pollution or contamination hazards and the restoration of any affected property; and
 - 3. Payment of a fine to cover administrative and remediation costs; and
 - 4. The implementation of source control or treatment BMPs.

- (c) Compliance Order: Whenever abatement of a violation and/or restoration of the affected property is not possible within ten (10) days, a compliance order may be issued to the violator. The order shall set forth a deadline within which such remediation or restoration must be completed. Said order shall further advise that, should the violator fail to remediate or restore within the established deadline, the work will be done by a designated governmental agency or a contractor, and the expense thereof shall be charged to the violator.

Section 10.2 Appeal of Violation.

Any person receiving a Notice of Violation or Compliance Order may appeal the determination of the **IRONDALE**. The notice of appeal must be received within ten (10) days from the date of the Notice of Violation/Compliance Order. Hearing on the appeal before the appropriate authority or his/her designee shall take place within fifteen (15) days from the date of receipt of the notice of appeal. The decision of the municipal authority or

their designee shall be final.

Section 10.3 Enforcement Measures After Appeal.

If the violation has not been corrected pursuant to the requirements set forth in the Notice of Violation, or, in the event of an appeal, within **thirty (30) days** of the decision of the municipal authority upholding the decision of the **IRONDALE**, then representatives of the **IRONDALE** shall enter upon the subject private property and are authorized to take any and all measures necessary to abate the violation and/or restore the property. It shall be unlawful for any person, owner, agent or person in possession of any premises to refuse to allow the government agency or designated contractor to enter upon the premises for the purposes set forth above.

Section 10.4 Cost of Abatement of the Violation.

Within _____ days after abatement of the violation, the owner of the property will be notified of the cost of abatement, including administrative costs. The property owner may file a written protest objecting to the amount of the assessment within _____ days. If the amount due is not paid within a timely manner as determined by the decision of the municipal authority or by the expiration of the time in which to file an appeal, the charges shall become a special assessment against the property and shall constitute a lien on the property for the amount of the assessment.

Any person violating any of the provisions of this ordinance shall become liable to the city by reason of such violation. The liability shall be paid in not more than 12 equal payments. Interest at the rate of twelve (12) percent per annum shall be assessed on the balance beginning on the 1st day following the discovery of the violation.

Section 10.5 Injunctive Relief.

It shall be unlawful for any person to violate any provision or fail to comply with any of the requirements of this Ordinance. If a person has violated or continues to violate the provisions of this ordinance, the **IRONDALE** may petition for a preliminary or permanent injunction restraining the person from activities which would create further violations or compelling the person to perform abatement or remediation of the violation.

Section 10.6 Compensatory Action.

In lieu of enforcement proceedings, penalties, and remedies authorized by this Ordinance, the **IRONDALE** may impose upon a violator alternative compensatory actions, such as storm drain stenciling, attendance at compliance workshops, creek cleanup, etc.

Section 10.7 Violations Deemed a Public Nuisance.

In addition to the enforcement processes and penalties provided, any condition caused or permitted to exist in violation of any of the provisions of this Ordinance is a threat to public health, safety, and welfare, and is declared and deemed a nuisance, and may be summarily abated or restored at the violator's expense, and/or a civil action to abate, enjoin, or otherwise compel the cessation of such nuisance may be taken.

Section 10.8 Criminal Prosecution.

Any person that has violated or continues to violate this ordinance shall be liable to criminal prosecution to the fullest extent of the law, and shall be subject to a criminal penalty of \$500 dollars per violation per day and/or imprisonment for a period of time not to exceed one hundred and eighty (180) days.

The **IRONDALE** may recover all attorney's fees court costs and other expenses associated with the enforcement of this ordinance, including sampling and monitoring expenses.

Section 10.9 Remedies Not Exclusive.

The remedies listed in this ordinance are not exclusive of any other remedies available under any applicable federal, state or local law and it is within the discretion of the **IRONDALE** to seek cumulative remedies.

Section 11 MISCELLANEOUS

Section 11.1 Applicability.

This ordinance shall apply to all water entering the storm drain system generated on any developed and undeveloped lands unless explicitly exempted by an **IRONDALE**.

Section 11.2 Severability.

The provisions of this ordinance are hereby declared to be severable. If any provision, clause, sentence, or paragraph of this Ordinance or the application thereof to any person, establishment, or circumstances shall be held invalid, such invalidity shall not affect the other provisions or application of this Ordinance.


Section 11.3 Ultimate Responsibility.

The standards set forth herein and promulgated pursuant to this ordinance are minimum standards; therefore, this ordinance does not intend nor imply that compliance by any person will ensure that there will be no contamination, pollution, nor unauthorized discharge of pollutants.

Section 11.4 Effective Date.

This ordinance shall be published as required by law and shall become effective on June 7, 2018.

ADOPTED & APPROVED this the 7th day of June 2018.



Charles Moore, Mayor

CERTIFICATION

I, James D. Stewart Jr., City Clerk of the City of Irondale, Alabama, hereby certifies the above to be a true and correct copy of a resolution adopted by the City Council of the City of Irondale at its regular meeting held on June 7, 2018, as same appears in the minutes of record of said meeting.

ATTEST:



James D. Stewart Jr., City Clerk

2011

Guidelines and Standard
Operating Procedures



Chapter 1


I. INTRODUCTION

The Introduction section describes the regulatory basis, overall organization, and intended audience of the Manual.

2.1 BASIS FOR THE MANUAL

In October 2001, The Alabama Department of Management (ADEM) in accordance with the Environmental Protection Agency (EPA) issued a National Pollutant Discharge Elimination System (NPDES) for stormwater discharges from Municipal Separate Storm Sewer Systems (MS4s). The 21 municipalities comprising the Storm Water Management Authority, Inc became subject to stormwater Phase I regulations based on their designation as high-density urbanized areas according to the 2000 US Census. See Figure 1-1 for a map of the regulated municipalities.

Figure 1-1: Storm Water Management Authority, Inc Municipalities



The regulation specifies that a new general permit be issued by ADEM on a revolving five year basis. The General permit is valid until the new permit is issued and requires each municipality to develop a five year plan to:

“(R)educe the discharge of pollutants from the MS4 to the maximum extent practicable; protect water quality, and satisfy the water quality requirements of the Clean Water Act and state water quality standards.”

The 21 municipalities decided to best meet the goals of the permit that a uniform organization, Storm Water Management Authority, Inc, Inc. (Storm Water), would need to be formed. In September 2009, the members of Storm Water contracted with the Jefferson County Department of Health to perform certain stormwater duties for each municipality. The municipalities incorporated into Storm Water before this Manual did not have written standardized procedures for carrying out municipal operations that pertain to the management of stormwater. This Manual is the creation of such a standardization that provides a commonly accepted framework, technical standards, and guidance on stormwater management measures that control the quantity and quality of stormwater produced from common municipal activities. This Manual will aid in helping a communities’ Illicit Discharge Detection and Elimination (IDDE) program and provide a basis for future employee training

This manual will not only provide assistance to municipalities to meet the Stormwater Phase I regulations, but encourages them to use targeted best management practices (BMPs) within the watershed with the long-term goal of consistent application by all regulated entities within the watershed. The Manual of Guidelines and Standard Operating Procedures will help promote improvement in the water quality of Jefferson County’s lakes, ponds, streams, and rivers.

2.2 OBJECTIVES OF THE MANUAL

The specific objectives of the Manual are to

- Provide a uniform set of technical standards and guidance on stormwater management measures that will control both the quantity and quality of stormwater produced by municipal activities, new development, redevelopment, and post-construction;
- Assist municipalities in meeting Stormwater Phase I requirements;

- Encourage the use of uniform BMP strategies with the long term goal of consistent application by all regulated entities within the watershed;
- Encourage municipal cost-savings through proper and timely maintenance of stormwater systems; and
- Promote behavior that will improve the water quality throughout Jefferson County

2.3 CONTENT OF THE MANUAL

The content of this Manual is based primarily on the select requirements of the Stormwater Phase I program. The five year plan for each community must address the following control measures:

1. Public Education and Outreach on Stormwater Impacts
2. Public Involvement and Participation
3. Illicit Discharge Detection and Elimination (IDDE)
4. Industrial Inspection Program
5. Construction Site Stormwater Runoff Control
6. Post-Construction Stormwater Management in New Development and Redevelopment
7. Pollution Prevention/Good Housekeeping for municipal operations
8. Promotion of Green Development
9. Roadway Procedures
10. Pesticide, Herbicide, and Fertilizer Application
11. Flood Control Projects
12. Spill Prevention and Response

This Manual addresses components for two of the minimum control measures, Illicit Discharge Detection and Elimination and Pollution Prevention/Good Housekeeping, as follows:

Illicit Discharge Detection and Elimination (IDDE) – This Manual describes the procedures that are used to develop the IDDE program for the MS4s in the 21 municipalities covered under the permit. The program is based on the specific needs of each municipality and the watershed it falls within. This Manual offers the outline of the steps used by JCDH to develop an overall IDDE program that is implemented by each municipality. The basic steps currently underway by JCDH are: 1) Location of priority areas likely to have illicit discharges 2) Mapping of all storm drain systems 3) implementing an illicit discharge detection program through dry screening and outfall monitoring 4) Developing uniform procedure to trace sources of illicit discharging 5) Developing

procedures to remove sources, and 6) Evaluating overall IDDE program effectiveness. This Manual provides information on each of the six steps currently being deployed by JCDH, and how they result in an effective IDDE program that fulfills the intent of the General Permit.

Pollution Prevention/Good Housekeeping for Municipal Operations –

This Manual provides the Program Manager and municipal staff with the resources and technical references to aid Jefferson County Department of Health and Storm Water Management Authority, Inc in implementing their own Pollution Prevention/Good Housekeeping program. The General Permit requires the following Pollution Prevention/Good Housekeeping components as part of the overall plan:

- a) *A program with a goal of preventing and/or reducing pollutant runoff from municipal operations. The program will include employee training through Jefferson County Department of Health in cooperation with the Storm Water Management Authority, Inc.*
- b) *Maintenance activities for the following: parks and open spaces (area such as public golf courses and athletic fields); fleet maintenance, building maintenance; new construction and land disturbance; roadway drainage system maintenance and storm sewer maintenance.*
- c) *Schedules and records for municipal maintenance activities in paragraph (b) above.*
- d) *Inspection procedures and schedules for long term structural controls.*

This approach allows for flexibility in communities that are in the Stormwater Management Authority to develop their own unique programs according to community needs and available resources.

2.4 MANUAL AUDIENCE AND ORGANIZATION

The Stormwater Phase I Program requires the development of new programs as well as training for municipal employees to implement the overall stormwater program during daily activities. For this reason the Manual addresses two distinct types of audiences (1) City Engineers; JCDH personnel; City Officials, and (2) municipal employees, such as public works personnel, who implement the programs on a day-to-day basis.

Chapter 1 will provide an introduction and overview of the Manual. Chapter 2, *Illicit Discharge Detection and Elimination*, presents procedures for City Engineers, JCDH personnel, and City Officials to use in identifying high priority areas, tracing illicit discharges, and

eliminating illicit discharges in a timely manner. Chapter 3, *Pollution Prevention and Good Housekeeping*, provides the general details on the many ways that municipal activities such as vehicle and facilities maintenance may adversely affect stormwater, and presents ways to modify municipal operations to better prevent and reduce stormwater pollution.

Chapter 3 also gives some details on how to develop procedures related to good housekeeping and pollution prevention.

The Appendices are intended for use by “in-the-field” municipal employees. Appendix A contains some guidelines and standard operating procedures (SOPs) employed by Storm Water Management Authority, Inc and JCDH for use in the detection and elimination of illicit discharges. Appendix B contains guidelines, SOPs, and forms to use in applying pollution prevention and good housekeeping techniques during regular work duties.

The guidelines will be divided into three categories to make them easier for all users. These categories are: Always, whenever possible, and Never. Facility Managers are encouraged to keep up with any changes that occur in specific regulatory compliances with any SOPs in this Manual and should contact Storm Water Management Authority, Inc accordingly. Specific training on the guidelines and SOPs will help to reinforce their importance and encourage implementation.

2.5 COMMON STORMWATER POLLUTANTS, SOURCES, AND IMPACTS

Stormwater runoff contains pollutants that can harm human health, degrade water quality and aquatic habitat, impair water recreational activities, and impair ecosystem functions. On its way into our local streams, rivers, and other receiving waterbodies, stormwater runoff accumulates pollutants such as oil, gas, and other hydrocarbons, heavy metals, deicers, pesticides, fine sediment, fertilizers and bacteria(pathogens), all of which cause impairment to water quality. Runoff from fertilized lawns, golf courses, right-of-ways, and city parks can contribute excess nutrients to waterbodies, which can lead to algal blooms and in extreme cases, fish kills events due to low dissolved oxygen levels. Elevated fecal coliform from sewage or other sources can impair water quality and can lead to restrictions on use and enjoyment of natural resources such as fishing and swimming areas. Other stormwater pollutants of concern are toxic contaminants, such as heavy metals, mercury, pesticides, which can come from vehicles, businesses, or from homeowner activities.

All of these pollutants can be dissolved in water and can wash into receiving bodies during storm events. Understanding the sources of these pollutants and the impacts each pollutant has can help identify the priority goals and objectives of your specific municipality. Table 1-1 summarizes common stormwater pollutants, their sources and potential impacts.

TABLE 1-1: COMMON STORMWATER POLLUTANTS, SOURCES AND IMPACTS		
Pollutant	Sources	Impact
Sediment	Construction sites; eroding stream banks and lakeshores; winter sand and salt application; vehicle/boat washing; agricultural sites.	Destruction of plant and fish habitat; transportation of attached oils, nutrients and other pollutants; increased maintenance costs, flooding.
Nutrients (phosphorus, nitrogen)	Fertilizers; malfunctioning septic systems; livestock, bird & pet waste; vehicle/boat washing; grey water; decaying grass and leaves; sewer overflows; leaking trash containers, leaking sewer lines.	Increased potential for nuisance or toxic algal blooms; increased potential for hypoxia/anoxia (low levels of dissolved oxygen which can kill aquatic organisms).
Hydrocarbons (petroleum compounds)	Vehicle and equipment leaks; vehicle and equipment emissions; pesticides; fuel spills; equipment cleaning; improper fuel storage & disposal.	Toxic to humans and aquatic life at low levels.
Heavy Metals	Vehicle brake and tire wear; vehicle/equipment exhaust; batteries; galvanized metal; paint and wood preservatives; batteries; fuels; pesticides; cleaners.	Toxic at low levels; drinking water contamination.
Pathogens (Bacteria)	Livestock, bird and pet wastes; malfunctioning septic systems; sewer overflows; damaged sanitary lines.	Risk to human health leading to closure of shellfish areas and swimming areas; drinking water contamination.

USEPA defines an illicit discharge as any discharge to an MS4 that is not composed entirely of stormwater or the allowable non-stormwater discharges such as water from fire fighting activities, infiltrating groundwater, etc.. (See list below).

Chapter 2

II. ILLICIT DISCHARGE DETECTION AND ELIMINATION

Allowable Non-Stormwater Discharges

1. Water line flushing
2. Landscape irrigation
3. Diverted stream flows
4. Rising ground waters
5. Uncontaminated ground water infiltration (as defined in 40 CFR 35.2005 (20))
6. Uncontaminated pumped ground water
7. Discharge from potable water source
8. Foundation drains
9. Air conditioning condensation
10. Irrigation water, springs
11. Water from crawl space pumps
12. Footing drains
13. Lawn watering
14. Individual resident car washing
15. Flows from riparian habitats and wetlands
16. Dechlorinated swimming pool discharges
17. Street wash water
18. Residential building wash waters, without detergents

In our communities, the municipal separate storm drain systems discharge to receiving waterbodies without treatment. Therefore, it is particularly important that only stormwater is discharged and to ensure that illicit discharges are eliminated from the system. The General Permit requires that an effective IDDE program be developed by the regulated municipalities. The use of SOPs by JCDH and Storm Water Management Authority, Inc will allow for a unified approach to formulating an effective IDDE program. The Center for Watershed Protection's (CWP) *Illicit Discharge Detection and Elimination- A Guidance Manual for Program Development and Technical Assessments* (2004) , the New England Interstate Water Pollution Control Commission's (NEIWPC) *Illicit Discharge Detection and Elimination Manual- A Handbook for Municipalities* (2003) , and *Guidelines and Standard Operating Procedures- Illicit Discharge Detection and Elimination and Pollution Prevention/ Good Housekeeping* were used to develop this chapter.

This chapter provides some procedures that are being employed or deemed necessary to create an effective IDDE program in accordance with the USEPA General Permit. City officials should have a good understanding of the types of illicit discharges that may be encountered and the proper procedures and roles that are deployed by Storm Water Management Authority, Inc, JCDH, and the local municipality to address the problems. Section 2.1 describes various types of illicit discharges that may be encountered throughout Jefferson County. The next sections address additional steps that can be taken or are currently underway to create an effective IDDE program. The subsequent sections will then address additional steps that are being taken by Storm Water Management Authority, Inc, Inc. and JCDH to create an effective IDDE program such as: locating priority areas within Jefferson County (Section 2.2), storm-drain mapping (Section 2.3), detecting illicit discharges (Section 2.4), tracing illicit discharges back to its source (Section 2.5), removing illicit

discharges (Section 2.6), and tracking illicit discharges (Section 2.7). Lastly, Section 2.8 provides an approach to evaluating the overall IDDE program.

2.1 TYPES AND SOURCES OF ILLICIT DISCHARGES

The USEPA defines an illicit discharge as *“any discharge to a regulated small MS4 or to the waters of the State of Alabama that does not consist entirely of stormwater or allowable non-stormwater discharges”*.

Illicit discharges are often categorized according to frequency, which provides information about the source and helps determine which tracing procedures may be useful in locating the discharge. The following three categories provide a good basis for defining illicit discharges:

1. Transitory illicit discharges are typically single occurrence events resulting from spills, breaks, dumping or accidents. Transitory illicit discharges are often reported to an authority through the JCDH Stormwater Hotline (205) 930-1999, the local municipality, or through a municipal or JCDH employee observation while performing regular duties. Because they are not recurring, they are the most difficult to identify, trace, and remove. The best methods to reduce transitory discharges is through the use of education to the general public, municipal response personnel, tracking of discharge locations, and enforcement of an illicit discharge ordinance.
2. Intermittent illicit discharges occur occasionally over a period of time (several hours per day, or a few days per year). Intermittent discharges can result from legal connections to the storm drain system, such as a legal sump pump connection that is illegally discharging anything other than groundwater. Intermittent discharges can also result from activities such as a drum washing in exterior areas. These types of discharges are more likely to be discovered, and are less difficult to trace and remove, but can still present significant challenges. These discharges can have large or small impacts on waterbodies depending on pollutant content, duration, and the size of the receiving water body.
3. Continuous illicit discharges are typically the result of direct connection from a sanitary sewer, overflow from a malfunctioning septic system, inflow from a connection from a commercial or industrial facility. Continuous illicit discharges are usually easiest to trace and can have substantial pollutant loads. (CWP 2004).

Land use should be a major contributing factor when looking for illicit discharges. Table 2-1 provides a list of conditions and activities that may produce transitory and intermittent discharge, along with associated sources and land use. Table 2-2 lists possible sources of continuous discharges and their associated land use.

TABLE 2-1: LAND USES, LIKELY SOURCE LOCATIONS AND ACTIVITIES THAT CAN PRODUCE TRANSITORY OR INTERMITTENT ILLICIT		
Land Use	Likely Source Locations	Condition or Activity that Produces Discharge
Residential	<ul style="list-style-type: none"> • Apartments • Multi-family • Single family detached 	<ul style="list-style-type: none"> • Driveway cleaning • Dumping/spills (e.g., leaf litter and RV/boat holding tank effluent) • Equipment/vehicle wash-downs • Septic system maintenance • Swimming pool discharges
Commercial	<ul style="list-style-type: none"> • Campgrounds/RV parks • Car dealers/rental car companies • Car washes • Commercial laundry/dry cleaning • Gas stations/auto repair shops • Marinas • Nurseries and garden centers 	<ul style="list-style-type: none"> • Building maintenance (power washing) • Dumping/spills • Landscaping/grounds care • Outdoor fluid storage • Parking lot maintenance (power washing) • Vehicle fueling • Vehicle maintenance/repair • Vehicle washing • Wash-down of greasy equipment and grease traps

Industrial	<ul style="list-style-type: none"> • Auto recyclers • Beverages and brewing • Construction vehicle washouts • Distribution centers • Food processing • Garbage truck washouts • Marinas, boat building and repair • Metal plating operations • Paper and wood products • Petroleum storage and refining • Printing 	<ul style="list-style-type: none"> • Industrial process water or rinse water • Loading and un-loading area wash-downs • Outdoor material storage
Municipal	<ul style="list-style-type: none"> • Airports • Landfills • Maintenance depots • Municipal fleet storage areas • Ports • Public works yards • Streets and highways • Golf courses • Schools 	<ul style="list-style-type: none"> • Building maintenance (power washing) • Dumping/spills • Landscaping/grounds care • Outdoor fluid storage • Parking lot maintenance (power washing) • Road maintenance • Emergency response • Vehicle fueling • Vehicle maintenance/repair • Vehicle washing • Aircraft deicing

TABLE 2-2: LAND USES, LIKELY SOURCE LOCATIONS AND ACTIVITIES THAT CAN PRODUCE <u>CONTINUOUS</u> ILLICIT DISCHARGES	
Land Use	Condition or Activity that Produces Discharge
Residential	<ul style="list-style-type: none"> • Failed sanitary sewer infiltrating into storm drain • Sanitary sewer connection into storm drain • Failed septic systems discharging to storm drain system
Commercial/Industrial	<ul style="list-style-type: none"> • Failed sanitary sewer infiltrating into storm drain • Process water connections into storm drain • Sanitary sewer connection into storm drain
Municipal	<ul style="list-style-type: none"> • Failed sanitary sewer infiltrating into storm drain • Sanitary sewer connection into storm drain

SOURCE (Tables 2-1 and 2-1) : Modified from Illicit Discharge Detection and Elimination: A Guidance Manual for Program Development and

Technical Assessments, Center for Watershed Protection, 2004. p.12, Table 2.

The illicit discharge detection system provided by Storm Water Management Authority, Inc, Inc and JCDH uses these criteria to provide an effective detection and elimination program to address all types of illicit discharges.

2.2 LOCATING PRIORITY AREAS

Section 2.2 provides the methodology for locating priority areas that have a high potential for illicit discharges. Storm Water Management Authority, Inc, Inc and JCDH are continually evaluating/improving this process as changes arise and illicit discharges are removed (described in Section 2.6) This allows for a continuous modeling approach on where illicit discharge detection assets should be placed.

To locate priority areas within our municipalities JCDH is:

1. Continually monitoring watersheds for any substantial changes such as local water quality classifications (303 d and various others) by using current water quality monitoring for trending data. This helps divide the watershed into discrete areas that can obtain different priority levels.
2. Gathering and evaluating available information that provide clues as to where in the community illicit discharges might be found (e.g. older neighborhoods, industrial parks, and gentrified neighborhoods). This is done by taking data from ADEM issued NPDES permits, Sanitary Sewer Overflows, Land usage, and outfall quantity and type and plotting them using Geographical Information System (GIS) mapping technology. The maps are then examined for areas where concentrations of all these components tend to occur.
3. Using existing information to assess where illicit discharges may be found and what waterbodies are particularly sensitive (e.g. , drinking water sources, areas containing unique biodiversity, and swimming areas).

The following subsections present further discussion on each of these areas. The mapping and watershed prioritization conducted by Storm Water Management Authority, Inc, Inc and JCDH will help to manage each of these areas.


Natural Resource
Conservation Service (NCRS)
HUC

Level	Name	Number
1	Region	2 digit
2	Sub-Region	4 digit
3	Basin	6 digit
4	Sub-basin	8 digit
5	Watershed	10 digit
6	Subwatershed	12 digit
7	Drainage	14 digit
8	Site	16 digit

2.2.1 Identify Watersheds and Waterbodies

In order to identify priority areas where illicit discharges may occur, a decision must be made as to how to define an “area”. The Center for Watershed Protection recommends defining watersheds for individual waterbodies. The National Hydrograph Dataset has a Hydrologic Unit Code (HUC 10) that is used throughout Jefferson County. These 10 digit HUC codes provide an overall framework for delineating the 11 watershed areas within Jefferson County.

Figure 2-1 : Jefferson County HUC 10 Watersheds



This approach is particularly useful when reviewing the 303(d) list of impaired waters. Although wetlands are not taken into the HUC coding program they are taken into account in any water resource planning.

2.2.2 Review Available Information

Priority areas for our overall IDDE program will vary from one municipality to another depending on water quality conditions, land use, etc. The following is a list of resources that is compiled on a continual basis as well as a brief description of the factors used in the prioritization process:

- GIS land use maps - industrial areas with high density development may have a high potential to contain an illicit discharge.

Some Common Impairments in Jefferson County

- Nutrients
- Siltation
- Pathogens
- Pesticides (Dieldrin)
- Turbidity
- Temperature
- pH
- Oil and grease

- Locations of previous illicit discharges- areas with historical illicit discharge reports or previous citizen complaints are considered high priority.
- Approximate density of known outfalls per stream mile - areas with a high density of outfalls are considered high priorities.
- Age of infrastructure/development – older areas of the community with known high septic tank failure rates or improper stormwater infrastructure is considered a priority.
- Location of public sanitary sewer/age of sewer/date of separation – Older areas that were put on sewer long ago or have or have areas that are susceptible to pipe erosion are considered a priority.
- Water Quality Information

Water Quality Classification for the State of Alabama applicable to Jefferson County is as follows:

- Outstanding Alabama Water (OAW)
- Public Water Supply (PWS)
- Swimming and Other Whole Body Water-Contact Sports (S)
- Fish and Wildlife (F&W)
- Limited Warmwater Fishery (LWF)
- Agricultural and Industrial Water Supply (A&I)

For specific information on the classification of specific rivers go to:

http://www.epa.gov/waterscience/standards/wqslibrary/al/al_4_11wqs.pdf

ADEM 303(d) list – ADEM and EPA evaluate water quality of Alabama surface waterbodies and generate the 303(d) list of impaired water bodies. The list includes a description of the use that is impaired, the cause of the impairment, and the source. In some cases ADEM has identified illicit discharges or wet weather discharges as the cause. If one of the municipalities has a waterbody that is impaired due to wet weather or illicit discharges it becomes a priority to JCDH and Storm Water Management Authority, Inc, Inc. Impaired waters on the 303(d) list will be subjected to Total Maximum Daily Load (TMDL) standard for the pollutant of concern. This TMDL (when available) is factored into the overall IDDE program. This list is provided to the public at

<http://adem.alabama.gov/programs/water/wquality/2010AL303dList.pdf>

- Areas that drain to public beaches or drinking water sources – These areas are designated as high priority areas for public health and economic reasons.

It should be noted that the above list is not exhaustive. There may be additional data pertinent to locating priority areas that are constantly evolving. The use of any of these will be based on the personal knowledge and experience of JCDH as well as Storm Water Management Authority, Inc, Inc officials.

2.2.3 Evaluate Illicit Discharge Potential

The understanding of the unique waterbodies spread throughout the municipalities of Jefferson County allows the officials of Storm Water Management Authority, Inc, Inc and JCDH to establish a priority ranking. This will assign values of High Priority, Medium Priority, or Low Priority to each watershed. Table 2-4 provides an example of one of the components employed where criterion is evaluated for each waterbody and assigned an illicit discharge potential (IDP) of 1 for low potential, 2 for medium potential, and 3 for high potential. The scores for each waterbody are then averaged to produce a resultant overall score for the waterbody that will range from 1 (low priority) to 3 (high priority). Figure 2-2 shows a GIS mapping detection system that is the major component along with scoring that allows for priority areas to be assigned to each watershed.

The IDDE prioritization process allows Storm Water Management Authority, Inc, Inc and JCDH to focus their efforts on:

- Areas that need further mapping
- Community-specific detection techniques
- Prioritization of storm drain system maintenance work

**TABLE 2-4:
EXAMPLE PRIORITIZATION TABLE USING AVAILABLE INFORMATION**

	Land Use	NHDES Category on 303(d) List	Stormwater Outfall Density (# of Outfalls per Stream Mile)	Average Age of Development (years)	Raw IDP Score	Normalized IDP Score**
Area A	Commercial (2)*	Impaired – Other Source (2)*	14 (2)*	40 (2)*	8	2
Area B	Residential (1)	Not Impaired (1)	10 (2)	10 (1)	5	1.25
Area C	Industrial (3)	Impaired – Illicit Discharge or Stormwater (3)	16 (2)	75 (3)	11	2.75
Area D	Residential (1)	Not Impaired (1)	9 (1)	15 (1)	4	1
Area E	Residential (1)	No data available	21 (3)	20 (1)	5	1.67

Notes:

- The number in parentheses is the Illicit Discharge Potential (IDP) “score” (with 3 defined as a high IDP) earned for that area for the category identified. Basis for assigning scores (based on benchmarks) to assess IDP is defined as follows:

Category Definitions	Land Use	JCDH Category	Stormwater Outfall Density	Average Age of Development
High (3)	Industrial	Impaired-illicit discharge or stormwater	>20	>50
Medium (2)	Commercial	Impaired- other source	10-20	25-50
Low (1)	Residential	Not impaired	<10	<25

- Normalizing the raw IDP scores (by dividing the raw score by the number of screening factors assessed) will produce scores that fall into the Standard scale of 1 to 3 for low to high IDP, respectively.

SOURCE: Modified from Illicit Discharge Detection and Elimination: A Guidance Manual for Program Development and Technical Assessments, Center for Watershed Protection, 2004, p.53, Table 15.




Figure 2-2 Shades Creek Watershed

2.3 MAPPING THE SYSTEM

This section will focus on the development of a comprehensive storm drain map using GIS technology. The strategy used to build the storm drain map by JCDH and Storm Water Management Authority, Inc, Inc is as follows:

1. Review/ Office Preparation:
 - a) Existing GIS maps were checked for data in high priority areas first, then medium priority areas, then low priority areas. The maps used came from various sources including Jefferson County, Storm Water Management Authority, Inc, and various state and local agencies. The maps obtained showed land usage, development area patterns, tax maps, as well as old Storm Water Management Authority, Inc priority areas.
 - b) A naming and numbering system was developed for outfalls as well as GIS coordinates and pictures of all outfalls were stored in a data dictionary. This will facilitate future inspections and aid in documentation of maintenance.
 - c) A system of marking outfalls is being employed to help mark outfalls in the field. Spray paint is being examined but a more permanent system would be ideal.
 - d) Equipment was obtained for mapping including all on the list and a few items that are excluded.
 - e) A preliminary schedule was developed to show the various steps need to reach completion. This schedule is subject to change based on factors such as weather, creek level, or other factors.
 - f) Canoes were put into service for areas that could not be walked. Areas that have thick undergrowth were identified as areas to be walked during the fall or winter months.
 - g) Sampling sites and results were taken into account in what areas needed to be first priority.

2. Field verification:
 - a) All major waterbodies within a given area of a municipality are being walked and outfall data collected on a weekly basis. The outfalls are identified using a global positioning system (GPS) unit capable of 3-5 m accuracy. Pathfinder® is being used to post-process the points to even greater accuracy than the GPS unit alone can provide. The outfalls are also being assigned a number in the GPS data dictionary as well as a picture taken by the Trimble Juno GPS Unit.
 - b) Spray paint is used in the field to identify outfalls.
 - c) Dry weather sampling is being conducted in regular intervals at sites designated by JCDH on the major feeder creeks. There are 29 of these sites along the feeder creeks in our municipalities. Dry weather screening on outfalls is also conducted on complaints and whenever an opportunity presents itself.
 - d) Dry weather screen is also being conducted on each tributary area twice a year to document any pollutant loadings.


3. Develop Initial GIS Maps: The storm drain systems are being mapped as a larger part of the GIS database for the Storm Water Management Authority, Inc's municipalities. The new data collected has the option to be displayed with any of the existing data sets. JCDH has the ability to display aerial photography, street maps, municipal boundaries, and various other layers as backdrops for relevant GIS maps. Aerial photographs are one of the most interesting background files to use to display information; however, their large file size (20 MB and larger) can make them impractical for all applications. An alternate way to display our mapped information consisted of downloading either United States Geological Survey (USGS) quadrangles, or a set of roads, political boundaries, waterbodies, and watershed information from various other local and governmental sources.

TIN maps are used by JCDH to formulate 3-dimensional pictures of watersheds and how data can affect the waterbodies therein. The 3-dimensional maps allow water to be traced from source to areas where it will likely be terminate into a major feeder creek.

4. Review and field check other structures (catch basins, culverts, pipes, ditches, drain manholes, etc.):
 - a. Aerial photography was first used to identify stormwater detention structures. Field Staff along with local firemen are now in the process of locating various catch basins that are undetectable using aerial photography, and taking photographs of pipe locations and sizes. The design details will then be used to get a detailed overview of all structures. A GPS unit with a data logger is being used to take photographs and pinpoint locations.
 - b. Quality Assurance/ Quality Control is performed in the office on a daily basis on all data recorded.
 - c. All data collected has a unique point type and number assigned.
5. Incorporate field data into GIS and revise as necessary: Once the GPS data files have been converted into GIS layers, and revised maps have been produced; these maps are proofed to assess their accuracy and completeness. The JCDH reviewer documents any additional data requirements, and corrects any errors in the information collected. A relational database helps JCDH and local municipalities establish the connections between pipes, outfalls, and other structures.

The mapping database should be completed in a four year period depending on resources and availability starting on August, 1, 2010. Below in Figure 2-3 is a sample GIS map generated by JCDH.

Figure 2-3: Storm and Outfall GIS map



All storm drains are marked on a GIS database with a picture assigned to each one.

2.4 DETECTION

Dry Weather Discharge Definition

The CWP defines **dry weather** as a 48 hour period with no runoff producing rain fall. JCDH and Storm Water Management Authority, Inc define dry weather as a 48-72 hour period with less than 1/10-inch rainfall.

Illicit discharges can be detected in many ways. Determining which detection methods are appropriate for a municipality can be a relatively simple process. An example of this selection process is provided in Table 2-6. Sheets such as this as well as the following information are used to generate the areas and the frequency of inspections.


2.4.1 Dry Weather Inspections During Mapping (or initial inspections)

The Dry Weather Inspection Form (see Appendix A) can be used during the mapping to detect the continuous and intermittent discharges. The form is completed whenever evidence of an illicit discharge such as significant flow during dry weather, the presence of raw sewage indicators, staining, or residue, is observed. The discharge is then filed into a complaint form like the one seen below in Figure 2-5.

2.4.2 Long-Term Dry Weather Inspections

Long-term, regular inspections of outfalls are a primary part of JCDH’s IDDE program. Regular inspections are not significantly different from inspections conducted during mapping. The major difference is that a crew or inspector will have historical data to work with to make assessments. These inspections are kept in an electronic data base that is analyzed for any higher than expected sample values by using the bench marks in the Figure 2-4 below. The database is then used to direct inspectors on follow-up visits to investigate problem samples. The database also can provide a graph that gives a good baseline above which a sample should not reach. These sites are sampled at least four times a year and can be sampled on an as needed basis.

Figure 2-4: JCDH Sampling Program



Date Range: 7/6/2009 thru 7/6/2010

Site Name	Sample Date	Test Name	Result Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
VES-CAR-076T	4/5/2010 1:15:00 PM	FECAL COLIFORMS	1	<1.00	COL/100ML	DRY	GRAB	20100 695-01	9222D
VES-CAR-078T	4/5/2010 2:15:00 PM	FECAL COLIFORMS	32	32.0	COL/100ML	DRY	GRAB	20100 696-01	9222D
VES-CAR-079T	4/6/2010 10:20:00 AM	FECAL COLIFORMS	66	66	COL/100ML	DRY	COMP	20100 704-01	9222D
VES-CAR-077T	4/7/2010 10:40:00 AM	FECAL COLIFORMS	28	28	COL/100ML	DRY	GRAB	20100 731-01	9222D

A schedule of long-term inspections for outfalls was then developed. The CWP recommends inspecting all outfalls once, at a minimum, during the first permit cycle in which JCDH is currently inspecting all outfalls and coming up with a grid system to allow for more efficient management of personnel. Further inspections are conducted to supplement the existing JCDH inspections as personnel and funds

allow. Long-term inspections are conducted during dry weather to maximize the potential to observe evidence of illicit discharges and form baseline trends. Winter and summer inspections are conducted at 29 sites to help monitor illicit discharges. The use of interns reduces cost, but to ensure quality of service each intern is trained in safety and identification techniques. If any problems are discovered a procedure is in place to allow for examination by more experienced personnel.

2.5.1 Opportunistic Inspections

Most public works crews conduct their regular duties in and around the storm drain system. A Supervisor may elect to have crews conduct outfall inspections on an informal basis while performing other work, or the supervisor may elect to have crews informally “keep a look out” for illicit discharges. If a city employee observes evidence of an illicit discharge during an informal or non-routine inspection, he/she should collect as much information about the potential illicit discharge as possible then contact his/her supervisor which will relay the information to the JCDH Stormwater hotline at (205)930-1999. A complaint form will then be generated by JCDH containing the information given and will be worked so as to alleviate the problem. A sample complaint form is shown on the next page in Figure 2-4.

Figure 2-4: Sample Complaint Form

Examples of Illicit Discharge Indicators

- Color
 - Floatables
 - Solids
 - Turbidity
 - Oil sheen
 - Grey mat
 - Odor
-

While it may not be possible for all municipal employees to be able to personally call in an illicit discharges. There should be several other ways they can help alleviate this problem such as:

- The person observing the discharge can provide the information verbally to a dispatcher or the supervisor, who can then call in the complaint to the hotline.
- Personnel can log into JCDH's website to report any complaint concerns; however this option may be a bit more time consuming and immediate needs should be called in.
- A "local" JCDH stormwater program employee can be called to come investigate the complaint on an as needed basis.

It is important to collect as much information as possible at the time of the initial observation due to the likelihood that a discharge may be transitory or intermittent. Initial identification of the likely or potential sources of the discharge is also very important.

2.5.2 Citizen Call-In Inspections

A citizen call-in program is an effective way to identify illicit discharges.

JCDH has a stormwater hotline that is accessible and publicized throughout the Storm Water Management Authority, Inc's municipalities. To maximize the effectiveness of citizen call-ins, the complaint system is filtered by an initial inspection so that each complaint is addressed and identified as valid. Upon validation the complaint is worked within 7-10 business days. The form is filled out with the citizen's information along with all relevant complaint information. There are a few ways through letters and faxes that anonymous complaints can be generated but most complaints must have an original complainant so as to be able to notify someone of the results. These are done by environmental health specialists as well as stormwater employees. The hotline is also accessible through JCDH's website at WWW.JCDH.ORG.

2.5.3 Septic System Inspections

Septic System inspections are conducted through JCDH's Community Environmental Protection Division. The older rural and low density areas that are prone to septic tank failures are identified first and any problem is reported internally to that division to handle. Any failure is then handled in a timely manner and the tank is pumped out until the failure is repaired to prevent leaking into the storm sewer system.

2.5 TRACING ILLICIT DISCHARGES

Once an illicit discharge has been reported or detected through an inspection, the next step is to locate the source. Selection of tracing techniques will depend on the type of illicit discharge detected, information collected during the initial discovery period, observation (whether through an inspection by a municipal employee, JCDH regular inspections, or through a citizen call-in), and the resources/technology available to the municipality. A single technique may be used or several techniques may be used in combination to identify the source of the discharge. Figure 2-5 presents a flow chart for selecting tracing techniques that can be applied to the two categories of potential illicit discharges: (1) transitory or intermittent discharges (where upon returning to the site, no flow is present at the location where the illicit discharge was initially reported), and (2) continuous discharges (where upon returning to the site a continuous flow is present and the flow may be more easily traced to its source). Each of these circumstances is described below:


1. Transitory or intermittent discharges: These conditions may occur as a result of an inspection or a citizen complaint. While initial information may have been collected regarding the potential illicit

discharge, a return trip may show that the discharge was either intermittent or transitory (e.g., no flow is present upon return to the site). The investigative techniques used will depend on whether or not a potential source location was identified during the initial observation:

Potential source identified - If a potential source for the illicit discharge was initially identified, steps are taken to investigate the potential source site, such as inspecting the site and storm drain system in the vicinity of the site. If floor drains, sumps, or other suspect discharge locations are observed during this inspection, dye testing, smoke testing, or continuous flow monitoring may be used. These techniques should definitively show whether the suspect site was the source of the illicit discharge.

Potential source not identified - If no source site is suspected, and only the general area of the illicit discharge is known, it may be possible to trace the evidence of the illicit discharge by visual inspection of the storm drain access points. If this catch basin/manhole inspection technique proves to be unsuccessful, some interim steps are taken attempt to capture water from an intermittent discharge. For example, sand bagging, damming or block testing of selected storm drain access points, combined with installation can help reveal the source of the discharge. If these techniques have no positive result (no water pools behind the weir or sand bag), the discharge was likely transitory (one time only), and it may not be possible to determine its origin. In this case, the location of the originally reported illicit discharge is added to the complaint database and tracked for any future incidents. If the original report of the illicit discharge was severe or gross pollution, then smoke testing or televising of the storm drain system may be warranted.

Figure 2-5
Flow Chart for Selecting Tracing Techniques



2. Continuous discharges: Tracing continuous discharges is typically easier than tracing transitory or intermittent discharges. The primary difference between tracing a transitory or intermittent discharge and tracing a continuous discharge is that sandbagging and weirs are not required for a continuous discharge. Visual observation of the system access points should reveal where the flow is coming from. Just as for tracing a transitory or intermittent discharge, if visual inspections fail in identification of the source and the original report was severe or gross pollution, then televising, smoke testing, or sample collection would be warranted. JCDH randomly collects a grab sample for bacterial analysis from any pipe with a significant flow, even if the discharge appears to be clear.

While these conditions may not cover the full extent of discharges that may be discovered, they should provide general guidance on the selection of tracing techniques. The following subsection describes in more detail each of the techniques that can be applied by JCDH, including their advantages and disadvantages.

2.5.1 Tracing Techniques

To select an effective tracing technique, one must have a good understanding of the technique and its limitations. The following is a brief summary of each of the tracing techniques that may be employed by JCDH to locate the source of an illicit discharge:

1. Visual Inspection at manholes/catch basins: This tracing technique is typically used when there is no suspected source site or in residential neighborhoods. It is the most cost effective and efficient method of tracing. Structures are inspected systematically starting at the initial detection location, gradually working upstream through the system. If the inspector is tracking a continuous discharge, the inspections may be relatively easy, and the flow can be traced back to its source. If the inspector is attempting to track a transitory or intermittent discharge, the inspector will make the following observations depending on the information provided from the initial identification: color and clarity of any discharge, staining or deposits on bottom of structure; oil sheen, scum, or foam on any standing fluids in sump of structure; odors, staining or deposits on inlet pipes

and outlet pipes. Depending on what the inspector is looking for, and what they find, they will progressively inspect additional structures until either a potential source is found, or no further evidence is found. If no further evidence is found the inspector may elect to further assess some of the structures by installing sandbags or other damming devices to determine if the discharge recurs. Inspectors are always equipped with proper safety equipment such as proper cone placement, safety vests in traffic areas, confined space entry techniques (if entry is necessary), steel-toed boots, etc.

2. Sampling flowing discharges: As shown in Figure 2-5, samples are collected only in the event a discharge is flowing through the outfall, unless a pollutant is clearly evident in stagnant pools of water or sump water. Table 2-8 lists the parameters that a sample can be analyzed for and provides a general discussion of how the results may be interpreted. This table was taken from the CWP manual (2004) which provides a more detailed discussion of sampling procedures and analysis of results. Sampling and analysis for many of the compounds should be completed by JCDH or other personnel trained in collection, handling, and preservation techniques to ensure accurate data. JCDH recommends collecting a sample when the discharge is initially found and after any source is removed. The sample collected after removing an illicit discharge can indicate if other illicit discharges are present. JCDH also holds the right to test any different chemical or pollutant at the inspector's discretion.

TABLE 2-8: INDICATOR PARAMETERS USED TO DETECT ILLICIT DISCHARGES					
Parameter	Discharge Types it can Detect				Laboratory/Analytical Challenges
	Sewage	Washwater	Tap Water	Industrial or Commercial Liquid Wastes	
Ammonia	●	☑	○	☑	Can change into other nitrogen forms as the flow travels to the outfall.
Boron	☑	☑	○	*	
Chlorine	○	○	○	☑	High chlorine demand in natural waters limits utility to flow with very
Color	☑	☑	○	☑	
Conductivity	☑	☑	○	☑	Ineffective in saline waters, generally highly variable.
Detergents - Surfactants	●	●	○	☑	Reagent is a hazardous waste.
E. coli Enterococci Total Coliform	☑	○	○	○	24-hour wait for results. Need to modify standard monitoring protocols to measure high bacteria concentrations.
Fluoride**	○	○	●	☑	Reagent is a hazardous waste. Exception for communities that do not fluoridate their tap water.
Hardness	☑	☑	☑	☑	
pH	○	☑	○	☑	
Potassium	☑	○	○	●	May need to use two separate analytical techniques, depending on the concentration.
Turbidity	☑	☑	○	☑	
<ul style="list-style-type: none"> ● Can almost always (>80% of samples) distinguish this discharge from clean flow types (e.g., tap water or natural water). For tap water, can distinguish from natural water. ☑ Can sometimes (>50% of samples) distinguish this discharge from clean flow types depending on regional characteristics, or can be helpful in combination with another parameter. ○ Poor indicator. Cannot reliably detect illicit discharges, or cannot detect tap water. * Data are not available to assess the utility as a single parameter, but when combined with additional parameters (such as detergents, ammonia and potassium), it can almost always distinguish between sewage and washwater. ** Fluoride is a poor indicator when used alone, but can distinguish between washwater and sewage when combined with analysis for detergents, ammonia and potassium. 					

SOURCE: Modified from *Illicit Discharge Detection and Elimination: A Guidance Manual for Program Development and Technical Assessments*, Center for Watershed Protection, 2004, p. 122, Table 39

3. Sandbagging or damming: Sandbagging and damming is typically only conducted when the discharge flow has ceased since initial detection. Application of this technique is sparsely used and will show whether the discharge is one time only (no water pools behind the sandbag or dam) or intermittent (water pools behind the sandbag). CWP provides the following explanation:

This technique involves placement of sandbags or similar barriers such as caulk dams within strategic manholes in the storm drain network to form a temporary dam that collects any intermittent flows that may occur. Any flow collected behind the sandbag is then assessed using visual observations or by indicator sampling. Sandbags are lowered on a rope through the manhole to form a dam along the bottom of the storm drain, taking care not to fully block the pipe (in case it rains before the sandbag is retrieved). Sandbags are typically installed at junctions in the network to eliminate contributing branches from further consideration. If no flow collects behind the sandbag, the upstream pipe network can be ruled out as a source of the intermittent discharge. Sandbags are typically left in place for no more than 48 hours, and should only be installed when dry weather is forecast. Sandbags should not be left in place during a heavy rainstorm. They may cause a blockage in the storm drain, or, they may be washed downstream and lost. The biggest downside to sandbagging and damming is that it requires at least two trips to each manhole (CWP, 2004, p.157).

4. Optical brightener monitoring traps: (JCDH is very limited in employing this specific technique because the effectiveness is yet to be determined) Optical brightener monitoring (OBM) traps can be used to trace intermittent or transitory discharges that result from washwater with detergent. Detergents usually contain optical brighteners that can be detected at high concentrations using this method. However, the traps only detect highly concentrated discharges. The detergent concentration required to be detected by the light is approximately the same as pure washwater from a washing machine. Consequently, OBM traps may be best suited as a simple indicator of the presence or absence of intermittent flow or to detect the most concentrated flows. The traps can be made using easily acquired materials.

The traps contain an absorbent, unbleached cotton pad or fabric swatch contained inside a wire mesh trap or section of small diameter (e.g., 2-inch) PVC pipe. The traps should be anchored to the inside of an outfall at the invert using wire or monofilament that is secured to the pipe itself. Rocks or bricks can be used a temporary weight to hold the trap in place.

JCDH inspectors can retrieve the OBM traps after 24 to 72 hours of dry weather. OBM traps are retrieved before coming into contact with stormwater, which will contaminate the trap or wash it away. When placed under a long wave fluorescent ultraviolet or “black” light, an OBM trap will indicate if it has been exposed to detergents. CWP reports that OBM traps have been used with some success in Massachusetts (Sergeant et al. 1998) and northern Virginia (Waye 2000).

5. Dye testing: (Green Fluorescent used by JCDH) Dye testing is typically conducted when a potential source site has been identified, and the inspector is trying to determine whether the site has floor drains or other locations that connect and discharge to the storm drain system. Permission to access the site must be obtained before dye testing can be conducted.
Verbal or written requests by JCDH are both acceptable. The inspector should review available sanitary sewer and storm drain maps before conducting the dye testing. The dye testing procedure consists of two steps: (1) discharging the dye into the suspect location, and (2) opening nearby storm drain and sanitary sewer manhole covers to determine where the dye discharges to. This procedure is fairly effective for confirming direct connections into the storm drain system for short reaches. If a longer pipe network is being evaluated, charcoal packets can be left in selected structures and later collected and analyzed for the presence of the dye. If dye testing porcelain structures, tablets or charcoal should be wrapped in tissue before depositing. When dye testing, the inspector takes into account that each structure (sink, toilet, etc.) should be tested separately. Many times a single utility in a basement may be incorrectly connected to a storm drain line instead of a sanitary line.
6. Televising: (Not in use by JCDH at this time but Jefferson County Environmental Services employs this technique) Televised video inspections are a useful technique when an illicit connection or infiltration from a nearby sanitary sewer is

suspected, but little evidence of the illicit discharge remains behind. Two types of video cameras are available for use: (1) a small camera that can be manually pushed on a stiff cable through storm drains to observe the interior of the piping, or (2) a larger remote operated video camera on treads or wheels that can be guided through storm drains to view the interior of the pipe. Typically the operator of the camera has access to a keyboard or audio voice-over to record significant findings on the videotape that is produced for future review and evaluation.

7. Smoke testing: Smoke testing is a useful technique for tracing intermittent discharges or continuous discharges that have no apparent source site. Smoke is introduced into the storm drain system, and emerges at locations that are connected to the system. Smoke testing works best for short reaches of pipe, or in situations where pipe diameters are too small for video testing.

The Center for Watershed Protection provides the following discussion on planning and executing smoke testing:

JCDH must provide notice to the public in the immediate vicinity about the date and purpose of the smoke testing. The smoke used is non-toxic, but can cause respiratory irritation, which can be a problem for some residents. Residents will be notified prior to testing, and should be provided the following information (Hurco Technologies, Inc. 2003):

- Date testing will occur
- Reason for smoke testing
- Precautions they can take to prevent smoke from entering their homes or businesses
- What they need to do if smoke enters their home or business, and any health concerns associated with the smoke
- A number residents can call to relay any particular health concerns (e.g., chronic respiratory problems)

JCDH will also notify local media to get the word out if extensive smoke testing is planned (e.g., television, newspaper, and radio). On the actual day of testing, local fire departments and 911 call centers will be notified to handle any calls from the public.

The basic equipment needed for smoke testing includes manhole safety equipment, a smoke source, smoke blower, and sewer plugs. Two smoke sources can be used for smoke testing. The first is a smoke “bomb,” or “candle” that burns at a controlled rate and releases very white smoke visible at relatively low concentrations. Smoke bombs are suspended beneath a blower in a manhole. Candles are available in 30 second to three minute sizes. Once opened, smoke bombs should be kept in a dry location and should be used within one year.

The second smoke source is liquid smoke, which is a petroleum-based product that is injected into the hot exhaust of a blower where it is heated and vaporized. The length of smoke production can vary depending on the length of the pipe being tested. In general, liquid smoke is not as consistently visible and does not travel as far as smoke from bombs.

Smoke blowers provide a high volume of air that forces smoke through the storm drain pipe. Two types of blowers are commonly used: “squirrel cage” blowers and direct-drive propeller blowers. Squirrel cage blowers are large and may weigh more than 100 pounds, but allow the operator to generate more controlled smoke output. Direct-drive propeller blowers are considerably lighter and more compact, which allows for easier transport and positioning.

Three basic steps are involved in smoke testing. First, the storm drain is sealed off by plugging storm drain inlets. Next, the smoke is released and forced by the blower through the storm drain system. Lastly, the inspector looks for any escape of smoke above-ground to find potential leaks. Septic vents on rooftops are clear indicators of cross connections to the storm drain system.

One of three methods can be used to seal off the storm drain. (1) Sandbags can be lowered into place with a rope from the street surface. (2) Alternatively, beach balls that have a diameter slightly larger than the drain can be inserted into the pipe. The beach ball is then placed in a mesh bag with a rope attached to it so it can be secured and retrieved. If the beach ball gets stuck in the pipe, it can simply be punctured, deflated

and removed. (3) Finally, expandable plugs are available, and may be inserted from the ground surface.

Blowers should be set up next to the open manhole after the smoke is started. Only one manhole is tested at a time. If a smoke candle is used, the inspector simply lights the candle, places it in a bucket, and lowers it into the manhole. The inspector then watches to see where smoke escapes from the pipe. The two most common situations that indicate an illicit discharge are when smoke is seen rising from internal plumbing fixtures (typically reported by residents) or from sewer vents. Sewer vents extend upward from the sewer lateral to release gas buildup, and are not supposed to be connected to the storm drain system (CWP, 2004, p. 165-166).

2.6 REMOVING ILLICIT CONNECTIONS AND DISCHARGES

Regulated MS4 communities are required to adopt an ordinance or other regulatory mechanism to prohibit illicit discharges to their storm drain system. Storm Water Management Authority, Inc and JCDH operate off the *Erosion and Sedimentation Control Ordinance* that was instated on October 1, 1999. This ordinance allows for enforcement procedures that can be taken in the event of discovery of an illicit discharge. A new ordinance is set to be released within the 2011 calendar year and all illicit discharges should be referred to the most current ordinance. This section describes the procedures that should be taken for illicit discharge removal.

Table 2-9 summarizes the procedures that should be followed to ensure a timely and complete removal depending on the types of illicit discharges that may be discovered, and the various responsible parties. For most cases, the enforcement authority in the Ordinance will coordinate discharge removal.

**TABLE 2-9:
NOTIFICATION AND REMOVAL PROCEDURES FOR ILLICIT DISCHARGES INTO THE MUNICIPAL SEPARATE
STORM SEWER SYSTEM**

Financially Responsible Party	Source Identified	Enforcement Authority	Procedure to Follow
Private Property Owner	One-time illicit discharge (e.g., spill, dumping, etc.)	Ordinance enforcement authority (e.g., City official, JCDH official, or various other agencies)	<ul style="list-style-type: none"> • Contact Owner • Issue Notice of Violation • Issue fine for larger spills
Private Property Owner	Intermittent or continuous illicit discharge from legal connection	Ordinance enforcement authority (e.g., Code Enforcement Officer)	<ul style="list-style-type: none"> • Contact Owner • Issue Notice of Violation • Determine schedule for removal • Confirm removal
Private Property Owner	Intermittent or continuous illicit discharge from illegal connection or indirect (e.g., infiltration or failed septic)	Plumbing Inspector, JCDH Community Environmental Protection Division	<ul style="list-style-type: none"> • Notify plumbing inspector/ • Notify JCDH by complaint • Enforcement Action taken by JCDH
Municipal	Intermittent or continuous illicit discharge from illegal connection or indirect (e.g., failed sewer line)	Ordinance enforcement authority (e.g., City official, JCDH official, or various other agencies)	<ul style="list-style-type: none"> • Issue work order • Schedule removal • Remove connection • Confirm removal
Exempt 3 rd Party (see Section 2.6.4)	Any	USEPA	<ul style="list-style-type: none"> • Notify exempt third party and USEPA of illicit discharge

The following subsections address the issues of financial responsibility for removal (Section 2.6.1), forms and procedures that can be used in association with issuing a Notice of Violation (NOV) (Section 2.6.2), circumstances in which a municipality can take emergency action by referring directly to JCDH for discharges that are a threat to human health or the environment (Section 2.6.3), and procedures to follow when an illicit discharge from an exempt party is identified (Section 2.6.4).

2.6.1 Financial Responsibility

Once an illicit discharge's source has been identified, the financial responsibility of removing it is determined in the *Erosion and Sedimentation Control Ordinance* adopted by all Storm Water Management Authority, Inc municipalities on October 1, 1999. The following describes three cases that might be encountered:

- 1) The illicit discharge was a private party dumping into the storm drain system (a transient discharge). In this case, the *Erosion and Sedimentation Control Ordinance Article 7, Section 7.05* would allow for first a Notice of Violation, a Compliance Order, and/ or a Cease and Desist Order to be issued and a fine to be imposed of no less than \$100.00 and no more than \$500.00 a day or up to 180 days in jail.
- 2) The illicit discharge originated from a connection to the storm drain system (transient, intermittent, or continuous) that was once allowed. Such as an outdated overflow or anything of the nature. The overflow must be fixed on an as needed basis and appropriate action taken. A Notice of Violation could be issued and a fine could be imposed by JCDH if necessary. All washing machines, septic tanks, gray water generators, etc. are taken off through the Community Environmental Health Division of JCDH.
- 3) The illicit discharge resulted from an illegal connection (i.e., a connection that violates state plumbing codes). For intermittent or continuous discharges that are the result of an illegal direct connection into the storm drain system, the cost for disconnection will fall to either the property owner of the illegal connection or the municipality, depending on the circumstances of the connection. For example, if the connection was incorrectly applied during a separation project conducted by the municipality, the cost to correct the connection should be borne by the municipality. If the connection was the result of a private contractor working for the resident, the resident would be financially responsible for correcting the connection. Similarly, if the illicit discharge is the result of a failed sanitary sewer line, the party responsible for the failed sanitary sewer line must pay for the correction.

2.6.2 Notice of Violation

For violations of the *Erosion and Sedimentation Control Ordinance*, the Storm Water Management Authority, Inc municipalities issue a Notice of Violation. A Notice of Violation form will be generated by the municipalities and will look similar to the form shown in Appendix A. It

should be noted that the NOV describes a schedule for the removal to be completed, as well as a summary of any agreements between the parties.

2.6.3 Emergency Disconnections

The *Erosion and Sedimentation Control Ordinance* allows for a disconnection to the storm drain system for discharges that present “a threat to the environment or to the health or welfare of persons, or to the storm drain system”. Disconnections may include blocking pipes, constructing dams, or taking other measures on public ways or public property to physically block the discharge. The municipal enforcement authority for the ordinance may want to call the Jefferson County Department of Health at (205) 930-1230 or the Jefferson County Emergency Management Authority at (205) 254-2039 when making this determination for disconnection.

2.6.4 Discharges from Exempt Parties

Several categories of facilities are regulated by the USEPA for stormwater discharges under other permits. Because these facilities are already responsible to USEPA authority for stormwater discharges, the municipality can exempt them from the *Erosion and Sedimentation Control Ordinance*. If a municipality encounters an illicit discharge that is suspected or determined to be coming from an exempt party that is regulated under USEPA stormwater regulation, the municipality should notify both the suspected discharger and the enforcement authority for that discharger. The notification can be verbal or in writing. Most municipalities have prior experience working with other enforcement authorities for suspected violations of either state or federal law.

The following is a brief list of parties that are regulated under an alternate stormwater program and are present in the *Erosion and Sedimentation Control Ordinance, Article 4 Exclusions*:

TABLE 2-10: EXAMPLE EXEMPT FACILITIES		
Exempt Facility	Alternate Regulation They Are Subject To	Enforcement Authority
Alabama Department of Transportation (ALDOT) (in selected urbanized areas)	NPDES General Permit for Stormwater Discharges from Small Municipal Separate Storm Sewer Systems (MS4s), Part V	USEPA
Railroad facilities	NPDES General Permit for Stormwater Discharges from Small Municipal Separate Storm Sewer Systems (MS4s)	USEPA
Industrial Facilities with selected SIC codes (See Table 2-11 for a complete list)	Multi Sector General Permit for Industrial Activities	USEPA

As shown in Table 2-9, if a municipality identifies that an illicit discharge has come from one of these facilities, they should notify both the discharger and the enforcement authority verbally or in writing of the activity. Standard Industrial Classification (SIC) codes for NPDES Stormwater Multi-Sector General Permit (MSGP) Industrial Facilities are listed in Table 2-11.

Sector Name	SIC Code Listing
Sector A: Timber Products	2411, 2421, 2426, 2429, 2431–2439 (except 2434), 2448, 2449, 2451, 2452, 2491, 2493, 2499
Sector B: Paper and Allied Products	2611, 2621, 2631, 2652–2657, 2671–2679
Sector C: Chemical and Allied Products	2812–2819, 2821–2824, 2833–2836, 2841–2844, 2851, 2861–2869, 2873–2879, 2891–2899, 3952 (limited to list)
Sector D: Asphalt Paving and Roofing Materials and Lubricants	2951, 2952, 2992, 2999
Sector E: Glass Clay, Cement, Concrete, and Gypsum Products	3211, 3221, 3229, 3231, 3241, 3251–3259, 3261–3269, 3271–3275, 3281, 3291, 3292, 3296, 3297, 3299
Sector F: Primary Metals	3312–3317, 3321–3325, 3331–3339, 3341, 3351–3357, 3363–3369, 3398, 3399
Sector G: Metal Mining (Ore Mining and Dressing)	1011, 1021, 1031, 1041, 1044, 1061, 1081, 1094, 1099
Sector H: Coal Mines and Coal Mining Related Facilities	1221–1241
Sector I: Oil and Gas Extraction and Refining	1311, 1321, 1381–1389, 2911
Sector J: Mineral Mining and Dressing	1411, 1422–1429, 1442, 1446, 1455, 1459, 1474–1479, 1481, 1499
Sector K: Hazardous Waste Treatment, Storage, or Disposal Facilities	HZ
Sector L: Landfills and Land Application Sites	LF
Sector M: Automobile Salvage Yards	5015
Sector N: Scrap Recycling Facilities	5093
Sector O: Steam Electric Generating Facilities	SE
Sector P: Land Transportation and Warehousing	4011, 4013, 4111–4173, 4212–4231, 4311, 5171
Sector Q: Water Transportation	4412–4499
Sector R: Ship and Boat Building or Repairing Yards	3731, 3732
Sector S: Air Transportation	4512–4581
Sector T: Treatment Works	TW
Sector U: Food and Kindred Products	2011–2015, 2021–2026, 2032, 2041–2048, 2051–2053, 2061–2068, 2074–2079, 2082–2087, 2091–2099, 2111–2141
Sector V: Textile Mills, Apparel, and Other Fabric Product Manufacturing, Leather and Leather Products	2211–2299, 2311–2399, 3131–3199 (except 3111)
Sector W: Furniture and Fixtures	2434, 2511–2599
Sector X: Printing and Publishing	2711–2796
Sector Y: Rubber, Miscellaneous Plastic Products, and Miscellaneous Manufacturing Industries.	3011, 3021, 3052, 3053, 3061, 3069, 3081–3089, 3931, 3942–3949, 3951–3955 (except 3952 facilities as specified in Sector C), 3961, 3965, 3991–3999
Sector Z: Leather Tanning and Finishing	3111
Sector AA: Fabricated Metal Products	3479, 3411–3499, 3911–3915
Sector AB: Transportation Equipment, Industrial or Commercial Machinery	3511–3599 (except 3571–3579), 3711–3799 (except 3731, 3732)
Sector AC: Electronic, Electrical, Photographic, and Optical Goods	3571–3579, 3612–3699, 3812–3873
Sector AD: Non-Classified Facilities	N/A

2.7 TRACKING ILLICIT DISCHARGES

JCDH has developed a long-term stormwater complaint tracking program that can help municipalities better understand the origins of illicit discharges and identify maintenance issues for the storm drain system structures. The complaint tracking program will also facilitate evaluation of the overall IDDE program and will expedite annual reporting. The tracking program is based to address illicit discharge and maintenance issues resulting from the following:

- Citizen's Complaints
- Opportunistic Inspections (such as if an illicit discharge is found while doing outfall monitoring in which JCDH has a self complaint system in place)
- Regular Long Term Inspections (if a sample comes back with high readings any follow-up tests are logged in the complaint system)
- Removal Actions Taken

2.7.1 *Electronic Database*

A GPS data dictionary has been created that includes all the fields on the Dry Weather Outfall Inspection Form. The advantage to this type of tracking program is that the database can be easily linked into GIS. Linking to GIS has allowed mapping of illicit discharge locations, citizen complaint locations, and many other IDDE issues which have assisted greatly in the overall program. Figure 2-12 contains some of the simple attributes that are used in the database. JCDH uses a sequel server database as well for sample technique, results inventory, and an excel spreadsheet for location data.

FIGURE 2-12: STORMWATER PHASE II TRACKING COMPLAINT FORM

Bessie
Birmingham

Action Buttons

Report Detail Information

Nbr	Date	Site Name	Address	Claimant Name	Assigned To	Status	Type
22000	12/16/2009	City of Pleasant Grove	PLEASANT GROVE, AL 35127	Doug Hyché	Tew, Ronnie	Closed/Resolved	Soil Erosion
22543	2/5/2010	unknown	2045 montevallo Road LEEDS, AL 35094	Steve Callaway	Tew, Ronnie	Closed/Resolved	Soil Erosion
22592	2/10/2010	Dennis Mason	2311 21st Avenue South BIRMINGHAM, AL 35223	Jim Nolan	Tew, Ronnie	Closed/Resolved	Drainage
22614	2/11/2010	Unknown Unknown	7th Avenue MIDFIELD, AL 35228	Mark Hancock	Tew, Ronnie	Closed/Resolved	Drainage
22670	2/17/2010	Unknown Unknown	, AL 0	Anonymous	Tew, Ronnie	Closed/Resolved	Soil Erosion
22689	2/18/2010	Unknown Unknown	LEEDS, AL 35094	Barbara Reed	Tew, Ronnie	Closed/Resolved	Drainage
22936	3/9/2010	Unknown Unknown	Shady Grove Road , AL 0	Scott Hofer	Tew, Ronnie	Closed/Resolved	Water Quality
23178	3/25/2010		Brookside-Cardiff Road BROOKSIDE, AL 35036	Robert Manual	Tew, Ronnie	Under Investigation	Drainage
23315	4/6/2010		15th Street HUEYTOWN, AL 35023	Kent Bram	Tew, Ronnie	Under Investigation	Water Quality
23327	4/6/2010	Sharon Ford	2524 Carlos Avenue BIRMINGHAM, AL 35211	Sharon Ford	Tew, Ronnie	Closed/Resolved	Water Quality
23624	4/22/2010	Unknown Unknown	Joy Street & Ruffner Road IRONDALE, AL 0	Hugh Morgan, PE	Tew, Ronnie	Closed/Resolved	Drainage
24001	5/17/2010	Buddy Darby	6520 Hemlock Street TRUSSVILLE, AL 35173	Buddy Darby	Tew, Ronnie	Closed/Resolved	Soil Erosion
24611	6/25/2010	Buddy Darby	6520 Hemlock Street TRUSSVILLE, AL 0	Buddy Darby	Tew, Ronnie	Under Investigation	Drainage

City: Pleasant Grove
Zip: 35127

Home Phone: (205)999-9999
Work Phone:
Ext.:

Additional Comments

Comment up to 500 Characters Max.

Road construction at 4th Street Pleasant Grove. Road is being put into new Pleasant Grove School off of 4th Street. No BMP. Complaint submitted by Ronnie Tew.

[Check Spelling](#)

Other Information

Assign To: Ronnie Tew Status: Closed/Resolved

N.O.V. Issued: No

2.8 EVALUATING THE PROGRAM

JCDH evaluates their IDDE program at the end of each year to assess its' effectiveness, efficiency, and to identify where improvements are needed. Table 2-13 is a worksheet that is used at the end of the fiscal cycle to evaluate the following components:

- 1) Priority Areas: Are the priority areas initially identified still appropriate? Considerations include reviewing the priority worksheet to assess if any changes have occurred since the initial evaluation was completed (such as: Have additional illicit discharges been discovered in any of the areas or is there significant development? Has a new 303(d) list come out naming new waterbodies as impaired?). JCDH also takes into account any negative sample trends in if priority area scopes need to be limited or expanded.
- 2) Detection Program: Is the detection program effective? Documenting the number of illicit discharges detected by the various detection mechanisms (inspections, citizen call-ins, opportunistic inspections) helps to decide where to allocate resources. This is becoming more extensive as the database at JCDH grows.
- 3) Tracing Techniques: What tracing techniques were generally used (site inspections, damming, etc)? What tracing techniques were generally effective? In how many instances were visual inspections of the area sufficient to identify the source of the illicit discharge (% effective)? Were there any times the equipment necessary to effectively trace an illicit discharge was not used because it was not available, was too costly to obtain, or not deemed a priority? Documenting the effectiveness of tracing techniques helps to evaluate how efficient the inspector is at the technique and if training is needed on where best to employ the technique.

Although completing an evaluation of the overall IDDE program may be time consuming and labor intensive, its benefits helps to reduce the costs for future inspection and IDDE efforts, which allows us to employ more efforts in other areas of the program. Keeping track of where illicit discharges are likely to occur and what techniques are useful can help lead to an effective identification program between JCDH and Storm Water Management Authority, Inc's municipalities

**TABLE 2-13:
IDDE PROGRAM EVALUATION WORKSHEET**

Priority Areas ⁽¹⁾	List any factors that have changed since initial priority was set ⁽²⁾				Recommended Change (Circle) ⁽³⁾			
					Leave Priority Same		Re-evaluate	
A					Leave Priority Same		Re-evaluate	
B					Leave Priority Same		Re-evaluate	
C					Leave Priority Same		Re-evaluate	
Detection Program ⁽¹⁾	# Mapping Inspections ⁽⁴⁾		# Longer Term Inspections ⁽⁴⁾		# Citizen Complaints ⁽⁴⁾		# Opportunistic Inspections ⁽⁴⁾	
Priority Areas	Identified	Resolved	Identified	Resolved	Identified	Resolved	Identified	Resolved
A								
B								
C								
Tracing Techniques Used ⁽⁵⁾	Effective	Ineffective (Comment below)	Effective	Ineffective (Comment below)	Effective	Ineffective (Comment below)	Effective	Ineffective (Comment below)
Method:								
Method:								
Method:								

Comments/Recommended Changes ⁽⁶⁾

Instructions: This worksheet is for Program Managers to evaluate their IDDE Program.

1. Fill in the names of the priority areas in your municipality.
2. List any factors that have changed since the initial prioritization (i.e. have additional illicit discharges been discovered in these areas, has a new 303(d) list come out naming new waterbodies as impaired, etc.).
3. Circle the applicable recommended change.
4. Fill in the number of illicit discharges identified and subsequently resolved for each detection mechanism used.
5. Fill in the different tracing techniques that were used (visual, sampling, sandbagging, OBM, dye/smoke testing, televising), and check whether they were effective or ineffective for each applicable detection mechanism that they were used for. If the method was ineffective, comment on why it was ineffective and how it could be improved.
6. Note any additional comments or recommended changes.

Chapter 3

III. POLLUTION PREVENTION AND GOOD HOUSEKEEPING

Many municipal activities can result in stormwater pollution if not conducted properly. Activities such as vehicle maintenance, fueling, and landscaping involve handling, storage, and use of chemicals and petroleum products that must be used properly to prevent stormwater from becoming polluted. In addition, construction activities conducted during general maintenance of infrastructure can result in sedimentation and erosion of soil that can be swept by stormwater into the storm drain system or directly into waterbodies.

- a) *Develop and implement a program with a goal of preventing and/or reducing pollutant runoff from municipal operations. The program must include an employee training component.*
- b) *Include, at a minimum, maintenance activities for the following: parks and open space (areas such as public golf courses and athletic fields); fleet maintenance, building maintenance; new construction and land disturbance; roadway drainage system maintenance, post-construction plans; and stormwater system maintenance.*
- c) *Develop schedules for municipal maintenance activities described in paragraph (b) above.*
- d) *Develop inspection procedures and schedules for long term structural controls.*

**TABLE 3-1:
GOOD HOUSEKEEPING/POLLUTION PREVENTION SOPs/ACTIVITY MATRIX**

SOP	Vehicle/ Equipment Maintenance	Facilities Maintenance (including Parks and Open Space)	Storm Drain System Maintenance	Construction Activities and Other Land Disturbances
B.1 Catch Basin Cleaning				
B.2 Storm Drain System Repair and Maintenance				
B.3 Erosion and Sediment Control				
B.4 Landscape Design and Management				
B.5 Storage and Disposal of Fertilizer and Pesticide				
B.6 Fertilizing and Turf Health Application				
B.7 Weed and Pest Control Application				
B.8 Mowing and Irrigation				
B.9 Vehicle and Equipment Storage				
B.10 Vehicle and Equipment Washing				
B.11 Vehicle and Equipment Fueling				
B.12 Spill Clean-up				
B.13 Parts Cleaning				
B.14 Spare Parts Storage				
B.15 Alternative Products Use/Storage/Disposal				
B.16 Petroleum and Chemical Disposal				
B.17 Petroleum and Chemical Handling				
B.18 Petroleum and Chemical Storage – Bulk				
B.19 Petroleum and Chemical Storage – Small Quantity				
B.20 Garbage Storage				
B.21 General Facility Housekeeping				
B.22 Floor Drains				
B.23 Painting				
B.24 Street Sweeping				
B.25 Snow Disposal				
B.26 Deicing Material Storage				
B.27 Deicing Material Application				

To address these components, this Chapter is divided into four subsections that describe four major categories of operations completed by each municipality:

- Vehicle/Equipment Maintenance (Section 3.1)
- Facilities Maintenance including parks and open space (Section 3.2)
- Storm Drain System Maintenance (Section 3.3), and
- Construction Activities (Section 3.4)

Each of these four operational areas contains a diverse set of activities, for which SOPs are appropriate. SOPs associated with each of these operational areas are contained in Appendix B. The SOPs outline the management and maintenance procedures that are used to minimize impacts on stormwater. Some of the SOPs apply to more than one operational area. For example, both vehicle maintenance and facilities maintenance require handling, storage, and disposal of petroleum products. Therefore, the SOPs for petroleum handling, storage and disposal in Appendix B address both of these operational areas. Table 3-1 shows the relationship between the SOPs that are contained in Appendix B and the operational areas that are described in this Chapter.

What is a “regulated contaminant”?

JCDH defines any regulated contaminant as “any physical, chemical, biological, radiological substance or other matter other than naturally occurring substances at naturally occurring levels, in water which adversely affects human health or the environment.” The Material Safety Data Sheets (MSDS) should be consulted for the products you use; See disposal information in the “Spills or Leaks” Section of the MSDS.

3.1 VEHICLE AND EQUIPMENT MAINTENANCE

The SOPs related to vehicle maintenance have three basic structural components:


- 1) Store chemicals, wastes, and vehicles inside whenever possible to minimize their potential to pollute stormwater.
- 2) Handle with care to avoid spills. Preventing spills is the best way to minimize stormwater contact with chemicals and petroleum products.
- 3) Recycle whenever possible. When it is not possible to recycle, Use proper disposal procedures to ensure contact with stormwater is minimized.

Seven common vehicle maintenance activities are described below. To assist each Storm Water Management Authority, Inc municipality in understanding what are the best methods to protect stormwater from becoming polluted by these activities, a worksheet-style aid is being given by JCDH to each facility that provides for stormwater pollution prevention methods for each activity immediately following the description of that activity. It is recommended that each municipal


JCDH rules prohibit any discharge to the ground of non-domestic wastewater containing any regulated chemicals.

employee become familiar with the worksheets applicable for your facility and practice filling them out as you review this section.

1. **Floor Drains:** Facility managers should be able to positively identify the discharge location of their floor drains. If the discharge location is unknown, it should be determined by visual inspections. Available methods to determine the discharge location include: televising or dye testing in which a bottle can be obtained from JCDH (see Section 2.5 for discussion of advantages and disadvantages of each method). Floor drains should either be connected to a regularly maintained septic tank or to a regularly maintained oil/water separator that discharges to the sanitary sewer. The facility should connect the floor drains to the appropriate device or close and seal the floor drains, and run a “dry shop”. Public works facilities typically store or use “regulated contaminants” in the area served by the floor drain. Therefore, these floor drains must be closed, rerouted to the sanitary sewer via an oil/water separator, or rerouted to a septic tank registered with the JCDH (205)930-1230.




2. Parts Cleaning: Most vehicle maintenance facilities use one of three methods to clean parts: chlorinated solvents, citrus-based cleaners, or aqueous base cleaners. If chlorinated solvents are used, they should be disposed of as hazardous waste by a licensed hazardous waste contractor. Citrus based cleaners can be recycled by an off-site contractor reducing overall cost of its use. Steam cleaning or use of a commercial aqueous washer allows discharge to the sanitary sewer. Using non-hazardous chemicals reduces the risk of stormwater pollution.



3. Petroleum Storage: ADEM regulates above-ground storage tanks (ASTs) when a facility is storing more than 660 gallons of used oil or fuel, or when a facility is storing more than 10,000 gallons of heating oil used for on-site heating. ADEM requires registration of ASTs and requires interstitial monitoring and double walls on all tanks. Federal regulations (40 CFR Part 112) require development of a Spill Prevention Control and Countermeasure Plan (SPCC) for facilities that store more than 1,320 gallons of any petroleum product. These regulations help protect stormwater by requiring regular inspections and development of spill prevention and clean-up procedures. Facility managers should understand and follow the regulations that apply to their facility.

To Register an AST

Call ADEM AST
Program at (334)394-
4399




4. **Petroleum Disposal:** Proper disposal of petroleum products can minimize their impact on stormwater. Used oil can be recycled with a marketer who has registered with the ADEM. Used oil can also be burned on-site by a municipality for energy recovery as long as the oil has not been mixed with any other fuels or chemicals. Municipalities must notify ADEM of their used oil management activities if they are burning used oil on-site. Other wastes generated should be managed as follows:


- Diesel fuel and gasoline, or any mixture of oil and water, must be managed as hazardous waste and should not be mixed with used oil.
- Sludge from floor drains should be analyzed for Toxicity Characteristics Leaching Procedure (TCLP) prior to disposal to determine if it is hazardous waste.
- Residual solids from oil spills may be managed as solid waste, unless the residuals are from a volatile fuel such as gasoline. Volatile fuel residuals must be managed as a hazardous waste.

Municipalities burning used oil onsite must register with ADEM

(334)271-7730



5. **Vehicle Storage:** Vehicles should be stored indoors in an area where there are no floor drains or where any floor drains have been properly connected and registered(see above). If vehicles cannot be stored indoors, they can be stored on impervious areas that are inspected on a regular basis and which can be cleaned with a street sweeper as necessary. Vehicles can be stored on pervious (unpaved) areas that are inspected on a regular basis to assess if drip pans are necessary. Drip pans should always be used to collect leaking fluids. A dedicated, convenient storage area should be provided and clearly labeled for the drip pans and for the fluids they will contain. Leaking vehicles should be repaired as soon as practical to minimize stormwater pollution.



To Register a Car Wash Facility:


Call ADEM at (334) 271-4367 or for any other questions call JCDH at (205)930-1230

6. **Vehicle Washing:** If vehicles are washed regularly onsite, they should be washed in a dedicated area. The area can be:
 - 1) Indoors, if the washwater is discharged to floor drains that are properly connected to the septic tank or the sanitary sewer (See Figure 3-1),
 - 2) Outdoors; however if you wash more than 30 vehicles per week you must obtain a NPDES Groundwater Permit from ADEM, or
 - 3) Outdoors if you wash fewer than 30 vehicles per week and discharge to the ground surface, if:

To register a vehicle washing activity (when less than 30 vehicles per week):

Contact JCDH
Stormwater Division at
(205)930-1230

- The Best Management Practice Rules are followed,
- The activity is registered with JCDH or ADEM, and
- The wastewater is not from power washing, steam cleaning, engine cleaning, or undercarriage cleaning or does not contain soaps or other products which contain regulated contaminants.
- Does not discharge to a surface water or storm inlet



7. Vehicle Fueling: Vehicle fueling areas are a significant generation point for petroleum contamination of stormwater. Vehicle fueling areas should be impervious surfaces, and should be inspected and swept with a street sweeper on a regular basis. A spill kit and covered garbage container should be located near the fueling area and should be well labeled for individuals to use when needed.

Figure 3-7 Vehicle Fueling – Available Options (Circle the options that apply for your particular facility)		
Spill Kit Location: _____	→	Street Sweep
	→	Frequency: _____

An important component of stormwater protection at vehicle and equipment maintenance facilities is general good housekeeping. Conducting regular inspections of a facility can be an effective pollution prevention technique. The following is a list of areas facility Managers should consider when developing their own inspection checklist:

- 1) Check refuse areas for trash on the ground that could contaminate stormwater.
- 2) Check exterior vehicle and equipment areas for leaks, spills, drips, or excess dirt. Consider if street sweeping is necessary and if drip pan use is acceptable.
- 3) Check fueling areas for leaks, spills, or drips.
- 4) Check exterior petroleum storage areas for leaks, spills, or drips.
- 5) Check or clean-up of tracked sand and/or salt.
- 6) Check calcium chloride tank for leaks, spills, or cracks.
- 7) Check vehicle washing area for excess sediment and wastes..
- 8) Check oil/water separator in floor drain system to ensure it is functioning, and clean if necessary.
- 9) Clean catch basin grates around facility for entering stormwater.

Table 3-2 is an example inspection checklist that should be used on a regular (monthly or quarterly) basis to identify areas of potential stormwater pollution. Table 3-3 contains a blank form that the Facility Manager should fill in for their facility and return to the governing municipal official as soon as practical. These forms will be used to track the stormwater duties performed by each facility for the Storm Water Management Authority, Inc's annual report.

**TABLE 3-2:
EXAMPLE INSPECTION CHECKLIST**

Municipality: _____ **Facility Manager:** _____
Date: _____ **Inspector:** _____

Inspection Area	Practice Followed	Comments	Date Resolved (if applicable)
Check refuse areas for trash on the ground that could contaminate stormwater or be washed away in stormwater	Acceptable/Needs Attention		
Check all exterior vehicle and equipment areas for leaks, spills, drips, or excess dirt – Street sweeping necessary?	Acceptable/Needs Attention		
Check all exterior vehicle and equipment areas for leaks, spills, drips, or excess dirt – Drip pan use acceptable?	Acceptable/Needs Attention		
Check fueling areas for leaks, spills or drips	Acceptable/Needs Attention		
Check exterior petroleum storage areas for leaks, spills, or drips	Acceptable/Needs Attention		
Clean-up of tracked sand that might allow stormwater transport of sand	Acceptable/Needs Attention		
Clean-up tracked salt that might result in stormwater transport	Acceptable/Needs Attention		
Check calcium chloride tank for leaks, spills or cracks	Acceptable/Needs Attention		
Check vehicle washing area for excess sediment or wastes	Acceptable/Needs Attention		
Other:	Acceptable/Needs Attention		
Other:	Acceptable/Needs Attention		

Instructions: This form needs to be used for regular (quarterly) inspections at vehicle/equipment maintenance facilities. Program Managers should fill in the areas to be inspected for their facilities (refer to Section 3.1 and Table 3.2 Example Inspection Checklist). When the checklist is used during an inspection, the inspector needs to fill in the date as well as his/her name, circle either “Acceptable” or “Needs Attention”, and note comments for each inspection area.

3.1 FACILITIES MAINTENANCE

Most Storm Water Management Authority, Inc municipalities own and maintain their own buildings, parks, and other green spaces while others rely on Jefferson County to provide this service. Those that have their own maintenance staff perform general maintenance activities that include mowing and trimming, painting, pest control, weed control, and all of the chemical and petroleum handling that is associated with these activities. The SOPs contained in Appendix B provide best management practices to protect stormwater from the potential hazards associated with each of these maintenance activities. Facilities maintenance personnel should be trained in each of the SOPs associated with their job by their respective cities or JCDH.

In addition to training municipal employees on the SOPs in Appendix B that affect their jobs, a formal street sweeping program can reduce pollutant loads from road salt and can reduce sand export to receiving waters. Street sweeping also reduces the amount of sediment, debris, and organic matter being washed away by stormwater. A street sweeping schedule will need to be kept similar to the one shown in Appendix B and presented to Storm Water Management Authority, Inc.

USEPA does not recommend how frequently a community should sweep, but most sweeping of municipal lots and roadways should be performed at least once per year. An appropriate schedule for street sweeping should be determined based on each municipality's specific needs. Heavy traffic areas can be swept weekly or monthly, depending on a community's available resources. Other locations, such as construction entrances, sand/salt loading areas, vehicle fueling areas, and vehicle and equipment storage areas should be swept on an as needed basis.

The State of Alabama has no formal standards that would not allow municipalities to reuse street sweepings in accordance with the Environmental Fact Sheet shown below. Street sweepings may be reused as long as they do not contain visual evidence of wastewater, animal wastes, oil or other petroleum products. Catch basin residuals must be tested to determine if they may be reused. Table 3-4 lists the compounds, the S-1 limits which allow unrestricted reuse, and the S-3 limits which allow reuse as a road base or subbase. Visually contaminated street and catch basin residuals must also be tested to determine if they contain hazardous wastes.

Table 3-4 Soil Standards Catch Basin Cleanings Reuse Guidance			
Maximum Contaminant Concentrations			
<i>Regulated Contaminant</i>	<i>S-1 Standards (mg/kg)</i>	<i>S-3 Standards (mg/kg)</i>	<i>USEPA SW-846 Test Method</i>
Metals			
Arsenic	11	11	6010B
Barium	750	3,400	6010B
Cadmium	32	230	6010B
Chromium	1000	5,000	6010B
Lead	400	400	6010B
Mercury	13	13	7471A
Selenium	260	260	6010B
Silver	45	200	6010B
VOCs			
Benzene	0.3	0.3	8260B
Dichloroethane, 1,2-	0.08	0.08	8260B
Isopropyl benzene	123	123	8260B
Methyl-t-butyl ether	0.13	0.13	8260B
Toluene	100	100	8260B
Xylene	500	1,100	8260B
Akylbenzenes Butylbenzene, n- Butylbenzene, sec- Butylbenzene, tert- Isopropyl toluene, 4- Propylbenzene, n- Trimethylbenzene, 1,2,4- Trimethylbenzene, 1,3,5-	59 (total)	59 (total)	8260B
PAHs - Carcinogenic			
Benzo(a)anthracene	0.7	40	8270C
Benzo(a)pyrene	0.7	4	8270C
Benzo(b)fluoranthene	7	400	8270C
Benzo(k)fluoranthene	7	400	8270C
Chrysene	70	4,000	8270C
Dibenzo(a,h)anthracene	0.7	4	8270C
Indeno(1,2,3-cd)pyrene	0.7	40	8270C
PAHs - Noncarcinogenic			
Acenaphthene	270	270	8270C
Acenaphthylene	300	300	8270C
Anthracene	1,000	1,700	8270C
Fluoranthene	810	5,000	8270C
Fluorene	510	510	8270C
Methylnaphthalene,2-	150	150	8270C
Napthalene	5	5	8270C
Benzo(g,h,i)perylene Phenanthrene Pyrene	480 (total)	5,000 (total)	8270C

3.2 STORM DRAIN SYSTEM MAINTENANCE

Storm drain system maintenance consists of three components: cleaning, repairing (or retrofitting), and upgrading. Historically, storm drain systems have been repaired or upgraded only when catastrophic failures have occurred, such as those causing

flooding, road failures, or severe erosion. The General Permit requires that each Storm Water Management Authority, Inc regulated municipality develop a maintenance schedule for the storm drain system, as well as inspection procedures and schedule for long term control structures. The storm drain mapping currently being performed by JCDH will be presented to each city upon completion. The estimated time frame with current resources should be able to meet the five years required from October 1, 2010. The completion date will hopefully be sooner through cooperative programs with the municipality fire departments and other agencies. This will allow for cities to make better estimates on where to expend fiscal resources to get the biggest impact on Storm Water infrastructure instead of the as-needed maintenance system in place now.

Conveyance System Maintenance

Section 2.2 of this Manual reviews how JCDH divides a municipality into distinct areas and prioritizes the areas based on their illicit discharge potential. A future component of that evaluation will be to consider the age and material of the infrastructure, which is an indicator of failure potential. This prioritization can be used in the future to aid in developing a maintenance program for the system.

Additional useful resources include the municipal capital budget and the GASB 34 accounting information. All of these items should be reviewed and evaluated to identify where and when repairs, retrofits, and upgrades should be conducted. The storm drain system maintenance program can be developed using a process that is similar to the local pavement management program. The following paragraphs provide guidance to city managers in developing an operation and maintenance program.

- 1) Vitrified clay (terracotta) storm drain pipe, asbestos cement pipe, or corrugated metal pipes in older areas should be replaced or retrofitted as part of other infrastructure work (street reconstruction, or combined sewer overflow (CSO) work). Televising and/or manual inspections should be performed to confirm the degree of repair or replacement necessary.
- 2) An inspection and replacement program should be developed for newer pipes and structures in order to conduct preventative maintenance that can affect long-term cost savings and avert catastrophic failures. The inspection and replacement program should consist of the following items:
 - Storm Drain Pipe/Outfall Cleaning and Inspections

- A cleaning and inspection prioritization should be established by all municipalities for storm drain pipes and outfalls. The City Manager should consider conducting annual inspections on storm drains and outfalls in high priority areas. Less frequent inspections (every 2 to 3 years) should be completed for medium and low priority areas. Inspections for structural conditions should be combined with the inspections for illicit discharges as described in Section 2.4.2. JCDH is helping to aid municipalities in this endeavor through the mapping of the storm drain and outfalls by providing information on the condition and sedimentation loading of each pipe.
- Catch basin Cleaning and Inspection – A prioritization plan should also be established for catch basin cleaning. The prioritization can be completed by the City Manager using the following two considerations: (1) amount of winter sand spread in different areas (this will be zero for most cities but should still be included in the plan), and (2) areas that have historically accumulated a large quantity of sediment or debris. This prioritization should be reviewed and updated frequently. The re-evaluation should use the same two criteria listed above (sand application and historical sediment accumulation). City Managers should identify a reasonable frequency of cleaning based on need, municipal budgets, and personnel availability. JCDH and Jefferson County can provide some assistance to cities without their own capabilities

The Catch Basin Cleaning Form contained in Appendix A, should be used during cleaning as a method to inspect the catch basins to evaluate the integrity of the structure and identify necessary repairs. Any repairs identified on the forms should be incorporated into the municipality's work order system. Communities that outsource catch basin cleaning should either require that the contractor use the inspection form or should consider sending a public works employee, intern, or other municipal representative along with the contractor to evaluate structures. This form will be used by Storm Water Management Authority, Inc and JCDH to estimate the effectiveness of the program so all forms should be

- completed and given to the relevant agency.
- Ditches and Swales Maintenance - Many Storm Water Management Authority, Inc municipalities have rural areas, where the storm drain system consists of roadside ditches. Sediment, grass clippings, winter sand, leaves, excess vegetation and other debris periodically impedes the proper function of these ditches and should be removed approximately annually. Ditch cleaning can be conducted manually or using heavy equipment. Ditch cleaning should be conducted during low water periods, minimizing the disturbance to existing vegetation. If existing vegetation is removed during ditch cleaning, the ditch side slopes should be seeded and mulched as soon as possible after dredging. Ditch cleaning with heavy equipment should not be conducted in areas where the ditch carries a perennial stream unless specifically approved by the Army Corp of Engineers. Pesticide use should also be kept to a minimum in these sensitive areas due to their direct impact on waterways.

3.3.1 Long Term Control Structure Inspection and Maintenance

In addition to the storm drain pipes, catch basins and outfalls, long term control structures such as detention ponds, vegetated filter strips, grass swales, and constructed wetlands must be inspected and maintained.

ADEM produces a BMP Manual that tells the design features for these BMPS that must be maintained. JCDH is working on a Manual that will tell the frequency of maintenance needed for these devices and is targeted for release in August 2012. The following table 3-5 provides recommended maintenance requirements from *NHDES BMPs for Urban Stormwater Runoff* to provide some general guidance until the manual can be released.

TABLE 3-5: RECOMMENDED MAINTENANCE ON COMMON LONG-TERM STORMWATER BMPs	
Structure Type	Maintenance Requirements
Extended Detention Pond (Dry)	<p>The embankment should be inspected annually to determine if rodent burrows, wet areas, or erosion of the fill are present. Trees and shrubs should be kept off the embankment and emergency spillway areas.</p> <p>The vegetation should be mowed once per year to discourage woody growth. Vegetation should be managed without the aid of fertilizers.</p> <p>If vegetation is sparse or non-existent, test soils for proper nutrients/growing conditions and re-vegetate with drought-tolerant.</p> <p>Pipe inlets and outlets should be inspected annually and after major storm events.</p> <p>Sediment should be continually checked in the basin and removed as necessary.</p> <p>The structure should be inspected by a qualified professional on a periodic basis.</p>
Vegetated Filter Strips	<p>A properly designed and constructed filter strip should require little maintenance. It should be inspected frequently during the first year of operation and then annually thereafter. Large accumulations of sediments should be removed, and all gullies filled in and stabilized. Areas of bare soil should be immediately stabilized.</p>
Grassed Swales	<p>Swales should be mowed at least once per year to prevent the establishment of woody vegetation.</p> <p>Sediments should be removed as required and swale reseeded if necessary.</p> <p>Grass should not be mowed to less than three inches in height.</p>
Wet Ponds and Constructed Wetlands*	<p>The embankment should be inspected annually to determine if rodent burrows, wet areas, or erosion of the fill are present. Trees and shrubs should be kept off the embankment and emergency spillway areas.</p> <p>The vegetation should be mowed once per year to discourage woody growth. Vegetation should be managed without the aid of fertilizers.</p> <p>Inspect vegetation for invasive species annually and remove if present. Supplement wetland plants if <50% surface is bare. Harvest wetland plants that have been "choked out" by sediment buildup.</p> <p>Pipe inlets and outlets should be inspected annually and after major storm events.</p> <p>Sediment should be continually checked in the basin and removed as necessary.</p> <p>The structure should be inspected by a qualified professional on a periodic basis.</p>

**NOTE: Source of information for Constructed Wetlands is USEPA manual of BMPs.*

Table 3-6
Storm Water Management Authority, Inc
LONG TERM STRUCTURAL CONTROL INSPECTION FORM

PROJECT NAME:		CITY:
LOCATION:		INSPECTOR NAME:
OWNER:		DATE:
ADDRESS:		DATE OF LAST INSPECTION:
PHONE #:		
CONTACT:		
BMP ID:		
BMP TYPE:	WET RETENTION POND	
ENGINEER OR DESIGNER:		
ADDRESS:		
CONTACT:		
PHONE #:		

MAINTENANCE INFORMATION

MAINTENANCE:

COMMENTS:

--

--

Storm Water Management Authority, Inc

1400 SIXTH AVENUE SOUTH. P.O. BOX 2648. BIRMINGHAM, ALABAMA 35202. (205)930-1230

Storm Water Structural Control Form (Municipal Use)

FORM

Part 1: General Information

Stormwater Municipality: _____ Date: _____
Mayor: _____
Contact Person: _____

Part 2: Existing Storm Water Structural Controls

Estimated Miles of Storm Sewer Inspected: _____ miles
Estimated personnel time spent inspecting: _____ hrs
Structural Controls Fixed:
_____ estimated # of detention ponds
_____ estimated # of retaining walls
_____ estimated # of ditches repaired
_____ estimated # of head walls repaired
_____ estimated # of retention ponds

Part 3: New Storm Water Structural Controls

Estimated Miles of New Storm Sewer Installed: _____
Estimated Personnel time during installation: _____
Structural Controls Installed:
_____ estimated # of detention ponds
_____ estimated # of retaining walls
_____ estimated # of ditches repaired
_____ estimated # of head walls repaired
_____ estimated # of retention ponds

If structural controls are cleaned or maintained by an outside entity (Jefferson County, State of Alabama, etc..) then contract with outside entity should be stabled to this form when returned.

Storm Water Management Authority, Inc

1400 SIXTH AVENUE SOUTH. P.O. BOX 2648. BIRMINGHAM, ALABAMA 35202. (205)930-1230

Development Form for Storm Water Structural Controls

Submit in Triplicate
Application

Part 1: General Information

Stormwater Municipality: _____	Date: _____
Applicant's Name _____	
Applicant's email address/ Phone number: _____	
Applicator Company Name: _____	
Mailing Address: _____	City: _____
State: _____	Zip: _____
Type of Development _____	

Part 2: Engineering Information

I, _____, a _____ do hereby certify that the data stated in this report and/or attached sheets are true and accurate as presented.

Signature: _____	Date: _____	Reg. # _____
Address: _____	City: _____	State: _____ zip: _____ Phone: _____

Part 2: Storm Water Structural Controls Installed

Estimated Distance of New Storm Pipe Installed: _____	Ft.
Structural Controls Installed: _____	estimated # of detention ponds
	estimated # of retaining walls
	estimated # of ditches repaired
	estimated # of head walls repaired
	estimated # of retention ponds

Estimated Area of Detention Ponds:	1	6
	2	7
	3	8
	4	9
	5	10
Estimated Area of Retention Ponds:	1	6
	2	7
	3	8
	4	9
	5	10

Are there any other structures used for stormwater management if so explain: _____

3.4 CONSTRUCTION ACTIVITIES AND OTHER LAND DISTURBANCES

As Storm Water Management Authority, Inc's municipalities perform construction activities and other activities which disturb soil, they take precautions to prevent erosion and runoff of sediment. Road crews and landscaping crews are being trained in erosion and sediment control methods. JCDH is creating publications and training sessions that describe a variety of methods that can be used to reduce the long term impact of sedimentation and erosion on water quality. The material for each municipality should be available by June 2011 and in video form sometime thereafter. Each municipality will then be responsible for making sure any new hires are trained using the video material as well as a refresher course is offered for each existing employee on an annual basis. Erosion and Sedimentation Control SOPs are listed in Appendix C.

4. GLOSSARY OF ACRONYMS

ADEM	Alabama Department of Environmental Management
AST	Aboveground Storage Tank
AU	Assessment Unit
BMP	Best Management Practice
CWP	Center for Watershed Protection
GASB	General Accounting Standards Board
GIS	Geographic Information System
GPS	Geographic Positioning System
HUC	Hydrologic Unit Code
JCDH	Jefferson County Department of Health
IDDE	Illicit Discharge Detection and Elimination
IDP	Illicit Discharge Potential
MEP	Maximum Extent Practical
MCM	Minimum Control Measure
MSDS	Material Safety Data Sheet
MSGP	Multi Sector General Permit
MS4	Municipal Separate Storm Sewer System
NEIWPC	New England Interstate Water Pollution Control Commission

NOV	Notice of Violation
NPDES	National Pollutant Discharge Elimination System
NRCS	National Resource Conservation Service
OBM	Optical Brightener Monitoring
PAHs	Polycyclic Aromatic Hydrocarbons
PCBs	Polychlorinated Biphenyls
SIC	Standard Industrial Classification
SOP	Standard Operating Procedure
SPCC	Spill Prevention Control and Countermeasure
TCLP	Toxicity Characteristics Leaching Procedure
TMDL	Total Maximum Daily Load
UNH	University of New Hampshire
USEPA	United States Environmental Protection Agency
USGS	United States Geological Survey

APPENDIX A

ILLICIT DISCHARGE DETECTION AND ELIMINATION SOPS AND FORMS

TYPICAL GPS SCREEN EXPLANATION

The screenshot shows the TerraSync application interface on a handheld device. The interface includes a top status bar with the time 10:11 and various icons. Below the status bar are several menu options: 'Data', 'Collect', 'Options', and 'Close'. A 'Data' menu is open, showing a 'File: JUNO071410A' and a 'Create' button. Below this is a 'Choose Feature:' section with a list of feature types: 'CLOSED PIPE', 'OPEN CHANNEL', 'TRIBUTARY', 'SITE OF INTEREST', 'Point_generic', 'Line_generic', and 'Area_generic'. A 'Create Dataset Button' is also visible. The interface is annotated with several callout boxes:

- Data Option allows for Mapping, Data Retrieval, Status and Setup**: Points to the 'Data' menu.
- Number of Satellites currently reading- JCDH recommends at least 4 but optimal 6**: Points to the satellite icon in the status bar.
- Battery Life**: Points to the battery icon in the status bar.
- Amount of Error in ft before post-processing**: Points to the error icon in the status bar.
- Normally a bullseye for number of points logged- JCDH recommends at Least 30 points taken**: Points to the bullseye icon in the status bar.
- Type of Inventory**: Points to the 'File: JUNO071410A' field.
- Collection Sites of Interest each has a separate dictionary and are updated with new options**: Points to the feature list.
- Data Logger Start Button**: Points to the 'Create' button.
- Create Dataset Button**: Points to the 'Create' button.

Standard Operating Procedure for:	
A.1 IDDE: Inspections During Mapping (JCDH Employees)	
Purpose of SOP:	This SOP provides a basic checklist for JCDH employees conducting illicit discharge inspections during mapping.

Always:

- 1) Characterize the outfall by recording information on the Tremble Nomad Unit data dictionary such as:
 - Side of creek
 - GPS location (at least 30 points to post process)
 - Flow present
 - Flow description
 - Material of pipe
 - Shape
 - Diameter, horizontal distance, vertical distance
 - Number of pipes
 - Submerged pipe
 - Sediment filled
 - pH
 - temperature
 - picture of all pipes
- 2) Conduct inspections during dry weather periods using the Dry Weather Outfall Inspection Form or data dictionary shown on the next page if a problem outfall is believed to be discovered
- 3) Follow procedure below if an illicit discharge is encountered (such as raw sewage, paint, etc.).
- 4) Conduct inspections with at least two JCDH employees per crew.
- 5) Carry a list of emergency phone numbers. (All JCDH inspectors are equipped with cell phones)
- 6) Have on JCDH badge at all times

Whenever Possible:

- 1) Conduct inspections during low groundwater and leaf off conditions.
- 2) Identify and label the outfall with a unique identifier if outfall is believed to be a problem.
- 3) If dry weather flow is present at the outfall, and the flow **does not** appear to be an illicit discharge attempt to identify the source of the flow (intermittent stream etc.), then document the discharge for future comparison.
- 4) Collect samples of flowing discharges before and after source removal.

Never:

- 1) Never put yourself in danger.
- 2) Never enter private property without permission



Figure 1: Tremble Nomad Unit

Dry Weather Discharge

The CWP defines **dry weather** as a 48 hour period with no runoff-producing rainfall. JCDH prefers the period to be 72 hours but if continual rain occurs that will be switched to 48 hours as needed.

Equipment list for mapping:

1. Entrance and Exit Point Map
2. GPS unit with built in camera
3. Field sheets for any illicit discharge found (can be left in truck)
4. Cell phones
5. pH meter
6. First aid kit
7. Flash light or head lamp
8. Surgical gloves
9. Tape measure
10. Temperature probe
11. Waders
12. Watch with a second hand
13. Hand sanitizer
14. Sampling pole
15. Safety vests

JCDH Procedure for illicit discharge detection

- Call supervisor and notify of location
- Take photos and record under Site of Interest in data dictionary on GPS unit as shown below
- Supervisor carries out sample bottles to be taken to lab for a rush sample
- Area is then visually inspected for the possible sources.
- If no source can be identified then wait for sample results to come back to see what possible contaminants are. At this point a further investigation will be launched. This can include but is not limited to 24 hour ISCO sampling, damming, etc.

Dry Weather Outfall Inspection Form

Location Information

Date: _____ **Inspector:** _____
Time: _____
Outfall ID: _____
Outfall Location: _____
Receiving Waterbody: _____
Photo Taken: Yes No **Photo ID:** _____

Weather: Clear Cloudy **Approximate Temp:** _____ **Wind Present:** Yes No
Precipitation in the past 3 days: No Yes _____ inches

Pipe Flow: None Trickle Steady 1/4 pipe flow or more
Seepage Flow: None Trickle Steady 1/4 pipe flow or more
Color (if flow is present): _____

Inspection Information *Select all that are applicable*

Obvious Debris/Pollution:	0	3	5	8	9	9	10	Odor:	0	5	10	10	Water Clarity:	0	5	10
None								None/Natural					Clear			
Foam								Musty					Cloudy			
Staining								Sewage/septic								
Floating Green Scum								Petroleum					Opaque			
Oil / Film																
Vegetative Mat/or Gray Mat																
Sewage Solids																
TOTAL								TOTAL					TOTAL			

GRAND TOTAL SCORE =

Additional Information

Sediment Condition: Open 1/4 Full 1/2 Full 3/4 Full Plugged
Structure Condition: Excellent Good Fair Poor
Trash/litter present: Yes No **Yard waste observed:** Yes No
General Comments: _____

Potential Sources / Actions Taken:

Sample collected? Yes No
 By whom? _____
Follow up required: Yes No

Parameters: Results:

Be sure to staple all relevant lab tests and assigned GPS points and photos to sheet during investigation.

NOTE: This information is to accompany the Dry Weather Outfall Inspection Form.

Odor – Most strong odors, especially gasoline, oils, and solvents are likely associated with high responses on the toxicity screening test.

Stale sanitary wastewater: sewage

Detergent, perfume: Laundromat or household laundry

Sulfur ("rotten eggs"): industries that discharge sulfide compounds or organics (meat packers, canneries, dairies)

Oil and gas: facilities associated with vehicle maintenance or petroleum product storage (gas stations) or petroleum refineries

Rancid-sour: food preparation facilities (restaurants, hotels)

Color – Important indicator of inappropriate industrial sources. Dark colors, such as brown, gray, or black are the most common.

Yellow: chemical plants, textile, and tanning plants

Brown: meat packers, printing plants, metal works, stone and concrete, fertilizers, and petroleum refining facilities [note: can be from natural organic acids if a wetland is upstream]

Green: chemical plants, textile facilities

Red: meat packers [note: can be from organic acids if a wetland is upstream]

Gray: dairies

Turbidity – The cloudy appearance of water caused by the presence of suspended or colloidal matter. In dry weather, high turbidity is often a characteristic of undiluted industrial discharges.

Cloudy: sanitary wastewater, concrete or stone operations, fertilizer facilities, automotive dealers

Opaque: food processors, lumber mills, metal operations, pigment plants

Floatable matter – a contaminated flow may contain floating solids or liquids directly related to industrial or sanitary wastewater pollution. Floatables of industrial origin may include animal fats, spoiled food, oils, solvents, sawdust, foams, packing materials, or fuel.

Oil sheen: petroleum refiners or storage facilities and vehicle service facilities. [note: there is a type of bacteria that looks like an oil sheen. If you take a stick and swirl around the sheen, it will break up into blocky pieces if it is the bacteria. A true oil sheen will quickly re-form and not look blocky.]

Toilet paper bits, fecal bits, food particles: sanitary wastewater

Soap suds: if white or a clear sheen, laundry discharge (check odor) [note: can also occur from natural surfactants; usually off-white or tan with an earthy-fishy odor.]

Deposits and Stains – Any type of coating near the outfall, usually a dark color. Deposits and stains will often contain fragments of floatable substances.

Lots of sediment: construction site erosion, sand and gravel pits, winter road applications

Oil stain: petroleum storage, vehicle service facilities, petroleum refineries

Rusty: precipitates from iron-rich water (natural or industrial) [note: if slimy and clumpy, it could be iron bacteria]

Grayish-black deposits and hair: leather tanneries

White crystalline powder: nitrogenous fertilizer waste

Vegetation – Vegetation surrounding an outfall may show the effects of industrial pollutants. Decaying organic materials coming from various food product wastes would cause an increase in plant life, while the discharge of chemical dyes and inorganic pigments from textile mills could noticeably decrease vegetation. It is important not to confuse the adverse effects on high Storm Water flows on vegetation with highly toxic dry-weather intermittent flows.

Excessive growth: food product facilities, fertilizer runoff (lawns, golf courses, and farms)

Inhibited growth: high Storm Water flows, beverage facilities, printing plants, metal product facilities, drug manufacturing, petroleum facilities, vehicle service facilities, and automobile dealers

Damage to Outfall Structures – Outfall damage can be caused by severely contaminated discharges that are very acidic or basic in nature. Primary metal industries have a strong potential to cause outfall structure damage because their batch dumps are highly acidic. Poor construction, hydraulic scour, and old age can also negatively affect the condition of all outfall structure.

Concrete or spalling (breaking off into chips or layers): industrial flows


Peeling paint: industrial flows

Metal corrosion: industrial flows

This sheet was courtesy of the NHDES (modified from Pitt et al., 1993 Investigation of Inappropriate Pollutant Entries into Storm Drainage Systems: a User's Guide. EPA Office of research and Development, EPA/600/R-92/238).

Data Dictionary Screen Shots Typical Example

The data dictionary is used on the GPS units to allow for easy waterproof form carrying. The options can be changed and the screen shots presented are just a sample of what JCDH is using currently. This helps to keep the paper forms like the ones above strictly for documentation purposes.



Options:

- Closed Pipe
- Open Channel
- Tributary
- Site of Interest

Opening Screen for Outfall Monitoring




Option chose (Closed Pipe)

Secondary Options:

- Side of Creek
- Flow Present
- Flow Type
- Flow Description
- Pipe Material
- Shape
- Vertical Diameter

Closed Pipe Outfall (Page 1)




Option chose (Closed Pipe)

Secondary Options:

- Horizontal Diameter
- Number of Pipes
- Submerged
- Sediment Filled
- Comments
- Temperature
- pH


Closed Pipe Outfall (Page2)



Option chose (Closed Pipe)
Photo Attachment Options:

- Photo 1
- Photo 2

Closed Pipe Outfall (Page3)



Site of Interest:

- Description
- Side of Creek
- Comments
- Photo

Site of Interest for logging Illicit or
Suspicious Discharges

Standard Operating Procedure for:	
A.2 IDDE: Long-Term Inspections –Dry Weather (JCDH Employees)	
Purpose of SOP:	To provide supervisor and field crew with a punch list of things to remember during regularly scheduled inspections.

Always:

- 1) Conduct inspections during dry weather periods (48-72 hours after rain event).
- 2) Check the outfall's dimensions, shape, and component material using the GPS data dictionary with the existing site name in the data dictionary
- 3) Characterize and record observations on basic sensory and physical indicators (e.g., odor, color, oil sheen).
- 4) If an illicit discharge is encountered (such as raw sewage, paint, etc.), follow the procedure below.
- 5) Perform inspections so as to meet JCDH's goal of inspecting each outfall within the 5 year permit cycle (long term).
- 6) Take pictures in the data dictionary for later inspections and GIS maps.
- 7) Always have on JCDH badge when doing inspections

Whenever Possible:

- 1) Identify and label the outfall with a unique identifier. For example "SWO-013".
- 2) If dry weather flow is present at the outfall, and the flow does not appear to be an obvious illicit discharge (e.g., flow is clear, odorless, etc.), attempt to identify the source of the flow (intermittent stream, etc.) then document the discharge for future comparison.
- 3) Collect samples before and after source removal.

Never:

- 1) Never put yourself in danger.
- 2) Never enter private property without permission.

JCDH Procedure for illicit discharge detection

- Call supervisor and notify of location
- Take photos and record under Site of Interest in data dictionary on GPS unit as shown below
- Supervisor carry out sample bottles to be taken to lab for a rush sample
- Area is then visually inspected for the possible sources.
- If no source can be identified, wait for sample results to provide information on possible contaminants. At this point a further investigation will be launched. This can include but is not limited to 24 hour ISCO sampling, damming, etc.

Standard Operating Procedure for:	
A.2 IDDE: Long-Term Inspections –Wet Weather (JCDH Employees)	
Purpose of SOP:	To provide supervisor and field crew with a punch list of things to remember during regularly scheduled inspections.

Always:

- 8) Conduct inspections during flow events, or as close to a rain event as possible. (no longer than 6 hours)
- 9) Check the outfall's dimensions, shape, and component material using the GPS data dictionary with the existing site name in the data dictionary
- 10) Characterize and record observations on basic sensory and physical indicators (e.g., odor, color, oil sheen).
- 11) If an illicit discharge is encountered (such as raw sewage, paint, etc.), follow the procedure below.
- 12) Perform inspections so as to meet JCDH's goal of inspecting each outfall within the 5 year permit cycle (long term).
- 13) Take pictures in the data dictionary for later inspections and GIS maps.
- 14) Always have on JCDH badge when doing inspections

Whenever Possible:

- 4) Identify and label the outfall with a unique identifier. For example "SWO-013".
- 5) Collect samples before and after source removal.

Never:

- 3) Never put yourself in danger.
- 4) Never enter private property without permission.

JCDH Procedure for illicit discharge detection

- Call supervisor and notify of location
- Take photos and record under Site of Interest in data dictionary on GPS unit as shown below
- Supervisor carry out sample bottles to be taken to lab for a rush sample
- Area is then visually inspected for the possible sources.
- If no source can be identified, wait for sample results to provide information on possible contaminants. At this point a further investigation will be launched. This can include but is not limited to 24 hour ISCO sampling, damming, etc.

Standard Operating Procedure for:	
A.3 IDDE: Opportunistic Inspections (Non JCDH Employees)	
Purpose of SOP:	This SOP provides city field personnel with a quick checklist of proper procedures to follow if they observe illicit discharges while conducting their regular duties.

Always:

- 1) Call dispatcher, supervisor, or JCDH official if you see evidence of an illicit discharge. (If not a JCDH employee). If JCDH employee notify supervisor or follow illicit discharge procedure.
- 2) Assess the general area of the illicit discharge to see if you can identify its' source.

Whenever Possible:

- 1) Use the Incident Tracking Sheet to document observations.
- 2) Take photographs of the illicit discharge.
- 3) Get Supervisor to fill out Illicit Discharge Form.
- 4) Use the Catch Basin Cleaning Form to document observations during cleaning.

Never:

- 1) Never enter private property without permission.
- 2) Never put yourself in danger.

Standard Operating Procedure for:	
A.4 IDDE: Citizen Call-in Inspections (JCDH Employees and Municipal Officials)	
Purpose of SOP:	To collect appropriate information from a citizen reporting a potential illicit discharge to increase the chances of identifying and removing its source.

Always:

- 1) Use the JCDH complaint system and call in line at (205)930-1230. The Incident Tracking Sheet below can provide an additional document to collect the appropriate information that then should be entered into JCDH complaint system
- 2) Investigations should be worked with in 5-7 business days and the status should be reported on the complaint system.
- 3) All action taken should be recorded.
- 4) Follow JCDH procedures on complaints for any additional information
- 5) All municipal employees should call in the complaint to JCDH at (205)930-1230 for tracking purposes

Whenever Possible:

- 1) Provide additional training on tracking stormwater complaints
- 2) Generate GIS databases from information taken from complaints to scan for any patterns of illicit discharges

Never:

- 1) Never enter private property without permission.
- 2) Never put yourself in danger.

ILLICIT DISCHARGE HOTLINE INCIDENT TRACKING SHEET

Copied with permission from: *Illicit Discharge Detection and Elimination-A Guidance Manual for Program Development and Technical Assessments*, CWP, 2004.

Incident ID:				
Responder Information				
Call taken by:			Call date:	
Call time:			Precipitation (inches) in past 24-48 hrs:	
Reporter Information				
Incident time:			Incident date:	
Caller contact information (<i>optional</i>):				
Incident Location (<i>complete one or more below</i>)				
Latitude and longitude: Or other coordinate system				
Stream address or outfall #:				
Closest street address:				
Nearby landmark:				
Primary Location Description		Secondary Location Description:		
Stream corridor (<i>In or adjacent to stream</i>)		Outfall	In-stream flow	Along banks
Upland area (<i>Land not adjacent to stream</i>)		Near storm drain	Near other water source (storm water pond, wetland, etc.):	
Narrative description of location:				
Upland Problem Indicator Description				
Dumping		Oil/solvents/chemicals	Sewage	
Wash water, suds, etc.		Other: _____		
Stream Corridor Problem Indicator Description				
Odor	None	Sewage	Rancid/Sour	Petroleum (gas)
	Sulfide (rotten eggs); natural gas	Other: Describe in "Narrative" section		
Appearance	"Normal"	Oil sheen	Cloudy	Suds
	Other: Describe in "Narrative" section			
Floatables	None:	Sewage (toilet paper, etc)	Algae	Dead fish
	Other: Describe in "Narrative" section			
Narrative description of problem indicators:				
Suspected Violator (name, personal or vehicle description, license plate #, address, etc.):				

Standard Operating Procedure for:	
A.5 IDDE: Septic System Inspections (JCDH Employees and Municipal Employees)	
Purpose of SOP:	Failed septic systems can adversely impact water quality. This SOP provides a quick reference list to supervisors and field crews that are conducting an initial screening for failures in areas that are identified in the full IDDE program.

Always:

- 1) Refer potential septic tank issues to JCDH (205)903-1230 if a municipal employee.
- 2) JCDH refer all septic tank issues to Community Environmental Protection Division. They will follow internal procedures to have all issues resolved. Monitor to make sure work is being completed.
- 3) Inform homeowner that they have a leak and that action needs to be taken to remediate the problem such as tank pumping until problem can be resolved

Whenever Possible:

- 1) Screen high risk areas (older areas or areas near lakes or impaired waterbodies). JCDH keeps a record of all septic tank malfunctions and what areas are more likely for malfunctions
- 2) Look for indicators of failures, such as wet areas or disagreeable odors near the leach field.
- 3) JCDH documents all septic tank systems as they are installed and what repairs are issued.

Never:

- 1) Never enter private property without permission.
- 2) Never put yourself in danger.

Related References	
	Jefferson County Department of Health Community Environmental Protection Division Environmental Health Services 1400 Sixth Avenue South Birmingham, AL 35233 (205)930-1230

Standard Operating Procedure for:	
A.6 IDDE: Tracing Illicit Discharges (JCDH Employees)	
Purpose of SOP:	To provide a quick reference list of items to keep in mind during tracing activities to efficiently and systematically identify the source of an illicit discharge.

Always:

- 1) Review / consider information collected when illicit discharge was initially identified (Incident Tracking Sheet from municipality, Data Dictionary from JCDH, or Dry Weather Outfall Inspection Form can all be used for this purpose).
- 2) Survey the general area / surrounding properties to identify potential sources of the illicit discharge as a first step. If discharge is fecal or similar JCDH takes enforcement action immediately and then educates homeowner using pamphlets, flyers, or talks to communities about ways to eliminate these issues.
- 3) JCDH traces illicit discharges using visual inspections of upstream points as a secondary step.
- 4) JCDH documents tracing results for future reference.
- 5) JCDH uses analysis software to tell if there are illicit discharges between set sample points and then uses personnel to track these discharges

Whenever Possible:

- 1) JCDH can employ the use of weirs, sandbags, dams, or optical brightener monitoring traps to collect or pool intermittent discharges during dry weather for further inspection.
- 2) Although rarely used by JCDH, televising of the storm drain system can be used trace high priority, difficult to detect illicit discharges.
- 3) JCDH dye tests, with a fluorescent green dye, the individual discharge points within suspected buildings.
- 4) If the source cannot be found, it is added to the area GIS database for future inspection programs.
- 5) Samples are always taken by JCDH usually in pairs to confirm/refute illicit discharge.

Never:

- 1) Never enter private property without permission.
- 2) Never put yourself in danger.

Standard Operating Procedure for:	
A.7 IDDE: Removing Illicit Discharges (JCDH and Municipal Employees)	
Purpose of SOP:	Proper removal of an illicit discharge will ensure it does not recur. Using legal methods for the removal will minimize the municipality's liability. This SOP provides an overview of illicit discharge removal procedures.

Always:

- 1) Determine who is financially responsible; and follow associated procedures on Table 2-9.
- 2) Suspend access to storm drain if threats of death or serious physical harm to humans or the environment are possible.
- 3) If the discharge is from an exempt facility (see Table 2-9) notify the facility operator and the appropriate enforcement authority.
- 4) Repair/correct cause of discharge if municipality is responsible.
- 5) Collect a confirmatory sample after the removal. Seek technical assistance from JCDH, if needed.
- 6) Seek fining methods through the *Erosion and Sedimentation Control Ordinance* or through municipal codes. Each day of discharge will constitute a separate offense.
- 7) Work with guilty party to solve issue as much as possible.

Whenever Possible:

- 1) Issue a Notice of Violation for violations of the *Erosion and Sedimentation Control Ordinance* adopted by all Storm Water Management Authority, Inc municipalities.

Never:

- 1) Never repair/correct cause of discharge on private property until all organizations have met and decided what is the best course of action (JCDH Storm Water program, Mayor, City Official, etc.)

TABLE 2-9: NOTIFICATION AND REMOVAL PROCEDURES FOR ILLICIT DISCHARGES INTO THE MUNICIPAL SEPARATE STORM SEWER SYSTEM			
Financially Responsible Party	Source Identified	Enforcement Authority	Procedure to Follow
Private Property Owner	One-time illicit discharge (e.g., spill, dumping, etc.)	Ordinance enforcement authority (Municipal Official, JCDH)	<ul style="list-style-type: none"> • Contact Owner • Issue Notice of Violation • Issue fine
Private Property Owner	Intermittent or continuous illicit discharge from legal connection	Ordinance enforcement authority (Municipal Official, JCDH)	<ul style="list-style-type: none"> • Contact Owner • Issue Notice of Violation • Determine schedule for removal • Confirm removal
Private Property Owner	Intermittent or continuous illicit discharge from illegal connection or indirect (e.g., infiltration or failed septic)	Plumbing Inspector, Municipal Official, JCDH	<ul style="list-style-type: none"> • Notify plumbing inspector
Municipal	Intermittent or continuous illicit discharge from illegal connection or indirect (e.g., failed sewer line)	Ordinance enforcement authority (JCDH, Municipal Official, Jefferson County Environmental Services)	<ul style="list-style-type: none"> • Issue work order • Schedule removal • Remove connection • Confirm removal
Exempt 3 rd Party <ul style="list-style-type: none"> • Alabama Department of Transportation ALDOT (in selected urbanized areas) • Industrial Facilities with selected SIC codes 	Any	USEPA	<ul style="list-style-type: none"> • Notify exempt third party and USEPA of illicit discharge

Standard Operating Procedure for:	
A.8 IDDE: Removing Industrial Illicit Discharges (JCDH and Municipal Employees)	
Purpose of SOP:	Proper removal of an industrial illicit discharge will ensure it does not recur. Using legal methods for the removal will minimize the municipality's liability. This SOP provides an overview of industrial illicit discharge removal procedures.

Always:

- 1) Determine who is financially responsible; and follow associated procedures on Table 2-9.
- 2) Suspend access to storm drain if threats of death or serious physical harm to humans or the environment are possible.
- 3) If the discharge is from an exempt facility (see Table 2-9) notify the facility operator and the appropriate enforcement authority.
- 4) Repair/correct cause of discharge if industrial discharge is from a municipal source
- 5) Collect a confirmatory sample after the removal. Seek technical assistance from JCDH, if needed.
- 6) Seek fining methods through the *Erosion and Sedimentation Control Ordinance* or through municipal codes. Each day of discharge will constitute a separate offense. These offenses may be subject to escalated fees according to municipal or other ordinances.
- 7) Work with guilty party to solve issue as much as possible. Use environmental engineer for facility when possible, these have been identified from the existing Air Toxins program at JCDH

Whenever Possible:

- 1) Issue a Notice of Violation for violations of the *Erosion and Sedimentation Control Ordinance* adopted by all Storm Water Management Authority, Inc municipalities.
- 2) GIS locate all NPDES discharge sites for all industrial sources within the Storm Water Management Authority, Inc municipalities.
- 3) Work with ADEM to check all NPDES permit limits to make sure industrial sources are within allowed limits

Never:

- 1) Never repair/correct cause of discharge on private property until all organizations have met and decided what is the best course of action (JCDH Storm Water program, Mayor, City Official, etc.)

APPENDIX B

POLLUTION PREVENTION AND GOOD HOUSEKEEPING SOPS

Standard Operating Procedure for:	
B.1 Catch Basin Cleaning (Municipal or Jefferson County Public Works Employees)	
Purpose of SOP:	To protect Storm Water by maintaining the ability of catch basins to trap sediments, organic matter, and litter. This reduces clogging in the storm drain system as well as the transport of sediments and pollutants into receiving waterbodies.

Always:

- 1) Inspect catch basins for structural integrity and evidence of illicit discharges during cleaning. Use the Catch Basin Cleaning Form.
- 2) If gross contamination (sewage or oil), stop cleaning and report to supervisor for follow up. The supervisor should then report this to JCDH at (205)930-1230.
- 3) Stockpile and cover catch basin residuals on an impervious surface that discharges to a sanitary sewer or buffered area until test results are known (if reuse is planned).
- 4) Test catch basin stockpile as follows:
 - If obviously (by visual and/or olfactory examination) contaminated with sanitary wastewater, animal wastes, oil, gasoline or other petroleum products, test the solids pursuant to the hazardous waste determination dispose of as follows:
 - a) If non-hazardous – dispose at any permitted, lined solid waste landfill or other solid waste treatment facility permitted to accept this material.
 - b) If hazardous – dispose of in accordance with Alabama Hazardous Waste Rules.
 - If not obviously contaminated,
 - a) Test for metals, VOCs and PAHs.
 - b) Compare with the following charts used by New Hampshire or relevant Alabama used charts.

Whenever Possible:

- 1) Inspect each catch basin at least annually, during catch basin cleaning. These forms will need to be reported to JCDH for record keeping unless the municipality has a record keeping process in place.
- 2) Create an internal checklist for catch basins to help classify which catch basins require maintenance and how often.
- 3) Perform street sweeping on an appropriate schedule to reduce the amount of sediment, debris and organic matter entering the catch basins, which in turn reduces the frequency with which they will need to be cleaned. The street sweeping schedules should be provided to JCDH or Storm Water Management Authority, Inc and tracked on a monthly basis by each municipality
- 4) Discharge fluids collected during catch basin cleaning to a sanitary WWTP, or buffered detention area.
- 5) The forms listed below should be completed and turned into JCDH on a monthly basis. This allows for miles of street swept and number of catch basins cleaned each year.

Catch Basin Cleanings Reuse Guidance			
Maximum Contaminant Concentrations			
<i>Regulated Contaminant</i>	<i>S-1 Standards (mg/kg)</i>	<i>S-3 Standards (mg/kg)</i>	<i>USEPA SW-846 Test Method</i>
Metals			
Arsenic	11	11	6010B
Barium	750	3,400	6010B
Cadmium	32	230	6010B
Chromium	1000	5,000	6010B
Lead	400	400	6010B
Mercury	13	13	7471A
Selenium	260	260	6010B
Silver	45	200	6010B
VOCs			
Benzene	0.3	0.3	8260B
Dichloroethane, 1,2-	0.08	0.08	8260B
Isopropyl benzene	123	123	8260B
Methyl-t-butyl ether	0.13	0.13	8260B
Toluene	100	100	8260B
Xylene	500	1,100	8260B
Aklylbenzenes Butylbenzene, n- Butylbenzene, sec- Butylbenzene, tert- Isopropyl toluene, 4- Propylbenzene, n- Trimethylbenzene, 1,2,4- Trimethylbenzene, 1,3,5-	59 (total)	59 (total)	8260B
PAHs - Carcinogenic			
Benzo(a)anthracene	0.7	40	8270C
Benzo(a)pyrene	0.7	4	8270C
Benzo(b)fluoranthene	7	400	8270C
Benzo(k)fluoranthene	7	400	8270C
Chrysene	70	4,000	8270C
Dibenzo(a,h)anthracene	0.7	4	8270C
Indeno(1,2,3-cd)pyrene	0.7	40	8270C
PAHs – Noncarcinogenic			
Acenaphthene	270	270	8270C
Acenaphthylene	300	300	8270C
Anthracene	1,000	1,700	8270C
Fluoranthene	810	5,000	8270C
Fluorene	510	510	8270C
Methylnaphthalene,2-	150	150	8270C
Napthalene	5	5	8270C
Benzo(g,h,i)perylene Phenanthrene Pyrene	480 (Total)	5,000 (Total)	8270C

Standard Operating Procedure for:	
B.2 Storm Drain System Repair and Maintenance (Municipal or Jefferson County Public Works Employees)	
Purpose of SOP:	To protect Storm Water by replacing or repairing components of the storm drain system on a regular basis to prevent a failure of the storm drain system.

Always:

- 1) Practice preventive maintenance for cracks, leaks, and other conditions that could cause breakdowns in the system by identifying maintenance issues such as:
 - For catch basins during catch basin cleaning (see SOP B.1)
 - For outfalls during IDDE inspection (see SOP A.1, A.2 and A.3)
- 2) Repair defective structures or equipment identified during an inspection as soon as possible.
- 3) Test and dispose of stockpiled materials as described in SOP B.1.
- 4) Document inspections, cleanings and repairs and report them to Storm Water Management Authority, Inc or JCDH (SOP B.1 for catch basins, SOPs A.1 through A.3 for outfalls, and attached example form for pipes).
- 5) Use appropriate erosion and sediment control practices when performing repairs.

Whenever Possible:

- 1) Practice preventive maintenance for pipes by televising:
 - Prior to reconstruction of roadways, or
 - On a regular schedule beginning with high priority areas.
 - Or track all televising of sewer lines by Jefferson County Environmental Services.
- 2) Research and implement new technology that will improve the overall performance of the storm drain system.
- 3) Perform street sweeping on a regular basis to reduce the amount of sediment, debris and organic matter entering the storm drain system, which in turn reduces the frequency with which the system will need to be cleaned. This activity will need to be tracked and presented to Stormwater Management Authority or JCDH on a monthly basis.
- 4) Use documentation of repairs and maintenance to develop a capital improvement and O&M plan for future system maintenance. This should be written in an overall city document plan.

Never:

- 1) Never allow defective equipment or structures to go unrepaired.

Related References	
	-USEPA National Menu of BMPS -Alabama Soil and Conservation Committee’s <i>Alabama Handbook for Erosion Control, Sediment Control, and Stormwater Management of Construction Sites and Urban Areas</i>

B.3 Erosion and Sediment Control (All Organizations)	
Purpose of SOP:	To protect Storm Water from pollution by reducing or eliminating pollutant loading from land disturbing activities.

Always:

- 1) Use erosion control techniques or devices to stabilize disturbed areas.
- 2) Use effective site planning to avoid sensitive areas.
- 3) Keep land disturbance to a minimum.
- 4) Inspect and maintain erosion control devices after each 0.75 inches of rain
- 5) Install erosion control devices properly.
- 6) Remove sediment accumulated during construction from permanent BMPs once construction is completed.
- 7) Minimize the amount of bare soil by scheduling phases of construction and stabilization.
- 8) Minimize slope lengths.
- 9) Monitor practices and adjust, maintain, and repair them periodically and after every storm.
- 10) Reduce the velocity of Storm Water runoff.
- 11) Prevent erosion by covering bare soil with mulch or other cover.
- 12) Protect existing Storm Water structures from sediment by using temporary sediment traps, silt fence, or perforated risers.
- 13) Divert clean water around construction site.
- 14) Make sure all permitting has been done and approved through JCDH and the local Stormwater Management Authority municipality. See form on next page for electronic permit.
- 15) Allow 3-14 business days for initial review time on large commercial developments.

Whenever Possible:

- 1) Limit construction activities during months with higher runoff rates.
- 2) Install erosion control blankets when seeding drainage ways.
- 3) Protect natural vegetation, especially near waterbodies, wetlands, and steep slopes.
- 4) Establish vegetative cover with good root systems prior to freeze/thaw cycles.

Never:

- 1) Never divert runoff into a sensitive area.
- 2) Never remove temporary measures before construction is complete.
- 3) Never allow silt fences to over-run or put in flow paths.

Related References	
	-USEPA National Menu of BMPS -Alabama Soil and Conservation Committee's <i>Alabama Handbook for Erosion Control, Sediment Control, and Stormwater Management of Construction Sites and Urban Areas</i>

JCDH EROSION AND SEDIMENTATION CONTROL PERMITTING FORM

The screenshot shows a web browser window titled "Erosion Control System Entry/Maintenance - Windows Internet Explorer". The address bar shows "http://localhost:55285/EHEroCUI/EHEC02.aspx". The browser's menu bar includes "File", "Edit", "View", "Favorites", "Tools", and "Help". The "Favorites" bar shows "Jefferson Co. Personnel Board". The browser's address bar shows "Erosion Control System Entry/Maintenance".

The form is titled "Erosion Control System Entry/Maintenance" and is divided into several sections:

- Muni Information:** Includes fields for "City of:" (dropdown), "Year:" (text), "City Cd:" (text), "Sequence:" (text), "Permit:" (text), "Date:" (calendar), "Fee Amount:" (text), and a "JCDH Issued" checkbox.
- Type of Construction:** Includes a "Type:" radio button group with options "Single Family" and "Commercial".
- Applicant Information:** Includes fields for "Name of Applicant:" (text), "Apartment:" (text), "Number:" (text), "Name:" (text), "Type:" (dropdown), "Dir:" (dropdown), "Address:" (text), "City:" (text), "State:" (text), "Zip:" (text), "Phone Nbr:" (text), "Fax:" (text), and "Email Address:" (text).
- Property Owner Information:** Includes a "Same as Applicant Information" checkbox, "Name of Property Owner:" (text), "Apartment:" (text), "Number:" (text), "Name:" (text), "Type:" (dropdown), "Dir:" (dropdown), "Address:" (text), "City:" (text), "State:" (text), "Zip:" (text), "Phone Nbr:" (text), and "Fax:" (text).
- Property Location Information:** Includes a "Same as Applicant Information" checkbox, "Apartment:" (text), "Number:" (text), "Name:" (text), "Type:" (dropdown), "Dir:" (dropdown), "Address:" (text), "City:" (text), "State:" (text), "Zip:" (text), and "Legal Description:" (text area).
- Contractor Information:** Includes a "Same as Applicant Information" checkbox.

The Windows taskbar at the bottom shows the Start button, several open applications (Inbox - Microsoft Outlook, JCDHApps (Running) - M..., JCDHApps - Microsoft Vis..., Erosion Control System...), and the system tray with the time "1:34 PM".

Standard Operating Procedure for:	
B.4 Landscape Design and Management (All Organizations)	
Purpose of SOP:	To protect Storm Water by designing and managing landscaping in ways that minimize polluted runoff.

Always:

- 1) Design landscaping by taking into account soil types, light, drainage, desired maintenance level and budget. A soil map is attached on the following page of Jefferson County but for further soil information go to <http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>.
- 2) Design for ease of maintenance.

Whenever Possible:


- 1) Minimize erosion prone steep slopes by using techniques such as terracing.
- 2) Use native plants that are pest resistant. Plant the right plant in the right area.
- 3) Manage water runoff by rerouting gutters away from storm drains and maintaining groundcovers between developed areas and waterways (ditches, swales, shorelines).
- 4) Reduce or eliminate mown lawn in unused areas.
- 5) Convert excess lawn to meadow or forest.
- 6) Establish set back distances from pavement, storm drains, and waterbodies. Allow these areas to serve as buffers with disease-resistant plants and minimal mowing.
- 7) JCDH and the Stormwater Municipalities promote Low Impact Development Design on new structures and retrofits.

Never:

- 1) Never develop a landscape design without assessing its impact on water quality.
- 2) Never cause unintended consequences such as
 - Planting large variety trees beneath overhead wires.
 - Blocking site distance at intersections
 - Planting trees with a high water demand (weeping willow) near sanitary sewer pipes and storm sewer pipes.

Related References	
	-United States Department of Natural Resources Conservation Services Soil Map -Alabama Department of Agriculture -USEPA National Menu of BMPs -CWP Urban Forestry Manual

JEFFERSON COUNTY SOIL MAP



SOURCE: United States Department of Natural Resources Conservation Services Soil Map website
<http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>.

Standard Operating Procedure for:	
B.5 Storage and Disposal of Fertilizer and Pesticides (Municipal Employees, Jefferson County Employees, and Homeowners)	
Purpose of SOP:	To protect Storm Water by properly storing and disposing of fertilizers and pesticides (herbicides and fungicides). Because storm drain water is not part of a wastewater treatment system, discharge of these chemicals flows untreated into ponds, lakes, rivers, streams, estuaries, and bays.

Always:

- 1) Store fertilizers and pesticides in high, dry locations, according to manufacturer’s specifications and applicable regulations.
- 2) Fill out PHF storage form below.
- 3) Clearly label secondary containers.
- 4) Properly dispose of fertilizers and pesticides according to manufacturer’s specifications and applicable regulations.
- 5) Regularly inspect fertilizer and pesticide storage areas for leaks or spills.
- 6) Clean up spills and leaks of pesticides and fertilizers to prevent the chemicals from reaching the storm drain system. (SOPs B.12 and B.16)

Whenever Possible:

- 1) Store pesticides in enclosed areas or in covered impervious containment, preferably in a locked cabinet.
- 2) Order fertilizers and pesticides for delivery as close to time of use as possible to reduce amount stored at facility.
- 3) Order only the amount needed to minimize excess or obsolete materials requiring storage and disposal.
- 4) Use ALL herbicides or pesticides appropriately to minimize the amount of chemicals requiring disposal.
- 5) Do an annual review of storage area and dispose of old, unusable or “obsolete” fertilizer or pesticides in accordance with applicable regulations (just before your local Household Hazardous Waste Day).
- 6) Keep a eye out for local recycling centers that will be marked by a JCDH program that is targeted for October 2011.

EPA defines a pesticide as any substance intended for preventing, destroying, repelling, or mitigating any pest. Pest can include insects, animals, unwanted plants, fungi, bacteria, etc. The term applies to insecticides, herbicides, fungicides, etc.

Never:

- 1) Never dispose of fertilizers or pesticides in storm drains.
- 2) Never leave unlabeled or unstable chemicals in uncontrolled locations.

Related References	
	-USEPA National Menu of BMPs

Storm Water Management Authority, Inc

1400 SIXTH AVENUE SOUTH. P.O. BOX 2648. BIRMINGHAM, ALABAMA 35202. (205)930-1230

Pesticide, Herbicide, and Fertilizer Storage Facility

Part 1: General Information

Stormwater Municipality: _____ Date: _____
Mayor: _____
Applicator's Department _____

Part 2: Storage Information

Storage Location Address: _____ City: _____
State: _____ Zip: _____
Amount Stored _____ gallons
Brand, Purpose, and Amounts of Chemicals Stored:

Are Storage SOPs followed: Yes No (if no why not)

Stormwater Municipality: _____
 Mayor: _____

*If more than 19 chemical stored then start at 1 on another form and continue forward until completed

Pesticides, Herbicides and Fertilizer Inventory

Description	Purpose	Amount (gallons)	Category	Amount Used
1)				
2)				
3)				
4)				
5)				
6)				
7)				
8)				
9)				
10)				
11)				
12)				
13)				
14)				
15)				
16)				
17)				
18)				
19)				

Standard Operating Procedure for:	
B.6 Fertilizing and Turf Health Application (Municipal Employees, Jefferson County Employees, and Homeowners)	
Purpose of SOP:	To protect Storm Water by properly storing, applying, and disposing of fertilizers and by maintaining turf health to reduce diseases.

Always:

- 1) Store, use, and dispose of all fertilizers and contaminated wastes according to manufacturer's specifications and applicable regulations.
- 2) Choose seed based on soil types, intended use of area, latest variety research, and/or assessment of past site performance.
- 3) Check 5-day weather forecast to avoid fertilizing before heavy rain or during a drought.
- 4) Fill out appropriate form below.

Whenever Possible:

- 1) Apply fertilizers based on a soil testing program, soil type, turf function, and assessment by qualified personnel (conservation commission or municipal arborist, etc.). See Jefferson County Soil Map above.
- 2) Avoid fertilizing during a drought or when the soil is dry.
- 3) Apply fertilizers during periods of maximum plant uptake (usually fall and spring).
- 4) Avoid combined products such as weed and feed, which do not necessarily target specific problems at the appropriate time.
- 5) Calibrate application equipment to ensure proper application.
- 6) If phosphorus fertilizer is used when re-seeding, mix phosphorus into root- zone.
- 7) Use alternative or environmentally friendly products (See SOP B.15.).
- 8) Use natural compost and organic fertilizers instead of synthetic fertilizers.
- 9) Aerate grassed areas to improve drainage and bring more oxygen to the soil.

Never:

- 1) Never fertilize before a forecasted heavy rainfall.
- 2) Never apply phosphorus fertilizer on bare soil.
- 3) Never deposit fertilizer in the water, into storm drains, or onto impervious surfaces (streets and sidewalks).
- 4) Never apply fertilizer to frozen ground.
- 5) Never clean up spilled fertilizer by rinsing it with water.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:	
B.7 Weed and Pest Control Application (Municipal Employees, Jefferson County Employees, and Homeowners)	
Purpose of SOP:	To protect Storm Water by properly applying pesticides (herbicides and insecticides).

Always:

- 1) Ensure that pesticides are only applied by personnel certified by AL Department of Agriculture to do so.
- 2) Apply pesticides according to manufacturer’s specifications, the Alabama Department of Agriculture & Industrial Food & Safety Division, Pesticide Management Section, and any local requirements.
- 3) Clean up any spilled chemicals (See SOPs B.12 and B.16.).
- 4) Use pesticides only when necessary.
- 5) Rinse equipment only when necessary and use rinse water to dilute next mix as long as application rates are not exceeded.

Whenever Possible:

- 1) Use alternative methods to control weeds and pests such as Integrated Pest Management strategies, biorational insecticides (natural soaps and oils) or biological controls. (See SOP B.15.)
- 2) Mix/load pesticides in an area where spills can be contained.
- 3) Pull weeds by hand or mechanically.
- 4) Spot treat affected areas only instead of entire location.
- 5) Apply pest control at the life stage when the pest is most vulnerable.
- 6) Choose the least toxic pesticides that still achieve results.
- 7) Tolerate low levels of weeds.
- 8) Allow grass to grow 2.5 to 3 inches high, reduce thatch build up and aerate soils.
- 9) Reduce seed release of weeds by timing cutting at seed set.

Never:

- 1) Never mix or prepare pesticides near storm drains.
- 2) Never apply controlled pesticides unless certified to do so.
- 3) Never apply pesticides before a heavy rainfall.
- 4) Never discharge rinse water or excess chemicals to storm drain, sewer, or ground surface.

Related References	
	-USEPA National Menu of BMPs

<p>Jefferson County Department of Health and Storm Water Management Authority 1400 SIXTH AVENUE SOUTH. P.O. BOX 2648. BIRMINGHAM, ALABAMA 35202. (205)930-1230</p>	
<p>Pesticide, Herbicide, and Fertilizer Application (Municipal Use)</p>	
<p>FORM</p>	
<p>Part 1: General Information</p>	
Stormwater Municipality:	_____ Date: _____
Mayor:	_____
Applicator's Department	_____
Relevant Licenses Secured	Yes No License #: _____
<p>Part 2: Precipitation Amount</p>	
Time Since last rain (must be at least 24 hours)	_____ hrs
Precipitation Chance in 3-day period (estimated 3-day forecast information)	_____ % day 1
	_____ % day 2
	_____ % day 3
<p>Part 3: PHF Information</p>	
Estimated Amount Applied Total:	_____ gallons
Employee Hours Used in Application	_____ hrs
Types Commonly Applied:	
* Manufacture, Receipts of Purchase, and Purpose should be stated or stapled to document.	
Were SOPs followed during application: Yes No (if no why state below)	
Application Areas:	
<p>If PHFs are applied by an outside entity (Jefferson County, State of Alabama, etc..) then contract with outside entity should be stapled to this form when returned.</p>	

<p>Jefferson County Department of Health and Storm Water Management Authority 1400 SIXTH AVENUE SOUTH. P.O. BOX 2648. BIRMINGHAM, ALABAMA 35202. (205)930-1230</p>	
<p>Pesticide, Herbicide, and Fertilizer Application (Private Applicator)</p>	
<p>Application</p>	
<p>Part 1: General Information</p>	
Stormwater Municipality:	_____ Date: _____
Mayor:	_____
Applicant's Name	_____
Applicant's email address/ Phone number:	_____
Applicator Company Name:	_____
Mailing Address:	_____ City _____
State:	_____ Zip: _____
Relevant Licenses Secured	Yes No License #: _____
<p>Part 2: Precipitation Amount</p>	
Time Since last rain (must be at least 24 hours)	_____ hrs
3-day forecast information)	_____ % day 1
	_____ % day 2
	_____ % day 3
<p>Part 3: PHF Information</p>	
Estimated Amount Applied Total:	_____ gallons
Employee Hours Used in Application:	_____ hrs
Type Applied:	_____
<p>Were SOPs followed during application: Yes No (if no why state below)</p>	
<p>Application Area:</p>	

Standard Operating Procedure for:	
B.8 Mowing and Irrigation (Municipal Employees, Jefferson County Employees, and Homeowners)	
Purpose of SOP:	To protect Storm Water by using proper mowing and watering techniques. Proper mowing and irrigation techniques will reduce organic matter and other pollutants from entering the storm drain system and waterbodies.

Always:

- 1) Mow only as low as needed for the area’s intended use.
- 2) Vary mowing pattern to minimize ruts and promote even growth.
- 3) Base irrigation amounts on monitoring for moisture content.
- 4) Water at appropriate times (when no rain is forecasted and in cooler times of day).
- 5) Manage leaves, clippings, and compost so that runoff does not enter storm drain system or waterbodies.

Whenever Possible:

- 1) Allow areas to go to meadow or field and mow once or twice per year rather than every week.
- 2) Keep mower blades sharpened to avoid damaging grass leaf tissue.
- 3) Mow when the grass is dry to prevent spread of turf diseases.
- 4) Sweep lawn clippings and debris instead of using water.
- 5) Mulch grass clippings using a mulching mower.
- 6) Fill gas tanks in a controlled location.

Never:

- 1) Never irrigate based on timers/schedules instead of monitoring for moisture content.
- 2) Never dump gas, wastes or contaminated water down storm drains.
- 3) Never refuel or change the mower oil near storm drains.
- 4) Never leave mower running in one location (to prevent burning and over- cutting of vegetation).

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:		
B.9 Vehicle and Equipment Storage (Municipal and Jefferson County Employees)		
Purpose of SOP:	To protect Storm Water from petroleum products that may drip or leak from vehicles and equipment being stored or from dirt and sediment that accumulate in the storage	

Always:

- 1) Inspect parking areas for stains/leaks on a regular basis.
- 2) Use drip pans or adsorbents for leaking vehicles (provide a labeled location to empty and store drip pans).
- 3) Address any known leaks or drips as soon as possible.
- 4) Clean up spills.

Whenever Possible:

- 1) Store vehicles inside where floor drains have been properly connected and registered.
- 2) Store vehicles on paved areas, and street sweep on a regular basis to remove drips/leaks/dirt, and dispose of street sweepings properly.
- 3) Maintain vehicles to prevent leaks.

Never:

- 1) Never store leaking vehicles over a storm drain.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:	
B.10 Vehicle and Equipment Washing (Municipal, JCDH, and Jefferson County Employees)	
Purpose of SOP:	To protect Storm Water using proper washing techniques, proper washing locations, and proper disposal of wash water for heavy and light-duty vehicles and equipment.

Always:

- 1) Operate a closed system with wastewater recycling (like a floor drain discharge to a holding tank), or
- 2) Discharge to a municipal sanitary sewer, or
- 3) Obtain a Septic Tank permit from JCDH, or
- 4) Wash fewer than 30 vehicles per week and discharge to the ground surface, if
 - Good Best Management Practices Rules are used,
 - The discharge is registered through NPDES permitting, and
 - The washwater:
 - a) is not from power washing, steam cleaning, engine cleaning, or undercarriage cleaning,
 - b) does not contain soaps or other products which contain regulated contaminants, and
 - c) does not discharge to a surface water.

Whenever Possible:

- 1) Use a commercial car wash for light duty vehicles.
- 2) Obtain and use drain guards (filter inserts) to catch sediments, petroleum products, etc. that might enter the storm drains as a result of vehicle washing.
- 3) Minimize water and soap use when washing or rinsing vehicles.

Never:

- 1) Never perform engine or undercarriage washing outside.
- 2) Never wash vehicles over a storm drain or near drinking water wells.
- 3) Discharge washwater to a surface water.

Related References	
	-Alabama Department of Environmental Management

Standard Operating Procedure for:	
B.11 Vehicle and Equipment Fueling (Municipal, JCDH, and Jefferson County Employees)	
Purpose of SOP:	To prevent Storm Water contamination originating from vehicle and equipment fueling.

Always:

- 1) Fuel carefully to minimize drips to the ground surface.
- 2) Maintain clean fuel dispensing areas using dry cleanup methods.
- 3) Clearly label and tag all valves to reduce human error.
- 4) Train employees and subcontractors on proper fueling methods and spill cleanup techniques.
- 5) Maintain fuel storage tanks in accordance with local, state and federal laws.
- 6) Have absorbent spill cleanup kits and materials available at fueling areas.
- 7) Immediately clean up spills and properly dispose of contaminated soil and cleanup materials.
- 8) When fueling small equipment from portable containers, fuel in a designated area away from storm drains and waterbodies.

Whenever Possible:

- 1) Install a canopy or roof over aboveground storage tanks and fuel transfer areas.
- 2) Regularly inspect fueling equipment for corrosion and structural failure, cracks in foundations, and physical damage to container systems.
- 3) Use designated fueling areas built upon a level impervious surface (hard cement is best). If paved with asphalt, add a protective coating to create an impervious surface, inspect regularly, and street sweep quarterly at a minimum.
- 4) Protect storm drains from fueling areas using berms and dikes.
- 5) Use absorbent material or absorbent pads during fueling to collect leaks.

Never:

- 1) "Top off" fuel tanks (post signs to remind employees).
- 2) Hose down or bury a fuel spill.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:	
B.12 Spill Cleanup (Municipal, JCDH, and Jefferson County Employees)	
Purpose of SOP:	To protect Storm Water by educating employees on proper spill cleanup procedures, state reporting requirements and preventative actions.

Always:

- 1) Stop the source of the spill, if possible to safely do so.
- 2) Contain any liquids, if possible to safely do so.
- 3) Contact the appropriate emergency response number (see below) during normal working hours (8:00 a.m. – 4:00 p.m., Monday - Friday) to report spills.
 - **Jefferson County Emergency Management Agency– Oil and Response (205)254-2039**
 - **National Response Center – Chemical or Oil Spills that Impact Surface Water (800) 424-8802**
 - **USEPA Region 4 –(800)241-1754 or (404)562-9900**
- 4) Cover the spill with absorbent material such as kitty litter, sawdust, or oil absorbent pads. Do not use straw or water. (See SOP B.16 for adsorbent disposal.)
- 5) Petroleum spills involve, but are not limited to: crude oil, gasoline, heating oil, various fuel oils, lubricating oil, hydraulic oil, asphaltic residuals.
- 6) Report a petroleum spill if:
 - The spill is greater than 25 gallons, or
 - The spill cannot be immediately contained, or
 - The spill and/or contamination cannot be completely removed within 24 hours, or
 - There is an impact or potential impact to ground/surface water.
 - **IF IN DOUBT, REPORT THE SPILL**
- 7) Hazardous materials spills involve non-oil spills that pose a threat to human health or the environment, such as chemical releases.
- 8) Report any discharge of hazardous waste immediately, (within one hour) to local emergency officials [fire department], then contact the Jefferson County Emergency Management Agency as listed above
- 9) Contact local fire department _____(phone #).
- 10) Develop and maintain a Spill Prevention, Control, and Countermeasure (SPCC) Plan if the facility stores more than 1,320 gallons of petroleum.
- 11) Fit petroleum and chemical storage containers with secondary containment structures.
- 12) Keep a spill kit in areas where petroleum or hazardous materials are stored.
- 13) Train employees in spill response procedures and equipment annually.
- 14) Deploy containment booms if spill could potentially reach a storm drain or waterbody. JCDH is working with local fire departments to develop these maps which should be done by 2015
- 15) Position mats to contain drips from equipment or vehicles until they can be repaired.

Whenever Possible:

- 1) Seal the floor with paint to prevent absorption of fluids into concrete.
- 2) Install low-level or low-pressure alarms and/or cut-off systems on hydraulic equipment.

Never:

- 1) Never wash a spill into the storm drain or a water body.
- 2) Never leave a spill without cleaning it up.

Standard Operating Procedure for:	
B.13 Parts Cleaning (Municipal and Jefferson County Employees)	
Purpose of SOP:	To protect Storm Water by practicing proper parts cleaning techniques and disposing of waste cleaners properly.

Always:

- 1) Perform all cleaning in a designated area to minimize the potential for spills.
- 2) Store waste cleaners in properly labeled containers in accordance with regulations.
- 3) Dispose of all waste cleaners properly with a licensed contractor, on a regular basis.
- 4) Close parts-cleaner lid when it is not in use.

Whenever Possible:

- 1) The variety of cleaners should be minimized to make recycling and disposal simpler.
- 2) Use citrus-based cleaners and dispose of properly.
- 3) Use steam cleaning, pressure washing, or aqueous washers instead of solvents; however wastewater must be discharged to an oil/water separator and the wastewater treatment plant notified, or to a JCDH registered septic tank.

Never:

- 1) Never dispose of spent cleaners down the floor drains, sinks, storm drain, on the ground or into the air. Disposal by evaporation violates the Alabama Hazardous Waste Rules.
- 2) Never mix or add spent or fresh solvents to used oil.
- 3) Never use gasoline as a cleaner or solvent.
- 4) Never burn spent parts cleaning fluids in a used oil burner.
- 5) Never use a hand-held cleaner in/near the parts cleaner; never mix cleaners.

Standard Operating Procedure for:		
B.14 Spare Parts Storage		
Purpose of SOP:	To protect Storm Water by properly storing spare parts. Improper storage of materials can result in pollutants and toxic materials entering ground and surface water supplies.	

Always:

- 1) Store spare parts in a designated area.
- 2) Use drip pans for any parts that are dripping.

Whenever Possible:

- 1) Store spare parts inside or under cover.
- 2) Monitor storage areas for staining/leaks on a schedule decided on by the appropriate personnel.
- 3) Clean the majority of petroleum products from the parts that are to be stored.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:	
B.15 Alternative Products Use/Storage/Disposal (All Organizations)	
Purpose of SOP:	To protect Storm Water by using alternative products that are more environmentally friendly.

Always:

- 1) Ask product suppliers, peers, or regulatory agents if there is a more environmentally friendly alternative, when ordering any product.

Whenever Possible:

- 2) Use alternative products when deemed appropriate:
 - Instead of solvent-based parts cleaners use citrus-based cleaners or steam/pressure wash to an oil/water separator/holding tank.
 - Instead of herbicides use bark mulch.
 - Instead of fertilizer use compost or manure.
 - Instead of pesticides plant marigolds, onion, or garlic as deterrents; release or attract beneficial insects.
 - Instead of synthetic adsorbents, use corncob or cellulose products for petroleum spills that can be burned for energy recovery.
- 3) Train employees annually on the benefits of using alternative products.
- 4) Minimize waste by purchasing recyclable products that have minimal packaging.
- 5) Use less harmful deicers such as calcium magnesium acetate, potassium acetate, or organic deicers such as Magic Salt™.
- 6) Use a "pre-mix" of 4 to 1 sodium chloride and calcium chloride, which is the most cost- effective alternative to straight salt.
- 7) Substitute synthetic fertilizers with natural compost and organic fertilizers to improve soil pH, texture and fertility, and cause less leaching to groundwater.
 - Use no-phosphorus lawn fertilizer.
 - Use natural or certified organic fertilizers with low phosphorus levels (8-2-4, 6-2-4, 9-1-1, 6-1-1).
- 8) Use slow-release nitrogen fertilizers.
- 9) Reduce or eliminate mown lawn in areas that are not actively used.
- 10) Consider converting unused turf to meadow or forest.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:	
B.16 Petroleum and Chemical Disposal (Municipal and Jefferson County Employees, Homeowners)	
Purpose of SOP:	To protect Storm Water from petroleum and chemical products due to improper disposal practices.

Always:

- 1) Maintain tracking and manifest to report to JCDH or Storm Water Management Authority, Inc, where necessary, of chemicals and petroleum products being disposed or recycled off-site.
- 2) Transports used petroleum and chemical products with a licensed transporter and maintain records for three years.
- 3) Train employees annually on proper disposal practices.
- 4) Drain used oil filters for 24-hours before crushing and disposal (disposal in regular trash allowed).
- 5) Analyze floor drain solids (from sediment trap) for TCLP to determine if hazardous waste or not.
- 6) Contaminated cloth wipe may be laundered onsite or offsite, liquid free, and stored in a closed, labeled container.

Whenever Possible:

- 1) Minimize the number of solvents used to reduce the variety of waste generated and to make recycling easier.
- 2) Use safer alternatives. (see Alternative Products SOP)
- 3) If burning used oil for on-site heat, analyze for these used oil standards (Arsenic, Lead, Cadmium, Chromium, F- listed Halogens, Flashpoint, PCBs) approximately once every 1,000 gallons.

Never:

- 1) Never place hazardous waste in solid waste dumpsters.
- 2) Never pour liquid waste down floor drains, sinks or outdoor storm drain inlets.
- 3) Never mix petroleum waste and chemical waste.
- 4) Never dispose of any gasoline-contaminated waste in the regular trash. Dispose of it only as a hazardous waste.

Standard Operating Procedure for:	
B.17 Petroleum and Chemical Handling (Municipal and Jefferson County Employees)	
Purpose of SOP:	To protect Storm Water by properly managing petroleum products and chemicals used by municipalities.

Always:

- 1) Train employees in hazardous material handling, safety, spill cleanup and reporting on an annual basis.
- 2) Handle petroleum products and chemicals according to manufacturer’s specifications.
- 3) Conduct oil changes indoors for equipment that fits indoors.
- 4) Use proper protective equipment.
- 5) Maintain Material Safety Data Sheets (MSDS) for all chemicals used.
- 6) Make MSDS sheets available on materials that require special handling, storage and/or disposal.
- 7) Create a sign-off sheet for employees stating that they know the location of the MSDS(s) and provide to JCDH or Storm Water Management Authority, Inc.
- 8) Train new employees within six months of hire. A record of this should be kept and given annually to JCDH or Storm Water Management Authority, Inc

Whenever Possible:

- 1) Assess hazardous material needs to minimize the amount and variety of hazardous material in storage.
- 2) Keep an inventory of hazardous materials on hand.
- 3) Transfer materials from one container to another indoors in a well ventilated area.
- 4) Properly label containers.

Never:

- 1) Never treat or dispose of hazardous materials unless licensed to do so.
- 2) Never mix petroleum or chemicals unless directed by manufacturer’s instructions.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:	
B.18 Petroleum and Chemical Storage – Bulk (Municipal and Jefferson County Employees)	
Purpose of SOP:	To protect Storm Water by properly storing bulk petroleum products and chemicals (containers larger than 55 gallons).

Always:

- 1) Store materials away from high traffic areas, posted with appropriate signage.
- 2) Store materials according to manufacturer's specifications in approved containers and conditions.
- 3) Be prepared for possible spills by having a spill kit nearby.
- 4) Register ASTs if your facility stores more than 660 gallons of petroleum products (10,000 gallons if used for on-site heating).
- 5) Develop and use a Spill Prevention Control and Countermeasure (SPCC) plan if storing more than 1,320 gallons of petroleum (required).
- 6) Store incompatible hazardous materials in separate areas.
- 7) Inspect storage areas for leaks or drips frequently.
- 8) Store bulk items within secondary containment areas if bulk items are stored outside.
- 9) Conduct annual employee training to reinforce proper storage techniques for petroleum and chemical products. Keep record and present to JCDH or Storm Water Management Authority, Inc annually.

Whenever Possible:

- 1) Store bulk chemicals and petroleum products inside or under cover.
- 2) Provide secondary containment for interior storage.
- 3) Cover transfer areas.

Never:

- 1) Never store bulk chemicals or petroleum products near a storm drain.

Standard Operating Procedure for:	
B.19 Petroleum and Chemical Storage – Small Quantity (All organizations and Homeowners)	
Purpose of SOP:	To protect Storm Water from pollution by properly storing petroleum products or chemicals (containers 55 gallons and smaller).

Always:

- 1) Store materials away from high traffic areas.
- 2) Store materials according to manufacturer's specifications (e.g. in a flammable materials storage cabinet).
- 3) Dispose of unused or waste materials properly.
- 4) Train employees on proper storage procedures for petroleum and chemical products.
- 5) Store materials in their original containers to maintain appropriate labeling.
- 6) Be prepared for spills by having a spill kit nearby.
- 7) Frequently inspect the storage areas for leaks or spills.
- 8) Conduct annual employee training to reinforce proper storage techniques for petroleum and chemical products. A list should be provided to JCDH or Storm Water Management Authority, Inc at the end of the permit cycle.

Never:

- 1) Never store petroleum or chemical products near a floor drain or Storm Water inlet.

Standard Operating Procedure for:	
B.20 Garbage Storage (All Organizations and Homeowners)	
Purpose of SOP:	To protect Storm Water from contamination by properly storing garbage. Garbage and leachate can be transported by Storm Water and enter the storm drain system and receiving waterbodies.

Always:

- 1) Cover rubbish bins to keep rubbish and leachate in and wind and rain out.

Whenever Possible:

- 1) Store garbage containers beneath a covered structure or inside to prevent contact with Storm Water. This is done on all food establishments as well by JCDH.
- 2) Install berms, curbing or vegetation strips around storage areas to control water entering/leaving storage areas.
- 3) Locate dumpsters on a flat, concrete surface that does not slope or drain directly into the storm drain system.
- 4) Locate dumpsters and trash cans in convenient, easily observable areas.
- 5) Provide properly-labeled recycling bins to reduce the amount of garbage disposed.
- 6) Inspect garbage bins for leaks regularly, and have repairs made immediately by responsible party.
- 7) Keep bins free of improperly discarded trash.
- 8) Provide training to employees to prevent improper disposal of general trash.
- 9) Minimize waste by purchasing recyclable products that have minimal packaging.
- 10) Request/use dumpsters without drain holes.

Never:

- 1) Never place hazardous wastes in a dumpster or trash bin.
- 2) Never place gasoline-contaminated wastes in a rubbish bin (but small quantities of adsorbents from virgin oil spills are acceptable).
- 3) Never place oil-contaminated materials that release free draining oil into a rubbish bin.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:	
B.21 General Facility Housekeeping (All Organizations)	
Purpose of SOP:	To protect Storm Water by maintaining a clean, organized facility.

Always:

- 1) Keep open areas clean and orderly.
- 2) Pick up litter.
- 3) Conduct regular employee training and public education to reinforce proper housekeeping. Keep internal records to provide to Storm Water Management Authority, Inc or JCDH.
- 4) Remove unused scrap/junk materials.
- 5) Store hazardous materials as specified by the manufacturer.

Whenever Possible:

- 1) Store materials and wastes inside or under cover if outside.
- 2) Substitute less or non-toxic materials for toxic ones.
- 3) Perform a routine cleaning of the facility.
- 4) Inspect facility (interiors, exterior, parking areas, etc.) for stains.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:		
B.22 Floor Drains (Municipal and Jefferson County Employees)		
Purpose of SOP:	To protect Storm Water from pollution caused by discharges of hazardous materials to the subsurface, ground surface, waterway, or storm sewer through floor drains.	

Always:

- 1) Keep a spill kit in the vicinity of the floor drains.
- 2) Obtain and use drain mats, adsorbent booms or covers to keep larger spills out of drains.
- 3) Use floor drains that are (1) connected to a holding tank or (2) connected to the sanitary sewer via an oil/water separator.
- 4) Keep internal map of floor drains that have regulated contaminants stored or used near them.
- 5) Register septic tanks with JCDH.

Whenever Possible:

- 1) Minimize water use or run a dry shop.

Never:

- 1) Never dump hazardous materials down the floor drains.
- 2) Never use floor drains if you are unsure of their discharge location.
- 3) Never store regulated contaminants near a floor drain that discharges directly to the environment.

Standard Operating Procedure for:	
B.23 Painting (All Organizations and Homeowners)	
Purpose of SOP:	To protect Storm Water by properly storing, using and disposing of paint and preparation materials.

Always:

- 1) Store waste paints, solvent, and rags in sealed containers.
- 2) Perform abrasive blasting and spray painting in accordance with regulations.
- 3) Properly clean, store, and dispose of paint and associated waste materials.
- 4) Train employees on Best management Practices concerning painting activities, cleanup, and disposal.

Whenever Possible:

- 1) Replace solvent-based paint with less toxic paints such as latex or water-based paints.
- 2) Practice "source reduction" – buy only the paint that is needed.
- 3) Use up, donate or recycle unused paint.
- 4) Use drop cloths under any painting or preparation activity such as scraping or sandblasting.
- 5) Use techniques such as brushing and rolling to avoid overspray.
- 6) Use vacuum sanders to collect paint dust.
- 7) Perform abrasive blasting and spray painting in an enclosed or covered area that is safe for personnel.

Never:

- 1) Never dispose of paint or waste paint products into the storm drain system, a waterbody, or onto the ground.

Standard Operating Procedure for:	
B.24 Street Sweeping	
Purpose of SOP:	To remove sediment, debris and other pollutants from streets, parking areas, and paved surfaces through regular, properly timed sweeping schedules.

Always:

- 1) Sweep all publicly accepted paved streets and parking lots at least once per year as soon as possible after snowmelt.
- 2) Dispose of street sweepings properly (reuse is unrestricted if visual evidence of litter, animal waste, and petroleum contamination is absent).
- 3) Keep data logs on the mileage of street sweeping conducted in each city to provide to Storm Water Management Authority, Inc or JCDH such as the form below.

Whenever Possible:

- 1) Start at the “top” of town and work down.
- 2) Sweep downtown areas more frequently (daily).
- 3) Perform additional sweeping on a seasonal schedule and document areas swept.
- 4) Sweep in locations that generate debris, such as construction entrances, sand/salt loading areas, vehicle fueling areas, and vehicle and equipment storage areas on an as needed basis.
- 5) Street sweep before a major rain event.
- 6) Use dry vacuum assisted street sweepers (the most effective).
- 7) Maintain street sweeping equipment for maximum effectiveness.
- 8) Cover storage areas or locate storage areas where runoff discharges to a buffer.
- 9) Clean catch basins after streets are swept.

Never:

- 1) Never store street sweepings in areas where Storm Water could transport fines to the storm drain system or a waterbody.
- 2) Never purposely sweep into the storm drain system.

Standard Operating Procedure for:	
B.25 Snow Disposal (Municipal and Jefferson County Employees)	
Purpose of SOP:	To protect Storm Water by minimizing the impact of snow piles which contain sand, salt, and trash and which generate concentrated releases of pollutants during spring snowmelt conditions.

Always:

- 1) Identify sensitive ecosystems prior to disposal and avoid snow disposal in these areas.
- 2) Store snow at least 25 feet from the high water mark of a surface water.
- 3) Store snow at least 75 feet from any private water supply, at least 200 feet from any community water supply, and at least 400 feet from any municipal wells.
- 4) Install a double row of silt fence or equivalent barrier securely between the snow storage area and the high water mark, and inspect periodically throughout the winter season.
- 5) Clear debris in storage area each year prior to snow storage use.
- 6) Clear all debris in snow storage area and properly dispose of no later than April 15 or immediately after snowmelt occurs of each year the storage area is in use.

Whenever Possible:

- 1) Select storage locations that do not drain into surface waters and where environmental impacts of spring melt are minimal.
- 2) Store snow on areas that are well above the groundwater table on a flat, vegetated slope.
- 3) Avoid disposal on pavement, concrete, and other impervious surfaces.
- 4) Do not pile snow in wooded areas, around trees or in vegetative buffers.
- 5) Divert run-on of water from areas outside the snow piles.
- 6) Use less harmful deicers such as calcium magnesium acetate, potassium acetate, or organic deicers such as Magic Salt™.

Never:

- 1) Never dispose of snow in wetlands, lakes, streams, rivers, or near drinking water sources.
- 2) Never store snow in well-head protection areas (class GAA groundwater).

Standard Operating Procedure for:	
B.26 Deicing Material Storage (Municipal and Jefferson County Employees)	
Purpose of SOP:	To protect Storm Water by properly storing deicing materials. Sand, salt and other deicing materials used during winter can be transported by runoff into the storm drain system and eventually into waterbodies if not stored properly.

Always:

- 1) Locate sand/salt piles and deicing fluid tanks on flat, impervious sites that are easily protected from overland runoff and away from surface waters.
- 2) Cover sand/salt and salt piles with a tarp (polyethylene) during non-freezing spring and summer months when indoor storage facilities are not available.
- 3) Fill out form below on amounts and facility location

Whenever Possible:

- 1) Contain wash water from trucks used for salting and sanding in a holding tank for disposal or discharge into sanitary sewers.
- 2) Allow rinse water/melt water to drain into vegetated buffers (away from storm drains).
- 3) Locate deicing material stockpiles and tanks at least 100 feet from streams and flood plains.
- 4) Contain Storm Water runoff from areas where salt is stored by using buffers to diffuse runoff before entering waterbodies.
- 5) Use diversion berms to minimize run-on to storage areas.
- 6) Cleanup "truck tracks" after storm events.

Never:

- 1) Never dispose of wash water from sanding and salting trucks into the storm drain system, a waterbody, or septic system drain fields.

Stormwater Municipality:	_____		
Mayor:	_____		
Sand or Deicing Storage Location (Municipal use)			
Storage Location Address:	_____	City: _____	State: _____
Amount Stored	_____	yd ³	
Are SOPs followed	Yes	No (if no please explain below)	

Stormwater Municipality: _____

Mayor: _____

*If more than 197 roadway projects then start at 1 on another form and continue forward until completed

Roadway Projects Inventory			
Location	Project Description	Was planned reviewed by JCDH, STORM WATER, or municipality	Permit Number
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			

* Please staple all permits, inspections, and plan review dates to form for annual report

Standard Operating Procedure for:	
B.27 Deicing Material Application	
Purpose of SOP:	To protect Storm Water by improving application techniques of salt, sand, and other deicing materials.

Always:

- 1) Apply as little sand and salt as needed, and no more than the NHDOT recommended application rates (based on level of service):

Condition	Highways carrying greater than 5,000	Highway/roads carrying less than 5,000 vehicles daily
Snow - 20°F and	250 lbs salt	250 lbs salt per lane mile
Snow – below 20° F	250 lbs salt	Abrasive chemical mix
Sleet/freezing rain	300 lbs salt	300 lbs salt per lane mile

Whenever Possible:

- 1) Inform salt applicators of sensitive areas, such as public water supplies, lakes, ponds, etc b installing permanent signs.
- 2) Use de-icing alternatives such as calcium magnesium acetate, sand, etc. in sensitive areas.
- 3) Use the minimum amount of salt and sand needed to get the job done.
- 4) Use coarse, clean “washed” sand, which is free of fine particles and dust and easier to clean in the spring.
- 5) Equip all spreaders with ground-speed controllers.
- 6) Train drivers to improve application techniques and reduce losses.
- 7) Consider applying salt in a 4-8 foot strip along centerline of a two-lane road (for less traveled roads).
- 8) Know when to plow and reapply salt. Allow maximum melting by salt before plowing.
- 9) Remove snow manually from driveways and sidewalks.
- 10) Street sweep accumulated salt and sand at the end of the season.

<p>Jefferson County Department of Health and Storm Water Management Authority</p> <p>1400 SIXTH AVENUE SOUTH. P.O. BOX 2648. BIRMINGHAM, ALABAMA 35202. (205)930-1230</p>	
<p>Roadway Form (Municipal Use)</p>	
<p>FORM</p>	
<p>Part 1: General Information</p> <p>Stormwater Municipality: _____ Date: _____</p> <p>Mayor: _____</p> <p>Contact Person: _____</p>	
<p>Part 2: Trash Collection</p> <p>Estimated Trash Collected in Permit Year: _____ lbs</p> <p>Estimated Employee Hours collecting trash: _____ hrs</p> <p>Disposal Method for Trash: _____</p> <p><small>(*What landfill was used for disposal, dump tickets should be included if present)</small></p>	
<p>Part 3: Street Sweeping</p> <p>Street Sweeping for Permit Year: _____ miles</p> <p>Street Refuse Reused: _____ lbs</p> <p>Street Refuse Disposal: _____ lbs</p> <p>Employee hours spent disposing of refuse: _____ hrs</p> <p>Disposal Method: _____</p> <p><small>(*What landfill was used for disposal, dump tickets should be included if present)</small></p>	
<p>Part 4: Sand or Deicing Material</p> <p>Sand or Salt used for Permit Year: _____ yd³</p> <p>Sand or Salt disposal for Permit Year: _____ yd³</p> <p>Estimated Employee Hours disposing of material: _____ hrs</p>	

Disposal Method for Sand or Salt: (*What landfill was used for disposal, dump tickets should be included if present)
**Sand Storage Form should be filled out with location of sand storage
If roadway functions are performed by an outside entity (Jefferson County, State of Alabama, etc..) then contract with outside entity should be stabled to this form when returned.

APPENDIX B

Storm Water Collection Systems Operations

Structural Controls Inspection

General Information

Facility Name:	Facility's ID:
Facility Address:	Inspection Date:

Inspector's Information

Name:	Organization:
Phone #:	Fax #:
Email:	

Inspection Type (Circle one)

Semi-Annual	Storm Event	Follow-up	Assessment
-------------	-------------	-----------	------------

Structure Type (Circle one)

Retention Pond (wet)	Detention Pond (dry)	Underground Detention	Other:
----------------------	----------------------	-----------------------	--------

Observations

Y	N	N/A	Floatables present?	Y	N	N/A	Illegal dumping?
Y	N	N/A	Litter present?	Y	N	N/A	Public hazards?
Y	N	N/A	Sediment accumulation?	Y	N	N/A	Outlet structure clogged?
Y	N	N/A	Debris accumulation?	Y	N	N/A	Outlet structure damaged?
Y	N	N/A	Illegal discharges?	Y	N	N/A	Poor ground cover?

Comments:

Y	N	N/A	Maintenance required?
---	---	-----	-----------------------

Maintenance Required (Put a check beside work needed)

	Remove floatables		Remove illegal dumping
	Remove litter		Remove public hazards
	Remove sediment		Unclog outlet structure
	Remove debris		Repair outlet structure
	Remove illegal discharges		Repair ground cover

Comments:

Signature:

***Please Remember to Document Totals Removed As Well as the Units
(Example:6.5 cubic feet of sediment removed)***

Structural Controls Maintenance Summary

General Information

Facility Name:	Facility ID:
Crew Leader:	Organization:
Man hours:	Maintenance date:

Maintenance

Actions			Amount Removed	Units (bags, cubic foot, etc.)
Y	N	N/A	Remove floatables?	
Y	N	N/A	Remove litter?	
Y	N	N/A	Remove sediment?	
Y	N	N/A	Remove debris?	
Y	N	N/A	Remove illegal discharges?	
Y	N	N/A	Remove illegal dumping?	
Y	N	N/A	Remove public hazards?	
Y	N	N/A	Unclog outlet structure?	
Y	N	N/A	Repair outlet structure	
Y	N	N/A	Repair ground cover?	

Comments:

Signature:

Standard Operating Procedure for:	
Structural Control Inspection	
Purpose of SOP:	To inspect and maintain structural controls of MS4
ADEM Permit Reference:	Part II.B.1.a.ii.3
Effective Date:	March 2017

Personnel Qualifications

1. Knowledge of the types of structural components associated with storm water management facilities; and,
2. Initial training in the information and data to be collected during an inspection.


Procedural Steps

1. Obtain the necessary equipment and materials needed to perform the inspection. Equipment and materials shall include the following.
 - a. Updated inventory of structural controls
 - b. Structural Controls Quarterly Inspection Form or mobile app; and
 - c. Camera
2. Facility Information
 - a. Verify name, facility ID, location and watershed of structural controls
 - b. Select inspection type
 - c. Select weather conditions
 - d. Select land use
 - e. Identify structure type
 - f. Identify outlet type
 - g. Confirm that it is a structural control
3. Inspection observations
 - a. Walk the perimeter of the structural control and inspect for the items listed;
 - b. Provide comments as necessary to describe observations; and,
 - c. Take pictures to document existing conditions of the structural control.
4. Follow-up actions
 - a. Identify if follow-up actions or maintenance activities are required at the structural control;
 - b. Check the items that require follow-up actions; and,
 - c. Provide comments as necessary to describe the follow-up actions and/or maintenance required.
5. Inspector information
 - a. Complete all items; and,
 - b. Identify if photographs were taken as part of the inspection and attached to the report.
6. Finalize Structural Controls Inspection Form and include applicable photographs
7. Submit the inspection report on the mobile app to the GIS department. The GIS department will provide reports from this data.

APPENDIX C

Illicit Discharge Detection and Elimination (IDDE)

City of Irondale Major Outfalls



Legend

- Major Outfalls

0 0.4 0.8 1.6 Miles

Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community

Irondale Major Outfalls

Waterbody	Longitude	Latitude
Cahaba River	-86.66729072	33.504728
Cahaba River	-86.66723257	33.50522541
Cahaba River	-86.66050879	33.51371562
Cahaba River	-86.65113786	33.51014972
Cahaba River	-86.64826135	33.50856408
Cahaba River	-86.63052343	33.53435408
Cahaba River	-86.61283637	33.55160623
Cahaba River	-86.61252722	33.54624066
Shades Creek	-86.71274679	33.52003284
Shades Creek	-86.70902553	33.52643468
Shades Creek	-86.70868051	33.52614797
Shades Creek	-86.70597012	33.52862736
Shades Creek	-86.70563501	33.52841639
Shades Creek	-86.70345616	33.53183938
Shades Creek	-86.70333669	33.52806307
Shades Creek	-86.70281191	33.53195257
Shades Creek	-86.70269561	33.53205025
Shades Creek	-86.70266899	33.53205635
Shades Creek	-86.70177356	33.53246618
Shades Creek	-86.7000867	33.53489779
Shades Creek	-86.70005685	33.53391133
Shades Creek	-86.70000259	33.53490584
Shades Creek	-86.69992694	33.53362965
Shades Creek	-86.6998706	33.53504456
Shades Creek	-86.69986164	33.5351467
Shades Creek	-86.69985957	33.53512373
Shades Creek	-86.69983347	33.53512646
Shades Creek	-86.69981033	33.5335954
Shades Creek	-86.69870219	33.53564811
Shades Creek	-86.6986266	33.535689
Shades Creek	-86.6978879	33.53604035
Shades Creek	-86.6977798	33.5360224
Shades Creek	-86.69762766	33.53664542
Shades Creek	-86.69755419	33.53617752
Shades Creek	-86.6971618	33.5370788
Shades Creek	-86.69707384	33.53700013
Shades Creek	-86.69664427	33.53727043
Shades Creek	-86.69616649	33.53750652
Shades Creek	-86.69616535	33.53756136
Shades Creek	-86.69592006	33.53776392
Shades Creek	-86.69582271	33.5379961
Shades Creek	-86.69572429	33.53805429
Shades Creek	-86.69571598	33.54160483
Shades Creek	-86.69571275	33.53980417
Shades Creek	-86.69560011	33.54068472
Shades Creek	-86.69559644	33.54036991

Irondale Major Outfalls

Waterbody	Longitude	Latitude
Shades Creek	-86.69555619	33.54096398
Shades Creek	-86.69552013	33.54177682
Shades Creek	-86.69551001	33.53971665
Shades Creek	-86.69550529	33.53990985
Shades Creek	-86.69545008	33.53894407
Shades Creek	-86.6954492	33.54171638
Shades Creek	-86.69542678	33.53840335
Shades Creek	-86.69521634	33.54196747
Shades Creek	-86.69501849	33.54209953
Shades Creek	-86.69490078	33.54208775
Shades Creek	-86.69479934	33.54208339
Shades Creek	-86.69437966	33.542489
Shades Creek	-86.69393288	33.54274089
Shades Creek	-86.69389913	33.54277489
Shades Creek	-86.69289294	33.54324825
Shades Creek	-86.69263902	33.54375539
Shades Creek	-86.69243935	33.54369877
Shades Creek	-86.69160274	33.54485732
Shades Creek	-86.69140581	33.54517355
Shades Creek	-86.69138319	33.54509741
Shades Creek	-86.68919507	33.54792777
Shades Creek	-86.68915804	33.54847948
Shades Creek	-86.68898817	33.54948247
Shades Creek	-86.68886888	33.54951562
Shades Creek	-86.68852877	33.54918953
Shades Creek	-86.68849236	33.54926058
Shades Creek	-86.68778874	33.55016811
Shades Creek	-86.68727361	33.55057747
Shades Creek	-86.68724151	33.55065904
Shades Creek	-86.68652644	33.55123473
Shades Creek	-86.68534184	33.5505805
Shades Creek	-86.6846818	33.55044887
Shades Creek	-86.6796777	33.56037071
Shades Creek	-86.67874337	33.56191752
Shades Creek	-86.67761041	33.56362527
Shades Creek	-86.6773592	33.5642618
Shades Creek	-86.67713774	33.56438776
Shades Creek	-86.67403931	33.56955945
Shades Creek	-86.66986895	33.57545153

DRY SCREENING FIELD DATA SHEET

FIELD SITE DESCRIPTION			
MUNICIPALITY:		LOCATION:	
PRIMARY LOCAL LAND USES:		OUTFALL DESCRIPTION:	
COMMENTS:			
WEATHER (CIRCLE APPLICABLE)			
WEATHER CONDITIONS: CLEAR CLOUDY WINDY CALM RAINY DRY			
COMMENTS:			
RAIN INFORMATION			
TIME SINCE LAST RAINFALL (HOURS):			
COMMENTS:			
VISUAL OBSERVATIONS (CIRCLE APPLICABLE)			
ODOR PRESENT: NONE MUSTY SEWAGE ROTTEN EGGS SOUR MILK OTHER _____			
TYPE OF FLOATABLES: NONE VISIBLE NATURAL DEBRIS PLASTICS PAPER OTHER _____			
COLOR: CLEAR RED GREEN YELLOW BLUE BROWN GREY OTHER _____			
% CLARITY: 0% 25% 50% 75% 100%			
DEPOSITS: SILT VEGETATION OTHER _____			
VEGETATION CONDITION: NONE NORMAL EXCESSIVE GROWTH INHIBITED GROWTH			
BIOLOGICAL: NORMAL MOSQUITO LARVAE BACTERIA ALGAE OTHER _____			
COMMENTS:			
OUTFALL DESCRIPTION			
RIVER SIDE: DOWNSTREAM LEFT DOWNSTREAM RIGHT IN THE CREEK			
DIMENSIONS IF PIPE: VERTICAL DIAMETER _____ HORIZONTAL DIAMETER _____ UNITS _____			
DIMENSIONS IF OPEN CHANNEL: TOP WIDTH _____ BOTTOM WIDTH _____ DEPTH _____ UNITS _____			
CONDITION: NORMAL NEEDS REPAIR NEEDS CLEANOUT			
NUMBER OF OUTFALLS: _____			
MATERIAL: EARTHEN CONCRETE CORRUGATED METAL HDPE OTHER _____			
SHAPE: BOX CIRCULAR ELIPTICAL ARCH TRAPAZOIDAL			
FLOW ESTIMATION			
FLOW PRESENT: YES NO			
A) WATER SURFACE WIDTH: _____ FEET		B) DEPTH OF WATER: _____ FEET	
C) VELOCITY: _____ FT/ SEC		ESTIMATED FLOW RATE (=A*B*C): _____ FT ³ / SEC	
WATER QUALITY DATA (IF FLOWING)			
PH _____ (S.U.)		WATER TEMPERATURE _____ (C°)	
DISSOLVED OXYGEN _____ (MG/L)		SPECIFIC CONDUCTANCE _____ (μS/ CM)	
CHLORINE _____ (MG/L)		AMMONIA _____ (MG/L)	
TURBIDITY _____ (NTU)			
COMMENTS:			
I HEREBY CERTIFY THAT ALL INFORMATION ON THIS SHEET IS ACCURATE TO THE BEST OF MY KNOWLEDGE.			
INSPECTOR #1 (PRINT)		INSPECTOR #2 (PRINT)	
INSPECTOR #1 (SIGNATURE)		INSPECTOR #2 (SIGNATURE)	
DATE:		DATE:	
TIME:		TIME:	

Standard Operating Procedure for:		
IDDE: Notification of Alabama Department of Environmental Management		
Purpose of SOP:	To notify Alabama Department of Environmental Management (ADEM) of a suspect illicit discharge entering the Permittee's MS4 from an adjacent MS4	

Always:

- 1) If source of illicit discharge is not the permittee but an adjacent MS4 contact the following parties:
 - 1) The adjacent MS4 permit
 - 2) ADEM

Whenever Possible:

- 1) Turn over any water quality analysis data and notes.

APPENDIX D

Construction Site Storm Water Runoff Control

Project Name: _____ File Number _____

Inspection Date: _____ Time _____ Inspector's Name _____

Stage of Construction (Circle one)					
Pre-Construction Conference		Clearing and Grubbing		Rough Grading	
Building Construction		Finish Grading		Final Stabilization	
Erosion Prevention					
Y	N	N/A	Have all disturbed areas requiring temporary or permanent stabilization been adequately stabilized by an appropriate BMP (erosion control blankets, aggregate, seed, mulch, etc.)?		
Y	N	N/A	Are soil stock piles adequately stabilized with seeding and/or proper sediment control measures?		
Y	N	N/A	Are utility trenches properly stabilized?		
Y	N	N/A	Are perimeter sediment control measures correctly installed, maintained and effective (silt fence, etc.)?		
Y	N	N/A	Are finished cut and fill slopes adequately stabilized?		
Y	N	N/A	Are storm water conveyance channels adequately stabilized with channel lining?		
Sediment Control					
Y	N	N/A	Have sediment control BMP's been constructed as a first step in land disturbing activities (basins, etc.)?		
Y	N	N/A	Are sediment control BMP's installed where needed?		
Y	N	N/A	Have all sediment control BMP's been repaired and sediment removal been performed?		
Y	N	N/A	Do all operational storm sewer inlets have adequate inlet protection?		
In-stream Construction					
Y	N	N/A	Is the in-stream construction permitted? (Check to see if U.S.A.C.E permit is needed)		
Y	N	N/A	Are current construction practices minimizing channel damage?		
Y	N	N/A	Are temporary stream crossings of non-erodible material installed where applicable?		
Y	N	N/A	Is necessary re-stabilization of in-stream construction complete?		
General Groundskeeping					
Y	N	N/A	Are soil and mud kept off public roadways at intersections with access roads (entrance BMPs)?		
Y	N	N/A	Have all temporary BMPs that are no longer needed been removed?		
Y	N	N/A	Are trash containment units available?		
Y	N	N/A	Is the site clean and orderly?		
Y	N	N/A	Is there a concrete/contaminate washout basin in the vicinity?		
Notes					
Violations					
Violation:					
Type of Enforcement:					
Inspector's Signature:		Date:			

APPENDIX E

Spill Prevention and Response

Standard Operating Procedure for:		
Spill Prevention and Response: Spills, Illicit Discharges and Improper Disposals		
Purpose of SOP:	To notify the correct responder in the event of a spill, illicit discharge, or improper disposal	

No Immediate Danger-If the event does not pose an immediate threat to life, health or safety

- Call City Hall – (205) 956-9200
- Notify the city through the Contact webpage

Immediate Danger-If the event does pose an immediate threat to life, health, or safety; or if you are uncertain if the event poses a threat:

- Call 911
- Call City Hall – (205) 956-9200

City of Irondale Fire Department Standard Operating Procedure (SOP)

If the event can be managed by Fire Department Personnel:

- If possible, shut off the source of the spill immediately
- Deploy absorbent products and/or diking materials to contain the spill.
- Spills on pervious areas may require removal of soil or other contaminated materials.
- Consult Jefferson County EMA for disposal requirements for all products and materials used to mitigate spills
- If the event requires outside personnel: The Irondale Fire Department will contact Jefferson County EMA and follow EMA protocol. Hazmat and decontamination units will be contacted as needed.

APPENDIX F

Pollution Prevention/Good Housekeeping for Municipal Operations

Quarterly Inspection Checklist

Inspection Area	Status (Please answer with Acceptable/Needs Attention/Not Applicable)	Comments	Date Resolved (if applicable)
Check refuse areas for trash on the ground that could contaminate stormwater or be washed away in stormwater			
Check all exterior vehicle and equipment areas for leaks, spills, drips, or excess dirt - Street sweeping necessary?			
Check all exterior vehicle and equipment areas for leaks, spills, drips, or excess dirt - drip pan use acceptable?			
Check fueling areas for leaks, spills, or drips			
Check exterior petroleum storage areas for leaks, spills, or drips			
Clean-up of tracked sand that might allow stormwater transport of sand			
Check calcium chloride tank for leaks, spills, or cracks			
Check vehicle washing area for excess sediment or wastes			
Other:			
Other:			

Instructions: This form needs to be used for regular (quarterly) inspections at vehicle/equipment maintenance facilities. More information on pollution prevention and good housekeeping can be found in Chapter 3 of the 2011 Guidelines and Standard Operating Procedures Manual (SOP manual)

Municipality _____ Division _____ Date _____

Standard Operating Procedure for:		
Pollution Prevention/Good Housekeeping for Municipal Operations: Special Events		
Purpose of SOP:	To identify the ways the city reduces the amount of trash entering the MS4 as well as the waters of the State.	

City Policy for Special Events

- Provide extra trash receptacles for event to reduce litter.
- Provide recycling receptacles during an event to reduce litter.
- Provide extra personnel during event to pick-up litter during and after event.
- Cleanup event area within 24 hours.

APPENDIX G

Industrial Storm Water Runoff

Irondale High Risk Sites

BUSINESS NAME	ADDRESS	CITY	STATE	ZIP	TYPE	LATITUDE	LONGITUDE
MERCEDES OF BIRMINGHAM	750 MERCEDES WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52460658	-86.66682791
PRO PM INC.	4965 HORST HILL RD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52421416	-86.65698253
Chevron Irondale	1811 Grants Mill Rd	IRONDALE	AL	35210	GASOLINE STATION	33.52162759	-86.66045096
PORSCHE BIRMINGHAM	3001 TOM WILLIAMS WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.51994827	-86.66294776
LAND ROVER OF BIRMINGHAM	3000 TOM WILLIAMS WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52073091	-86.66198753
MINI OF BIRMINGHAM	2001 TOM WILLIAMS WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52054979	-86.66372493
BMW OF BIRMINGHAM	1000 TOM WILLIAMS WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52204099	-86.66360188
LEXUS OF BIRMINGHAM	1001 TOM WILLIAMS WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52169384	-86.66478474
AUDI BIRMINGHAM	1314 GRANTS MILL WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52007966	-86.66105127
BENCHMARK CHRYSLER JEEP INC	1313 GRANTS MILL WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.51935317	-86.66198585
BENCHMARK IMPORTS, LLC.	1837 GRANTS MILL RD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52132656	-86.65942535
MASERATI,ALFA ROMEO,FIAT OF BHM	1837 GRANTS MILL RD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52106646	-86.65938838
S & G FOOD MART	1200 GRANTS MILL RD	IRONDALE	AL	35210	GASOLINE STATION	33.52135811	-86.66028026
WINDHAM & BUSH TIRE AND AUTO SERVICE	208 E VENTURA DR. 35235	IRONDALE	AL	35235	AUTOMOTIVE, GENERAL REPAIR	33.58776051	-86.65757555
CIRCLE K STORES INC	1816 CRESTWOOD BLVD,	IRONDALE	AL	35210	GASOLINE STATION	33.58780887	-86.65749785
IRONDALE CHEVRON/KRISPY CRUNCH	1804 CRESTWOOD BLVD	IRONDALE	AL	35210	GASOLINE STATION	33.53248784	-86.70573941
AAMCO TRANSMISSIONS	1730 CRESTWOOD BLVD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.53254661	-86.70601247
T.J.TIRES	1708 CRESTWOOD BLVD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.53171542	-86.70674153
PINE TREE COUNTRY CLUB	5100 PINE WHISPERS DR	IRONDALE	AL	35210	MERCHANDISE , GENERAL STORES	33.52724449	-86.65306013
READYMIX U.S.A.	2561 RUFFNER ROAD	IRONDALE	AL	35210	MISC.	33.57794100	-86.66925363
SHERWIN WILLIAMS COMPANY #2088	1905 CRESTWOOD BLVD	IRONDALE	AL	35210	MERCHANDISE , GENERAL STORES	33.53398528	-86.70133160
SUPERIOR MOWER AND POWER	2909 RUFFNER ROAD	IRONDALE	AL	35210	GENERAL REPAIR	33.58525746	-86.65995207
SUNOCO #233	2709 CRESTWOOD BLVD	IRONDALE	AL	35210	GASOLINE STATION	33.53820473	-86.69301750
SPRINGER EQUIPMENT	4263 UNDERWOOD IND. DR	IRONDALE	AL	35210	FORK LIFT GENERAL REPAIR	33.56417899	-86.68306936
INDUSTRIAL BATTERY AND CHARGER	4211 UNDERWOOD IND. DR	IRONDALE	AL	35210	MISC.	33.56518920	-86.68460257
V&W SUPPLY COMPANY	1271 OLD HWY 11	IRONDALE	AL	35210	MERCHANDISE , GENERAL STORES	33.59102969	-86.65052846
WITTICHEN SUPPLY	1266 OLD HWY 11	IRONDALE	AL	35210	MERCHANDISE , GENERAL STORES	33.59137182	-86.65110078
CITGO GAS A CHEAP	3300 CRESTWOOD BLVD	IRONDALE	AL	35210	GASOLINE STATION	33.54677372	-86.68194861
IRONDALE COLLISION	3300 CRESTWOOD BLVD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.54683050	-86.68152239
LESS DOWN TIME TRUCK EQUIPMENT REPAIR	5961 HWY 78 EAST	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.54780525	-86.62255973
SHELL MINIT MAN 108	4797 HIGHWAY 78 EAST	IRONDALE	AL	35210	GASOLINE STATION	33.54751753	-86.66359082
ROYAL PAINTS INC.	7960 CRESTWOOD BLVD	IRONDALE	AL	35210	MERCHANDISE , GENERAL STORES	33.53153356	-86.70758156
SAVE A TRIP BIRMINGHAM, INC.	511 VULCAN DRIVE STE 111	IRONDALE	AL	35210	DRY CLEANING AND LAUNDRY EXCEPT NO COIN	33.53961960	-86.69752076
CITY OF IRONDALE	101 SOUTH 20TH STREET	IRONDALE	AL	35210	GENERAL REPAIR, FUEL STATION	33.53834136	-86.70660909
IRONDALE BP	5400 BEACON DR.	IRONDALE	AL	35210	GASOLINE STATION	33.53379051	-86.70163100
STULTS TRUCK REPAIR, INC	1955 ALTON RD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.56036014	-86.65621642
TERMINIX INTERNATIONAL CO , LP.	2081 ALTON ROAD	IRONDALE	AL	35210	EXTERMINATING SERVICES	33.56403567	-86.64909113
HUNTER OIL COMPANY	2145 ALTON ROAD	IRONDALE	AL	35210	MISC.	33.56550601	-86.64659232

Irondale High Risk Sites

BUSINESS NAME	ADDRESS	CITY	STATE	ZIP	TYPE	LATITUDE	LONGITUDE
NORFOLK SOUTHERN RAILROAD	1901 RUFFNER ROAD	IRONDALE	AL	35210	RAIL YARD, FUEL STATION	33.54510790	-86.69951297
TIRE ENGINEERS	730 OLD GRANTS MILL RD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.53332886	-86.69554096
ALABAMA PROFESSIONAL SERVICES,	3340 RICHWOOD AVE	IRONDALE	AL	35210	EXTERMINATING SERVICES	33.53967856	-86.64578229
TOM WILLIAMS COLLISION	1874 GRANTSMILL ROAD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.51967015	-86.65785458
HARRIS AUTOMOTIVE	104 22ND ST S	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.53944186	-86.70442116
CROWN PEST CONTROL, LLC	4131 RIVERBROOK RD	IRONDALE	AL	35210	EXTERMINATING SERVICES	33.51012155	-86.66954298
PRO-TECH EXTERMINATING , INC.	5828 OLD LEEDS RD	IRONDALE	AL	35210	EXTERMINATING SERVICES	33.53533742	-86.67433072
JAMES M. PLEASANTS COMPANY, INC	508 25TH ST S	IRONDALE	AL	35210	MERCHANDISE , GENERAL STORES	33.53918323	-86.69944424
WEATHERTECH DISTRIBUTING COMPANY	501 28TH ST S	IRONDALE	AL	35210	MERCHANDISE , GENERAL STORES	33.54154517	-86.69294626
LILLY COMPANY	2816 5TH AVE SOUTH	IRONDALE	AL	35210	FORK LIFT GENERAL REPAIR	33.54278100	-86.69220245

Stormwater Discharge Inspection for Industrial and Commercial Facilities

Inspection Team:	Date:	Time:
Facility Name:	Facility Contact and Title:	NAICS code:
Facility Street Address:	City:	Zip:
Phone Number:	Fax Number:	
Business License #:	Facility Size (acres):	
Provide a description of facility and the nature of work performed.		
Provide a description of significant materials that are currently, or were formerly, treated, stored or disposed outside the facility or commercial establishment; materials management practices currently used to minimize contact of these materials with storm water runoff; and a description of any treatment the storm water receives prior to discharge.		
Cleanup schedule for debris, material storage areas, garbage storage or disposal areas, or other areas that have the potential to pollute storm water		

Description of plan of instruction, to employees of all levels, in ways to prevent storm water pollution. Identify specific periodic dates for such training.

Provide a site map showing existing buildings, parking, drives, type of each impervious surface, ditches, pipes, catch basins, drainage basin limits, area of facility, discharge points from the property or to Community Waters, and the name of the receiving waters.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system design to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

Printed Name of Inspection Team Member:

Title:

Signature:

Printed Name of Inspection Team Member:

Title:

Signature:

Public Education and Public Involvement

Public Education Materials

**DON'T LEAVE
YOUR
WASTE
IN MY PLACE**



Watershed Protection Program
Report Pollution Entering Streams
Stormwater Hotline Number:
930-1999

7 TIPS TO PROTECT WATERSHEDS AGAINST POLLUTION

- 1 Check your vehicle regularly for leaks. Recycle used motor oil at a participating oil change businesses.
- 2 Have your septic system inspected regularly. Clean out septic tanks every 3-5 years
- 3 Dispose of pet waste properly by picking up after your pets and flushing it down the toilet or placing it in the trash.
- 4 Wash out paint brushes in the sink. Never clean brushes in areas that lead to a storm drain or a nearby stream.
- 5 Use car wash detergents sparingly. Wash your vehicle on grassy or gravel areas to allow the water to naturally absorb into the ground.
- 6 Follow the manufacturer's instructions when applying pesticides and fertilizers. Apply these products when there is no forecasted rain event that can cause runoff.
- 7 Do not place grass clipping and other yard waste in street gutters or storm drains. Compost or bag yard waste to prevent clogged storm drains that may lead to flooding.

Construction Checklist

The process of building a home or adding to your existing residence has a few key steps that must be remembered. The following checklist will give you an aid in this process:

Evaluate the Site: Before any land disturbance has taken place on the site; mark any trees and the areas to be preserved; streams; wetlands; potential, erodible soils such as cherty soils (high rock %); and vegetation that could be useful for filter strips, especially on the perimeter areas. always call Alabama One Call at 1-800-292-8525 or 252-4444 in the Birmingham area.

Permitting: Before any land disturbance has occurred on site, make sure that all necessary permits have been secured through the proper municipality; or if more information is needed on the permitting process, call (205)-930-1230.

Install Perimeter Controls: Identify potential runoff areas where sediment could be channeled offsite. Install perimeter controls such as buffer strips, silt fences, storm drain inlet protection devices, or other BMP control measures to minimize sediment runoff.

Build House and Install Utilities

Maintain Erosion and Sedimentation

Controls: Inspect at least once per week or every 0.75 inch rain event, whichever is more frequent. Maintain until construction is complete. Clean off roadway and site of all debris and sediment.

Revegetate Site: Immediately after house construction is complete, the lot should be stabilized with seed, sod, mulch, or mats. redistribute the stockpiled soil and spread to a depth of 4-6 inches over graded areas. Mulch newly seeded areas.

Remove all Erosion Control Measures

Resources

- Erosion and Sedimentation Control Ordinance
- Alabama Handbook for Erosion Control, Sediment Control and Stormwater Management on Construction Sites and Urban Areas - includes detailed information for the following construction BMPs:

Stabilized Construction Entrance

Gradient Terraces & Surface Roughening

Topsoil & Mulch

Seeding & Sodding

Trees, Shrubs, & Vines

Erosion Control Matting & Geotextiles

Check Dams & Silt Fence

Straw Bale & Sandbag Barrier

Brush or Rock Filter Berm

Temporary Sediment Trap & Basin

Bank Stabilization & Soil Bioengineering

Diversions & Swales

Channel Linings, Gabions, & Riprap

Temporary Inlet & Outlet Protection

Level Spreader

Floating Sediment Curtain

To access the handbook online go to :

http://swcc.alabama.gov/pages/erosion_control.aspx

Please report illegal dumping or discharges in streams, ditches, catch basins, or streets to the Jefferson County Department of Health Stormwater Hotline: (205)-930-1999

Clean Water

IS

Everybody's Business

Information for this brochure was taken in part from the City of Knoxville Erosion and Sedimentation Control Brochure and the Alabama Handbook for Erosion Control, Sediment Control, and Stormwater Management on Construction Sites and Urban Areas, referred to as the Alabama Handbook in this guide.

Jefferson County Department of Health **Watershed Protection Program**

in Cooperation with the

Stormwater Management Authority

Erosion and Sedimentation Control: Individual Lot Construction



**Stormwater
Hotline
205 930-1999**



Jefferson County Department of Health
1400 Sixth Avenue South • Birmingham, AL 35233
WWW.JCDH.ORG


Erosion Control is Important

This brochure contains an abbreviated version of Best Management Practices (BMPs) for individual lot construction. These practices should be used as aids to keep sediment on the construction site. Contact Jefferson County Department of Health at (205) 930-1230 for any further regulations.

The result of improper BMP installation on single family homes and construction sites contributes greatly to the amount of sediment released into Alabama's streams and waterways. Sediment is the number one pollutant of waterways in Alabama and the surrounding states.

Sediment can adversely affect our water quality by destroying the habitat that is critical to aquatic organisms and fish. It can also lower property value by destroying the chances for recreational water activities, promoting the growth of weeds and algae, and increasing the chances of flooding.

The cities of the **Storm Water Management Authority** (Adamsville, Brighton, Brookside, Center Point, Clay, Fairfield, Gardendale, Homewood, Hueytown, Irondale, Lipscomb, Maytown, Midfield, Mulga, Mountain Brook, Pinson, Pleasant Grove, Tarrant, Trussville, and Vestavia Hills) must regulate construction sites to ensure that sediment stays on-site for all construction sites. This regulation is mandated by the Environmental Protection Agency (EPA) and is enforced in the *Erosion and Sedimentation Control Ordinance*.



Best Management Practices for Individual Lot Constructions

The use of properly installed BMPs can aid in keeping the sediment on-site. The following are a few useful BMPs for construction on individual lots.

Construction Exit Pad/ Entry

- Prevents tracking soil and debris into roadways.
- Requires 6" aggregate or more if needed.
- Install during clearing and grubbing stage- should be maintained throughout construction.



- Install geotextile under entrance.

Silt Fences

- Used as most common BMP to trap sediment and intercept runoff.
- Install filter fabric correctly by entrenching a portion of it in ground and always remember to place stakes downhill.
- Maintain until permanent vegetation is established.
- Never use on steep slopes or concentrated flow areas.
- Know the difference between Type A, Type B, and Type C silt fences and where applicable.
- Refer to Alabama Handbook, Volume 1, Page 282.



Sediment Cleanup and Good Housekeeping

- Clean up site after each work day by sweeping or scraping off soil tracked onto roads.
- Inspect all BMP measures and repair as need after each storm event.
- Don't allow sediment to build up on silt fence. Clean before the mid-point of the fence is reached.
- Refer to Alabama Handbook, Volume 2, Page 45.



Outlet Protection

- Used on concentrated flows to dissipate energy.
- Cuts down on bank erosion in streams.
- Install over-sized stone (riprap) for calculated design velocities.
- Install geotextile fabric under riprap.
- Refer to Alabama Handbook, Volume 2, Page 111.



Inlet Protection

- All inlets must have some form of protection provided
- Install before any sediment is moved on-site.
- Must be inspected and maintained regularly.
- Refer to Alabama Handbook, Volume 2, Page 127.



Stockpile Placement and Protection

- Build stockpiles away from streams, drainage ways, wetlands, and storm water inlets.
- Temporary seeding or mulching must be performed if sediment is to remain unmoved for 14 working days.
- Refer to Alabama Handbook, Volume 1, Page 69.



Re-vegetation/ Run-off Protection

- Stabilize all exposed surface from erosion.
- Seed, sod, or mat final graded surface.
- Seed all swales, rights-of-way, curb inlet areas, and buffers along streams and wetlands.
- Mulching can be used where acceptable.
- Refer to Alabama Handbook, Vol. 1, Pages 75-161.



Household Hazardous Waste (HHW) Smart Tips:

- Follow instructions on how to handle HHW products and disposal.
- Don't mix leftover HHW products, because they may act as a reacting agent, causing a chemical reaction resulting in an explosion or make HHW items become non-recyclable.
- Watch for hidden dangers: in your home HHW items may not present an immediate hazard, but improper waste disposal can make them a threat to human health and the environment.
- Recycle any HHW items: to save money and further reduce the need to generate more hazardous substances!
- Store all HHW products properly: keep HHW products out of reach of children and animals.

Call JCDH Stormwater Hotline number or visit the website to report HHW being dumped into the storm drains.

Stormwater Hotline
205.930.1999

Resources for Recycling

EPA –Resource Conservation
<http://www.epa.gov/epawaste/conserve/materials/recycling/donate.htm>

EPA-Consumer's Handbook
for Reducing Solid Waste
<http://www.epa.gov/epawaste/wycd/catbook/index.htm>

Earth 911
<http://earth911.com/>

Alabama Environmental Council
<http://www.aeonline.org/>

Technical Knock Out
<http://www.technicalko.net/>

References

Wastes

<http://www.epa.gov/wastes/index.htm>

Wastes-Hazardous Waste

<http://www.epa.gov/wastes/hazard/index.htm>

Wastes-Hazardous Waste-Waste Types

<http://www.epa.gov/wastes/hazard/wastetypes/index.htm>



Jefferson County Department of Health
1400 Sixth Avenue South • Birmingham, AL 35233
WWW.JCDH.ORG



Jefferson County Department of Health
Watershed Protection Program

in Cooperation with the

Stormwater Management Authority

Household Hazardous Waste Disposal





What are Considered Household Hazardous Wastes?

The definition of a Household Hazardous Waste is a product that contains chemicals that are corrosive, explosive, reactive, flammable, or toxic. These products can be found in most cabinets throughout your home or storage areas. They include common products such as paint thinner, spot remover, oven cleaner, furniture polish, drain opener, pool chemicals, or hair spray.

The name of a product can indicate whether or not it falls in this category. Names such as pesticide, acid, fungicide, caustic, herbicide, flammable, explosive, or solvent are direct indicators. It is a good practice, to read all product labels carefully before throwing them away.

Improper disposal practices can involve Household Hazardous Waste being discharged into the septic tank, storm drain, on the ground, or placing items on vacant property.

Read Your Products' Labels

Corrosive- a chemical or its vapors that can burn or destroy living tissues at the site of contact, and deteriorate or wear away the surface of a material.

Explosive- violently bursts when exposed to pressure or heat or other substances.

Reactive- can cause explosions, toxic fumes, gases, or vapors when heated, compressed, or mixed with water.

Flammable- can be ignited by a flame, spark, ignition source or hot surface under almost all temperature conditions.

Toxic- can cause injury or death if swallowed, absorbed, or inhaled.



Household Hazardous Waste Affects The Environment

As a precautionary method residents can take steps to reduce the spread of Household Hazardous Waste (HHW) from entering into their home or landfill.

The direct results of HHW can be observed in your local waterways and streams, because most storm drains flow into the Cahaba River, Shades Creek, Village Creek, Valley Creek, Warrior River, and the Locust Fork water bodies with NO treatment.

Some common sources of contaminants in storm water runoff include: spilled oil, fuel, and fluids from vehicles and heavy equipment, construction debris, and landscaping runoff. Sources may also include pesticides or weed killers and materials such as motor oil, antifreeze, and paint products that people pour or spill into a street or storm drain.



Green Tips around the home!

- If you choose to apply fertilizer on your property, read the label carefully and always use precautions in using fertilizer products.
- Use only the amount recommended on the product label. Any amount left over should never be mixed with other fertilizer or pesticide products.
- Avoid applying fertilizer products outside on windy or rainy days. Never apply fertilizer near storm drains or creeks.
- Maintain existing trees on your property, and plant trees and shrubs that prevent erosion and support infiltration of water into the soil.
- Disperse organic deposits such as grass, wood chips, and leaves on soil to act as a compost system to prevent erosion and runoff.
- If you select a professional lawn care service, select a company that uses practices to minimize the use of fertilizers and pesticides.
- Misuse of fertilizers can damage the soil's natural resources essential for healthy grasses and plants. Contact Alabama Cooperative Extension System (ACES) Office or a garden supply center for a soil test kit.

References

Polluted Runoff (Nonpoint Source Pollution) Do's and Don'ts Around the Home

<http://www.epa.gov/owow/nps/dosdont.html>

Wastes-Resources Conservation Reduce, Reuse, Recycle-Composting

<http://www.epa.gov/epawaste/conserve/rrrr/composting/questions.htm>

Alabama Cooperative Extension System (ACES) Soil Testing Laboratory

<http://www.aces.edu/anr/soillab/>

Stormwater Hotline 205.930.1999



Jefferson County Department of Health
1400 Sixth Avenue South • Birmingham, AL 35233
WWW.JCDH.ORG




Jefferson County Department of Health
Watershed Protection Program

in Cooperation with the

Stormwater Management Authority

Keep It Green and Simple





Fertilizer Versus Compost

Fertilizer contains large quantities of nutrients such as nitrogen and phosphorous that can potentially wash into storm drains and ultimately into a lake or stream. Nutrients from fertilizer may prompt algal blooms, causing aquatic plants to over grow and suffocate other aquatic life. As a result, algal blooms can remove the oxygen in the water that fish and other organisms need to breathe.

Compost can enhance soil structure and provide nutrients from a composition of decaying organic matter. Compost allows natural fertilizer to be applied to lawns and gardens assisting in the condition of the soil and increasing the nutrients. Compost has been discovered to suppress plant disease and pests, reduce or remove the need for chemical fertilizer, and increase agricultural crops' growth.

What are the Benefits to Compost?

Compost can prevent pollutants from entering into storm water runoff and reaching surface water resources. Another advantage of using compost is that it has been shown to prevent erosion and siltation near water banks, creeks, lakes, streams, roadways and golf courses.

Composting yard trimmings save landfill space and lowers methane production in landfills. The composting process can absorb odors and treat organic compounds. It binds heavy metals and prevents them from transferring to water resources being absorbed by plants and contaminated soils.

Compost has the ability to help restore poor soils. Composting strengthens the production of micro-organisms that break down organic matter to create humus. Humus is a rich nutrient-filled material that increases the nutrients in soils and helps maintain moisture.



Composting is Easy and It Makes Sense!

As an alternative to organic matter entering into storm drains, streams, creeks or landfills, compost can be converted into a beneficial resource which can even be reused around the household or environment.

Listed below are examples of how compost can be beneficial in your area:

- Farmers can use compost to enhance produce and grassy areas along their property.
- Landscapers can use compost as a soil modification for decorative purposes along properties, golf courses and playing fields.
- Landfill operators can use compost to cover waste areas onsite where waste material has been buried and during revitalization projects.
- Garden operators can use compost for improving plant and forest seedling crops in reforestation projects and for preventing certain plant diseases.
- Public operations can use compost for landscaping roadways, recreational parks, and other public property for remediating contaminated or weathered road sites.
- Homeowners use compost to enrich gardens and soils around trees and shrubs.

Pest Smart Tips

- If you choose to use pesticides, read the label carefully and always use precautions to apply pesticides.
- Never water your lawn after applying pesticides.
- Use only the amount recommended on the product label. Any amount left over should never be mixed with other pesticide products or chemicals.
- Always wear appropriate protective clothing. Never wash contaminated clothing with other clothing.
- Avoid planting your garden where treatments for pesticides are regularly applied.
- Avoid applying excessive amounts of pesticide products. Runoff from chemicals can spread onto concrete or paved surfaces and may enter storm drains or waterways with NO treatment.
- Avoid applying pesticide products outside on windy or rainy days. Never apply pesticides near storm drains or creeks.



References

Alabama Integrated Pest Management Information Center-
What is IPM?

<http://www.aces.edu/anr/ipm/whatisIPM.php>

Alabama Cooperative Extension System-Integrated
Pest Management

<http://www.aces.edu/anr/ipm/>

Pesticides: Topical & Chemical Fact Sheets-Integrated
Pest Management (IPM) Principles

<http://www.epa.gov/pesticides/factsheets/ipm.htm>

Pesticides: Topical & Chemical Fact Sheets-Pesticide Safety Tips

http://www.epa.gov/pesticides/factsheets/pest_ti.htm

PestWise An EPA Partnership Program-Integrated
Pest Management (IPM) Fact Sheet

http://www.epa.gov/pestwise/htmlpublications/ipm_fact_sheet.html

Pesticides

<http://www.epa.gov/pesticides/>

Pesticides: Regulating Pesticides-Safe Disposal of Pesticides

<http://www.epa.gov/pesticides/regulating/disposal.htm>

Integrated Pest Management (IPM) in Schools

<http://www.epa.gov/pesticides/ipm/>

Citizen's Guide to Pest Control and Pesticide Safety

http://www.epa.gov/oppfead1/Publications/Cit_Guide/citguide.pdf

University of Michigan Occupational Safety and Environmental
Health Storm Water-Proper Use of Pesticides, Herbicides
& Fertilizers

[http://www.oseh.umich.edu/
environmental/pesticidesandfertilizers.html](http://www.oseh.umich.edu/environmental/pesticidesandfertilizers.html)



Jefferson County Department of Health
1400 Sixth Avenue South • Birmingham, AL 35233
WWW.JCDH.ORG



Jefferson County Department of Health
Watershed Protection Program

in Cooperation with the

Stormwater Management Authority

Pesticides



Stormwater Hotline
205.930.1999

Integrated Pest Management

Pesticides should be applied only as needed. Integrated Pest Management (IPM) practices should be utilized before applying pesticide products. IPM practices can be applied in rural and urban areas such as in the home, yard, garden area and the workplace to prevent pests from becoming a threat.

Integrated Pest Management is used to incorporate the biological, physical, and least-toxic chemical pest prevention and control methods. IPM controls pests by the most cost-effective means and with the least possible hazards to people, property and the environment.

The least effective control approach is the application of chemicals alone. Using chemicals alone can result in very poor control to reduce or eliminate pests. Sanitation is the key! Remove access to food, water and shelter from pest.

Examples of Integrated Pest Management Practices Include:

- Vegetation, shrubs and wood mulch should be kept at least one foot away from structures.
- Cracks and crevices in walls, floors and pavement should be sealed or eliminated.
- Fertilizers should be sparingly applied seasonally during the year, rather than one heavy application.
- If pesticides are necessary, use spot treatments rather than area-wide applications.

Pest Control and Safety

Once you have identified the pests around your home or work area, purchase only the amount of pesticides that you are going to use. Any leftover pesticides should be used; for example, you can ask your neighbors if they have a similar pest control problem and allow them to use the pesticide.

Always keep pesticides in the original container, separate from fertilizer and herbicides products. Do not reuse the containers with remaining pesticide products. Place containers in the trash, unless the label specifies a different procedure.

Listed below are safety tips that you can follow if children visit your home or yard:

- Always store pesticide products away from children, such as; in locked cabinets or garden sheds.
- Avoid placing rodent or insect baits where small children can get to them.
- Teach children that “pesticides are poisons”- something they should not touch.
- Caution others of the potential hazard of pesticides, including care givers and grandparents.



Storm Drains

Pesticides can negatively affect the quality of water. Whatever flows into the storm drain flows untreated into the waterway. A storm drain is designed to carry excess storm (rain) and ground water from streets and parking lots to prevent flooding. Rain water soaks into the ground; however, once there is pavement blocking water from gaining access to the soil, rain water goes through the storm drains.

Never store pesticides in places where flooding is possible or in places where they might spill or leak into wells, drains, ground water, or surface water. Stormwater runoff can transport chemicals from fertilizers, herbicides, and pesticides into storm drains, streams or waterways. Surface runoff containing these chemicals may cause harmful effects in the water supply and damage a wide variety of organisms. Any debris or chemicals from household gardens, driveways, yards, and streets can be wash into the storm drains.

Pesticides can pollute the waterways. Always avoid pouring leftover pesticides down the sink, toilet, or storm drain. Pesticides may interfere with the operation of wastewater treatment systems or pollute the waterways. If pesticides reach the waterways, they may harm fish, plants, and other living things. Several organisms are harmless and even valuable to the ecosystem.

Small amounts of pesticides can be toxic to aquatic life. Aquatic plants and animals need oxygen and clean water to survive. Household wastes can enter the waterways through storm drains and negatively impact the water quality by decreasing oxygen reserves and contaminating the water.

Tips For Pet Owners

- Choose grassy areas, parks, or undeveloped areas to walk your pets. Stream banks should be avoided as the common territory of animals.
- Pick up after your pets. Pet waste left behind may be washed into storm drains, streams or waterways.
- Pet waste should not be added to backyard compost piles. Although animal manure can make useful fertilizer, parasites carried in dog and cat feces can lead to diseases.
- Regular check-ups and vaccinations by your local veterinarian are important to protect your pet against parasites and pathogens.



References

Source: Water Protection Practices Bulletin-Managing Pet and Wildlife Waste to Prevent Contamination of Drinking Water, United States Office of Water EPA 916-F-01-027 Environmental Protection (4606) July 2001 Agency.

Alabama Department of Environmental Management. No date. When Your Pet Goes on the Lawn, Remember It Doesn't Just Go on the Lawn. [<http://www.adem.state.al.us/Publications/Miscellaneous/dog2.PDF>] [PDF - 765 KB - 2 pp]. Accessed September 8, 2005.

City of Albuquerque, New Mexico. 2005. Pet Waste and Water Quality. [<http://www.cabq.gov/flood/scoopoop.html>]. Accessed September 8, 2005.

City of Oskosh, Wisconsin. 2001. Responsibilities of Pet Owners in the City of Oskosh. Accessed September 8, 2005.

City of Poway, California. No date. Poway Dog Park website History of Dog Park. Accessed September 8, 2005.

Kemper, J. 2000. Septic Systems for Dogs? Nonpoint Source News-Notes 63.

Lehner, P.H., G.P. Aponte Clarke, D.M. Cameron, and A.G. Frank. 1999. Stormwater Strategies: Community Responses to Runoff Pollution. Natural Resources Defense Council, New York, NY.

Stormwater Hotline
205.930.1999



Jefferson County Department of Health
1400 Sixth Avenue South • Birmingham, AL 35233
WWW.JCDH.ORG



Jefferson County Department of Health
Watershed Protection Program

in Cooperation with the

Stormwater Management Authority

Scoop Away The Pet Waste





What Happens To My Pet Waste?

A hidden danger to public health can be found in your very own back yard. Pet waste left on sidewalks, streets, or other paved surfaces are carried by storm water into storm drains and streams.

Storm drains may not always connect to treatment facilities for water purification. Animal feces untreated can end up in local streams and rivers causing water pollution.

Decomposing pet waste consumes oxygen and can release ammonia. Lower oxygen levels and ammonia can result in harmful health effects to fish and aquatic life. Bacteria, viruses, and parasites transmitted by pet waste may pose a danger to the health of humans and wildlife. Nutrients contained in pet waste also support weed and algae growth.

What Are The Health Effects of Pet Waste?

Another health concern associated with pet waste is pathogens. If ingested, humans can be adversely affected by pathogens found in pet feces.

E. coli is a common bacteria. Prominent strains can initiate serious illness and even fatalities. *E. coli*, which causes abdominal gas and diarrhea, has been the source of disease outbreaks in several states.

Cryptosporidium is highly resistant to disinfection with chlorine. This microorganism causes gastrointestinal illness lasting 2-10 days in healthy individuals, but can pose a fatal threat to people with weakened immune systems.

Cat feces may contain toxoplasmosis, a parasite that transmits a disease to humans and other animals. Cats are the only animals identified to release toxoplasmosis oocysts, which are resistant to most disinfectants. Toxoplasmosis is a health risk for pregnant women and individuals with weakened immune systems.



What Can I Do To Prevent Pet Waste?

Picking up your pet waste can result in a cleaner neighborhood and better water quality. Proper disposal of pet feces is important in reducing sources of water pollution.

Pet waste can be discarded by the following methods:

- Flushed down the toilet as long as it is not mixed with other material.
- Sealed in a plastic bag and put into the garbage.

These methods allow a community sewage plant or septic system to appropriately treat waste.



alabama
RAIN BARREL PROJECT

when it rains... it stores.

Rain barrels are a fun and easy way to use water wisely. Water collected in a rain barrel can be used to water the lawn, garden or indoor plants or to wash the car or dog. Using collected rain water reduces the water bill, helps protect streams and replenishes groundwater.



 saving our water, one drop at a time.

Healthy landscape practices promote environmental conservation and keep nature's water cycle flowing for our plants and animals.

A Partnership of:



www.AlabamaRainBarrelProject.com
for the next workshop in your area.

alabama
RAIN BARREL PROJECT

rain rain
come our way...



... to use again another day.



1 Rainwater – should be used by people, plants and trees and should replenish groundwater with only a small portion making its way to our streams. If it runs off quickly, it is called stormwater runoff.

2 Rain Barrel – an easy to make container that saves rainwater for use during a dry period. This saves you money on your water bill and helps protect our water resources.


3 Impervious Surface – your driveway is an impervious surface along with the street and roof. This means that rainwater cannot make its way into the ground where it would water plants and replenish groundwater. Instead it runs off quickly to streams and creeks.

4 Rain Garden – an easy to plant garden that uses native plants to help clean stormwater runoff and allows it to replenish groundwater.

5 Groundwater – water that is found underground and supplies well water for our cities, farmers and families. It also provides the year-round flow for many streams and creeks.

6 Surface Water – water that is found in streams and rivers and provides water for our cities, industries and recreation. When rain occurs, water rushes from impervious surfaces picking up pollutants that are on the ground, carrying them straight to the creek or stream.

Color each litter item being carried into the waterway by the storm drain. Help protect **Clog the Green Frog** by recycling. Remember, recycling is the key! Clean water is essential for you and me!



JEFFERSON COUNTY
DEPARTMENT OF HEALTH



Jefferson County Department of Health
Watershed Protection Division


www.jcdh.org/wpd

DON'T LEAVE YOUR WASTE IN MY PLACE

A storm drain is designed to carry excess storm (rain) and ground water from parking lots and streets to prevent flooding. Litter and waste contaminants that storm water carries from road ways can contribute to water pollution that may harm animals, drinking water and the environment.

Children play a part in protecting our streams by educating their friends on recycling and keeping litter such as soda cans, plastic bottles, plastic bags and paper out of the waterway.

Clog the Green Frog has waste at his place. Help protect Clog from litter items being carried into the waterway by the storm drain. Find each litter item listed below in the word search.



EGG CARTON
FOAM CUP
MAGAZINE

MILK JUG
PAPER
PLASTIC BOTTLE

PLASTIC BAG
SIX PACK RING
SODA CAN

G	G	N	I	R	K	C	A	P	X	I	S	B
E	L	T	T	O	B	C	I	T	S	A	L	P
A	U	E	X	K	X	N	M	A	X	N	G	X
T	M	D	N	B	E	L	G	Z	O	L	A	N
O	I	W	V	I	I	T	D	T	I	T	B	V
V	L	C	T	S	Z	O	R	A	P	O	C	T
X	K	B	Y	F	O	A	M	C	U	P	I	Y
E	J	M	A	G	C	D	G	G	C	P	T	A
I	U	G	Z	G	U	F	A	A	U	F	S	Z
P	G	D	G	A	Q	D	I	C	M	D	A	G
K	O	E	A	T	K	W	V	T	A	W	L	A
R	C	S	P	A	P	E	R	O	P	N	P	P




JEFFERSON COUNTY
DEPARTMENT OF HEALTH

STORM WATER
MANAGEMENT AUTHORITY, INC.

Jefferson County Department of Health
Watershed Protection Division

www.jcdh.org/wpd


Jefferson County Watersheds



There are six major waterways in Jefferson County. Each waterway is surrounded by a watershed. A watershed is an area where all the water collects into one location such as a pond, lake or river. You can help protect these watersheds from litter by recycling and disposing of trash properly.

Recreational Parks in Every Watershed!

- 1- Turkey Creek Preserve*
- 2- Civitan Park*
- 3- Chief William C. "Billy" Hewitt Park*
- 4- Greenwood Park*
- 5- Railroad Park*
- 6- Shades Creek Greenway*



Watersheds in Jefferson County

Cahaba
Shades Creek
Cahaba River
Upper Black Warrior
Black Warrior
Valley Creek
Locust
Locust Fork
Five Mile
Village Creek
Turkey Creek

To view a larger map of watersheds and streams within Jefferson County, visit the website: www.jcdh.org

Jefferson County Department of Health Watershed Protection Program

1400 Sixth Avenue South
Birmingham, AL 35233

**Storm Water
Hotline**
(205) 930-1999

www.jcdh.org



Jefferson County Department of Health

Watershed Protection Program



JEFFERSON COUNTY
DEPARTMENT OF HEALTH

Serving Jefferson County Since 1917

Storm Water Hotline

930-1999

What is the Jefferson County Department of Health Watershed Protection Program?

The Storm Water Management Authority has contracted with JCDH to perform storm water monitoring, sampling, laboratory analysis, erosion inspection, and education. Storm Water Management Authority members are required by the 1972 Clean Water Act to protect watersheds within their city limits.

JCDH Watershed Protection Program Activities

- Conduct water sampling to monitor prohibited pollutant discharges from entering a storm drain or stream
- Analyze water samples to identify 'Hot Spots'
- Map high-risk areas in order to develop long term strategies
- Monitor residential and commercial construction sites for proper erosion control
- Educate the citizens of Jefferson County on watershed protection

What is a watershed ?

A watershed is the area that drains to a common waterway such as: streams, lakes or oceans.

What can I do to protect my watershed?

- Recycle used motor oil at participating service stations or car maintenance shops

- Pick up after your pets. Leaving pet waste on the ground may cause harmful bacteria to wash into the storm drain
- Clean out septic tanks every 3-5 years
- Sparingly use fertilizers in landscaping projects
- Use caution when applying pesticides These chemicals will wash into your local stream

You can play a part in protecting our streams and rivers by eliminating and reporting pollution in surface waters.

Use Your Senses

- ... if a creek, stream, river, lake or other water body is discolored or an odor is present
- ... if untreated sewage or washing machine waste is present on the ground
- ... if mud from a construction site is entering into the storm drain or stream

Then call

...the Jefferson County Department of Health's Storm Water Hotline:

(205) 930-1999

All messages will be investigated and referred to the proper agency.


www.jcdh.org



Storm Water Management Authority Members:

Adamsville
Brookside
Brighton
Center Point
Clay
Fairfield
Gardendale
Graysville
Homewood
Hueytown
Irondale
Lipscomb
Maytown
Midfield
Mulga
Mountain Brook
Pinson
Pleasant Grove
Tarrant
Trussville
Vestavia Hills

Storm Drain Marker



Jefferson County
Department of Health
Storm Water Program



**Clean water is
everybody's business**

Report Pollution:
Hotline 205-930-1999
www.jcdh.org

Educational T-Shirt



Valley Creek Cleanup T-Shirt



Educational Drawstring Backpacks



Watershed Signs

Turkey Creek Watershed



Help Keep Our Waterways Clean

2018 Storm Water Calendar

JEFFERSON COUNTY DEPARTMENT OF HEALTH

2018



Patton Creek

Watersheds

A watershed is an area of land where all of the water drains into a specific waterway.

Watershed protection can be achieved by stopping contaminants from reaching the stormdrain system which flows directly into our waterways. Watershed protection is essential in protecting our community's drinking water supply, local aquatic plant and animal life, and our favorite fishing and canoeing spots.

Everyone lives in a watershed. Listed below are tips that YOU can do to protect your local watershed.

- ♦ Dispose of household waste properly. Never dump chemicals into a stormdrain or stream.
- ♦ Cover your garbage cans with secure lids to stop your waste from becoming litter.
- ♦ Use caution when applying fertilizer or pesticide products. These chemicals can cause harm if washed into a local stream.

Native Animal:
Alabama Hog Sucker



For additional information on watersheds
visit: cfpub.epa.gov/surf/locate/index.cfm

JANUARY 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	1 New Year's Day	2	3	4	5	6
7	8	9	10	11	12	13
14	15 Martin Luther King Jr.'s Birthday	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			



Five Mile Creek

Scoop the Poop

Scooping away your pet's waste can result in cleaner neighborhoods and a reduction in diseases associated with pet contamination.

Tips for Pet Owners

- ◆ Pick up after your pets. Pet waste left behind may be washed into stormdrains, streams or waterways.
- ◆ Pet waste should not be added to backyard compost piles. Although animal manure can make useful fertilizer, parasites carried in pet feces can lead to diseases.
- ◆ Regular check-ups and vaccinations by your local veterinarian are important to protect your pet against parasites and pathogens.

Native Animal:
Blue Heron



FEBRUARY 2018

For additional information
on proper disposal of pet waste visit:
adem.alabama.gov/MoreInfo/pubs/CWP_Pet.pdf

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
	President's Day					
25	26	27	28			



Shades Creek

Household Hazardous Waste

Household hazardous waste (HHW) products can be found in most cabinets throughout your home and storage areas. Household hazardous waste is a product that contains chemicals that are corrosive, explosive, reactive, flammable, or toxic.

Household Hazardous Waste Safety Tips:

- ♦ Follow instructions on how to handle HHW products and disposal.
- ♦ Don't mix leftover HHW products. Active ingredients within these products may react causing an explosive chemical reaction or result in HHW items becoming non-recyclable.
- ♦ Watch for hidden dangers: HHW items may not present an immediate hazard, but improper disposal can make them a threat to human health and the environment.

Native Animal:
Longear sunfish



MARCH 2018

For additional information on proper disposal of pet waste visit:
<https://www.epa.gov/hw/household-hazardous-waste-hhw>

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31



Turkey Creek

Fertilizers

Fertilizers contain large quantities of nutrients such as nitrogen and phosphorous. Nutrients from fertilizers may prompt algal blooms which can lead to low oxygen levels in the water thus endangering aquatic life.

Green Tips

- ◆ Compost can enhance soil structure and provide nutrients from decaying organic matter.
- ◆ Spreading organic deposits such as grass, wood chips, and leaves on soil can improve the soil as well as prevent erosion and runoff.
- ◆ Misuse of fertilizers can damage the soil's natural resources. Contact the Alabama Cooperative Extension System (ACES) Office or a garden supply center for a soil test kit.

Native Animal:
Redeye Bass



For additional information on Fertilizers visit:
www.adem.alabama.gov/programs/water/nps/take/fertilizing.pdf

APRIL 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1 Easter Sunday	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					



Valley Creek

Car Wash

Consider going to a commercial wash; commercial car washes are required to properly dispose of wastewater, and many recycle their water. If you select not to use a commercial car wash, try to wash your vehicle on a grassy area or a gravel surface.

Cleaning Tips

- ♦ Use biodegradable soaps or phosphate free soap to wash your vehicle, using as little water as possible.
- ♦ Shut off the water while washing your car, then rinse.
- ♦ When rinsing your vehicle use a spray nozzle to restrict water flow.

Native Animal:
Alabama Darter



For additional information on washing your vehicle visit:
www.adem.alabama.gov/MoreInfo/pubs/CWP_Wash.pdf

MAY 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28 Memorial Day	29	30	31		



Village Creek

Pesticides

There are many pests that are harmless and beneficial to our environment. Integrated Pest Management Practices (IPM) should be utilized before applying pesticide products. IPM practices work to identify, monitor and track pests to accurately incorporate the best methods to prevent them from becoming a threat. If pesticides are necessary, use spot treatments rather than area-wide applications.

Pesticide Tips

- ♦ If you choose to use a pesticide, read the label carefully and always use precautions when applying pesticides.
- ♦ Avoid applying pesticides to your lawn on windy or rainy days.
- ♦ Avoid applying pesticide products near stormdrains and gardens.

Native Animal:
Common Snapping Turtle



For additional information on pesticides visit:
www.epa.gov/pesticides

JUNE 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30



Little Shades Creek

Illicit Discharge

An illicit discharge is any discharge into the Municipal Separate Storm Sewer System (MS4) that is not stormwater. Non-stormwater discharges can occur due to illegal connections to the MS4 from homes, commercial businesses or industries. Illicit connections may be intentional or unknown to the home or business owner.

Call the Jefferson County Department of Health's Watershed Protection Program to report an illicit discharge into the MS4. (205-930-1999)

Illicit Discharge Tips

- ♦ Frequent sources of Illicit discharges are illegal floor drain connections or runoff from failing septic systems.
- ♦ Discolored water or a distinct odor can be signs of an illicit discharge.


Native Animal:
Yellow Bullhead Catfish



For additional information on IDDE visit:
www3.epa.gov/npdes/pubs/idde_chapter-1.pdf

JULY 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1	2	3	4 Independence Day	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				



Five Mile Creek

Household Cooking Grease

Jefferson County Environmental Services Household Cooking Oil and Grease Recycling Program provides a FREE recycling program to promote the health and maintenance of our sewer system. Improper disposal of oil and grease from kitchens can result in sewer blockages. Sewer blockages can lead to sewer overflows which can run into the nearest waterway causing water quality issues.

Below are tips to reduce a sanitary sewer overflows caused by grease.

- ♦ Do not pour fats, oils and grease down sink drains.
- ♦ Scrape grease and food particles remaining on pots, pans and dishes into the garbage.
- ♦ After using your cooking grease, allow it to cool and pour it into an empty container with a lid and recycle it.

Native Animal:
Bluegill Sunfish



For a listing of household cooking grease recycling stations visit:
www.jeffcoes.org/Default.asp?ID=112&pg=HOUSEHOLD+COOKING+OIL+RECYCLING

AUGUST 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	



Watkins Brook


Littering

Littering is the careless and casual disposal of trash or waste along roadways and waterways. It may include items as large as automobile tires or as small as cigarette butts. Litter can also result from improper trash disposal by motorists or uncovered truck loads whether intentional or not.

Tips on how to recycle and dispose of unwanted items properly:

- ♦ Keep trash items in your vehicle until you reach a destination that you can properly dispose of trash items.
- ♦ Reduce, reuse and recycle materials whenever possible.

Native Animal:
Gulf Fruitlary Butterfly



For additional information on litter and recycling visit: www.kab.org.

SEPTEMBER 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
						1
2	3 Labor Day	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						



Turkey Creek

Septic Tanks

Septic systems are used throughout many areas of Jefferson County where sewer is not available. When properly maintained, a septic system can be expected to have a long and trouble-free service life. A septic system consists of a septic tank and an absorption field or disposal area.

Tips to assist with the maintenance of your septic system.

- ♦ Avoid pouring harsh products down the drain.
- ♦ Have your septic tank pumped every 3-5 years by a qualified professional.
- ♦ Repair leaks and use water efficient fixtures to prevent a septic system malfunction.

Native Animal:
Blacktail Redhorse Sucker



For additional information on the Septic Tanks visit:
www.jcdh.org/programs/community-environmental-protection/onsite-sewage-disposal/

OCTOBER 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	1	2	3	4	5	6
7	8 Columbus Day	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			



Valley Creek

Carpet

Carpet and upholstery cleaning wastewater often contains harmful chemicals, cleaning products and dirt that can impact your health as well as the environment. Consider having your carpet professionally cleaned. When having your carpet cleaned, never dispose of the liquid cleaner into or near a stormdrain. Wastewater should be contained inside a holding tank and hauled off-site for proper disposal.

Carpet Cleaning Tips:

- ♦ Select nontoxic products that are environmental friendly cleaning agents.
- ♦ Place carpet in your home only where necessary and clean it properly to increase its life expectancy.
- ♦ Consider recycling your old carpet to prevent it from going into a landfill.

Native Animal:
Creek Chub Minnow



For additional information in carpet maintenance visit:
www.epa.gov/greenerproducts/identifying-greener-carpet

NOVEMBER 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
Veteran's Day						
18	19	20	21	22	23	24
				Thanksgiving Day		
25	26	27	28	29	30	



Village Creek

Automobile Fluids

Motor oil and fluids from your vehicle can contain toxic chemicals and heavy metals that are slow to degrade. Check with a local automobile maintenance facility to find out if they accept used automotive fluids.

Automobile Fluids Safety Tips:

- ◆ Conduct routine maintenance on your vehicle and check for leaks. Leaks from your automobile can be carried by stormwater runoff into the nearest waterway.
- ◆ When pouring liquids into your vehicle use a funnel and place a tray beneath your vehicle to catch spills. In the event of a spill, clean it up immediately.
- ◆ Use a leak-proof container with a lid to temporarily store fluids removed from your vehicle until proper disposal.

Native Animal:
Stoneroller Minnow



For additional information on maintenance on your vehicle visit:
www.epa.gov/nutrientpollution/what-you-can-do-your-home.

DECEMBER 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
	Christmas Eve	Christmas				
30	31					
	New Year's Eve					

Municipality	Activities	Date*
Adamsville	Arbor Day	March (DTBD)**
Adamsville	Fall Festival	October 31st
Brighton	Valley Creek Cleanup	March 17th
Center Point	Arbor Day	March (DTBD)
Center Point	Spring Cleanup	April (DTBD)
Clay	Fall Festival	October (DTBD)
Fairfield	Valley Creek Cleanup	March 17th
Gardendale	Junk Week	April 2nd-6th and Oct. 1st-5th
Gardendale	Litter Pickup	April 7th and Oct. 6th
Graysville	Clean-Up Day	April 21st
Homewood	Shades Creek Cleanup	September (DTBD)
Hueytown	Valley Creek Cleanup	March 17th
Irondale	Whistle Stop	September 29th
Lipscomb	Valley Creek Cleanup	March 17th
Midfield	Valley Creek Cleanup	March 17th
Mulga	Spring Cleanup	April (DTBD)

Municipality	Activities	Date*
Mountain Brook	Free Christmas Tree Recycling	December 26th- January 1st
Mountain Brook	Arbor Day Week Festivities	March (DTBD)
Pinson	Celebrating Pinson	April (DTBD)
Pinson	Butterbean Festival	October 5th-6th
Pinson	Veteran's Day Luncheon	November (DTBD)
Pinson	Christmas Tree Lighting	December 7th
Pinson	Christmas Parade	December 8th
Pleasant Grove	Valley Creek Cleanup	March 17th
Tarrant	Annual Easter Egg Hunt	March 31st
Tarrant	Trunk or Treat	October 28th
Trussville	National Night Out	October 2nd
Vestavia Hills	Arts in the Hills at City Hall	April 7th-May 5th
Vestavia Hills	First Responders Celebration at City Hall	April 28th
Vestavia Hills	Community Night Out	October 10th

*Please note, dates listed are subject to change. For additional information please call or visit the municipality's website for upcoming announcements regarding the 2018 fiscal year community events.

** Date to be Determined (DTBD)

All of the photos taken by Jefferson County Department Health



- ◆ If a creek, stream, river, lake or other water body is discolored or an odor is present.
- ◆ If untreated sewage or washing machine waste is present on the ground.
- ◆ If mud from a construction site is entering a stormdrain or stream.

**Then Call the Jefferson
County Department of
Health's Watershed
Protection Program
Stormwater Hotline
Number:
(205) 930-1999.**



**JEFFERSON COUNTY
DEPARTMENT OF HEALTH**

Serving Jefferson County Since 1917

Outreach Activities

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
Cahaba River Society Frydown 2017	Adamsville	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
Analyze Water Quality in Turkey Creek	Adamsville	Outreach Activity	10/18/2017 9:00:00 AM	3hours	72		
National Drug Take Back Day	Adamsville	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Adamsville	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
MLK Cleanup Planning Meeting	Adamsville	Meeting	1/5/2018 8:30:00 AM	2 hours	9		
PALS Annoucement	Adamsville	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Adamsville	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Annual MLK Cleanup	Adamsville	Cleanup Activity	1/14/2018 9:00:00 AM	4hours	358	8.50	
Stormwater Activity Sheets	Adamsville	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Adamsville	Meeting	1/26/2018 10:00:00 AM	4hours	17		
City of Graysville Water Bill Insert	Adamsville	Outreach Activity	2/26/2018 8:00:00 AM	30 days	City Wide		
PALS Don't Drop It On AL Streets Cleanup Campaign	Adamsville	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Erosion and Sedimentation Control Workshop	Adamsville	Training	4/26/2018 8:30:00 AM	4hours	1		
National Prescription Drug Take Back Day- April 28th	Adamsville	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Water Festival	Adamsville	Outreach Activity	5/3/2018 9:00:00 AM	4hours	200		
SWMPP Mtg	Adamsville	Meeting	5/3/2018 10:00:00 AM	2 hours	1		
Rain Barrel Workshop	Adamsville	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Electronics Collection Day	Adamsville	Outreach Activity	7/28/2018 8:00:00 AM	4hours	3		
Trash Costs Cash-PSA	Adamsville	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Adamsville	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Adamsville	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Separator							
Cahaba River Society Frydown 2017	Brighton	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Brighton	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	1		
National Drug Take Back Day	Brighton	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Brighton	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
Valley Creek Cleanup Litter Video Presentation	Brighton	Outreach Activity	11/28/2017 10:30:00 AM	1 hour	150		
SWMA Ordinance Mtg	Brighton	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Brighton	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Brighton	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Brighton	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
VCC Plannning Mtg	Brighton	Meeting	1/25/2018 1:00:00 PM	1 hour	1		
Environmental Quality Committee Training Meeting	Brighton	Meeting	1/26/2018 10:00:00 AM	4hours	17		
S.O.A.R. Program Overview	Brighton	Meeting	2/6/2018 10:00:00 AM	1 hour	3		
Valley Creek Cleanup WJLD Radio Show	Brighton	Media Outreach	3/13/2018 7:00:00 AM	1 hour	5		
Jeff.Co.SoilandWaterConservationNewsLetter	Brighton	Media Outreach	3/15/2018 8:00:00 AM	30 days	100		
Valley Creek Cleanup	Brighton	Cleanup Activity	3/17/2018 8:30:00 AM	4hours	479	15.165 tons of trash and debris and 1.1 tons	
PALS Don't Drop It On AL Streets Cleanup Campaign	Brighton	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day- April 28th	Brighton	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
SWMPP Mtg	Brighton	Meeting	5/3/2018 10:00:00 AM	2 hours	1		
Brighton Youth Explosion Event	Brighton	Outreach Activity	5/26/2018 10:00:00 AM	4hours	55		
Rain Barrel Workshop	Brighton	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Brighton	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Brighton	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Brighton	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Brookside							
Cahaba River Society Frydown 2017	Brookside	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Brookside	Meeting	10/10/2017 10:00:00 AM	1hour	13		
Analyze Water Quality in Turkey Creek	Brookside	Outreach Activity	10/18/2017 9:00:00 AM	3hours	72		
National Drug Take Back Day	Brookside	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Brookside	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Brookside	Meeting	12/20/2017 10:00:00 AM	1hour	1		
MLK Cleanup Planning Meeting	Brookside	Meeting	1/5/2018 8:30:00 AM	2 hours	9		
PALS Annoucement	Brookside	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Brookside	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Brookside	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Brookside	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Graysville Utilities Water Bill Insert	Brookside	Outreach Activity	2/26/2018 8:00:00 AM	City Wide	City Wide		
PALS Don't Drop It On AL Streets Cleanup Campaign	Brookside	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Erosion and Sedimentation Control Workshop	Brookside	Training	4/26/2018 8:30:00 AM	4hours	1		
National Prescription Drug Take Back Day- April 28th	Brookside	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
SWMPP Mtg	Brookside	Meeting	5/3/2018 10:00:00 AM	2 hours	1		
Rain Barrel Workshop	Brookside	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Brookside	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Brookside	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Brookside	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Center Point							
Cahaba River Society Frydown 2017	Center Point	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Center Point	Meeting	10/10/2017 10:00:00 AM	1hour	13		
NPDES MS4 Training (IDDE, HHW, Construction, Good Housekeeping)	Center Point	Outreach Activity	10/17/2017 9:00:00 AM	3 hours	4		
National Drug Take Back Day	Center Point	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Center Point	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SOAR Presentation	Center Point	Outreach Activity	11/21/2017 2:00:00 PM	30 minutes	3		
SWMA Ordinance Mtg	Center Point	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Center Point	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Center Point	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Center Point	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Center Point	Meeting	1/26/2018 10:00:00 AM	4hours	17		
PALS Don't Drop It On AL Streets Cleanup Campaign	Center Point	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Center Point High School Spring Cleanup	Center Point	Cleanup Activity	4/20/2018 12:00:00 PM	2hours	120	200 bags	

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
Erosion and Sedimentation Control Workshop	Center Point	Training	4/26/2018 8:30:00 AM	4hours	1		
National Prescription Drug Take Back Day- April 28th	Center Point	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Center Point	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Center Point High School Cleanup	Center Point	Cleanup Activity	7/11/2018 12:00:00 PM	2 hours	96	200 bags	
Electronics Take Bake Day	Center Point	Outreach Activity	7/28/2018 8:00:00 AM	4hours	1		
Electronics Collection Day	Center Point	Outreach Activity	8/11/2018 8:00:00 AM	4hours	6		
Electronic Collection Day	Center Point	Outreach Activity	8/11/2018 9:00:00 AM	3hours	100		
Trash Costs Cash-PSA	Center Point	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Center Point	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Center Point	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Clay							
Cahaba River Society Frydown 2017	Clay	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Clay	Meeting	10/10/2017 10:00:00 AM	1hour	13		
National Drug Take Back Day	Clay	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Clay	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Clay	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Clay	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Clay	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Clay	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Clay	Meeting	1/26/2018 10:00:00 AM	4hours	17		
PALS Don't Drop It On AL Streets Cleanup Campaign	Clay	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Erosion and Sedimentation Control Workshop	Clay	Training	4/26/2018 8:30:00 AM	4hours	1		
National Prescription Drug Take Back Day- April 28th	Clay	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Clay	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Electronics Collection Day	Clay	Outreach Activity	8/11/2018 8:00:00 AM	4hours	2		
Trash Costs Cash-PSA	Clay	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Clay	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Clay	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Fairfield							
Cahaba River Society Frydown 2017	Fairfield	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
National Drug Take Back Day	Fairfield	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Fairfield	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
City of Fairfield Cleanup	Fairfield	Cleanup Activity	11/18/2017 8:30:00 AM	4hours		46 bags	3 community districts
PALS Annoucement	Fairfield	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Fairfield	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
VCC Litter Video Competition	Fairfield	Outreach Activity	1/25/2018 10:00:00 AM	1hour	10		
VCC Planning Mtg	Fairfield	Meeting	1/25/2018 1:00:00 PM	1 hour	1		
Environmental Quality Committee Training Meeting	Fairfield	Meeting	1/26/2018 10:00:00 AM	4hours	17		
City of Fairfield District 2 Cleanup	Fairfield	Cleanup Activity	2/24/2018 8:00:00 AM	4hours	34	100bags	Community Wide-District 2

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
FHS Watershed Protection Presentation	Fairfield	Outreach Activity	3/9/2018 2:00:00 PM	1.5hours	8		
Valley Creek Cleanup WJLD Radio Show	Fairfield	Media Outreach	3/13/2018 7:00:00 AM	1 hour	5		
Jeff.Co.SoilandWaterConservationNewsLetter	Fairfield	Media Outreach	3/15/2018 8:00:00 AM	30 days	100		
Valley Creek Cleanup	Fairfield	Cleanup Activity	3/17/2018 8:30:00 AM	4hours	479	15.165 tons of trash and debris and 1.1 tons	
PALS Don't Drop It On AL Streets Cleanup Campaign	Fairfield	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day-April 28th	Fairfield	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
SWMPP Mtg.	Fairfield	Meeting	5/8/2018 10:00:00 AM	2 hours	1		
Rain Barrel Workshop	Fairfield	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
City Council Mtg.-Storm Drain Protection	Fairfield	Media Outreach	7/30/2018 6:00:00 PM	1 hour	<100		
Trash Costs Cash-PSA	Fairfield	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
What's Bugging You; Analyzing Water Quality in Turkey Creek	Fairfield	Outreach Activity	9/12/2018 9:00:00 AM	4hours	19		
City of Fairfield Cleanup	Fairfield	Cleanup Activity	9/28/2018 10:00:00 AM	2hours	19	30bags	
LaFiesta Festival	Fairfield	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Fairfield	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Separator							
Cahaba River Society Frydown 2017	Gardendale	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Gardendale	Meeting	10/10/2017 10:00:00 AM	1hour	13		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Gardendale	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	8		
NPDES Permit Mtg	Gardendale	Outreach Activity	10/26/2017 10:00:00 AM	2hours	15		
National Drug Take Back Day	Gardendale	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Gardendale	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Gardendale	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Gardendale	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Gardendale	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Gardendale	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Gardendale	Meeting	1/26/2018 10:00:00 AM	4hours	17		
SWMPP Training	Gardendale	Meeting	4/3/2018 9:00:00 AM	2.75	8		
PALS Don't Drop It On AL Streets Cleanup Campaign	Gardendale	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day-April 28th	Gardendale	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Gardendale	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Gardendale	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Gardendale	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Gardendale	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Separator							
Cahaba River Society Frydown 2017	Graysville	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Graysville	Meeting	10/10/2017 10:00:00 AM	1hour	13		
Analyze Water Quality in Turkey Creek	Graysville	Outreach Activity	10/18/2017 9:00:00 AM	3hours	72		
National Drug Take Back Day	Graysville	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Graysville	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Graysville	Meeting	12/20/2017 10:00:00 AM	1hour	1		
MLK Cleanup Planning Meeting	Graysville	Meeting	1/5/2018 8:30:00 AM	2 hours	9		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
PALS Annoucement	Graysville	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Graysville	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Minor High School and Middle School MLK Cleanup	Graysville	Cleanup Activity	1/14/2018 8:30:00 AM	4hours	358	8.50tons	
Stormwater Activity Sheets	Graysville	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Graysville	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Graysville Utility Bill Insert	Graysville	Outreach Activity	2/26/2018 8:00:00 AM	30 days	City Wide		
Graysville NPDES Permit Mtg.	Graysville	Meeting	3/5/2018 2:00:00 PM	1hour	5		
Graysville Permit Meeting	Graysville	Meeting	3/13/2018 9:00:00 AM	2 hrs	4		
PALS Don't Drop It On AL Streets Cleanup Campaign	Graysville	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Erosion and Sedmentation Control Workshop	Graysville	Training	4/26/2018 8:30:00 AM	4hours	1		
National Prescription Drug Take Back Day- April 28th	Graysville	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Graysville	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Electronics Take Bake Day	Graysville	Outreach Activity	7/28/2018 8:00:00 AM	4hours	1		
Electronic Collection Day	Graysville	Outreach Activity	7/28/2018 9:00:00 AM	3hours	50		
Trash Costs Cash-PSA	Graysville	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
City of Graysville Fire Safety Day	Graysville	Outreach Activity	9/29/2018 10:00:00 AM	4hours	100		
LaFiesta Festival	Graysville	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Graysville	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Graysville							
Cahaba River Society Frydown 2017	Homewood	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Homewood	Outreach Activity	10/17/2017 9:00:00 AM	3 hours	1		
National Drug Take Back Day	Homewood	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Homewood	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
Green Skies Tree Planting	Homewood	Outreach Activity	11/4/2017 8:00:00 AM	4hours			
SWMA Ordinance Mtg	Homewood	Meeting	11/15/2017 10:00:00 AM	1hour	5		
MS4 Meeting	Homewood	Outreach Activity	12/6/2017 11:00:00 AM	1 hr	10		
SWMA Ordinance Mtg	Homewood	Outreach Activity	12/15/2017 10:30:00 AM	2hours	5		
SWMA Ordinance Mtg	Homewood	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Homewood	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Homewood	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Homewood	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
VCC Planning Mtg	Homewood	Meeting	1/25/2018 1:00:00 PM	1 hour	1		
Environmental Quality Committee Training Meeting	Homewood	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Homewood Star-Press Release	Homewood	Media Outreach	2/5/2018 7:00:00 AM	30 days	19,000		
Permit Review	Homewood	Meeting	2/16/2018 12:00:00 AM	2hrs	3		
Homewood SWMPP meeting	Homewood	Meeting	3/14/2018 1:45:00 PM	2 hrs	4		
SWMPP Workshop	Homewood	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		
SWMPP Workshop	Homewood	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		
PALS Don't Drop It On AL Streets Cleanup Campaign	Homewood	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Watershed Protection Program Outreach and Education Activities	Homewood	Outreach Activity	4/24/2018 11:30:00 AM	2hours	1		
Erosion and Sedmentation Control Workshop	Homewood	Training	4/26/2018 8:30:00 AM	4hours	1		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
National Prescription Drug Take Back Day- April 28th	Homewood	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Homewood	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Homewood	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
Turkey Creek Field Day Presentation	Homewood	Outreach Activity	9/19/2018 8:30:00 AM	4 hours	70		
Shades Creek Cleanup	Homewood	Cleanup Activity	9/29/2018 8:30:00 AM	3.5 hrs	65	1000 lbs	2 miles
LaFiesta Festival	Homewood	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Homewood	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
 							
Cahaba River Society Frydown 2017	Hueytown	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Hueytown	Meeting	10/10/2017 10:00:00 AM	1hour	13		
S.O.A.R. Presentation	Hueytown	Outreach Activity	10/11/2017 8:30:00 AM	30minutes	2		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Hueytown	Outreach Activity	10/17/2017 9:00:00 AM	3 hours	2		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Hueytown	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	3		
National Drug Take Back Day	Hueytown	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Hueytown	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Hueytown	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Hueytown	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Hueytown	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Environmental Quality Committee Training Meeting	Hueytown	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Litter Video Competition	Hueytown	Outreach Activity	1/31/2018 12:00:00 AM	1 hour	28		
Valley Creek Cleanup WJLD Radio Show	Hueytown	Media Outreach	3/13/2018 7:00:00 AM	1 hour	5		
Jeff.Co.SoilandWaterConservationNewsLetter	Hueytown	Media Outreach	3/15/2018 8:00:00 AM	30 days	100		
Valley Creek Cleanup	Hueytown	Cleanup Activity	3/17/2018 8:30:00 AM	4hours	479	15.165 tons of trash and debris and 1.1 tons	
SWMPP Training	Hueytown	Meeting	4/3/2018 9:00:00 AM	2.75	8		
PALS Don't Drop It On AL Streets Cleanup Campaign	Hueytown	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day- April 28th	Hueytown	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Hueytown	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Electronics Take Bake Day	Hueytown	Outreach Activity	7/28/2018 8:00:00 AM	4hours	1		
Trash Costs Cash-PSA	Hueytown	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Hueytown	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Hueytown	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
 							
Cahaba River Society Frydown 2017	Irondale	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Irondale	Outreach Activity	10/17/2017 9:00:00 AM	3 hours	8		
National Drug Take Back Day	Irondale	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Irondale	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
MS4 Staff Training	Irondale	Outreach Activity	11/15/2017 8:30:00 AM	3hours	5		
SWMA Ordinance Mtg	Irondale	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Irondale	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
2018 Watershed Protection Calendar	Irondale	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Watershed Protection Classroom Activity	Irondale	Outreach Activity	1/19/2018 10:00:00 AM	1 hour	11		
Environmental Quality Committee Training Meeting	Irondale	Meeting	1/26/2018 10:00:00 AM	4hours	17		
2-26-18Irondale Utility Water Insert	Irondale	Outreach Activity	2/26/2018 8:00:00 AM	30 days	City Wide		
SWMPP Workshop	Irondale	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		
SWMPP Workshop	Irondale	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		
Cahaba River-- Grants Mill Rd Cleanup	Irondale	Cleanup Activity	3/24/2018 12:00:00 PM	1hour	6	2bags	
SWMPP worksession	Irondale	Meeting	3/27/2018 2:00:00 PM	1 hr	2		
SWMA Mtg.	Irondale	Meeting	4/11/2018 10:00:00 AM	1hour	1		
PALS Don't Drop It On AL Streets Cleanup Campaign	Irondale	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Clean as a Whistle Cleanup Week	Irondale	Cleanup Activity	4/21/2018 9:00:00 AM	1 week	25	25 bags	City Wide
Watershed Protection Program Outreach and Education Activities	Irondale	Outreach Activity	4/24/2018 11:30:00 AM	2hours	1		
Erosion and Sedimentation Control Workshop	Irondale	Training	4/26/2018 8:30:00 AM	4hours	1		
Coke United Cleanup	Irondale	Cleanup Activity	4/28/2018 10:00:00 AM	1day	22	0.065 tons of trash; 30 pounds of recyclables	
National Prescription Drug Take Back Day- April 28th	Irondale	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Irondale	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Church of the Highlands Cleanup	Irondale	Cleanup Activity	7/14/2018 10:00:00 AM	2hours	28	4850 lbs	
Enviroscape Activity	Irondale	Outreach Activity	7/19/2018 10:30:00 AM	2	15		
Church of the Highlands Roadside Cleanup	Irondale	Cleanup Activity	9/1/2018 7:30:00 AM	4hours	3	8 bags	
Trash Costs Cash-PSA	Irondale	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
City of Irondale Toot, Toot Festival	Irondale	Outreach Activity	9/29/2018 9:00:00 AM	8hours	100		
LaFiesta Festival	Irondale	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Irondale	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Low Impact Brochures given out	Irondale	Media Outreach		All Year	25		
Stormwater Brochures given out	Irondale	Media Outreach		All Year	80		
Cahaba River Society Frydown 2017	Lipscomb	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
National Drug Take Back Day	Lipscomb	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Lipscomb	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
PALS Annoucement	Lipscomb	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Lipscomb	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
VCC Plannning Mtg	Lipscomb	Meeting	1/25/2018 1:00:00 PM	1 hour	1		
Environmental Quality Committee Training Meeting	Lipscomb	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Valley Creek Cleanup WJLD Radio Show	Lipscomb	Media Outreach	3/13/2018 7:00:00 AM	1 hour	5		
Jeff.Co.SoilandWaterConservationNewsLetter	Lipscomb	Media Outreach	3/15/2018 8:00:00 AM	30 days	100		
Valley Creek Cleanup	Lipscomb	Cleanup Activity	3/17/2018 8:30:00 AM	4hours	479	15.165 tons of trash and debris and 1.1 tons	
PALS Don't Drop It On AL Streets Cleanup Campaign	Lipscomb	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day- April 28th	Lipscomb	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
SWMPP Mtg	Lipscomb	Meeting	5/3/2018 10:00:00 AM	2 hours	1		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
Rain Barrel Workshop	Lipscomb	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
S.O.A.R. Training	Lipscomb	Training	6/25/2018 10:00:00 AM	City of Lipscomb-Town Hall Bldg	1		
Trash Costs Cash-PSA	Lipscomb	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Lipscomb	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Lipscomb	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Maytown							
Cahaba River Society Frydown 2017	Maytown	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
Analyze Water Quality in Turkey Creek	Maytown	Outreach Activity	10/18/2017 9:00:00 AM	3hours	72		
National Drug Take Back Day	Maytown	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Maytown	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Maytown	Meeting	12/20/2017 10:00:00 AM	1 hour	1		
MLK Cleanup Planning Meeting	Maytown	Meeting	1/5/2018 8:30:00 AM	2 hours	9		
PALS Annoucement	Maytown	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Maytown	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Annual MLK Cleanup	Maytown	Cleanup Activity	1/14/2018 9:00:00 AM	4hours	358	8.50	
Stormwater Activity Sheets	Maytown	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Maytown	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Mulga Loop Road Litter Cleanup Project	Maytown	Cleanup Activity	3/24/2018 9:30:00 AM	3hours	98	6.0 tons	
PALS Don't Drop It On AL Streets Cleanup Campaign	Maytown	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day-April 28th	Maytown	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Maytown	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Maytown	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Maytown	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Maytown	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Midfield							
Cahaba River Society Frydown 2017	Midfield	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Midfield	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	5		
National Drug Take Back Day	Midfield	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Midfield	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
Valley Creek Cleanup Litter Video Competition Presentation	Midfield	Outreach Activity	11/7/2017 1:00:00 AM	30minutes	2		
PALS Governor's Award Ceremony	Midfield	Outreach Activity	11/8/2017 12:00:00 PM	2 hours	75		
Valley Creek Cleanup Litter Video Presentation	Midfield	Outreach Activity	11/28/2017 10:30:00 AM	1 hour	150		
SWMA Ordinance Mtg	Midfield	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Midfield	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Midfield	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
VCC Planning Mtg	Midfield	Meeting	1/25/2018 1:00:00 PM	1 hour	1		
Environmental Quality Committee Training Meeting	Midfield	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Midfield SWMPP Meeting	Midfield	Meeting	3/11/2018 11:00:00 AM	2 hrs	2		
Valley Creek Cleanup WJLD Radio Show	Midfield	Media Outreach	3/13/2018 7:00:00 AM	1 hour	5		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
Jeff.Co.SoilandWaterConservationNewsLetter	Midfield	Media Outreach	3/15/2018 8:00:00 AM	30 days	100		
Valley Creek Cleanup	Midfield	Cleanup Activity	3/17/2018 8:30:00 AM	4hours	479	15.165 tons of trash and debris and 1.1 tons	
SWMPP Training	Midfield	Meeting	4/3/2018 9:00:00 AM	2.75	8		
PALS Don't Drop It On AL Streets Cleanup Campaign	Midfield	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day-April 28th	Midfield	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Water Festival	Midfield	Outreach Activity	5/3/2018 9:00:00 AM	4hours	200		
Rain Barrel Workshop	Midfield	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Midfield	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Midfield	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Midfield	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Mountain Brook							
Cahaba River Society Frydown 2017	Mountain Brook	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Mountain Brook	Meeting	10/10/2017 10:00:00 AM	1hour	13		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Mountain Brook	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	5		
National Drug Take Back Day	Mountain Brook	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Mountain Brook	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Mountain Brook	Meeting	11/15/2017 10:00:00 AM	1hour	5		
MS4 Meeting	Mountain Brook	Outreach Activity	12/6/2017 11:00:00 AM	1 hr	10		
Public Works Training	Mountain Brook	Outreach Activity	12/12/2017 2:00:00 PM	1.75 hrs	25		
SWMA Ordinance Mtg	Mountain Brook	Outreach Activity	12/15/2017 10:30:00 AM	2hours	5		
SWMA Ordinance Mtg	Mountain Brook	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Mountain Brook	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Mountain Brook	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Mountain Brook	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Mountain Brook	Meeting	1/26/2018 10:00:00 AM	4hours	17		
AL Stormwater Association	Mountain Brook	Meeting	3/20/2018 10:00:00 AM	4hours	1		
SWMPP Workshop	Mountain Brook	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		
SWMPP Workshop	Mountain Brook	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		
SWMA Mtg.	Mountain Brook	Meeting	4/11/2018 10:00:00 AM	1hour	1		
PALS Don't Drop It On AL Streets Cleanup Campaign	Mountain Brook	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Watershed Protection Program Outreach and Education Activities	Mountain Brook	Outreach Activity	4/24/2018 11:30:00 AM	2hours	1		
Erosion and Sedimentation Control Workshop	Mountain Brook	Training	4/26/2018 8:30:00 AM	4hours	1		
Citizens Appreciation Day	Mountain Brook	Outreach Activity	4/28/2018 10:00:00 AM	4hours	100		
National Prescription Drug Take Back Day-April 28th	Mountain Brook	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Schaeffer Eye Center Cleanup Day	Mountain Brook	Cleanup Activity	6/2/2018 4:00:00 PM	2 hours	21	1 bag	
Rain Barrel Workshop	Mountain Brook	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Electronics Collection Day	Mountain Brook	Outreach Activity	8/11/2018 8:00:00 AM	4hours	1		
Trash Costs Cash-PSA	Mountain Brook	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Mountain Brook	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Mountain Brook	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
Cahaba River Society Frydown 2017	Mulga	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
Analyze Water Quality in Turkey Creek	Mulga	Outreach Activity	10/18/2017 9:00:00 AM	3hours	72		
National Drug Take Back Day	Mulga	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Mulga	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Mulga	Meeting	12/20/2017 10:00:00 AM	1hour	1		
MLK Cleanup Planning Meeting	Mulga	Meeting	1/5/2018 8:30:00 AM	2 hours	9		
PALS Annoucement	Mulga	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Mulga	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Annual MLK Cleanup	Mulga	Cleanup Activity	1/14/2018 9:00:00 AM	4hours	358	8.50	
Stormwater Activity Sheets	Mulga	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Mulga	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Mulga Loop Road Litter Cleanup Project	Mulga	Cleanup Activity	3/24/2018 9:30:00 AM	3hours	98	6.0 tons	
PALS Don't Drop It On AL Streets Cleanup Campaign	Mulga	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day-April 28th	Mulga	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Mulga	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Mulga	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Mulga	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Mulga	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Pinson							
Cahaba River Society Frydown 2017	Pinson	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Pinson	Outreach Activity	10/17/2017 9:00:00 AM	3 hours	2		
National Drug Take Back Day	Pinson	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Pinson	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Pinson	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Pinson	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Pinson	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Pinson	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Pinson	Meeting	1/26/2018 10:00:00 AM	4hours	17		
PALS Don't Drop It On AL Streets Cleanup Campaign	Pinson	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Watershed Protection Program Outreach and Education Activities	Pinson	Outreach Activity	4/24/2018 11:30:00 AM	2hours	1		
EnviroScape Presentation	Pinson	Outreach Activity	4/26/2018 8:30:00 AM	7hours	250		
National Prescription Drug Take Back Day-April 28th	Pinson	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Pinson	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Cleanup on Main Street	Pinson	Cleanup Activity	8/4/2018 10:00:00 AM	1 hour	1	2 bags	1 mile
Electronics Collection Day	Pinson	Outreach Activity	8/11/2018 8:00:00 AM	4hours	11		
Electronic Collection Day	Pinson	Outreach Activity	8/11/2018 9:00:00 AM	3hours	100		
City of Pinson Cleanup	Pinson	Cleanup Activity	8/18/2018 10:00:00 AM	2hours	23	20bags	
Trash Costs Cash-PSA	Pinson	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Pinson	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
Cahaba River Society Frydown 2018	Pinson	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Cahaba River Society Frydown 2017	Pleasant Grove	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Pleasant Grove	Meeting	10/10/2017 10:00:00 AM	1hour	13		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Pleasant Grove	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	2		
NPDES Permit Mtg	Pleasant Grove	Outreach Activity	10/26/2017 10:00:00 AM	2hours	15		
National Drug Take Back Day	Pleasant Grove	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Pleasant Grove	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
Valley Creek Cleanup Litter Video Competition Grant	Pleasant Grove	Outreach Activity	11/13/2017 12:30:00 PM	1hour	5		
MS4 Meeting	Pleasant Grove	Outreach Activity	12/6/2017 11:00:00 AM	1 hr	10		
SWMA Ordinance Mtg	Pleasant Grove	Meeting	12/15/2017 10:00:00 AM	1 hour	5		
SWMA Ordinance Mtg	Pleasant Grove	Outreach Activity	12/15/2017 10:30:00 AM	2hours	5		
SWMA Ordinance Mtg	Pleasant Grove	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Pleasant Grove	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Pleasant Grove	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Pleasant Grove	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
VCC Planning Mtg	Pleasant Grove	Meeting	1/25/2018 1:00:00 PM	1 hour	1		
Environmental Quality Committee Training Meeting	Pleasant Grove	Meeting	1/26/2018 10:00:00 AM	4hours	17		
VCC Litter Video Competition Presentation	Pleasant Grove	Outreach Activity	2/20/2018 9:30:00 AM	1hour	70		
Jeff.Co.SoilandWaterConservationNewsLetter	Pleasant Grove	Media Outreach	3/15/2018 8:00:00 AM	30 days	100		
Valley Creek Cleanup	Pleasant Grove	Cleanup Activity	3/17/2018 8:30:00 AM	4hours	479	15.165 tons of trash and debris and 1.1 tons	
SWMPP Training	Pleasant Grove	Meeting	4/3/2018 9:00:00 AM	2.75	8		
SWMA Mtg.	Pleasant Grove	Meeting	4/11/2018 10:00:00 AM	1hour	1		
PALS Don't Drop It On AL Streets Cleanup Campaign	Pleasant Grove	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day-April 28th	Pleasant Grove	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Pleasant Grove	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Pleasant Grove	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Pleasant Grove	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Pleasant Grove	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Cahaba River Society Frydown 2017	Tarrant	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Tarrant	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	1		
National Drug Take Back Day	Tarrant	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Tarrant	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Tarrant	Meeting	12/20/2017 10:00:00 AM	1hour	1		
NPDES Stormwater Permit Training	Tarrant	Training	1/4/2018 9:30:00 AM	2hours	20		
PALS Annoucement	Tarrant	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Tarrant	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Tarrant	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Tarrant	Meeting	1/26/2018 10:00:00 AM	4hours	17		
AL Stormwater Association	Tarrant	Meeting	3/20/2018 10:00:00 AM	4hours	1		
SWMPP Workshop	Tarrant	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
SWMP Workshop	Tarrant	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		
SWMP discussion	Tarrant	Meeting	3/27/2018 10:00:00 AM	2 hrs	4		
PALS Don't Drop It On AL Streets Cleanup Campaign	Tarrant	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Erosion and Sedimentation Control Workshop	Tarrant	Training	4/26/2018 8:30:00 AM	4hours	1		
City of Tarrant Community Day	Tarrant	Outreach Activity	4/28/2018 10:00:00 AM	6hours	100		
National Prescription Drug Take Back Day-April 28th	Tarrant	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Tarrant	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Tarrant	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Tarrant	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Tarrant	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Cahaba River Society Frydown 2017	Trussville	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Trussville	Meeting	10/10/2017 10:00:00 AM	1hour	13		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Trussville	Outreach Activity	10/17/2017 9:00:00 AM	3 hours	2		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Trussville	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	4		
National Drug Take Back Day	Trussville	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Trussville	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SOAR	Trussville	Outreach Activity	11/26/2017 8:30:00 AM	30 minutes	2		
MS4 Meeting	Trussville	Outreach Activity	12/6/2017 11:00:00 AM	1 hr	10		
SWMA Ordinance Mtg	Trussville	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Trussville	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Trussville	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Magnolia Roadside Cleanup	Trussville	Cleanup Activity	1/15/2018 10:00:00 AM	1 hour	1	1	
Neighborhood Cleanup	Trussville	Cleanup Activity	1/15/2018 5:00:00 PM	2hours	2	3bag	
Stormwater Activity Sheets	Trussville	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Watershed Protection Classroom Activity	Trussville	Outreach Activity	1/19/2018 10:00:00 AM	1 hour	11		
Environmental Quality Committee Training Meeting	Trussville	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Neighborhood Cleanup	Trussville	Cleanup Activity	3/5/2018 5:00:00 PM	2hrs	2	3bags	
AL Stormwater Association	Trussville	Meeting	3/20/2018 10:00:00 AM	4hours	1		
SWMA Mtg.	Trussville	Meeting	4/11/2018 10:00:00 AM	1hour	1		
PALS Don't Drop It On AL Streets Cleanup Campaign	Trussville	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Erosion and Sedimentation Control Workshop	Trussville	Training	4/26/2018 8:30:00 AM	4hours	1		
National Prescription Drug Take Back Day-April 28th	Trussville	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Neighborhood Cleanup	Trussville	Cleanup Activity	5/28/2018 5:00:00 PM	2hours	2	3bags	
Rain Barrel Workshop	Trussville	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Electronics Collection Day	Trussville	Outreach Activity	8/11/2018 8:00:00 AM	4hours	2		
Trash Costs Cash-PSA	Trussville	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Trussville	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Neighborhood Cleanup	Trussville	Cleanup Activity	9/30/2018 5:00:00 AM	2hours	1	3bags	
Cahaba River Society Frydown 2018	Trussville	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
Cahaba River Society Frydown 2017	Vestavia Hills	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Vestavia Hills	Meeting	10/10/2017 10:00:00 AM	1hour	13		
NPDES MS4 Training (IDDE, HHW, Construction, Good Housekeeping)	Vestavia Hills	Outreach Activity	10/17/2017 9:00:00 AM	3 hours	3		
NPDES MS4 Training (IDDE, HHW, Construction, Good Housekeeping)	Vestavia Hills	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	4		
National Drug Take Back Day	Vestavia Hills	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Vestavia Hills	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
MS4 Meeting	Vestavia Hills	Outreach Activity	12/6/2017 11:00:00 AM	1 hr	10		
Rake of a Difference	Vestavia Hills	Cleanup Activity	12/11/2017 8:30:00 AM	6hours	38	0.40 tons	VHS Campus
SWMA Ordinance Mtg	Vestavia Hills	Meeting	12/20/2017 10:00:00 AM	1hour	3		
PALS Annoucement	Vestavia Hills	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Vestavia Hills	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Vestavia Hills	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Watershed Protection Classroom Activity	Vestavia Hills	Outreach Activity	1/19/2018 10:00:00 AM	1 hour	11		
Environmental Quality Committee Training Meeting	Vestavia Hills	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Permit and SWMPP Review	Vestavia Hills	Meeting	2/13/2018 1:00:00 PM	2 hrs	4		
SWMA Mtg.	Vestavia Hills	Meeting	4/11/2018 10:00:00 AM	1hour	1		
PALS Don't Drop It On AL Streets Cleanup Campaign	Vestavia Hills	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Coke United Cleanup	Vestavia Hills	Cleanup Activity	4/28/2018 10:00:00 AM	1day	22	100 pounds of trash and 30 pounds of recycles	
National Prescription Drug Take Back Day- April 28th	Vestavia Hills	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Vestavia Hills	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Vestavia Hills	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Vestavia Hills	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Vestavia Hills	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		

Illicit Discharge Detection and Elimination

Model IDDE Ordinance

Draft Ordinance

STORM WATER MANAGEMENT AUTHORITY, INC. ILLCIT DISCHARGE ORDINANCE

RECITALS

Section 1 DEFINITIONS

Section 2 ADMINISTRATION

Section 3 ILLCIT DISCHARGES PROHIBITIONS

- Section 3.1 Prohibition of Illegal Discharges.
- Section 3.2 Illegal Discharge Exemptions.
- Section 3.3 Prohibition of Illicit Connections.

Section 4 SUSPENSION OF MS4 ACCESS

- Section 4.1 Suspension Due to Illicit Discharges in Emergency Situations.
- Section 4.2 Suspension Due to the Detection of Illicit Discharge.
- Section 4.3 Post Construction BMP Operation and Maintenance Plan Description.

Section 5 INDUSTRIAL OR CONSTRUCTION ACTIVITY DISCHARGES

Section 6 MONITORING OF DISCHARGES

Section 7 REQUIREMENT TO PREVENT, CONTROL, AND REDUCE STORM WATER POLLUTANTS BY THE USE OF BEST MANAGEMENT PRACTICES

Section 8 WATERCOURSE PROTECTION

Section 9 NOTIFICATION OF SPILLS

Draft Ordinance

Section 10 ENFORCEMENT AND ABATEMENT

- Section 10.1 Notice of Violation.
- Section 10.2 Appeal of Notice of Violation.
- Section 10.3 Enforcement Measures After Appeal.
- Section 10.4 Cost of Abatement of the Violation.
- Section 10.5 Injunctive Relief.
- Section 10.6 Compensatory Action.
- Section 10.7 Violations Deemed a Public Nuisance.
- Section 10.8 Criminal Prosecution.
- Section 10.9 Remedies Not Exclusive.

Section 11 MISCELLANEOUS

- Section 11.1 Applicability.
- Section 11.2 Severability.
- Section 11.3 Ultimate Responsibility.
- Section 11.4 Effective Date.

Draft Ordinance

STORM WATER MANAGEMENT ILLCIT DISCHARGE

RECITALS

WHEREAS, the purpose of this ordinance is to provide for the health, safety, and general welfare of the citizens of **CITY/TOWN** through the regulation of non-storm water discharges to the storm drainage system to the maximum extent practicable as required by federal and state law.

WHEREAS, this ordinance establishes methods for controlling the introduction of pollutants into the municipal separate storm sewer system (MS4) in order to comply with requirements of the National Pollutant Discharge Elimination System (NPDES) permit process.

WHEREAS, this ordinance provides the minimum content for implementing and enforcing a STORM WATER management consistent with the Alabama Department of Environmental Management (ADEM) permit currently issued to the **CITY/TOWN**.

WHEREAS, the objectives of this ordinance are:

1. To regulate the contribution of pollutants to the municipal separate storm sewer system (MS4) by STORM WATER discharges by any user
2. To prohibit Illicit Connections and Discharges to the municipal separate storm sewer system
3. To establish legal authority to carry out all inspection, surveillance and monitoring procedures necessary to ensure compliance with this ordinance

NOW, THEREFORE BE IT ORDAINED by the City Council of the **CITY/TOWN**, Alabama, as follows:

Draft Ordinance

Section 1 DEFINITIONS

For the purposes of this ordinance, the following words and terms shall have the meaning assigned to them in this section.

Authorized enforcement agency: employees or designees of the director of the municipal agency designated to enforce this ordinance.

Best Management Practices (BMPs): schedules of activities, prohibitions of practices, general good housekeeping practices, pollution prevention and educational practices, maintenance procedures, and other management practices to prevent or reduce the discharge of pollutants directly or indirectly to STORM WATER, receiving waters, or STORM WATER conveyance systems. BMPs also include treatment practices, operating procedures, and practices to control site runoff, spillage or leaks, sludge or water disposal, or drainage from raw materials storage.

Clean Water Act. The federal Water Pollution Control Act (33 U.S.C. § 1251 et seq.), and any subsequent amendments thereto.

Construction Activity. Activities subject to NPDES Construction Permits. Currently these include construction projects resulting in land disturbance of 1 acre or more. Such activities include but are not limited to clearing and grubbing, grading, excavating, and demolition.

Hazardous Materials. Any material, including any substance, waste, or combination thereof, which because of its quantity, concentration, or physical, chemical, or infectious characteristics may cause, or significantly contribute to, a substantial present or potential hazard to human health, safety, property, or the environment when improperly treated, stored, transported, disposed of, or otherwise managed.

Illegal Discharge. Any direct or indirect non-storm water discharge to the storm drain system, except as exempted in Section X of this ordinance.

Illicit Connections. An illicit connection is defined as either of the following:

1. Any drain or conveyance, whether on the surface or subsurface, which allows an illegal discharge to enter the storm drain system including but not limited to any conveyances which allow any non-storm water discharge including sewage, process wastewater, and wash water to enter the storm drain system and any connections to the storm drain system from indoor drains and sinks, regardless of whether said drain or connection had been previously allowed, permitted, or approved by the CITY/TOWN or,

Draft Ordinance

2. Any drain or conveyance connected from a commercial or industrial land use to the storm drain system which has not been documented in plans, maps, or equivalent records and approved by the **CITY/TOWN**.

Industrial Activity. Activities subject to NPDES Industrial Permits as defined in 40 CFR, Section 122.26 (b)(14).

National Pollutant Discharge Elimination System (NPDES) Storm Water Discharge Permit. means a permit issued by EPA (or by a State under authority delegated pursuant to 33 USC § 1342(b)) that authorizes the discharge of pollutants to waters of the United States, whether the permit is applicable on an individual, group, or general area-wide basis.

Non-Storm Water Discharge. Any discharge to the storm drain system that is not composed entirely of storm water.

Person. Any individual, association, organization, partnership, firm, corporation or other entity recognized by law and acting as either the owner or as the owner's agent.

Pollutant. Anything which causes or contributes to pollution. Pollutants may include, but are not limited to: paints, varnishes, and solvents; oil and other automotive fluids; non-hazardous liquid and solid wastes and yard wastes; refuse, rubbish, garbage, litter, or other discarded or abandoned objects, ordinances, and accumulations, so that same may cause or contribute to pollution; floatables; pesticides, herbicides, and fertilizers; hazardous substances and wastes; sewage, fecal coliform and pathogens; dissolved and particulate metals; animal wastes; wastes and residues that result from constructing a building or structure; and noxious or offensive matter of any kind.

Premises. Any building, lot, parcel of land, or portion of land whether improved or unimproved including adjacent sidewalks and parking strips.

Storm Drainage System. Publicly-owned facilities by which storm water is collected and/or conveyed, including but not limited to any roads with drainage systems, municipal streets, gutters, curbs, inlets, piped storm drains, pumping facilities, retention and detention basins, natural and human-made or altered drainage channels, reservoirs, and other drainage structures.

Storm Water. Any surface flow, runoff, and drainage consisting entirely of water from any form of natural precipitation, and resulting from such precipitation.

Storm Water Pollution Prevention Plan. A document which describes the Best Management Practices and activities to be implemented by a person or business to identify sources of pollution or contamination at a site and the actions to eliminate or reduce pollutant discharges to STORM WATER, STORM WATER Conveyance Systems, and/or Receiving Waters to the Maximum Extent Practicable.

Wastewater means any water or other liquid, other than uncontaminated storm water, discharged from a facility.

Draft Ordinance

Section 2 ADMINISTRATION

The **CITY/TOWN** shall administer, implement, and enforce the provisions of this ordinance. Any powers granted or duties imposed upon the **CITY/TOWN** may be enforced by _____ or delegated in writing by an official of the **CITY/TOWN** to persons or entities acting in the beneficial interest of or in the employ of the agency.

Draft Ordinance

Section 3 ILLICIT DISCHARGE PROHIBITIONS

Section 3.1 Prohibition of Illegal Discharges.

No person shall discharge or cause to be discharged into the municipal storm drain system or watercourses any materials, including but not limited to pollutants or waters containing any pollutants that cause or contribute to a violation of applicable water quality standards, other than storm water.

Section 3.2 Illegal Discharges Exemptions.

The prohibition shall not apply to any non-storm water discharge permitted under an NPDES permit, waiver, or waste discharge order issued to the discharger and administered under the authority of the Federal Environmental Protection Agency, provided that the discharger is in full compliance with all requirements of the permit, waiver, or order and other applicable laws and regulations, and provided that written approval has been granted for any discharge to the storm drain system.

The following discharges are exempt from discharge prohibitions established by this ordinance provided that they have been determined not to be substantial contributor of pollutants by the City or Alabama Department of Environmental Management (ADEM):

- a) Water line flushing
- b) Landscape irrigation or lawn watering (not consisting or treated, or untreated wastewater unless otherwise authorized)
- c) Diverted stream flows
- d) Uncontaminated ground water infiltration
- e) Uncontaminated pumped groundwater
- f) Discharges from potable water sources
- g) Foundation or footing drains (not including active groundwater dewatering systems)
- h) air conditioning condensation or drains
- i) Irrigation water (not consisting or treated, or untreated wastewater unless otherwise authorized)
- j) Rising ground water
- k) Springs
- l) Water from crawl space pumps
- m) Lawn watering runoff
- n) Individual residential car washing, to include charitable carwashes
- o) Residential street wash water
- p) Discharges or flows from firefighting activities (including fire hydrant flushing)

Draft Ordinance

- q) Flows from natural riparian habitat or wetlands
- r) Dechlorinated swimming pool discharges
- s) Dye testing is an allowable discharge, but requires a verbal notification to the **CITY/TOWN** prior to the time of the test.

Section 3.3 Prohibition of Illicit Connections.

- a) The construction, use, maintenance or continued existence of illicit connections to the storm drain system is prohibited.
- b) This prohibition expressly includes, without limitation, illicit connections made in the past, regardless of whether the connection was permissible under law or practices applicable or prevailing at the time of connection.
- c) A person is considered to be in violation of this ordinance if the person connects a line conveying sewage to the MS4, or allows such a connection to continue.

Draft Ordinance

Section 4 SUSPENSION OF MS4 ACCESS

Section 4.1 Suspension Due to Illicit Discharges in Emergency Situations.

The **CITY/TOWN** may, without prior notice, suspend MS4 discharge access to a person when such suspension is necessary to stop an actual or threatened discharge which presents or may present imminent and substantial danger to the environment, or to the health or welfare of persons, or to the MS4 or Waters of the United States. If the violator fails to comply with a suspension order issued in an emergency, the **CITY/TOWN** may take such steps as deemed necessary to prevent or minimize damage to the MS4 or Waters of the United States, or to minimize danger to persons.

Section 4.2 Suspension Due to the Detection of Illicit Discharge.

Any person discharging to the MS4 in violation of this ordinance may have their MS4 access terminated if such termination would abate or reduce an illicit discharge. The **CITY/TOWN** will notify a violator of the proposed termination of its MS4 access. The violator may petition the **CITY/TOWN** for a reconsideration and hearing.

A person commits an offense if the person reinstates MS4 access to premises terminated pursuant to this Section, without the prior approval of the **CITY/TOWN**.

Draft Ordinance

Section 5

INDUSTRIAL, COMMERCIAL OR CONSTRUCTION ACTIVITY DISCHARGES

Any person subject to an industrial, commercial or construction activity NPDES storm water discharge permit shall comply with all provisions of such permit. Proof of compliance with said permit may be required in a form acceptable to the **CITY/TOWN** prior to the allowing of discharges to the MS4.

Draft Ordinance

Section 6 MONITORING OF DISCHARGES

Section 6.1 Applicability.

This section applies to all facilities that have storm water discharges associated with industrial, commercial, and construction activity.

Section 6.2 Access to Facilities.

- a) The **CITY/TOWN** shall be permitted to enter and inspect facilities subject to regulation under this ordinance as often as may be necessary to determine compliance with this ordinance. If a discharger has security measures in force which require proper identification and clearance before entry into its premises, the discharger shall make the necessary arrangements to allow access to representatives of the **CITY/TOWN**.
- b) Facility operators shall allow the **CITY/TOWN** ready access to all parts of the premises for the purposes of inspection, sampling, examination and copying of records that must be kept under the conditions of an NPDES permit to discharge storm water, and the performance of any additional duties as defined by state and federal law.
- c) The **CITY/TOWN** shall have the right to set up on any permitted facility such devices as are necessary in the opinion of the **CITY/TOWN** to conduct monitoring and/or sampling of the facility's storm water discharge.
- d) The **CITY/TOWN** has the right to require the discharger to install monitoring equipment as necessary. The facility's sampling and monitoring equipment shall be maintained at all times in a safe and proper operating condition by the discharger at its own expense. All devices used to measure STORM WATER flow and quality shall be calibrated to ensure their accuracy.
- e) Any temporary or permanent obstruction to safe and easy access to the facility to be inspected and/or sampled shall be promptly removed by the operator at the written or oral request of the **CITY/TOWN** and shall not be replaced. The costs of clearing such access shall be borne by the operator.
- f) Unreasonable delays in allowing the **CITY/TOWN** access to a permitted facility is a violation of a storm water discharge permit and of this ordinance. A person who is the operator of a facility with a NPDES permit to discharge storm water associated with industrial activity commits an offense if the person denies the **CITY/TOWN** reasonable access to the permitted facility for the purpose of conducting any activity authorized or required by this ordinance.
- g) If the **CITY/TOWN** has been refused access to any part of the premises from which STORM WATER is discharged, and he/she is able to demonstrate probable cause to believe that there may be a violation of

Draft Ordinance

this ordinance, or that there is a need to inspect and/or sample as part of a routine inspection and sampling program designed to verify compliance with this ordinance or any order issued hereunder, or to protect the overall public health, safety, and welfare of the community, then the **CITY/TOWN** may seek issuance of a search warrant from any court of competent jurisdiction.

Section 7

REQUIREMENT TO PREVENT, CONTROL, AND REDUCE STORM WATER POLLUTANTS BY THE USE OF BEST MANAGEMENT PRACTICES

CITY/TOWN will adopt requirements identifying Best Management Practices for any activity, operation, or facility which may cause or contribute to pollution or contamination of storm water, the storm drain system, or waters of the U.S. The owner or operator of a commercial or industrial establishment shall provide, at their own expense, reasonable protection from accidental discharge of prohibited materials or other wastes into the municipal storm drain system or watercourses through the use of these structural and non-structural BMPs. Further, any person responsible for a property or premise, which is, or may be, the source of an illicit discharge, may be required to implement, at said person's expense, additional structural and non-structural BMPs to prevent the further discharge of pollutants to the municipal separate storm sewer system. Compliance with all terms and conditions of a valid NPDES permit authorizing the discharge of storm water associated with industrial activity, to the extent practicable, shall be deemed compliance with the provisions of this section. These BMPs shall be part of a STORM WATER pollution prevention plan (SWPP) as necessary for compliance with requirements of the NPDES permit.

Draft Ordinance

Section 8

WATERCOURSE PROTECTION

Every person owning property through which a watercourse passes, or such person's lessee, shall keep and maintain that part of the watercourse within the property free of trash, debris, excessive vegetation, and other obstacles that would pollute, contaminate, or significantly retard the flow of water through the watercourse. In addition, the owner or lessee shall maintain existing privately owned structures within or adjacent to a watercourse, so that such structures will not become a hazard to the use, function, or physical integrity of the watercourse.

Draft Ordinance

Section 9 NOTIFICATION OF SPILLS

Notwithstanding other requirements of law, as soon as any person responsible for a facility or operation, or responsible for emergency response for a facility or operation has information of any known or suspected release of materials which are resulting or may result in illegal discharges or pollutants discharging into storm water, the storm drain system, or water of the U.S. said person shall take all necessary steps to ensure the discovery, containment, and cleanup of such release. In the event of such a release of hazardous materials said person shall immediately notify emergency response agencies of the occurrence via emergency dispatch services. In the event of a release of non-hazardous materials, said person shall notify the **CITY/TOWN** in person or by phone or facsimile no later than the next business day. Notifications in person or by phone shall be confirmed by written notice addressed and mailed to the **CITY/TOWN** within three business days of the phone notice. If the discharge of prohibited materials emanates from a commercial or industrial establishment, the owner or operator of such establishment shall also retain an on-site written record of the discharge and the actions taken to prevent its recurrence. Such records shall be retained for at least three years.

Draft Ordinance

Section 10 ENFORCEMENT AND ABATEMENT

Whenever the **CITY/TOWN** finds that a person has violated a prohibition or failed to meet a requirement of this Ordinance, the **CITY/TOWN** may enforce the ordinance with escalating procedures.

Section 10.1 Notification; Enforcement Remedies.

- (a) Warning Notice: A warning notice of violation is the lowest level of formal response to a violation. It is a verbal or written response presented to the violator shortly after a violation has been identified and is intended for minor violations that would not cause significant harm to the environment.
- (b) Notification of Violation: Whenever the Official finds that any person is in violation of any provision of this ordinance, or any order issued hereunder, the Official or his agent may serve upon such person written notice of the violation requiring the removal of illicit discharges and immediate cessation improper disposal practices within ten (10) calendar days of the date of such notice. Compliance by written notice of violation to the responsible person may require without limitation:
 - 1. The performance of monitoring, analyses, and reporting;
 - 2. The abatement or remediation of storm water pollution or contamination hazards and the restoration of any affected property; and
 - 3. Payment of a fine to cover administrative and remediation costs; and
 - 4. The implementation of source control or treatment BMPs.
- (c) Compliance Order: Whenever abatement of a violation and/or restoration of affected property is not possible within ten (10) days, a compliance order may be issued to the violator. The order shall set forth a deadline within which such remediation or restoration must be completed. Said order shall further advise that, should the violator fail to remediate or restore within the established deadline, the work will be done by a designated governmental agency or a contractor and the expense thereof shall be charged to the violator.

Section 10.2 Appeal of Violation.

Any person receiving a Notice of Violation or Compliance Order may appeal the determination of the **CITY/TOWN**. The notice of appeal must be received within ten (10) days from the date of the Notice of Violation/Compliance Order. Hearing on the appeal before the appropriate authority or his/her designee shall take place within fifteen (15) days from the date of receipt of the notice of appeal. The decision of the municipal authority or their designee shall be final.

Draft Ordinance

Section 10.3 Enforcement Measures After Appeal.

If the violation has not been corrected pursuant to the requirements set forth in the Notice of Violation, or, in the event of an appeal, within thirty (30) days of the decision of the municipal authority upholding the decision of the **CITY/TOWN**, then representatives of the **CITY/TOWN** shall enter upon the subject private property and are authorized to take any and all measures necessary to abate the violation and/or restore the property. It shall be unlawful for any person, owner, agent or person in possession of any premises to refuse to allow the government agency or designated contractor to enter upon the premises for the purposes set forth above.

Section 10.4 Cost of Abatement of the Violation.

Within _____ days after abatement of the violation, the owner of the property will be notified of the cost of abatement, including administrative costs. The property owner may file a written protest objecting to the amount of the assessment within _____ days. If the amount due is not paid within a timely manner as determined by the decision of the municipal authority or by the expiration of the time in which to file an appeal, the charges shall become a special assessment against the property and shall constitute a lien on the property for the amount of the assessment.

Any person violating any of the provisions of this ordinance shall become liable to the city by reason of such violation. The liability shall be paid in not more than 12 equal payments. Interest at the rate of twelve (12) percent per annum shall be assessed on the balance beginning on the 1st day following discovery of the violation.

Section 10.5 Injunctive Relief.

It shall be unlawful for any person to violate any provision or fail to comply with any of the requirements of this Ordinance. If a person has violated or continues to violate the provisions of this ordinance, the **CITY/TOWN** may petition for a preliminary or permanent injunction restraining the person from activities which would create further violations or compelling the person to perform abatement or remediation of the violation.

Section 10.6 Compensatory Action.

In lieu of enforcement proceedings, penalties, and remedies authorized by this Ordinance, the **CITY/TOWN** may impose upon a violator alternative compensatory actions, such as storm drain stenciling, attendance at compliance workshops, creek cleanup, etc.

Draft Ordinance

Section 10.7 Violations Deemed a Public Nuisance.

In addition to the enforcement processes and penalties provided, any condition caused or permitted to exist in violation of any of the provisions of this Ordinance is a threat to public health, safety, and welfare, and is declared and deemed a nuisance, and may be summarily abated or restored at the violator's expense, and/or a civil action to abate, enjoin, or otherwise compel the cessation of such nuisance may be taken.

Section 10.8 Criminal Prosecution.

Any person that has violated or continues to violate this ordinance shall be liable to criminal prosecution to the fullest extent of the law, and shall be subject to a criminal penalty of \$500 dollars per violation per day and/or imprisonment for a period of time not to exceed one hundred and eighty (180) days.

The **CITY/TOWN** may recover all attorney's fees court costs and other expenses associated with enforcement of this ordinance, including sampling and monitoring expenses.

Section 10.9 Remedies Not Exclusive.

The remedies listed in this ordinance are not exclusive of any other remedies available under any applicable federal, state or local law and it is within the discretion of the **CITY/TOWN** to seek cumulative remedies.

Draft Ordinance

Section 11 MISCELLANEOUS

Section 11.1 Applicability.

This ordinance shall apply to all water entering the storm drain system generated on any developed and undeveloped lands unless explicitly exempted by a CITY/TOWN.

Section 11.2 Severability.

The provisions of this ordinance are hereby declared to be severable. If any provision, clause, sentence, or paragraph of this Ordinance or the application thereof to any person, establishment, or circumstances shall be held invalid, such invalidity shall not affect the other provisions or application of this Ordinance.

Section 11.3 Ultimate Responsibility.

The standards set forth herein and promulgated pursuant to this ordinance are minimum standards; therefore, this ordinance does not intend nor imply that compliance by any person will ensure that there will be no contamination, pollution, nor unauthorized discharge of pollutants.

Section 11.4 Effective Date.

This ordinance shall be published as required by law and shall become effective at _____ on _____.


ADOPTED: This ____ day of _____, XXXX.

APPROVED: This ____ day of _____, XXXX.


Mayor

Dry Weather Screening Maps

City of Adamsville






City of Brighton



**Brighton has 3.66 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.1 0.2 0.4
Miles



City of Brookside




**Brookside has 15.31 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

- Not Screened
- Completed 2017-2018
- Proposed 2018-2019

0 0.225 0.45 0.9 Miles






City of Fairfield



**Fairfield has 1.07 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.15 0.3 0.6 Miles



City of Gardendale




**Gardendale has 23.53 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

- Not Screened
- Completed 2017-2018
- Proposed 2018-2019

0 0.4 0.8 1.6 Miles






City of Homewood



**Homewood has 10.15 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.25 0.5 1 Miles






City of Hueytown



Hueytown has 24.21 miles of streams.
Each year 20% will be dry screened.


Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.4 0.8 1.6
Miles



City of Irondale




**Irondale has 22.12 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

- Not screened
- Complete 2017-2018
- Proposed 2018-2019

0 0.425 0.85 1.7 Miles







City of Lipscomb



**Lipscomb has 2.87 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

-  Not Completed
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.1 0.2 0.4
 Miles



City of Midfield




Midfield has 3.18 miles of streams. Each year 20% will be dry screened.


Dry Weather Screening

- Not Screened
- Completed 2017-2018
- Proposed 2018-2019

0 0.15 0.3 0.6 Miles






City of Mountain Brook




Mountain Brook has 16.30 miles of streams. Each year 20% will be dry screened.


Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.3 0.6 1.2 Miles






City of Pleasant Grove




Pleasant Grove has 12.70 miles of streams. Each year 20% will be dry screened.


Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.225 0.45 0.9 Miles



City of Tarrant



**Tarrant has 5.31 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

- Not Screened
- Completed 2017-2018
- Proposed 2018-2019

0 0.225 0.45 0.9
Miles






City of Trussville



**Trussville has 38.27 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.475 0.95 1.9
Miles







City of Vestavia Hills



**Vestavia Hills has 27.39 miles of streams.
Each year 20% will be dry screened.**

Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.5 1 2
 Miles



Construction Site Storm Water Runoff Control

Erosion Control Permits

Permit Date	Municipality	Street Nbr	Street Name	Type	City	Zip	Location Description
12/1/2017	Gardendale	7039	PINE MOUNTAIN CIRCLE	CIR	GARDENDALE	35071	7039 Pine Mountain circle
12/5/2017	Gardendale	749	MAIN STREET	ST	GARDENDALE	35071	749 Main Street
12/13/2017	Gardendale	4536	SHADY GROVE LANE	LN	GARDENDALE	35071	4536 Shady Grove Lane
12/13/2017	Gardendale	4532	SHADY GROVE LANE	LN	GARDENDALE	35071	4532 Shady Grove Lane
1/15/2018	Gardendale	7044	PINE MOUNTAIN CIRCLE	CIR	GARDENDALE	35071	7044 Pine Mountain Circle
1/15/2018	Gardendale	7052	PINE MOUNTAIN CIRCLE	CIR	GARDENDALE	35071	7052 Pine Mountain Circle
1/29/2018	Gardendale	438	NORMAN ROAD	RD	GARDENDALE	35071	438 Norman Road
2/6/2018	Gardendale	7048	PINE MOUNTAIN CIRCLE	CIR	GARDENDALE	35071	7048 Pine Mountain Circle
2/9/2018	Gardendale	1069	PINEMEADOW DRIVE	DR	GARDENDALE	35071	1069 Pinemeadow Drive
2/12/2018	Gardendale	269	ROCK DRIVE	DR	GARDENDALE	35071	269 Rock Drive
2/14/2018	Gardendale	4540	SHADY GROVE LANE	LN	GARDENDALE	35071	4540 Shady Grove Lane
2/14/2018	Gardendale	4516	SHADY GROVE LANE	LN	GARDENDALE	35071	4516 Shady Grove Lane
2/28/2018	Gardendale	4539	SHADY GROVE LANE	LN	GARDENDALE	35071	4539 Shady Grove Lane
2/28/2018	Gardendale	4575	SHADY GROVE LANE	LN	GARDENDALE	35071	4575 Shady Grove Lane
2/28/2018	Gardendale	4559	SHADY GROVE LANE	LN	GARDENDALE	35071	4559 Shady Grove Lane
3/13/2018	Gardendale	4567	SHADY GROVE LANE	LN	GARDENDALE	35071	4567 Shady Grove Lane
3/13/2018	Gardendale	430	FIELDSTOWN ROAD	RD	GARDENDALE	35071	430 Fieldstown Road
3/25/2018	Gardendale	7483	TURNBERRY DRIVE	DR	GARDENDALE	35071	7483 Turnberry Drive
4/9/2018	Gardendale	305	ROCK DRIVE	DR	GARDENDALE	35071	305 Rock Drive
4/11/2018	Gardendale	809	ROSEWOOD CIRCLE	CIR	GARDENDALE	35071	809 Rosewood Circle
4/17/2018	Gardendale	6224	FERGUSON LANE	LN	GARDENDALE	35071	6224 Ferguson Lnae
4/19/2018	Gardendale	4503	SHADY GROVE LANE	LN	GARDENDALE	35071	4503 SHADY GROVE LANE
4/30/2018	Gardendale	4420	SHADY GROVE ROAD	RD	GARDENDALE	35071	4420 Shady Grove Road
5/17/2018	Gardendale	7043	PINE MOUNTAIN CIRCLE	CIR	GARDENDALE	35071	7043 Pine Mountain Circle
5/17/2018	Gardendale	313	ROCK DRIVE	DR	GARDENDALE	35071	313 Rock Drive
5/17/2018	Gardendale	309	ROCK DRIVE	DR	GARDENDALE	35071	309 Rock Drive
5/17/2018	Gardendale	4563	SHADY GROVE LANE	LN	GARDENDALE	35071	4563 Shady Grove Lane
5/17/2018	Gardendale	4543	SHADY GROVE	LN	GARDENDALE	35071	4543 Shady Grove Lane
5/31/2018	Gardendale	1355	WOODRIDGE PLACE	PL	GARDENDALE	35071	1355 Woodridge Place
5/31/2018	Gardendale	1361	WOODRIDGE PLACE	PL	GARDENDALE	35071	1361 Woodridge Place
5/31/2018	Gardendale	1365	WOODRIDGE PLACE	PL	GARDENDALE	35071	1365 Woodridge Place

Erosion Control Permits

Permit Date	Municipality	Street Nbr	Street Name	Type	City	Zip	Location Description
6/4/2018	Gardendale	1535	CROWN POINT DRIVE	DR	GARDENDALE	35071	1535 Crown Point Drive
6/5/2018	Gardendale	209	ROCK DRIVE	DR	GARDENDALE	35071	209 Rock Drive
6/18/2018	Gardendale	1356	WOODRIDGE PLACE	PL	GARDENDALE	35071	1356 Woodridge Place
6/18/2018	Gardendale	1364	WOODRIDGE PLAVE	PL	GARDENDALE	35071	1364 Woodridge Place
6/18/2018	Gardendale	1369	WOODRIDGE PLACE	PL	GARDENDALE	35071	1369 Woodridge Place
6/18/2018	Gardendale	1373	WOODRIDGE PLACE	PL	GARDENDALE	35071	1373 Woodridge Place
6/18/2018	Gardendale	233	ROCK DRIVE	DR	GARDENDALE	35071	233 Rock Drive
6/18/2018	Gardendale	225	ROCK DRIVE	DR	GARDENDALE	35071	225 Rock Drive
6/18/2018	Gardendale	210	ROCK DRIVE	DR	GARDENDALE	35071	210 Rock Drive
6/18/2018	Gardendale	229	ROCK DRIVE	DR	GARDENDALE	35071	229 Rock Drive
6/18/2018	Gardendale	1352	WOODRIDGE PLACE	PL	GARDENDALE	35071	1352 Woodridge Place
6/18/2018	Gardendale	1348	WOODRIDGE PLACE	PL	GARDENDALE	35071	1348 Woodridge Place
6/18/2018	Gardendale	126	ROBBE ROAD	RD	GARDENDALE	35071	126 Robbe Road
6/18/2018	Gardendale	830	CLUSTER SPRINGS ROAD	RD	GARDENDALE	35071	830 Cluster Springs Road
7/2/2018	Gardendale	4420	LONGWOOD DRIVE	DR	GARDENDALE	35071	4420 Longwood Drive
7/6/2018	Gardendale	242	ROCK DRIVE	DR	GARDENDALE	35071	242 Rock Drive
7/6/2018	Gardendale	238	ROCK DRIVE	DR	GARDENDALE	35071	238 Rock Drive
7/6/2018	Gardendale	237	ROCK DRIVE	DR	GARDENDALE	35071	237 Rock Drive
7/6/2018	Gardendale	241	ROCK DRIVE	DR	GARDENDALE	35071	241 Rock Drive
7/6/2018	Gardendale	249	ROCK DRIVE	DR	GARDENDALE	35071	249 Rock Drive
7/10/2018	Gardendale	2609	DECATUR HIGHWAY	HWY	GARDENDALE	35071	2609 Decatur Highway
7/16/2018	Gardendale	4564	SHADY GROVE LANE	LN	GARDENDALE	35071	4564 Shady Grove Lane
7/16/2018	Gardendale	4512	SHADY GROVE LANE	LN	GARDENDALE	35071	4512 Shady Grove Lane
7/27/2018	Gardendale	1304	MAIN STREET	ST	GARDENDALE	35071	1304 Main Street
7/27/2018	Gardendale	245	ROCK DRIVE	DR	GARDENDALE	35071	245 Rock Drive
7/27/2018	Gardendale	1478	WOODRIDGE PLACE	PL	GARDENDALE	35071	1478 Woodridge Place
7/27/2018	Gardendale	1470	WOODRIDGE PLACE	PL	GARDENDALE	35071	1470 Woodridge Place
7/27/2018	Gardendale	1462	WOODRIDGE PLACE	PL	GARDENDALE	35071	1462 Woodridge Place
7/27/2018	Gardendale	4492	SHADY GROVE LANE	LN	GARDENDALE	35071	4492 Shady Grove Lane
7/27/2018	Gardendale	253	ROCK DRIVE	DR	GARDENDALE	35071	253 Rock Drive
7/27/2018	Gardendale	257	ROCK DRIVE	DR	GARDENDALE	35071	257 Rock Drive
7/27/2018	Gardendale	246	ROCK DRIVE	DR	GARDENDALE	35071	246 Rock Drive
7/27/2018	Gardendale	7025	ELM CREST CIRCLE	CIR	GARDENDALE	35071	7025 Elm Crest Circle
7/27/2018	Gardendale	4512	SHADY GROVE LANE	LN	GARDENDALE	35071	4512 Shady Grove Lane
7/27/2018	Gardendale	2308	NORTH VILLAGE LANE	LN	GARDENDALE	35071	2308 North Village Lane
8/1/2018	Gardendale	7029	ELM CREST CIRCLE	CIR	GARDENDALE	35071	7029 Elm Crest Circle
8/6/2018	Gardendale	600	FOX DRIVE	DR	GARDENDALE	35071	600 Fox Drive

Erosion Control Permits

Permit Date	Municipality	Street Nbr	Street Name	Type	City	Zip	Location Description
8/16/2018	Gardendale	1458	WOODRIDGE PLACE	PL	GARDENDALE	35071	1458 Woodridge Place
9/4/2018	Gardendale	7016	ELM CREST CIRCLE	CIR	GARDENDALE	35071	7016 Elm Crest Circle
9/4/2018	Gardendale	7064	PINE MOUNTAIN CIRCLE	CIR	GARDENDALE	35071	7064 Pine Mountain Circle
9/4/2018	Gardendale	916	PARKER AVENUE	AVE	GARDENDALE	35071	916 Parker Avenue
12/22/2017	Homewood	2758	BM MONTGOMERY	ST	HOMEWOOD	35209	New Construction Residential
12/22/2017	Homewood	131	WEST GLENWOOD	DR	HOMEWOOD	35209	New Construction Residential
12/22/2017	Homewood	1721	SOUTH LAKESHORE	DR	HOMEWOOD	35216	New Construction Residential
1/4/2018	Homewood	302	GRAN	AVE	HOMEWOOD	35209	New Construction Residential
3/20/2018	Homewood	308	WOODLAND	DR	HOMEWOOD	35209	New Construction Residential
4/26/2018	Homewood	224	MECCA	AVE	HOMEWOOD	35209	New Construction Residential
5/4/2018	Homewood	1603	OXMOOR	RD	HOMEWOOD	35209	New Construction Residential
5/11/2018	Homewood	222	MECCA	AVE	HOMEWOOD	35209	New Construction Residential
5/11/2018	Homewood	220	MECCA	AVE	HOMEWOOD	35209	New Construction Residential
6/1/2018	Homewood	309	LE JEUNE	WAY	HOMEWOOD	35209	New Construction Residential
6/8/2018	Homewood	301	MECCA	AVE	HOMEWOOD	35209	New Construction Residential
6/14/2018	Homewood	1609	RIDGE	RD	HOMEWOOD	35209	New Construction Residential
6/14/2018	Homewood	1605	RIDGE	RD	HOMEWOOD	35209	New Construction Residential
6/14/2018	Homewood	1423	MELROSE	PL	HOMEWOOD	35209	New Construction Residential
6/14/2018	Homewood	128	RIDGE	RD	HOMEWOOD	35209	New Construction Residential
6/19/2018	Homewood	1030	SAULTER	RD	HOMEWOOD	35209	New Construction Residential

Erosion Control Permits

Permit Date	Municipality	Street Nbr	Street Name	Type	City	Zip	Location Description
6/20/2018	Homewood	3105	ROXBURY	RD	HOMEWOOD	35209	New Construction Residential
7/13/2018	Homewood	121	EDGEWOOD	BLVD	HOMEWOOD	35209	New Construction Residential
7/23/2018	Homewood	421	EDGEWOOD	PL	HOMEWOOD	35209	New Construction Residential
7/23/2018	Homewood	425	EDGEWOOD	PL	HOMEWOOD	35209	New Construction Residential
7/23/2018	Homewood	429	EDGEWOOD	PL	HOMEWOOD	35209	New Construction Residential
7/23/2018	Homewood	433	EDGEWOOD	PL	HOMEWOOD	35209	New Construction Residential
7/24/2018	Homewood	912	HIGHLAND	RD	HOMEWOOD	35209	New Construction Residential
8/1/2018	Homewood	169	LUCERNE	BLVD	HOMEWOOD	35209	New Construction Residential
8/15/2018	Homewood	530	BROADWAY	ST	HOMEWOOD	35209	New Construction Residential
8/22/2018	Homewood	1113	HOLLYWOOD MANOR	CIR	HOMEWOOD	35209	New Construction Residential
8/24/2018	Homewood	710	MORRIS	BLVD	HOMEWOOD	35209	New Construction Residential
9/5/2018	Homewood	206	WOODLAND	DR	HOMEWOOD	35209	New Construction Residential
9/5/2018	Homewood	137	WOODMONT	DR	HOMEWOOD	35209	New Construction Residential
9/11/2018	Homewood	221	EDGEWOOD	BLVD	HOMEWOOD	35209	New Construction Residential
9/26/2018	Homewood	515	RUMSON	RD	HOMEWOOD	35209	New Construction Residential
4/9/2018	Hueytown	6739	POST OAK	DR	HUEYTOWN	35023	VALOR COMMUNITIES
5/3/2018	Hueytown	5630	VICTORIA	DR	HUEYTOWN	35023	WILCO HOMES INC
7/18/2018	Hueytown	2711	ALLISON BONNETT MEMORIAL	DR	HUEYTOWN	35023	A T & T STORE
8/21/2018	Hueytown	4941	15TH STREET	RD	HUEYTOWN	35023	CHRIS EDWARDS
9/7/2018	Hueytown	6746	POST OAK	DR	HUEYTOWN	35023	VALOR COMMUNITIES
11/20/2017	Irondale	1330	CREEKSIDE GLEN LOT 607		IRONDALE	35210	GRANTS MILL VALLEY
11/21/2017	Irondale		1950 REX LAKE	RD	IRONDALE	35210	REX LAKE ROAD

Erosion Control Permits

Permit Date	Municipality	Street Nbr	Street Name	Type	City	Zip	Location Description
11/21/2017	Irondale	1386	CREEKSIDE GLEN LOT 59		IRONDALE	35210	GRANTS MILL VALLEY
11/21/2017	Irondale	1402	CREEKSIDE GLEN LOT 55		IRONDALE	35210	GRANTS MILL VALLEY
11/21/2017	Irondale	1390	CREEKSIDE GLEN LOT 58		IRONDALE	35210	GRANTS MILL VALLEY
11/21/2017	Irondale	1394	CREEKSIDE GLEN LOT 57		IRONDALE	35210	GRANTS MILL VALLEY
11/29/2017	Irondale	841	VILLA LANE LOT 43		IRONDALE	35210	VILLAS ON OLD LEEDS
11/29/2017	Irondale	837	VILLA LANE LOT 44		IRONDALE	35210	VILLAS ON OLD LEEDS
11/29/2017	Irondale	825	VILLA LANE LOT 45		IRONDALE	35210	VILLAS ON OLD LEEDS
11/29/2017	Irondale	1398	CREEKSIDE GLEN LOT 56		IRONDALE	35210	GRANTS MILL VALLEY
11/30/2017	Irondale	844	VILLA LANE LOT 42		IRONDALE	35210	Villas on Old Leeds
12/5/2017	Irondale	1342	CREEKSIDE GLEN LOT 604		IRONDALE	35210	Grants Mill Valley
1/4/2018	Irondale	3962	CREST LANDING LOT 44		IRONDALE	35210	Grants Mill Valley
1/4/2018	Irondale	1367	CREEKSIDE GLEN LOT 25		IRONDALE	35210	Grants Mill Valley
1/4/2018	Irondale	1359	CREEKSIDE GLEN LOT 27		IRONDALE	35210	Grants Mill Valley
1/4/2018	Irondale	1355	CREEKSIDE GLEN LOT 28		IRONDALE	35210	Grants Mill Valley
1/4/2018	Irondale	1406	CREEKSIDE GLEN LOT 54		IRONDALE	35210	Grants Mill Valley
1/4/2018	Irondale	1382	CREEKSIDE GLEN LOT 60		IRONDALE	35210	Grants Mill Valley
1/4/2018	Irondale	824	VILLA LANE LOT 37		IRONDALE	35210	Villas on Old Leeds
1/4/2018	Irondale	3744	VILLA DRIVE LOT 31		IRONDALE	35210	Villas on Old Leeds
1/10/2018	Irondale	1343	CREEKSIDE GLEN LOT 602		IRONDALE	35210	Grants Mill Valley
1/11/2018	Irondale	828	VILLA LANE LOT 38		IRONDALE	35210	Villas on Old Leeds
2/7/2018	Irondale	1326	CREEKSIDE GLEN LOT 608		IRONDALE	35210	GRANTS MILL VALLEY
2/7/2018	Irondale	1322	CREEKSIDE GLEN LOT 609		IRONDALE	35210	GRANTS MILL VALLEY
2/8/2018	Irondale	1363	CREEKSIDE GLEN LOT 26		IRONDALE	35210	GRANTS MILL VALLEY
2/8/2018	Irondale	3934	CREST LANDING LOT 37		IRONDALE	35210	GRANTS MILL VALLEY
2/8/2018	Irondale	1347	CREEKSIDE GLEN LOT 601		IRONDALE	35210	GRANTS MILL VALLEY
2/13/2018	Irondale	5320	BEACON DRIVE BLDG. 500		IRONDALE	35210	VILLAGE AT GRANTS MILL
3/6/2018	Irondale	437	EAST FOREST	DR	IRONDALE	35235	ROEBUCK PLAZA
3/6/2018	Irondale	3930	CREST LANDING LOT 36		IRONDALE	35210	GRANTS MILL VALLEY
3/6/2018	Irondale	3991	VALLEY MANOR LOT 49		IRONDALE	35210	GRANTS MILL VALLEY

Erosion Control Permits

Permit Date	Municipality	Street Nbr	Street Name	Type	City	Zip	Location Description
3/6/2018	Irondale	1246	SHADES TERRACE LOT 803		IRONDALE	35210	GRANTS MILL VALLEY
3/12/2018	Irondale	3978	VALLEY MANOR LOT 2		IRONDALE	35210	GRANTS MILL VALLEY
3/12/2018	Irondale	1314	CREEKSIDE GLEN LOT 611		IRONDALE	35210	GRANTS MILL VALLEY
3/12/2018	Irondale	3938	CREST LANDING LOT 38		IRONDALE	35210	GRANTS MILL VALLEY
3/12/2018	Irondale	1465	VALLEY TRACE LOT 84		IRONDALE	35210	GRANTS MILL VALLEY
3/12/2018	Irondale	1420	VALLEY TRACE LOT 100		IRONDALE	35210	GRANTS MILL VALLEY
3/15/2018	Irondale	2420	KELLEY	RD	IRONDALE	35210	GRANTS MILL ROAD
3/22/2018	Irondale	1461	VALLEY TRACE LOT 85		IRONDALE	35210	GRANTS MILL VALLEY
5/7/2018	Irondale	951	OLD GRANTS MILL	RD	IRONDALE	35210	ABBINGTON SUMMIT POINTE
5/7/2018	Irondale	1333	MCCOY STREET		IRONDALE	35210	WEST SIDE IRONDALE
5/15/2018	Irondale	3922	CREST LANDING LOT 34		IRONDALE	35210	GRANTS MILL VALLEY
5/31/2018	Irondale	1375	CREST LANDING LOT 23		IRONDALE	35210	GRANTS MILL VALLEY
8/6/2018	Irondale	1383	CREEKSIDE GLEN LOT 21		IRONDALE	35210	GRANTS MILL VALLEY
8/6/2018	Irondale	1391	CREEKSIDE GLEN LOT19		IRONDALE	35210	GRANTS MILL VALLEY
8/22/2018	Irondale	1379	CREEKSIDE GLEN LOT 22		IRONDALE	35210	GRANTS MILL VALLEY
8/22/2018	Irondale	1399	CREEKSIDE GLEN LOT17		IRONDALE	35210	GRANTS MILL VALLEY
8/30/2018	Irondale	1449	VALLEY TRACE LOT 88		IRONDALE	35210	GRANTS MILL VALLEY
9/4/2018	Irondale	3792	VILLA DRIVE LOT 25		IRONDALE	35210	THE VILLAS ON OLD LEEDS
9/4/2018	Irondale	3741	VILLA DRIVE LOT 15		IRONDALE	35210	THE VILLAS ON OLD LEEDS
9/5/2018	Irondale	1445	VALLEY TRACE LOT 89		IRONDALE	35210	GRANTS MILL VALLEY
9/5/2018	Irondale	1395	CREEKSIDE GLEN LOT 18		IRONDALE	35210	GRANTS MILL VALLEY
9/13/2018	Irondale	3935	CREST LANDING LOT 67		IRONDALE	35210	GRANTS MILL VALLEY
9/13/2018	Irondale	3931	CREST LANDING LOT 66		IRONDALE	35210	GRANTS MILL VALLEY
2/6/2018	Mountain Brook	1108	EUCLID AVENUE		MOUNTAIN BROOK		
2/26/2018	Mountain Brook	404	DEXTER AVENUE		MOUNTAIN BROOK		
2/28/2018	Mountain Brook	2796	PUMPHOUSE ROAD		MOUNTAIN BROOK		
2/28/2018	Mountain Brook	2603	ABINGDON ROAD				
3/5/2018	Mountain Brook	141	SPRING STREET		MOUNTAIN BROOK		
3/14/2018	Mountain Brook	46	GREENWAY ROAD		MOUNTAIN BROOK		
3/19/2018	Mountain Brook	3319	DUNBROOKE		MOUNTAIN BROOK		
3/21/2018	Mountain Brook	2530	WATKINS ROAD		MOUNTAIN BROOK		
3/29/2018	Mountain Brook	5312	OLD LEEDS ROAD		MOUNTAIN BROOK		
4/4/2018	Mountain Brook	205	MOUNTAIN AVE.		MOUNTAIN BROOK		
4/20/2018	Mountain Brook	2328	BROOK MANOR DR.		MOUNTAIN BROOK		

Erosion Control Permits

Permit Date	Municipality	Street Nbr	Street Name	Type	City	Zip	Location Description
4/26/2018	Mountain Brook	75	COUNTRY CLUB RD.		MOUNTAIN BROOK		
5/7/2018	Mountain Brook	3902	JACKSON BLVD.		MOUNTAIN BROOK		
5/25/2018	Mountain Brook	3040	WEATHERTON RD.		MOUNTAIN BROOK		
7/5/2018	Mountain Brook	2530	WATKINS ROAD		MOUNTAIN BROOK		
8/7/2018	Mountain Brook	3373	OVERBROOK ROAD		MOUNTAIN BROOK		
8/10/2018	Mountain Brook		VINE AND DEXTER		MOUNTAIN BROOK		
9/4/2018	Mountain Brook	2817	SHOOK HILL CIRCLE		MOUNTAIN BROOK		
9/14/2018	Mountain Brook	2213	STERLINGWOOD DRIVE		MOUNTAIN BROOK		
9/25/2018	Mountain Brook	3931	ROCK CREEK		MOUNTAIN BROOK		
2/22/2018	Pleasant Grove	932	12TH	AVE	PLEASANT GROVE	35127	932 12th Avenue, Pleasant Grove, AL 35127
3/8/2018	Pleasant Grove	1064	8TH	ST	PLEASANT GROVE	35127	1064 8th Street, Pleasant Grove, AL 35127
3/15/2018	Pleasant Grove	1188	17TH	ST	PLEASANT GROVE	35127	1188 17th Street, Pleasant Grove, AL 35126
5/7/2018	Pleasant Grove	913	11TH	AVE	PLEASANT GROVE	35127	913 11th Ave, Pleasant Grove, AL 35127
5/7/2018	Pleasant Grove	1021	9TH	ST	PLEASANT GROVE	35127	1021 9th Street, Pleasant Grove, AL 35127
5/7/2018	Pleasant Grove	609	10TH	AVE	PLEASANT GROVE	35127	609 10th Avenue, Pleasant Grove, AL 35127
7/5/2018	Pleasant Grove	1206	13TH	CT	PLEASANT GROVE	35127	1206 13th Court, Pleasant Grove, AL 35127
7/12/2018	Pleasant Grove	904	11TH	AVE	PLEASANT GROVE	35127	904 11th Avenue, Pleasant Grove, AL 35127
7/19/2018	Pleasant Grove	631	10TH	AVE	PLEASANT GROVE	35127	631 10th Avenue, Pleasant Grove, AL 35127
7/26/2018	Pleasant Grove	1709	12TH	CT	PLEASANT GROVE	35127	1709 12th Court, Pleasant Grove, AL 35127
8/6/2018	Pleasant Grove	1413	8TH	PL	PLEASANT GROVE	35127	1413 8th Place, Pleasant Grove, AL 35127
9/6/2018	Pleasant Grove	716	10TH	AVE	PLEASANT GROVE	35127	716 10th Avenue, Pleasant Grove, AL 35127

Trussville Permits

Site	Permit Date
2965 PRONGHORN CIR 308	10/1/2017
415 LAKERIDGF. DR 972	10/1/2017
155 LAKERIDGE DRIVE	10/2/2017
336 BRENTWOOD AVE	10/2/2017
6417 HAPPY HOLLOW RD 9	10/4/2017
2970 PRONGHORN CIRCLE 305	10/4/2017
4125 OVERLOOK CIR 392A	10/4/2017
4265 LEXIE CIRCLE	10/5/2017
7589 PAINE DR 442	10/5/2017
7756 JAYDEN DR 421	10/5/2017
145 VANN CIR 1	10/5/2017
2640 SMITH S1MS RD 4	10/12/2017
7613 PAINE DR 448	10/13/2017
4150 OVERLOOK CIR 379	10/19/2017
6559 SPRING STREET 221	10/23/2017
8568 HERRING LANE 6AA	10/27/2017
7834 CALDWELL DR 408	10/30/2017
7780 JAYDEN DR 115	10/30/2017
7747 JAYDEN DR 424	10/30/2017
7612 PAINE DRIVE 436	11/14/2017
7934 KERITH LANE 463	11/14/2017
7842 CALDWELL DR 406	11/15/2017
6064 ENCLAVE PLACE 518	11/15/2017
7772 JAYDEN DR:VE 417	11/15/2017
7601 PAINE DRIVE 445	11/15/2017
7600 PAINE DR 439	11/20/2017
255 HAYDEN CIRCLE	11/22/2017
7620 PAINE DR 434	12/1/2017
6543 SPRING STREET 217	12/1/2017
6547 SPRING ST 218	12/1/2017
4207 CAHABA BEND 71	12/4/2017
7597 PAINE DR 444	12/13/2017
5828 DEERFOOT COURT 18	12/14/2017
5059 PARK PASS 369	12/19/2017
7748 JAYDEN DRIVE 423	12/20/2017
1300 OVERLOOK DRIV 330	12/28/2017
7596 PAINE DR 440	12/28/2017
5828 LONGVIEW LN 149	1/1/2018
5716 CARRING'I'ON LAKE PKWY	1/1/2018
2123 LAKEVIEW TRACE 543	1/1/2018

Trussville Permits

Site	Permit Date
6741 RIVERCREST DRIVE 3	1/2/2018
3405 ASHFORD LN 1	1/8/2018
7608 PAINE DRIVE 37	1/12/2018
5067 PARK PASS 371	1/12/2018
6343 HUNTERS CREEK DR 203	1/17/2018
7760 JAYDEN DR 420	1/22/2018
7915 KERITH LANE 455	1/22/2018
6015 CLUBHOUSE DRIVE D57	1/24/2018
6070 ENCLAVE PLACE 519	1/24/2018
7918 KERITH LANE 459	1/25/2018
2120 OVERLOOK PLACE 428	1/26/2018
7914 KERITH LANE 458	1/29/2018
7930 KERITH LANE 462	1/29/2018
7926 KERITH LANE 461	1/29/2018
4170 OVERLOOK CIRCLE 381A	2/5/2018
7633 PAINE DRIVE 350	2/6/2018
5071 PARK PASS 372	2/8/2018
4316 CAHABA BEND 227	2/8/2018
4140 OVERLOOK CIRCLE 378	2/8/2018
6019 CLUBHOUSE DRIVE D56	2/9/2018
7787 JAYDEN DRIVE 329	2/12/2018
6714 REIVERCREST DRIVE 11	2/12/2018
6714 RIVERCREST DRIVE 11	2/12/2018
7755 JAYDEN DRIVE 426	2/13/2018
946 MOUNTAIN VIEW TRACE 835	2/15/2018
4312 CAHABA BEND 226	2/15/2018
4130 OVERLOOK CIRCLE 377	2/20/2018
4120 OVERLOOK CIRCLE 376	2/20/2018
8024 BALLARD PLACE 15	2/21/2018
7621 PAINE DRIVE 450	2/21/2018
7851 CALDWELL DRIVE 411	2/21/2018
6359 HUNTERS CREEK DRIVE	2/22/2018
6363 HUNTERS CREEK DRIVE	2/22/2018
575 LAKERIDGE DRIVE 833	2/26/2018
585 LAKERIDGE DRIVE 834	2/26/2018
7759 JAYDEN DRIVE 427	2/26/2018
8568 HERRING LANE	3/2/2018
7858 CALDWELL 402	3/8/2018
7768 JAYJEN DRIVE 418	3/8/2018
7763 JAYDEN DRIVE 428	3/9/2018

Trussville Permits

Site	Permit Date
6001 ENCLAVE PLACE 496	3/13/2018
7751 JAYDEN DRIVE 425	3/13/2018
7910 KERITH LANE 457	3/13/2018
7771 JAYDEN DRIVE 430	3/15/2018
7629 PAINE DRIVE 349	3/16/2018
7609 PAINE DRIVE 447	3/20/2018
1415 OVERLOOK DRIVE 355A	3/22/2018
1425 OVERLOOK DRIVE 354A	3/22/2018
5832 LONG VIEW LANE 148	4/9/2018
6011 CLUBHOUSE DRIVE 58	4/10/2018
7855 CALDWELL DRIVE 412	4/10/2018
7776 JAYDEN DRIVE 416	4/10/2018
5856 LONGVIEW LANE 142	4/11/2018
2010 ENCLAVE DRIVE 458	4/12/2018
2006 ENCLAVE DRIVE 457	4/16/2018
7845 CALDWELL DRIVE 410	4/16/2018
5559 CARRINGTON LAKE PARK	4/17/2018
7775 JAYDEN DRIVE 431	4/17/2018
1240 OVERLOOK DRIVE 324	4/18/2018
1310 OVERLOOK DRIVE 331	4/18/2018
1405 OVERLOOK DRIVE 357	4/19/2018
5111 MISSY LANE 6	4/20/2018
5823 DEERFOOT COURT 1	4/20/2018
7838 CALDWELL DRIVE 407	4/24/2018
7779 JAYDEN DRIVE 432	4/27/2018
6519 DEERFOOT CROSSING RO 19	4/27/2018
7270 BLACKBERRY TRAIL	5/1/2018
6497 WINSLOW DRIVE 30	5/2/2018
6482 WINSLOW DRIVE 4	5/7/2018
6486 WINSLOW DRIVE 3	5/7/2018
4055 OVERLOOK WAY 937	5/7/2018
6512 WINSLOW DRIVE 8	5/8/2018
6487 WINSLOW DRIVE 28	5/14/2018
4339 CAHABA BEND 236	5/14/2018
4335 CAHABA BEND 235	5/14/2018
4343 CAHABA BEND 237	5/14/2018
4335 CAHABA BEND 235	5/14/2018
7923 KERITH LANE 453	5/16/2018
6411 HAPPY HOLLOW ROAD 8	5/17/2018
6451 WINSLOW DRIVE 19	5/17/2018

Trussville Permits

Site	Permit Date
645 WINSLOW DRIVE 20	5/17/2018
6450 WINSLOW DRIVE 12	5/17/2018
6446 WINSLOW DRIVE 13	5/17/2018
6454 WINSLOW DRIVE 11	5/22/2018
7700 JAYDEN DRIVE 611	5/23/2018
7696 JAYDEN DRIVE 612	5/23/2018
505 LAKERIDGE DRIVE 826	5/29/2018
7727 JAYDEN DRIVE 668	5/30/2018
5022 NATALIE WAY 615	5/31/2018
7576 PAINE DRIVE 650	6/1/2018
7561 PAINE DRIVE 640	6/4/2018
535 LAKERIDGE DRIVE 829	6/4/2018
6405 HAPPY HOLLOW ROAD 7	6/7/2018
6008 CLUBHOGSE DRIVE 83	6/8/2018
6024 CLUBHOUSE 87	6/8/2018
5869 LONGVIEW LANE 110	6/8/2018
5927 MOUNTAINVIEW TRACE	6/8/2018
5934 MOUNTAINVIEW TRACE	6/8/2018
7032 SHADY OAKS LANE 31	6/11/2018
5951 MOUNTAINVIEW TRACE	6/13/2018
5950 MOUNTAINVIEW TRACE 34	6/13/2018
7564 PAINE DRIVE 653	6/14/2018
2014 ENCLAV DRIVE 459	6/14/2018
2018 ENCLAVE DRIVE 460	6/14/2018
4195 OVERLOOK CIRCLE 385	6/15/2018
7704 JAYDEN DRIVE 610	6/15/2018
4999 NATALIE WAY 634	6/15/2018
6028 CLUBHOUSE DRIVE 88	6/20/2018
6032 CLUBHOUSE DRIVE 89	6/20/2018
445 LAKERIDGE DRIVE 821	6/20/2018
7584 PAINE DRIVE 648	6/20/2018
590 LAKERIDGE DRIVE 805	6/27/2018
6258 DEER RIDGE TRAIL 310	6/27/2018
7740 JAYDEN DRIVE 601	6/28/2018
2959 PRONGHORN CIRCLE 318	6/28/2018
7743 JAYDEN DRIVE 672	6/29/2018
5555 CARRINGTON LAKES PAR	7/1/2018
5576 CARRINGTON LAKE PARK 738	7/1/2018
7735 JAYDEN DRIVE 670	7/2/2018
1409 OVERLOOK DRIVE 356	7/9/2018

Trussville Permits

Site	Permit Date
7715 JAYDEN DRIVE 664	7/9/2018
7548 PAINE DRIVE 657	7/9/2018
7692 JAYDEN DRIVE 613	7/9/2018
5026 NATALIE WAY 614	7/9/2018
6442 WINSLOW DRIVE 14	7/10/2018
6443 WINSLOW DRIVE 17	7/11/2018
109 MEADOW LANE 14	7/12/2018
7716 JAYOEN DRIVE 607	7/12/2018
6447 WINSLOW DRIVE 18	7/13/2018
6439 WINSLOW DRIVE 16	7/13/2018
6948 HAPPY HOLLOW ROAD	7/17/2018
7553 PAINE DRIVE 638	7/18/2018
7699 JAYDEN DRIVE 660	7/30/2018
2018 ENCLAVE DRIVE 460	8/1/2018
6438 WINSLOW DRIVE 15	8/1/2018
7577 PAINE DRIVE 644	8/1/2018
7739 JAYDEN DRIVE 671	8/1/2018
7573 PAINE DRIVE 643	8/1/2018
5002 NATALIE WAY 620	8/6/2018
7580 PAINE DRIVE 649	8/6/2018
7719 JAYDEN DRIVE 665	8/6/2018
7552 PAINE DRIVE 656	8/6/2018
7731 JAYDEN DRIVE 669	8/10/2018
5003 NATALIE WAY 635	8/14/2018
545 LAKERIDGE DRIVE 830	8/14/2018
1410 OVERLOOK DRIVE 341	8/14/2018
7588 PAINE DRIVE 647	8/14/2018
6478 WINSLOW DRIVE 5	8/15/2018
6474 WINSLOW DRIVE 6	8/15/2018
6475 WINSLOW DRIVE 25	8/15/2018
6479 WINSLOW DRIVE 26	8/15/2018
4990 NATALIE WAY 623	8/20/2018
4930 BRANCHVILLE ROAD	8/20/2018
7557 PAINE 639	8/20/2018
4993 NATALIE WAY 633	8/20/2018
6508 WINSLOW DRIVE 9	8/20/2018
139b OVERLOOK DRIVE 358	8/21/2018
7723 JAYDEN DRIVE 667	8/27/2018
8568 HERRING LANE 6AA	8/29/2018
8568 HERRING LANE 6AA	9/1/2018

Trussville Permits

Site	Permit Date
1250 OVERLOOK DRIVE 325	9/4/2018
5615 BARCLAY CIRCLE 26	9/4/2018
550 LAKERIDGE DRIVE 809	9/5/2018
2914 DEER RUN LANE 121	9/5/2018
6016 CLUBHOUSE DRIVE 85	9/6/2018
6020 CLUBHOUSE DRIVE 86	9/6/2018
6012 CLUBHOUSE DRIVE 84	9/6/2018
2958 PRONGHORN CIRCLE 302	9/7/2018
5865 LONGVIEW LANE 109	9/10/2018
846 VANESSA DRIVE 126	9/10/2018
7569 PAINE DRIVE 642	9/11/2018
4994 NATALIE WAY 622	9/11/2018
555 LAKERIDGE DRIVE 831	9/11/2018
565 LAKERIDGE DRIVE 832	9/12/2018
6801 IVY WAY 3	9/12/2018
4339 CAHABA BEND 236	9/17/2018
4343 CAHABA BEND 237	9/18/2018
4986 NATALIE WAY 624	9/19/2018
4985 NATALIE WAY 632	9/19/2018
5844 LONGVIEW LANE 145	9/19/2018
5840 LONGVIEW LANE 146	9/19/2018
4307 CAHABA BEND 230	9/24/2018
2204 LAKEVIEW TRACE .563	9/26/2018
120 MEADOW LANE	9/27/2018

Vestavia Hills Land Disturbing Permits

Permittee	Permit	Address	Issue Date
Scholl Construction Inc	ADEM	817 Southbend Lane 20	10/3/2017
Norris Paving and Asphalt	Land Disturbing Permit	1100 Montgomery Highway	10/10/2017
CS Beatty Construction	ADEM	Corner of Liberty Parkway	10/16/2017
Wedgeworth Construction	Land Disturbing Permit	3575 Altadena Park Lane Lot 16	11/1/2017
Duncan & Thompson Construction	Land Disturbing Permit	4401 Dolly Ridge Road	11/6/2017
Nearen Construction Company	ADEM	3029 Pumphouse Road	11/7/2017
Murphy Home Builders LLC	ADEM	875 Southbend Lane 3	11/9/2017
Murphy Home Builders LLC	ADEM	820 Southbend Lane 40	11/9/2017
Stanley Anderson	Land Disturbing Permit	2708 Vestavia Forest Terrace	11/13/2017
Ronald W. Smith	Land Disturbing Permit	4393 Kings Mountain Ridge Lot 731	11/13/2017
Kadco, LLC	ADEM	1989 Rosemont Place	12/1/2017
Vestavia Country Club/ Robert Carr	Land Disturbing Permit	2125 Vestavia Lake Drive	12/5/2017
Taylor Burton	Land Disturbing Permit	2510 Dolly Ridge Road Lot 21	1/10/2018
Dorsett Construction	Land Disturbing Permit	3525 Alta Brook Drive	1/18/2018
Arlington Construction Services	Land Disturbing Permit	1715 Vesta Wood Court	1/18/2018
Rives Construction Company	ADEM	3118 Pine Tree Drive	1/31/2018
TE Stevens	Land Disturbing Permit	2826 Columbiana Road	2/1/2018
TDG Vestavia LLC	Land Disturbing Permit	1922 Tree Top Lane	2/6/2018
TE Stevens	Land Disturbing Permit	Timberline Road	2/6/2018
Brad Bearden	Land Disturbing Permit	4245 Cahaba Drive	2/14/2018
Tanco Group	Land Disturbing Permit	7280 Kings Mountain Road	2/21/2018
Mancha Hardscapes	ADEM	929 Vestlake Cove Dr	2/21/2018
Clayton Properties Group	ADEM	2978 Altadena Ridge Drive	2/21/2018
Wedgeworth Construction	Land Disturbing Permit	3586 Altadena Park Ln	3/1/2018
Yellow Hammer, LLC, Colton Miller	Land Disturbing Permit	1729 Shades Crest Road	3/2/2018
Wedgeworth Construction	Land Disturbing Permit	3582 Altadena Park Lane	3/8/2018
Bill Slappey Communications	Land Disturbing Permit	4260 Cahaba Heights Ct.	3/14/2018
Lock General Contractors LLC	Land Disturbing Permit	3104 Timberlake Road	3/14/2018
Bradly Moncrief (612)	Land Disturbing Permit	320 Beaumont Drive	3/27/2018
Ken Underwood Inc (613)	Land Disturbing Permit	2713 Millwood Road	3/27/2018
Harris Coggin Building Co., Inc. (614)	Land Disturbing Permit	732 Montgomery Hwy	3/28/2018
Protector Building Co. (615)	Land Disturbing Permit	2508 Tyler Road Lot 14	4/11/2018
Wood Neely (616)	Land Disturbing Permit	2211 Chestnut Road	4/13/2018
A&D Construction (617)	Land Disturbing Permit	4565 Pine Tree Circle	4/17/2018
Michael Moore (618)	Land Disturbing Permit	3471 Hillway Drive	4/17/2018
Embassy Hims (Ryan McCleay)	Land Disturbing Permit	4369 Kings Mountain Ridge	4/18/2018
Vines Construction Inc (620)	Land Disturbing Permit	3428 East Street	4/26/2018
Vines Construction Inc (621)	Land Disturbing Permit	3440 East Street	4/26/2018
Fred Nelson (622)	Land Disturbing Permit	3148 WoodHaven Drive	4/30/2018
Troy Rhone Garden Design (624)	Land Disturbing Permit	7386 Ridgecrest Court	5/4/2018
Cross Homebuilders (625)	Land Disturbing Permit	2576 Dolly Ridge Road	5/8/2018
Earls Pools (623)	Land Disturbing Permit	3528 Whetstone Road	5/9/2018
Gary Levesque (626)	Land Disturbing Permit	3914 S River Circle Lot 59	5/11/2018
Wedgworth Construction (627)	Land Disturbing Permit	3587 Altadena Park Lane	5/21/2018
Overton Investments, LLC (628)	Land Disturbing Permit	Poe Drive Lot 29	5/23/2018
Overton Investments, LLC (629)	Land Disturbing Permit	Poe Drive Lot 28	5/23/2018
Overton Investments, LLC (630)	Land Disturbing Permit	3779 Poe Drive Lot 27	5/23/2018
Mancha Hardscapes (631)	Land Disturbing Permit	3439 Nowich Drive	5/31/2018
Barber Companies	Land Disturbing Permit	1069 Montgomery Hwy	6/2/2018
Sharon Ward (632)	Land Disturbing Permit	3090 Healthy Way	6/4/2018
Adam Kirkland (633)	Land Disturbing Permit	3816 Timberline Way	6/7/2018
Wedgeworth Construction	Land Disturbing Permit	3594 Altadena Park Lane Lot 13	6/18/2018
Wedgeworth Construction	Land Disturbing Permit	3590 Altadena Park Lane Lot 12	6/18/2018
Drake Homes	Land Disturbing Permit	220 Sheriden Lane	6/18/2018
Murphy Homes Builders	Land Disturbing Permit	2563 Dolly Ridge Road	6/19/2018

Vestavia Hills Land Disturbing Permits

Permittee	Permit	Address	Issue Date
Jacob Pollard	Land Disturbing Permit	Misty Lane	6/21/2018
Nikolaus Mimikakis (640)	Land Disturbing Permit	2209 Southwood Road	7/9/2018
Elite Pool & Spas (641)	Land Disturbing Permit	829 Mountain Branch Road	7/10/2018
Mancha Hardscapes (642)	Land Disturbing Permit	500 Lake Colony Way	7/13/2018
Mancha Hardscapes (643)	Land Disturbing Permit	2248 Garland Drive	7/17/2018
David Wall (644)	Land Disturbing Permit	1549 Panorama Drive	7/18/2018
Slate Barganier Building (645)	Land Disturbing Permit	2124 Vestavia Lake Drive	7/25/2018
Clearwater Construction (646)	Land Disturbing Permit	3575 Altadena Park Lane	7/30/2018
Brads Pools & Supply (648)	Land Disturbing Permit	1230 Parliament Lane	8/1/2018
Don ? (649)	Land Disturbing Permit	3317 Mountainside Road	8/1/2018
Swimming Pool Services Inc. (650)	Land Disturbing Permit	2109 Longleaf Trail	8/2/2018
KADD,LLC (651)	Land Disturbing Permit	11971 Liberty Parkway	8/3/2018
John Mancha, Mancha Hardscapes (652)	Land Disturbing Permit	1465 Panorama	8/3/2018
TE Stevens (653)	Land Disturbing Permit	Helen Ridge, Cahaba Heights Road	8/14/2018
David Brooks (654)	Land Disturbing Permit	2612 Vestavia Forest Terrace	8/16/2018
Earls Pools (655)	Land Disturbing Permit	3349 Ridgely Circle	8/20/2018
Parish Building Company,LLC	Land Disturbing Permit	2444 Tyler Road	8/28/2018
Michael W Hendrickson	Land Disturbing Permit	7106 Old Overton Club Drive 44-A	9/4/2018
Saunders Bradford	Land Disturbing Permit	1601 Chateau Crest Lane	9/5/2018
Thornton Construction Co.	Land Disturbing Permit	2500 Shades Crest Road	9/10/2018
Barry P Fincher	Land Disturbing Permit	4440 Galen	9/14/2018
Twin Construction Inc.	Land Disturbing Permit	3293 Overton Trail	9/20/2018
Stephen Brady Wilson	Land Disturbing Permit	2589 Mountain Woods Drive	9/21/2018
BC Realty (663)	Land Disturbing Permit	2005 Rosemount	9/24/2018

Post-Construction Storm Water Management

Draft Ordinance

STORM WATER MANAGEMENT AUTHORITY, INC. POST-CONSTRUCTION ORDINANCE

RECITALS

Section 1 DEFINITIONS

Section 2 ADMINISTRATION

Section 3 POST-CONSTRUCTION BMP DESIGN

- Section 3.1 Design Standards.
- Section 3.2 Design References.

Section 4 APPLICATION REQUIREMENTS

- Section 4.1 Post Construction BMP Design Description.
- Section 4.2 Post-Construction BMP Inspection Plan Description.
- Section 4.3 Post Construction BMP Operation and Maintenance Plan Description.

Section 5 ENFORCEMENT AND ABATEMENT

Section 6 MISCELLANEOUS

- Section 6.1 Notices.
- Section 6.2 References.
- Section 6.3 Severability.
- Section 6.4 Captions.
- Section 6.5 Ultimate Responsibility.
- Section 6.6 Effective Date.

Draft Ordinance

STORMWATER MANAGEMENT POST-CONSTRUCTION ORDINANCE

RECITALS

WHEREAS, the City of _____ operates under the requirements of the Alabama Department of Environmental Management (ADEM) National Pollutant Discharge Elimination System (NPDES) Permit; and

WHEREAS, this permit authorizes stormwater discharges from regulated small municipal separate storm sewer systems (MS4); and

WHEREAS, the City of _____ must be compliant with the ADEM NPDES Permit by developing, implementing, and enforcing a program to address post-construction stormwater management; and

WHEREAS, the City of _____ finds it necessary to enact an ordinance to address and enforce post-construction stormwater management standards on Qualifying Sites to prevent or minimize water quality impacts and ensure that the volume and velocity of pre-construction stormwater runoff is not significantly exceeded for the life of the property's use to the maximum extent practical (MEP).

NOW, THEREFORE BE IT ORDAINED by the City Council of the City of _____, Alabama, as follows:

Draft Ordinance

Section 1 DEFINITIONS

For the purposes of this ordinance, the following words and terms shall have the meaning assigned to them in this section.

Best Management Practices - (herein abbreviated as "BMP") - activities, prohibitions of practices, maintenance procedures and management practices designed to prevent or reduce the pollution of waters to the MS4. Best Management Practices also include treatment requirements, operating procedures and practices to control facility site runoff, spillage or leaks, sludge or waste disposal or drainage from raw material storage and construction sites.

Non-structural BMPs - Non-structural BMPs may include but not be limited to the following: preservation of open spaces and vegetation, establishment of conservation easements, establishment of buffers along streams and other waters, maintenance of vegetation, BMP inspection and maintenance, planning for future development or redevelopment.

Qualifying Site - Qualifying Site is any new development site or re-development site that results in a total land disturbance of one or more acres and sites that disturb less than one acre but are a part of a larger common development or sale that would disturb one or more acres.

Structural BMPs - Structural BMPs may include, but not be limited to the following: detention/ retention devices, check dams, drainage swales, lined ditches, infiltration basins, porous pavement, outlet protection, velocity dissipation devices, slope protection, constructed wetlands, rain gardens, catch basin inserts, vegetated filter strips, and rain barrels.

Draft Ordinance

Section 2 ADMINISTRATION

The municipal engineer for the City, the municipal official or employee who is a qualified credentialed professional, such other municipal official or municipal employee who has had sufficient experience dealing with BMP design to enable them to enforce the provisions of this ordinance, an individual or agency contracted to provide such service, shall be responsible, on behalf of the City, to enforce the provisions of this ordinance.

Draft Ordinance

Section 3 POST-CONSTRUCTION BMP DESIGN

Section 3.1 Design Standards.

The post-construction BMPs for qualifying sites, which may include a combination of structural BMPs and/or non-structural BMPs, must be designed to ensure that the volume and velocity of pre-construction stormwater runoff, to the maximum extent practicable, is not significantly exceeded.

The current Post Construction Stormwater Management Technical Memorandum (Addendum A) details acceptable design criteria meeting the requirement of the current NPDES Permit No. _____ and shall be the basis for the design and implementation of post- construction BMPs.

Section 3.2 Design References.

By reference in this Section, the City adopts the following as design references to meet the design standards:

- a) The latest version of the "Alabama Handbook for Erosion Control, Sedimentation Control and Stormwater Management on Construction Sites and Urban Areas", Volumes 1 and 2.
- b) The latest version of the "Low Impact Development Handbook for the State of Alabama".
- c) Any storm water design manual approved by the city that meets the design requirement of this ordinance.

Draft Ordinance

Section 4 APPLICATION REQUIREMENTS

As part of the Land Disturbance Application, all Qualifying Sites shall include the following components:

Section 4.1 Post-Construction BMP Design Description.

Procedures and strategies of the structural BMPs and/or non-structural BMPs that meet the design standards for Qualifying Sites found in Section 3.1 of this ordinance. Submittal to the City of a certified as-built of the BMPs and a letter of substantial compliance from the design engineer are required within 120 days of construction completion.

Section 4.2 Post-Construction BMP Inspection Plan Description.

Procedures and strategies that will address inspections of the BMPs to confirm proper function, require corrective actions to poorly functioning or inadequately maintained BMPs, and require record keeping of maintenance activities, inspections, and corrective actions. The City shall perform or require the performance of an inspection by the developer/ owner/ operator at least once per year. Records of these inspections shall be made available to ADEM upon request and copies shall be provided to the City on an annual basis. The minimum documentation requirements for inspections are as follows:

- a) Facility type
- b) Inspection date
- c) Name and signature of inspector
- d) Site location
- e) Owner information (name, address, phone number, fax, and email)
- f) Description of the storm water BMP condition that may include the quality of: vegetation and soils, inlet and outlet channels and structures, embankments, slopes, and safety benches; spillways, weirs, and other control structures; and sediment and debris accumulation in storage and forebay areas as well as in and around inlet and outlet structures;
- g) Photographic documentation of all critical storm water BMP components;
- h) Specific maintenance items or violations that need to be corrected by the owner/operator of the storm water control or BMP; and
- i) Maintenance agreements for long-term BMP operations and maintenance.

Draft Ordinance

Section 4.3 Post-Construction BMP Operation and Maintenance Plan Description.

Procedures and strategies that will address adequate long-term operation and maintenance of the BMPs. One or more of the following shall be applicable (as determined by the City) to establish the responsible party for long-term operation and maintenance. The document(s) shall be provided to the City for review. Upon approval, an executed copy shall be put on file in the _____ Department:

- a) The developer's signed statement accepting responsibility for maintenance until the maintenance responsibility is legally transferred to another part.
- b) Written conditions in the sales or lease agreement that require the recipient to assume responsibility for maintenance.
- c) Written conditions in project conditions, covenants, and restrictions for residential properties assigning maintenance responsibilities to a home owner's association or other appropriate group for maintenance of structural and treatment control management practices.
- d) Any other legally enforceable agreement that assigns permanent responsibility for maintenance.

Draft Ordinance

Section 5 ENFORCEMENT AND ABATEMENT

If a responsible party fails or refuses to meet the design, operation, or maintenance standards required by this ordinance, the City, after reasonable notice, may correct a violation of the design standards, operation, or maintenance needs by performing all necessary work to place the measures in proper working condition. In the event that the BMPs become a danger to public safety or public health, the City shall notify in writing the responsible party for changes to design, operation, maintenance, and repairs of the BMP. Upon receipt of that notice, the responsible party shall have 14 calendar days, or such additional time as the City shall determine to be reasonably necessary to complete the action, to make changes to design, operation, maintenance, and repairs of the measures in an approved manner. In the event that corrective action is not undertaken within that time, the City may take necessary corrective action. The cost of any action by the City under this Section shall be billed to the responsible party. If the responsible party refuses to pay the bill, the City is entitled to bring an action against the responsible party to pay, file a lien against the property, or both. Costs shall include interest, collection fees, and reasonable attorney fees.

Draft Ordinance

Section 6 MISCELLANEOUS

Section 6.1 Notices.

Whenever the City is required or permitted to:

- (a) give a notice to any party, such notice must be in writing; or
- (b) deliver a document to any party; such notice or document may be delivered by personal delivery, certified mail (return receipt requested), registered mail (return receipt requested) or a generally recognized overnight carrier, to the address of such party which is in the records of the City or is otherwise known to the City.

Section 6.2 References.

Whenever a Section is referred to in this ordinance, unless the context clearly indicates the contrary, such reference shall be to a section of this ordinance.

Section 6.3 Severability.

The provisions of this ordinance are severable. If any part of this ordinance is determined by a court of law to be invalid, unenforceable or unconstitutional, such determination shall not affect any other part of this ordinance.

Section 6.4 Captions.

The captions of Sections and sections are for the purpose of reference only, and such captions shall not affect the meaning of any provision of this ordinance.

Section 6.5 Ultimate Responsibility.

The standards set forth herein and promulgated pursuant to this ordinance are minimum standards; therefore, this ordinance does not intend nor imply that compliance by any person will ensure that there will be no contamination, pollution, nor unauthorized discharge of pollutants.

Draft Ordinance

Section 6.6 Effective Date.

This ordinance shall be published as required by law and shall become effective at _____ on _____.

ADOPTED: This ____ day of _____, XXXX.

APPROVED: This ____ day of _____, XXXX.

Mayor

Draft Ordinance

ADDENDUM A



SWMA MS4 Program

Post-Construction Stormwater Management Technical Memorandum

Overview

In 1990, the U.S. Environmental Protection Agency (EPA) promulgated regulations establishing Phase I of the National Pollutant Discharge Elimination Systems (NPDES) stormwater program. The Phase I program for municipal separate storm sewer systems (MS4s) require operators of “medium” and “large” MS4s that generally serve populations of 100,000 or greater to implement a stormwater management program as a means to control to the maximum extent practicable (MEP) polluted discharges from certain municipal, industrial and construction activities into the MS4.

The Alabama Department of Environmental Management (ADEM) presently has primary jurisdiction over permitting and enforcement of the Stormwater Program for Alabama. The City of _____ (City) was issued NPDES Permit Number ALS0000__ on **DATE**. This NPDES Permit became effective on **DATE** and will expire on **DATE**. The City is required to develop and implement a Stormwater Management Program (SWMP) in accordance with the NPDES Permit requirements.

In accordance with the NPDES Permit, the City is required to develop and implement a Post Construction Stormwater Program to address stormwater runoff from qualifying new development and re-development projects by **DATE**. This memorandum provides technical guidance regarding the City’s updated post construction stormwater management requirements in accordance with the City’s NPDES Permit.

Applicable Developments

The City’s updated post construction stormwater management requirements are only applicable to “Qualifying New Development or Redevelopment” projects as defined below:

Draft Ordinance

“Qualifying New Development and Redevelopment” means any site that results from the disturbance of one acre or more of land or the disturbance of less than one acre of land if part of a larger common plan of development or sale that is greater than one acre. Qualifying new development and redevelopment does not include land disturbances conducted by entities under the jurisdiction and supervision of the Alabama Public Service Commission.

Since stormwater detention and retention facilities are the primary Best Management Practices (BMPs) that have historically been used for post-construction stormwater management, this technical memorandum has been developed to address stormwater detention and retention facilities. However, this does not preclude the use of other generally accepted engineering practices.

Implementation

Effective **DATE**, all qualifying new development and redevelopment projects shall be designed in accordance with this technical memorandum.

Waiver Request

The City recognizes that there are existing project sites that have been constructed or previously approved, prior to the effective **DATE** of this technical memorandum, that may qualify for a waiver from the updated post construction stormwater management requirements. As a result, the City has developed an Existing Development, Post Construction Stormwater Management Waiver Request Form (Figure 1) to address existing project sites. In order for an existing project site to be considered for a waiver, the waiver request form shall be completed and submitted to the City for review and approval. If a waiver has been submitted for a development that has not been completed and the density of the development is increased and/or modified, the developer shall resubmit a waiver request for this development.

Water Quality Requirements

Post-construction stormwater runoff quality is an important component of the City's SWMP. In order to meet the requirements of the City's NPDES Permit, a Water Quality Volume (WQ_v) must be accounted for on each project site and BMPs must be utilized to store and treat the WQ_v . The required WQ_v is based upon the first 1.1 inches of rainfall that occurs on the project site. The WQ_v can be estimated as described below.

Draft Ordinance

$WQ_v = 1.1$ inches / acre of additional impervious area.

For example: An existing 12.5 acre site planned for re-development contains 3 acres of existing impervious area. The proposed development will contain 7 total acres of impervious area in the post-development condition. The required WQ_v shall be calculated as follows:

$$\begin{aligned} WQ_v &= 1.1 \text{ inches} * 4 \text{ acres of additional impervious area} \\ &= 1.1 \text{ inches} * (1 \text{ foot} / 12 \text{ inches}) * 4 \text{ acres} * (43,560 \text{ sq.ft.} / 1 \text{ acre}) \\ &= 15,972 \text{ cubic feet of storage required} \end{aligned}$$

The WQ_v that is required for each project site may be provided in multiple ways to allow greater flexibility during design. There are a number of post-construction BMPs such as detention ponds, retention ponds, bioretention swales, proprietary stormwater quality treatment devices, sand filters, etc. that may be utilized by the Owner and their Engineer-of-Record to meet the water quality requirements.

Low Impact Development (LID)

As an option for meeting the updated post-construction stormwater management requirements, the City encourages Owners and Developers to incorporate the use of low impact development (LID) practices into qualifying development and redevelopment projects. The latest version of the Alabama Low Impact Development is incorporated into this technical memorandum by reference.

Design Standards

For detention and retention ponds, the calculation methodology shall utilize the National Resource Conservation Resources (NRCS) Urban Hydrology for Small Watersheds Technical Release 55 (TR-55) or equivalent. For the determination of pre-construction and post-construction stormwater runoff hydrology, the 24-hour rainfall depths from National Oceanic and Atmospheric Administration (NOAA) Atlas14, Volume 9, Version 2 included in Table 1 shall be used:

Draft Ordinance

Table 1. Design Storms

Storm Event (24 hour)	Rainfall (inches) (Bessemer)	Rainfall (inches) (Bham WSFO)	Rainfall (inches) (Bham AP ASOS)	Rainfall (inches) (Pinson)
2-year	4.09	4.1	4.12	4.11
5-year	4.97	4.99	5.02	4.99
10-Year	5.82	5.83	5.85	5.8
25-Year	7.18	7.15	7.13	7.02
100-Year	9.71	9.56	9.39	9.15



Draft Ordinance

As a part of the City's requirements for post-construction stormwater runoff management, all project sites shall be responsible for ensuring, to the MEP, that post-development runoff mimics pre-development hydrology for the 2-year, 5-year, 10-year, and 25-year rainfall depths listed in Table 1. All stormwater detention or retention facilities must be able to convey the peak flow rate associated with a 100-year, 24-hour storm event. The Owner and/or Developer shall ensure, to the MEP, that installation of post-construction BMPs shall not adversely impact and/or cause flooding of properties located upstream and downstream of post-construction BMPs.

Detention and Retention Ponds

As a part of this technical memorandum, two structural BMPs (detention and retention ponds) have been highlighted as design options to assist in meeting the post-construction stormwater management requirements of the City's NPDES permit. Both detention ponds and retention ponds are fairly simple to design, construct and maintain. However, other structural BMPs may be selected by the Owner and Engineer-of-Record for review and approval by the City and are welcomed to be incorporated into the overall stormwater management plan for each project site.

A Design Form, Detention / Retention Ponds (Figure 2) has been developed by the City to aid in the design, review, and approval of detention and retention facilities. The design form provides a standard format for the Engineer-of-Record to provide information concerning pre-development conditions, post-development conditions, pond outlet configurations, pond storage, and pond peak flow discharges. For a project that contains multiple detention facilities, the Engineer-of-Record may simply provide a Design Form for each facility. While a detention pond can be utilized to meet the stormwater management requirements, some type of filtration system is needed for a detention pond to meet the stormwater quality requirements. The filtration system must allow the volume of water associated with the WQ_v to drain slowly out of the pond, but should drain within a forty-eight (48) hour period. Figure 3 provides some basic examples of filtering systems that may be applicable to detention ponds.

As-Built Certification

As a part of the NPDES permit, the City must insure the BMPs that have been designed and approved are constructed and operated in accordance with their original design and intent. In an effort to confirm that the constructed BMPs meet the designer's intent, an As-Built Evaluation and Certification form (Figure 4) has been developed. It shall be the Owner's responsibility to have as-built information, such as pond volume, embankment size and elevations, invert size and elevations, and spillway elevations, field surveyed by a Professional Land

Draft Ordinance

Surveyor. It shall be the Engineer-of-Record's responsibility to utilize the field surveyed information to fill out the As-Built Evaluation and Certification Form. The Owner has two options for completing the As-Built Evaluation and Certification:

Option 1 The As-Built Evaluation and Certification form shall be submitted and approved by the City prior to the issuance of a Certificate of Occupancy (CO) and/or prior to the recording of the final subdivision plat.

Option 2 If the Owner would like to obtain a CO and/or record the final subdivision plat prior to the City's approval of the As-Built Evaluation and Certification form, the Owner may post a bond or other forms of surety acceptable to the City in the amount of 100% of the construction cost associated with post-construction stormwater management BMPs and the cost associated with the effort required to complete the As-Built Evaluation and Certification. The As-Built Evaluation and Certification form shall be submitted to the City within 120 days of receipt of a CO and/or recording of the final subdivision plat.

Annual Inspections

In order for post-construction BMPs to continue to function in accordance with their original design and installation, annual inspections are required by the City's NPDES permit. The Owner of the project is required to have these annual inspections performed and must then submit the required Annual Inspection Form (Figure 5) to the City. The Annual Inspection Form shall provide documentation concerning the condition of each facility in terms of vegetative cover, erosion that may be occurring, the condition of inlets into the pond and the pond outlet, embankment conditions and any maintenance required and/or performed. The City shall evaluate the documentation submitted to confirm that the stormwater management facilities are continuing to function as designed.

The Annual Inspection Form shall be submitted to the City each year by 30 September.

Draft Ordinance

Operation and Maintenance

It is the responsibility of the Owner to operate and maintain the stormwater management facility and/or BMPs in accordance with the original design intent and approval. If the original Owner or Developer has sold the project or passed ownership on to a Homeowner's Association, then it is the new Owner or HOA's responsibility to maintain the facility and provide any required inspection and maintenance.

Should maintenance be needed at a facility as a result of the Annual Inspection, the Owner shall provide the City documentation of the maintenance required and a schedule for completing all maintenance activities. Once all maintenance activities are completed, the Owner shall provide documentation to the City of the maintenance performed and that the BMP operates as it was designed.

A summary of maintenance activities shall be submitted to the City each year by 30 September. The summary shall cover the previous fiscal year beginning 1 October through 30 September.

List of Figures

Figure 1 – Existing Development Post Construction Stormwater Management Waiver Request Form

Figure 2 – Design Form, Detention / Retention Ponds

Figure 3 – Detention Pond Outlet Structure Example

Figure 4 – As-Built Evaluation and Certification Form

Figure 5 – Annual Inspection Form

Oils, Toxics, and Household Hazardous Waste Control



Jefferson County Department of Health
Watershed Protection Program

Sign-In-Sheet
10/17/2017

Please Print

Municipality	Name	Department
John Springer	John Springer	Irondale
GARLAND JONES	city of Irondale	PARKS
Irondale	Sean Littleton	Parks
Westanna Hills	Mike Swann	Public Services
Center Point	Mark Self	Public Works
Irondale	Tim Pewsey	Public Works
Hueytown	Barry Humphries	B + Z
JCDH	Chaz Douglas	WPP
City Pinson	Eric Winfrey	Public Works
Trussville	Rheanna Poe	City of Trussville Inspections
Homewood	Vanessa McGrath	BEZ
Birmingham	James Jacobi	Ala. Coop. Ext.
TCDH	Barbara Newman	Env Health



Jefferson County Department of Health
Watershed Protection Program



Sign-In-Sheet
10/17/2017

Please Print

Municipality	Name	Department
Cig Rom	Anthony Bode	Geell
Trussdale	Wayne Miller	Public Works
Trussdale Pw	Ben Milan	Public Works
Trussdale	Franco Perwinger	P.W.
Bobbie Huggins	City of Center Point	P.W.
Trussdale	Michael Wallace	Public Works
Hueytown	Kent Byram	Building Inspections
Center Point	Karen Jaynes	Inspections
Center Point	Ricky Hinkle	Inspections
JCDM	Jarika Smith	WSP
JCDM	Scott Hater	"
JCDM	Drew Hubbard	"
Pinson	BB Jones	GIS zoning
Vestavia Hills	Yvonne Kearley	Public Services
Vestavia Hills	BRIAN DAVIS	Public Services
Trussville	Randall Molchan	E+I



Jefferson County Department of Health
Watershed Protection Program



Sign-In-Sheet
10/24/2017

Please Print

Municipality/Organization	Name	Department
Gardendale	Melissa Honeycott	Admin
Gardendale	Jeff Hollyaw	Public Works
C-deal-	Clint Jacks	
Mountain Brook	James Gray	Public works
Mt Brook	Sam Harris	Park & Rec
City of Vestavia	Brandon Bonds	Public Services
City of Tusculum	Fred Jones	Public Works
City of Aueytown	William Salter	William Salter Public works
City of Huxton	Dewey Goz	Public Works
City of Midfield	Tyrone Lloyd	
City of Midfield	Enrica Hamilton	
City of Midfield	Greg. Spauld	Public Works
City Grayville	M. John Dan	Mayor
City Gardendale	Dale Hych	Park's Rec.
Grayville	Tim Skelton	Gas & Water
City of Grayville	Tracy Hartley	street
Eugene Henry	Vestavia Mills	Public works



Jefferson County Department of Health
Watershed Protection Program
Sign-In-Sheet
10/24/2017



Please Print

Municipality / Organization	Name	Department
JCDH	Jonika Smith	Watershed Protection
Trussville	Scott Mann	Building Inspections
Trussville	Erin Hamilton	Building Inspections
See JCDH	Scott Hester	
Gardendale	Chris Loring	Park & Rec
Gardendale	JASON MURRELL	Fire
Gardendale	Jessica Barron	PW
Gardendale	Bob Perkins	inspection
Mt. Brook	Ronnie Vaughn	PW
mt. Brook	Johnny Harris	P.W.
Vestavia Hills	Barry Bertlett	Public works
Vestavia Hills	Ronald Loggers	PW
Trussville	Tai Wint	PW
Midfield	Jeff Zissette	PW
Janice PL Grove City of Midfield	Jimmy Cannon	PW
Darryl Roberts	Darryl Roberts	PW
City of P.O. Doug Hyche	Doug Hyche	Bldg Insp

MS4 TRAINING PROGRAM

GENERAL INFORMATION		START TIME: 8:10 AM
Welcome and facility information	Jonika Smith	5 Minutes
JCDH and SWMA overview	Scott Hofer	15 Minutes
Total		20 minutes

IDDE		START TIME: 8:30 AM
Introduction	Scott Hofer	2 minutes
Video		15 minutes
Q/A	Scott Hofer	3 minutes
Quiz (15 Questions)	Scott and Jonika	5 minutes
Correcting the Quiz	Scott Hofer	10 minutes
Total		35 minutes

BREAK		START TIME: 9:05 AM
-------	--	---------------------

MUNICIPAL STORM WATER POLLUTION PREVENTION		START TIME: 9:10 AM
Introduction	Scott Hofer	2 minutes
Video		20 minutes
Q/A	Scott Hofer	10 minutes
Quiz	Scott Hofer	5 minutes
Quiz Answers	Scott Hofer	10 minutes
Total		47 minutes

BREAK		START TIME: 10:00 AM
-------	--	----------------------

PESTICIDES, HERBICIDES, AND FERTILIZERS		START TIME: 10:10 AM
Introduction	Scott Hofer	2 minutes
Presentation	Dr. Jim Jacobi	20 minutes
Q/A	Dr. Jim Jacobi	10 minutes
Total		32 minutes

OTHER TOPICS		START TIME: 10:45 AM
Construction Presentation	Scott Hofer	15 minutes
Proper Disposal of Chemicals (HHW)	Scott Hofer	5 minutes
SOAR Discussion		5 minutes

HEALTH IMPACT ASSESSMENT (HIA)		START TIME: 11:10 AM
Introduction	Barbara Newman	20 minutes
Streets Discussion	Barbara Newman	10 minutes
Total		30 minutes

CLOSING REMARKS		START TIME: 11:40 AM
Signs	Jonika Smith	5 minutes
Tokens, etc.	Jonika Smith	2 minutes
Total		7 minutes

LEAVE		START TIME: 11:50
-------	--	-------------------

Industrial Storm Water Runoff Control

High Risk Inspections by City

Adamsville

Cantley & Company, 2018-09-20

Created	2018-09-20 19:17:44 UTC by Drew Hubbard
Updated	2018-09-20 19:18:34 UTC by Drew Hubbard
Location	33.6029181504705, -86.9572320207953
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-20
Time	14:17
Facility Type	Retail
Facility Name	Cantley & Company
Facility Street Address	5127 Main St Adamsville, AL 35005
Reason For Not Inspecting	No fluids over 5-gal

Hydradyne Hydraulics , 2018-08-13

Created	2018-08-13 19:12:29 UTC by Drew Hubbard
Updated	2018-08-13 19:14:07 UTC by Drew Hubbard
Location	33.5883444464943, -86.9368884648917
Inspector	Drew Hubbard
Date	2018-08-13
Time	14:12
Facility Type	Manufacturing Processing
Facility Name	Hydradyne Hydraulics
Facility Street Address	3616 Veterans Memorial HWY Adamsville, AL 35005
Reason For Not Inspecting	No longer open

Js Automotive , 2018-09-20

Created	2018-09-20 16:29:43 UTC by Erick Gilkey
Updated	2018-09-20 16:30:17 UTC by Erick Gilkey
Location	33.5957380764801, -86.9471147283912
Inspector	Erick Gilkey
Date	2018-09-20
Time	11:29
Facility Type	Mechanic
Facility Name	Js Automotive
Facility Street Address	4300 Main St Adamsville, AL 35005
Reason For Not Inspecting	No chemicals being stored/used over 5 gallons

Pinkerton Construction , 2018-09-20

Created	2018-09-20 17:51:58 UTC by Erick Gilkey
Updated	2018-09-20 17:52:34 UTC by Erick Gilkey
Location	33.591158445961, -87.0005956292152
Inspector	Erick Gilkey
Date	2018-09-20
Time	12:51
Facility Type	Construction
Facility Name	Pinkerton Construction
Facility Street Address	1624 Union Grove Rd Adamsville, AL 35005
Reason For Not Inspecting	Closed/out of business

Norris Paving and Excavating , 2018-09-28

Created	2018-09-28 15:17:03 UTC by Drew Hubbard
Updated	2018-09-28 15:42:01 UTC by Drew Hubbard
Location	33.6062339203332, -86.9165031259457

General Info

Inspector	Drew Hubbard
Date	2018-09-28
Time	10:17
Facility Name	Norris Paving and Excavating
Does this facility have an NPDES permit?	No
Facility Type	Asphalt paving and
Municipal Business License #	12435
Facility Street Address	3448 Forest dale Bend Road Adamsville
Facility Phone Number	2056745947
Facility Contact Name	Lucas Norris
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	4,500 metal gallon on road diesel 1,800 metal gallon off road diesel, 5-55 gallon metal buckets of new oil, 2- 5 gallon plastic buckets of hydraulic fluid. 1 - 240 gallon plastic tank of old used oil that is pickup as needed

Photos



Google Map image of facility

N/A

M & K ONE STOP, 2018-07-12

Created	2018-07-12 17:13:09 UTC by Drew Hubbard
Updated	2018-07-12 17:38:44 UTC by Drew Hubbard
Location	33.6064582823798, -86.9573191990779

General Info

Inspector	Drew Hubbard
Date	2018-07-12
Time	12:13
Facility Name	M & K ONE STOP
Facility Type	Gas Station
Municipal Business License #	18-9161
Facility Street Address	5317 Veterans Memorial Dr Adamsville, AL 35005
Facility Phone Number	2056749003
Facility Contact Name	Rajan Patel
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	5 total gas tanks.... One-20,000 and Three-4,000 gallon gas tanks. One-8,000 gallon Diesel tank.
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Marlon dollar, 2018-09-18

Created	2018-09-18 19:38:36 UTC by Scott Hofer
Updated	2018-09-20 16:46:06 UTC by Erick Gilkey
Location	33.5732972958881, -86.94619204849
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-18
Time	14:38
Facility Type	Mechanic
Facility Name	Marlon dollar
Facility Street Address	3025 Poplar Ln Adamsville, AL 35005
Reason For Not Inspecting	No hazardous stored above 5-gal

Southeastern Sealcoating Inc, 2018-09-25

Created	2018-09-25 18:19:20 UTC by Drew Hubbard
Updated	2018-09-25 18:21:36 UTC by Drew Hubbard
Location	33.5492349627119, -86.9288306209199
Inspector	Drew Hubbard
Date	2018-09-25
Time	13:19
Facility Type	Seal coating
Facility Name	Southeastern Sealcoating Inc
Facility Street Address	1331 Adamsville Industrial Pkwy Adamsville, AL 35224
Reason For Not Inspecting	Nothing over 5 gallons onsite

Dans Printing Co, 2018-09-20

Created	2018-09-20 16:12:13 UTC by Erick Gilkey
Updated	2018-09-20 16:12:49 UTC by Erick Gilkey
Location	33.6000630598193, -86.9534055143595
Inspector	Erick Gilkey
Date	2018-09-20
Time	11:12
Facility Type	Print shop
Facility Name	Dans Printing Co
Facility Street Address	4807 Main St Adamsville, AL 35005
Reason For Not Inspecting	No chemicals being stored/used over 5 gallons

Rich's Collision , 2018-07-12

Created	2018-07-12 18:41:58 UTC by Drew Hubbard
Updated	2018-07-12 18:44:05 UTC by Drew Hubbard
Location	33.5908795070584, -86.9370987129492
Inspector	Drew Hubbard
Date	2018-07-12
Time	13:41
Facility Type	Not even a building on site yet.
Facility Name	Rich's Collision
Facility Street Address	3708 Veterans Memorial Dr Adamsville, AL 35005
Reason For Not Inspecting	Not even a building onsite yet.

Sam Jacks Automotive , 2018-09-20

Created	2018-09-20 18:20:01 UTC by Erick Gilkey
Updated	2018-09-20 18:26:47 UTC by Erick Gilkey
Location	33.5974505578853, -86.9426766782999

General Info

Inspector	Erick Gilkey
Date	2018-09-20
Time	13:20
Facility Name	Sam Jacks Automotive
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	18-0088
Facility Street Address	4100 Veterans Memorial Dr Adamsville, AL 35005
Facility Phone Number	2056746448
Facility Contact Name	Sammy Jacks
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Brake Fluid
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	Yes

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Cast Urethane , 2018-08-13

Created	2018-08-13 19:08:04 UTC by Drew Hubbard
Updated	2018-08-13 19:12:03 UTC by Drew Hubbard
Location	33.588185474831, -86.9368670120688
Inspector	Drew Hubbard
Date	2018-08-13
Time	14:08
Facility Type	Manufacturing processing
Facility Name	Cast Urethane
Facility Street Address	1326 Industrial Parkway Adamsville, AL 35005
Reason For Not Inspecting	No longer open

CCI CONSTRUCTION , 2018-09-28

Created	2018-09-28 16:07:18 UTC by Drew Hubbard
Updated	2018-09-28 16:18:29 UTC by Drew Hubbard
Location	33.5523495443119, -86.9301529927536

General Info

Inspector	Drew Hubbard
Date	2018-09-28
Time	11:07
Facility Name	CCI CONSTRUCTION
Does this facility have an NPDES permit?	No
Facility Type	Construction Company
Municipal Business License #	18-0569
Facility Street Address	2843 Old Mine Rd Adamsville, AL 35224
Facility Phone Number	2567375445
Facility Contact Name	Mitch Ezell
Facility Contact Title	Service Manager


Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, By mop
If a LARGE spill occurs	Berms are placed around it

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Gooch Paint and Body, 2018-07-12

Created	2018-07-12 19:31:10 UTC by Drew Hubbard
Updated	2018-07-12 19:33:03 UTC by Drew Hubbard
Location	33.605795702054, -86.9570178816416
Inspector	Drew Hubbard
Date	2018-07-12
Time	14:31
Facility Type	Auto Body Shop
Facility Name	Gooch Paint and Body
Facility Street Address	5501 Veterans Memorial Dr Adamsville, AL 35005
Reason For Not Inspecting	Business and Building are no longer at this Address.

Prestidge Machine, 2018-09-18

Created	2018-09-18 19:53:40 UTC by Scott Hofer
Updated	2018-09-20 18:19:51 UTC by Erick Gilkey
Location	33.5978186308254, -86.9511092081666
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-18
Time	14:53
Facility Type	Retail
Facility Name	Prestidge Machine
Facility Street Address	4605 Main St Adamsville, AL 35005
Reason For Not Inspecting	No hazardous stored above 5-gal

Cemwall, 2018-08-13

Created	2018-08-13 19:09:27 UTC by Drew Hubbard
Updated	2018-08-13 19:11:23 UTC by Drew Hubbard
Location	33.588343116278, -86.9369369420486
Inspector	Drew Hubbard
Date	2018-08-13
Time	14:09
Facility Type	Manufacturing Process
Facility Name	Cemwall
Facility Street Address	4136 Old Jasper HWY Adamsville, AL 35005
Reason For Not Inspecting	No chemicals on site

Circle K, 2018-07-10

Created	2018-07-10 16:52:21 UTC by Drew Hubbard
Updated	2018-07-10 17:08:46 UTC by Drew Hubbard
Location	33.5741533662861, -86.9059866931828

General Info

Inspector	Drew Hubbard
Date	2018-07-10
Time	11:52
Facility Name	Circle K
Facility Type	Gas Station
Municipal Business License #	2018-0003
Facility Street Address	1955 Veterans Memorial Drive Adamsville , Al 35214
Facility Phone Number	2057912939
Facility Contact Name	Michael Holloway
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-10,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Numeric Machine , 2018-09-21

Created	2018-09-21 19:08:57 UTC by Drew Hubbard
Updated	2018-09-21 19:10:06 UTC by Drew Hubbard
Location	33.5485603626618, -86.9286265485877
Inspector	Drew Hubbard
Date	2018-09-21
Time	14:08
Facility Type	Machine shop
Facility Name	Numeric Machine
Facility Street Address	1320 Adamsville Industrial Pkwy Adamsville, AL 35224
Reason For Not Inspecting	Welding and metal machine shop

Jet-Pep, 2018-07-10

Created	2018-07-10 18:03:55 UTC by Drew Hubbard
Updated	2018-07-10 18:12:54 UTC by Drew Hubbard
Location	33.5882965464753, -86.9368125414728

General Info

Inspector	Drew Hubbard
Date	2018-07-10
Time	13:03
Facility Name	Jet-Pep
Facility Type	Gas Station
Municipal Business License #	16-0144
Facility Street Address	3616 Main St Adamsville, AL 35005
Facility Phone Number	2056741390
Facility Contact Name	Paul Patel
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	One-16,000 and one-8,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Little Warrior Hydraulics, 2018-09-27

Created	2018-09-27 15:17:03 UTC by Drew Hubbard
Updated	2018-09-27 15:44:49 UTC by Drew Hubbard
Location	33.6601379145413, -87.0253054715093

General Info

Inspector	Drew Hubbard
Date	2018-09-27
Time	10:17
Facility Name	Little Warrior Hydraulics
Does this facility have an NPDES permit?	No
Facility Type	Machine Shop
Municipal Business License #	18-0433
Facility Street Address	5595 Flat Top Road Adamsville
Facility Phone Number	205
Facility Contact Name	Chris Chance
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, By mop
If a LARGE spill occurs	Berms are placed around it

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	4-5 gallon new oil and 250 gallon old oil in metal container-dumped when needed

Photos



Google Map image of facility

N/A

Wallace Honeycutt, 2018-09-20

Created	2018-09-20 18:33:49 UTC by Erick Gilkey
Updated	2018-09-20 18:42:18 UTC by Erick Gilkey
Location	33.6093062967886, -86.9527577608824
Inspector	Erick Gilkey
Date	2018-09-20
Time	13:33
Facility Type	Automotive Dealer
Facility Name	Wallace Honeycutt
Facility Street Address	3515 Honeycutt Rd Adamsville, AL 35005
Reason For Not Inspecting	No fluids over 5 gallons being used/stored

Big Sky Environmental , 2018-09-21

Created	2018-09-21 15:32:13 UTC by Drew Hubbard
Updated	2018-09-21 15:38:03 UTC by Drew Hubbard
Location	33.6441426340525, -87.0127601581021

General Info

Inspector	Drew Hubbard
Date	2018-09-21
Time	10:32
Facility Name	Big Sky Environmental
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Landfill
NPDES Permit	ALG160168
Facility Street Address	5100 Flat Top Road Adamsville, AL 35073
Facility Phone Number	2057430080
Facility Contact Name	John Click
Facility Contact Title	General Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Mosley Mart, 2018-07-10

Created	2018-07-10 17:24:13 UTC by Drew Hubbard
Updated	2018-07-10 17:30:56 UTC by Drew Hubbard
Location	33.5973112623449, -86.9837499490202

General Info

Inspector	Drew Hubbard
Date	2018-07-10
Time	12:24
Facility Name	Mosley Mart
Facility Type	Gas Station
Municipal Business License #	2018-0133
Facility Street Address	1234 Union Grove Rd Adamsville, AL 35005
Facility Phone Number	2056442717
Facility Contact Name	Joy
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	1-8,000 and 1-6,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Willie C Williams, 2018-09-20

Created	2018-09-20 18:49:23 UTC by Erick Gilkey
Updated	2018-09-20 18:50:09 UTC by Erick Gilkey
Location	33.5941336415735, -86.9474714621902
Inspector	Erick Gilkey, Drew Hubbard
Date	2018-09-20
Time	13:49
Facility Type	Mechanic
Facility Name	Willie C Williams
Facility Street Address	4229 School St Adamsville, AL 35005
Reason For Not Inspecting	No chemicals over 5 gallons being used/stored

Parkwest Radiator/ Parkway Auto A/C Repair, 2018-09-20

Created	2018-09-20 17:36:45 UTC by Erick Gilkey
Updated	2018-09-20 17:38:18 UTC by Erick Gilkey
Location	33.5984391569145, -86.9463073834777
Inspector	Erick Gilkey
Date	2018-09-20
Time	12:36
Facility Type	Mechanic
Facility Name	Parkwest Radiator/ Parkway Auto A/C Repair
Facility Street Address	404 Johnson St Adamsville, AL 35005
Reason For Not Inspecting	No chemicals being stored/used over 5 gallons

Southeastern Sealcoatiing, 2018-09-27

Created	2018-09-27 16:18:31 UTC by Drew Hubbard
Updated	2018-09-27 16:21:48 UTC by Drew Hubbard
Location	33.5493389538764, -86.9287956695589

General Info

Inspector	Drew Hubbard
Date	2018-09-27
Time	11:18
Facility Name	Southeastern Sealcoatiing
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Sealcoating
NPDES Permit	ALR10AU68
Facility Street Address	1330 Adamsville Industrial Pkwy Adamsville, AL 35224
Facility Phone Number	2057989560
Facility Contact Name	Grace Miller
Facility Contact Title	Employee

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Watkins Metal, 2018-09-21

Created	2018-09-21 18:54:08 UTC by Drew Hubbard
Updated	2018-09-21 19:00:33 UTC by Drew Hubbard
Location	33.5490937373658, -86.9316727997951

General Info

Inspector	Drew Hubbard
Date	2018-09-21
Time	13:54
Facility Name	Watkins Metal
Does this facility have an NPDES permit?	No
Facility Type	Scrap yard
Municipal Business License #	18-0095
Facility Street Address	1356 Adamsville Industrial Pkwy Adamsville, AL 35224
Facility Phone Number	2057953088
Facility Contact Name	Will
Facility Contact Title	Assistant Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	By mop, Cat litter
If a LARGE spill occurs	Berms are placed around it

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	500 gallon diesel fuel tank

Photos



Google Map image of facility

N/A

Hardin's One Stop, 2018-07-10

Created	2018-07-10 15:39:19 UTC by Drew Hubbard
Updated	2018-07-10 15:46:24 UTC by Drew Hubbard
Location	33.58952762372, -86.9373204591511

General Info

Inspector	Drew Hubbard
Date	2018-07-10
Time	10:39
Facility Name	Hardin's One Stop
Facility Type	Gas Station
Municipal Business License #	2018-0231
Facility Street Address	3645 Gray Ave Adamsville, AL 35005
Facility Phone Number	2056747932
Facility Contact Name	Harry Patel
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	Two 8,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Precision Tune Auto Care, 2018-09-20

Created	2018-09-20 18:08:44 UTC by Erick Gilkey
Updated	2018-09-20 18:11:28 UTC by Erick Gilkey
Location	33.5743853379919, -86.9083645194769
Inspector	Erick Gilkey, Drew Hubbard
Date	2018-09-20
Time	13:08
Facility Type	Mechanic
Facility Name	Precision Tune Auto Care
Facility Street Address	2014 Veterans Memorial Dr Adamsville, AL 35214
Reason For Not Inspecting	No chemicals being stored/used over 5 gallons

Holland Family Auto, 2018-07-12

Created	2018-07-12 18:03:46 UTC by Drew Hubbard
Updated	2018-07-24 13:59:03 UTC by Drew Hubbard
Location	33.5879706536752, -86.9357503087235
Inspector	Drew Hubbard
Date	2018-07-12
Time	13:03
Facility Type	Automotive Dealer
Facility Name	Holland Family Auto
Facility Street Address	33521 Gray Ave Adamsville, AL 35005
Reason For Not Inspecting	They take their vehicles to Walmart to get oil change and rest of mechanics chemicals are all in small quart containers.

Michaels Towing, 2018-09-20

Created	2018-09-20 17:08:24 UTC by Erick Gilkey
Updated	2018-09-20 17:22:41 UTC by Erick Gilkey
Location	33.6094224557529, -86.9595538079739

General Info

Inspector	Erick Gilkey
Date	2018-09-20
Time	12:08
Facility Name	Michaels Towing
Does this facility have an NPDES permit?	Yes
Facility Type	Mechanic
NPDES Permit	ALG180751
Facility Street Address	5520 Sanders Ave Adamsville, AL 35005
Facility Phone Number	2056747786
Facility Contact Name	Michael Buxton
Facility Contact Title	Owner

Maintenance Center

What fluids are being used/stored?	.
------------------------------------	---

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Cast Urethane, 2018-09-25

Created	2018-09-25 18:08:31 UTC by Drew Hubbard
Updated	2018-09-25 18:14:39 UTC by Drew Hubbard
Location	33.548893502843, -86.9284966144788
Inspector	Drew Hubbard
Date	2018-09-25
Time	13:08
Facility Type	Cast builders
Facility Name	Cast Urethane
Facility Street Address	1320 Adamsville Industrial Pkwy Adamsville, AL 35224
Reason For Not Inspecting	Castings only

E&J Carwash Auto Detail, 2018-07-12

Created	2018-07-12 17:53:48 UTC by Drew Hubbard
Updated	2018-07-12 17:56:32 UTC by Drew Hubbard
Location	33.5876683041749, -86.9353012854667
Inspector	Drew Hubbard
Date	2018-07-12
Time	12:53
Facility Type	Car Wash
Facility Name	E&J Carwash Auto Detail
Facility Street Address	3505 Gray Ave Adamsville, AL 35005
Reason For Not Inspecting	Hand car wash and all of their cleaning chemicals are smaller than 5 gallons

Marathon , 2018-07-10

Created	2018-07-10 16:29:51 UTC by Drew Hubbard
Updated	2018-07-10 16:39:34 UTC by Drew Hubbard
Location	33.6065782998078, -86.9578511963947

General Info

Inspector	Drew Hubbard
Date	2018-07-10
Time	11:29
Facility Name	Marathon
Facility Type	Gas Station
Municipal Business License #	2017-0103
Facility Street Address	5401 Veterans Memorial Dr Adamsville, AL 35005
Facility Phone Number	2056749753
Facility Contact Name	Patle
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	One-12,000 and Two-4,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Prestridge Machine, 2018-09-20

Created	2018-09-20 19:28:15 UTC by Drew Hubbard
Updated	2018-09-20 19:28:51 UTC by Drew Hubbard
Location	33.5980176526585, -86.9510596060099
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-20
Time	14:28
Facility Type	Manufacturing
Facility Name	Prestridge Machine
Facility Street Address	4613 Main St Adamsville, AL 35005
Reason For Not Inspecting	No fluids over 5-gal

Brighton

My Store , 2018-07-09

Created	2018-07-09 18:21:13 UTC by Drew Hubbard
Updated	2018-07-09 18:53:18 UTC by Drew Hubbard
Location	33.4265596353521, -86.9521646980126

General Info

Inspector	Drew Hubbard
Date	2018-07-09
Time	13:21
Facility Name	My Store
Facility Type	Gas Station
Municipal Business License #	9474001844
Facility Street Address	450 Bessemer Super Brighton, AL 35020
Facility Phone Number	2054343811
Facility Contact Name	Kevin Njoroge
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks are there?	2
What size fuel tanks are they (in gallons)?	15000
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Chevron Gas Station , 2018-07-09

Created	2018-07-09 17:50:27 UTC by Drew Hubbard
Updated	2018-07-09 18:20:26 UTC by Drew Hubbard
Location	33.4267485942915, -86.9523492258419

General Info

Inspector	Drew Hubbard
Date	2018-07-09
Time	13:50
Facility Name	Chevron Gas Station
Facility Type	Gas Station
Municipal Business License #	9474001682
Facility Street Address	3577 Jaybird Al
Facility Phone Number	2054288079
Facility Contact Name	Amin Ali
Facility Contact Title	Assistant manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks are there?	3
What size fuel tanks are they (in gallons)?	20000
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Brookside

Town and Country , 2018-07-09

Created	2018-07-09 19:57:30 UTC by Drew Hubbard
Updated	2018-07-09 20:17:34 UTC by Drew Hubbard
Location	33.5729794126605, -86.8770326825459

General Info

Inspector	Drew Hubbard
Date	2018-07-09
Time	14:57
Facility Name	Town and Country
Facility Type	Gas Station
Municipal Business License #	25188073007743-25188
Facility Street Address	2800 Cherry ave Brookside , Al 35952
Facility Phone Number	2056744784
Facility Contact Name	Julie Cato
Facility Contact Title	Assistant Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks are there?	3
What size fuel tanks are they (in gallons)?	8000
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Vestavia Hills



FAIRFIELD FIRE DEPARTMENT

5231 COURT B
FAIRFIELD, AL 35064



Attention: Fire Department or District Administrator

A requirement of the National Pollution Discharge Elimination System (NPDES) Stormwater permit is for the inspection of businesses that either discharge a liquid into the nearest waterbody or have the potential to discharge liquids into the municipal separate storm sewer systems (MS4). A discharge into the MS4 can potentially have adverse effect on nearby waterbodies if a leak occurs. In accordance with ADEM, one model of inspection that would comply with this requirement is the Pre-Fire Inspection, or similar inspections, completed by fire departments to document important fire/spill hazards and building layouts.

Pre-Fire Inspections or similar inspections have been completed on existing business properties and will be performed on future business properties.

By completing the information below you acknowledge the above statement is true and accurate to the best of your knowledge:

Name of
Municipality/District: City of Fairfield

William J. Ross (Fire Chief)
Title and Signature

1-3-2019
Date

Gardendale

Quality Cleaners, 2018-08-02

Created	2018-08-02 15:04:30 EDT by Scott Hofer
Updated	2018-08-02 15:05:16 EDT by Scott Hofer
Location	33.6513940005301, -86.8183558619576
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	14:04
Facility Type	Dry Cleaners
Facility Name	Quality Cleaners
Facility Street Address	439 Fieldstown Rd Gardendale, AL 35071
Reason For Not Inspecting	No chemicals stored on site. Pickup only

RLS, 2018-08-01

Created	2018-08-01 19:52:57 UTC by Drew Hubbard
Updated	2018-08-01 19:55:01 UTC by Drew Hubbard
Location	33.6738357008902, -86.8183160406537
Inspector	Drew Hubbard
Date	2018-08-01
Time	14:52
Facility Type	Landscape Services
Facility Name	RLS
Facility Street Address	119 North Village Drive Gardendale, AL 35071
Reason For Not Inspecting	No maintenance on equipment

Files Discount Tire Company LLC, 2018-08-02

Created	2018-08-02 19:29:27 UTC by Drew Hubbard
Updated	2018-08-02 19:30:47 UTC by Drew Hubbard
Location	33.6406337597097, -86.809974152614
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	14:29
Facility Type	Tire Company
Facility Name	Files Discount Tire Company LLC
Facility Street Address	701 Main St Gardendale, AL 35071
Reason For Not Inspecting	They just do tires.

Deluxe Car Wash LLC, 2018-08-02

Created	2018-08-02 15:20:24 EDT by Scott Hofer
Updated	2018-08-02 15:21:42 EDT by Scott Hofer
Location	33.6517991686714, -86.8109658530789
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	14:20
Facility Type	Car Wash
Facility Name	Deluxe Car Wash LLC
Facility Street Address	110 Fieldstown Rd Gardendale, AL 35071
Reason For Not Inspecting	Out of business

Crane Fast Lube Tire & Repair, 2018-08-02

Created	2018-08-02 17:58:06 UTC by Drew Hubbard
Updated	2018-08-02 18:10:47 UTC by Drew Hubbard
Location	33.6819585857053, -86.8208411292342

General Info

Inspector	Drew Hubbard, Juwan Murphy, Erick Gilkey
Date	2018-08-02
Time	12:58
Facility Name	Crane Fast Lube Tire & Repair
Facility Type	Mechanic
Municipal Business License #	2018-973
Facility Street Address	2428 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056310000
Facility Contact Name	Jeff
Facility Contact Title	Assistant Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	250
How many containers?	6

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250

How many containers?	2
Is there a berm around it?	Yes
Is it covered?	Yes

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
---------------------	---

Are there any other potentially hazardous items not already adressed?	No
---	----

Photos



Google Map image of facility	N/A
------------------------------	-----

ICON Motor Group llc , 2018-08-02

Created	2018-08-02 15:55:38 UTC by Drew Hubbard
Updated	2018-08-02 15:56:35 UTC by Drew Hubbard
Location	33.6380346527918, -86.8070002640523
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	10:55
Facility Type	Automotive Dealer
Facility Name	ICON Motor Group llc
Facility Street Address	532 Decatur Hwy Gardendale, AL 35071
Reason For Not Inspecting	Only used car sales

D&C Alabama Landscape Inc, 2018-08-01

Created	2018-08-01 19:56:59 UTC by Drew Hubbard
Updated	2018-08-01 19:58:37 UTC by Drew Hubbard
Location	33.67389708521, -86.8183073365285
Inspector	Drew Hubbard
Date	2018-08-01
Time	14:56
Facility Type	Landscape Services
Facility Name	D&C Alabama Landscape Inc
Facility Street Address	2101 Decatur Hwy Gardendale, AL 35071
Reason For Not Inspecting	No maintenance on equipment

McGrady Landscaping & Lawn, inc, 2018-08-10

Created	2018-08-10 17:50:21 UTC by Drew Hubbard
Updated	2018-08-10 17:52:01 UTC by Drew Hubbard
Location	33.6389784995481, -86.7884400172675
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-10
Time	12:50
Facility Type	Landscape Services
Facility Name	McGrady Landscaping & Lawn, inc
Facility Street Address	3316 Carol Drive Gardendale, AL 35217
Reason For Not Inspecting	Small lawn mowing business, no chemicals

Best Western , 2018-08-08

Created	2018-08-08 18:17:24 UTC by Drew Hubbard
Updated	2018-08-08 18:19:38 UTC by Drew Hubbard
Location	33.6490619879226, -86.8107830954313
Inspector	Drew Hubbard
Date	2018-08-08
Time	13:17
Facility Type	Hotel
Facility Name	Best Western
Facility Street Address	842 Thompson Street Gardendale, AL 35071
Reason For Not Inspecting	We don't inspect Hotels

Gardendale Funeral Home Inc, 2018-08-02

Created	2018-08-02 17:04:28 UTC by Drew Hubbard
Updated	2018-08-02 17:32:20 UTC by Drew Hubbard
Location	33.6761141979555, -86.8204588162785

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	12:04
Facility Name	Gardendale Funeral Home Inc
Facility Type	Funeral Home
Municipal Business License #	2017-2409
Facility Street Address	2214 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056318810
Facility Contact Name	Michelle Beasley
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	By mop
If a LARGE spill occurs	The fire department is contacted

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	6 cases of new Formaldehyde stored in 16oz plastic bottles.
General comments/items of concern not mentioned	They have to wash all blood and formaldehyde down 1 drain that runs to a 1,000 gallon septic tank that gets pumped out every 2 weeks by a hazardous waste company and EVERY EMPTY 16oz plastic Formaldehyde bottle has to go in a special red plastic container and then it is picked up by Stericycle, every 2 weeks.

Photos



Google Map image of facility

N/A

Gardendale Wholesale Transmissions , 2018-08-02

Created	2018-08-02 15:25:48 UTC by Drew Hubbard
Updated	2018-08-02 15:55:19 UTC by Drew Hubbard
Location	33.6377051930187, -86.8069404663025

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	10:25
Facility Name	Gardendale Wholesale Transmissions
Facility Type	Mechanic
Municipal Business License #	2018-1173
Facility Street Address	532 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056319820
Facility Contact Name	Braydon
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Transmission fluid 250 gallon metal drum
------------------------------------	--

MISCELLANEOUS

Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
General comments/items of concern not mentioned	2-200 gallons old trans fluid

Photos



Google Map image of facility

N/A

World Class Motors llc, 2018-08-02

Created	2018-08-02 16:41:13 UTC by Drew Hubbard
Updated	2018-08-02 16:50:45 UTC by Drew Hubbard
Location	33.6695126602789, -86.8176689061866

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	11:41
Facility Name	World Class Motors llc
Facility Type	Automotive Dealer
Municipal Business License #	2018-2318
Facility Street Address	1920 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	205
Facility Contact Name	Donald
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	No
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	5


Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Express Oil Change, 2018-08-07

Created	2018-08-07 17:18:58 UTC by Drew Hubbard
Updated	2018-08-07 18:07:20 UTC by Drew Hubbard
Location	33.6519582452848, -86.8144633982012

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-07
Time	12:18
Facility Name	Express Oil Change
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	000
Facility Street Address	316 Fieldstown Road Gardendale, AL 35071
Facility Phone Number	2056312054
Facility Contact Name	Jeff Sloan
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze, Automatic Transmission Fluid
------------------------------------	--

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1,200 and 1,500
How many containers?	3

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1,000
How many containers?	4

Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drum
How many containers?	2
Is used transmission oil mixed in with used oil?	Yes

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

FOY Landscaping , 2018-08-09

Created	2018-08-09 20:16:38 UTC by Drew Hubbard
Updated	2018-08-09 20:19:24 UTC by Drew Hubbard
Location	33.6478442220157, -86.829826740473
Inspector	Drew Hubbard
Date	2018-08-09
Time	15:16
Facility Type	Landscape Services
Facility Name	FOY Landscaping
Facility Street Address	708 Cluster Springs Road Gardendale, AL 35071
Reason For Not Inspecting	Just mows yards

Bradberry Auto Glass and Upholstery , 2018-07-31

Created	2018-07-31 19:27:56 UTC by Drew Hubbard
Updated	2018-07-31 19:31:15 UTC by Drew Hubbard
Location	33.6560905313912, -86.811804309785
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-07-31
Time	14:27
Facility Type	Auto Body Shop
Facility Name	Bradberry Auto Glass and Upholstery
Facility Street Address	1220 Decatur Hwy Gardendale, AL 35071
Reason For Not Inspecting	Nothing on site that is High Risk material

Ridout's Gardendale Chapel #1895, 2018-08-10

Created	2018-08-10 12:57:24 EDT by Scott Hofer
Updated	2018-08-10 13:00:38 EDT by Scott Hofer
Location	33.6720524318505, -86.8182178977254
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-10
Time	11:57
Facility Type	Funeral Home
Facility Name	Ridout's Gardendale Chapel #1895
Facility Street Address	2029 Decatur Hwy Gardendale, AL 35071
Reason For Not Inspecting	Embalming done at other sites

Crump Pest Control , 2018-08-08

Created	2018-08-08 20:01:36 UTC by Drew Hubbard
Updated	2018-08-08 20:17:59 UTC by Drew Hubbard
Location	33.6387979909752, -86.809842032182

General Info

Inspector	Drew Hubbard
Date	2018-08-08
Time	15:01
Facility Name	Crump Pest Control
Does this facility have an NPDES permit?	No
Facility Type	Pest Control
Municipal Business License #	00000-Mr. Crump said he didn't have his 2018 License for the city of Gardendale, yet.
Facility Street Address	600 Main St Gardendale, AL 35071
Facility Phone Number	2056316508
Facility Contact Name	Larry Crump
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	In Vehicle
---	------------

Chemicals

What chemical is used/stored?	Pesticides
-------------------------------	------------

Pesticides

What kind of container is the pesticide being stored in?	Plastic drum
What size container is the pesticide being stored in (gallons)?	20 oz bottle that he mixes with water
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	No
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Doss Tractor Service, 2018-08-08

Created	2018-08-08 17:46:51 UTC by Drew Hubbard
Updated	2018-08-08 17:50:41 UTC by Drew Hubbard
Location	33.6448173690106, -86.8620498952797
Inspector	Drew Hubbard
Date	2018-08-08
Time	12:46
Facility Type	Landscape Services
Facility Name	Doss Tractor Service
Facility Street Address	4429 Longwood Dr Gardendale, AL 35071
Reason For Not Inspecting	No longer a business

Quick Mart Shell , 2018-07-18

Created	2018-07-18 19:43:10 UTC by Drew Hubbard
Updated	2018-07-18 19:58:39 UTC by Drew Hubbard
Location	33.6738864424404, -86.8182120474016

General Info

Inspector	Drew Hubbard
Date	2018-07-18
Time	14:43
Facility Name	Quick Mart Shell
Facility Type	Gas Station
Municipal Business License #	2018-1367
Facility Street Address	2101 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056318365
Facility Contact Name	Erick Jessani
Facility Contact Title	Assistant Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted


Gas Station

Is there a car wash on-site?	No
------------------------------	----

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Mountainview Aquatic Club, 2018-08-08

Created	2018-08-08 19:50:51 UTC by Drew Hubbard
Updated	2018-08-08 19:52:53 UTC by Drew Hubbard
Location	33.642495083842, -86.810626578595
Inspector	Drew Hubbard
Date	2018-08-08
Time	14:50
Facility Type	Pool
Facility Name	Mountainview Aquatic Club
Facility Street Address	4633 Oak Drive Gardendale, AL 35071
Reason For Not Inspecting	We don't inspect pools

Decatur Hwy Transmission, 2018-08-02

Created	2018-08-02 17:44:51 UTC by Drew Hubbard
Updated	2018-08-02 17:56:53 UTC by Drew Hubbard
Location	33.6822591133337, -86.8210646603517

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	12:44
Facility Name	Decatur Hwy Transmission
Facility Type	Mechanic
Municipal Business License #	2018-2423
Facility Street Address	2430 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056312767
Facility Contact Name	Donna Rayburn
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Transmission fluid
------------------------------------	--------------------

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	New Transmission fluid comes in plastic quart bottles
General comments/items of concern not mentioned	250 gallon plastic container ofused transmission fluid, that gets pumped as needed

Photos



Google Map image of facility

N/A

Murphy USA #6891, 2018-07-24

Created	2018-07-24 18:05:40 UTC by Drew Hubbard
Updated	2018-07-24 18:33:54 UTC by Drew Hubbard
Location	33.6486254895368, -86.8242912651656

General Info

Inspector	Drew Hubbard
Date	2018-07-24
Time	13:05
Facility Name	Murphy USA #6891
Facility Type	Gas Station
Municipal Business License #	2018-1205
Facility Street Address	916 Odum Rd Gardendale, AL 35071
Facility Phone Number	2056083699
Facility Contact Name	Alicia Mauldin
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	2-20,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Tidewell Lawn Care, 2018-08-08

Created	2018-08-08 17:52:07 UTC by Drew Hubbard
Updated	2018-08-08 17:54:18 UTC by Drew Hubbard
Location	33.6422649145153, -86.8589460272857
Inspector	Drew Hubbard
Date	2018-08-08
Time	12:52
Facility Type	Landscape Services
Facility Name	Tidewell Lawn Care
Facility Street Address	695 Longwood Way Gardendale, AL 35071
Reason For Not Inspecting	Just mowing Company out of home

Advanced Lawn, 2018-08-01

Created	2018-08-01 19:51:06 UTC by Drew Hubbard
Updated	2018-08-01 19:52:52 UTC by Drew Hubbard
Location	33.6739576417363, -86.8182841828586
Inspector	Drew Hubbard
Date	2018-08-01
Time	14:51
Facility Type	Landscape Services
Facility Name	Advanced Lawn
Facility Street Address	163 Gamble Circle Gardendale, AL 35071
Reason For Not Inspecting	Nothing but lawn mowers, no maintenance on them

Fieldstown Chevron , 2018-07-18

Created	2018-07-18 16:22:01 UTC by Drew Hubbard
Updated	2018-07-18 16:32:29 UTC by Drew Hubbard
Location	33.6520117787662, -86.8217067746786

General Info

Inspector	Drew Hubbard
Date	2018-07-18
Time	11:22
Facility Name	Fieldstown Chevron
Facility Type	Gas Station
Municipal Business License #	2018-1248
Facility Street Address	565 Fieldstown Rd Gardendale, AL 35071
Facility Phone Number	2056083619
Facility Contact Name	Meg Shrestha
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	Three- 12,018 and One-2,005 gallons
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Mt. Olive Chevron , 2018-08-02

Created	2018-08-02 19:53:29 UTC by Drew Hubbard
Updated	2018-08-02 20:03:18 UTC by Drew Hubbard
Location	33.6734842654117, -86.8360507110507

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	14:53
Facility Name	Mt. Olive Chevron
Facility Type	Gas Station
Municipal Business License #	2018-1356
Facility Street Address	2251 Mount Olive Rd Gardendale, AL 35117
Facility Phone Number	2056319132
Facility Contact Name	Cheryl Little
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	One 12,000 and Two 8,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Crenshaw's lawn care services , 2018-08-01

Created	2018-08-01 19:55:13 UTC by Drew Hubbard
Updated	2018-08-01 19:56:44 UTC by Drew Hubbard
Location	33.6738742215389, -86.8182125430845
Inspector	Drew Hubbard
Date	2018-08-01
Time	14:55
Facility Type	Landscape Services
Facility Name	Crenshaw's lawn care services
Facility Street Address	4711 Long wood Circle Gardendale, AL 35071
Reason For Not Inspecting	Just mowers, no maintenance

Gardendale Fuel Depot, 2018-07-24

Created	2018-07-24 19:02:56 UTC by Drew Hubbard
Updated	2018-07-24 19:09:44 UTC by Drew Hubbard
Location	33.6802029476534, -86.8227193102265

General Info

Inspector	Drew Hubbard
Date	2018-07-24
Time	14:02
Facility Name	Gardendale Fuel Depot
Facility Type	Gas Station
Municipal Business License #	2018-1207
Facility Street Address	2408 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056083824
Facility Contact Name	Sam
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	4-4,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Mr. B's \$5 Express, 2018-08-10

Created	2018-08-10 17:02:49 UTC by Drew Hubbard
Updated	2018-08-10 17:13:49 UTC by Drew Hubbard
Location	33.6510113125823, -86.8201024910923

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-10
Time	12:02
Facility Name	Mr. B's \$5 Express
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	2018-1345
Facility Street Address	2320 Caufield Dr Gardendale, AL 35071
Facility Phone Number	2052859600
Facility Contact Name	Shane Blackwell
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	Berms are placed around it

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Storm drain
What fluids are being used/stored?	Soap, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	16

Degreaser

Where is the degreaser being stored?	Inside
--------------------------------------	--------

Wax

Where is the wax being stored?	Inside
--------------------------------	--------

What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	30
How many containers?	3

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	30
How many containers?	4

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Mike's Handy Food Mart, 2018-07-31

Created	2018-07-31 17:18:25 UTC by Drew Hubbard
Updated	2018-07-31 17:26:08 UTC by Drew Hubbard
Location	33.6362981371318, -86.8063649668407

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-07-31
Time	12:18
Facility Name	Mike's Handy Food Mart
Facility Type	Gas Station
Municipal Business License #	2018-1210
Facility Street Address	439 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056312954
Facility Contact Name	Kathy and Dennis Robinson
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	Three 8,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Fieldstown Shell, 2018-07-18

Created	2018-07-18 18:08:25 UTC by Drew Hubbard
Updated	2018-07-18 18:34:03 UTC by Drew Hubbard
Location	33.6471061212754, -86.83323069085

General Info

Inspector	Drew Hubbard
Date	2018-07-18
Time	13:08
Facility Name	Fieldstown Shell
Facility Type	Gas Station
Municipal Business License #	2018-826
Facility Street Address	930 Fieldstown Rd Gardendale, AL 35071
Facility Phone Number	2052855400
Facility Contact Name	Raj Kothari
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	Two-12,000 Gallardo ns
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Wesley Design & Landscape Inc., 2018-07-31

Created	2018-07-31 17:16:44 UTC by Drew Hubbard
Updated	2018-07-31 17:17:59 UTC by Drew Hubbard
Location	33.6363615934347, -86.8063495762827
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-07-31
Time	12:16
Facility Type	Landscape Services
Facility Name	Wesley Design & Landscape Inc.
Facility Street Address	435 Decatur Hwy Gardendale, AL 35071
Reason For Not Inspecting	Closed and no longer there

Gardendale Exxon, 2018-07-17

Created	2018-07-17 19:37:36 UTC by Drew Hubbard
Updated	2018-07-17 19:57:02 UTC by Drew Hubbard
Location	33.6523594131191, -86.8105417238617

General Info

Inspector	Drew Hubbard
Date	2018-07-17
Time	14:37
Facility Name	Gardendale Exxon
Facility Type	Gas Station
Municipal Business License #	2018-1915
Facility Street Address	1008 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056081910
Facility Contact Name	Brenda Keith
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	Two-12,000 gallon
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Gardendale Cleaners, 2018-08-03

Created	2018-08-03 16:58:11 UTC by Drew Hubbard
Updated	2018-08-03 17:11:50 UTC by Drew Hubbard
Location	33.6422740159054, -86.8106860794542

General Info

Inspector	Drew Hubbard
Date	2018-08-03
Time	11:58
Facility Name	Gardendale Cleaners
Facility Type	Dry Cleaners
Municipal Business License #	2018-141
Facility Street Address	732 Main St Gardendale, AL 35071
Facility Phone Number	2056319261
Facility Contact Name	Brad Lichtenstein
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	By mop
If a LARGE spill occurs	Berms are placed around it

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Hydrocarbon
-------------------------------	-------------

Chemicals

Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Plastic drum
What size container is the chemical being stored in (gallons)?	5
How many containers?	4

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
---------------------	---

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Hoss Auto, 2018-08-07

Created	2018-08-07 17:03:24 UTC by Drew Hubbard
Updated	2018-08-07 17:16:18 UTC by Drew Hubbard
Location	33.6517528857779, -86.8141197154207

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-07
Time	12:03
Facility Name	Hoss Auto
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-1022
Facility Street Address	309 Fieldstown Rd Gardendale, AL 35071
Facility Phone Number	2056314672
Facility Contact Name	Phillip Holcombe
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Hand Landscaping , 2018-08-09

Created	2018-08-09 20:19:35 UTC by Drew Hubbard
Updated	2018-08-09 20:21:23 UTC by Drew Hubbard
Location	33.6478594228125, -86.829851868954
Inspector	Drew Hubbard
Date	2018-08-09
Time	15:19
Facility Type	Landscape Services
Facility Name	Hand Landscaping
Facility Street Address	2239 Franklin Drive Gardendale, AL 35071
Reason For Not Inspecting	No chemicals being used

A-1 Pest Control Services, 2018-08-08

Created	2018-08-08 18:53:11 UTC by Drew Hubbard
Updated	2018-08-08 18:54:46 UTC by Drew Hubbard
Location	33.6588895556211, -86.8120532778895
Inspector	Drew Hubbard
Date	2018-08-08
Time	13:53
Facility Type	Pest Control
Facility Name	A-1 Pest Control Services
Facility Street Address	345 Donna Drive Gardendale, AL 35071
Reason For Not Inspecting	A-1 is no longer at this address

J AND R AUTOMOTIVE AND TIRE SVC, 2018-08-02

Created	2018-08-02 16:11:46 UTC by Drew Hubbard
Updated	2018-08-02 16:27:51 UTC by Drew Hubbard
Location	33.6640842833904, -86.8139664989144

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	11:11
Facility Name	J AND R AUTOMOTIVE AND TIRE SVC
Facility Type	Mechanic
Municipal Business License #	00000
Facility Street Address	1609 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	205631882
Facility Contact Name	Bobby Hale
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil, Used antifreeze
------------------------------------	---------------------------

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	2

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	250

How many containers?

1

MISCELLANEOUS

Overall cleanliness

Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity

A LOT OF OLD TIRED STACKED UP AROUND BUILDING

Photos



Google Map image of facility

N/A

Microtel Inn & Suites, 2018-08-08

Created	2018-08-08 18:19:57 UTC by Drew Hubbard
Updated	2018-08-08 18:21:37 UTC by Drew Hubbard
Location	33.6490540352983, -86.8107860385298
Inspector	Drew Hubbard
Date	2018-08-08
Time	13:19
Facility Type	Hotel
Facility Name	Microtel Inn & Suites
Facility Street Address	925 Main St Gardendale, AL 35071
Reason For Not Inspecting	We don't inspect Hotels

Gardendale Coin Car Wash, 2018-07-31

Created	2018-07-31 17:04:36 UTC by Drew Hubbard
Updated	2018-07-31 17:11:28 UTC by Drew Hubbard
Location	33.6342541305075, -86.8059856867974

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-07-31
Time	12:04
Facility Name	Gardendale Coin Car Wash
Facility Type	Car Wash
Municipal Business License #	???
Facility Street Address	337 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	0
Facility Contact Name	??????
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Tri-weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	No
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Car Wash

Car wash type?	Do-it-yourself
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Degreaser, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum

What size container is the degreaser being stored in (gallons)?	55
How many containers?	1

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	55
How many containers?	1


Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility N/A

Adair Tire LLC, 2018-08-02

Created	2018-08-02 19:39:25 UTC by Drew Hubbard
Updated	2018-08-02 19:46:43 UTC by Drew Hubbard
Location	33.6779769765909, -86.8193928713955

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	14:39
Facility Name	Adair Tire LLC
Facility Type	Mechanic
Municipal Business License #	2018-2511
Facility Street Address	2253 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056310042
Facility Contact Name	Adam Adair
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	250
How many containers?	1

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500

How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Soaps and Suds, 2018-08-09

Created	2018-08-09 19:51:42 UTC by Drew Hubbard
Updated	2018-08-09 19:59:01 UTC by Drew Hubbard
Location	33.6418022559948, -86.7979882876468

General Info

Inspector	Drew Hubbard
Date	2018-08-09
Time	14:51
Facility Name	Soaps and Suds
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	0000
Facility Street Address	442 Tarrant Rd Gardendale, AL 35071
Facility Phone Number	2056088200
Facility Contact Name	Val Jackson
Facility Contact Title	Assistant Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	Berms are placed around it

Car Wash

Car wash type?	Hand Wash
Is the used water processed through a filtration system?	No
Used water drains to where?	Storm drain
What fluids are being used/stored?	Soap, Degreaser

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum

What size container is the degreaser being stored in (gallons)? 55

How many containers? 1

MISCELLANEOUS

Waste containers provided and used? Yes

What kind of container? Dumpster(s)

How often is it/are they emptied? Weekly

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Pep Boys Auto Service and Tires #1586, 2018-08-10

Created	2018-08-10 17:27:27 UTC by Drew Hubbard
Updated	2018-08-10 17:40:42 UTC by Drew Hubbard
Location	33.6550006620479, -86.8115423002514

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-10
Time	12:27
Facility Name	Pep Boys Auto Service and Tires #1586
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-1537
Facility Street Address	1210 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056312344
Facility Contact Name	Jason Heacox
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	250
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1


Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Gardendale Chevron , 2018-07-24

Created	2018-07-24 19:16:59 UTC by Drew Hubbard
Updated	2018-07-24 19:29:20 UTC by Drew Hubbard
Location	33.6547560311704, -86.8117595989603

General Info

Inspector	Drew Hubbard
Date	2018-07-24
Time	14:16
Facility Name	Gardendale Chevron
Facility Type	Gas Station
Municipal Business License #	2018-1663
Facility Street Address	1130 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056313711
Facility Contact Name	Sim
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-8,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

S&K Services , 2018-07-31

Created	2018-07-31 16:42:35 UTC by Drew Hubbard
Updated	2018-07-31 16:51:04 UTC by Drew Hubbard
Location	33.6338687285992, -86.8063672438188

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-07-31
Time	11:42
Facility Name	S&K Services
Facility Type	Mechanic
Municipal Business License #	2018-762
Facility Street Address	332 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056080061
Facility Contact Name	Scott
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil, New oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	5
How many containers?	8

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250

How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Jaz and Jen , 2018-07-31

Created	2018-07-31 19:13:54 UTC by Drew Hubbard
Updated	2018-07-31 19:20:47 UTC by Drew Hubbard
Location	33.6411439199029, -86.8069189395636

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-07-31
Time	14:13
Facility Name	Jaz and Jen
Facility Type	Gas Station
Municipal Business License #	2018-1341
Facility Street Address	701 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056084469
Facility Contact Name	Sing
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	Three-8,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

DC Scientific Pest Control , 2018-07-31

Created	2018-07-31 16:54:53 UTC by Drew Hubbard
Updated	2018-07-31 17:02:32 UTC by Drew Hubbard
Location	33.6345365655312, -86.8066512830446

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-07-31
Time	11:54
Facility Name	DC Scientific Pest Control
Facility Type	Pest Control
Municipal Business License #	2018-1100
Facility Street Address	416 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056632260
Facility Contact Name	Kami Wise
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	Onsite
---	--------

Chemicals

What chemical is used/stored?	Pesticides
-------------------------------	------------

Pesticides

Where is the pesticide being stored	Inside
What kind of container is the pesticide being stored in?	Plastic drum
What size container is the pesticide being stored in (gallons)?	1 gallon
How many containers?	20

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
---------------------	--

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Homewood

Conveyco Manufacturing Co, 2018-08-10

Created	2018-08-10 19:20:47 UTC by Jonika Smith
Updated	2018-08-10 19:36:57 UTC by Jonika Smith
Location	33.4439809575425, -86.8444226601382
Inspector	Jonika Smith
Date	2018-08-10
Time	14:20
Facility Type	Transfer station
Facility Name	Conveyco Manufacturing Co
Facility Street Address	167 Distribution Drive Homewood, AL 35209
Reason For Not Inspecting	Steel chains for lumber Co.

Chevron , 2018-08-30

Created	2018-08-30 16:40:33 UTC by Jonika Smith
Updated	2018-08-30 16:52:06 UTC by Jonika Smith
Location	33.4741359301055, -86.8077831390665

General Info

Inspector	Jonika Smith
Date	2018-08-30
Time	11:40
Facility Name	Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	8248
Facility Street Address	100 Evergreen Ave Homewood, AL 35209
Facility Phone Number	2058793836
Facility Contact Name	AL
Facility Contact Title	Employee

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Spill prevention kit
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	2-6,000gal
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Mills Distribution of Bham, 2018-08-10

Created	2018-08-10 19:50:18 UTC by Jonika Smith
Updated	2018-08-10 19:51:42 UTC by Jonika Smith
Location	33.4443108287574, -86.843473735625
Inspector	Jonika Smith
Date	2018-08-10
Time	14:50
Facility Type	Distribution Ctr for Glass
Facility Name	Mills Distribution of Bham
Facility Street Address	141 Distribution Dr Homewood, AL 35209
Reason For Not Inspecting	Distributes glass products for shipping

Monarch Cleaners, 2018-07-17

Created	2018-07-17 17:45:25 EDT by Scott Hofer
Updated	2018-08-31 12:07:40 EDT by Scott Hofer
Location	33.46176, -86.812651

General Info

Inspector	Scott Hofer
Date	2018-07-17
Time	16:45
Facility Name	Monarch Cleaners
Facility Type	Dry Cleaners
Municipal Business License #	1287
Facility Street Address	903 Broadway Street Homewood , Alabama 35209
Facility Phone Number	2058797882
Facility Contact Name	Mark Diciara
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Don't have own garbage. Share garbage with next door business
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Unknown. The machine is sealed
If a LARGE spill occurs	Unknown. Never had a large spill

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Kwik Dri 66 (unknown chemical makeup)
-------------------------------	---------------------------------------

Chemicals

Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Inside machine
What size container is the chemical being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
---------------------	---

Are there any other potentially hazardous items not already addressed?

No

General comments/items of concern not mentioned

Doesn't store product on site. Has a company that comes and refills the machine when needed.

Photos



Google Map image of facility

N/A

Hunter's Cleaners , 2018-08-02

Created	2018-08-02 20:13:31 UTC by Jonika Smith
Updated	2018-08-02 20:21:51 UTC by Jonika Smith
Location	33.4781439967897, -86.7883754973898

General Info

Inspector	Jonika Smith
Date	2018-08-02
Time	15:13
Facility Name	Hunter's Cleaners
Facility Type	Dry Cleaners
Facility Street Address	1915 Oxmoor Rd Homewood, AL 35209
Facility Phone Number	2058716131
Facility Contact Name	Winston
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	Berms are placed around it

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Petroleum based
-------------------------------	-----------------


Chemicals

Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Plastic drum
What size container is the chemical being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Turnbull Automotive, 2018-09-17

Created	2018-09-17 20:48:24 UTC by Drew Hubbard
Updated	2018-09-17 20:49:32 UTC by Drew Hubbard
Location	33.4650970267855, -86.8369364893921
Inspector	Drew Hubbard
Date	2018-09-17
Time	15:48
Facility Type	Automotive Dealer
Facility Name	Turnbull Automotive
Facility Street Address	195 W Valley Ave Homewood, AL 35209
Reason For Not Inspecting	Out of Business

Digital Concrete , 2018-08-30

Created	2018-08-30 17:05:56 UTC by Jonika Smith
Updated	2018-08-30 17:06:32 UTC by Jonika Smith
Location	33.4658346775909, -86.8325156343782
Inspector	Jonika Smith
Date	2018-08-30
Time	12:05
Facility Type	Retail
Facility Name	Digital Concrete
Facility Street Address	200 Summit Pkwy Homewood, AL 35209
Reason For Not Inspecting	Retail

Applied machine and tooling, 2018-08-17

Created	2018-08-17 17:41:24 UTC by Jonika Smith
Updated	2018-08-17 17:45:33 UTC by Jonika Smith
Location	33.4827144290687, -86.7904664223467
Inspector	Jonika Smith
Date	2018-08-17
Time	12:41
Facility Type	Company sells tools for various mech. vendors
Facility Name	Applied machine and tooling
Facility Street Address	2707 Mamie L Fosters 18th Pl S Homewood, AL 35209
Reason For Not Inspecting	Company sells tools for various mech. vendors

Central Auto Care Inc., 2018-08-08

Created	2018-08-08 15:53:36 EDT by Scott Hofer
Updated	2018-08-08 16:26:56 EDT by Scott Hofer
Location	33.4793236647042, -86.7948925993121

General Info

Inspector	Scott Hofer
Date	2018-08-08
Time	14:53
Facility Name	Central Auto Care Inc.
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	2813 Central Ave Homewood, AL 35209
Facility Phone Number	2058703146
Facility Contact Name	Bob Parker, Jim Parker
Facility Contact Title	And service manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze, Automatic Transmission Fluid, Brake cleaner, Brake Fluid, Wiper fluid
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	1
Comments	Also quarts and cases

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	385
How many containers?	1

New Antifreeze

Where is the new antifreeze being stored?	Inside
What kind of container is the new antifreeze being stored in?	Plastic drum
What size container is the new antifreeze being stored in (gallons)?	1 gallon
How many containers?	6

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	55
How many containers?	2

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Plastic drum
What size container is the new transmission fluid being stored in (gallons)?	1 quart
How many containers?	6
Is used transmission oil mixed in with used oil?	Yes

Brake Cleaner

Where is the new brake cleaner being stored?	Inside
What kind of container is the brake cleaner being stored in?	Aerosol
What size container is the brake cleaner being stored in (gallons)?	10 ounces

Brake Fluid

Where is the new brake fluid being stored?	Inside
What kind of container is the brake fluid being stored in?	Metal drum
What size container is the brake fluid being stored in (gallons)?	1 liter
How many containers?	10
Is used brake fluid mixed in with used oil?	Yes


Wiper Fluid

Where is the new wiper fluid stored?	Inside
What kind of container is the new wiper fluid being stored in?	Plastic drum
How many containers?	6
Comments	1 gallon containers

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Use ZEP but mostly Dawn dish detergent

Photos



Google Map image of facility	N/A
------------------------------	-----

Independent Auto clinic , 2018-09-17

Created	2018-09-17 20:40:36 UTC by Drew Hubbard
Updated	2018-09-17 20:45:28 UTC by Drew Hubbard
Location	33.4636509304054, -86.8391107537919

General Info

Inspector	Drew Hubbard
Date	2018-09-17
Time	15:40
Facility Name	Independent Auto clinic
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	1027
Facility Street Address	170 West Valley Ave Homewood, AL 35209
Facility Phone Number	2059426699
Facility Contact Name	Jimmy
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Debarker Hydraulics Inc., 2018-08-30

Created	2018-08-30 16:30:14 UTC by Jonika Smith
Updated	2018-08-30 16:31:32 UTC by Jonika Smith
Location	33.4789070671115, -86.8013670897651
Inspector	Jonika Smith
Date	2018-08-30
Time	11:30
Facility Type	Retail
Facility Name	Debarker Hydraulics Inc.
Facility Street Address	1422 Clermont Drive Homewood, AL 35209
Reason For Not Inspecting	Retail

Harvard Pest Control, 2018-08-30

Created	2018-08-30 17:20:03 UTC by Jonika Smith
Updated	2018-08-30 21:07:27 UTC by Jonika Smith
Location	33.4857509883237, -86.8218914626008

General Info

Inspector	Jonika Smith
Date	2018-08-30
Time	12:20
Facility Name	Harvard Pest Control
Does this facility have an NPDES permit?	No
Facility Type	Pest Control
Facility Street Address	237 Oxmore circle Homewood , AL 35208
Facility Phone Number	2566891577
Facility Contact Name	Brandon
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	6 months
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Spill prevention kit
If a LARGE spill occurs	The fire department is contacted

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	In Vehicle
---	------------

Chemicals

What chemical is used/stored?	Pesticides
-------------------------------	------------


Pesticides

What kind of container is the pesticide being stored in?	Plastic drum
What size container is the pesticide being stored in (gallons)?	1gal
How many containers?	5

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Auto Chlor Services LLC, 2018-08-29

Created	2018-08-29 16:01:33 EDT by Jonika Smith
Updated	2018-08-31 17:34:51 EDT by Scott Hofer
Location	33.4436024549, -86.8384518776
Inspector	Jonika Smith
Date	2018-08-29
Time	15:01
Facility Type	Retail
Facility Name	Auto Chlor Services LLC
Facility Street Address	317 Snow Dr Homewood, AL 35209
Reason For Not Inspecting	Retail

Krystal Kleen Car Wash, 2018-09-07

Created	2018-09-07 17:22:00 UTC by Drew Hubbard
Updated	2018-09-07 17:27:49 UTC by Drew Hubbard
Location	33.4663857253531, -86.8349902477354

General Info

Inspector	Drew Hubbard
Date	2018-09-07
Time	12:22
Facility Name	Krystal Kleen Car Wash
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	000??? No one on site
Facility Street Address	249 W Valley Ave Homewood, AL 35209
Facility Phone Number	205
Facility Contact Name	???
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	No
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	By mop
If a LARGE spill occurs	Berms are placed around it

Car Wash

Car wash type?	Do-it-yourself
Is the used water processed through a filtration system?	No
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Degreaser, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Metal drum
What size container is the degreaser being stored in (gallons)?	55
How many containers?	1

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	55
How many containers?	1

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Lowe's Home Centers LLC, 2018-08-24

Created	2018-08-24 13:22:13 EDT by Jonika Smith
Updated	2018-08-31 17:37:52 EDT by Scott Hofer
Location	33.445163, -86.831102
Inspector	Jonika Smith
Date	2018-08-24
Time	12:22
Facility Type	Retail
Facility Name	Lowe's Home Centers LLC
Facility Street Address	375 State Farm Pkwy Homewood, AL 35209
Reason For Not Inspecting	Retail Supply Store

Barber's Dairy, 2018-08-21

Created	2018-08-21 19:06:54 UTC by Jonika Smith
Updated	2018-08-21 19:10:51 UTC by Jonika Smith
Location	33.459056683895, -86.8372554006576

General Info

Inspector	Jonika Smith
Date	2018-08-21
Time	14:06
Facility Name	Barber's Dairy
Does this facility have an NPDES permit?	Yes
Facility Type	Dairy
NPDES Permit	ALG150072
Facility Street Address	36 Barber Ct Homewood, AL 35209
Facility Phone Number	2059430333
Facility Contact Name	Doug Hampton
Facility Contact Title	Environmental Health & Safety Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Cummins-Allison Corporation, 2018-08-29

Created	2018-08-29 19:38:00 UTC by Jonika Smith
Updated	2018-08-30 16:32:13 UTC by Jonika Smith
Location	33.4528140497514, -86.8385505097263
Inspector	Jonika Smith
Date	2018-08-29
Time	14:38
Facility Type	Retail
Facility Name	Cummins-Allison Corporation
Facility Street Address	232 Oxmoor Cir Homewood, AL 35209
Reason For Not Inspecting	Retail

Batteries Plus, 2018-08-31

Created	2018-08-31 19:31:12 UTC by Jonika Smith
Updated	2018-08-31 19:32:23 UTC by Jonika Smith
Location	33.4632414349651, -86.8279875265751
Inspector	Jonika Smith
Date	2018-08-31
Time	14:31
Facility Type	Retail
Facility Name	Batteries Plus
Facility Street Address	224 Oxmoor Blvd Homewood, AL 35209
Reason For Not Inspecting	Retail

American Pool Service Co., 2018-08-17

Created	2018-08-17 17:03:50 UTC by Jonika Smith
Updated	2018-08-17 17:04:59 UTC by Jonika Smith
Location	33.4841689399467, -86.7925001084396
Inspector	Jonika Smith
Date	2018-08-17
Time	12:03
Facility Type	Retail, Pool Service Co.
Facility Name	American Pool Service Co.
Facility Street Address	2552 18th St S Homewood, AL 35209
Reason For Not Inspecting	Vendor sales product & does no work onsite

Oxmoor Automotive , 2018-07-20

Created	2018-07-20 16:17:00 EDT by Scott Hofer
Updated	2018-07-24 17:20:59 EDT by Scott Hofer
Location	33.4614615767542, -86.8287142564022

General Info

Inspector	Juwan Murphy, Scott Hofer
Date	2018-07-20
Time	15:17
Facility Name	Oxmoor Automotive
Facility Type	Mechanic
Municipal Business License #	0593
Facility Street Address	184 Oxmoor Rd Homewood, AL 35209
Facility Phone Number	2059424141
Facility Contact Name	Russ Hepp
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze
------------------------------------	--

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1-55 gal synthetic and 1-55 gal blend
How many containers?	2

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	275

How many containers?	1
Is there a berm around it?	No
Is it covered?	No

New Antifreeze

Where is the new antifreeze being stored?	Inside
What kind of container is the new antifreeze being stored in?	Gallon plastic jugs
What size container is the new antifreeze being stored in (gallons)?	1
How many containers?	100


Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Big #1 Motorsports, 2018-09-06

Created	2018-09-06 17:33:22 UTC by Drew Hubbard
Updated	2018-09-06 17:48:36 UTC by Drew Hubbard
Location	33.4617885371671, -86.8263571972804

General Info

Inspector	Drew Hubbard
Date	2018-09-06
Time	12:33
Facility Name	Big #1 Motorsports
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	1410
Facility Street Address	505 Cobb St Homewood, AL 35209
Facility Phone Number	2059423313
Facility Contact Name	Jeff
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	7

Used Oil


Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	1

Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

American Merchandising Inc., 2018-08-17

Created	2018-08-17 16:40:46 UTC by Jonika Smith
Updated	2018-08-17 17:05:05 UTC by Jonika Smith
Location	33.444722657304, -86.8456707521228
Inspector	Jonika Smith
Date	2018-08-17
Time	11:40
Facility Type	Retail
Facility Name	American Merchandising Inc.
Facility Street Address	224-282 Distribution Dr Homewood, AL 35209
Reason For Not Inspecting	Vendor sales package items: chips & soda cans

Biscuit Leather Company, 2018-08-28

Created	2018-08-28 19:27:51 UTC by Jonika Smith
Updated	2018-08-28 19:28:49 UTC by Jonika Smith
Location	33.480971361868, -86.7955690380826
Inspector	Jonika Smith
Date	2018-08-28
Time	14:27
Facility Type	Retail
Facility Name	Biscuit Leather Company
Facility Street Address	2757 B.M. Montgomery St Homewood, AL 35209
Reason For Not Inspecting	Retail shop

Stewart Lubricant and Service , 2018-09-14

Created	2018-09-14 18:09:02 UTC by Drew Hubbard
Updated	2018-09-14 18:22:30 UTC by Drew Hubbard
Location	33.4468683870789, -86.8445387288525

General Info

Inspector	Drew Hubbard
Date	2018-09-14
Time	13:09
Facility Name	Stewart Lubricant and Service
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-2903
Facility Street Address	144 Citation Ct Homewood, AL 35209
Facility Phone Number	2059454991
Facility Contact Name	Butch
Facility Contact Title	Service Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri, By mop
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, EP-Greases
------------------------------------	-------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	7

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Transmission Oil
What size container is the used oil being stored in (gallons)?	240
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Inside and I put all the sizes in the comments below
General comments/items of concern not mentioned	Stewart's also has used GREASE that they store onsite and sale. They have 16-500 gallon metal containers, 72- 5 gallon plastic buckets, and 28- 3 gallon plastic buckets of grease.

Photos



Google Map image of facility

N/A

Valley Cleaners , 2018-08-02

Created	2018-08-02 19:44:25 UTC by Jonika Smith
Updated	2018-08-02 20:04:07 UTC by Jonika Smith
Location	33.4751495007004, -86.7981051926599

General Info

Inspector	Jonika Smith
Date	2018-08-02
Time	14:44
Facility Name	Valley Cleaners
Facility Type	Dry Cleaners
Municipal Business License #	18018672
Facility Street Address	1625 Oxmoor Rd Homewood, AL 35209
Facility Phone Number	2058711576
Facility Contact Name	Taylor
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	The fire department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Petroleum based products 1gal & 50gal drum
-------------------------------	--

Chemicals


Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Metal drum
What size container is the chemical being stored in (gallons)?	50gal
How many containers?	20

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
---------------------	---

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Tire Engineers, 2018-07-20

Created	2018-07-20 15:40:25 EDT by Scott Hofer
Updated	2018-07-20 16:08:08 EDT by Scott Hofer
Location	33.4666394295214, -86.8219588725623

General Info

Inspector	Scott Hofer, Jonika Smith
Date	2018-07-20
Time	14:40
Facility Name	Tire Engineers
Facility Type	Mechanic
Municipal Business License #	N/A
Facility Street Address	215 Green Springs Hwy Homewood, AL 35209
Facility Phone Number	2059426684
Facility Contact Name	Ethan
Facility Contact Title	Store Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Soak pads & abortant
If a LARGE spill occurs	Will call corporate office first on retainer

Maintenance Center

What fluids are being used/stored?	Used oil, New oil, Wiper fluid
------------------------------------	--------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	500
How many containers?	2

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1000

How many containers?	2
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

\$10 Wash & Vacuum Unlimited Time, 2018-09-17

Created	2018-09-17 20:12:51 UTC by Drew Hubbard
Updated	2018-09-17 20:22:14 UTC by Drew Hubbard
Location	33.4837525593961, -86.7905169487981

General Info

Inspector	Drew Hubbard
Date	2018-09-17
Time	15:12
Facility Name	\$10 Wash & Vacuum Unlimited Time
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	0000000
Facility Street Address	1812 27th Ave South Homewood, AL 35209
Facility Phone Number	205000000
Facility Contact Name	\$10 Wash & Vacuum Unlimited Time
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	No
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Car Wash

Car wash type?	Do-it-yourself
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Degreaser, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	2

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	55
How many containers?	2

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	55
How many containers?	2

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	55
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Jim & Jim Motors, 2018-07-31

Created	2018-07-31 19:43:13 UTC by Jonika Smith
Updated	2018-07-31 20:02:23 UTC by Jonika Smith
Location	33.4814947035635, -86.792294601483

General Info

Inspector	Jonika Smith, Scott Hofer
Date	2018-07-31
Time	14:43
Facility Name	Jim & Jim Motors
Facility Type	Mechanic
Municipal Business License #	6222
Facility Street Address	1724 27th Ct S Homewood, AL 35209
Facility Phone Number	2058795151
Facility Contact Name	Richard Harsh
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil dry
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Brake cleaner, Wiper fluid
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
------------------------------------	--------

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1000
How many containers?	1

New Antifreeze

Where is the new antifreeze being stored?	Inside
---	--------

What kind of container is the new antifreeze being stored in? Plastic drum

How many containers? 12


MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? No

General comments/items of concern not mentioned Wiper fluid 55gal stored onsite and transmission fluid

Photos



Google Map image of facility

N/A

Rob'e mans, 2018-07-30

Created	2018-07-30 14:12:18 EDT by Scott Hofer
Updated	2018-08-02 19:10:29 EDT by Scott Hofer
Location	33.4833060193625, -86.7915931455545

General Info

Inspector	Scott Hofer, Juwan Murphy
Date	2018-07-30
Time	13:12
Facility Name	Rob'e mans
Facility Type	Mechanic
Municipal Business License #	1632
Facility Street Address	2600 18th Street South Homewood, AL 35209
Facility Phone Number	2058701909
Facility Contact Name	Eddie Cleveland
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire, Monthly
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	Call EPA

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze, Brake cleaner, Wiper fluid
------------------------------------	--

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	275
How many containers?	1
Is there a berm around it?	No
Is it covered?	Yes

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum

What size container is the used oil being stored in (gallons)? 275

How many containers? 1

New Antifreeze

Where is the new antifreeze being stored? Inside

What kind of container is the new antifreeze being stored in? Plastic drum

What size container is the new antifreeze being stored in (gallons)? 1

How many containers? 30

Used Antifreeze

Where is the used antifreeze being stored? Inside

What kind of container is the used antifreeze being stored in? Metal drum

What size container is the used antifreeze being stored in (gallons)? 55

How many containers? 3


MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity Brake cleaner 55gal metal inside; old antifreeze 55gal metal inside;gear oil-55gal metal inside; new transmission oil 55gal metal inside. 55

Photos



Google Map image of facility

N/A

Express Oil Change , 2018-09-10

Created	2018-09-10 15:48:35 EDT by Drew Hubbard
Updated	2018-09-18 09:58:06 EDT by Scott Hofer
Location	33.4830174483, -86.7767317188

General Info

Inspector	Drew Hubbard
Date	2018-09-10
Time	14:48
Facility Name	Express Oil Change
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2357
Facility Street Address	407 Hollywood Blvd Homewood, AL 35209
Facility Phone Number	2058793887
Facility Contact Name	Roy
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1-1500 1-1000 2-500
How many containers?	4

Used Oil


Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	500
How many containers?	2

Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Southland International Trucks, 2018-09-14

Created	2018-09-14 17:20:59 UTC by Drew Hubbard
Updated	2018-09-14 17:50:26 UTC by Drew Hubbard
Location	33.463349343871, -86.8291184533636

General Info

Inspector	Drew Hubbard
Date	2018-09-14
Time	12:20
Facility Name	Southland International Trucks
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-6705
Facility Street Address	200 Oxmoor Blvd Homewood, AL 35209
Facility Phone Number	2059426226
Facility Contact Name	Drew Linn
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Used oil, Degreaser, New oil
------------------------------------	------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	3 gallon plastic containers
How many containers?	70

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	2


Degreaser

Where is the new degreaser being stored?	Inside
What kind of container is the new degreaser being stored in?	Metal drum
What size container is the new degreaser being stored in (gallons)?	55
How many containers?	9

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Watkins cleaners, 2018-07-31

Created	2018-07-31 20:05:28 UTC by Jonika Smith
Updated	2018-07-31 20:27:28 UTC by Jonika Smith
Location	33.4803073651984, -86.7940871809864

General Info

Inspector	Jonika Smith, Scott Hofer
Date	2018-07-31
Time	15:05
Facility Name	Watkins cleaners
Facility Type	Dry Cleaners
Municipal Business License #	9425
Facility Street Address	1715 28th Ave S Homewood, AL 35209
Facility Phone Number	2058797951
Facility Contact Name	Johnny Watkins
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	The fire department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Petroleum based
-------------------------------	-----------------

Chemicals

Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Plastic drum
What size container is the chemical being stored in (gallons)?	100 gal
How many containers?	2


MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes

General comments/items of concern not mentioned

Inside mineral spirits 5gals

Photos



Google Map image of facility

N/A

SiteOne Landscaping Supply , 2018-08-10

Created	2018-08-10 20:01:48 UTC by Jonika Smith
Updated	2018-08-10 21:00:26 UTC by Jonika Smith
Location	33.4444057755274, -86.8426403532421

General Info

Inspector	Jonika Smith
Date	2018-08-10
Time	15:01
Facility Name	SiteOne Landscaping Supply
Does this facility have an NPDES permit?	No
Facility Type	Landscape Services
Municipal Business License #	8713
Facility Street Address	121 Distribution Dr Homewood, AL 35209
Facility Phone Number	2052900100
Facility Contact Name	Anthony Freeman
Facility Contact Title	Customer Service Rep

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Written instructions, Video instructions
If trained, how often?	Annually
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	Call Environmental Co & Management

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	Onsite
---	--------

Chemicals

What chemical is used/stored?	Fertilizers, Chemicals, irrigation, outdoor lighting
-------------------------------	--

Fertilizers


Where is the fertilizer being stored	Inside
What kind of container is the fertilizer being stored in?	Bags & containers
What size container is the fertilizer being stored in (gallons)?	25-50 lbs bags fertilizer, 6ounce bottle-55gal drum plastic containers
How many containers?	10

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Mayfield Dairy Farms Inc., 2018-08-21

Created	2018-08-21 19:10:54 UTC by Jonika Smith
Updated	2018-08-21 19:14:30 UTC by Jonika Smith
Location	33.4590594388083, -86.8372541282442

General Info

Inspector	Jonika Smith
Date	2018-08-21
Time	14:10
Facility Name	Mayfield Dairy Farms Inc.
Does this facility have an NPDES permit?	Yes
Facility Type	Dairy
NPDES Permit	ALG150072
Facility Street Address	126 Barber Court Homewood , Alabama 35209
Facility Phone Number	2059430333
Facility Contact Name	Doug Hampton
Facility Contact Title	Environmental Health & Safety Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Firestone Complete Autocare, 2018-07-13

Created	2018-07-13 15:25:42 EDT by Scott Hofer
Updated	2018-07-13 17:25:13 EDT by Scott Hofer
Location	33.4624526234549, -86.8198320538833

General Info

Inspector	Scott Hofer
Date	2018-07-13
Time	14:25
Facility Name	Firestone Complete Autocare
Facility Type	Mechanic
Municipal Business License #	1429
Facility Street Address	460 Green Springs Hwy Homewood, AL 35209
Facility Phone Number	2059422370
Facility Contact Name	Adrian Rice
Facility Contact Title	Store manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Quarterly
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Toolbox absorbent pads and absorbing socks
If a LARGE spill occurs	Call a local environmental service to clean it up

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze, Brake cleaner, Wiper fluid
------------------------------------	--

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	4-110gal and 1-500gal
How many containers?	5

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	300

How many containers? 1

New Antifreeze

Where is the new antifreeze being stored? Inside

What kind of container is the new antifreeze being stored in? Plastic drum

What size container is the new antifreeze being stored in (gallons)? 1

How many containers? 100

Used Antifreeze

Where is the used antifreeze being stored? Inside

What kind of container is the used antifreeze being stored in? Metal drum

What size container is the used antifreeze being stored in (gallons)? 300

How many containers? 1

MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity
Used brake fluid is held in 55 gallon drum and called when filled

Photos



Google Map image of facility N/A

Omega Tires, 2018-08-24

Created	2018-08-24 19:17:23 UTC by Jonika Smith
Updated	2018-08-24 19:18:19 UTC by Jonika Smith
Location	33.4589740594573, -86.8163731613005
Inspector	Jonika Smith
Date	2018-08-24
Time	14:17
Facility Type	Tire changing shop
Facility Name	Omega Tires
Facility Street Address	833 Green Springs Hwy Homewood, AL 35209
Reason For Not Inspecting	Tire vendor no chemicals onsite

Express oil , 2018-07-30

Created	2018-07-30 14:49:31 EDT by Scott Hofer
Updated	2018-08-02 17:02:57 EDT by Scott Hofer
Location	33.481560683566, -86.7929170039276

General Info

Inspector	Scott Hofer, Juwan Murphy
Date	2018-07-30
Time	13:49
Facility Name	Express oil
Facility Type	Mechanic
Municipal Business License #	2255
Facility Street Address	1717 27th Ct S Homewood, AL 35209
Facility Phone Number	2058794499
Facility Contact Name	Tim Jasper
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire, Every two years
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri, Sausage mats
If a LARGE spill occurs	Berms are placed around it, Call EPA

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze, Brake cleaner
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	Multiple sizes (1.25gal,55gal, quarts,5 gallon)
How many containers?	99

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1000

How many containers?	2
----------------------	---

New Antifreeze

Where is the new antifreeze being stored?	Inside
---	--------

What kind of container is the new antifreeze being stored in?	Plastic drum
---	--------------

What size container is the new antifreeze being stored in (gallons)?	1
--	---

How many containers?	25
----------------------	----

Used Antifreeze

Where is the used antifreeze being stored?	Outside
--	---------

What kind of container is the used antifreeze being stored in?	Plastic drum
--	--------------

What size container is the used antifreeze being stored in (gallons)?	100
---	-----

How many containers?	1
----------------------	---

Is there a berm around it?	No
----------------------------	----

Is it covered?	No
----------------	----


MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
---------------------	---

Are there any other potentially hazardous items not already adressed?	Yes
---	-----

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Transmission fluid 2-55gal inside;wiper fluid 1-55gal inside; brake fluid multiple 35 ounce plastic inside ; degreaser 30 gallon plastic inside; all oils and fluid except antifreeze goes in used oil.
---	---

Photos



Google Map image of facility

N/A

Pep Boys, 2018-07-13

Created	2018-07-13 14:39:02 EDT by Scott Hofer
Updated	2018-07-13 15:23:30 EDT by Scott Hofer
Location	33.4616248974216, -86.8193331488029

General Info

Inspector	Scott Hofer
Date	2018-07-13
Time	13:39
Facility Name	Pep Boys
Facility Type	Mechanic
Municipal Business License #	10231
Facility Street Address	804 Green Springs Hwy Homewood, AL 35209
Facility Phone Number	2059481233
Facility Contact Name	Joey Smith
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Monthly
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze, Brake cleaner, Wiper fluid
------------------------------------	--

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	250
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	150

How many containers? 2

New Antifreeze

Where is the new antifreeze being stored? Inside

What kind of container is the new antifreeze being stored in? From retail floor

What size container is the new antifreeze being stored in (gallons)? Inside

Used Antifreeze

Where is the used antifreeze being stored? Inside

What kind of container is the used antifreeze being stored in? Metal drum

What size container is the used antifreeze being stored in (gallons)? 150


How many containers? 1

MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? No

Photos



Google Map image of facility N/A

Express Oil Change INC, 2018-09-07

Created	2018-09-07 18:59:53 UTC by Drew Hubbard
Updated	2018-09-07 19:13:41 UTC by Drew Hubbard
Location	33.4654596624479, -86.8376608700769

General Info

Inspector	Drew Hubbard
Date	2018-09-07
Time	13:59
Facility Name	Express Oil Change INC
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2256
Facility Street Address	196 West Valley Ave Homewood, AL 35209
Facility Phone Number	2059458845
Facility Contact Name	Chris Carter
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	4-700 1-250
How many containers?	5

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	3-400
How many containers?	3

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Hatfield Auto Parts & Service, 2018-07-27

Created	2018-07-27 15:54:18 UTC by Jonika Smith
Updated	2018-07-30 15:42:58 UTC by Jonika Smith
Location	33.461933272758, -86.8280040142786

General Info

Inspector	Jonika Smith, Barbara Newman
Date	2018-07-27
Time	10:54
Facility Name	Hatfield Auto Parts & Service
Facility Type	Mechanic
Municipal Business License #	1718
Facility Street Address	190 Oxmoor Road Homewood , Alabama 35209
Facility Phone Number	2058719685
Facility Contact Name	Trent Owner
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Pending the outcome of spill call EMA
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos

AT&T LTE 3:42 PM 69%
Done Hatfield Auto Parts_Service.jpg



Google Map image of facility

N/A

Angus Racing Products, 2018-08-29

Created	2018-08-29 19:53:24 UTC by Jonika Smith
Updated	2018-08-29 19:53:59 UTC by Jonika Smith
Location	33.4531966532422, -86.8394767377173
Inspector	Jonika Smith
Date	2018-08-29
Time	14:53
Facility Type	Retail
Facility Name	Angus Racing Products
Facility Street Address	240 Oxmoor Cir Homewood, AL 35209
Reason For Not Inspecting	Retail

Sherman Williams , 2018-08-22

Created	2018-08-22 12:56:17 EDT by Jonika Smith
Updated	2018-08-31 17:41:39 EDT by Scott Hofer
Location	33.482499, -86.788863
Inspector	Jonika Smith
Date	2018-08-22
Time	11:56
Facility Type	Retail
Facility Name	Sherman Williams
Facility Street Address	2714 19th Steet S Homewood, AL 35209
Reason For Not Inspecting	Retail paint store

Cowboys Jr. (Jack Rabbit), 2018-08-21

Created	2018-08-21 19:52:23 UTC by Jonika Smith
Updated	2018-08-21 20:09:10 UTC by Jonika Smith
Location	33.483787845185, -86.7911151149368

General Info

Inspector	Jonika Smith
Date	2018-08-21
Time	14:52
Facility Name	Cowboys Jr. (Jack Rabbit)
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	1029
Facility Street Address	2614 18th Pl S Homewood, AL 35209
Facility Phone Number	2058703928
Facility Contact Name	Teresa Iabin
Facility Contact Title	Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-10,000ea.
Is there a car wash on-site?	Not used

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

American Imports, 2018-08-28

Created	2018-08-28 19:36:22 UTC by Jonika Smith
Updated	2018-08-28 19:48:43 UTC by Jonika Smith
Location	33.4803294730833, -86.7949623146923

General Info

Inspector	Jonika Smith
Date	2018-08-28
Time	14:36
Facility Name	American Imports
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	3050
Facility Street Address	2726 Central Ave Homewood, AL 35209
Facility Phone Number	2058712044
Facility Contact Name	Steve
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	5
Comments	Antifreeze 5 one gal plastic containers

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	55
How many containers?	5

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Antifreeze inside plastic containers
General comments/items of concern not mentioned	5 55gal metal drums of motor oil onsite

Photos



Google Map image of facility

N/A

Tire Depot, 2018-08-17

Created	2018-08-17 17:20:44 UTC by Jonika Smith
Updated	2018-08-17 17:21:27 UTC by Jonika Smith
Location	33.4834775006766, -86.7909559633278
Inspector	Jonika Smith
Date	2018-08-17
Time	12:20
Facility Type	Tire Shop
Facility Name	Tire Depot
Facility Street Address	2614 Mamie L Fosters 18th Pl S Homewood, AL 35209
Reason For Not Inspecting	Tire changing vendor only

Astral industries inc., 2018-08-10

Created	2018-08-10 19:34:58 UTC by Jonika Smith
Updated	2018-08-10 19:37:01 UTC by Jonika Smith
Location	33.4443701067437, -86.8463000543938
Inspector	Jonika Smith
Date	2018-08-10
Time	14:34
Facility Type	Funeral Service
Facility Name	Astral industries inc.
Facility Street Address	227 Distribution Dr Homewood, AL 35209
Reason For Not Inspecting	Caskets onsite

Crothall laundry services , 2018-08-31

Created	2018-08-31 20:01:37 UTC by Jonika Smith
Updated	2018-08-31 20:32:53 UTC by Jonika Smith
Location	33.4673645700978, -86.775986537377
Inspector	Jonika Smith
Date	2018-08-31
Time	15:01
Facility Type	Retail
Facility Name	Crothall laundry services
Facility Street Address	2010 Brookwood Medical Cry Drive Homewood , Alabama 35209
Reason For Not Inspecting	Office Bldg. Hosp

Continental Carbonic Products, 2018-08-28

Created	2018-08-28 20:04:37 UTC by Jonika Smith
Updated	2018-08-28 20:05:29 UTC by Jonika Smith
Location	33.4478060090319, -86.8464822360314
Inspector	Jonika Smith
Date	2018-08-28
Time	15:04
Facility Type	Retail
Facility Name	Continental Carbonic Products
Facility Street Address	128 Citation Ct Homewood, AL 35209
Reason For Not Inspecting	Retail

National Tire & Battery (NTB), 2018-08-02

Created	2018-08-02 15:54:34 EDT by Scott Hofer
Updated	2018-08-02 16:26:54 EDT by Scott Hofer
Location	33.448200392654, -86.841517935672

General Info

Inspector	Scott Hofer
Date	2018-08-02
Time	14:54
Facility Name	National Tire & Battery (NTB)
Facility Type	Mechanic
Municipal Business License #	2787
Facility Street Address	130 W Oxmoor Rd Homewood, AL 35209
Facility Phone Number	2059422180
Facility Contact Name	Adam Szalankiewicz
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire, Annually
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	Call safety clean company

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze, Brake cleaner, Wiper fluid, Other
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	275
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	275

How many containers? 1

New Antifreeze

Where is the new antifreeze being stored? Inside

What kind of container is the new antifreeze being stored in? Metal drum

What size container is the new antifreeze being stored in (gallons)? 55

How many containers? 1

Used Antifreeze

Where is the used antifreeze being stored? Inside

What kind of container is the used antifreeze being stored in? Metal drum

What size container is the used antifreeze being stored in (gallons)? 55

How many containers? 1


MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? No

General comments/items of concern not mentioned Other new oil in 5 gallon containers in side (25) transmission fluid is in metal 55 gallon (2) and 5 gallon jugs (7). Washer fluid in plastic 55 gallon. 1 metal 55 gallon diesel oil. Brake fluid in plastic quart (35). 5 gallon degreaser.

Photos



Google Map image of facility N/A

Jim & Jim Body Shop, 2018-07-31

Created	2018-07-31 19:02:39 UTC by Jonika Smith
Updated	2018-07-31 19:41:01 UTC by Jonika Smith
Location	33.481563093983, -86.7927049794772

General Info

Inspector	Jonika Smith, Scott Hofer
Date	2018-07-31
Time	14:02
Facility Name	Jim & Jim Body Shop
Facility Type	Auto Body Shop
Municipal Business License #	1422
Facility Street Address	1722 27th Ct S Homewood, AL 35209
Facility Phone Number	2058708926
Facility Contact Name	Dian Perryman
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions
If trained, how often?	Monthly
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Absorbent material quick dry
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	Yes
Is there a maintenance center?	No
Is there a car wash?	No
Are there any gas pumps onsite?	No

Paint Center

Where is the paint being stored?	Inside
What size container is the paint being stored in (gallons)?	55gal & 50 gal
What kind of container is the paint being stored in?	Metal bucket
How many containers?	5

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes


If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity

Paint thinner new 53gal & 1 paint thinner gal that is empty

General comments/items of concern not mentioned

Water based paint & Solvent paint & Slime-water soap 25gal plastic container; 30 liters & a hand full that is a gallon of paints

Photos



Google Map image of facility

N/A

Southern Natural Gas Co., 2018-08-24

Created	2018-08-24 19:37:24 UTC by Jonika Smith
Updated	2018-08-24 19:39:34 UTC by Jonika Smith
Location	33.4685193378394, -86.7729659177882
Inspector	Jonika Smith
Date	2018-08-24
Time	14:37
Facility Type	Office Bldg
Facility Name	Southern Natural Gas Co.
Facility Street Address	569 Brookwood Vlg Homewood, AL 35209
Reason For Not Inspecting	Corp. office

EnviroCare, 2018-08-23

Created	2018-08-23 19:12:58 UTC by Jonika Smith
Updated	2018-08-23 19:31:41 UTC by Jonika Smith
Location	33.4442572606435, -86.8446101931132

General Info

Inspector	Jonika Smith
Date	2018-08-23
Time	14:12
Facility Name	EnviroCare
Does this facility have an NPDES permit?	No
Facility Type	Landscape Services
Municipal Business License #	4465
Facility Street Address	173 Distribution drive Homewood, AL 35209
Facility Phone Number	2059406360
Facility Contact Name	Ken Wedgwrth
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions, Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Spill kits
If a LARGE spill occurs	Lg Spill Kit-Haz Mat

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	Chemicals are stored on the trucks the day of order & placed afterwards inside of the warehouse.
---	--

Chemicals

What chemical is used/stored?	Pesticides, Herbicides, Fertilizers
-------------------------------	-------------------------------------

Pesticides

What kind of container is the pesticide being stored in?	Plastic drum
What size container is the pesticide being stored in (gallons)?	250 gal fertilizer/ 30 insecticide gal
How many containers?	2

Herbicides

What kind of container is the herbicide being stored in?	Plastic drum
What size container is the chemical being stored in (gallons)?	1gal
How many containers?	1

Fertilizers

What kind of container is the fertilizer being stored in? Plastic drum

What size container is the fertilizer being stored in (gallons)? 250gal

How many containers? 1

MISCELLANEOUS

Waste containers provided and used? Yes

What kind of container? Dumpster(s)


How often is it/are they emptied? Weekly

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? No

General comments/items of concern not mentioned 10-15 garinal fertilizer/ deet system for terminate

Photos



Google Map image of facility

N/A

Rainoldi's Auto service, 2018-07-24

Created	2018-07-24 16:35:31 EDT by Scott Hofer
Updated	2018-07-24 17:16:59 EDT by Scott Hofer
Location	33.4615287799939, -86.8288874665354

General Info

Inspector	Scott Hofer, Juwan Murphy
Date	2018-07-24
Time	15:35
Facility Name	Rainoldi's Auto service
Facility Type	Mechanic
Municipal Business License #	2109
Facility Street Address	184-b Oxmoor Rd Homewood, AL 35209
Facility Phone Number	2059426893
Facility Contact Name	David Rainoldi
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze
------------------------------------	--

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	Plastic quarts
How many containers?	100

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	275

How many containers? 1

New Antifreeze

Where is the new antifreeze being stored? Inside

What kind of container is the new antifreeze being stored in? Individual gallon plastic containers

What size container is the new antifreeze being stored in (gallons)? 1

How many containers? 100

Used Antifreeze

Where is the used antifreeze being stored? Inside

What kind of container is the used antifreeze being stored in? Plastic gallon containers

What size container is the used antifreeze being stored in (gallons)? 1

How many containers? 100


MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? No

General comments/items of concern not mentioned In same building as Oxmoor automotive. Share trash

Photos



Google Map image of facility N/A

Hueytown

Stinnett Collision Center, 2018-08-17

Created	2018-08-17 14:49:52 EDT by Drew Hubbard
Updated	2018-08-31 15:55:53 EDT by Scott Hofer
Location	33.4503026551, -86.9977379415
Inspector	Drew Hubbard
Date	2018-08-17
Time	13:49
Facility Type	Mechanic
Facility Name	Stinnett Collision Center
Facility Street Address	1394 Hueytown Rd Hueytown, AL 35023
Reason For Not Inspecting	No chemicals on-site

Ranco One Day Cleaners , 2018-08-23

Created	2018-08-23 14:12:44 EDT by Scott Hofer
Updated	2018-08-23 14:13:25 EDT by Scott Hofer
Location	33.4517594223242, -86.9823363328742
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	13:12
Facility Type	Dry Cleaners
Facility Name	Ranco One Day Cleaners
Facility Street Address	270 Forest Rd Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

The Tire shop , 2018-08-31

Created	2018-08-31 17:58:08 UTC by Drew Hubbard
Updated	2018-08-31 20:06:29 UTC by Drew Hubbard
Location	33.4519346246802, -86.9825710534153
Inspector	Drew Hubbard
Date	2018-08-31
Time	12:58
Facility Type	Mechanic
Facility Name	The Tire shop
Facility Street Address	1750 Larkin St Hueytown, AL 35023
Reason For Not Inspecting	Tires only

Safety Kleen, 2018-09-26

Created	2018-09-26 18:50:58 UTC by Erick Gilkey
Updated	2018-10-05 17:44:05 UTC by Erick Gilkey
Location	33.459905246083, -86.9587105885148

General Info

Inspector	Erick Gilkey
Date	2018-09-26
Time	13:50
Facility Name	Safety Kleen
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Other
NPDES Permit	NEC000447
Facility Street Address	4180 Hoke Ave Hueytown, AL 35061
Facility Phone Number	2055726716
Facility Contact Name	Brad Parker
Facility Contact Title	General Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Saved by Grace Auto and Upholstery , 2018-08-17

Created	2018-08-17 19:34:07 UTC by Drew Hubbard
Updated	2018-08-17 19:35:32 UTC by Drew Hubbard
Location	33.445566228208, -86.9960869212867
Inspector	Drew Hubbard
Date	2018-08-17
Time	14:34
Facility Type	Auto Body Shop
Facility Name	Saved by Grace Auto and Upholstery
Facility Street Address	1500 Hueytown Rd Hueytown, AL 35023
Reason For Not Inspecting	No chemicals

The Mercedes Man, 2018-08-23

Created	2018-08-23 17:54:57 UTC by Drew Hubbard
Updated	2018-08-23 18:06:24 UTC by Drew Hubbard
Location	33.4492613107776, -86.9791755509381

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	12:54
Facility Name	The Mercedes Man
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	3407
Facility Street Address	116 Baker Ave Hueytown, AL 35023
Facility Phone Number	2059148177
Facility Contact Name	April
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	2

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

City Properties, 2018-08-21

Created	2018-08-21 13:13:43 EDT by Scott Hofer
Updated	2018-08-21 13:14:45 EDT by Scott Hofer
Location	33.4504494971772, -86.9836436407085
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-21
Time	12:13
Facility Type	Retail
Facility Name	City Properties
Facility Street Address	3075 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	No hazardous fluids above 5-gal

Smith One Day Cleaners, 2018-08-17

Created	2018-08-17 18:22:02 UTC by Drew Hubbard
Updated	2018-08-17 18:37:47 UTC by Drew Hubbard
Location	33.4480974197477, -86.9973504109599

General Info

Inspector	Drew Hubbard
Date	2018-08-17
Time	13:22
Facility Name	Smith One Day Cleaners
Does this facility have an NPDES permit?	No
Facility Type	Dry Cleaners
Municipal Business License #	0147
Facility Street Address	1371 Hueytown Rd Hueytown, AL 35023
Facility Phone Number	2054915040
Facility Contact Name	Smith
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	Berms are placed around it

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Perchloroethylene/tetrachloroethylene
-------------------------------	---------------------------------------

Chemicals

Is the main dry cleaning chemical stored on premises?	Yes
Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Metal drum
What size container is the chemical being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)

How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Robbie D Wood Trucking, 2018-08-31

Created	2018-08-31 17:54:10 UTC by Drew Hubbard
Updated	2018-08-31 20:08:06 UTC by Drew Hubbard
Location	33.4519213490094, -86.9825695947825
Inspector	Drew Hubbard
Date	2018-08-31
Time	12:54
Facility Type	Trucking
Facility Name	Robbie D Wood Trucking
Facility Street Address	1051 Old Warrior River Road Hueytown, AL 35023
Reason For Not Inspecting	No chemicals

Hueytown Automotive SVC, 2018-09-04

Created	2018-09-04 15:59:18 EDT by Scott Hofer
Updated	2018-09-04 16:00:36 EDT by Scott Hofer
Location	33.4584208324692, -86.9490218611609
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-04
Time	14:59
Facility Type	Automotive Dealer
Facility Name	Hueytown Automotive SVC
Facility Street Address	3712 Edwards St Hueytown, AL 35228
Reason For Not Inspecting	No hazardous stored above 5-gal

Murphy's Oil, 2018-08-14

Created	2018-08-14 17:16:44 UTC by Drew Hubbard
Updated	2018-08-14 17:24:54 UTC by Drew Hubbard
Location	33.4633046263145, -86.9809261165492

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	12:16
Facility Name	Murphy's Oil
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	5642
Facility Street Address	918 Allison/Bonnett Drive Hueytown, AL 35023
Facility Phone Number	2057448748
Facility Contact Name	Samatha
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	1-25,000 and 1-26,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Liberty Cycles, 2018-08-17

Created	2018-08-17 18:57:47 UTC by Drew Hubbard
Updated	2018-08-17 19:01:53 UTC by Drew Hubbard
Location	33.4511962329713, -87.0057915230207

General Info

Inspector	Drew Hubbard
Date	2018-08-17
Time	13:57
Facility Name	Liberty Cycles
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	1993
Facility Street Address	1476 Hueytown Road Hueytown, AL 35023
Facility Phone Number	2054975511
Facility Contact Name	Bobby
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Marathon , 2018-08-23

Created	2018-08-23 16:59:11 UTC by Drew Hubbard
Updated	2018-08-23 17:06:43 UTC by Drew Hubbard
Location	33.396237461375, -87.0402754971537

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:59
Facility Name	Marathon
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	1207
Facility Street Address	5973 Johns Rd Hueytown, AL 35023
Facility Phone Number	2054246510
Facility Contact Name	Aslam
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-6,000
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Hueytown Auto Clean, 2018-09-17

Created	2018-09-17 17:23:01 UTC by Erick Gilkey
Updated	2018-09-17 17:33:41 UTC by Erick Gilkey
Location	33.4503220824185, -86.97838190943

General Info

Inspector	Erick Gilkey
Date	2018-09-17
Time	12:23
Facility Name	Hueytown Auto Clean
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Facility Street Address	112 Azalea Ave Hueytown, AL 35023
Facility Phone Number	2054911812
Facility Contact Name	Mark Elmore
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Car Wash

Car wash type?	Full Service
Is the used water processed through a filtration system?	No
Used water drains to where?	Unknown
What fluids are being used/stored?	Degreaser, Soap, Kerosene 1-55 gallon, metal, inside

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	55

How many containers? 1

MISCELLANEOUS

Waste containers provided and used? Yes

What kind of container? Dumpster(s)

How often is it/are they emptied? Bi-monthly

Overall cleanliness Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Venus Universe LLC, 2018-08-16

Created	2018-08-16 15:03:36 EDT by Scott Hofer
Updated	2018-08-16 15:04:22 EDT by Scott Hofer
Location	33.456257904743, -86.9969809183363
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	14:03
Facility Type	Gas Station
Facility Name	Venus Universe LLC
Facility Street Address	3162 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	No longer open

Your Express Car Wash, 2018-08-14

Created	2018-08-14 17:29:57 UTC by Drew Hubbard
Updated	2018-08-14 17:41:42 UTC by Drew Hubbard
Location	33.4534765015933, -86.9701150489573

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	12:29
Facility Name	Your Express Car Wash
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	1636
Facility Street Address	2899 Allison/Bonnett Memorial Drive Hueytown, AL 35023
Facility Phone Number	2052228316
Facility Contact Name	Miles
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	Berms are placed around it

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Sewer
What fluids are being used/stored?	Soap

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	6

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum

What size container is the degreaser being stored in (gallons)? 2

How many containers? 1

MISCELLANEOUS

Waste containers provided and used? Yes

What kind of container? Dumpster(s)

How often is it/are they emptied? Weekly

Overall cleanliness Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

General comments/items of concern not mentioned 6-30 gallons 8-5 gallons soaps

Photos



Google Map image of facility

N/A

Chevron, 2018-08-14

Created	2018-08-14 17:44:24 UTC by Drew Hubbard
Updated	2018-08-14 17:56:34 UTC by Drew Hubbard
Location	33.4513185832766, -86.9801395247507

General Info

Inspector	Juwan Murphy, Drew Hubbard
Date	2018-08-14
Time	12:44
Facility Name	Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	2426
Facility Street Address	3030 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2052905788
Facility Contact Name	Kelly
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	2-5 gallon
How many containers?	2

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum

What size container is the degreaser being stored in (gallons)? 3

How many containers? 1

Gas Station

How many fuel tanks and their size? 1-10,000 and 1-8,000

Is there a car wash on-site? Yes

MISCELLANEOUS

Waste containers provided and used? Yes

What kind of container? Dumpster(s)

How often is it/are they emptied? Weekly

Overall cleanliness Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Precoat Metals, 2018-09-26

Created	2018-09-26 19:22:22 UTC by Erick Gilkey
Updated	2018-10-02 13:14:41 UTC by Erick Gilkey
Location	33.4417156617634, -86.9728096202016

General Info

Inspector	Erick Gilkey
Date	2018-09-26
Time	14:22
Facility Name	Precoat Metals
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Manufacturers
Municipal Business License #	2371
NPDES Permit	IU393700957
Facility Street Address	3399 Davey Allison Blvd Hueytown, AL 35023
Facility Phone Number	2055108247
Facility Contact Name	Matt Butler
Facility Contact Title	EHS Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

First Oil Change Inc, 2018-08-23

Created	2018-08-23 16:09:13 UTC by Drew Hubbard
Updated	2018-08-23 16:17:12 UTC by Drew Hubbard
Location	33.4202013627771, -86.9843208888761

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:09
Facility Name	First Oil Change Inc
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	0672
Facility Street Address	2530 19th St N Hueytown, AL 35023
Facility Phone Number	2054241181
Facility Contact Name	Pat
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	580
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

City Auto Garage, 2018-09-17

Created	2018-09-17 18:53:01 UTC by Erick Gilkey
Updated	2018-09-17 19:10:03 UTC by Erick Gilkey
Location	33.4554311462195, -86.9623788446188

General Info

Inspector	Erick Gilkey
Date	2018-09-17
Time	13:53
Facility Name	City Auto Garage
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	125 Meadland Cir Hueytown, AL 35023
Facility Phone Number	2057449223
Facility Contact Name	Ray Holmes
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	6


Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Raceway, 2018-09-17

Created	2018-09-14 18:33:00 UTC by Erick Gilkey
Updated	2018-09-17 16:26:28 UTC by Erick Gilkey
Location	33.4581648640575, -86.9609599560499

General Info

Inspector	Erick Gilkey
Date	2018-09-17
Time	10:59
Facility Name	Raceway
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	3285
Facility Street Address	1748 Edwards St Hueytown, AL 35023
Facility Phone Number	2057441151
Facility Contact Name	Rohit Patel
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-12000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Hales Automotive , 2018-08-17

Created	2018-08-17 19:02:54 UTC by Drew Hubbard
Updated	2018-08-17 19:03:23 UTC by Drew Hubbard
Location	33.4520263599522, -87.0055421087639
Inspector	Drew Hubbard
Date	2018-08-17
Time	14:02
Facility Type	Automotive Dealer
Facility Name	Hales Automotive
Facility Street Address	1474 Hueytown Rd Hueytown, AL 35023
Reason For Not Inspecting	Just sales used cars

Barnett's Auto Body, 2018-09-17

Created	2018-09-17 17:57:51 UTC by Erick Gilkey
Updated	2018-09-17 18:14:57 UTC by Erick Gilkey
Location	33.452640556033, -87.0098442211747

General Info

Inspector	Erick Gilkey
Date	2018-09-17
Time	12:57
Facility Name	Barnett's Auto Body
Does this facility have an NPDES permit?	No
Facility Type	Auto Body Shop
Facility Street Address	3299 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2054974090
Facility Contact Name	Jana Barnett
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	By mop, Rags
If a LARGE spill occurs	The police department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	Yes
Is there a maintenance center?	No
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Paint Center

Where is the paint being stored?	Inside
What size container is the paint being stored in (gallons)?	1 quart
What kind of container is the paint being stored in?	Plastic bucket
How many containers?	100

Car Wash

Car wash type?	Hand Wash
Is the used water processed through a filtration system?	No
Used water drains to where?	Unknown
What fluids are being used/stored?	All under 5 gallon

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Exxon/Mikey's , 2018-08-15

Created	2018-08-15 19:02:02 UTC by Drew Hubbard
Updated	2018-08-15 19:26:42 UTC by Drew Hubbard
Location	33.4555416419971, -86.9904924591218

General Info

Inspector	Drew Hubbard
Date	2018-08-15
Time	14:02
Facility Name	Exxon/Mikey's
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	5683
Facility Street Address	3111 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2059665232
Facility Contact Name	Mike
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	1-10,000 and 1-8,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Whitlow's Automotive, 2018-09-04

Created	2018-09-04 16:00:46 EDT by Scott Hofer
Updated	2018-09-04 16:01:39 EDT by Scott Hofer
Location	33.4705537578447, -86.9327464228963
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-04
Time	15:00
Facility Type	Automotive Dealer
Facility Name	Whitlow's Automotive
Facility Street Address	105 Vulcan Park Dr Hueytown , AL 35064
Reason For Not Inspecting	No hazardous stored above 5-gal

Pep Boys, 2018-08-16

Created	2018-08-16 17:42:07 UTC by Drew Hubbard
Updated	2018-08-16 17:52:15 UTC by Drew Hubbard
Location	33.4512506910024, -86.9785702325534

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	12:42
Facility Name	Pep Boys
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	1409
Facility Street Address	3019 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2057448473
Facility Contact Name	Joel
Facility Contact Title	Assistant Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Used oil, Used antifreeze
------------------------------------	---------------------------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	No
Is it covered?	Yes

Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Plastic drum

What size container is the used antifreeze being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	No
Is it covered?	Yes

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Elaaser and Company Sales, 2018-08-31

Created	2018-08-31 17:55:40 UTC by Drew Hubbard
Updated	2018-08-31 20:09:47 UTC by Drew Hubbard
Location	33.451949479108, -86.9825982031661
Inspector	Drew Hubbard
Date	2018-08-31
Time	12:55
Facility Type	Retail
Facility Name	Elaaser and Company Sales
Facility Street Address	121 Meadland Cir Hueytown, AL 35023
Reason For Not Inspecting	No chemicals

A & S Car Wash, 2018-08-23

Created	2018-08-23 14:13:45 EDT by Scott Hofer
Updated	2018-08-23 14:14:39 EDT by Scott Hofer
Location	33.4528886417685, -86.9818528931803
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	13:13
Facility Type	Car Wash
Facility Name	A & S Car Wash
Facility Street Address	271 Forest Rd Hueytown, AL 35023
Reason For Not Inspecting	Closed

Premiere Motors LLC, 2018-08-28

Created	2018-08-28 13:55:59 EDT by Scott Hofer
Updated	2018-08-28 13:57:41 EDT by Scott Hofer
Location	33.4560194077298, -86.9626474007964
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-28
Time	12:55
Facility Type	Automotive Dealer
Facility Name	Premiere Motors LLC
Facility Street Address	121 Meadland Cir Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

Bonos Wholesale, 2018-09-13

Created	2018-09-13 17:33:45 UTC by Erick Gilkey
Updated	2018-09-13 17:34:39 UTC by Erick Gilkey
Location	33.4566445885552, -86.9661429896951
Inspector	Erick Gilkey
Date	2018-09-13
Time	12:33
Facility Type	Mechanic
Facility Name	Bonos Wholesale
Facility Street Address	2710 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	No chemicals used/stored in containers over 5 gallons

Import Auto Works INC, 2018-09-04

Created	2018-09-04 16:01:41 EDT by Scott Hofer
Updated	2018-09-04 16:02:34 EDT by Scott Hofer
Location	33.4801363700194, -86.9211111825715
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-04
Time	15:01
Facility Type	Automotive Dealer
Facility Name	Import Auto Works INC
Facility Street Address	3301 Warrior River Rd Hueytown , AL 35064
Reason For Not Inspecting	No hazardous stored above 5-gal

HPH Mechanical LLC, 2018-08-23

Created	2018-08-23 12:49:14 EDT by Scott Hofer
Updated	2018-08-23 12:50:00 EDT by Scott Hofer
Location	33.419621387258, -86.9849150634766
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:49
Facility Type	Mechanic
Facility Name	HPH Mechanical LLC
Facility Street Address	1821 26th Ave N Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

City Auto Sales, 2018-08-16

Created	2018-08-16 17:26:19 UTC by Drew Hubbard
Updated	2018-08-16 17:27:09 UTC by Drew Hubbard
Location	33.4515899483617, -86.9861056648262
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	12:26
Facility Type	Automotive Dealer
Facility Name	City Auto Sales
Facility Street Address	828 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	They just sale cars

Metro Wash #3, 2018-08-14

Created	2018-08-14 11:16:25 EDT by Scott Hofer
Updated	2018-08-14 11:35:54 EDT by Scott Hofer
Location	33.4577537783591, -86.957580527455

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	10:16
Facility Name	Metro Wash #3
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	000
Facility Street Address	614 Allison Bonnett Memorial Dr Hueytown, AL 35061
Facility Phone Number	0
Facility Contact Name	N/A
Facility Contact Title	N/A

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	No
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Not sure
If a LARGE spill occurs	Not sure

Car Wash

Car wash type?	Do-it-yourself, Drive-through
Is the used water processed through a filtration system?	No
Used water drains to where?	Sewer
What fluids are being used/stored?	Soap, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Not sure, locked away inside building
What size container is the soap being stored in (gallons)?	Not sure
How many containers?	0

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	None
What size container is the degreaser being stored in (gallons)?	None
How many containers?	0

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Not sure
What size container is the wax being stored in (gallons)?	Not sure
How many containers?	0

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Not sure
What size container is the protectant being stored in (gallons)?	Not sure
How many containers?	0

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s), Garbage can(s)
How often is it/are they emptied?	Not sure
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Walmart, 2018-09-13

Created	2018-09-13 18:29:13 UTC by Erick Gilkey
Updated	2018-09-13 19:25:32 UTC by Erick Gilkey
Location	33.4606621419258, -86.9675132632256

General Info

Inspector	Erick Gilkey
Date	2018-09-13
Time	13:29
Facility Name	Walmart
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	1001 Red Farmer Dr Hueytown, AL 35023
Facility Phone Number	2057449997
Facility Contact Name	Robert
Facility Contact Title	ACC Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	400
How many containers?	1


Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	800
How many containers?	1
Comments	Also. 200 gallons metal container outside with used oil, covered, no berm

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Valley Creek Waste Water Treatment Plant, 2018-09-21

Created	2018-09-21 15:44:12 UTC by Erick Gilkey
Updated	2018-09-21 15:54:44 UTC by Erick Gilkey
Location	33.3989131534525, -87.0037368312478

General Info

Inspector	Erick Gilkey
Date	2018-09-21
Time	10:44
Facility Name	Valley Creek Waste Water Treatment Plant
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Water treatment plant
NPDES Permit	AL0023655
Facility Street Address	3923 Clearwater Dr Hueytown, AL 35023
Facility Phone Number	2057913082
Facility Contact Name	David Humphries
Facility Contact Title	General Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Auto Tech, 2018-08-23

Created	2018-08-23 12:37:16 EDT by Scott Hofer
Updated	2018-08-23 12:37:33 EDT by Scott Hofer
Location	33.421761746345, -86.9851424221658
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:37
Facility Type	Retail
Facility Name	Auto Tech
Facility Street Address	2704 19th St N Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

Gary's Automotive , 2018-08-23

Created	2018-08-23 12:36:40 EDT by Scott Hofer
Updated	2018-08-23 12:37:14 EDT by Scott Hofer
Location	33.4218557087633, -86.985263260775
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:36
Facility Type	Mechanic
Facility Name	Gary's Automotive
Facility Street Address	2600 19th St N Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

J W Motor Cars, 2018-08-14

Created	2018-08-14 11:46:33 EDT by Scott Hofer
Updated	2018-08-14 11:47:23 EDT by Scott Hofer
Location	33.4575379951102, -86.9570444449767
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	10:46
Facility Type	Automotive Dealer
Facility Name	J W Motor Cars
Facility Street Address	590 Allison Bonnett Memorial Dr Hueytown, AL 35061
Reason For Not Inspecting	No oil changing facility on site

Marathon , 2018-08-16

Created	2018-08-16 15:57:30 UTC by Drew Hubbard
Updated	2018-08-16 16:04:16 UTC by Drew Hubbard
Location	33.4563115543784, -86.9970319143749

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	10:57
Facility Name	Marathon
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	3390
Facility Street Address	3162 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2054914399
Facility Contact Name	Malik
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-10,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Charlie's Transmissions , 2018-09-13

Created	2018-09-13 19:39:04 UTC by Erick Gilkey
Updated	2018-09-13 19:51:56 UTC by Erick Gilkey
Location	33.4534003126186, -87.0073608309031

General Info

Inspector	Erick Gilkey
Date	2018-09-13
Time	14:39
Facility Name	Charlie's Transmissions
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	131 Louis Ave Hueytown, AL 35023
Facility Phone Number	2054970383
Facility Contact Name	Chuck Johnson
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Automatic Transmission Fluid
------------------------------------	------------------------------

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drum
What size container is the new transmission fluid being stored in (gallons)?	55
How many containers?	2
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly
Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Spills throughout
Are there any other potentially hazardous items not already addressed?	Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity

Used transmission fluid
1-250, plastic, outside, no cover, no berm
1-400, metal, outside, no cover, no berm

Photos



Google Map image of facility

N/A

Exxon, 2018-08-22

Created	2018-08-22 19:03:26 UTC by Drew Hubbard
Updated	2018-08-23 17:04:03 UTC by Drew Hubbard
Location	33.4197480336555, -86.9840776523666

General Info

Inspector	Drew Hubbard
Date	2018-08-22
Time	14:03
Facility Name	Exxon
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	1189
Facility Street Address	2516 19th St N Hueytown, AL 35023
Facility Phone Number	2054248484
Facility Contact Name	Sherry
Facility Contact Title	Assistant Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	1-10,000 1-12,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Exxon, 2018-08-17

Created	2018-08-17 17:55:38 UTC by Drew Hubbard
Updated	2018-08-17 18:02:43 UTC by Drew Hubbard
Location	33.4422414835299, -86.994042349576

General Info

Inspector	Drew Hubbard
Date	2018-08-17
Time	12:55
Facility Name	Exxon
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	4159
Facility Street Address	1300 Hueytown Rd Hueytown, AL 35023
Facility Phone Number	2054971736
Facility Contact Name	Gulzar Nilgiriwala
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	2-10,000 and 1-6,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Ken's Tire and Wheels, 2018-08-22

Created	2018-08-22 18:50:31 UTC by Drew Hubbard
Updated	2018-08-22 18:51:09 UTC by Drew Hubbard
Location	33.4452677188818, -86.9792078848632
Inspector	Drew Hubbard
Date	2018-08-22
Time	13:50
Facility Type	Retail
Facility Name	Ken's Tire and Wheels
Facility Street Address	220 Brooklane Dr Hueytown, AL 35023
Reason For Not Inspecting	Only Tire changing

Just us girls Auto Sales , 2018-08-31

Created	2018-08-31 16:08:21 EDT by Drew Hubbard
Updated	2018-08-31 18:43:07 EDT by Scott Hofer
Location	33.439295, -86.976908
Inspector	Drew Hubbard
Date	2018-08-31
Time	15:08
Facility Type	Automotive Dealer
Facility Name	Just us girls Auto Sales
Facility Street Address	3417 Davey Allison Blvd Hueytown , AL 35064
Reason For Not Inspecting	Just car sales

C-Store, 2018-08-22

Created	2018-08-22 18:54:09 UTC by Drew Hubbard
Updated	2018-08-22 18:55:08 UTC by Drew Hubbard
Location	33.4405543674364, -86.9785796573406
Inspector	Drew Hubbard
Date	2018-08-22
Time	13:54
Facility Type	Gas Station
Facility Name	C-Store
Facility Street Address	615 Brooklane Dr Hueytown, AL 35023
Reason For Not Inspecting	CLOSED

Riderz Connection LLC, 2018-08-17

Created	2018-08-17 19:05:58 UTC by Drew Hubbard
Updated	2018-08-17 19:07:29 UTC by Drew Hubbard
Location	33.4486100113008, -86.9972919486482
Inspector	Drew Hubbard
Date	2018-08-17
Time	14:05
Facility Type	Mechanic
Facility Name	Riderz Connection LLC
Facility Street Address	1384 Hueytown Rd Hueytown, AL 35023
Reason For Not Inspecting	ATV retail and small engine

Birmingham Recon Center, 2018-08-21

Created	2018-08-21 13:24:11 EDT by Scott Hofer
Updated	2018-08-21 13:25:00 EDT by Scott Hofer
Location	33.453714074675, -86.9675993296179
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-21
Time	12:24
Facility Type	Other
Facility Name	Birmingham Recon Center
Facility Street Address	2890 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	No hazardous fluids above 5-gal

Classic Towing and Recovery , 2018-08-31

Created	2018-08-31 17:56:42 UTC by Drew Hubbard
Updated	2018-08-31 20:05:54 UTC by Drew Hubbard
Location	33.4518625369181, -86.9825749240157
Inspector	Drew Hubbard
Date	2018-08-31
Time	12:56
Facility Type	Towing company only
Facility Name	Classic Towing and Recovery
Facility Street Address	1185 Love St Hueytown, AL 35023
Reason For Not Inspecting	No chemicals

Jerry's, 2018-08-16

Created	2018-08-16 17:29:28 UTC by Drew Hubbard
Updated	2018-08-16 17:36:40 UTC by Drew Hubbard
Location	33.4552418801844, -86.9896311180112

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	12:29
Facility Name	Jerry's
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	1065
Facility Street Address	3108 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2054971405
Facility Contact Name	Jerry Guyton
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Automatic Transmission Fluid
------------------------------------	------------------------------

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drum
What size container is the new transmission fluid being stored in (gallons)?	55
How many containers?	2
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Express Oil Change, 2018-08-22

Created	2018-08-22 17:29:28 UTC by Drew Hubbard
Updated	2018-08-22 17:44:34 UTC by Drew Hubbard
Location	33.4578126237209, -86.9571451272397

General Info

Inspector	Drew Hubbard
Date	2018-08-22
Time	12:29
Facility Name	Express Oil Change
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	1300
Facility Street Address	600 Allison Bonnett Memorial Dr Hueytown, AL 35061
Facility Phone Number	2057444141
Facility Contact Name	James
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze, Manual Transmission Fluid
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	3-250 gal 2-500gal
How many containers?	5

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	2-500 gallon
How many containers?	2

Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	No
Is it covered?	No


Manual Transmission Fluid

Where is the new gear oil being stored?	Inside
What kind of container is the gear oil being stored in?	Metal drum
What size container is the gear oil being stored in (gallons)?	55
How many containers?	9
Is used gear oil mixed in with used oil?	Yes

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Discount Auto Parts, 2018-08-17

Created	2018-08-17 18:16:34 UTC by Drew Hubbard
Updated	2018-08-17 18:17:51 UTC by Drew Hubbard
Location	33.4406357337203, -86.9941197535673
Inspector	Drew Hubbard
Date	2018-08-17
Time	13:16
Facility Type	Retail
Facility Name	Discount Auto Parts
Facility Street Address	1279 Hueytown Rd Hueytown, AL 35023
Reason For Not Inspecting	Just a Auto Parts store

Barry's Wholesale Transmission , 2018-08-23

Created	2018-08-23 16:23:47 UTC by Drew Hubbard
Updated	2018-08-23 16:30:56 UTC by Drew Hubbard
Location	33.4154333863471, -86.9875736701975

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:23
Facility Name	Barry's Wholesale Transmission
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	0293
Facility Street Address	2594 15th Street Rd Hueytown, AL 35023
Facility Phone Number	205428100
Facility Contact Name	Barry
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Automatic Transmission Fluid
------------------------------------	------------------------------

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drum
What size container is the new transmission fluid being stored in (gallons)?	275
How many containers?	1
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Bruce's Body Shop, 2018-08-23

Created	2018-08-23 14:04:16 EDT by Scott Hofer
Updated	2018-08-23 14:04:47 EDT by Scott Hofer
Location	33.4487767511139, -86.9786604905437
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	13:04
Facility Type	Mechanic
Facility Name	Bruce's Body Shop
Facility Street Address	130 Brooklane Dr Hueytown, AL 35023
Reason For Not Inspecting	Closed

Douglas Automotive , 2018-09-14

Created	2018-09-14 17:30:31 UTC by Erick Gilkey
Updated	2018-09-14 17:45:49 UTC by Erick Gilkey
Location	33.458111158367, -86.9571140035987

General Info

Inspector	Erick Gilkey
Date	2018-09-14
Time	12:30
Facility Name	Douglas Automotive
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	5292
Facility Street Address	1705 2nd Ave S Hueytown, AL 35061
Facility Phone Number	2058488324
Facility Contact Name	Richard Douglas
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	No
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat, Cat litter
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------


Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Fuel Stop/Donz , 2018-08-14

Created	2018-08-14 16:00:51 UTC by Drew Hubbard
Updated	2018-09-17 15:57:30 UTC by Erick Gilkey
Location	33.4572549397148, -86.9610608741641

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	11:00
Facility Name	Fuel Stop/Donz
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	5248
Facility Street Address	817 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2057301227
Facility Contact Name	Sharmilla
Facility Contact Title	Employee

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	1-6,000 and 2-12,000
Is there a car wash on-site?	Not used

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Citgo, 2018-08-14

Created	2018-08-14 14:47:46 UTC by Drew Hubbard
Updated	2018-08-14 15:51:25 UTC by Drew Hubbard
Location	33.4575952487118, -86.9558196851088

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	09:47
Facility Name	Citgo
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	5357
Facility Street Address	486 Allison Bonnett Memorial Dr Hueytown, AL 35061
Facility Phone Number	2057444300
Facility Contact Name	Pamela
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	2-6,000 1-8,000 and 1-2,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

J P Sales LLC, 2018-08-23

Created	2018-08-23 12:46:22 EDT by Scott Hofer
Updated	2018-08-23 12:47:00 EDT by Scott Hofer
Location	33.4222773775698, -86.98534083923
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:46
Facility Type	Automotive Dealer
Facility Name	J P Sales LLC
Facility Street Address	2529 19th St N Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

Autonet INC, 2018-08-21

Created	2018-08-21 13:25:52 EDT by Scott Hofer
Updated	2018-08-21 13:26:26 EDT by Scott Hofer
Location	33.4572238364532, -86.9642118028717
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-21
Time	12:25
Facility Type	Automotive Dealer
Facility Name	Autonet INC
Facility Street Address	904 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	Used car lot only

Hanks , 2018-08-16

Created	2018-08-16 16:28:05 UTC by Drew Hubbard
Updated	2018-08-16 16:28:58 UTC by Drew Hubbard
Location	33.4531256475778, -87.0096819846072
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	11:28
Facility Type	Automotive Dealer
Facility Name	Hanks
Facility Street Address	3299 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	No oil changes

Flawless Car Wash & Detail, 2018-08-23

Created	2018-08-23 12:41:14 EDT by Scott Hofer
Updated	2018-08-23 12:41:56 EDT by Scott Hofer
Location	33.4211054526817, -86.9850418723705
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:41
Facility Type	Car Wash
Facility Name	Flawless Car Wash & Detail
Facility Street Address	1906 27th Ave N Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

New Metro Auto Service , 2018-08-14

Created	2018-08-14 15:51:49 UTC by Drew Hubbard
Updated	2018-08-14 15:56:01 UTC by Drew Hubbard
Location	33.4583343436994, -86.956247561224

General Info

Inspector	Juwan Murphy, Drew Hubbard
Date	2018-08-14
Time	10:51
Facility Name	New Metro Auto Service
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	4556
Facility Street Address	590 Allison Bonnett Memorial Dr Hueytown, AL 35061
Facility Phone Number	2053693397
Facility Contact Name	Tavares Ward
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No
Google Map image of facility	N/A

Helms Auto Clinic, 2018-08-17

Created	2018-08-17 18:42:09 UTC by Drew Hubbard
Updated	2018-08-17 18:43:04 UTC by Drew Hubbard
Location	33.4489573247498, -86.9974607342609
Inspector	Drew Hubbard
Date	2018-08-17
Time	13:42
Facility Type	Mechanic
Facility Name	Helms Auto Clinic
Facility Street Address	1388 Hueytown Rd Hueytown, AL 35023
Reason For Not Inspecting	Only parts and small motors

Shell-Spencer Company , 2018-08-14

Created	2018-08-14 14:34:02 UTC by Drew Hubbard
Updated	2018-08-14 14:46:00 UTC by Drew Hubbard
Location	33.4573812399519, -86.9576575670792

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	09:34
Facility Name	Shell-Spencer Company
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	0158
Facility Street Address	609 Allison Bonnett Memori Pkw Hueytown, AL 35061
Facility Phone Number	2057446098
Facility Contact Name	Janice Jernigan
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	2-6,000 2-8,000 and 1-1,000 gallon
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Hueytown Hardware , 2018-08-16

Created	2018-08-16 16:17:24 UTC by Drew Hubbard
Updated	2018-08-16 16:18:25 UTC by Drew Hubbard
Location	33.4542595624042, -87.0081803120861
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	11:17
Facility Type	Retail
Facility Name	Hueytown Hardware
Facility Street Address	3260 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	Just a Hardware store

Autozone #390, 2018-08-14

Created	2018-08-14 11:40:46 EDT by Scott Hofer
Updated	2018-08-14 11:41:28 EDT by Scott Hofer
Location	33.4581292703437, -86.9611490016486
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	10:40
Facility Type	Retail
Facility Name	Autozone #390
Facility Street Address	3010 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	Shouldn't be on the list

Pop-N-Snack, 2018-08-14

Created	2018-08-14 19:56:56 UTC by Drew Hubbard
Updated	2018-08-14 20:04:34 UTC by Drew Hubbard
Location	33.4499816099954, -86.9824955459979

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	14:56
Facility Name	Pop-N-Snack
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	5679
Facility Street Address	3057 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	205744
Facility Contact Name	Alex
Facility Contact Title	Employee

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	2-8,000 and 1-4,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Chevron has , 2018-08-17

Created	2018-08-17 18:04:25 UTC by Drew Hubbard
Updated	2018-08-17 18:12:15 UTC by Drew Hubbard
Location	33.4400023560707, -86.9942107449803

General Info

Inspector	Drew Hubbard
Date	2018-08-17
Time	13:04
Facility Name	Chevron has
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	1186
Facility Street Address	1282 Hueytown Rd Hueytown, AL 35023
Facility Phone Number	2054979975
Facility Contact Name	Sherly
Facility Contact Title	Employee

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	1-4,000 1-6,000 and 1-10,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

R&M Automotive INC., 2018-08-21

Created	2018-08-21 17:28:20 UTC by Drew Hubbard
Updated	2018-08-22 17:44:48 UTC by Drew Hubbard
Location	33.4575859195677, -86.9620916156535

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-21
Time	12:28
Facility Name	R&M Automotive INC.
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	0935
Facility Street Address	825 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2057440431
Facility Contact Name	David
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze
------------------------------------	--

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	2

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	1

New Antifreeze

Where is the new antifreeze being stored?	Inside
What kind of container is the new antifreeze being stored in?	Metal drum
What size container is the new antifreeze being stored in (gallons)?	55
How many containers?	1

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Campbell's Grocery , 2018-08-22

Created	2018-08-22 18:49:20 UTC by Drew Hubbard
Updated	2018-08-22 18:49:55 UTC by Drew Hubbard
Location	33.4452261590179, -86.979190023056
Inspector	Drew Hubbard
Date	2018-08-22
Time	13:49
Facility Type	Retail
Facility Name	Campbell's Grocery
Facility Street Address	220 Brooklane Dr Hueytown, AL 35023
Reason For Not Inspecting	No chemicals

Citgo/Virginia Mines Grocery, 2018-09-13

Created	2018-09-13 19:20:33 UTC by Erick Gilkey
Updated	2018-09-13 19:38:11 UTC by Erick Gilkey
Location	33.4235930596013, -87.0287128910422

General Info

Inspector	Erick Gilkey
Date	2018-09-13
Time	14:20
Facility Name	Citgo/Virginia Mines Grocery
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	1205
Facility Street Address	2717 Virginia Dr Hueytown, AL 35023
Facility Phone Number	2054912111
Facility Contact Name	Mike Wood
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	2-6000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Goolsby Custom Inc, 2018-09-04

Created	2018-09-04 15:58:07 EDT by Scott Hofer
Updated	2018-09-04 16:00:40 EDT by Scott Hofer
Location	33.4572578252563, -86.9607687823957
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-04
Time	14:58
Facility Type	Auto Body Shop
Facility Name	Goolsby Custom Inc
Facility Street Address	16 Commerce Ave Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

O'Reilly Auto Parts #1491, 2018-08-14

Created	2018-08-14 15:37:35 UTC by Scott Hofer
Updated	2018-09-13 17:26:51 UTC by Erick Gilkey
Location	33.4579598312164, -86.9589037075639
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	10:37
Facility Type	Retail
Facility Name	O'Reilly Auto Parts #1491
Facility Street Address	770 Allison Bonnett Memorial Dr Dolomite, AL 35061
Reason For Not Inspecting	Shouldn't be on the list

ES Car Wash, 2018-08-23

Created	2018-08-23 14:16:18 EDT by Scott Hofer
Updated	2018-08-23 14:16:51 EDT by Scott Hofer
Location	33.4583603876311, -86.9686260945038
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	13:16
Facility Type	Car Wash
Facility Name	ES Car Wash
Facility Street Address	273 Forest Rd Hueytown, AL 35023
Reason For Not Inspecting	Closed

City Auto Spa LLC, 2018-08-28

Created	2018-08-28 13:57:43 EDT by Scott Hofer
Updated	2018-08-28 13:58:23 EDT by Scott Hofer
Location	33.4564750768842, -86.9635224714875
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-28
Time	12:57
Facility Type	Car Wash
Facility Name	City Auto Spa LLC
Facility Street Address	129 Meadland Cir Hueytown, AL 35023
Reason For Not Inspecting	Closed

KB Performance , 2018-08-16

Created	2018-08-16 16:21:53 UTC by Drew Hubbard
Updated	2018-08-16 16:22:38 UTC by Drew Hubbard
Location	33.4539694120944, -87.0094186900468
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	11:21
Facility Type	Retail
Facility Name	KB Performance
Facility Street Address	3292 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	No longer in business

Express Partners/ Express Lube, 2018-08-14

Created	2018-08-14 17:58:15 UTC by Drew Hubbard
Updated	2018-08-14 18:08:53 UTC by Drew Hubbard
Location	33.4501752221821, -86.981556854958

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	12:58
Facility Name	Express Partners/ Express Lube
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	1570
Facility Street Address	3045 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2054918880
Facility Contact Name	Bryan Smith
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	250
How many containers?	5


Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Advance Auto Parts #6342, 2018-08-14

Created	2018-08-14 11:39:25 EDT by Scott Hofer
Updated	2018-08-14 11:40:16 EDT by Scott Hofer
Location	33.4581226648901, -86.9611459150356
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	10:39
Facility Type	Retail
Facility Name	Advance Auto Parts #6342
Facility Street Address	933 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	Shouldn't be on the list

Mac Auto and Collision , 2018-08-23

Created	2018-08-23 17:40:03 UTC by Drew Hubbard
Updated	2018-08-23 17:50:47 UTC by Drew Hubbard
Location	33.4401121062575, -86.9783339886019

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	12:40
Facility Name	Mac Auto and Collision
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	0007
Facility Street Address	715 Brooklane Dr Hueytown, AL 35023
Facility Phone Number	2054917231
Facility Contact Name	Alan
Facility Contact Title	Assistant Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No


MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Irondale

Anaheim Auto Auction, 2018-08-08

Created	2018-08-08 18:09:56 UTC by Erick Gilkey
Updated	2018-08-08 18:20:13 UTC by Erick Gilkey
Location	33.5475467824788, -86.6221107915044

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-08
Time	13:09
Facility Name	Anaheim Auto Auction
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	5961 Highway 78 E Irondale, AL 35173
Facility Phone Number	2059562233
Facility Contact Name	Mohammed Mekdad
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------


Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	55
How many containers?	3

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Spills throughout, some with litter on them, most without
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Irondale Chevron , 2018-06-22

Created	2018-06-22 19:09:44 UTC by Drew Hubbard
Updated	2018-06-22 19:27:27 UTC by Drew Hubbard
Location	33.5328096146171, -86.7054975347494

General Info

Inspector	Drew Hubbard
Date	2018-06-22
Time	14:09
Facility Name	Irondale Chevron
Facility Type	Gas Station
Municipal Business License #	2018-982
Facility Street Address	1804 Crestwood Blvd Irondale, AL 35210
Facility Phone Number	2059567000
Facility Contact Name	Rahim Lalani
Facility Contact Title	Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	None now it is CLOSED

Gas Station

How many fuel tanks are there?	3
What size fuel tanks are they (in gallons)?	5000
Is there a car wash on-site?	Yes

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

City of Irondale, 2018-08-09

Created	2018-08-08 19:32:28 UTC by Erick Gilkey
Updated	2018-08-09 19:14:08 UTC by Erick Gilkey
Location	33.5384919913621, -86.7063140496612

General Info

Inspector	Erick Gilkey
Date	2018-08-09
Time	14:00
Facility Name	City of Irondale
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	101 20th S St Irondale, AL 35210
Facility Phone Number	2059511420
Facility Contact Name	Frank Pennington
Facility Contact Title	Public Works head

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, New antifreeze, Used oil
------------------------------------	-----------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	6

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	No

New Antifreeze

Where is the new antifreeze being stored?	Inside
What kind of container is the new antifreeze being stored in?	Plastic drum
What size container is the new antifreeze being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	1-55 gallon drum DEF, metal, inside 1-8000 gasoline 1-4000 diesel

Photos



Google Map image of facility	N/A
------------------------------	-----

Harris Automotive , 2018-08-06

Created	2018-08-06 19:14:09 UTC by Erick Gilkey
Updated	2018-08-06 19:29:22 UTC by Erick Gilkey
Location	33.5376396414007, -86.6950159147382

General Info

Inspector	Erick Gilkey
Date	2018-08-06
Time	14:14
Facility Name	Harris Automotive
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-620
Facility Street Address	2522 Crestwood Blvd Irondale, AL 35210
Facility Phone Number	2059560170
Facility Contact Name	Jeff Harris
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	2-50 gallon, 1-250 gallon
How many containers?	3
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Sunoco #233, 2018-08-02

Created	2018-08-02 16:38:58 UTC by Erick Gilkey
Updated	2018-08-02 16:39:34 UTC by Erick Gilkey
Location	33.5384665607144, -86.692324988544
Inspector	Erick Gilkey
Date	2018-08-02
Time	11:38
Facility Type	Gas Station
Facility Name	Sunoco #233
Facility Street Address	2612 Crestwood Blvd Irondale, AL 35210
Reason For Not Inspecting	Out of business

Benchmark Chrysler-Dodge-Jeep, 2018-07-06

Created	2018-07-06 17:59:21 UTC by Drew Hubbard
Updated	2018-07-06 18:44:34 UTC by Drew Hubbard
Location	33.5192761160424, -86.6619289059954

General Info

Inspector	Drew Hubbard, Erick Gilkey
Date	2018-07-06
Time	12:59
Facility Name	Benchmark Chrysler-Dodge-Jeep
Facility Type	Automotive Dealer
Municipal Business License #	2018-576
Facility Street Address	1313 Grants Mill Way Irondale, AL 35210
Facility Phone Number	205
Facility Contact Name	Cliff Smith
Facility Contact Title	Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Tri-weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	No
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Transmission fluid, Used antifreeze
------------------------------------	--

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1-500 & 1-250
How many containers?	2
Is there a berm around it?	Yes

Is it covered?	Yes
----------------	-----

Used Oil

Where is the used oil being stored?	Outside
-------------------------------------	---------

What kind of container is the used oil being stored in?	Metal drum
---	------------

What size container is the used oil being stored in (gallons)?	500
--	-----

How many containers?	1
----------------------	---

Is there a berm around it?	Yes
----------------------------	-----

Is it covered?	Yes
----------------	-----

Used Antifreeze

Where is the used antifreeze being stored?	Outside
--	---------

What kind of container is the used antifreeze being stored in?	Plastic drum
--	--------------

What size container is the used antifreeze being stored in (gallons)?	250
---	-----

How many containers?	1
----------------------	---

Is there a berm around it?	No
----------------------------	----

Is it covered?	No
----------------	----

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
---------------------	--

Are there any other potentially hazardous items not already addressed?	No
--	----

Google Map image of facility	N/A
------------------------------	-----

Land Rover of Birmingham , 2018-06-29

Created	2018-06-29 19:13:27 UTC by Drew Hubbard
Updated	2018-06-29 20:00:19 UTC by Drew Hubbard
Location	33.5204929142948, -86.6616575748609

General Info

Inspector	Drew Hubbard, Erick Gilkey, Juwan Murphy
Date	2018-06-29
Time	14:17
Facility Name	Land Rover of Birmingham
Facility Type	Automotive Dealer
Municipal Business License #	2018-564
Facility Street Address	3000 Tom Williams Way Irondale, AL 35210
Facility Phone Number	205
Facility Contact Name	Dan Germand
Facility Contact Title	Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	No
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Antifreeze
------------------------------------	-------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1-480 1-240
How many containers?	2

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1-480 1-240
How many containers?	2

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Antifreeze used 240 gallon metal container

Photos




3000 Tom Williams Way



3000 Tom Williams Way
Birmingham, AL 35210

DIRECTIONS



3000 Tom Williams Way
Birmingham, AL 35210

Google Map image of facility

N/A

BMW of Birmingham , 2018-07-03

Created	2018-07-03 16:14:32 UTC by Erick Gilkey
Updated	2018-07-06 17:00:31 UTC by Erick Gilkey
Location	33.5221477645867, -86.6635076701641

General Info

Inspector	Erick Gilkey, Drew Hubbard
Date	2018-07-03
Time	11:14
Facility Name	BMW of Birmingham
Facility Type	Automotive Dealer
Municipal Business License #	2018-558
Facility Street Address	1000 Tom Williams Way Irondale, AL 35210
Facility Phone Number	8006435712
Facility Contact Name	David Dovenbarger
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Transmission fluid
------------------------------------	---------------------------------------

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	480
How many containers?	2

Is there a berm around it?	Yes
Is it covered?	Yes

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	Other
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	No
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	2

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	55
How many containers?	2
Is there a berm around it?	No
Is it covered?	No

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	55
How many containers?	2


MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

General comments/items of concern not mentioned

Two 55 gallon metal drums of brake cleaner

Photos



Google Map image of facility

N/A

Less Down Time Truck & Equipment Repair, 2018-08-08

Created	2018-08-08 17:55:07 UTC by Erick Gilkey
Updated	2018-08-08 18:07:35 UTC by Erick Gilkey
Location	33.5478021796114, -86.6225691139698

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-08
Time	12:55
Facility Name	Less Down Time Truck & Equipment Repair
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	5961 Highway 78 E Irondale, AL 35173
Facility Phone Number	2058379120
Facility Contact Name	Cindy Hunt
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Other
------------------------------------	--------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	2-55 gallon, 2-5 gallon
How many containers?	4

Used Oil


Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	300
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
-------------------------------------	-----

What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	2-5 gallon DEF fluid stored inside

Photos



Google Map image of facility

N/A

Benchmark Imports, 2018-06-28

Created	2018-06-28 19:45:18 UTC by Drew Hubbard
Updated	2018-08-02 16:49:14 UTC by Erick Gilkey
Location	33.5212496928293, -86.6591034829617

General Info

Inspector	Drew Hubbard, Erick Gilkey
Date	2018-06-28
Time	14:45
Facility Name	Benchmark Imports
Facility Type	Automotive Dealer
Facility Street Address	1837 Grants Mill Rd Irondale, AL 35210
Facility Phone Number	2059499200
Facility Contact Name	James Phelps
Facility Contact Title	Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	2-280 1-500
How many containers?	3

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	160
How many containers?	1

Car Wash

Car wash type?	Hand Wash
Is the used water processed through a filtration system?	No
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	5 gallon plastic buckets
What size container is the soap being stored in (gallons)?	5
How many containers?	3

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	5
How many containers?	2

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	3
How many containers?	6

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	3
How many containers?	6

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
Google Map image of facility	N/A

Stults Truck Repair Inc, 2018-08-06

Created	2018-08-06 19:45:10 UTC by Erick Gilkey
Updated	2018-08-06 19:46:02 UTC by Erick Gilkey
Location	33.5603947808247, -86.6562636941671
Inspector	Erick Gilkey
Date	2018-08-06
Time	14:45
Facility Type	Mechanic
Facility Name	Stults Truck Repair Inc
Facility Street Address	1955 Alton Rd Irondale, AL 35210
Reason For Not Inspecting	Out of business

Shell Minit Man 108, 2018-05-24

Created	2018-05-24 16:00:40 UTC by Drew Hubbard
Updated	2018-05-24 16:18:00 UTC by Drew Hubbard
Location	33.5480543709692, -86.6636787584892

General Info

Inspector	Drew Hubbard
Date	2018-05-24
Time	11:00
Facility Name	Shell Minit Man 108
Facility Type	Fuel Station
Municipal Business License #	8129
Facility Street Address	4797 Highway 78 E Irondale, AL 35210
Facility Phone Number	2059510263
Facility Contact Name	Phillip Paulin
Facility Contact Title	Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes

Spills are cleaned up how?

If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Housekeeping and Sanitation

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall Cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Fuel Station

How many fuel tanks are there?	3
What size fuel tanks are they (in gallons)?	3- 8,000 gallon tanks
Is there a car wash?	No
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Lexus of Birmingham , 2018-07-06

Created	2018-07-06 16:06:57 UTC by Erick Gilkey
Updated	2018-07-06 17:04:49 UTC by Erick Gilkey
Location	33.5216966335343, -86.6647968068719

General Info

Inspector	Erick Gilkey, Drew Hubbard
Date	2018-07-06
Time	11:06
Facility Name	Lexus of Birmingham
Facility Type	Automotive Dealer
Municipal Business License #	2018-562
Facility Street Address	1001 Tom Williams Way Irondale, AL 35210
Facility Phone Number	2052671173
Facility Contact Name	Larry Chandler
Facility Contact Title	Service manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Tri-weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	Berms are placed around it, The police department is contacted, The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	One 1000, one 500
How many containers?	2

Is there a berm around it?	Yes
Is it covered?	Yes

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1000
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes

Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	500
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Septic tank
What fluids are being used/stored?	Soap, Degreaser

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	55
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
---------------------	--

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Pine Tree Country Club, 2018-09-11

Created	2018-09-11 19:38:23 UTC by Erick Gilkey
Updated	2018-09-12 12:17:20 UTC by Erick Gilkey
Location	33.5269264228315, -86.6504557058215

General Info

Inspector	Erick Gilkey
Date	2018-09-11
Time	14:38
Facility Name	Pine Tree Country Club
Does this facility have an NPDES permit?	No
Facility Type	Golf Course
Municipal Business License #	2018-367
Facility Street Address	4950 Pine Whispers Dr Irondale, AL 35210
Facility Phone Number	2055329136
Facility Contact Name	Neal Wisdom
Facility Contact Title	Superintendent

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Cat litter, By mop
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Golf Course

Is there a maintenance shed?	Yes
If yes, where does the runoff water drain too?	Ground in surrounding area
Is there a separate shed for PHFs, etc?	Yes
Where does the runoff water drain too?	Ground in surrounding area

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No


General comments/items of concern not mentioned

4-5 gallon hydraulic fluid, metal, inside
1-500, 1-1000 gasoline, concrete, outside, no berm, uncovered
1-30 gallon, roundup, plastic, outside, covered, no berm
3-30 gallon, urea, plastic, outside, covered, no berm

All equipment stored inside

20-50lb bags, inside

Photos



Google Map image of facility

N/A

Superior Mower and Power, 2018-08-02

Created	2018-08-02 18:30:16 UTC by Erick Gilkey
Updated	2018-08-02 18:36:41 UTC by Erick Gilkey
Location	33.5852423808975, -86.6599745303392

General Info

Inspector	Erick Gilkey
Date	2018-08-02
Time	13:30
Facility Name	Superior Mower and Power
Facility Type	Mechanic
Municipal Business License #	2018-1089
Facility Street Address	2911 Ruffner Rd Irondale, AL 35235
Facility Phone Number	2057039789
Facility Contact Name	Donald Beard
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------


Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	55
How many containers?	3
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Pro Tech Exterminating, 2018-08-08

Created	2018-08-08 17:00:58 UTC by Erick Gilkey
Updated	2018-08-08 17:13:28 UTC by Erick Gilkey
Location	33.5352294888683, -86.6743946054294

General Info

Inspector	Erick Gilkey
Date	2018-08-08
Time	12:00
Facility Name	Pro Tech Exterminating
Does this facility have an NPDES permit?	No
Facility Type	Pest Control
Municipal Business License #	2018-1329
Facility Street Address	5828 Old Leeds Rd Irondale, AL 35210
Facility Phone Number	2059566785
Facility Contact Name	Sue Kimbrell
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	In Vehicle
---	------------

Chemicals

What chemical is used/stored?	Pesticides
-------------------------------	------------

Pesticides

What kind of container is the pesticide being stored in?	Plastic drum
What size container is the pesticide being stored in (gallons)?	60
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

General comments/items of concern not mentioned One 60 gallon tank of pesticide on each truck, two trucks total

Photos



Google Map image of facility

N/A

Tire Engineers , 2018-08-08

Created	2018-08-08 17:17:03 UTC by Erick Gilkey
Updated	2018-08-08 21:29:23 UTC by Erick Gilkey
Location	33.533342831249, -86.6955503448844

General Info

Inspector	Erick Gilkey
Date	2018-08-08
Time	12:17
Facility Name	Tire Engineers
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-179
Facility Street Address	730 Old Grants Mill Rd Irondale, AL 35210
Facility Phone Number	2059562611
Facility Contact Name	Reed Rybka
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1-250, 1-100
How many containers?	2

Used Oil


Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	350?
How many containers?	1
Is there a berm around it?	Yes

Is it covered?	Yes
Comments	Spilled oil in berm several inches deep

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly
Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Irondale Shell Gas Station, 2018-09-07

Created	2018-09-07 16:10:52 UTC by Erick Gilkey
Updated	2018-09-07 17:13:46 UTC by Erick Gilkey
Location	33.5318487488803, -86.6952006518841

General Info

Inspector	Erick Gilkey
Date	2018-09-07
Time	11:10
Facility Name	Irondale Shell Gas Station
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	2018-983
Facility Street Address	5400 Beacon Dr Irondale, AL 35210
Facility Phone Number	4144771897
Facility Contact Name	Rahim Lalani
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-8000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Chevron Irondale, 2018-09-07

Created	2018-09-07 17:12:10 UTC by Erick Gilkey
Updated	2018-09-07 17:26:45 UTC by Erick Gilkey
Location	33.521743591523, -86.6602705791593

General Info

Inspector	Erick Gilkey
Date	2018-09-07
Time	12:12
Facility Name	Chevron Irondale
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	2018-809
Facility Street Address	1811 Grants Mill Rd Irondale, AL 35210
Facility Phone Number	2059562400
Facility Contact Name	John Watkins
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted


Gas Station

How many fuel tanks and their size?	2-12000 1-8000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Save A Trip Birmingham, AL, 2018-08-06

Created	2018-08-06 18:37:22 UTC by Erick Gilkey
Updated	2018-08-06 18:52:30 UTC by Erick Gilkey
Location	33.5396190366196, -86.6975053399801

General Info

Inspector	Erick Gilkey
Date	2018-08-06
Time	13:37
Facility Name	Save A Trip Birmingham, AL
Does this facility have an NPDES permit?	No
Facility Type	Dry Cleaners
Municipal Business License #	Unknown
Facility Street Address	511 Vulcan Dr Irondale, AL 35210
Facility Phone Number	2059517771
Facility Contact Name	Mike Graves
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Other
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Hydrocarbon
-------------------------------	-------------

Chemicals

Is the main dry cleaning chemical stored on premises?	Yes
Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	In machine only
What size container is the chemical being stored in (gallons)?	200 gallon
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)

Overall cleanliness

Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Sherwin Williams Paint, 2018-08-02

Created	2018-08-02 16:03:42 UTC by Erick Gilkey
Updated	2018-08-02 16:06:13 UTC by Erick Gilkey
Location	33.5335650130099, -86.7012453451753
Inspector	Erick Gilkey
Date	2018-08-02
Time	11:03
Facility Type	Retail store
Facility Name	Sherwin Williams Paint
Facility Street Address	1905 Crestwood Blvd Irondale, AL 35210
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Mercedes of Birmingham , 2018-06-20

Created	2018-06-20 18:52:39 UTC by Drew Hubbard
Updated	2018-06-20 20:01:21 UTC by Drew Hubbard
Location	33.5252218812778, -86.6672786361276

General Info

Inspector	Drew Hubbard, Erick Gilkey
Date	2018-06-20
Time	13:52
Facility Name	Mercedes of Birmingham
Facility Type	Automotive Dealer
Municipal Business License #	2018-650
Facility Street Address	750 Mercedes Way Irondale, AL 35210
Facility Phone Number	2058487000
Facility Contact Name	Deon Grant
Facility Contact Title	Facility Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s), Garbage can(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	2-1000 gallon

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1 -500 and 1-1,000

Car Wash

Car wash type?	Drive-through, Hand Wash
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Sewer
What fluids are being used/stored?	Soap, Wax, Protectant, Degreaser

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	55

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	55

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Inside, 55 gallon drums DFE FLUID

Photos



Google Map image of facility

N/A

Springer Equipment, 2018-07-17

Created	2018-07-24 14:23:49 EDT by Scott Hofer
Updated	2018-08-31 12:13:09 EDT by Scott Hofer
Location	33.564429, -86.683591

General Info

Inspector	Scott Hofer
Date	2018-07-17
Time	14:30
Facility Name	Springer Equipment
Facility Type	Mechanic
Municipal Business License #	2018-1686
Facility Street Address	4263 Underwood Industrial Drive Birmingham , Alabama 35210
Facility Phone Number	2059513675
Facility Contact Name	Ted Springer
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire, And monthly meeting on safety
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	Call universal environmental

Maintenance Center

What fluids are being used/stored?	Used oil, New oil, New antifreeze, Used antifreeze, Hydraulic fluid
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Small containers
What size container is the new oil being stored in (gallons)?	Up to 5 gallon. Small amounts easier to take in field.
How many containers?	100

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500

How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes

New Antifreeze

Where is the new antifreeze being stored?	Inside
What kind of container is the new antifreeze being stored in?	Individual containers
What size container is the new antifreeze being stored in (gallons)?	Up to 1 gal.
How many containers?	100

Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Antifreeze and oil go in same container
What size container is the used antifreeze being stored in (gallons)?	500
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Used oil filters are kept in a sealed container and picked up by universal environmental.
General comments/items of concern not mentioned	All new fluids are in small quantities due to ease of transporting them into the field.

Photos



Google Map image of facility

N/A

Terminix International Co, LP , 2018-08-06

Created	2018-08-06 16:06:17 EDT by Erick Gilkey
Updated	2018-09-07 10:12:20 EDT by Scott Hofer
Location	33.5640490828, -86.6488644853

General Info

Inspector	Erick Gilkey
Date	2018-08-06
Time	15:06
Facility Name	Terminix International Co, LP
Does this facility have an NPDES permit?	No
Facility Type	Pest Control
Municipal Business License #	2017-1317
Facility Street Address	2081 Alton Rd Irondale, AL 35210
Facility Phone Number	2053528242
Facility Contact Name	Heath Holmes
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions, Video instructions, Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	In Vehicle
---	------------

Chemicals

What chemical is used/stored?	Pesticides
-------------------------------	------------

Pesticides

What kind of container is the pesticide being stored in?	Plastic drum
What size container is the pesticide being stored in (gallons)?	50
How many containers?	7

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

General comments/items of concern not mentioned There are seven vehicles total. Each vehicle carries one 50 gallon tank of pesticide.

Photos



Google Map image of facility

N/A

Pro Pm Inc / NAPA Truck Service Center, 2018-08-08

Created	2018-08-08 16:29:28 UTC by Erick Gilkey
Updated	2018-08-08 16:31:25 UTC by Erick Gilkey
Location	33.5241154958124, -86.6569543629885
Inspector	Erick Gilkey
Date	2018-08-08
Time	11:29
Facility Type	Mechanic
Facility Name	Pro Pm Inc / NAPA Truck Service Center
Facility Street Address	4965 Horst Hill Rd Irondale, AL 35210
Reason For Not Inspecting	Out of business

Citgo Gas A Cheap, 2018-05-24

Created	2018-05-24 16:33:38 UTC by Drew Hubbard
Updated	2018-05-24 16:45:42 UTC by Drew Hubbard
Location	33.5465648893809, -86.681588619111

General Info

Inspector	Drew Hubbard
Date	2018-05-24
Time	11:33
Facility Name	Citgo Gas A Cheap
Facility Type	Fuel Station
Municipal Business License #	2018-574
Facility Street Address	3300 Crestwood Blvd Irondale, AL 35210
Facility Phone Number	2059566801
Facility Contact Name	Mansoor Ali
Facility Contact Title	Employee

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes

Spills are cleaned up how?

If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted


Housekeeping and Sanitation

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall Cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Fuel Station

How many fuel tanks are there?	4
What size fuel tanks are they (in gallons)?	4-8,000 gallon tanks
Is there a car wash?	No
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Windham & Bush Tire and Auto Service, 2018-05-23

Created	2018-05-23 13:57:22 EDT by Drew Hubbard
Updated	2018-09-04 15:29:21 EDT by Scott Hofer
Location	33.587938608, -86.6574640861

General Info

Inspector	Drew Hubbard
Date	2018-05-23
Time	12:57
Facility Name	Windham & Bush Tire and Auto Service
Facility Type	Mechanic
Municipal Business License #	2017-2408
Facility Street Address	208 East Ventura Drive Irondale, AL 35235
Facility Phone Number	2058331011
Facility Contact Name	Billy Bush
Facility Contact Title	Assistant manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown

Spills are cleaned up how?

If a SMALL spill occurs, it is cleaned up with	Pig mats
If a LARGE spill occurs	The fire department is contacted

Housekeeping and Sanitation

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall Cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Mechanic

Mechanic Type	Oil change only
What fluids are being used/stored?	New oil, Used oil
Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic bags
What size container is the new oil being stored in (gallons)?	220 gallon metal tank, 24 quart bags,
Where is the used oil being stored?	Outside
Is there a berm around it?	No
Is it covered?	No

What kind of container is the used oil being stored in? 2-275 gallon

What size container is the used oil being stored in (gallons)? 275 gallon and 300 gallon

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Audi of Birmingham , 2018-06-29

Created	2018-06-29 20:03:39 UTC by Drew Hubbard
Updated	2018-06-29 20:21:26 UTC by Drew Hubbard
Location	33.5197422537586, -86.6606876746547

General Info

Inspector	Drew Hubbard, Erick Gilkey, Juwan Murphy
Date	2018-06-29
Time	15:03
Facility Name	Audi of Birmingham
Facility Type	Automotive Dealer
Municipal Business License #	2018-
Facility Street Address	1314 Grants Mill Way Irondale, AL 35210
Facility Phone Number	205
Facility Contact Name	Chad Wilson
Facility Contact Title	Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Antifreeze used
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	500
How many containers?	2

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	750
How many containers?	1

Car Wash

Car wash type?	Drive-through
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	300 and 55
How many containers?	4

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	55
How many containers?	1


Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Antifreeze used 500 gallon

Photos



1314 Grants Mill Way
Irondale, AL 35210



Google Map image of facility

N/A

MINI of Birmingham , 2018-07-03

Created	2018-07-03 16:50:20 UTC by Erick Gilkey
Updated	2018-07-03 17:48:50 UTC by Erick Gilkey
Location	33.5206481323936, -86.6638913029517

General Info

Inspector	Drew Hubbard, Erick Gilkey
Date	2018-07-03
Time	11:50
Facility Name	MINI of Birmingham
Facility Type	Automotive Dealer
Municipal Business License #	2018-559
Facility Street Address	2001 Tom Williams Way Irondale, AL 35210
Facility Phone Number	2057454700
Facility Contact Name	David Dovenbarger
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The police department is contacted, The fire department is contacted, Berms are placed around it

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Antifreeze
------------------------------------	-------------------------------

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	480
How many containers?	1

Is there a berm around it?	Yes
Is it covered?	Yes

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes


Car Wash

Car wash type?	Hand Wash
Is the used water processed through a filtration system?	No
Used water drains to where?	Unknown
What fluids are being used/stored?	Degreaser

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Degreaser, inside, three 55 gallon plastic drums

Photos



Google Map image of facility

N/A

Crown Pest Control LLC, 2018-08-08

Created	2018-08-08 16:47:41 UTC by Erick Gilkey
Updated	2018-08-08 19:55:15 UTC by Erick Gilkey
Location	33.5101277004015, -86.6695942729712

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-08
Time	11:47
Facility Name	Crown Pest Control LLC
Does this facility have an NPDES permit?	No
Facility Type	Pest Control
Facility Street Address	4131 Riverbrook Rd Irondale, AL 35210
Facility Phone Number	2055678098
Facility Contact Name	Don Greene
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	Both
---	------

Chemicals

What chemical is used/stored?	Termiticide
-------------------------------	-------------

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No
General comments/items of concern not mentioned	1-100 gallon termiticide, stored in a plastic barrel, on a trailer in driveway, uncovered with no berm around

Photos



Google Map image of facility

N/A

Royal Paints - Benjamin Moore, 2018-08-02

Created	2018-08-02 16:21:11 UTC by Erick Gilkey
Updated	2018-08-02 16:21:55 UTC by Erick Gilkey
Location	33.5316983889927, -86.70973084867
Inspector	Erick Gilkey
Date	2018-08-02
Time	11:21
Facility Type	Retail store
Facility Name	Royal Paints - Benjamin Moore
Facility Street Address	7960 Crestwood Blvd Irondale, AL 35210
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Aamco Transmissions , 2018-08-08

Created	2018-08-08 20:02:25 UTC by Erick Gilkey
Updated	2018-08-08 20:18:03 UTC by Erick Gilkey
Location	33.532479251435, -86.706141717732

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-08
Time	15:02
Facility Name	Aamco Transmissions
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-237
Facility Street Address	1730 Crestwood Blvd Irondale, AL 35210
Facility Phone Number	2059565440
Facility Contact Name	Robert Bewleu
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Automatic Transmission Fluid, New oil, Used oil
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	100
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drum
What size container is the new transmission fluid being stored in (gallons)?	200
How many containers?	1
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No
General comments/items of concern not mentioned	1-15 gallon mineral spirits stored in parts washer

Photos



Google Map image of facility

N/A

Porsche of Birmingham , 2018-07-06

Created	2018-07-06 17:09:16 UTC by Erick Gilkey
Updated	2018-07-06 17:51:34 UTC by Erick Gilkey
Location	33.5198890110994, -86.6629229485989

General Info

Inspector	Drew Hubbard, Erick Gilkey
Date	2018-07-06
Time	12:09
Facility Name	Porsche of Birmingham
Facility Type	Automotive Dealer
Municipal Business License #	2018-561
Facility Street Address	3001 Tom Williams Way Irondale, AL 35210
Facility Phone Number	8005713213
Facility Contact Name	Sam Fuller
Facility Contact Title	Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The police department is contacted, The fire department is contacted, Berms are placed around it

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	One 500, one 250
How many containers?	2

Is there a berm around it?	Yes
Is it covered?	Yes

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes

Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	500
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Unknown
What fluids are being used/stored?	Degreaser, Wax

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	55
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	55
How many containers?	1


MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
---------------------	--

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Irondale Collision, 2018-08-02

Created	2018-08-02 20:13:18 UTC by Erick Gilkey
Updated	2018-08-02 20:13:58 UTC by Erick Gilkey
Location	33.5471533464691, -86.6813902929425
Inspector	Erick Gilkey
Date	2018-08-02
Time	15:13
Facility Type	Auto Body Shop
Facility Name	Irondale Collision
Facility Street Address	3300 Crestwood Blvd Irondale, AL 35210
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

V & W Supply Company, 2018-08-06

Created	2018-08-06 17:52:42 UTC by Erick Gilkey
Updated	2018-08-06 18:03:02 UTC by Erick Gilkey
Location	33.5910252258468, -86.6504124552011
Inspector	Erick Gilkey
Date	2018-08-06
Time	12:52
Facility Type	Retail store
Facility Name	V & W Supply Company
Facility Street Address	1270 Old Highway 11 Irondale, AL 35235
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Wittichen Supply , 2018-08-06

Created	2018-08-06 18:03:04 UTC by Erick Gilkey
Updated	2018-08-06 18:04:25 UTC by Erick Gilkey
Location	33.5913209909789, -86.6511198878288
Inspector	Erick Gilkey
Date	2018-08-06
Time	13:03
Facility Type	Retail store
Facility Name	Wittichen Supply
Facility Street Address	1270 Old Highway 11 Irondale, AL 35235
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

TJ Tires, 2018-08-02

Created	2018-08-02 16:18:45 UTC by Erick Gilkey
Updated	2018-08-02 16:19:31 UTC by Erick Gilkey
Location	33.5321718261184, -86.7069953307509
Inspector	Erick Gilkey
Date	2018-08-02
Time	11:18
Facility Type	Mechanic
Facility Name	TJ Tires
Facility Street Address	1708 Crestwood Blvd Irondale, AL 35210
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises (tires only)

Circle K Stores, Inc, 2018-09-07

Created	2018-09-07 15:40:48 UTC by Erick Gilkey
Updated	2018-09-07 15:58:39 UTC by Erick Gilkey
Location	33.5331329458159, -86.7046812549233

General Info

Inspector	Erick Gilkey
Date	2018-09-07
Time	10:40
Facility Name	Circle K Stores, Inc
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	2017-73
Facility Street Address	1816 Crestwood Blvd Irondale, AL 35210
Facility Phone Number	2059510244
Facility Contact Name	Marshall Jowers
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	3-10000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

WeatherTech Distributing Company, 2018-08-02

Created	2018-08-02 19:16:20 UTC by Erick Gilkey
Updated	2018-08-02 19:17:13 UTC by Erick Gilkey
Location	33.5418035007925, -86.6922656446695
Inspector	Erick Gilkey
Date	2018-08-02
Time	14:16
Facility Type	Retail store
Facility Name	WeatherTech Distributing Company
Facility Street Address	501 28th St S Irondale, AL 35210
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

James M Pleasants, Inc, 2018-08-06

Created	2018-08-06 18:33:45 UTC by Erick Gilkey
Updated	2018-08-06 18:34:27 UTC by Erick Gilkey
Location	33.5390246359559, -86.6996266320348
Inspector	Erick Gilkey
Date	2018-08-06
Time	13:33
Facility Type	Retail store
Facility Name	James M Pleasants, Inc
Facility Street Address	508 25th St S Irondale, AL 35210
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Alabama Professional Services, 2018-08-09

Created	2018-08-09 18:42:54 UTC by Erick Gilkey
Updated	2018-08-09 18:44:12 UTC by Erick Gilkey
Location	33.5396819137427, -86.6458376124501
Inspector	Erick Gilkey
Date	2018-08-09
Time	13:42
Facility Type	Pest Control
Facility Name	Alabama Professional Services
Facility Street Address	3340 Richwood Ave Irondale, AL 35210
Reason For Not Inspecting	No chemicals over 5 gallons stored/used on trucks or in the warehouse

S & G Foodmart, 2018-09-10

Created	2018-09-10 18:07:44 UTC by Erick Gilkey
Updated	2018-09-10 18:39:50 UTC by Erick Gilkey
Location	33.5326888589788, -86.6816893592477

General Info

Inspector	Erick Gilkey
Date	2018-09-10
Time	13:07
Facility Name	S & G Foodmart
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	2018-589
Facility Street Address	1200 Grants Mill Rd Irondale, AL 35210
Facility Phone Number	2059572055
Facility Contact Name	Jim Benton
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The police department is contacted

Gas Station

How many fuel tanks and their size?	2-8000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Industrial Battery and Charger, 2018-08-02

Created	2018-08-02 18:20:28 UTC by Erick Gilkey
Updated	2018-08-02 18:21:21 UTC by Erick Gilkey
Location	33.5652171416186, -86.6846297308803
Inspector	Erick Gilkey
Date	2018-08-02
Time	13:20
Facility Type	Other
Facility Name	Industrial Battery and Charger
Facility Street Address	4211 Underwood Industrial Dr Irondale, AL 35210
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Hunter Oil Company, 2018-08-09

Created	2018-08-09 17:35:03 UTC by Erick Gilkey
Updated	2018-08-09 18:18:56 UTC by Erick Gilkey
Location	33.5655406528532, -86.6465705260634

General Info

Inspector	Erick Gilkey
Date	2018-08-09
Time	12:35
Facility Name	Hunter Oil Company
Does this facility have an NPDES permit?	No
Facility Type	Retail
Municipal Business License #	2018-622
Facility Street Address	2145 Alton Rd Irondale, AL 35210
Facility Phone Number	2055157088
Facility Contact Name	Keith Johnson
Facility Contact Title	General Manager


Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	All oil, stored inside, some metal, some plastic: 60-550 gal bulk tanks 50-275 gal bulk tanks 275-55 gal drums 200-5 gal buckets 8-55 gal antifreeze

Photos



Google Map image of facility

N/A

Lipscomb

Mana Junk, 2018-09-27

Created	2018-09-27 17:33:56 UTC by Erick Gilkey
Updated	2018-09-27 17:35:38 UTC by Erick Gilkey
Location	33.4220553881807, -86.925112567842
Inspector	Erick Gilkey
Date	2018-09-27
Time	12:33
Facility Type	Retail
Facility Name	Mana Junk
Facility Street Address	6002 4th St S Lipscomb, AL 35020
Reason For Not Inspecting	Residential address, no sign of fluids in yard/buildings in yard

Taylor Made Cabinets, 2018-08-15

Created	2018-08-16 16:36:12 EDT by Scott Hofer
Updated	2018-08-31 18:17:34 EDT by Scott Hofer
Location	33.423136, -86.925594
Inspector	Scott Hofer
Date	2018-08-15
Time	13:30
Facility Type	Furniture maker
Facility Name	Taylor Made Cabinets
Facility Street Address	5901 5th Street South Lipscomb, AL 35020
Reason For Not Inspecting	Cabinets are made here. Use 1 gallon of glue, 1 gallon of lacquer, and 1 gallon of paint thinner. Buys in small amounts. Saw dusk is taken home or given away for composting.

Wendell Motors, 2018-08-15

Created	2018-08-15 12:00:21 EDT by Scott Hofer
Updated	2018-08-31 18:16:41 EDT by Scott Hofer
Location	33.423679, -86.927068
Inspector	Scott Hofer
Date	2018-08-15
Time	11:00
Facility Type	Vehicle wholesale
Facility Name	Wendell Motors
Facility Street Address	5606 5th Street South Lipscomb, AL 35020
Reason For Not Inspecting	Buys cars from wholesale and sells them. Sells 1-2 a quarter. Stopped by house and no additional vehicle present than normal (2). Talked to Alfred Moseley 422-8714

Kens Auto Salvage, 2018-09-28

Created	2018-09-28 14:16:28 UTC by Erick Gilkey
Updated	2018-09-28 14:17:48 UTC by Erick Gilkey
Location	33.4279781418297, -86.9371442869306
Inspector	Erick Gilkey
Date	2018-09-28
Time	09:16
Facility Type	Junkyard
Facility Name	Kens Auto Salvage
Facility Street Address	5600 5th St N Lipscomb, AL 35020
Reason For Not Inspecting	Site is still in business, but "closed for remodeling."

Midfield

Midfield Paint and Body Shop/Perfect Stroke Paint and Body, 2018-08-31

Created	2018-08-31 18:20:43 UTC by Erick Gilkey
Updated	2018-08-31 18:28:32 UTC by Erick Gilkey
Location	33.4535415773765, -86.9210916012526

General Info

Inspector	Erick Gilkey
Date	2018-08-31
Time	13:20
Facility Name	Midfield Paint and Body Shop/Perfect Stroke Paint and Body
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	574 Bessemer Super Hwy Midfield, AL 35228
Facility Phone Number	2059034730
Facility Contact Name	Roberto
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------


Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

C Ray Tire and Auto, 2018-09-04

Created	2018-09-04 18:18:25 UTC by Erick Gilkey
Updated	2018-09-04 18:29:50 UTC by Erick Gilkey
Location	33.4632004638883, -86.9086129590869

General Info

Inspector	Erick Gilkey
Date	2018-09-04
Time	13:18
Facility Name	C Ray Tire and Auto
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9375009265
Facility Street Address	34 Phillips Dr Midfield, AL 35228
Facility Phone Number	2059234747
Facility Contact Name	C Ray Holley
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	500
How many containers?	1

Used Oil


Where is the used oil being stored?	Inside
How many containers?	4
Comments	1-250, metal 1-175, plastic 3-55, metal

MISCELLANEOUS

Waste containers provided and used?	Yes
-------------------------------------	-----

What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly
Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Oil spilled throughout, some treated, some not
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Diamond Rubber 4000 50th St SW, 2018-09-21

Created	2018-09-21 15:10:36 UTC by Erick Gilkey
Updated	2018-09-21 15:20:03 UTC by Erick Gilkey
Location	33.4475615409666, -86.9115224853158

General Info

Inspector	Erick Gilkey
Date	2018-09-21
Time	10:10
Facility Name	Diamond Rubber 4000 50th St SW
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Other
NPDES Permit	ALG200008
Facility Street Address	4000 50th St SW Midfield, AL 35221
Facility Phone Number	2059253791
Facility Contact Name	Catherine Kato
Facility Contact Title	Owner

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Cool Cars, 2018-08-31

Created	2018-08-31 16:40:41 UTC by Erick Gilkey
Updated	2018-08-31 16:41:27 UTC by Erick Gilkey
Location	33.4573480864204, -86.9171604886651
Inspector	Erick Gilkey
Date	2018-08-31
Time	11:40
Facility Type	Automotive Dealer
Facility Name	Cool Cars
Facility Street Address	500 Bessemer Super Hwy Midfield, AL 35228
Reason For Not Inspecting	No fluids used/stored in containers over 5 gallons

Pop-In-and-Out, 2018-09-04

Created	2018-09-04 13:39:17 EDT by Erick Gilkey
Updated	2018-09-18 09:57:17 EDT by Scott Hofer
Location	33.4468906949, -86.9278165698

General Info

Inspector	Erick Gilkey
Date	2018-09-04
Time	12:39
Facility Name	Pop-In-and-Out
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9375008655
Facility Street Address	5301 Bessemer Super Hwy Midfield, AL 35228
Facility Phone Number	2054362838
Facility Contact Name	Punkaj Gadiah
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted


Gas Station

How many fuel tanks and their size?	2-8000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

International Auto, 2018-08-31

Created	2018-08-31 18:51:02 UTC by Erick Gilkey
Updated	2018-08-31 18:51:27 UTC by Erick Gilkey
Location	33.4505206992603, -86.9241841882467
Inspector	Erick Gilkey
Date	2018-08-31
Time	13:51
Facility Type	Automotive Dealer
Facility Name	International Auto
Facility Street Address	650 Bessemer Super Hwy Midfield, AL 35228
Reason For Not Inspecting	No fluids used/stored in containers over 5 gallons

Drive Time Auto, 2018-08-31

Created	2018-08-31 17:39:24 UTC by Erick Gilkey
Updated	2018-08-31 18:17:18 UTC by Erick Gilkey
Location	33.4568840302188, -86.9194658473134

General Info

Inspector	Erick Gilkey
Date	2018-08-31
Time	12:39
Facility Name	Drive Time Auto
Does this facility have an NPDES permit?	No
Facility Type	Automotive Dealer
Municipal Business License #	9375008330
Facility Street Address	549 Bessemer Super Hwy Midfield, AL 35228
Facility Phone Number	2059090001
Facility Contact Name	Rich Coon
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	Yes
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	Yes

Paint Center

Where is the paint being stored?	Inside
What size container is the paint being stored in (gallons)?	Quart
What kind of container is the paint being stored in?	Plastic bucket
How many containers?	30

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Inside
------------------------------------	--------

What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	250
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	250
How many containers?	1

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Degreaser, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	Other
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
How many containers?	1

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
How many containers?	1


Gas Station

How many fuel tanks and their size?	1-1000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	2-55 gallon, mineral spirits, metal containers, inside

Photos



Google Map image of facility	N/A
------------------------------	-----

Adamson West, 2018-08-31

Created	2018-08-31 16:44:24 UTC by Erick Gilkey
Updated	2018-08-31 17:14:20 UTC by Erick Gilkey
Location	33.4569897647617, -86.9175812602043

General Info

Inspector	Erick Gilkey
Date	2018-08-31
Time	11:44
Facility Name	Adamson West
Does this facility have an NPDES permit?	No
Facility Type	Automotive Dealer
Municipal Business License #	01-05146-18
Facility Street Address	506 Bessemer Super Hwy Midfield, AL 35228
Facility Phone Number	2057693160
Facility Contact Name	Chris Charles
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	2

Used Oil

Where is the used oil being stored?	Inside
-------------------------------------	--------

What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	2
Comments	Also, 1-250, plastic, outside, no berm, uncovered

Car Wash

Car wash type?	Do-it-yourself
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	2

Degreaser

Where is the degreaser being stored?	Inside
--------------------------------------	--------

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

United food mart , 2018-08-15

Created	2018-08-15 15:43:21 EDT by Scott Hofer
Updated	2018-08-15 16:17:41 EDT by Scott Hofer
Location	33.4472475986926, -86.928437372941

General Info

Inspector	Scott Hofer
Date	2018-08-15
Time	14:43
Facility Name	United food mart
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9375009066
Facility Street Address	5300 Bessemer Super Hwy Midfield, AL 35228
Facility Phone Number	2055670399
Facility Contact Name	Yaseen saalah
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Sand
If a LARGE spill occurs	The fire department is contacted, Call owner


Gas Station

How many fuel tanks and their size?	3-10000 gal
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Citgo, 2018-08-31

Created	2018-08-31 15:53:46 UTC by Erick Gilkey
Updated	2018-08-31 16:05:38 UTC by Erick Gilkey
Location	33.4619004048006, -86.9087282940745

General Info

Inspector	Erick Gilkey
Date	2018-08-31
Time	10:53
Facility Name	Citgo
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	370303
Facility Street Address	399 Midfield, AL 35228
Facility Phone Number	2058617920
Facility Contact Name	Sam
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	1-4000, 1-5000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Birmingham Hot Metal Coatings Inc, 2018-09-26

Created	2018-09-26 15:50:05 EDT by Scott Hofer
Updated	2018-09-26 15:54:40 EDT by Scott Hofer
Location	33.4534419336481, -86.902474677395

General Info

Inspector	Scott Hofer
Date	2018-09-26
Time	14:50
Facility Name	Birmingham Hot Metal Coatings Inc
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Refractory coating for molten metal contact
Municipal Business License #	9375008550
NPDES Permit	ALG230059
Facility Street Address	1513 Industrial Blvd Midfield, AL 35221
Facility Phone Number	2059250429
Facility Contact Name	Tim Powell
Facility Contact Title	Vice-President

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Discount Car Wash, 2019-05-18

Created	2018-05-18 17:15:22 UTC by Erick Gilkey
Updated	2018-05-18 17:57:38 UTC by Erick Gilkey
Location	33.4625781351386, -86.9142692203437

General Info

Inspector	Drew Hubbard, Erick Gilkey
Date	2019-05-18
Time	12:15
Facility Name	Discount Car Wash
Facility Type	Car Wash
Facility Street Address	201 Bessemer Super Hwy Midfield, AL 35228

Housekeeping and Sanitation

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
Overall Cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Car Wash

Car wash type?	DIY, Drive-through, 6 DIY bays and one drive through
What fluids are being used/stored?	Soap, Wax, Protectant
Where is the soap being stored?	Inside
Where is the wax being stored?	Inside
Where is the protectant being stored?	Inside

Photos



Google Map image of facility

N/A

Jeff's Service Repair, 2018-08-31

Created	2018-08-31 18:39:51 UTC by Erick Gilkey
Updated	2018-08-31 18:46:45 UTC by Erick Gilkey
Location	33.4542783882448, -86.9223354756832

General Info

Inspector	Erick Gilkey
Date	2018-08-31
Time	13:39
Facility Name	Jeff's Service Repair
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	6142
Facility Street Address	587 Bessemer Super Hwy Midfield, AL 35228
Facility Phone Number	2055047750
Facility Contact Name	Jeff Trussell
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	1-55, metal, inside. 1-150, plastic, inside. 1-55, metal, outside, uncovered, no berm
How many containers?	3

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
Google Map image of facility	N/A

BFI Waste Services, LLC, 2018-09-26

Created	2018-09-26 16:11:52 EDT by Scott Hofer
Updated	2018-09-26 16:18:08 EDT by Scott Hofer
Location	33.4446634031739, -86.9114849516638

General Info

Inspector	Scott Hofer
Date	2018-09-26
Time	15:11
Facility Name	BFI Waste Services, LLC
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Garbage truck storage facility
Municipal Business License #	9375009103
NPDES Permit	ALG140372
Facility Street Address	3950 50th St SW Midfield, AL 35221
Facility Phone Number	2054011737
Facility Contact Name	Amber Hoffman
Facility Contact Title	Environmental Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Fuel Stop, 2018-09-04

Created	2018-09-04 18:49:03 UTC by Erick Gilkey
Updated	2018-09-04 18:59:16 UTC by Erick Gilkey
Location	33.449773226189, -86.9331276789308

General Info

Inspector	Erick Gilkey
Date	2018-09-04
Time	13:49
Facility Name	Fuel Stop
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9375008249
Facility Street Address	5430 Woodward Rd Midfield, AL 35228
Facility Phone Number	2054289393
Facility Contact Name	Abraham Sabbah
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Gas Station

How many fuel tanks and their size?	2-10000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No
Google Map image of facility	N/A

Pruitt's Auto Repair, 2018-08-31

Created	2018-08-31 16:39:29 UTC by Erick Gilkey
Updated	2018-08-31 16:40:39 UTC by Erick Gilkey
Location	33.4575559178983, -86.9169455766678
Inspector	Erick Gilkey
Date	2018-08-31
Time	11:39
Facility Type	Mechanic
Facility Name	Pruitt's Auto Repair
Facility Street Address	500 Bessemer Super Hwy Midfield, AL 35228
Reason For Not Inspecting	No fluids used/stored in containers over 5 gallons

Woodfield Square Car Wash, 2018-08-31

Created	2018-08-31 18:32:07 UTC by Erick Gilkey
Updated	2018-08-31 18:34:11 UTC by Erick Gilkey
Location	33.452315223766, -86.9241050630808
Inspector	Erick Gilkey
Date	2018-08-31
Time	13:32
Facility Type	Car Wash
Facility Name	Woodfield Square Car Wash
Facility Street Address	625 Bessemer Super Hwy Midfield, AL 35228
Reason For Not Inspecting	Closed/out of business

Circle K, 2018-09-04

Created	2018-09-04 16:56:31 UTC by Erick Gilkey
Updated	2018-09-04 17:22:40 UTC by Erick Gilkey
Location	33.4634493972468, -86.9108777493238

General Info

Inspector	Erick Gilkey
Date	2018-09-04
Time	11:56
Facility Name	Circle K
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9375008340
Facility Street Address	603 Bessemer Super Hwy Midfield, AL 35228
Facility Phone Number	2059238738
Facility Contact Name	Tameka Scroggins
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted


Gas Station

How many fuel tanks and their size?	3-12000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Mountain Brook

Shell Gas Station, 2018-07-10

Created	2018-07-10 19:36:25 UTC by Erick Gilkey
Updated	2018-07-10 19:45:52 UTC by Erick Gilkey
Location	33.484520272646, -86.7742044478655

General Info

Inspector	Erick Gilkey
Date	2018-07-10
Time	14:36
Facility Name	Shell Gas Station
Facility Type	Gas Station
Municipal Business License #	201801382
Facility Street Address	2702 Cahaba Rd Mountain Brook, AL 35223
Facility Phone Number	2054230986
Facility Contact Name	RJ Sanderson
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions, Written instructions
If trained, how often?	Annually
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	Three tanks, unsure of size
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Overton Shell, 2018-07-13

Created	2018-07-13 17:29:36 UTC by Erick Gilkey
Updated	2018-07-13 17:42:40 UTC by Erick Gilkey
Location	33.467275608815, -86.7320508509874

General Info

Inspector	Erick Gilkey
Date	2018-07-13
Time	12:29
Facility Name	Overton Shell
Facility Type	Gas Station
Municipal Business License #	201801970
Facility Street Address	3170 Overton Rd Mountain Brook, AL 35223
Facility Phone Number	2059675377
Facility Contact Name	Bert Snax
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	3 - 10,000 gal ea
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Crestline Shell, 2018-07-10

Created	2018-07-10 16:38:05 UTC by Erick Gilkey
Updated	2018-07-10 17:19:49 UTC by Erick Gilkey
Location	33.5027210044463, -86.7566641420126

General Info

Inspector	Erick Gilkey
Date	2018-07-10
Time	11:38
Facility Name	Crestline Shell
Facility Type	Gas Station
Municipal Business License #	201800036
Facility Street Address	80 Church St Mountain Brook, AL 35213
Facility Phone Number	2058705472
Facility Contact Name	Kelly Jackson
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	3-10,000 gallon each
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
General comments/items of concern not mentioned	Mechanic shop on site, all fluids used/stored are quart sized

Photos



Google Map image of facility

N/A

Vogue Cleaners , 2018-07-10

Created	2018-07-10 17:23:08 UTC by Erick Gilkey
Updated	2018-07-10 17:23:36 UTC by Erick Gilkey
Location	33.5024682698862, -86.7555889114738
Inspector	Erick Gilkey
Date	2018-07-10
Time	12:23
Facility Name	Vogue Cleaners
Facility Street Address	71 Church St Mountain Brook, AL 35213
Reason For Not Inspecting	No dry cleaning done on site, drop off only

Vogue Cleaners, 2018-07-10

Created	2018-07-10 19:14:26 UTC by Erick Gilkey
Updated	2018-07-10 19:14:57 UTC by Erick Gilkey
Location	33.4831039250155, -86.7737330496311
Inspector	Erick Gilkey
Date	2018-07-10
Time	14:14
Facility Name	Vogue Cleaners
Facility Street Address	2816 Cahaba Rd Mountain Brook, AL 35223
Reason For Not Inspecting	Drop off only, no chemicals stored/used

Billy Angel's Oak Street Garden, 2018-07-10

Created	2018-07-10 17:38:02 UTC by Erick Gilkey
Updated	2018-07-10 17:39:46 UTC by Erick Gilkey
Location	33.5019572070388, -86.756511926651
Inspector	Erick Gilkey
Date	2018-07-10
Time	12:38
Facility Name	Billy Angel's Oak Street Garden
Facility Street Address	115 Oak st Mountain Brook, AL 35213
Reason For Not Inspecting	No hazardous fluids over 32oz stored/used

Leaf and Petal, 2018-07-10

Created	2018-07-10 19:22:11 UTC by Erick Gilkey
Updated	2018-07-10 19:24:21 UTC by Erick Gilkey
Location	33.4829101366581, -86.7731624096632
Inspector	Erick Gilkey
Date	2018-07-10
Time	14:22
Facility Name	Leaf and Petal
Facility Street Address	2817 Cahaba Rd Mountain Brook, AL 35223
Reason For Not Inspecting	No large volume sales of/storage of hazardous chemicals on site

Utopia Cleaners, 2018-07-09

Created	2018-07-09 19:35:39 UTC by Erick Gilkey
Updated	2018-07-09 19:54:25 UTC by Erick Gilkey
Location	33.5019927131438, -86.7571321874857

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-07-09
Time	14:35
Facility Name	Utopia Cleaners
Facility Type	Dry Cleaners
Municipal Business License #	201701655
Facility Street Address	248 Country Club Park Mountain Brook, AL 35213
Facility Phone Number	2058709862
Facility Contact Name	Jean Kim
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Other
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Hydrocarbon, Intense
-------------------------------	----------------------

Chemicals


Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	None stored on site, whatever is needed is only added to the machine that needs it, then the rest is removed by the supplier
What size container is the chemical being stored in (gallons)?	None
How many containers?	0

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
---------------------	--

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Kay Cleaner, 2018-07-10

Created	2018-07-10 19:49:43 UTC by Erick Gilkey
Updated	2018-07-10 20:00:19 UTC by Erick Gilkey
Location	33.4837722538316, -86.7741102352738

General Info

Inspector	Erick Gilkey
Date	2018-07-10
Time	14:49
Facility Name	Kay Cleaner
Facility Type	Dry Cleaners
Municipal Business License #	201800978
Facility Street Address	2738 Cahaba Rd Mountain Brook, AL 35223
Facility Phone Number	2058713456
Facility Contact Name	Gary Son
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Other
If a LARGE spill occurs	The police department is contacted, The fire department is contacted, Berms are placed around it

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Hydrocarbon
-------------------------------	-------------

Chemicals

Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Metal drum
What size container is the chemical being stored in (gallons)?	5
How many containers?	1


MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

General comments/items of concern not mentioned

Hydrocarbon added roughly every 6 months

Photos



Google Map image of facility

N/A

Crestline Chevron - CC Foodmart, 2018-07-09

Created	2018-07-09 19:58:37 UTC by Erick Gilkey
Updated	2018-07-09 20:18:19 UTC by Erick Gilkey
Location	33.5038745158662, -86.7566302791238

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-07-09
Time	14:58
Facility Name	Crestline Chevron - CC Foodmart
Facility Type	Gas Station
Municipal Business License #	201802268
Facility Street Address	104 Euclid Ave Mountain Brook, AL 35213
Facility Phone Number	2058711676
Facility Contact Name	Brent Compton
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted, Berms are placed around it

Gas Station

How many fuel tanks are there?	6
What size fuel tanks are they (in gallons)?	5000
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Berthons Cleaners, 2018-07-13

Created	2018-07-13 17:08:02 UTC by Erick Gilkey
Updated	2018-07-13 17:09:15 UTC by Erick Gilkey
Location	33.4846175845253, -86.7734852805734
Inspector	Erick Gilkey
Date	2018-07-13
Time	12:08
Facility Type	Dry Cleaners
Facility Name	Berthons Cleaners
Facility Street Address	2712 Culver Rd Mountain Brook, AL 35223
Reason For Not Inspecting	Drop off facility only, no chemicals used/stored onsite

Park Place Cleaners, 2018-07-13

Created	2018-07-13 17:25:50 UTC by Erick Gilkey
Updated	2018-07-13 17:26:56 UTC by Erick Gilkey
Location	33.4674017478555, -86.7332132533193
Inspector	Erick Gilkey
Date	2018-07-13
Time	12:25
Facility Type	Dry Cleaners
Facility Name	Park Place Cleaners
Facility Street Address	3150 Overton Rd Mountain Brook, AL 35223
Reason For Not Inspecting	Drop off location only, no chemicals stored/used on site

Mountain Brook Cleaners, 2018-07-10

Created	2018-07-10 17:26:58 UTC by Erick Gilkey
Updated	2018-07-10 17:27:32 UTC by Erick Gilkey
Location	33.5016015860341, -86.7552134022117
Inspector	Erick Gilkey
Date	2018-07-10
Time	12:26
Facility Name	Mountain Brook Cleaners
Facility Street Address	42 Church St Mountain Brook, AL 35213
Reason For Not Inspecting	Drop off only, no chemicals on site

Aladdin Cleaners , 2018-07-10

Created	2018-07-10 19:18:29 UTC by Erick Gilkey
Updated	2018-07-10 19:24:03 UTC by Erick Gilkey
Location	33.4827803849037, -86.7730132117867
Inspector	Erick Gilkey
Date	2018-07-10
Time	14:18
Facility Name	Aladdin Cleaners
Facility Street Address	2819 Cahaba Rd Mountain Brook, AL 35223
Reason For Not Inspecting	Drop off only, no chemicals stored/used onsite

Pleasant Grove

Spartan Car Wash, 2018-08-27

Created	2018-08-27 16:21:03 UTC by Erick Gilkey
Updated	2018-08-27 16:26:21 UTC by Erick Gilkey
Location	33.4936623581579, -86.9587199762464

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-27
Time	11:21
Facility Name	Spartan Car Wash
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Facility Street Address	541 Pleasant Grove Rd Pleasant Grove, AL 35127
Facility Phone Number	0
Facility Contact Name	Unknown
Facility Contact Title	Other

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	No
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Other
If a LARGE spill occurs	Other

Car Wash

Car wash type?	Drive-through, Do-it-yourself
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Degreaser, Wax

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	In the machine itself
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	In the machine itself
How many containers?	1


Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	In the machine itself
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Other
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Powder to the People Custom Coatings, 2018-08-24

Created	2018-08-24 18:14:18 UTC by Erick Gilkey
Updated	2018-08-24 18:15:15 UTC by Erick Gilkey
Location	33.4895431565051, -86.9792653620243
Inspector	Erick Gilkey
Date	2018-08-24
Time	13:14
Facility Type	Mechanic
Facility Name	Powder to the People Custom Coatings
Facility Street Address	720 9th Ave Pleasant Grove, AL 35127
Reason For Not Inspecting	Closed/out of business

Pleasant Grove Auto Service, 2018-08-27

Created	2018-08-27 16:44:15 UTC by Erick Gilkey
Updated	2018-08-27 16:51:23 UTC by Erick Gilkey
Location	33.490308701413, -86.9573492165012

General Info

Inspector	Erick Gilkey
Date	2018-08-27
Time	11:44
Facility Name	Pleasant Grove Auto Service
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-233
Facility Street Address	36 Park Rd Pleasant Grove, AL 35127
Facility Phone Number	2057440846
Facility Contact Name	Scott Fulton
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	By mop, Oil-Dri
If a LARGE spill occurs	The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil


Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

H&H Service/Precision Services, 2018-09-17

Created	2018-09-17 17:03:44 UTC by Erick Gilkey
Updated	2018-09-17 17:05:36 UTC by Erick Gilkey
Location	33.4997787258712, -86.980292648077
Inspector	Erick Gilkey
Date	2018-09-17
Time	12:03
Facility Type	Mechanic
Facility Name	H&H Service/Precision Services
Facility Street Address	915 4th St Pleasant Grove, AL 35127
Reason For Not Inspecting	Spoke to City of PG regarding this business, they stated property is being developed and turned into a Dollar General

K N A Auto Repair, 2018-08-27

Created	2018-08-24 17:46:50 UTC by Erick Gilkey
Updated	2018-08-27 17:11:48 UTC by Erick Gilkey
Location	33.4901200019319, -86.9790283218026

General Info

Inspector	Erick Gilkey
Date	2018-08-27
Time	12:05
Facility Name	K N A Auto Repair
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-278
Facility Street Address	716 9th Ave Pleasant Grove, AL 35127
Facility Phone Number	2055274105
Facility Contact Name	Shay Campbell
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Rags, By mop
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No


MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	When full
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Marvins Automotive , 2018-08-27

Created	2018-08-27 16:36:36 UTC by Erick Gilkey
Updated	2018-08-27 16:43:25 UTC by Erick Gilkey
Location	33.4906037326528, -86.9573808833957

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-27
Time	11:36
Facility Name	Marvins Automotive
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-170
Facility Street Address	42 Park Rd Pleasant Grove, AL 35127
Facility Phone Number	2057443089
Facility Contact Name	Marvin Godwin
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------


Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Southern Red Rock, LLC, 2018-08-27

Created	2018-08-27 18:09:44 UTC by Erick Gilkey
Updated	2018-08-27 18:15:22 UTC by Erick Gilkey
Location	33.5019706266707, -86.9862508401275
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-27
Time	13:09
Facility Type	Quarry
Facility Name	Southern Red Rock, LLC
Facility Street Address	1080 3rd CRT Pleasant Grove, AL 35127
Reason For Not Inspecting	No chemicals used/stored over 5 gallons

Park Road Service Station, 2018-09-06

Created	2018-09-06 15:07:53 UTC by Erick Gilkey
Updated	2018-09-06 15:09:28 UTC by Erick Gilkey
Location	33.4923968681039, -86.972879357636
Inspector	Erick Gilkey
Date	2018-09-06
Time	10:07
Facility Type	Mechanic
Facility Name	Park Road Service Station
Facility Street Address	604 Park Rd Pleasant Grove, AL 35127
Reason For Not Inspecting	No chemicals used/stored over 5 gallons

Perfect Ten Investments LLC, 2018-08-24

Created	2018-08-24 18:36:50 UTC by Erick Gilkey
Updated	2018-08-24 18:37:20 UTC by Erick Gilkey
Location	33.4901331437848, -86.9585033878684
Inspector	Erick Gilkey
Date	2018-08-24
Time	13:36
Facility Type	Automotive Dealer
Facility Name	Perfect Ten Investments LLC
Facility Street Address	700 Pleasant Grove Rd Pleasant Grove, AL 35127
Reason For Not Inspecting	No chemicals over 5 gallons being used/stored

Pleasant Grove Chevron, 2018-08-24

Created	2018-08-24 18:39:03 UTC by Erick Gilkey
Updated	2018-08-24 18:53:35 UTC by Erick Gilkey
Location	33.490592548158, -86.9577325880527

General Info

Inspector	Erick Gilkey
Date	2018-08-24
Time	13:39
Facility Name	Pleasant Grove Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	2018-169
Facility Street Address	44 Park Rd Pleasant Grove, AL 35127
Facility Phone Number	2056161043
Facility Contact Name	Michael Inman
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-10000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Kwik Mart, 2018-08-24

Created	2018-08-24 18:54:39 UTC by Erick Gilkey
Updated	2018-08-24 19:03:38 UTC by Erick Gilkey
Location	33.4906185521063, -86.9583920761943

General Info

Inspector	Erick Gilkey
Date	2018-08-24
Time	13:54
Facility Name	Kwik Mart
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	2018-171
Facility Street Address	100 Park Rd Pleasant Grove, AL 35127
Facility Phone Number	20565936
Facility Contact Name	Frank patel
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil Absorbant Sock, Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Gas Station

How many fuel tanks and their size?	2-8000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

B&C Warehouse, 2018-08-24

Created	2018-08-24 16:32:23 UTC by Erick Gilkey
Updated	2018-08-24 16:34:57 UTC by Erick Gilkey
Location	33.4905176120054, -86.9509197771549
Inspector	Erick Gilkey
Date	2018-08-24
Time	11:32
Facility Type	Storage
Facility Name	B&C Warehouse
Facility Street Address	3490 Park Rd E Pleasant Grove, AL 35127
Reason For Not Inspecting	No chemicals over 5 gallons being used/stored

Automotive Excellence, 2018-08-24

Created	2018-08-24 16:09:40 UTC by Erick Gilkey
Updated	2018-08-24 16:10:26 UTC by Erick Gilkey
Location	33.4853530127215, -86.9593637064099
Inspector	Erick Gilkey
Date	2018-08-24
Time	11:09
Facility Type	Automotive Dealer
Facility Name	Automotive Excellence
Facility Street Address	1003 Pleasant Grove Rd Pleasant Grove, AL 35127
Reason For Not Inspecting	No chemicals used/stored over 5 gallons

TMP Funeral Homes Inc, 2018-08-27

Created	2018-08-27 17:29:47 UTC by Erick Gilkey
Updated	2018-08-27 17:31:18 UTC by Erick Gilkey
Location	33.4715214430992, -86.9770035892725
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-27
Time	12:29
Facility Type	Funeral home
Facility Name	TMP Funeral Homes Inc
Facility Street Address	1498 5th Ave Pleasant Grove, AL 35127
Reason For Not Inspecting	No chemicals used/stored over 5 gallons.

Pleasant Grove Collision , 2018-08-24

Created	2018-08-24 17:41:41 UTC by Erick Gilkey
Updated	2018-08-24 17:42:32 UTC by Erick Gilkey
Location	33.500514304891, -86.9799637421966
Inspector	Erick Gilkey
Date	2018-08-24
Time	12:41
Facility Type	Auto Body Shop
Facility Name	Pleasant Grove Collision
Facility Street Address	908 4th St Pleasant Grove, AL 35127
Reason For Not Inspecting	No chemicals over 5 gallons being used/stored

Knight Automotive , 2018-08-24

Created	2018-08-24 17:32:08 UTC by Erick Gilkey
Updated	2018-08-24 17:38:28 UTC by Erick Gilkey
Location	33.4997745321302, -86.9798614829779

General Info

Inspector	Erick Gilkey
Date	2018-08-24
Time	12:32
Facility Name	Knight Automotive
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	909 4th St Pleasant Grove, AL 35127
Facility Phone Number	2057447388
Facility Contact Name	Richard Knight
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	2
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

City Cleaners, 2018-08-24

Created	2018-08-24 16:47:43 UTC by Erick Gilkey
Updated	2018-08-24 17:39:23 UTC by Erick Gilkey
Location	33.4904630875253, -86.9588819146156

General Info

Inspector	Erick Gilkey
Date	2018-08-24
Time	11:47
Facility Name	City Cleaners
Does this facility have an NPDES permit?	No
Facility Type	Dry Cleaners
Municipal Business License #	2013-577
Facility Street Address	107 Park Rd Pleasant Grove, AL 35127
Facility Phone Number	2057440921
Facility Contact Name	Katie Lowery
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Other
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Perchloroethylene/tetrachloroethylene
-------------------------------	---------------------------------------

Chemicals

Is the main dry cleaning chemical stored on premises?	No
Where is the chemical being stored?	Not Applicable
What kind of container is the chemical being stored in?	In machine only
What size container is the chemical being stored in (gallons)?	200
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)

How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Tarrant

GBM Services Inc, 2018-07-31

Created	2018-07-31 17:43:50 UTC by Erick Gilkey
Updated	2018-07-31 17:57:03 UTC by Erick Gilkey
Location	33.584348875138, -86.7691930755973

General Info

Inspector	Erick Gilkey
Date	2018-07-31
Time	12:43
Facility Name	GBM Services Inc
Facility Type	Mechanic
Municipal Business License #	9625015899
Facility Street Address	1122 Elizabeth Ave Tarrant, AL 35217
Facility Phone Number	2055934574
Facility Contact Name	David Russell
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------


Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	150
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Classic Car Motoring, 2018-07-24

Created	2018-07-24 18:26:30 UTC by Erick Gilkey
Updated	2018-07-24 18:43:10 UTC by Erick Gilkey
Location	33.607753772529, -86.7704533785582

General Info

Inspector	Erick Gilkey
Date	2018-07-24
Time	13:26
Facility Name	Classic Car Motoring
Facility Type	Auto Body Shop
Facility Street Address	102 Black creek rd Tarrant, AL 35217
Facility Phone Number	2058412153
Facility Contact Name	Chris Baggett
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted, Berms are placed around it

Automotive Dealer/Auto Body Shop

Is there a paint center?	Yes
Is there a maintenance center?	Yes
Is there a car wash?	No
Are there any gas pumps onsite?	No

Paint Center

Where is the paint being stored?	Inside
What size container is the paint being stored in (gallons)?	Quart
What kind of container is the paint being stored in?	Can

Maintenance Center

What fluids are being used/stored?	Used oil, Used antifreeze
------------------------------------	---------------------------

Used Oil

Where is the used oil being stored?	Inside
-------------------------------------	--------

What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	1000
How many containers?	1

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	1000
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Comfleet Services/Poor Boys Recovery, 2018-08-03

Created	2018-08-03 16:00:45 UTC by Erick Gilkey
Updated	2018-08-03 16:05:22 UTC by Erick Gilkey
Location	33.5947706714334, -86.7703910171986
Inspector	Erick Gilkey
Date	2018-08-03
Time	11:00
Facility Type	Towing service
Facility Name	Comfleet Services/Poor Boys Recovery
Facility Street Address	623 Springdale Rd Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored on site

Richardson Hardware, 2018-07-17

Created	2018-07-17 19:13:25 UTC by Erick Gilkey
Updated	2018-07-17 19:14:44 UTC by Erick Gilkey
Location	33.5857314449958, -86.7686626687646
Inspector	Erick Gilkey
Date	2018-07-17
Time	14:13
Facility Type	Retail store
Facility Name	Richardson Hardware
Facility Street Address	1840 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals in containers over five gallons in use

Classic Auto Mechanic, 2018-08-03

Created	2018-08-03 18:19:11 UTC by Erick Gilkey
Updated	2018-08-03 18:20:06 UTC by Erick Gilkey
Location	33.607754889463, -86.7485625296831
Inspector	Erick Gilkey
Date	2018-08-03
Time	13:19
Facility Type	Automotive Dealer
Facility Name	Classic Auto Mechanic
Facility Street Address	2539 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No mechanic, only used car lot

Ottawa Truck Center of AL, 2018-08-15

Created	2018-08-15 16:19:52 UTC by Erick Gilkey
Updated	2018-08-15 16:32:33 UTC by Erick Gilkey
Location	33.5977002220995, -86.7559899017215

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	11:19
Facility Name	Ottawa Truck Center of AL
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9625016422
Facility Street Address	2265 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2059681971
Facility Contact Name	Frances Lollar
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	The fire department is contacted, Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s), Dumpster(s)
How often is it/are they emptied?	Bi-monthly, Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

City Tire & Auto LLC, 2018-07-17

Created	2018-07-17 18:17:38 UTC by Erick Gilkey
Updated	2018-07-17 18:28:50 UTC by Erick Gilkey
Location	33.5828763440514, -86.7718494683504

General Info

Inspector	Erick Gilkey
Date	2018-07-17
Time	13:17
Facility Name	City Tire & Auto LLC
Facility Type	Mechanic
Municipal Business License #	9625015426
Facility Street Address	1115 East Lake Blvd Tarrant, AL 35217
Facility Phone Number	2058499914
Facility Contact Name	Jason Harris
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	As needed into neighbors dumpster

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------


Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	300
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Multiple spills in area that had not been cleaned up
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

AWB Inc, 2018-08-01

Created	2018-08-01 20:00:40 UTC by Erick Gilkey
Updated	2018-08-01 20:12:23 UTC by Erick Gilkey
Location	33.5992403606387, -86.7559228464961

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	15:00
Facility Name	AWB Inc
Facility Type	Mechanic
Municipal Business License #	9625016714
Facility Street Address	2281 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2052233945
Facility Contact Name	Mark Lundberg
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Take to dump

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Large volume of oil on ground around used oil container outside

Are there any other potentially hazardous items not already addressed?	No
Google Map image of facility	N/A

Copier Solutions Corp, 2018-07-24

Created	2018-07-24 19:40:07 UTC by Erick Gilkey
Updated	2018-07-24 19:49:33 UTC by Erick Gilkey
Location	33.5834352496476, -86.7776007950306
Inspector	Erick Gilkey
Date	2018-07-24
Time	14:40
Facility Type	Print shop
Facility Name	Copier Solutions Corp
Facility Street Address	800 Thomason Ave Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored on site

B&G Automotive LLC, 2018-07-17

Created	2018-07-17 18:54:46 UTC by Erick Gilkey
Updated	2018-07-17 19:07:31 UTC by Erick Gilkey
Location	33.5847910205949, -86.7695229873061

General Info

Inspector	Erick Gilkey
Date	2018-07-17
Time	13:54
Facility Name	B&G Automotive LLC
Facility Type	Mechanic
Municipal Business License #	9625016636
Facility Street Address	1805 Pinson St Tarrant, AL 35217
Facility Phone Number	2058411453
Facility Contact Name	Glenn Barr
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	300
How many containers?	1
Is there a berm around it?	No
Is it covered?	No


MISCELLANEOUS

Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Lots of spills throughout area, though all had been treated with Oil Dri

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Center Point Auto Service and Wrecker Inc, 2018-08-01

Created	2018-08-01 15:32:04 UTC by Erick Gilkey
Updated	2018-08-01 15:33:02 UTC by Erick Gilkey
Location	33.5778370922204, -86.7797401919961
Inspector	Erick Gilkey
Date	2018-08-01
Time	10:32
Facility Type	Automotive Dealer
Facility Name	Center Point Auto Service and Wrecker Inc
Facility Street Address	1021 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No chemicals stored/used on site

Flanagan Contracting LLC, 2018-07-18

Created	2018-07-18 18:49:06 UTC by Erick Gilkey
Updated	2018-07-18 19:14:12 UTC by Erick Gilkey
Location	33.5995461509655, -86.7758895456791

General Info

Inspector	Erick Gilkey
Date	2018-07-18
Time	13:49
Facility Name	Flanagan Contracting LLC
Facility Type	Mechanic
Municipal Business License #	9625015568
Facility Street Address	245 Clow Ln Tarrant, AL 35217
Facility Phone Number	2058348774
Facility Contact Name	Gill Bentley
Facility Contact Title	Vice President
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	5
How many containers?	10

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1000

How many containers?

1

MISCELLANEOUS

Overall cleanliness

Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity

10 - 5 gallon buckets of hydraulic fluid stored inside

Photos



Google Map image of facility

N/A

Pinnacle Towers Acquisition LLC, 2018-07-24

Created	2018-07-24 19:09:47 UTC by Erick Gilkey
Updated	2018-07-24 19:10:54 UTC by Erick Gilkey
Location	33.5920398719733, -86.7683139815927
Inspector	Erick Gilkey
Date	2018-07-24
Time	14:09
Facility Type	Radio antennae in vacant lot
Facility Name	Pinnacle Towers Acquisition LLC
Facility Street Address	666 Springdale Rd Tarrant, AL 35217
Reason For Not Inspecting	No chemicals stored/used

JRs Automotive , 2018-07-17

Created	2018-07-17 18:37:06 UTC by Erick Gilkey
Updated	2018-07-17 18:38:57 UTC by Erick Gilkey
Location	33.5837288063093, -86.7725877463818
Inspector	Erick Gilkey
Date	2018-07-17
Time	13:37
Facility Type	Mechanic
Facility Name	JRs Automotive
Facility Street Address	1600 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals in containers over five gallons in use

ABC Auto Parts Inc, 2018-07-13

Created	2018-07-13 20:37:59 UTC by Erick Gilkey
Updated	2018-07-13 20:39:20 UTC by Erick Gilkey
Location	33.5809085541614, -86.7771213501692
Inspector	Erick Gilkey
Date	2018-07-13
Time	15:37
Facility Type	Mechanic
Facility Name	ABC Auto Parts Inc
Facility Street Address	1140 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	Only sells parts, no mechanic garage on site

Tomlin Excavating Company Inc, 2018-07-18

Created	2018-07-18 20:03:54 UTC by Erick Gilkey
Updated	2018-07-18 20:24:57 UTC by Erick Gilkey
Location	33.5933066966273, -86.7707249522209

General Info

Inspector	Erick Gilkey
Date	2018-07-18
Time	15:03
Facility Name	Tomlin Excavating Company Inc
Facility Type	Mechanic
Municipal Business License #	9625016963
Facility Street Address	625 Springdale Rd Tarrant, AL 35217
Facility Phone Number	2058411148
Facility Contact Name	Bobby Tomlin
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil
------------------------------------	---------



New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	Approximately 1000
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	1 - 1000 gallon metal tank of hydraulic oil inside, 1 -7000 gallon diesel tank outside with a berm, 1 -3500 gallon used oil tank outside with a berm around it

Photos



Google Map image of facility

N/A

Big Wills Car Detail and Lawn Care, 2018-07-31

Created	2018-07-31 17:21:53 UTC by Erick Gilkey
Updated	2018-07-31 17:22:37 UTC by Erick Gilkey
Location	33.5681440639923, -86.784179918468
Inspector	Erick Gilkey
Date	2018-07-31
Time	12:21
Facility Type	Landscape Services, Car Wash
Facility Name	Big Wills Car Detail and Lawn Care
Facility Street Address	1316 Depot St Tarrant, AL 35217
Reason For Not Inspecting	Residential address, unsure of what kind of business, no obvious chemicals used/stored

Kingz of Tirez, 2018-07-13

Created	2018-07-13 19:25:13 UTC by Erick Gilkey
Updated	2018-07-13 21:03:18 UTC by Erick Gilkey
Location	33.5688583889615, -86.7842536792159
Inspector	Erick Gilkey
Date	2018-07-13
Time	14:25
Facility Type	Tires
Facility Name	Kingz of Tirez
Facility Street Address	424 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	Tirez only

Express Oil Change LLC, 2018-08-15

Created	2018-08-15 15:54:21 UTC by Erick Gilkey
Updated	2018-08-15 16:13:09 UTC by Erick Gilkey
Location	33.5834707222944, -86.7746275663376

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	10:54
Facility Name	Express Oil Change LLC
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9625015276
Facility Street Address	1412 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058418555
Facility Contact Name	Bucky Horton
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1-1500, 1-1200, 2-400
How many containers?	4

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	3-400
How many containers?	3


Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Econo Printing Svc Inc, 2018-07-24

Created	2018-07-24 17:48:02 UTC by Erick Gilkey
Updated	2018-07-24 17:49:09 UTC by Erick Gilkey
Location	33.5683839063802, -86.783335226622
Inspector	Erick Gilkey
Date	2018-07-24
Time	12:48
Facility Type	Print shop
Facility Name	Econo Printing Svc Inc
Facility Street Address	1315 Water St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

Shop N Go, 2018-07-24

Created	2018-07-24 17:41:06 UTC by Erick Gilkey
Updated	2018-07-24 17:42:08 UTC by Erick Gilkey
Location	33.5685941145541, -86.7831787839532
Inspector	Erick Gilkey
Date	2018-07-24
Time	12:41
Facility Type	Convenience Store
Facility Name	Shop N Go
Facility Street Address	504 Jefferson Blvd Tarrant, AL 35217
Reason For Not Inspecting	Only convenience store, no gas pumps

Angela Whitaker Enterprise, 2018-07-24

Created	2018-07-24 17:19:29 UTC by Erick Gilkey
Updated	2018-07-24 17:20:40 UTC by Erick Gilkey
Location	33.5787493803418, -86.771073974669
Inspector	Erick Gilkey
Date	2018-07-24
Time	12:19
Facility Type	Unknown
Facility Name	Angela Whitaker Enterprise
Facility Street Address	1320 Thomason Ave Tarrant, AL 35217
Reason For Not Inspecting	Residential address, unsure of what kind of business, no obvious chemicals used/stored

Knapheide Truck Equipment Co Mid South, 2018-08-03

Created	2018-08-03 18:28:53 UTC by Erick Gilkey
Updated	2018-08-03 18:29:42 UTC by Erick Gilkey
Location	33.6079087469802, -86.7514921724796
Inspector	Erick Gilkey
Date	2018-08-03
Time	13:28
Facility Type	Retail Store
Facility Name	Knapheide Truck Equipment Co Mid South
Facility Street Address	2490 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Equity Trust Co FBO Carolyn Gail Horvath, 2018-07-24

Created	2018-07-24 19:24:17 UTC by Erick Gilkey
Updated	2018-07-24 19:25:21 UTC by Erick Gilkey
Location	33.5797786956857, -86.7705703899264
Inspector	Erick Gilkey
Date	2018-07-24
Time	14:24
Facility Type	Unknown
Facility Name	Equity Trust Co FBO Carolyn Gail Horvath
Facility Street Address	1317 Sloan Ave Tarrant, AL 35217
Reason For Not Inspecting	Residential address, unsure of what kind of business, no obvious chemicals used/stored

QP # 288 Pacific Pride , 2018-08-28

Created	2018-08-29 16:48:35 UTC by Scott Hofer
Updated	2018-08-30 15:39:29 UTC by Erick Gilkey
Location	33.5861476081505, -86.7680504545569

General Info

Inspector	Scott Hofer
Date	2018-08-28
Time	16:00
Facility Name	QP # 288 Pacific Pride
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9625016654
Facility Street Address	1098 Bethel Avenue Tarrant , Alabama 35217
Facility Phone Number	2052237656
Facility Contact Name	David Melton
Facility Contact Title	Vice-president

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	No staff on premises
If trained, how often?	No staff. Has a maintenance employee that cleans up each day and applies oil-dri if needed
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	Call PPM environmental services

Gas Station

How many fuel tanks and their size?	3-10,000 gallon
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	No
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
General comments/items of concern not mentioned	Has a 750 gallon diesel exhaust urea product on premises, but is considered not toxic. The site has a 1-800 number advertised that will respond to spills 24-7

Photos



Google Map image of facility

N/A

Miller Truck Lines, 2018-07-26

Created	2018-07-26 17:56:44 UTC by Erick Gilkey
Updated	2018-07-26 17:57:41 UTC by Erick Gilkey
Location	33.586532487456, -86.7726484313607
Inspector	Erick Gilkey
Date	2018-07-26
Time	12:56
Facility Type	Transportation
Facility Name	Miller Truck Lines
Facility Street Address	2523 Commerce Cir Tarrant, AL 35217
Reason For Not Inspecting	No chemicals stored/used on site

Allen Iron Works and Supply Inc, 2018-07-16

Created	2018-07-16 19:35:14 UTC by Erick Gilkey
Updated	2018-07-16 19:55:20 UTC by Erick Gilkey
Location	33.5776672591968, -86.7808838188648
Inspector	Erick Gilkey
Date	2018-07-16
Time	14:35
Facility Type	Iron works
Facility Name	Allen Iron Works and Supply Inc
Facility Street Address	1113 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored on site over 5 gallons

K & D Stop and Shop, 2018-07-13

Created	2018-07-13 19:52:17 UTC by Erick Gilkey
Updated	2018-07-13 19:59:50 UTC by Erick Gilkey
Location	33.5750792195554, -86.7819999530911

General Info

Inspector	Erick Gilkey
Date	2018-07-13
Time	14:52
Facility Name	K & D Stop and Shop
Facility Type	Gas Station
Municipal Business License #	9625014721
Facility Street Address	820 Overton Ave Tarrant, AL 35217
Facility Phone Number	3162265251
Facility Contact Name	Duc Diep
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	2 - 8000 gal ea
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Sergio's Shop, 2018-07-24

Created	2018-07-24 18:48:55 UTC by Erick Gilkey
Updated	2018-07-24 18:57:50 UTC by Erick Gilkey
Location	33.5933421652156, -86.769284941256

General Info

Inspector	Erick Gilkey
Date	2018-07-24
Time	13:48
Facility Name	Sergio's Shop
Facility Type	Mechanic
Municipal Business License #	9625015923
Facility Street Address	640 Springdale Rd Tarrant, AL 35217
Facility Phone Number	2055638529
Facility Contact Name	Sergio Gress
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Cat litter, Rags
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No


MISCELLANEOUS

Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Uncleaned spills throughout area

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Allworth llc (stericycle), 2018-09-25

Created	2018-09-25 15:45:52 EDT by Scott Hofer
Updated	2018-09-25 15:50:51 EDT by Scott Hofer
Location	33.5944576941574, -86.771632003251

General Info

Inspector	Scott Hofer
Date	2018-09-25
Time	14:45
Facility Name	Allworth llc (stericycle)
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Hazardous waste treatment, storage and disposal
Municipal Business License #	04195 for Birmingham
NPDES Permit	AI0032298
Facility Street Address	500 Medco Rd Tarrant, AL 35217
Facility Phone Number	2058411707
Facility Contact Name	Todd Williamson
Facility Contact Title	Facility manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

RSV Automotive and Collision , 2018-07-13

Created	2018-07-13 19:26:29 UTC by Erick Gilkey
Updated	2018-07-13 19:27:09 UTC by Erick Gilkey
Location	33.5688276594208, -86.7842503264546
Inspector	Erick Gilkey
Date	2018-07-13
Time	14:26
Facility Type	Auto Body Shop
Facility Name	RSV Automotive and Collision
Facility Street Address	424 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	Out of business

Thompson Fabricating LLC, 2018-07-26

Created	2018-07-26 18:31:22 UTC by Erick Gilkey
Updated	2018-07-26 19:08:40 UTC by Erick Gilkey
Location	33.5840555642431, -86.7756598201712

General Info

Inspector	Erick Gilkey
Date	2018-07-26
Time	13:31
Facility Name	Thompson Fabricating LLC
Facility Type	Fabrication shop
Municipal Business License #	9625016668
Facility Street Address	1411 Commerce Pl Tarrant, AL 35217
Facility Phone Number	2058410441
Facility Contact Name	Spencer Turner
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Written instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted, Berms are placed around it

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	70-5 gallon metal paint buckets stored inside a shed and used in multiple areas, 10-55 gallon metal barrels of paint thinner, 1-250 gallon diesel fuel stored inside metal container enclosed in a shed

Photos



Google Map image of facility

N/A

Ley Auto Ventures , 2018-07-17

Created	2018-07-17 18:29:59 UTC by Erick Gilkey
Updated	2018-07-17 18:44:45 UTC by Erick Gilkey
Location	33.582670489354, -86.7717757076025
Inspector	Erick Gilkey
Date	2018-07-17
Time	13:29
Facility Type	Automotive Dealer
Facility Name	Ley Auto Ventures
Facility Street Address	1117 East Lake Blvd Tarrant, AL 35217
Reason For Not Inspecting	No chemicals over five gallons in use/stored

All Pro Transmission , 2018-07-17

Created	2018-07-17 18:09:18 UTC by Erick Gilkey
Updated	2018-07-17 18:43:57 UTC by Erick Gilkey
Location	33.5832536965026, -86.7724838107824
Inspector	Erick Gilkey
Date	2018-07-17
Time	13:09
Facility Type	Mechanic
Facility Name	All Pro Transmission
Facility Street Address	1521 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	All new transmission fluid comes in containers less than 5 gallons. All used fluid is drained into 55 gallon drums, though all were currently empty upon visit.

Allstar Services LLC, 2018-07-17

Created	2018-07-17 17:57:08 UTC by Erick Gilkey
Updated	2018-07-17 18:16:01 UTC by Erick Gilkey
Location	33.5823707841471, -86.7735362425447
Inspector	Erick Gilkey
Date	2018-07-17
Time	12:57
Facility Type	Contractors
Facility Name	Allstar Services LLC
Facility Street Address	1413 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals over five gallons in use/stored

Kips LLC, 2018-08-01

Created	2018-08-01 16:00:11 UTC by Erick Gilkey
Updated	2018-08-01 16:12:00 UTC by Erick Gilkey
Location	33.5865598590684, -86.7680132389069

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	11:00
Facility Name	Kips LLC
Facility Type	Gas Station
Municipal Business License #	9625016764
Facility Street Address	1911 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058415443
Facility Contact Name	Festus Kiptoo
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	1-8000 gal, 1-12000 gal
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Collateral Assoc Recovery Services, 2018-07-24

Created	2018-07-24 18:03:05 UTC by Erick Gilkey
Updated	2018-07-24 18:04:07 UTC by Erick Gilkey
Location	33.5737800027809, -86.7838966101408
Inspector	Erick Gilkey
Date	2018-07-24
Time	13:03
Facility Type	Repo/Towing
Facility Name	Collateral Assoc Recovery Services
Facility Street Address	1001 Cedar St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored

Atkins & Goolsby Inc, 2018-07-31

Created	2018-07-31 17:30:39 UTC by Erick Gilkey
Updated	2018-07-31 17:31:52 UTC by Erick Gilkey
Location	33.5830729809158, -86.77121412009
Inspector	Erick Gilkey
Date	2018-07-31
Time	12:30
Facility Type	Janitorial service
Facility Name	Atkins & Goolsby Inc
Facility Street Address	1128 E Lake Blvd Tarrant, AL 35217
Reason For Not Inspecting	No large volume chemicals stored/used on site

Finney Equipment , 2018-08-15

Created	2018-08-15 16:49:07 UTC by Erick Gilkey
Updated	2018-08-15 17:04:36 UTC by Erick Gilkey
Location	33.5997567128067, -86.7574795335531

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	11:49
Facility Name	Finney Equipment
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9625016585
Facility Street Address	2280 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058495555
Facility Contact Name	Hal Finney
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?	No
Google Map image of facility	N/A

Stein Steel Mill Services/Dunn, 2018-09-27

Created	2018-09-27 19:40:58 UTC by Erick Gilkey
Updated	2018-09-27 20:02:40 UTC by Erick Gilkey
Location	33.5905230651602, -86.7632043734193

General Info

Inspector	Erick Gilkey
Date	2018-09-27
Time	14:40
Facility Name	Stein Steel Mill Services/Dunn
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Quarry
NPDES Permit	ALG020033
Facility Street Address	2201 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2055923866
Facility Contact Name	Harry Thomas
Facility Contact Title	VP of Operations

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Waste Away Group of Birmingham , 2018-07-18

Created	2018-07-18 19:19:24 UTC by Erick Gilkey
Updated	2018-07-19 13:15:58 UTC by Erick Gilkey
Location	33.596935867521, -86.7710193246603

General Info

Inspector	Erick Gilkey
Date	2018-07-18
Time	14:19
Facility Name	Waste Away Group of Birmingham
Facility Type	Mechanic
Municipal Business License #	9625016723
Facility Street Address	700 Clow Rd Tarrant, AL 35217
Facility Phone Number	2055738223
Facility Contact Name	Jay Hunt
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s), Garbage can(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze
------------------------------------	-----------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1 - 500 gallon, 10 - 55 gallons
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250

How many containers? 1

New Antifreeze

Where is the new antifreeze being stored? Inside

What kind of container is the new antifreeze being stored in? Metal drum

What size container is the new antifreeze being stored in (gallons)? 250

How many containers? 1

MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity 1000 gallon diesel tank for gas pump, 1 - 500 and 1 -55 gallon hydraulic fluid, 2 - 1000 gallon degreaser stored inside in a plastic drum

Photos



Google Map image of facility N/A

Gilco Manufacturing and Welding, 2018-08-01

Created	2018-08-01 15:11:42 UTC by Erick Gilkey
Updated	2018-08-21 21:24:10 UTC by Erick Gilkey
Location	33.5728817185374, -86.7843446559343

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	10:11
Facility Name	Gilco Manufacturing and Welding
Facility Type	Mechanic
Municipal Business License #	9625017389
Facility Street Address	608 Railroad Ave Tarrant, AL 35217
Facility Phone Number	2058411347
Facility Contact Name	Debra Cole
Facility Contact Title	Secretary
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Sawdust
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	4

Used Oil


Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	750

How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Guitierres Joes, 2018-08-03

Created	2018-08-03 20:05:31 UTC by Erick Gilkey
Updated	2018-08-03 20:06:41 UTC by Erick Gilkey
Location	33.5716248408869, -86.7631805688143
Inspector	Erick Gilkey
Date	2018-08-03
Time	15:05
Facility Type	Contractors
Facility Name	Guitierres Joes
Facility Street Address	936 Green St Tarrant, AL 35217
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Raga Auto Repair, 2018-07-13

Created	2018-07-13 20:16:27 UTC by Erick Gilkey
Updated	2018-07-13 21:01:56 UTC by Erick Gilkey
Location	33.5802110882662, -86.7778710275888

General Info

Inspector	Erick Gilkey
Date	2018-07-13
Time	15:16
Facility Name	Raga Auto Repair
Facility Type	Mechanic
Municipal Business License #	9625016759
Facility Street Address	1100 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2057041399
Facility Contact Name	Gabrielle Mendez
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil, Used antifreeze
------------------------------------	---------------------------

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	55
How many containers?	3

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	55

How many containers?

1

MISCELLANEOUS


Overall cleanliness

Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed?

No

Photos



Google Map image of facility

N/A

Raceway Tarrant, 2018-08-01

Created	2018-08-01 20:16:47 UTC by Erick Gilkey
Updated	2018-08-01 20:24:46 UTC by Erick Gilkey
Location	33.605680159649, -86.7539601400495

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	15:16
Facility Name	Raceway Tarrant
Facility Type	Gas Station
Municipal Business License #	9625016546
Facility Street Address	2460 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058417171
Facility Contact Name	Bobby Patel
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	1-12000, 1-12000, 1-20000
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Ricks Quick Stop, 2018-08-01

Created	2018-08-01 15:47:36 UTC by Erick Gilkey
Updated	2018-08-01 18:46:18 UTC by Erick Gilkey
Location	33.5840511309322, -86.7728620022535

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	13:37
Facility Name	Ricks Quick Stop
Facility Type	Gas Station
Municipal Business License #	9625016879
Facility Street Address	1601 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058415090
Facility Contact Name	Nasser Hasson
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	1-10000 1-8000 1-8000
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Robinwood Chevron, 2018-08-03

Created	2018-08-03 18:01:47 UTC by Erick Gilkey
Updated	2018-08-03 18:17:09 UTC by Erick Gilkey
Location	33.60758288146, -86.748995706439

General Info

Inspector	Drew Hubbard
Date	2018-08-03
Time	13:01
Facility Name	Robinwood Chevron
Facility Type	Gas Station
Municipal Business License #	9625017218
Facility Street Address	2525 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058492232
Facility Contact Name	George Wanyoike
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Car Wash

Car wash type?	Hand Wash
Is the used water processed through a filtration system?	No
Used water drains to where?	Storm drain
What fluids are being used/stored?	All in 1 gallon containers

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	1
How many containers?	3

Gas Station

How many fuel tanks and their size?	1-8000, 1-8000, 1-12000
-------------------------------------	-------------------------

Is there a car wash on-site?	Yes
------------------------------	-----

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
---------------------	--

Are there any other potentially hazardous items not already addressed?	No
--	----

Google Map image of facility	N/A
------------------------------	-----

Po Folks/ Prospect Motors LLC, 2018-08-01

Created	2018-08-01 15:55:40 UTC by Erick Gilkey
Updated	2018-08-01 15:56:41 UTC by Erick Gilkey
Location	33.5866159290159, -86.7692981388359
Inspector	Erick Gilkey
Date	2018-08-01
Time	10:55
Facility Type	Automotive Dealer
Facility Name	Po Folks/ Prospect Motors LLC
Facility Street Address	1840 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No chemicals stored/used on site

Thompson Tractor Co Inc, 2018-08-13

Created	2018-08-13 17:25:02 UTC by Erick Gilkey
Updated	2018-08-15 15:08:12 UTC by Erick Gilkey
Location	33.5931050560292, -86.7608624696732

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-13
Time	12:25
Facility Name	Thompson Tractor Co Inc
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9625017145
Facility Street Address	2401 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058493637
Facility Contact Name	David Kirkland
Facility Contact Title	EHS Director

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	See notes under miscellaneous
------------------------------------	-------------------------------

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity

Thompson Hydraulics

(All in metal)

Mineral spirits 1 - 275, outside, uncovered no berm

New oil 2-500, outside, uncovered, no berm

Diesel fuel 1-1000, outside, uncovered, no berm

Hydraulic fluid stored in machine, 1-500, 1-160, inside

Two waste oil tanks inground, inside, no known sizes, 1000s of gallons each

1-250 DEF, outside, no berm, uncovered

Degreaser 3-55 gallon drums, inside (in plastic)

Thompson Equipment Shop

6-2000, metal, outside, berm, covered

1-1000, metal, diesel fuel hooked up to fuel pump

1-500, metal, antifreeze, no berm, covered

1-500, metal, mineral spirits, no berm, covered

Thompson Parts

55-55 new oil, metal, inside

4-55, DEF, plastic, inside

13-5, new oil, plastic, inside

Thompson Weld Shop

1-500, used oil, metal, outside, no berm, uncovered

Thompson Power Systems

1-1000 used oil, metal, outside, no berm, uncovered

1-1000 used coolant, metal, outside, no berm, uncovered

8-250, used oil, plastic, outside, no berm, uncovered

1-280, environ solvent, metal, no berm, outside

1-1000 diesel fuel, metal, outside, no berm, uncovered

1-500 diesel fuel, metal, outside, no berm, uncovered

Thompson Used Parts

4-250 used oil, plastic, no berm, covered

1-500 used oil, metal, no berm, covered

Thompson Lift Truck

1-500, diesel fuel, metal, outside, berm, uncovered

2-250, diesel fuel, metal, outside, berm, uncovered

9-55, new oil, metal, outside, no berm, uncovered

Photos



Google Map image of facility

N/A

Iron City Welding and Fabrication LLC, 2018-08-13

Created	2018-08-13 19:32:04 UTC by Erick Gilkey
Updated	2018-08-13 19:33:42 UTC by Erick Gilkey
Location	33.5870869005641, -86.7703943699598
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-13
Time	14:32
Facility Type	Welding
Facility Name	Iron City Welding and Fabrication LLC
Facility Street Address	1824 Georgia St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

Kimbrough Bonnie, 2018-08-03

Created	2018-08-03 19:46:34 UTC by Erick Gilkey
Updated	2018-08-03 19:48:00 UTC by Erick Gilkey
Location	33.5756348235977, -86.7791340127587
Inspector	Erick Gilkey
Date	2018-08-03
Time	14:46
Facility Type	Unknown
Facility Name	Kimbrough Bonnie
Facility Street Address	933 Jackson Blvd Tarrant, AL 35217
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Rons Auto Repair, 2018-07-13

Created	2018-07-13 20:30:26 UTC by Erick Gilkey
Updated	2018-07-13 20:31:15 UTC by Erick Gilkey
Location	33.5809443071672, -86.778035312891
Inspector	Erick Gilkey
Date	2018-07-13
Time	15:30
Facility Type	Mechanic
Facility Name	Rons Auto Repair
Facility Street Address	1140 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	Out of business

Season After Season , 2018-07-13

Created	2018-07-13 19:23:40 UTC by Erick Gilkey
Updated	2018-07-13 19:27:29 UTC by Erick Gilkey
Location	33.5691427335057, -86.7844215192523
Inspector	Erick Gilkey
Date	2018-07-13
Time	14:23
Facility Type	Landscape Services
Facility Name	Season After Season
Facility Street Address	428 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No chemicals stored/used over 2 gallons in size

Goffs Radiator Electric Service Inc, 2018-07-16

Created	2018-07-16 19:39:48 UTC by Erick Gilkey
Updated	2018-07-16 19:53:06 UTC by Erick Gilkey
Location	33.5806742040148, -86.7753430455923

General Info

Inspector	Erick Gilkey
Date	2018-07-16
Time	14:39
Facility Name	Goffs Radiator Electric Service Inc
Facility Type	Mechanic
Municipal Business License #	9625016769
Facility Street Address	1205 Pinson St Tarrant, AL 35217
Facility Phone Number	2058411751
Facility Contact Name	Allen Goff
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted, Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Used oil, Used antifreeze
------------------------------------	---------------------------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	55
How many containers?	3
Is there a berm around it?	No
Is it covered?	Yes

Used Antifreeze

Where is the used antifreeze being stored?	Outside
--	---------

What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	55
How many containers?	3
Is there a berm around it?	No
Is it covered?	Yes

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Truck Worx, 2018-07-31

Created	2018-07-31 15:53:08 UTC by Erick Gilkey
Updated	2018-07-31 17:54:06 UTC by Erick Gilkey
Location	33.5859138308402, -86.7759488895535

General Info

Inspector	Erick Gilkey
Date	2018-07-31
Time	10:53
Facility Name	Truck Worx
Facility Type	Mechanic
Facility Street Address	2563 Commerce Cir Tarrant, AL 35217
Facility Phone Number	2053266170
Facility Contact Name	Lane Bearden
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	500
How many containers?	1

Used Oil


Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	2

MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? No

Photos



Google Map image of facility

N/A

Marrs Electric Motor Repair Inc, 2018-07-16

Created	2018-07-16 19:33:44 UTC by Erick Gilkey
Updated	2018-07-16 19:54:51 UTC by Erick Gilkey
Location	33.5802317581415, -86.7765899375081
Inspector	Erick Gilkey
Date	2018-07-16
Time	14:33
Facility Type	Electric Repairs
Facility Name	Marrs Electric Motor Repair Inc
Facility Street Address	1129 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored on site over 5 gallons

Brown Mechanical Contractors, 2018-08-15

Created	2018-08-15 15:43:04 UTC by Erick Gilkey
Updated	2018-08-15 15:43:45 UTC by Erick Gilkey
Location	33.5746423318139, -86.7842372506857
Inspector	Erick Gilkey
Date	2018-08-15
Time	10:43
Facility Type	Mechanic, Other
Facility Name	Brown Mechanical Contractors
Facility Street Address	712 Huntsville Ave Tarrant, AL 35217
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

La Tuerca, 2018-08-13

Created	2018-08-13 16:18:51 UTC by Erick Gilkey
Updated	2018-08-13 16:21:04 UTC by Erick Gilkey
Location	33.576121148786, -86.7813991382718
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-13
Time	11:18
Facility Type	Mechanic
Facility Name	La Tuerca
Facility Street Address	849 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

AAA Environmental Services, 2018-07-16

Created	2018-07-16 20:16:10 UTC by Erick Gilkey
Updated	2018-07-17 14:37:15 UTC by Erick Gilkey
Location	33.5809370448391, -86.7749611660838

General Info

Inspector	Erick Gilkey
Date	2018-07-16
Time	15:16
Facility Name	AAA Environmental Services
Facility Type	Retail store
Municipal Business License #	9625016678
Facility Street Address	1221 Pinson St Tarrant, AL 35217
Facility Phone Number	2058410510
Facility Contact Name	JW Allwin
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, Berms are placed around it

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	12-55 gallon plastic drums of muriatic acid, 24-55 gallon plastic drums of automotive degreaser, all stored inside

Photos



Google Map image of facility

N/A

Fastenal Company, 2018-07-26

Created	2018-07-26 17:49:14 UTC by Erick Gilkey
Updated	2018-07-26 17:50:04 UTC by Erick Gilkey
Location	33.5869978036852, -86.7734494060278
Inspector	Erick Gilkey
Date	2018-07-26
Time	12:49
Facility Type	Retail store
Facility Name	Fastenal Company
Facility Street Address	2535 Commerce Cir Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored on site

Cummins Inc, 2018-08-01

Created	2018-08-01 17:06:27 UTC by Erick Gilkey
Updated	2018-08-01 17:43:05 UTC by Erick Gilkey
Location	33.5909900355936, -86.7650443688035

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	12:06
Facility Name	Cummins Inc
Facility Type	Mechanic
Municipal Business License #	9625016116
Facility Street Address	2200 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058410421
Facility Contact Name	Kelly Nease
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Written instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New antifreeze, Used antifreeze, Used oil, New oil
------------------------------------	--

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	500
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	No

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum

What size container is the used oil being stored in (gallons)?	500
How many containers?	2
Is there a berm around it?	Yes
Is it covered?	No

New Antifreeze

Where is the new antifreeze being stored?	Inside
What kind of container is the new antifreeze being stored in?	Metal drum
What size container is the new antifreeze being stored in (gallons)?	55
How many containers?	1

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	250
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Diesel fuel, 1-500 gal, berm around it, no covered

Photos



Google Map image of facility	N/A
------------------------------	-----

Engine Specialists , 2018-07-18

Created	2018-07-18 17:00:47 UTC by Erick Gilkey
Updated	2018-07-18 17:31:54 UTC by Erick Gilkey
Location	33.581970244529, -86.7737286910415

General Info

Inspector	Erick Gilkey
Date	2018-07-18
Time	12:00
Facility Name	Engine Specialists
Facility Type	Mechanic
Municipal Business License #	9625014643
Facility Street Address	1403 Pinson St Tarrant, AL 35217
Facility Phone Number	2058416511
Facility Contact Name	George Partian
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	55
How many containers?	2

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No
Google Map image of facility	N/A

Leo's Shop, 2018-07-13

Created	2018-07-13 20:29:27 UTC by Erick Gilkey
Updated	2018-07-13 20:30:23 UTC by Erick Gilkey
Location	33.580706884586, -86.7779964208603
Inspector	Erick Gilkey
Date	2018-07-13
Time	15:29
Facility Type	Auto Body Shop
Facility Name	Leo's Shop
Facility Street Address	1100-A Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used or stored

Genesis Tire and Service Incorporated, 2018-08-15

Created	2018-08-15 16:35:06 UTC by Erick Gilkey
Updated	2018-08-15 16:48:48 UTC by Erick Gilkey
Location	33.598393078398, -86.7590851709247

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	11:35
Facility Name	Genesis Tire and Service Incorporated
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9625017647
Facility Street Address	2282 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2056021885
Facility Contact Name	Wes Fuller
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Automatic Transmission Fluid
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	275
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	2

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Plastic drum
What size container is the new transmission fluid being stored in (gallons)?	5
How many containers?	8
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	2-55, metal, hydraulic fluid, inside 1-250, Tire bead lubricant, plastic, inside

Photos



Google Map image of facility	N/A
------------------------------	-----

Hughes Printing LLC, 2018-07-17

Created	2018-07-17 18:46:14 UTC by Erick Gilkey
Updated	2018-07-17 18:47:16 UTC by Erick Gilkey
Location	33.584570646421, -86.7708295583725
Inspector	Erick Gilkey
Date	2018-07-17
Time	13:46
Facility Type	Printer
Facility Name	Hughes Printing LLC
Facility Street Address	1714 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	Out of business

Action Tire Co, 2018-07-26

Created	2018-07-26 18:01:04 UTC by Erick Gilkey
Updated	2018-07-26 18:02:46 UTC by Erick Gilkey
Location	33.5851326134174, -86.775392331183
Inspector	Erick Gilkey
Date	2018-07-26
Time	13:01
Facility Type	Tire store
Facility Name	Action Tire Co
Facility Street Address	2675 Commerce Cir Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored on site

ME Miller Construction , 2018-07-24

Created	2018-07-24 17:22:08 UTC by Erick Gilkey
Updated	2018-07-24 17:23:10 UTC by Erick Gilkey
Location	33.5776513373337, -86.7697965726256
Inspector	Erick Gilkey
Date	2018-07-24
Time	12:22
Facility Type	Unknown
Facility Name	ME Miller Construction
Facility Street Address	1244 Waverly St Tarrant, AL 35217
Reason For Not Inspecting	Residential address, unsure of what kind of business, no obvious chemicals used/stored

Christo Victor, 2018-08-03

Created	2018-08-03 19:51:18 UTC by Erick Gilkey
Updated	2018-08-03 19:52:13 UTC by Erick Gilkey
Location	33.5754602374941, -86.7726413905621
Inspector	Erick Gilkey
Date	2018-08-03
Time	14:51
Facility Type	Contractor
Facility Name	Christo Victor
Facility Street Address	1353 Park Ave Tarrant, AL 35217
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Nolan Building Properties, 2018-07-24

Created	2018-07-24 17:43:11 UTC by Erick Gilkey
Updated	2018-07-24 17:44:23 UTC by Erick Gilkey
Location	33.5702090811489, -86.7810598388314
Inspector	Erick Gilkey
Date	2018-07-24
Time	12:43
Facility Type	Unknown
Facility Name	Nolan Building Properties
Facility Street Address	624 Jefferson Blvd Tarrant, AL 35217
Reason For Not Inspecting	Residential address, unsure of what kind of business, no obvious chemicals used/stored

Green and Dry Tree Service, 2018-08-03

Created	2018-08-03 19:59:31 UTC by Erick Gilkey
Updated	2018-08-03 20:01:03 UTC by Erick Gilkey
Location	33.5739140875499, -86.7609224840999
Inspector	Erick Gilkey
Date	2018-08-03
Time	14:59
Facility Type	Tree Service
Facility Name	Green and Dry Tree Service
Facility Street Address	1835 Ligon Ave Tarrant, AL 35217
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Tarrant Marathon , 2018-07-19

Created	2018-07-19 16:15:21 UTC by Erick Gilkey
Updated	2018-07-19 16:32:33 UTC by Erick Gilkey
Location	33.5860964956027, -86.7705516144633

General Info

Inspector	Erick Gilkey
Date	2018-07-19
Time	11:15
Facility Name	Tarrant Marathon
Facility Type	Gas Station
Facility Street Address	1800 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058497760
Facility Contact Name	Jawee Ali
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	1-1753 gallons, 1-1817 gallons, 1-5133 gallons
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Tarrant Car Wash, 2018-07-13

Created	2018-07-13 20:46:43 UTC by Erick Gilkey
Updated	2018-07-13 20:59:08 UTC by Erick Gilkey
Location	33.5815152359708, -86.7756632342935

General Info

Inspector	Erick Gilkey
Date	2018-07-13
Time	15:46
Facility Name	Tarrant Car Wash
Facility Type	Car Wash
Municipal Business License #	9625014625
Facility Street Address	1224 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058495668
Facility Contact Name	Chung kao
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	By mop, Cat litter
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	No
Used water drains to where?	Sewer
What fluids are being used/stored?	Soap, Degreaser, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
--------------------------------------	--------

What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	30
How many containers?	2

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	30
How many containers?	2

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	30
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Jordan Machine Company, 2018-07-18

Created	2018-07-18 18:08:15 UTC by Erick Gilkey
Updated	2018-07-18 18:31:56 UTC by Erick Gilkey
Location	33.5967440098277, -86.773867495358

General Info

Inspector	Erick Gilkey
Date	2018-07-18
Time	13:08
Facility Name	Jordan Machine Company
Facility Type	Mechanic
Municipal Business License #	9625016677
Facility Street Address	355 Clow Ln Tarrant, AL 35217
Facility Phone Number	2058495050
Facility Contact Name	Matt Slay
Facility Contact Title	President
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s), Garbage can(s), Roll off dumpsters for scrap metal shavings
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions, Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted, Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	4

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	300

How many containers?

1

MISCELLANEOUS

Overall cleanliness

Clean (vey little un-cleaned spills and/or un-cleaned surfaces)


Are there any other potentially hazardous items not already addressed?

Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity

2-55 gallon metal drums of coolant/inside, 100 gallons of solvent cleaner used in machine, 30 gallons of solvent cleaner in machine, sixteen CNC machines filled with cutting coolant (various amounts)

Photos



Google Map image of facility

N/A

Joys Automotive Repair, 2018-07-26

Created	2018-07-26 20:10:28 UTC by Erick Gilkey
Updated	2018-07-26 20:11:24 UTC by Erick Gilkey
Location	33.5832760415256, -86.7730500921607
Inspector	Erick Gilkey
Date	2018-07-26
Time	15:10
Facility Type	Mechanic
Facility Name	Joys Automotive Repair
Facility Street Address	1514 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	Out of business

Iron Unlimited Inc, 2018-07-16

Created	2018-07-16 19:31:52 UTC by Erick Gilkey
Updated	2018-07-16 19:55:07 UTC by Erick Gilkey
Location	33.5812596592091, -86.7780621349812
Inspector	Erick Gilkey
Date	2018-07-16
Time	14:31
Facility Type	Iron works
Facility Name	Iron Unlimited Inc
Facility Street Address	1100 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored on site over 5 gallons

Cowin Equipment Co Inc, 2018-08-01

Created	2018-08-01 17:44:51 UTC by Erick Gilkey
Updated	2018-08-01 18:08:46 UTC by Erick Gilkey
Location	33.5931044974673, -86.7636103928089

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	12:44
Facility Name	Cowin Equipment Co Inc
Facility Type	Mechanic
Municipal Business License #	9625016750
Facility Street Address	2238 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2052962369
Facility Contact Name	Joe DeHrado
Facility Contact Title	Product Support Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions, Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil, New oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	225
How many containers?	5
Is there a berm around it?	Yes
Is it covered?	No

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum

What size container is the used oil being stored in (gallons)?	225
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Diesel fluid, in ground outside, unsure of size. 230-5gal oil inside in plastic buckets
Google Map image of facility	N/A

Needle Mark, 2018-07-24

Created	2018-07-24 17:13:40 UTC by Erick Gilkey
Updated	2018-07-24 17:19:27 UTC by Erick Gilkey
Location	33.58074403428, -86.7739613726735
Inspector	Erick Gilkey
Date	2018-07-24
Time	12:13
Facility Type	Unknown
Facility Name	Needle Mark
Facility Street Address	1124 Thomason Ave Tarrant, AL 35217
Reason For Not Inspecting	Residential address, unsure of what kind of business, no obvious chemicals used/stored

Clements , 2018-07-13

Created	2018-07-13 19:31:07 UTC by Erick Gilkey
Updated	2018-07-13 19:47:39 UTC by Erick Gilkey
Location	33.5702199759948, -86.7845990136266

General Info

Inspector	Erick Gilkey
Date	2018-07-13
Time	14:31
Facility Name	Clements
Facility Type	Mechanic
Municipal Business License #	9625017227
Facility Street Address	520 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058413789
Facility Contact Name	Larry Clements
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No


MISCELLANEOUS

Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Multiple spills of various fluids throughout

Are there any other potentially hazardous items not already addressed? No

General comments/items of concern not mentioned Business is a salvage yard

Photos



Google Map image of facility

N/A

Dunn Construction Co, 2018-08-13

Created	2018-08-13 16:50:34 UTC by Erick Gilkey
Updated	2018-09-27 19:35:23 UTC by Erick Gilkey
Location	33.58787368625, -86.7651020362973

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-13
Time	11:50
Facility Name	Dunn Construction Co
Does this facility have an NPDES permit?	Yes
Facility Type	Mine
Municipal Business License #	9625016687
NPDES Permit	ALG0023892
Facility Street Address	2201 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	208497451
Facility Contact Name	Alan Lawson
Facility Contact Title	Plant Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Air Solutions Heating & Air Inc, 2018-07-31

Created	2018-07-31 15:30:55 UTC by Erick Gilkey
Updated	2018-07-31 15:32:06 UTC by Erick Gilkey
Location	33.6132136253123, -86.7806198454445
Inspector	Erick Gilkey
Date	2018-07-31
Time	10:30
Facility Type	HVAC
Facility Name	Air Solutions Heating & Air Inc
Facility Street Address	406 Black Creek Rd Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored onsite

Fitzgerald Peterbilt of Birmingham , 2018-08-03

Created	2018-08-03 16:13:34 UTC by Erick Gilkey
Updated	2018-08-03 16:53:00 UTC by Erick Gilkey
Location	33.585163057847, -86.7742668092251

General Info

Inspector	Erick Gilkey
Date	2018-08-03
Time	11:13
Facility Name	Fitzgerald Peterbilt of Birmingham
Facility Type	Mechanic
Municipal Business License #	9625017656
Facility Street Address	2535 Commerce Cir Tarrant, AL 35217
Facility Phone Number	2053708300
Facility Contact Name	Michael Keener
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	5
How many containers?	55

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1-500, 1-250, 1-700

How many containers?

3

MISCELLANEOUS


Overall cleanliness

Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Crown Castle Gt Co LLC, 2018-07-26

Created	2018-07-26 19:49:17 UTC by Erick Gilkey
Updated	2018-07-26 19:50:10 UTC by Erick Gilkey
Location	33.5905722200617, -86.7871383950114
Inspector	Erick Gilkey
Date	2018-07-26
Time	14:49
Facility Type	Radio tower
Facility Name	Crown Castle Gt Co LLC
Facility Street Address	700 Sky Line Dr Tarrant, AL 35217
Reason For Not Inspecting	Radio tower

Drummond Company Inc/ABC Coke, 2018-09-21

Created	2018-09-21 16:50:07 UTC by Erick Gilkey
Updated	2018-09-21 17:14:09 UTC by Erick Gilkey
Location	33.5814188710512, -86.780041269958

General Info

Inspector	Erick Gilkey
Date	2018-09-21
Time	11:50
Facility Name	Drummond Company Inc/ABC Coke
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Other
NPDES Permit	AL0003417
Facility Street Address	900 Huntsville Ave Tarrant, AL 35217
Facility Phone Number	2058491338
Facility Contact Name	William Osborne
Facility Contact Title	Environmental Coordinator

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Tarrant Appliance Wholesalers, 2018-07-18

Created	2018-07-18 17:58:22 UTC by Erick Gilkey
Updated	2018-07-18 17:59:37 UTC by Erick Gilkey
Location	33.5960022677735, -86.7699162662029
Inspector	Erick Gilkey
Date	2018-07-18
Time	12:58
Facility Type	Retail store
Facility Name	Tarrant Appliance Wholesalers
Facility Street Address	529 Springdale Rd Tarrant, AL 35217
Reason For Not Inspecting	No chemicals in containers over five gallons in use

DND Auto, 2018-09-24

Created	2018-09-24 20:08:25 UTC by Erick Gilkey
Updated	2018-09-25 20:13:54 UTC by Erick Gilkey
Location	33.5740018012236, -86.7823647335172

General Info

Inspector	Erick Gilkey
Date	2018-09-24
Time	15:08
Facility Name	DND Auto
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	737 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2053061770
Facility Contact Name	Able Gomez
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	8
Is there a berm around it?	No
Is it covered?	No
Comments	8-250 gallon outside, though majority were empty

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly
Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Garbage/little throughout

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Springaire Cleaners, 2018-08-01

Created	2018-08-01 15:43:01 UTC by Erick Gilkey
Updated	2018-08-01 15:44:41 UTC by Erick Gilkey
Location	33.5831140399772, -86.773486956954
Inspector	Erick Gilkey
Date	2018-08-01
Time	10:43
Facility Type	Dry Cleaners
Facility Name	Springaire Cleaners
Facility Street Address	1501 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No chemicals stored/used on site

National Mill Maintenance, LLC, 2018-07-16

Created	2018-07-16 20:28:11 UTC by Erick Gilkey
Updated	2018-07-17 14:40:16 UTC by Erick Gilkey
Location	33.5816655091669, -86.7741672322154

General Info

Inspector	Erick Gilkey
Date	2018-07-16
Time	15:28
Facility Name	National Mill Maintenance, LLC
Facility Type	Mechanic
Municipal Business License #	9625016673
Facility Street Address	1315 Pinson St Tarrant, AL 35217
Facility Phone Number	2057835114
Facility Contact Name	Paul Debalsi
Facility Contact Title	President
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Written instructions, Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted


Maintenance Center

What fluids are being used/stored?	Hydraulic Fluid
------------------------------------	-----------------

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	200 gallons hydraulic fluid stored in metal basin inside

Photos



Google Map image of facility

N/A

Dixie Drilling and Apache Construction Corp, 2018-08-01

Created	2018-08-01 16:39:15 UTC by Erick Gilkey
Updated	2018-08-01 16:54:51 UTC by Erick Gilkey
Location	33.5875969016173, -86.7687075957656

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	11:39
Facility Name	Dixie Drilling and Apache Construction Corp
Facility Type	Mechanic
Municipal Business License #	9625016272
Facility Street Address	1940 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058495411
Facility Contact Name	Clipper Crawford
Facility Contact Title	Operation Supervisor
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	5
How many containers?	45

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1-500, 1-200

How many containers?

2

MISCELLANEOUS

Overall cleanliness

Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed?

No

Photos



Google Map image of facility

N/A

Trussville

H&E equipment inc , 2018-08-24

Created	2018-08-24 15:36:19 EDT by Scott Hofer
Updated	2018-08-24 15:43:22 EDT by Scott Hofer
Location	33.6452169709407, -86.567430586166

General Info

Inspector	Scott Hofer
Date	2018-08-24
Time	14:36
Facility Name	H&E equipment inc
Does this facility have an NPDES permit?	Yes
Facility Type	Crane sales service and manufacturing
Municipal Business License #	08163
NPDES Permit	Alg160116
Facility Street Address	4871 Commerce Dr Trussville, AL 35173
Facility Phone Number	2056611323
Facility Contact Name	Neil Brown
Facility Contact Title	Service Administrative Assistant

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Complete Cleaners, 2018-09-18

Created	2018-09-18 18:35:33 UTC by Erick Gilkey
Updated	2018-09-18 18:36:50 UTC by Erick Gilkey
Location	33.666690130506, -86.5403114631772
Inspector	Erick Gilkey
Date	2018-09-18
Time	13:35
Facility Type	Dry Cleaners
Facility Name	Complete Cleaners
Facility Street Address	8323 Gadsden Hwy Trussville, AL 35173
Reason For Not Inspecting	No dry cleaning performed on site

Brown Automotive & Fleet, 2018-09-19

Created	2018-09-19 18:41:34 UTC by Erick Gilkey
Updated	2018-09-19 18:42:14 UTC by Erick Gilkey
Location	33.618082559185, -86.6094950214028
Inspector	Erick Gilkey
Date	2018-09-19
Time	13:41
Facility Type	Mechanic
Facility Name	Brown Automotive & Fleet
Facility Street Address	84 Cedar Ln Trussville, AL 35173
Reason For Not Inspecting	Closed/out of business

Fontaine International , 2018-09-18

Created	2018-09-18 18:50:35 UTC by Erick Gilkey
Updated	2018-09-18 18:51:17 UTC by Erick Gilkey
Location	33.6391919629374, -86.5678540617228
Inspector	Erick Gilkey
Date	2018-09-18
Time	13:50
Facility Type	Mechanic
Facility Name	Fontaine International
Facility Street Address	7574 Commerce Cir Trussville, AL 35173
Reason For Not Inspecting	No chemicals being stored/used over 5 gallons

A+ Tire & Auto Repair, 2018-09-19

Created	2018-09-19 18:40:21 UTC by Erick Gilkey
Updated	2018-09-19 18:41:32 UTC by Erick Gilkey
Location	33.6180236479569, -86.6094658523798
Inspector	Erick Gilkey
Date	2018-09-19
Time	13:40
Facility Type	Mechanic
Facility Name	A+ Tire & Auto Repair
Facility Street Address	84 Cedar Ln Trussville, AL 35173
Reason For Not Inspecting	Closed/out of business

Marksman Professional Pest, 2018-09-18

Created	2018-09-18 17:39:52 UTC by Erick Gilkey
Updated	2018-09-18 17:40:53 UTC by Erick Gilkey
Location	33.6161299867201, -86.6179540059229
Inspector	Erick Gilkey
Date	2018-09-18
Time	12:39
Facility Type	Pest Control
Facility Name	Marksman Professional Pest
Facility Street Address	459 Main St Trussville, AL 35173
Reason For Not Inspecting	Unable to locate business, multiple businesses at address given, though none were Marksman. Unable to locate address online either.

Dead on Garage, 2018-09-18

Created	2018-09-18 17:26:13 UTC by Erick Gilkey
Updated	2018-09-18 17:27:04 UTC by Erick Gilkey
Location	33.6182581758296, -86.6137211769819
Inspector	Erick Gilkey
Date	2018-09-18
Time	12:26
Facility Type	Mechanic
Facility Name	Dead on Garage
Facility Street Address	404 Main St Trussville, AL 35173
Reason For Not Inspecting	Closed/out of business

Express oil change LLC distribution center, 2018-08-24

Created	2018-08-24 14:08:10 EDT by Scott Hofer
Updated	2018-08-24 14:12:30 EDT by Scott Hofer
Location	33.653844545717, -86.5570988835706

General Info

Inspector	Scott Hofer
Date	2018-08-24
Time	13:08
Facility Name	Express oil change LLC distribution center
Does this facility have an NPDES permit?	Yes
Facility Type	Distribution center
NPDES Permit	Alg340357
Facility Street Address	7809 Gadsden Hwy Trussville, AL 35173
Facility Phone Number	2056616654
Facility Contact Name	Rick Owen
Facility Contact Title	Vice President of purchasing and distribution

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Pivotal LNG Inc., 2018-08-27

Created	2018-08-27 16:01:29 EDT by Scott Hofer
Updated	2018-08-30 13:24:25 EDT by Scott Hofer
Location	33.5866564547302, -86.5763585625576

General Info

Inspector	Scott Hofer
Date	2018-08-27
Time	15:01
Facility Name	Pivotal LNG Inc.
Does this facility have an NPDES permit?	No
Facility Type	Gas storage
Municipal Business License #	20794
Facility Street Address	7389 Gasline Rd Trussville, AL 35173
Facility Phone Number	6618140
Facility Contact Name	Michael cornegay
Facility Contact Title	Plant manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Video instructions, Written instructions
If trained, how often?	Upon hire, Annually
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Gas detection and spill kit
If a LARGE spill occurs	The fire department is contacted, The police department is contacted, They are the experts. They would respond

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Natural gas- 4.9 million gal 2-55 gallons of oil - on spill pallets
Google Map image of facility	N/A

Radical Customize, 2018-09-18

Created	2018-09-18 17:18:43 UTC by Erick Gilkey
Updated	2018-09-18 17:26:10 UTC by Erick Gilkey
Location	33.618324066879, -86.6137701272964
Inspector	Erick Gilkey
Date	2018-09-18
Time	12:18
Facility Type	Mechanic
Facility Name	Radical Customize
Facility Street Address	404 Main St Trussville, AL 35173
Reason For Not Inspecting	No chemicals being stored/used over 5 gallons

Plaza Downs Chevron, 2018-09-18

Created	2018-09-18 16:38:40 UTC by Erick Gilkey
Updated	2018-09-18 16:51:56 UTC by Erick Gilkey
Location	33.5957802466034, -86.645480543375

General Info

Inspector	Erick Gilkey
Date	2018-09-18
Time	11:38
Facility Name	Plaza Downs Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	01103
Facility Street Address	1405 Gadsden Hwy Trussville, AL 35235
Facility Phone Number	2056557878
Facility Contact Name	Bill Eason
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Written instructions
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted


Gas Station

How many fuel tanks and their size?	4-12000
Is there a car wash on-site?	Not used

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Amerex corporation, 2018-08-24

Created	2018-08-24 15:10:00 EDT by Scott Hofer
Updated	2018-08-24 15:29:03 EDT by Scott Hofer
Location	33.6505365257036, -86.5628432755389

General Info

Inspector	Scott Hofer
Date	2018-08-24
Time	14:10
Facility Name	Amerex corporation
Does this facility have an NPDES permit?	Yes
Facility Type	Other
Municipal Business License #	01655
NPDES Permit	Alg1200187
Facility Street Address	7595 Gadsden Hwy Trussville, AL 35173
Facility Phone Number	2056553271
Facility Contact Name	Chuck Friend
Facility Contact Title	Environmental manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

McPherson oil, 2018-08-24

Created	2018-08-24 14:32:58 EDT by Scott Hofer
Updated	2018-08-24 14:56:58 EDT by Scott Hofer
Location	33.6488325017355, -86.5622257845792

General Info

Inspector	Scott Hofer
Date	2018-08-24
Time	13:32
Facility Name	McPherson oil
Does this facility have an NPDES permit?	Yes
Facility Type	Distribution center
Municipal Business License #	08658
NPDES Permit	Alg340339
Facility Street Address	5051 Cardinal St Trussville, AL 35173
Facility Phone Number	2052887282
Facility Contact Name	David Tidwell
Facility Contact Title	Environmental and safety compliance officer

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Robinson Fans & Service , 2018-09-18

Created	2018-09-18 18:45:29 UTC by Erick Gilkey
Updated	2018-09-18 18:46:16 UTC by Erick Gilkey
Location	33.6437048448366, -86.565901748836
Inspector	Erick Gilkey
Date	2018-09-18
Time	13:45
Facility Type	Mechanic
Facility Name	Robinson Fans & Service
Facility Street Address	4801 Commerce Dr Trussville, AL 35173
Reason For Not Inspecting	No chemicals being stored/used over 5 gallons

Chevron, 2018-09-18

Created	2018-09-18 16:16:28 UTC by Erick Gilkey
Updated	2018-09-18 16:17:49 UTC by Erick Gilkey
Location	33.5984670832762, -86.6442443802953
Inspector	Erick Gilkey
Date	2018-09-18
Time	11:16
Facility Type	Gas Station
Facility Name	Chevron
Facility Street Address	3211 Edwards Lake Pkwy Trussville, AL 35235
Reason For Not Inspecting	Closed/out of business

Liberty/Haney Automotive , 2018-09-18

Created	2018-09-18 17:50:02 UTC by Erick Gilkey
Updated	2018-09-18 17:51:52 UTC by Erick Gilkey
Location	33.6179172726043, -86.6085368022323
Inspector	Erick Gilkey
Date	2018-09-18
Time	12:50
Facility Type	Mechanic
Facility Name	Liberty/Haney Automotive
Facility Street Address	114 S Chalkville Rd Trussville, AL 35173
Reason For Not Inspecting	Closed/out of business

Southeast Crane & Hoist, 2018-09-18

Created	2018-09-18 18:10:57 UTC by Erick Gilkey
Updated	2018-09-18 18:11:46 UTC by Erick Gilkey
Location	33.6435996176639, -86.5733777359128
Inspector	Erick Gilkey
Date	2018-09-18
Time	13:10
Facility Type	Mechanic
Facility Name	Southeast Crane & Hoist
Facility Street Address	7355 Gadsden Hwy Trussville, AL 35173
Reason For Not Inspecting	Closed/out of business

Vestavia Hills

Shell, 2018-08-21

Created	2018-08-21 17:57:39 UTC by Erick Gilkey
Updated	2018-08-21 18:12:08 UTC by Erick Gilkey
Location	33.4106533836629, -86.7625814303756

General Info

Inspector	Erick Gilkey
Date	2018-08-21
Time	12:57
Facility Name	Shell
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	93333040235
Facility Street Address	2423 Acton Rd Vestavia Hills, AL 35243
Facility Phone Number	2053267532
Facility Contact Name	Sharmin Hasham
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Unknown
What fluids are being used/stored?	Soap

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	350
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
--------------------------------------	--------


Gas Station

How many fuel tanks and their size?	2-15000, 1-10000
Is there a car wash on-site?	Yes

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Watkins Cleaners, 2018-08-17

Created	2018-08-17 18:39:02 UTC by Erick Gilkey
Updated	2018-08-17 18:46:01 UTC by Erick Gilkey
Location	33.4156161564142, -86.8048074341523

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	13:39
Facility Name	Watkins Cleaners
Does this facility have an NPDES permit?	No
Facility Type	Dry Cleaners
Municipal Business License #	9333044319
Facility Street Address	1486 McGuire Rd Vestavia Hills, AL 35216
Facility Phone Number	2058230874
Facility Contact Name	Danny Watkins
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Rags, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Hydrocarbon
-------------------------------	-------------

Chemicals

Is the main dry cleaning chemical stored on premises?	Yes
Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Inside machines
What size container is the chemical being stored in (gallons)?	1 110-gal machine, 1 80-gal machine
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)

How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Liberty Cleaners, 2018-08-21

Created	2018-08-21 19:01:49 UTC by Erick Gilkey
Updated	2018-08-21 19:10:07 UTC by Erick Gilkey
Location	33.479841343752, -86.7019705474377

General Info

Inspector	Erick Gilkey
Date	2018-08-21
Time	14:01
Facility Name	Liberty Cleaners
Does this facility have an NPDES permit?	No
Facility Type	Dry Cleaners
Municipal Business License #	9333041662
Facility Street Address	8000 Liberty Pkwy Vestavia Hills, AL 35242
Facility Phone Number	2059035645
Facility Contact Name	Steve Kim
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Other
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Hydrocarbon
-------------------------------	-------------

Chemicals

Is the main dry cleaning chemical stored on premises?	No
Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Not Applicable
What size container is the chemical being stored in (gallons)?	60 lbs
How many containers?	0

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)

How often is it/are they emptied?

Weekly

Overall cleanliness

Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

AAMCO Transmissions , 2018-08-17

Created	2018-08-17 16:13:47 UTC by Erick Gilkey
Updated	2018-08-17 17:35:36 UTC by Erick Gilkey
Location	33.4192108829583, -86.8014252072068

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	11:13
Facility Name	AAMCO Transmissions
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9333041694
Facility Street Address	1452 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058221180
Facility Contact Name	Robert Bewley
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Automatic Transmission Fluid, New antifreeze
------------------------------------	--

New Antifreeze

Where is the new antifreeze being stored?	Inside
What kind of container is the new antifreeze being stored in?	Metal drum
What size container is the new antifreeze being stored in (gallons)?	55
How many containers?	1

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drums and large tanks
What size container is the new transmission fluid being stored in (gallons)?	55-gal drums and 200-gal tanks
How many containers?	4
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	1 200-gal tank of used motor oil stored inside

Photos



Google Map image of facility

N/A

Hollywood Pools, 2018-08-17

Created	2018-08-17 16:51:16 UTC by Erick Gilkey
Updated	2018-08-17 16:53:22 UTC by Erick Gilkey
Location	33.419502989385, -86.7995265126228
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	11:51
Facility Type	Retail
Facility Name	Hollywood Pools
Facility Street Address	1441 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

Vestavia Hills Automotive, 2018-08-17

Created	2018-08-17 18:22:37 UTC by Erick Gilkey
Updated	2018-08-17 18:23:12 UTC by Erick Gilkey
Location	33.4176902809569, -86.8018651089867
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	13:22
Facility Type	Automotive Dealer
Facility Name	Vestavia Hills Automotive
Facility Street Address	1467 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No potentially hazardous fluids stored/used over 5-gal

Express Oil, 2018-08-23

Created	2018-08-23 16:27:28 UTC by Erick Gilkey
Updated	2018-08-23 17:01:39 UTC by Erick Gilkey
Location	33.4283561702618, -86.7726725712419

General Info

Inspector	Erick Gilkey
Date	2018-08-23
Time	11:27
Facility Name	Express Oil
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9333038745
Facility Street Address	2566 Rocky Ridge Rd Vestavia Hills, AL 35243
Facility Phone Number	2058238175
Facility Contact Name	Mike Richards
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	By mop, Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Automatic Transmission Fluid
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Other
What size container is the new oil being stored in (gallons)?	Other
Comments	5-55 gal plastic drums, 2-1000 metal, 1-300 metal, 2-600 metal

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1000
How many containers?	2

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drum
What size container is the new transmission fluid being stored in (gallons)?	1000
How many containers?	1
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Armstrong Body, 2018-08-23

Created	2018-08-23 16:02:53 UTC by Erick Gilkey
Updated	2018-08-23 16:03:27 UTC by Erick Gilkey
Location	33.4563933978749, -86.737406887114
Inspector	Erick Gilkey
Date	2018-08-23
Time	11:02
Facility Type	Auto Body Shop
Facility Name	Armstrong Body
Facility Street Address	3029 Pump House Rd Vestavia Hills, AL 35243
Reason For Not Inspecting	Closed/out of business

Texaco, 2018-08-20

Created	2018-08-20 17:24:52 UTC by Erick Gilkey
Updated	2018-08-20 17:32:41 UTC by Erick Gilkey
Location	33.4561892015572, -86.7368000365418

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	12:24
Facility Name	Texaco
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333042523
Facility Street Address	3101 Cahaba Heights Rd Vestavia Hills, AL 35243
Facility Phone Number	2054016403
Facility Contact Name	Abid Ghani
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	1-16000-gal 1-8000-gal
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Goodyear Tires, 2018-08-15

Created	2018-08-15 19:02:49 UTC by Erick Gilkey
Updated	2018-08-15 19:27:47 UTC by Erick Gilkey
Location	33.4455666118272, -86.7902286350727

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	14:02
Facility Name	Goodyear Tires
Does this facility have an NPDES permit?	Yes
Facility Type	Mechanic
Municipal Business License #	9333043535
Facility Street Address	721 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058228262
Facility Contact Name	Rick Hayes
Facility Contact Title	General Manager

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	6-55, 1-500,
How many containers?	7

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

U-Haul , 2018-08-16

Created	2018-08-16 17:00:16 UTC by Erick Gilkey
Updated	2018-08-16 17:34:45 UTC by Erick Gilkey
Location	33.4391971346956, -86.7902759090066

General Info

Inspector	Erick Gilkey
Date	2018-08-16
Time	12:00
Facility Name	U-Haul
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	1024 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058236946
Facility Contact Name	Mike Taylor
Facility Contact Title	Shop Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions, Written instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Automatic Transmission Fluid, Used oil, New antifreeze
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	250
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

New Antifreeze

Where is the new antifreeze being stored?	Inside
---	--------

What kind of container is the new antifreeze being stored in?	Metal drum
What size container is the new antifreeze being stored in (gallons)?	55
How many containers?	3

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drum
What size container is the new transmission fluid being stored in (gallons)?	250
How many containers?	1
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	1-100, used oil, used for heater, inside 1-300, mixed fluids(oil, antifreeze), metal, inside 2-55, antifreeze, metal, outside, no berm, uncovered

Photos



Google Map image of facility	N/A
------------------------------	-----

Hollywood Imports, 2018-08-17

Created	2018-08-17 18:10:39 UTC by Erick Gilkey
Updated	2018-08-17 18:11:11 UTC by Erick Gilkey
Location	33.4172751408864, -86.8032179027796
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	13:10
Facility Type	Automotive Dealer
Facility Name	Hollywood Imports
Facility Street Address	1472 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	Closed

Champion Cleaners , 2018-08-23

Created	2018-08-23 17:02:48 UTC by Erick Gilkey
Updated	2018-08-23 17:10:49 UTC by Erick Gilkey
Location	33.4276969279015, -86.7732321470976

General Info

Inspector	Erick Gilkey
Date	2018-08-23
Time	12:02
Facility Name	Champion Cleaners
Does this facility have an NPDES permit?	No
Facility Type	Dry Cleaners
Municipal Business License #	9333037654
Facility Street Address	2548 Rocky Ridge Rd Vestavia Hills, AL 35243
Facility Phone Number	2052835372
Facility Contact Name	Terry Hall
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Hydrocarbon
-------------------------------	-------------

Chemicals


Is the main dry cleaning chemical stored on premises?	Yes
Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	In machine only
What size container is the chemical being stored in (gallons)?	180
How many containers?	0

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)

How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

RAM Environmental , 2018-08-20

Created	2018-08-20 19:48:53 UTC by Erick Gilkey
Updated	2018-08-20 19:49:38 UTC by Erick Gilkey
Location	33.4541800281072, -86.7302713576236
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	14:48
Facility Type	Retail
Facility Name	RAM Environmental
Facility Street Address	3216 Cahaba Heights Rd Vestavia Hills, AL 35243
Reason For Not Inspecting	No potentially hazardous fluids stored/used over 5-gal

Mister Car Wash , 2018-08-15

Created	2018-08-15 18:05:59 UTC by Erick Gilkey
Updated	2018-08-15 18:21:12 UTC by Erick Gilkey
Location	33.4485784308171, -86.7888818308711

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	13:05
Facility Name	Mister Car Wash
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	9333043904
Facility Street Address	611 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2052839254
Facility Contact Name	Aaron Williams
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	The fire department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Unknown
What fluids are being used/stored?	35 various soaps, foams, shines, etc in 15 gal plastic drums and 4 thirty gallons of tire shine

Degreaser

Where is the degreaser being stored?	Inside
--------------------------------------	--------

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Andy's Creekside Nursery, 2018-08-22

Created	2018-08-22 16:01:59 EDT by Scott Hofer
Updated	2018-08-22 16:02:54 EDT by Scott Hofer
Location	33.4254408686485, -86.7751964130381
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-22
Time	15:01
Facility Type	Retail
Facility Name	Andy's Creekside Nursery
Facility Street Address	3351 Morgan Rd Vestavia Hills, AL 35216
Reason For Not Inspecting	No hazardous stored above 5-gal

Carl's Care Clinic, 2018-08-20

Created	2018-08-20 18:01:38 UTC by Erick Gilkey
Updated	2018-08-20 18:15:58 UTC by Erick Gilkey
Location	33.4542375388072, -86.7271107057589

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	13:01
Facility Name	Carl's Care Clinic
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9333041207
Facility Street Address	3266 Cahaba Heights Rd Vestavia Hills, AL 35243
Facility Phone Number	2052159788
Facility Contact Name	Jody Franklin
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Rags, By mop, Degreaser
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Hydraulic fluid
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal tanks and drums
Comments	2-55-gal drums 3-300-gal tanks

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic tank
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Mac and Sons, 2018-08-22

Created	2018-08-22 15:15:22 EDT by Scott Hofer
Updated	2018-08-22 15:24:02 EDT by Scott Hofer
Location	33.4605313087733, -86.7313741194995

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-22
Time	14:15
Facility Name	Mac and Sons
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	93333042152
Facility Street Address	3160 Green Valley Dr Vestavia Hills, AL 35243
Facility Phone Number	2055185858
Facility Contact Name	Mac Dabrowski
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic tank
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Shell, 2018-08-23

Created	2018-08-23 18:11:37 UTC by Erick Gilkey
Updated	2018-08-23 18:25:54 UTC by Erick Gilkey
Location	33.4233034365838, -86.7720445990562

General Info

Inspector	Erick Gilkey
Date	2018-08-23
Time	13:11
Facility Name	Shell
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333041956
Facility Street Address	2485 Rocky Ridge Rd Vestavia Hills, AL 35243
Facility Phone Number	2055185440
Facility Contact Name	Jasmine Kashawani
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	1-20000, 1-10000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Plaza Cleaners , 2018-08-22

Created	2018-08-22 14:39:01 EDT by Scott Hofer
Updated	2018-08-22 14:39:45 EDT by Scott Hofer
Location	33.4623368240457, -86.7309245474653
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-22
Time	13:39
Facility Type	Dry Cleaners
Facility Name	Plaza Cleaners
Facility Street Address	3937 Crosshaven Pl Vestavia Hills, AL 35243
Reason For Not Inspecting	No hazardous stored above 5-gal

Pep Boys, 2018-08-17

Created	2018-08-17 17:37:30 UTC by Erick Gilkey
Updated	2018-08-17 17:55:03 UTC by Erick Gilkey
Location	33.4191461118963, -86.8008818451597

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	12:37
Facility Name	Pep Boys
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	1453 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058231453
Facility Contact Name	George Adair
Facility Contact Title	Service Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	Other
Comments	55 6-gal new oil, 3 30-gal used oil tanks, 1 275-gal new oil tank, 1 275-gal used oil tank

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	5

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Lawn Mower Shop, 2018-09-10

Created	2018-09-10 17:41:08 UTC by Erick Gilkey
Updated	2018-09-10 17:42:51 UTC by Erick Gilkey
Location	33.4537131588826, -86.7312286035594
Inspector	Erick Gilkey
Date	2018-09-10
Time	12:41
Facility Type	Mechanic
Facility Name	Lawn Mower Shop
Facility Street Address	3274 Summit Blvd Vestavia Hills, AL 35243
Reason For Not Inspecting	Cannot find shop/its address. Believe it to be out of business.

United Towing, 2018-09-06

Created	2018-09-06 17:52:25 UTC by Erick Gilkey
Updated	2018-09-06 17:53:35 UTC by Erick Gilkey
Location	33.4544120988853, -86.7271957173944
Inspector	Erick Gilkey
Date	2018-09-06
Time	12:52
Facility Type	Mechanic
Facility Name	United Towing
Facility Street Address	3268 Cahaba Heights Rd Vestavia Hills, AL 35243
Reason For Not Inspecting	Duplicate address, is also Carl's Car Clinic

Sunoco/Vestavia Tire, 2018-08-17

Created	2018-08-17 16:22:42 UTC by Erick Gilkey
Updated	2018-08-17 16:45:58 UTC by Erick Gilkey
Location	33.418860641194, -86.8017522359033

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	11:22
Facility Name	Sunoco/Vestavia Tire
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Facility Street Address	1456 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058231213
Facility Contact Name	Christina Jones
Facility Contact Title	Employee

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	1 20,000-gal and 1 10,000-gal
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	1 300-gal used oil tank 1 500-gal new oil tank 1 250-gal new oil tank 1 55-gal kerosene (All outside and covered)

Photos



Google Map image of facility

N/A

Chevron, 2018-08-20

Created	2018-08-20 18:20:28 UTC by Erick Gilkey
Updated	2018-08-20 18:30:27 UTC by Erick Gilkey
Location	33.4564619474634, -86.7370646265348

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	13:20
Facility Name	Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333042554
Facility Street Address	3100 Cahaba Heights Rd Vestavia Hills, AL 35243
Facility Phone Number	2059022929
Facility Contact Name	Lawrence Angelo
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	15
How many containers?	4

Degreaser

Where is the degreaser being stored?	Inside
--------------------------------------	--------

Gas Station

How many fuel tanks and their size?	3-10000-gal
-------------------------------------	-------------

Is there a car wash on-site? Yes

MISCELLANEOUS

Waste containers provided and used? Yes

What kind of container? Dumpster(s)

How often is it/are they emptied? Weekly

Overall cleanliness Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Preserve Paints, 2018-08-17

Created	2018-08-17 16:48:56 UTC by Erick Gilkey
Updated	2018-08-17 16:50:00 UTC by Erick Gilkey
Location	33.4188019815262, -86.8011546619477
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	11:48
Facility Type	Retail
Facility Name	Preserve Paints
Facility Street Address	1457 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

Utopia Cleaners , 2018-08-20

Created	2018-08-20 17:38:12 UTC by Erick Gilkey
Updated	2018-08-20 17:38:47 UTC by Erick Gilkey
Location	33.4559541606838, -86.7365781252561
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	12:38
Facility Type	Dry Cleaners
Facility Name	Utopia Cleaners
Facility Street Address	3129 Cahaba Heights Rd Vestavia Hills, AL 35243
Reason For Not Inspecting	No potentially hazardous fluids stored/used over 5-gal

Liberty Park Waste Treatment, 2018-09-06

Created	2018-09-06 09:28:27 EDT by Scott Hofer
Updated	2018-09-06 09:29:19 EDT by Scott Hofer
Location	33.474493, -86.68861

General Info

Inspector	Erick Gilkey
Date	2018-09-06
Time	08:23
Facility Name	Liberty Park Waste Treatment
Does this facility have an NPDES permit?	Yes
Facility Type	Waste Treatment Plant
NPDES Permit	AL0067814
Facility Street Address	13059 Liberty Parkway Vestavia Hills, AL 35242
Facility Phone Number	2059878352
Facility Contact Name	Robert Adams
Facility Contact Title	Unknown

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Hollywood Imports, 2018-08-17

Created	2018-08-17 17:56:32 UTC by Erick Gilkey
Updated	2018-08-17 18:10:31 UTC by Erick Gilkey
Location	33.4166088181035, -86.8024165928364
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	12:56
Facility Type	Automotive Dealer
Facility Name	Hollywood Imports
Facility Street Address	1475 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No potentially hazardous fluids stored/used over 5-gal

Bobs Power Equipment , 2018-08-15

Created	2018-08-15 18:31:21 UTC by Erick Gilkey
Updated	2018-08-15 18:44:11 UTC by Erick Gilkey
Location	33.4474826510768, -86.7893954738975

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	13:31
Facility Name	Bobs Power Equipment
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9333042607
Facility Street Address	637 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2056572748
Facility Contact Name	Daryl Cart
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Berm
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Used oil, Gasoline, 20 gallon, metal, inside
------------------------------------	--

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

AT&T, 2018-08-22

Created	2018-08-22 16:21:11 EDT by Scott Hofer
Updated	2018-08-22 16:22:04 EDT by Scott Hofer
Location	33.4567451886764, -86.7387603305023
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-22
Time	15:21
Facility Type	AT&T
Facility Name	AT&T
Facility Street Address	3201 Ridgely Dr Vestavia Hills, AL 35243
Reason For Not Inspecting	No hazardous stored above 5-gal

Spin Cleaners, 2018-09-06

Created	2018-09-06 17:08:51 UTC by Erick Gilkey
Updated	2018-09-06 17:10:08 UTC by Erick Gilkey
Location	33.4147164447155, -86.8050166592002
Inspector	Erick Gilkey
Date	2018-09-06
Time	12:08
Facility Type	Dry Cleaners
Facility Name	Spin Cleaners
Facility Street Address	1492 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No chemicals being used/stored on site

Watkins Cleaners, 2018-08-22

Created	2018-08-22 15:12:46 EDT by Scott Hofer
Updated	2018-08-22 15:13:11 EDT by Scott Hofer
Location	33.460648578977, -86.7319769980074
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-22
Time	14:12
Facility Type	Dry Cleaners
Facility Name	Watkins Cleaners
Facility Street Address	3156 Green Valley Rd Vestavia Hills, AL 35243
Reason For Not Inspecting	No hazardous stored above 5-gal

AT&T, 2018-08-17

Created	2018-08-17 18:27:10 UTC by Erick Gilkey
Updated	2018-08-17 18:27:44 UTC by Erick Gilkey
Location	33.4154668235333, -86.8040217889849
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	13:27
Facility Type	Retail
Facility Name	AT&T
Facility Street Address	1480 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No potentially hazardous fluids stored/used over 5-gal

Chevron, 2018-08-17

Created	2018-08-17 18:51:41 UTC by Erick Gilkey
Updated	2018-08-17 18:58:39 UTC by Erick Gilkey
Location	33.4143708781422, -86.8051908682387

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	13:51
Facility Name	Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333042142
Facility Street Address	1496 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2059793490
Facility Contact Name	Sudhir Madan
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil Absorbant Sock, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	4 10,000-gal tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Anthony's Car Wash, 2018-08-28

Created	2018-08-28 19:01:44 UTC by Erick Gilkey
Updated	2018-08-28 19:22:11 UTC by Erick Gilkey
Location	33.4187767970895, -86.8000441789627

General Info

Inspector	Erick Gilkey
Date	2018-08-28
Time	14:01
Facility Name	Anthony's Car Wash
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	9333041476
Facility Street Address	1009 Vestavia Pkwy Vestavia Hills, AL 35216
Facility Phone Number	2058229274
Facility Contact Name	Lawrence Serio
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	By mop
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Sewer
What fluids are being used/stored?	Soap, Degreaser, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	3

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum

What size container is the degreaser being stored in (gallons)?	55
How many containers?	2


Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	55
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	2-180, used oil, metal, outside, no cover, no berm 1-150 kerosene, metal, outside, no berm, uncovered
General comments/items of concern not mentioned	Car wash with an attached service center

Photos



Google Map image of facility	N/A
------------------------------	-----

Citgo, 2018-08-20

Created	2018-08-20 16:34:18 UTC by Erick Gilkey
Updated	2018-08-20 16:49:40 UTC by Erick Gilkey
Location	33.414948790528, -86.8033174576082

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	11:34
Facility Name	Citgo
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Facility Street Address	1487 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2056373244
Facility Contact Name	Max
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	3-10000 gal
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No
General comments/items of concern not mentioned	Manager refused to give last name and business license number

Photos



Google Map image of facility

N/A

Royal Automotive , 2018-08-22

Created	2018-08-22 16:01:31 UTC by Scott Hofer
Updated	2018-08-22 17:23:22 UTC by Erick Gilkey
Location	33.4139837456311, -86.8059843045644

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-22
Time	11:01
Facility Name	Royal Automotive
Does this facility have an NPDES permit?	No
Facility Type	Automotive Dealer
Municipal Business License #	9333040769
Facility Street Address	3010 Columbiana Rd Vestavia Hills, AL 35216
Facility Phone Number	2059784176
Facility Contact Name	Elise Welliver
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	No
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Car Wash

Car wash type?	Hand Wash
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Degreaser

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	2


Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	55
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Compactor
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
General comments/items of concern not mentioned	Used car center: - 1-250-gal used oil -1-55-gal wheel cleaner VW: -1-250-gal new oil tank -1-275-gal new oil -1-300-gal used oil tank GMC: -2-250-gal new oil tank -2-350-gal new oil tank -1-250-gal transmission fluid 1-500-gal used oil (outside-uncovered-burmed)

Photos



Google Map image of facility

N/A

NAPA Auto Parts, 2018-08-17

Created	2018-08-17 16:57:23 UTC by Erick Gilkey
Updated	2018-08-17 16:58:09 UTC by Erick Gilkey
Location	33.4164120825957, -86.8024813011289
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	11:57
Facility Type	Retail
Facility Name	NAPA Auto Parts
Facility Street Address	1477 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

Bennette's Motor World , 2018-08-20

Created	2018-08-20 17:44:44 UTC by Erick Gilkey
Updated	2018-09-10 17:39:57 UTC by Erick Gilkey
Location	33.4540045325445, -86.7314825579524

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	12:44
Facility Name	Bennette's Motor World
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	3193 Cahaba Heights Rd Vestavia Hills, AL 35243
Facility Phone Number	2053248844
Facility Contact Name	Bennette Poole
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze, Brake cleaner
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal tank
What size container is the new oil being stored in (gallons)?	150
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal tank
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

Used Antifreeze

Where is the used antifreeze being stored?	Inside
--	--------

What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	55
How many containers?	1

Brake Cleaner

Where is the new brake cleaner being stored?	Inside
What kind of container is the brake cleaner being stored in?	Metal drum
What size container is the brake cleaner being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Chevron, 2018-08-23

Created	2018-08-23 16:50:52 UTC by Erick Gilkey
Updated	2018-08-23 17:01:25 UTC by Erick Gilkey
Location	33.4273477176958, -86.7731379345059

General Info

Inspector	Erick Gilkey
Date	2018-08-23
Time	11:50
Facility Name	Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333041001
Facility Street Address	2544 Rocky Ridge Rd Vestavia Hills, AL 35243
Facility Phone Number	2059793030
Facility Contact Name	Sonia charania
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Written instructions
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Unknown - on roof

Degreaser

Where is the degreaser being stored?	Outside
--------------------------------------	---------

Gas Station

How many fuel tanks and their size?	1-12000, 1-8000, 1-4000
Is there a car wash on-site?	Yes


MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Meineke, 2018-08-23

Created	2018-08-23 17:22:53 UTC by Erick Gilkey
Updated	2018-08-23 20:47:44 UTC by Erick Gilkey
Location	33.4246961366808, -86.7718551680446

General Info

Inspector	Erick Gilkey
Date	2018-08-23
Time	12:22
Facility Name	Meineke
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9333042054
Facility Street Address	2505 Rocky Ridge Rd Vestavia Hills, AL 35243
Facility Phone Number	2058223208
Facility Contact Name	Mario Marr
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, By mop
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Other
Comments	15-5 gallons, cardboard box, inside 1-250 gallons, metal, inside

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Express Oil, 2018-08-22

Created	2018-08-22 14:56:10 EDT by Scott Hofer
Updated	2018-08-22 15:10:00 EDT by Scott Hofer
Location	33.4616942796455, -86.7314194954382

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-22
Time	13:56
Facility Name	Express Oil
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9333038747
Facility Street Address	3940 Crosshaven Dr Vestavia Hills, AL 35243
Facility Phone Number	2059695596
Facility Contact Name	Mike Roberts
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	By mop, Oil-Dri, Pig Mat, Degreaser
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	30-5-gal, box 940-gal tank

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	4-250-gal tanks

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?	No
Google Map image of facility	N/A

Shell, 2018-08-16

Created	2018-08-16 16:23:27 UTC by Erick Gilkey
Updated	2018-08-16 16:41:21 UTC by Erick Gilkey
Location	33.4456715208971, -86.7914912849665

General Info

Inspector	Erick Gilkey
Date	2018-08-16
Time	11:23
Facility Name	Shell
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333043781
Facility Street Address	728 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058229999
Facility Contact Name	Ravi singh
Facility Contact Title	Sales Person

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	3-10000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Mechanic in building as well: 1-55 solvent, metal, inside 1-500 used oil, metal, no berm, uncovered
Google Map image of facility	N/A

Swim-Rite Pools, 2018-08-23

Created	2018-08-23 18:10:12 UTC by Erick Gilkey
Updated	2018-08-23 18:11:16 UTC by Erick Gilkey
Location	33.4245623802373, -86.7735533416271
Inspector	Erick Gilkey
Date	2018-08-23
Time	13:10
Facility Type	Retail
Facility Name	Swim-Rite Pools
Facility Street Address	2502 Rocky Ridge Rd Vestavia Hills, AL 35216
Reason For Not Inspecting	No chemicals used/stored over 5 gallons

Cahaba Heights Hardware, 2018-08-20

Created	2018-08-20 17:57:11 UTC by Erick Gilkey
Updated	2018-08-20 17:58:39 UTC by Erick Gilkey
Location	33.4538901227057, -86.7301722988486
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	12:57
Facility Type	Retail
Facility Name	Cahaba Heights Hardware
Facility Street Address	3209 Cahaba Heights Rd Vestavia Hills, AL 35243
Reason For Not Inspecting	No potentially hazardous fluids stored/used over 5-gal

Bare Wood, 2018-08-21

Created	2018-08-21 17:18:34 UTC by Erick Gilkey
Updated	2018-08-21 17:30:10 UTC by Erick Gilkey
Location	33.4545821740465, -86.726835295558

General Info

Inspector	Erick Gilkey
Date	2018-08-21
Time	12:18
Facility Name	Bare Wood
Does this facility have an NPDES permit?	No
Facility Type	Furniture repair
Facility Street Address	4136 White Oak Dr Vestavia Hills, AL 35243
Facility Phone Number	2059675380
Facility Contact Name	Bob Tremble
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags, Cat litter
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	2-55 gallon, furniture stripper, metal, inside 10-5 gallon, lacquer, plastic, inside

Photos



Google Map image of facility

N/A

Express Oil , 2018-08-20

Created	2018-08-20 15:44:10 UTC by Erick Gilkey
Updated	2018-08-20 16:27:42 UTC by Erick Gilkey
Location	33.4164093729025, -86.8027549861654

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	10:44
Facility Name	Express Oil
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9333038744
Facility Street Address	1479 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058230466
Facility Contact Name	Wyatt Young
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	By mop, Degreaser
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	4
Comments	4 new oil tanks: 2-515-gal, 935-gal, 450-gal


Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal tank
What size container is the used oil being stored in (gallons)?	1000
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Circle K, 2018-08-22

Created	2018-08-22 18:39:03 UTC by Erick Gilkey
Updated	2018-08-22 19:25:31 UTC by Erick Gilkey
Location	33.4623128802379, -86.7309609719417

General Info

Inspector	Erick Gilkey
Date	2018-08-22
Time	13:39
Facility Name	Circle K
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333041907
Facility Street Address	3935 Crosshaven Dr Vestavia Hills, AL 35243
Facility Phone Number	2059672233
Facility Contact Name	Marquita Lawson
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	1-10000, 1-20000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
Google Map image of facility	N/A

City Shop (City of Vestavia's mechanic), 2018-08-16

Created	2018-08-16 17:39:36 UTC by Erick Gilkey
Updated	2018-08-16 17:41:08 UTC by Erick Gilkey
Location	33.43822881684, -86.7910611256957
Inspector	Erick Gilkey
Date	2018-08-16
Time	12:39
Facility Type	Mechanic
Facility Name	City Shop (City of Vestavia's mechanic)
Facility Street Address	1032 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	All mechanical needs are now contracted out

Chevron, 2018-08-15

Created	2018-08-15 18:43:24 UTC by Erick Gilkey
Updated	2018-08-15 18:59:45 UTC by Erick Gilkey
Location	33.4464181900522, -86.7904304713011

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	13:43
Facility Name	Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333036535
Facility Street Address	705 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058223550
Facility Contact Name	Parvez
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted


Gas Station

How many fuel tanks and their size?	1-10,000 1-20,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Rainbow Paint, 2018-08-16

Created	2018-08-16 17:46:03 UTC by Erick Gilkey
Updated	2018-08-16 17:46:36 UTC by Erick Gilkey
Location	33.4194861988803, -86.801331974566
Inspector	Erick Gilkey
Date	2018-08-16
Time	12:46
Facility Type	Retail
Facility Name	Rainbow Paint
Facility Street Address	1450 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

Sharp Cleaners, 2018-08-15

Created	2018-08-15 17:58:57 UTC by Erick Gilkey
Updated	2018-08-15 18:05:48 UTC by Erick Gilkey
Location	33.4487941162377, -86.788767836988

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	12:58
Facility Name	Sharp Cleaners
Does this facility have an NPDES permit?	No
Facility Type	Dry Cleaners
Municipal Business License #	110635
Facility Street Address	605 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058224686
Facility Contact Name	Jim Sharp
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Other
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Other
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Petroleum
-------------------------------	-----------

Chemicals

Is the main dry cleaning chemical stored on premises?	Yes
Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Machine hold 30 gallons
What size container is the chemical being stored in (gallons)?	None, all in machine
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly

Overall cleanliness

Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Shell, 2018-08-17

Created	2018-08-17 18:28:10 UTC by Erick Gilkey
Updated	2018-08-17 18:51:27 UTC by Erick Gilkey
Location	33.415301387791, -86.8046883843232

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	13:28
Facility Name	Shell
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333038835
Facility Street Address	1488 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2056371365
Facility Contact Name	Rick Patel
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil Absorbant Sock, Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	4 10,000-gal tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

NPDES Permitted High Risk Inspections

ABC Coke

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.3	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.7	*****	7.7		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	3.8	7.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.7	2.4		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.0 monthly average	49.5 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	4.6	9.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	66 monthly average	99 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.9	0.9		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	11/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	2.2	2.2	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****				
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.4	0.4	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****				
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****				
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****				
PHENOLS	Sample Measurement	0.020	0.030	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	.25199	.31463	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CYANIDE, FREE AVAILABLE	Sample Measurement	0.02	0.02	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	11/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	3203	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	0	Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	5.8	7.0	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	56 monthly average	84 maximum daily		*****	*****	*****		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	11/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.62	*****	7.68		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	19.5	40.6		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	2.4	3.3		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.30	0.37		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.20	0.32		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	11/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR
 Jefferson
COUNTY:
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.511	1.777	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	11/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2017-10-01 To: 2017-10-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.3	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				Weekly
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.7	*****	7.7	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				Daily
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	3.8	7.0		*****	*****	*****	26 lbs/day	0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				Weekly
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B		*****	*****	*****	26 lbs/day	0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.7	2.4		*****	*****	*****	26 lbs/day	0	Weekly	Composite
	Permit Requirement	33.0 Monthly Average	49.5 Maximum Daily		*****	*****	*****				Weekly
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	4.6	9.0		*****	*****	*****	26 lbs/day	0	Weekly	Composite
	Permit Requirement	66 Monthly Average	99 Maximum Daily		*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.9	0.9		*****	*****	*****	26 lbs/day	0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				2X Monthly

Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period: 2017-10-01 To: 2017-10-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	2.2	2.2	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.4	0.4	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	0.020	0.030	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	25199	31463	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.02	0.02	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2017-10-01 To: 2017-10-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	3203	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	5.8	7.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	56 Monthly Average	84 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period : 2017-10-01 To: 2017-10-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.62	*****	7.68		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	19.5	40.6		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	2.4	3.3		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.30	0.37		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.20	0.32		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Dry Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417

MONITORING POINT: 0021

COUNTY: Jefferson

POINT:

Monitoring Period : 2017-10-01 To: 2017-10-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1.511	1.777	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

002 STORM WATER MONITORING

SAMPLE DATE:	10/4/2017
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	11:05 AM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLEAR
INITIAL STAFF LEVEL: 78" DATE: 10/4/2017	
VOLUME: 15,940,897 GALLONS	
FINAL STAFF LEVEL: 44" DATE: 10/9/2017	
VOLUME: 8,220,490 GALLONS	
TOTAL DISCHARGE VOLUME: 7,720,407 GALLONS	
DAILY AVERAGE FLOW: 1.544 MGD	

pH:	7.68 SU
TSS(mg/L):	9
NH3-N(ppd):	2.19
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE,T (mg/L):	0.083
IRON, T (mg/L):	0.223
O & G (mg/L)	BMDL

SAMPLE DATE:	10/16/2017
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	11:15 AM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLEAR
INITIAL STAFF LEVEL: 84" DATE: 10/16/2017	
VOLUME: 17,372,016 GALLONS	
FINAL STAFF LEVEL: 46" DATE: 10/21/2017	
VOLUME: 8,487,870 GALLONS	
TOTAL DISCHARGE VOLUME: 8,884,146 GALLONS	
DAILY AVERAGE FLOW: 1.777 MGD	

pH:	6.62 SU
TSS(mg/L):	8.8
NH3-N(ppd):	3.26
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE,T (mg/L):	0.323
IRON, T (mg/L):	0.367
O & G (mg/L)	BMDL

002 STORM WATER MONITORING

SAMPLE DATE:	10/27/2017
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	9:45 AM
WEATHER CONDITIONS:	CLOUDY
CREEK CONDITIONS:	CLEAR
INITIAL STAFF LEVEL: 74"	DATE: 10/27/2017
VOLUME:	15,088,910 GALLONS
FINAL STAFF LEVEL: 48"	DATE: 11/1/2017
VOLUME:	9,024,672 GALLONS
TOTAL DISCHARGE VOLUME:	6,064,238 GALLONS
DAILY AVERAGE FLOW:	1.213 MGD

pH:	6.70 SU
TSS(mg/L):	40.6
NH3-N(ppd):	1.72
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE, T (mg/L):	
IRON, T (mg/L):	
O & G (mg/L)	

SAMPLE DATE:	
SAMPLE LOCATION:	
SAMPLER:	
SAMPLE TIME:	
WEATHER CONDITIONS:	
CREEK CONDITIONS:	
INITIAL STAFF LEVEL:	DATE:
VOLUME:	
FINAL STAFF LEVEL:	DATE:
VOLUME:	
TOTAL DISCHARGE VOLUME:	
DAILY AVERAGE FLOW:	

pH:	
TSS(mg/L):	
NH3-N(ppd):	
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE, T (mg/L):	
IRON, T (mg/L):	
O & G (mg/L)	

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		9.3	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		7.0	*****	7.5		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	4.8	13.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.1	1.2		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.0 monthly average	49.5 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	6.8	7.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	66 monthly average	99 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.7	1.2		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	12/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	1.5	1.5	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****		*****	Monthly	Composite
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.2	0.2	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****		*****	Monthly	Composite
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****		*****	Weekly	Composite
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	0.010	0.020	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****		*****	2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.30531	0.34542	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
CYANIDE, FREE AVAILABLE	Sample Measurement	0.02	0.02	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****		*****	2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	12/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	5040.0	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	0	Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	8.3	10.0	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	56 monthly average	84 maximum daily		*****	*****	*****		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	12/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.77	*****	7.11		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	16.2	23.6		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.79	2.49		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.82	0.95		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.08	0.09		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	12/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.339	1.491	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	12/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246
Birmingham, AL 35202-0246

MONITORING POINT: 0011

COUNTY: Jefferson

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue
Tarrant, AL 35217

Monitoring Period : 2017-11-01 To: 2017-11-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		9.3	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		7.0	*****	7.5	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	4.8	13.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.1	1.2	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.0 Monthly Average	49.5 Maximum Daily		*****	*****	*****				
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	6.8	7.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	66 Monthly Average	99 Maximum Daily		*****	*****	*****				
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.7	1.2	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246
Birmingham, AL35202-0246

MONITORING POINT: 0011

COUNTY: Jefferson

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue
Tarrant, AL 35217

Monitoring Period : 2017-11-01 To: 2017-11-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	1.5	1.5	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.2	0.2	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	0.010	0.020	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.30531	0.34542	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.02	0.02	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246
Birmingham, AL35202-0246

MONITORING POINT: 0011

COUNTY:

Jefferson

FACILITY: Abc Coke Div Drummond Co Inc

LOCATION: 900 Huntsville Avenue

Tarrant, AL 35217

Monitoring Period : 2017-11-01 To: 2017-11-30

NO DISCHARGE FROM SITE:

()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		*****	0		*****	*****	*****				
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	5040.0	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	8.3	10.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	56 Monthly Average	84 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246
Birmingham, AL35202-0246

MONITORING POINT: 0021

COUNTY: Jefferson

FACILITY: Abe Coke Div Drummond Co Inc

LOCATION: 900 Huntsville Avenue

Tarrant, AL 35217

Monitoring Period : 2017-11-01 To: 2017-11-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.77	*****	7.11	12 S.U.	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily			Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	16.2	23.6	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily			Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	*B	*B	19 mg/l	0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily			2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.79	2.49	26 lbs/day	*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.82	0.95	19 mg/l	0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily			2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.08	0.09	19 mg/l	0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily			2X Monthly	Grab
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319 (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246
Birmingham, AL35202-0246

MONITORING POINT: 0021

COUNTY: Jefferson

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue
Tarrant, AL 35217

Monitoring Period : 2017-11-01 To: 2017-11-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1.339	1.491	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)						Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)



LRS, Inc.

Laboratory Resources & Solutions, Inc.

205 6th Avenue
Ashville, AL 35953
(205) 594-1445

www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
PO Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project Name: **001 Chronic Toxicity – November 2017**

Date: December 13, 2017

Primary Data Review by:

Courtney Snow

Courtney Snow
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
csnow@lab-resource.com

- * Unless otherwise noted, all analyses on this report performed at ERA, 2975 Brown Court, Auburn, AL 36830.
- * These results relate only to the items tested. This report may only be reproduced in full.
- * Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
TOXICITY TEST REPORT SUMMARY

1. GENERAL:

NPDES PERMIT NO.: AL0003417 DSN: 001 COUNTY: Jefferson
 Permittee: ABC Coke, Inc.
 Facility Name: ABC Coke WWTP
 Agent Submitting Report: Mr. Jeff McCord
 Lab Conducting Toxicity Test(s): ERA, 2975 Brown Ct., Auburn, AL 36830
 Months To Test: Monthly
 This Report for Toxicity Test(s) Required for the Month of: Nov
 Scheduled Test(s): Yes No Accelerated Test(s): Yes No
 Accelerated Test Number of For Failed Scheduled Test Date:
 Test Type Required: -Hr Acute Screening: -Hr Acute Definitive:
 Short-term Chronic Screening: Short-term Chronic Definitive:

Test Organism: Ceriodaphnia dubiaTest Organism: Pimephales promelas

Sam No.	Date/Time Start MM/DD/YY HH:MM	Date/Time Ended MM/DD/YY HH:MM	Control Valid	Date/Time Start MM/DD/YY HH:MM	Date/Time Ended MM/DD/YY HH:MM	Control Valid
1	11/07/17 14:00	11/14/17 13:00	Yes	11/07/17 14:30	11/14/17 16:30	Yes

2.A. SUMMARY OF RESULTS FOR SCREENING TESTS:

Test Org.	Eff. Conc	Test Number											
		(1)			(2)			(3)			(4)		
		Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow
P.p.	16%	PASS	N/A	PASS									
C.d.	16%	PASS	PASS	N/A									

3. LABORATORY ANALYSES OF UNDILUTED SAMPLE(S):

SAMPLE Id.	BOD5 mg/l	TSS mg/l	NH3 mg/l	pH su	Alk mg/l	Hard mg/l	TRC mg/l	Conductivity µS
1	---	---	0.105	7.74	255	20	---	3570
2	---	---	0.103	7.92	238	33	---	3330
3	---	---	0.237	7.54	211	29	---	3840

Chemical Analyses Performed By (Lab): ERATotal 24-Hour Flow: (1) 0.310 MGD (2) 0.339 MGD (3) 0.306 MGD

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF RESPONSIBLE OFFICIAL: _____ DATE: _____

FACILITY NAME: ABC Coke

NPDES #: AL0003417 DSN: 001 DATE: 11/07/17

4. SAMPLE COLLECTION:

Split Samples: N/A Yes (Explain) _____

Samples Collected as Specified in the NPDES Permit: Yes No (Explain)

Receiving Water: Five Mile Creek

Design Flow: 0.406 (MGD)

Sample Id.	Sample(s) Collected MM/DD/YY HHMM - MM/DD/YY HHMM	Arrival Temp. °C.	Used in Test(s) MM/DD/YY - MM/DD/YY
1	11/05/17 0730 - 11/06/17 0730	2.6	11/07/17 - 11/08/17
2	11/07/17 0730 - 11/08/17 0730	2.5	11/09/17 - 11/10/17
3	11/09/17 0730 - 11/10/17 0730	2.4	11/11/17 - 11/13/17

5. CONTROL/DILUTION WATER:

Type	Prepared MM/DD/YY	Begin Use MM/DD/YY	Initial Water Chemistries				
			Hard.	Alk.	pH	Cond.	@ °C.
MHRW	11/06/17	11/07/17	100	58	7.85	290	@ 25
MHRW	11/06/17	11/09/17	86	60	7.65	296	@ 25
MHRW	11/06/17	11/10/17	94	60	7.59	303	@ 25
MHRW	11/09/17	11/11/17	96	58	7.66	302	@ 25
MHRW	11/09/17	11/13/17	94	58	7.49	299	@ 25

6. TOXICITY TEST INFORMATION:

Test	Organism	Organism	Test Solution Concentrations (%)				
Species	Age	Source					
P.p.	24 -48hr	Florida Bioassay Supply	16%				
C.d.	6-14 hr	ERA	16%				

Test	Test Vessel	Vessel	Solution	Org./Test	Replicates
Species	Type	Vol. (mL)	Vol. (mL)	Vessel	Per Conc.
P.p.	plastic beaker	500	250	10	4
C.d.	plastic beaker	25	20	1	10

Test	Temp. Range	D.O. Range	pH Range	Light Intensity
Species	(°C.)	(mg/L)	(su)	Average (ft.-c.)
P.p.	24.6 - 26.0	6.6 - 9.2	7.06 -7.76	75
C.d.	24.6 - 25.5	8.2 - 9.2	7.30 -7.73	75

7. FEEDING:

Not Fed: Fed Daily: Fed Irregular: (Explain in Comments Below)

Brine Shrimp: Fed 0.15 g Suspension of Newly Hatched Larvae 2 Times Daily.

YCT: Fed 0.130 mL Suspension Containing 1.87 g/L TS Daily.

Algae: Fed 0.130 mL Suspension Containing 3.0 x 10⁷ Algal Cells/mL Daily.

COMMENTS:

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 11/07/17

8. REFERENCE TOXICANT TESTS:

TOXICANT: Sodium Chloride SOURCE: Fisher Scientific CAS#: 7647-14-5
 Solution Concentration Unit: mg/L g/L X % Other (specify)

Chronic:

Test Org.	Test Date MM/DD - MM/DD	Control Water	Reference Test Solution Concentrations (Control to Highest Conc.)					
			0	2.0	4.0	6.0	8.0	10.0
P.p.	11/28/17-12/05/17	MHRW	0	2.0	4.0	6.0	8.0	10.0
C.d.	11/28/17-12/05/17	MHRW	0	0.5	1.0	1.5	2.0	2.5

Test Org.	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit	NUMBER (N)
P.p.	Survival	4.0	2.0 - 4.0	20
P.p.	Growth	2.0	2.0 - 4.0	20
C.d.	Survival	1.5	0.5 - 1.5	20
C.d.	Reproduction	0.5	0.25 - 1.0	20

Data on File with ADEM Toxic Unit

9. TEST CONDITION VARIABILITY:

9.A. Deviations From Standard Test Conditions:

None

11.C CHRONIC SCREENING TOXICITY TESTS RESULTS (Freshwater):

TEST ORGANISM: Ceriodaphnia dubia

Were Neonates Used to Begin the Test Within 8 hours of the same age?: Yes

Did 60% of the CONTROL Females Produce Their Third Brood? YES: X NO:

SURVIVAL

CHRONIC TOXICITY INDICATED: YES NO X

NO SURVIVAL STATISTICAL ANALYSIS NECESSARY: X

CONTROL(%) 24h 100 48h 100 End 100 EFFLUENT(%): 24h 100 48h 100 End 100

Fishers Exact Test: A = , B = , a = , b =

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN:001 DATE: 11/07/17

REPRODUCTION (Average Neonates/Female)

CHRONIC TOXICITY INDICATED: YES ___ NO X

CONTROL: 22.8 EFFLUENT(%): 25.0

NO REPRODUCTION STATISTICAL ANALYSIS NECESSARY: X

Normally Distributed: Yes ___ No

Test Statistic: ___ Critical Value: ___ (Parametric)

Equal Variance: ___ Unequal Variance:

F Statistic: ___ Critical F:

/ Test Statistic: ___ / Test Critical Value:

Sample Rank Sum: ___ #Reps.: ___ Critical Rank Sum: ___ (Non-Parametric)

COMMENTS:

TEST ORGANISM: Pimephales promelas

MORTALITY

CHRONIC TOXICITY INDICATED: YES ___ NO X

CONTROL(%) 24h 100 48h 100 7day 100 EFFLUENT(%): 24h 100 48h 100 7day 98

NO MORTALITY STATISTICAL ANALYSIS NECESSARY: X

Normally Distributed: Yes ___ No

Test Statistic: ___ Critical Value: ___ (Parametric)

Equal Variance: ___ Unequal Variance:

F Statistic: ___ Critical F:

/ Test Statistic: ___ / Test Critical Value:

Sample Rank Sum: ___ #Reps.: ___ Critical Rank Sum: ___ (Non-Parametric)

GROWTH - Mean Dry Weight (mg)

CHRONIC TOXICITY INDICATED: YES ___ NO X

CONTROL: 0.336 mg EFFLUENT: 0.413 mg

NO GROWTH STATISTICAL ANALYSIS NECESSARY: X

Normally Distributed: Yes ___ No

Test Statistic: ___ Critical Value: ___ (Parametric)

Equal Variance: ___ Unequal Variance:

F Statistic: ___ Critical F:

/ Test Statistic: ___ / Test Critical Value:

Sample Rank Sum: ___ #Reps.: ___ Critical Rank Sum: ___ (Non-Parametric)

COMMENTS:

ing Information:

RS, Inc.

3 5th Street
hville, Alabama 35953
(5) 683-6731
aston@lab-resource.com



LRS Client Information:

ABC Coke

P.O. Box 10246
Birmingham, AL 35202

"Report to" Contact:

Mr. David Vance

Analysis/Container/Preservative

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserv

Chain of Custody
Page 1 of 1

**Laboratory Resources
& Solutions, Inc. (LRS)**
A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

ject Name: **001 Chronic Toxicity**

City/State collected:
Birmingham, Alabama
P.O. #

sted by: *D Vance*
Permit #: **AL0003417**

sted by (Signature):

D.V.

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

- Same Day (200%)
- Next Day (100%)
- Two Day (50%)
- Three Day (25%)

Date Results Needed:

STO

Number of Containers

ected on Ice? N Y

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative	Sample Remarks
001 Discharge	Comp.	11-5-17	0730	11-6-17	0730	1	X	<i>174010015</i>

ix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT-Other (Describe) _____ pH _____ Temp _____
 est Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

ished by:(Signature) <i>D Vance</i>	Date: 11-6-17	Time: 0804	Received by:(Signature) <i>D Vance</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)
ished by:(Signature) <i>D Vance</i>	Date: 11-6-17	Time: 10:20	Received by:(Signature) <i>AO</i>	Temp: 2.6°C	Bottles Received:
ished by:(Signature) <i>AO</i>	Date:	Time:	Received for lab by: (Signature) <i>AO</i>	Date: 11/06/17 15:05	Time: 15:05
				pH Checked:	NCF:

Participant signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

Information:

Inc.
h Street
e, Alabama 35953
383-6731
on@lab-resource.com



LRS Client Information:

ABC Coke
P.O. Box 10246
Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

Analysis/Container/Preservative

Laboratory Resources
& Solutions, Inc. (LRS)
A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Name: 001 Chronic Toxicity

City/State collected:
Birmingham, Alabama
P.O. #

A Bourque

Permit #: AL0003417

(signature):
Bourque

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

Date Results Needed:

- Same Day (200%)
Next Day (100%)
Two Day (50%)
Three Day (25%)

Number of Containers

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserv

Sample Remarks

17411906

Table with columns: Sample ID, Comp/Grab, Start Date, Start Time, End Date*, End Time*, Number of Containers. Row 1: 001 Discharge, Comp., 11/7/17, 0730, 11/8/17, 0730, 1

S-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT-Other (Describe)

pH Temp

Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler*

Rainfall in Inches Flow Other

Table with columns: Received by (Signature), Date, Time, Received for lab by (Signature), Date, Time, Samples returned via, Condition, Temp, Bottles Received, pH Checked, NCF. Includes handwritten entries for sample reception and return.

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

Information:

S, Inc.
 ch Street
 le, Alabama 35953
 683-6731
 on@lab-resource.com



LRS Client Information:

ABC Coke
 P.O. Box 10246
 Birmingham, AL 35202
 359-1117

"Report to" Contact:

Mr. Jeff McCord

Analysis/Container/Preservative

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserv)

Laboratory Resources & Solutions, Inc. (LRS)
 A Laboratory Service Provider



Laboratory:
 Environmental Resource Analysts, Inc.
 2875 Brown Court
 Auburn, AL 36830

Name: **001 Chronic Toxicity**

City/State collected:

Birmingham, Alabama

P.O. #

A Bourgeois

Perm#: AL0003417

(signature):

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

Date Results Needed:

- Same Day (200%)
- Next Day (100%)
- Two Day (50%)
- Three Day (25%)

Case? N Y

Number of Containers

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers
001 Discharge	Comp.	11/11/17	0730	11/11/17	0730	1

X

Sample Remarks

174205-01g

S=Soil/Solid GW=Groundwater WW=Wastewater SW=Surface Water DW=Drinking Water OT= Other (Describe) _____

pH _____ Temp _____

Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler*

Rainfall in Inches _____

Flow _____

Other _____

Collected by: (Signature) <i>Bourgeois</i>	Date: 11/10/17	Time: 0730	Received by: (Signature) <i>Stine</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)	
Collected by: (Signature) <i>W. Go</i>	Date: 11-10-17	Time: 1030	Received by: (Signature) BG			
Collected by: (Signature)	Date:	Time:	Received for lab by: (Signature) BG	Date: 11-10-17	Temp: 2.4°C	Bottles Received: 1
				Time: 1430	pH Checked:	NCF:

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

0937

7 DAY FATHEAD MINNOW TOXICITY TEST - EPA METHOD 1000.0

Client: ABC coke

t #: 74-151

Age of Test Organisms: 24-48 hrs

Ambient Laboratory Illumination

Water Volume: 250mL

Source: ABS Lot #: 801

Start Date: 11.07.17

Time: 1430

Brine Shrimp Lot #: 29

End Date: 11.14.17

Time: 11030

Photoperiod: 16hrs. L; 8hrs. D

CONTROL

for DO, pH, and temp. readings: old water/ new water

Number Alive
Replicate Number

Day	1	2	3	4	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/Time/Initials	DO Meter/Probe	pH Meter/Probe	MHRW Lot #	Thermometer ID	Obs
1	10	10	10	10	40	7.32	8.6	24.6	1600	N/A	11.07.17 1430 ZM	YS12 #2	AB153 #12	3468	T13 237 #1	N
2	10	10	10	10	40	7.26	6.8	25.1	1000	AF	11.08.17 1345 AF			3468		N
3	10	10	10	10	40	7.35	6.98	25.3	800	JA	11.09.17 1430 JA	YS12 #2	AB153 #12	3469	T23 237 #1	N
4	10	10	10	10	40	7.31	7.58	25.0	1632	JA	11.10.17 1230 JA			3470		N
5	10	10	10	10	40	7.40	7.7	25.0	1300	SH	11.11.17 11030 SH			3471		N
6	10	10	10	10	40	7.31	7.6	25.2	1700	AE	11.12.17 1400 AE			3471		N
7	10	10	10	10	40	7.44	8.7	24.8	1700	AF	11.13.17 1500 AF			3472		N
8	10	10	10	10	40	7.21	6.8	25.3	1000	AF	11.14.17 1630 AF			N/A		

Observations Key

○ = On Surface
○ = On Bottom
○ = Precipitate

LETH = Lethargic
ERR = Erratic Swimming
UM = Undissolved Material

N = Normal
FC = Flared Carapace

CO = Caught On
F = Film
PM = Particulate Matter

N/A = Not Applicable
CLDY = Cloudy

ENVIRONMENTAL RESOURCE ANALYSTS, INC.

2975 BROWN CT.

AUBURN, AL 36830

(334) 502-3444

7 DAY FATHEAD MINNOW TOXICITY TEST - EPA METHOD 1000.0

Test #: 74-151

Client: ABC COLE

10 % Effluent

Sample #: 1) 174091 2) 174119 3) 174205

Number Alive
Replicate Number

Test Day	1	2	3	4	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/Time/Initials	Obs.	pH of 100% effluent
Start	10	10	10	10	40	7.40	8.8	24.6	1600	N/A	11-07-17 1435 ZM	N	7.82
1	10	10	10	10	40	7.34 7.33	6.5 8.8	25.3 24.10	1000 1700	AF	11-08-17 1350 AF	N	7.92
2	10	10	10	10	40	7.06 7.45	6.64 9.04	26.0 24.8	930 1632	JA	11-09-17 1430 JA	N	2.25
3	10	10	10	10	40	2.27 7.84	2.1 9.2	26.0 25.4	0930 1400	JA	11-10-17 1235 JA	N	2.54
4	10	10	10	10	40	7.30 7.58	7.3 9.2	25.4 24.8	1300 1800	SH	11-11-17 1125 SH	N	7.51
5	9	10	10	10	39	7.29 7.53	7.1 9.0	25.1 25.3	0800 1700	AE	11-12-17 1405 AE	N	7.59
6	9	10	10	10	39	7.10 7.55	7.2 9.1	25.4 25.4	1000 1700	AF	11-13-17 1505 AF	N	7.80
7	9	10	10	10	39	7.76	7.3	25.4	N/A	N/A	11-14-17 1635 AF	N	7.75

Observations Key

OS = On Surface
ON = On Bottom
PRE = Precipitate

LETH = Lethargic
ERR = Erratic Swimming
UM = Undissolved Material

N = Normal
FC = Flared Carapace

CO = Caught On
F = Film
PM = Particulate Matter

N/A = Not Applicable
CLDY = Cloudy

DRY WEIGHT DETERMINATION FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Test #: 74-15 Analyst: JA/ZM Balance #: AND#2

Date/Time in Oven: 11-14-17 1750 Date/Time Out of Oven: 11-15-17 17 Oven Temp: 60 °C

Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
Blank	1	0.95439	0.95438	N/A	N/A	N/A
Control	1	0.99834	1.00203	10	0.369	0.336
	2	1.00746	1.01062	10	0.316	
	3	1.00823	1.01153	10	0.330	
	4	0.99118	0.99446	10	0.328	
<u>10</u> % Effluent	1	0.99111	0.99480	9	0.369	0.413
	2	0.98472	0.98916	10	0.444	
	3	0.98216	0.98650	10	0.434	
	4	0.97425	0.97831	10	0.406	

Environmental Resource Analysts, Inc.

3 BROOD CERIODAPHNIA TOXICITY TEST - EPA METHOD 1002.0

Client: ABC coke

#: 74-151

Age of Test Organisms: 6-14 hrs

Ambient Laboratory Illumination

Test Volume: 20mL

Source: ERA

Photoperiod: 16hrs. L; 8hrs. D

Lot #: 267 1.810g/L solids

0.13 mL fed per cup

Test Start Date: 11-07-17

Time: 1400

Lot #: 265 3x10⁷ cells/mL

0.13 mL algae fed/cup

Test End Date: 11-14-17

Time: 1300

CONTROL

for DO, pH, and temp. readings: old water/ new water

1 = Alive, 0 = Dead, M = Male, /# = # neonates

Replicate Number (# Adults/# Neonates)

1	2	3	4	5	6	7	8	9	10	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Chan	Date/Time/Initials	DO Meter/Probe	pH Meter/Probe	MHR W Lot #	Thermo meter ID	Obs	
1	1	1	1	1	1	1	1	1	1	10	7.32	8.6	24.6	AF	N/A	11-07-17 1400 AF	NS12 #12	AB153 #12	3468	TB 237 #1	N	
1	1	1	1	1	1	1	1	1	1	10	7.39	8.3	25.5	AF	AF	11-08-17 1500 AF			3468		N	
1	1	1	1	1	1	1	1	1	1	10	7.41	8.5	25.3	AF	AF	11-09-17 1430 AF			3469		N	
1	1	1	1	1	1	1	1	1	1	10	7.37	8.2	25.4	SH	SH	11-10-17 1200 SH			3470		N	
1/2	1/5	1/1	1/2	1/3	1/3	1/2	1/4	1/3	1/3	10	7.46	8.3	25.4	SH	SH	11-11-17 1400 SH			3471		N	
1	1	1/2	1/3	1/9	1	1	1	1	1/4	10	7.45	8.4	25.5	SH	SH	11-12-17 1400 SH			3471		N	
1/6	1/8	1	1	1	1/8	1/3	1/6	1/4	1	10	7.44	8.7	24.8	SH	SH	11-13-17 1500 SH			3472		N	
1/16	1/4	1/18	1/19	1/11	1/12	1/18	1/10	1/12	1/17	10	7.41	8.2	25.4	N/A	N/A	11-14-17 1300 AF			N/A		N	
24	27	21	24	23	23	23	20	19	24						N/A	N/A						

Observations Key

On Surface LETH = Lethargic

On Bottom ERR = Erratic Swimming

Precipitate UM = Undissolved Material

N = Normal

FC = Flared Carapace

CO = Caught On

F = Film

PM = Particulate Matter

N/A = Not Applicable

CLDY = Cloudy

Average # neonates/female:

22.8

ENVIRONMENTAL RESOURCE ANALYSTS, INC.

2975 BROWN CT.

AUBURN, AL 36830

(334) 502-3444

3 BROOD CERIODAPHNIA TOXICITY TEST - EPA METHOD 1002.0

Test #: 74-151

Client: ABC COKE

10 % Effluent

Sample #s: 1) 174091 2) 174119 3) 174205

1 = Alive, 0 = Dead, M = Male, / # = # neonates
Replicate Number (# Adults / # Neonates)

Test Day	1	2	3	4	5	6	7	8	9	10	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/ Time/ Initials	Obs
Start	1	1	1	1	1	1	1	1	1	1	10	7.40	8.8	24.0	AF	NA	11-07-17 1405 AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.59	8.3	25.4	AF	AF	11-08-17 1505 AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.33	8.8	24.0	AF	AF	11-09-17 1505 AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.71	8.2	25.4	AF	AF	11-09-17 1435 AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.45	9.0	24.8	AF	AF	11-09-17 1435 AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.00	8.1	25.3	SH	SH	11-10-17 1245 SH	N
	1/3	1/4	1/2	1/2	1/6	1/5	1/3	1/2	1/5	1/4	10	7.54	9.2	25.4	SH	SH	11-11-17 1405 SH	N
	1/5	1	1/8	1	1	1	1	1	1	1/6	10	7.78	8.2	25.4	SH	SH	11-12-17 1405 SH	N
	1	1/6	1	1/7	1/9	1/10	1/11	1/7	1/11	1	10	7.53	9.0	25.3	SH	SH	11-13-17 1505 SH	N
	1/16	1/13	1/13	1/15	1/14	1/14	1/11	1/16	1/10	1/12	10	7.55	9.1	25.4	SH	SH	11-14-17 1305 AF	N
												N/A	N/A	N/A	N/A	N/A		
Neonates	24	23	23	24	29	29	25	25	26	22					N/A	N/A		

S = On Surface LETH = Lethargic N = Normal CO = Caught On N/A = Not Applicable
 N = On Bottom ERR = Erratic Swimming FC = Flared Carapac F = Film CLDY = Cloudy
 RE = Precipitate UM = Undissolved Material PM = Particulate Matter

Average # neonates per female
25.0

ENVIRONMENTAL RESOURCE ANALYSTS, INC.

2975 BROWN CT.

AUBURN, AL 36830

(334) 502-3444

Toxicity Bench Sheet

Client: ABC COKE

Sample Collection Lab#/ Date/Time	Sample	pH Analysis Date/ Time	Analyst	pH Meter/ Probe	pH Result	TRC Analysis Date/ Time	TRC Result (mg/L)
11-06-17 0730	#1	11-06-17 1710	AF	AB153 #12	7.74	N/A	N/A
11-08-17 0730	#2	11-08-17 1700	AF		7.92		
11-10-17 0630	#3	11-10-17 1700	SH		7.54		

002 STORM WATER MONITORING

SAMPLE DATE:	11/2/2017
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	10:45 AM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLOUDY
INITIAL STAFF LEVEL: 75" DATE: 11/2/2017	
VOLUME: 15,230,708 GALLONS	
FINAL STAFF LEVEL: 49" DATE: 11/7/2017	
VOLUME: 9,293,885 GALLONS	
TOTAL DISCHARGE VOLUME: 5,936,823 GALLONS	
DAILY AVERAGE FLOW: 1.187 MGD	

pH:	6.77 SU
TSS(mg/L):	23.6
NH3-N(ppd):	1.09
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE, T (mg/L):	0.067
IRON, T (mg/L):	0.949
O & G (mg/L)	BMDL

SAMPLE DATE:	11/13/2017
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	9:40 AM
WEATHER CONDITIONS:	CLOUDY
CREEK CONDITIONS:	CLEAR
INITIAL STAFF LEVEL: 78" DATE: 11/13/2017	
VOLUME: 15,940,897 GALLONS	
FINAL STAFF LEVEL: 46" DATE: 11/18/2017	
VOLUME: 8,487,870 GALLONS	
TOTAL DISCHARGE VOLUME: 7,453,027 GALLONS	
DAILY AVERAGE FLOW: 1.491 MGD	

pH:	7.11 SU
TSS(mg/L):	8.8
NH3-N(ppd):	2.49
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE, T (mg/L):	0.089
IRON, T (mg/L):	0.695
O & G (mg/L)	BMDL

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	0.4	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	12/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.0	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.8	*****	7.5		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	6.0	10.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	7.9	11.3		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.1 monthly average	52.4 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	10.3	13.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	232 monthly average	348 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.4	0.8		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****				
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.5	0.5	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****				
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****				
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****				
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.27198	0.32719	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CYANIDE, FREE AVAILABLE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	4696.0	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	6.5	7.9	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	213 monthly average	320 maximum daily		*****	*****	*****		*****	Weekly	Composite
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	0.4	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	12/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.57	*****	6.84		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	23.6	27.5		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	12.35	24.70		1	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	5.3	7.41		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.99	1.01		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.07	0.08		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.828	1.879	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2017-12-01 To: 2017-12-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		8.0	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				Weekly
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.8	*****	7.5	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				Daily
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	6.0	10.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				Weekly
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	7.9	11.3	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.1 Monthly Average	52.4 Maximum Daily		*****	*****	*****				Weekly
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	10.3	13.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	232 Monthly Average	348 Maximum Daily		*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.4	0.8	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				2X Monthly
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 23 U.S.C. §1319. <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period: 2017-12-01 To: 2017-12-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.5	0.5	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.27198	0.32719	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C § 1001 AND 33 U.S.C § 1319 <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2017-12-01 To 2017-12-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	4696.0	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	6.5	7.9	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	213 Monthly Average	320 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period : 2017-12-01 To: 2017-12-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: (-)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.57	*****	6.84		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	23.6	27.5		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	12.35	24.70		1	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	5.3	7.41		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.99	1.01		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.07	0.08		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period : 2017-12-01 To: 2017-12-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1.828	1.879	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319 (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months to 5 years.)						Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

002 STORM WATER MONITORING

SAMPLE DATE:	12/5/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	11:45 AM
WEATHER CONDITIONS:	RAIN
CREEK CONDITIONS:	CLEAR
INITIAL STAFF LEVEL: 83" DATE: 12/5/2018	
VOLUME: 17,084,425 GALLONS	
FINAL STAFF LEVEL: 42" DATE: 12/10/2018	
VOLUME: 7,688,183 GALLONS	
TOTAL DISCHARGE VOLUME: 9,396,242 GALLONS	
DAILY AVERAGE FLOW: 1.879 MGD	

pH:	6.57 SU
TSS(mg/L):	27.5
NH3-N(ppd):	3.13
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE,T (mg/L):	0.055
IRON, T (mg/L):	1.01
O & G (mg/L)	BMDL

SAMPLE DATE:	12/18/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	10:50 AM
WEATHER CONDITIONS:	RAIN
CREEK CONDITIONS:	CLOUDY
INITIAL STAFF LEVEL: 84" DATE: 12/18/2018	
VOLUME: 17,372,019 GALLONS	
FINAL STAFF LEVEL: 46" DATE: 12/23/2018	
VOLUME: 8,487,870 GALLONS	
TOTAL DISCHARGE VOLUME: 8,884,146 GALLONS	
DAILY AVERAGE FLOW: 1.777 MGD	

pH:	6.84
TSS(mg/L):	19.6
NH3-N(ppd):	7.41
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE,T (mg/L):	0.081
IRON, T (mg/L):	0.971
O & G (mg/L)	24.7



LRS, Inc.

Laboratory Resources & Solutions, Inc.

205 6th Avenue

Ashville, AL 35953

(205) 594-1445

www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
PO Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project Name: **001 Chronic Toxicity – December 2017**

Date: January 08, 2018

Primary Data Review by:

Courtney Snow

Courtney Snow
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
csnow@lab-resource.com

- * Unless otherwise noted, all analyses on this report performed at ERA, 2975 Brown Court, Auburn, AL 36830.
- * These results relate only to the items tested. This report may only be reproduced in full.
- * Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.0	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.9	*****	7.2		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	7	13		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.5	0.7		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.1 monthly average	52.4 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	2	6		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	232 monthly average	348 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	1.11	1.33		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	02/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	0.7	0.7	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****		*****	0	Monthly
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.2	0.2	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****		*****	0	Monthly
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****		*****	0	Weekly
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****		*****	0	Monthly
PHENOLS	Sample Measurement	0.01	0.02	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****		*****	0	2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.27916	0.36623	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	0.012	0.014	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****		*****	0	2X Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	02/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	4756	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	0	Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	6	8	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	213 monthly average	320 maximum daily		*****	*****	*****		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	02/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.78	*****	7.05		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	8.2	13.2		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	0.90	1.80		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	6.9	7.41		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.89	1.200		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.12	0.153		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	02/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.534	1.777	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	02/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Dry Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-01-01 To: 2018-01-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		7.0	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				Weekly
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.9	*****	7.2	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				Daily
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	7	13	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				Weekly
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	0.5	0.7	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.1 Monthly Average	52.4 Maximum Daily		*****	*****	*****				Weekly
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	2	6	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	232 Monthly Average	348 Maximum Daily		*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	1.11	1.33	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				2X Monthly
Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)											

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-01-01To: 2018-01-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	0.7	0.7	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.2	0.2	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	0.01	0.02	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.27916	0.36623	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.012	0.014	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period: 2018-01-01 To: 2018-01-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		*****	0		*****	*****	*****				
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	0	0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	0	0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	4756	26 lbs/day	*****	*****	*****	0	0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	6	8	26 lbs/day	*****	*****	*****	0	0	Weekly	Composite
	Permit Requirement	213 Monthly Average	320 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period : 2018-01-01 To: 2018-01-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.78	*****	7.05		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	8.2	13.2		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.90	1.80		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	6.9	7.41		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.89	1.200		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.12	0.153		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319 (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period : 2018-01-01To: 2018-01-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1,534	1,777	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319 [Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.]					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		



LRS, Inc.
Laboratory Resources & Solutions, Inc.
205 6th Avenue
Ashville, AL 35953
(205) 594-1445
www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
PO Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project Name: **001 Chronic Toxicity – January 2018**

Date: February 05, 2018

Primary Data Review by:

Courtney Snow

Courtney Snow
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
csnow@lab-resource.com

* Unless otherwise noted, all analyses on this report performed at ERA, 2975 Brown Court, Auburn, AL 36830.

* These results relate only to the items tested. This report may only be reproduced in full.

* Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
TOXICITY TEST REPORT SUMMARY

1. GENERAL:

NPDES PERMIT NO.: AL0003417 DSN: 001 COUNTY: Jefferson
 Permittee: ABC Coke, Inc.
 Facility Name: ABC Coke WWTP
 Agent Submitting Report: Mr. Jeff McCord
 Lab Conducting Toxicity Test(s): ERA, 2975 Brown Ct., Auburn, AL 36830
 Months To Test: Monthly
 This Report for Toxicity Test(s) Required for the Month of: Jan
 Scheduled Test(s): Yes No Accelerated Test(s): Yes No
 Accelerated Test Number of For Failed Scheduled Test Date:
 Test Type Required: -Hr Acute Screening: -Hr Acute Definitive:
 Short-term Chronic Screening: Short-term Chronic Definitive:

Test Organism: Ceriodaphnia dubia Test Organism: Pimephales promelas

Sam No.	Date/Time Start	Date/Time Ended	Control	Date/Time Start	Date/Time Ended	Control
	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid
1	1/23/18 15:00	1/30/18 17:00	Yes	1/23/18 13:00	1/30/18 15:00	Yes

2.A. SUMMARY OF RESULTS FOR SCREENING TESTS:

Test	Eff.	Test Number											
		(1)			(2)			(3)			(4)		
Org.	Conc	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow
P.p.	16%	PASS	N/A	PASS									
C.d.	16%	PASS	PASS	N/A									

3. LABORATORY ANALYSES OF UNDILUTED SAMPLE(S):

SAMPLE Id.	BOD5 mg/l	TSS mg/l	NH3 mg/l	pH su	Alk mg/l	Hard mg/l	TRC mg/l	Conductivity μS
1	---	---	<0.100	7.39	196	18	---	3690
2	---	---	0.152	7.45	200	39	---	3710
3	---	---	0.334	7.56	200	18	---	3780

Chemical Analyses Performed By (Lab): ERA

Total 24-Hour Flow: (1) 0.241 MGD (2) 0.222 MGD (3) 0.338 MGD

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF RESPONSIBLE OFFICIAL: _____ DATE: _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 1/23/18

4. SAMPLE COLLECTION:

Split Samples: N/A Yes (Explain) _____
 Samples Collected as Specified in the NPDES Permit: Yes No (Explain) _____
 Receiving Water: Five Mile Creek
 Design Flow: 0.406 (MGD)

Sample Id.	Sample(s) Collected MM/DD/YY HHMM - MM/DD/YY HHMM	Arrival Temp. °C.	Used in Test(s)	
			MM/DD/YY - MM/DD/YY	
1	1/21/18 0730 - 1/22/18 0730	2.7	1/23/18 - 1/24/18	
2	1/23/18 0730 - 1/24/18 0730	3.0	1/25/18 - 1/26/18	
3	1/25/18 0730 - 1/26/18 0730	2.6	1/27/18 - 1/29/18	

5. CONTROL/DILUTION WATER:

Type	Prepared MM/DD/YY	Begin Use MM/DD/YY	Initial Water Chemistries				
			Hard.	Alk.	pH	Cond.	@ °C.
MHRW	1/13/18	1/23/18	86	58	7.69	316	@ 25
MHRW	1/22/18	1/24/18	88	62	7.77	312	@ 25
MHRW	1/22/18	1/25/18	84	57	7.72	318	@ 25
MHRW	1/24/18	1/27/18	88	60	7.73	311	@ 25

6. TOXICITY TEST INFORMATION:

Test	Organism	Organism	Test Solution Concentrations (%)				
Species	Age	Source					
P.p.	24 -48hr	Florida Bioassay Supply	16%				
C.d.	0- 6 hr	ERA	16%				

Test Species	Test Vessel Type	Vessel Vol. (mL)	Solution Vol. (mL)	Org./Test Vessel	Replicates Per Conc.
P.p.	plastic beaker	500	250	10	4
C.d.	plastic beaker	25	20	1	10

Test Species	Temp. Range (°C.)	D.O. Range (mg/L)	pH Range (su)	Light Intensity Average (ft.-c.)
P.p.	24.1 - 26.0	5.3 -10.0	7.16 -7.89	75
C.d.	24.8 - 26.0	8.0 -10.0	7.30 -7.89	75

7. FEEDING:

Not Fed: Fed Daily: Fed Irregular: (Explain in Comments Below)
 Brine Shrimp: Fed 0.15 g Suspension of Newly Hatched Larvae 2 Times Daily.
 YCT: Fed 0.130 mL Suspension Containing 1.70 g/L TS Daily.
 Algae: Fed 0.130 mL Suspension Containing 3.0 x 10⁷ Algal Cells/mL Daily.

COMMENTS:

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN:001 DATE: 1/23/18

8. REFERENCE TOXICANT TESTS:

TOXICANT: Sodium Chloride SOURCE: Fisher Scientific CAS#: 7647-14-5
 Solution Concentration Unit: mg/L g/L X % Other(specify)

Chronic:

Test Org.	Test Date MM/DD - MM/DD	Control Water	Reference Test Solution Concentrations (Control to Highest Conc.)						
P.p.	1/23/18- 1/30/18	MHRW	0	2.0	4.0	6.0	8.0	10.0	
C.d.	1/23/18- 1/30/18	MHRW	0	0.5	1.0	1.5	2.0	2.5	
Test Org.	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit				NUMBER (N)		
P.p.	Survival	2.0	2.0 - 4.0				20		
P.p.	Growth	2.0	2.0 - 4.0				20		
C.d.	Survival	1.5	0.5 - 1.5				20		
C.d.	Reproduction	1.0	0.25- 1.0				20		

Data on File with ADEM Toxic Unit

9. TEST CONDITION VARIABILITY:

9.A. Deviations From Standard Test Conditions:

None

11.C CHRONIC SCREENING TOXICITY TESTS RESULTS (Freshwater):

TEST ORGANISM: Ceriodaphnia dubia

Were Neonates Used to Begin the Test Within 8 hours of the same age?: Yes

Did 60% of the CONTROL Females Produce Their Third Brood? YES: X NO:

SURVIVAL

CHRONIC TOXICITY INDICATED: YES NO X

NO SURVIVAL STATISTICAL ANALYSIS NECESSARY: X

CONTROL(%) 24h 100 48h 100 End 100 EFFLUENT(%): 24h 100 48h 100 End 100

Fishers Exact Test: A = , B = , a = , b =

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 1/23/18

REPRODUCTION (Average Neonates/Female)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 20.5 EFFLUENT(%): 22.7

NO REPRODUCTION STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F:

/ Test Statistic: _____ / Test Critical Value:

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

TEST ORGANISM: Pimephales promelas

MORTALITY

CHRONIC TOXICITY INDICATED: YES NO

CONTROL(%) 24h 100 48h 100 7day 100 EFFLUENT(%): 24h 100 48h 100 7day 98

NO MORTALITY STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F:

/ Test Statistic: _____ / Test Critical Value:

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

GROWTH - Mean Dry Weight (mg)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 0.343 mg EFFLUENT: 0.351 mg

NO GROWTH STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F:

/ Test Statistic: _____ / Test Critical Value:

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

Information:

, Inc.

Address:

Street

il Address:

Avenue

, Alabama 35953

94-1445

n@lab-resource.com

Name: 001 Chronic Toxicity

Signature: *A Bourgeois*

Permit #: AL0003417

(signature):

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

Same Day (200%)

Next Day (100%)

Two Day (50%)

Three Day (25%)

Sample ID

001 Discharge

Comp. 1-21-18 0730

End Date* 1-22-18 0730

End Time*

1 X

Number of Containers

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserve

Analysis/Container/Preservative

Chain of Custody Page 1 of 1

Laboratory Resources & Solutions, Inc. (LRS)

A Laboratory Service Provider



Laboratory:

Environmental Resource Analysts, Inc.

2975 Brown Court

Auburn, AL 36830

Sample Remarks

1760137-18

S-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT-Other (Describe)

Remarks: "End Date and Time Indicates When Samples Were Removed from Composite Sampler"

Received by (Signature)	Date:	Time:	Received by (Signature)	Date:	Time:	Condition	pH	Temp	
<i>A Bourgeois</i>	1-22-18	0730	<i>A Bourgeois</i>	1-22-18	0730	Samples returned via: FedEx, UPS, Other			
<i>A Bourgeois</i>	1-22-18	0747	<i>A Bourgeois</i>	1-22-18	0730	Temp: 2.7°C			
<i>A Bourgeois</i>	1-22-18	13:30	<i>A Bourgeois</i>	1-22-18	13:30	Date: 1-22-18			
Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com							pH Checkoff:	NCF:	

Information:

, Inc.

Address:

Street

il Address:

Avenue

, Alabama 35953

94-1445

@lab-resource.com

Name: 001 Chronic Toxicity

Permit # AL0003417

(signature):

Beard

20? N Y



LRS Client Information:

ABC Coke

P.O. Box 10246

Birmingham, AL 35202

354-0118

"Report to" Contact:

Mr. David Vance

City/State collected:

Birmingham, Alabama

P.O. #

Project Turnaround (Begins on Lab Login Date)

Data Results Needed:

RUSH? Please Notify LRS

Same Day (200%)

Next Day (100%)

Two Day (50%)

Three Day (25%)

Number of Containers

1

Start Time

End Date*

End Time*

Comp. 1-23-18 0730

1-24-18 0730

0730

Sample ID

101 Discharge

Analysis/Container/Preservative

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserve

Chain of Custody
Page 1 of 1

Laboratory Resources & Solutions, Inc. (LRS)
A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Sample Remarks

17611320a

pH _____ Temp _____

Flow _____ Other _____

Rainfall in Inches _____

Condition (lab use only)

Samples returned via: FedEx ___ UPS ___ Other ___

Bottles Received: 1

Temp: 3.0°C

Date: 01-24-18

Time: 1530

Received for lab by: (Signature)

Received by: (Signature)

Received for lab by: (Signature)

Received by: (Signature)

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

0131

Information:

, Inc.

Address:

Street

il Address:

Avenue

, Alabama 35953

94-1445

info@lab-resource.com



LRS Client Information:

ABC Coke

P.O. Box 10246

Birmingham, AL 35202

251-0118

"Report to" Contact:

Mr. David Vance

City/State collected:

Birmingham, Alabama.

P.O. #

Permit #: AL0003417

Name: **001 Chronic Toxicity**

A Bourgeois
(signature)

Project Turnaround (Begins on Lab Login Date)

[RUSH?] Please Notify LRS

___ Same Day (200%)

___ Next Day (100%)

___ Two Day (50%)

___ Three Day (25%)

Date Results Needed:

Sample ID

001 Discharge

Comp. 1-25-18 0730

Start Time 1-26-18 0730

End Date* 1-26-18 0730

End Time*

1

Number of Containers

Chronic Toxicity FT1000.0 (One 1-gallon HDPE, non-preserve

Analysis/Container/Preservative

Chain of Custody

Page 1 of 1

Laboratory Resources & Solutions, Inc. (LRS)
A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Sample Remarks

Never back

pH _____ Temp _____

Flow _____ Other _____

Rainfall in Inches _____

Condition (lab use only)

Samples returned via: FedEx ___ UPS ___ Other ___

Temp: *2.6°C*

Bottles Recollected: *1*

Date: *01-26-18*

Time: *1250*

Received for lab by: (Signature) *bc*

Received by: (Signature) *[Signature]*

Date: *1-26-18*

Time: *1000*

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

7 DAY FATHEAD MINNOW TOXICITY TEST - EPA METHOD 1000.0

Client: APL coke
 Age of Test Organisms: 24-48 hrs Ambient Laboratory Illumination
 Source: ABS Lot #: 808
 Time: 1300 Brine Shrimp Lot #: 29
 Time: 1500 Photoperiod: 16hrs. L; 8hrs. D
 for DO, pH, and temp. readings: old water/ new water

CONTROL

Number Alive
 Replicate Number

test day	1	2	3	4	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/Time/Initials	DO Meter/Probe	pH Meter/Probe	MHRW Lot #	Thermometer ID	Obs
part	10	10	10	10	40	7.82	8.4	25.4	1400	N/A	01-23-18 1300 AE	YSI 2 #2	AB153 #12	3490	11327 #1	N
	10	10	10	10	40	7.31 7.44	7.7 9.0	25.6 24.6	1000 1450	JA	01-24-18 1430 JA			3498		N
	10	10	10	10	40	7.73 8.1	8.6 8.6	25.5 24.5	1400 1400	ZM	01-25-18 1300 ZM			3499		N
	10	10	10	10	40	7.50 7.55	8.2 8.8	24.5 23.0	1400 1400	JA	01-25-18 1330			3499		N
	10	10	10	10	40	7.54 7.46	7.0 8.8	25.9 25.3	1000 1700	AF	01-27-18 1500 AF			3500		N
	10	10	10	10	40	7.61 7.89	7.95 8.8	24.6 24.8	1500 1500	BU	1-28-18 1300 BU			3500		N
	10	10	10	10	40	7.33 7.51	6.3 8.5	25.3 26.0	1400 1400	JA	1-28-18 1300 JA			3500		N
	10	10	10	10	40	7.21	6.2	25.2	N/A	N/A	01-30-18 1500 AF			N/A		N

BUA
1-28-18

Observations Key

- = On Surface
- = On Bottom
- E = Precipitate
- LETH = Lethargic
- ERR = Erratic Swimming
- UM = Undissolved Material
- N = Normal
- FC = Flared Carapace
- CO = Caught On
- F = Film
- PM = Particulate Matter
- N/A = Not Applicable
- CLDY = Cloudy

VIRONMENTAL RESOURCE ANALYSTS, INC. 2975 BROWN CT. AUBURN, AL 36830 (334) 502-3444

7 DAY FATHEAD MINNOW TOXICITY TEST - EPA METHOD 1000.0

est #: 74-153

Client: LRS-ABG Coke

16 % Effluent Sample #s: 1) 2) 3)

Number Alive
Replicate Number

Test Day	1	2	3	4	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/Time/Initials	Obs.	pH of 100% effluent
Start	10	10	10	10	40	7.51	8.7	25.0	1400	N/A	01-23-18 1305 AE	N	7.77
	10	10	10	10	40	7.50	7.4	25.10	1000	JA	01-24-18 14:05 JA	N	7.99
	10	10	10	10	40	7.42	9.2	26.0	1400		01-25-18 1305 ZM	N	7.71
	10	10	10	10	40	7.76	7.4	25.6	1000	ZM	01-26-18 13:35 JA	N	7.52
	10	10	10	10	40	7.37	10.0	24.1	0900	JA	01-27-18 1505 AF	N	7.75
	10	10	10	10	40	7.56	8.1	25.5	1400	AF	1-28-18 1305 BU	N	7.73
	10	10	10	10	40	7.43	10.0	25.3	1200	BU	1-28-18 1305 JA	N	7.53
	10	10	10	10	40	7.08	6.9	25.8	900	JA	01-30-18 1505 AF	N	7.84
	10	10	10	10	40	7.54	9.8	25.0	1700	N/A	1505 AF	N	7.69
	10	10	10	10	40	7.16	6.60	25.6	900		1-28-18 1305 BU	N	7.73
	10	10	10	10	40	6.61	8.2	25.8	1500		1-28-18 1305 JA	N	7.53
	10	10	9	10	39	7.56	6.0	26.0	0900	JA	01-30-18 1505 AF	N	7.84
	10	10	9	10	39	7.34	8.5	25.4	1400	N/A	1505 AF	N	7.69

AF013018A

Observations Key

- OS = On Surface
- ON = On Bottom
- PRE = Precipitate
- LETH = Lethargic
- ERR = Erratic Swimming
- UM = Undissolved Material
- N = Normal
- FC = Flared Carapace
- CO = Caught On
- F = Film
- PM = Particulate Matter
- N/A = Not Applicable
- CLDY = Cloudy

DRY WEIGHT DETERMINATION FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Test #: 74-153 Analyst: AF Balance #: AND #2
 Date/Time in Oven: 1/30/18 1540 Date/Time Out of Oven: 1/31/18 1540 Oven Temp: 60 °C

Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
Blank	1	2.56354	2.56359	N/A	N/A	N/A
	1	2.58812	2.59139	10	0.327	0.343
	2	2.57215	2.57565	10	0.350	
	3	2.57991	2.58343	10	0.352	
4	2.59316	2.59659	10	0.343		
Control	1	2.58061	2.58423	10	0.362	0.351
	2	2.59445	2.59803	10	0.358	
	3	2.58314	2.58619	9	0.305	
	4	2.57757	2.58136	10	0.379	
% Effluent						

Environmental Resource Analysts, Inc.

3 BROOD CERIODAPHNIA TOXICITY TEST - EPA METHOD 1002.0

Client: ABC coke

#: 74-153 Age of Test Organisms: 0-6 hrs Ambient Laboratory Illumination

Volume: 20mL Source: ERA Photoperiod: 16hrs. L; 8hrs. D

Lot #: 269 1.700 g/L solids Test Start Date: 01-23-18 Time: 1500

Lot #: 267 3 x 10⁷ cells/mL Test End Date: 01-30-18 Time: 1700

CONTROL for DO, pH, and temp. readings: old water/ new water

1 = Alive, 0 = Dead, M = Male, / # = # neonates
 Replicate Number (# Adults/ # Neonates)

Replicate	1	2	3	4	5	6	7	8	9	10	# Alive	pH	DO (mg/L)	Temp (°C)	Feeder Chan	Water	Date/Time/Initials	DO Meter/Probe	pH Meter/Probe	MHR W Lot #	Thermo meter ID	Obs
1	1	1	1	1	1	1	1	1	1	1	10	7.82	8.4	25.4	AF	N/A	01-23-18 1500 AF	YSI2 #2	AB153 #12	3496	773251 #1	N
1	1	1	1	1	1	1	1	1	1	1	10	7.52	8.1	25.5	AF	AF	01-24-18 1500 AF			3498		N
1	1	1	1	1	1	1	1	1	1	1	10	7.44	8.0	24.6	AF	AF	01-25-18 1700 AF			3499		N
1	1	1	1	1	1	1	1	1	1	1	10	7.50	8.3	25.3	AF	AF	01-26-18 1600 AF			3499		N
1	1	1	1	1	1	1	1	1	1	1	10	7.43	8.0	25.5	AF	AF	01-27-18 1500 AF			3500		N
1	1	1	1	1	1	1	1	1	1	1	10	7.55	8.8	26.0	AF	AF	01-28-18 1100 AF			3500		N
1	1	1	1	1	1	1	1	1	1	1	10	7.46	8.1	25.4	AF	AF	01-29-18 1500 AF			3500		N
1	1	1	1	1	1	1	1	1	1	1	10	7.49	8.3	25.3	AF	AF	01-28-18 1100 AF			3500		N
1	1	1	1	1	1	1	1	1	1	1	10	7.39	8.3	24.8	OE	OE	01-29-18 1500 AF			3500		N
1	1	1	1	1	1	1	1	1	1	1	10	7.45	8.1	25.1	AF	AF	01-30-18 1700 AF			N/A		N
1	1	1	1	1	1	1	1	1	1	1	10	7.40	8.0	25.3	N/A	N/A				N/A		N
2	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	N/A	N/A				N/A		N
2	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	N/A	N/A				N/A		N

Average # neonates/female: 20.5

Observations Key
 On Surface: LETH = Lethargic
 On Bottom: ERR = Erratic Swimming
 Precipitate: UM = Undissolved Material
 N = Normal
 FC = Flared Carapace
 CO = Caught On
 F = Film
 PM = Particulate Matter
 N/A = Not Applicable
 CLDY = Cloudy
 AUBURN, AL 36830 (334) 502-3444
 IRONMENTAL RESOURCE ANALYSTS, INC.
 2975 BROWN CT.
 L:\Analytical Data\Toxicity\Ceriodaphnia Toxicity Test

3 BROOD CERIODAPHNIA TOXICITY TEST - EPA METHOD 1002.0

Test #: 74-153

Client: LRS-ABC Coke

160 % Effluent Sample #: 1) 2) 3)

1 = Alive, 0 = Dead, M = Male, / # = # neonates
 Replicate Number (# Adults / # Neonates)

Test Day	1	2	3	4	5	6	7	8	9	10	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/Time/Initials	Obs
1	1	1	1	1	1	1	1	1	1	1	10	7.51	8.7	25.0	AF	NA	01-23-18	N
	1	1	1	1	1	1	1	1	1	1	10	7.33	8.3	25.0	AF	AF	01-24-18	N
	1	1	1	1	1	1	1	1	1	1	10	7.42	9.2	26.0	AF	AF	01-25-18	N
	1	1	1	1	1	1	1	1	1	1	10	7.30	8.2	25.0	AF	AF	01-25-18	N
	1	1	1	1	1	1	1	1	1	1	10	7.37	10.5	26.0	AF	AF	01-25-18	N
	1	1	1	1	1	1	1	1	1	1	10	7.40	8.3	25.4	AF	AF	01-26-18	N
	1/1	1/2	1/1	1/3	1/4	1/4	1/5	1/3	1/6	1/3	10	7.43	10.0	25.5	AF	AF	01-27-18	N
	1	1	1	1	1	1	1	1	1	1	10	7.57	9.8	26.3	AF	AF	01-27-18	N
	1/4	1/3	1/2	1/1	1/2	1/3	1/4	1/7	1/3	1/8	10	7.50	8.3	25.3	AF	AF	01-28-18	N
	1/7	1/5	1/8	1/20	1/7	1/14	1/16	1/14	1/13	1/14	10	7.51	8.0	25.2	N/A	N/A	01-30-18	N
Neonates	22	20	21	24	23	21	25	24	22	25					N/A	N/A		

On Surface	LETH = Lethargic	N = Normal	CO = Caught On	N/A = Not Applicable
On Bottom	ERR = Erratic Swimming	FC = Flared Carapac F = Film	CLDY = Cloudy	
Precipitate	UM = Undissolved Material	PM = Particulate Matter		
Average # neonates per female				22.7

VIRONMENTAL RESOURCE ANALYSTS, INC. 2975 BROWN CT. AUBURN, AL 36830 (334) 502-3444

Toxicity Bench Sheet

Client: LRS-ABC Coke

Sample Collection Lab#/Date/Time	Sample	pH Analysis Date/Time	Analyst	pH Meter/Probe	pH Result	TRC Analysis Date/Time	TRC Result (mg/L)
01-22-18 0730	#1	01-22-18 11030	AF	AB153 #12	7.39	N/A	N/A
1/24/18	#2	1/24/18	AF		7.45		
1/26/18	#3	1/26/18	AF		7.56		

002 STORM WATER MONITORING

SAMPLE DATE:	1/5/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	3:40 PM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLEAR
INITIAL STAFF LEVEL: 84" DATE: 1/5/2018	
VOLUME: 17,372,016 GALLONS	
FINAL STAFF LEVEL: 46" DATE: 1/10/2018	
VOLUME: 8,487,870 GALLONS	
TOTAL DISCHARGE VOLUME: 8,884,146 GALLONS	
DAILY AVERAGE FLOW: 1.777 MGD	

pH:	6.78 SU
TSS(mg/L):	13.2
NH3-N(ppd):	7.41
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE, T (mg/L):	0.08
IRON, T (mg/L):	1.2
O & G (mg/L)	BMDL

SAMPLE DATE:	1/22/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	3:20 P.M.
WEATHER CONDITIONS:	RAIN
CREEK CONDITIONS:	CLEAR
INITIAL STAFF LEVEL: 84" DATE: 1/22/2018	
VOLUME: 17,372,016 GALLONS	
FINAL STAFF LEVEL: 56" DATE: 1/27/2018	
VOLUME: 10,922,610 GALLONS	
TOTAL DISCHARGE VOLUME: 6,449,406 GALLONS	
DAILY AVERAGE FLOW: 1.290 MGD	

pH:	7.05 SU
TSS(mg/L):	3.2
NH3-N(ppd):	6.35
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE, T (mg/L):	0.153
IRON, T (mg/L):	0.581
O & G (mg/L)	1.8

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.1	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.9	*****	7.3		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2.3	6.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.6	2.9		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.1 monthly average	52.4 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	5.6	13.9		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	232 monthly average	348 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	1.32	1.60		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	03/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	1.0	1.0	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****		*****	0	Monthly
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.3	0.3	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****		*****	0	Monthly
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****		*****	0	Weekly
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****		*****	0	Monthly
PHENOLS	Sample Measurement	0.01	0.01	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****		*****	0	2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.33010	0.38095	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	0.021	0.024	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****		*****	0	2X Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	03/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	6151.0	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	8.9	11.9	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	213 monthly average	320 maximum daily		*****	*****	*****		*****	Weekly	Composite
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	03/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.82	*****	7.10		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	28.0	42.0		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	6.35	9.18		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	1.32	1.60		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.16	0.23		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	03/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.584	1.658	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	03/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-03-01 To: 2018-03-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.3	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		Minimum Daily	*****	*****			Weekly	Grab
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.9	*****	7.2	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		Minimum Daily	*****	Maximum Daily		9.0	Daily	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	2.8	4.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****			Weekly	Composite
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****			2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	2.9	5.1	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.1 Monthly Average	52.4 Maximum Daily		*****	*****	*****			Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	8.3	15.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	232 Monthly Average	348 Maximum Daily		*****	*****	*****			Weekly	Composite
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	1.07	1.35	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2018-03-01 To: 2018-03-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	1.4	1.4	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.2	0.2	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	0.003	0.005	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.32477	0.36945	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.021	0.025	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2018-03-01 To: 2018-03-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	4915.0	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	8.8	11.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	213 Monthly Average	320 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>				Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)			

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period : 2018-03-01 To: 2018-03-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.81	*****	7.19		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	17.4	20.0		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.30	2.58		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	1.00	1.01		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.12	0.13		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No.	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period : 2018-03-01 To: 2018-03-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1.586	1.822	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)



LRS, Inc.

Laboratory Resources & Solutions, Inc.

205 6th Avenue
Ashville, AL 35953
(205) 594-1445

www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
PO Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project Name: **001 Chronic Toxicity – March 2018**

Date: April 10, 2018

Primary Data Review by:

Courtney Snow

Courtney Snow
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
csnow@lab-resource.com

* Unless otherwise noted, all analyses on this report performed at ERA, 2975 Brown Court, Auburn, AL 36830.

* These results relate only to the items tested. This report may only be reproduced in full.

* Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

**ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
TOXICITY TEST REPORT SUMMARY**

1. GENERAL:

NPDES PERMIT NO.: AL0003417 DSN: 001 COUNTY: Jefferson
 Permittee: ABC Coke, Inc.
 Facility Name: ABC Coke, Inc.
 Agent Submitting Report: : Mr. Jeff McCord
 Lab Conducting Toxicity Test(s): ERA, 2975 Brown Court, Auburn, AL 36830
 Months To Test: Monthly
 This Report for Toxicity Test(s) Required for the Month of: March
 Scheduled Test(s): Yes X No Accelerated Test(s): Yes No X
 Accelerated Test Number of For Failed Scheduled Test Date:
 Test Type Required: 48 -Hr Acute Screening: -Hr Acute Definitive:
 Short-term Chronic Screening: X Short-term Chronic Definitive:

Test Organism: Ceriodaphnia dubia Test Organism: Pimephales promelas

Sam	Date/Time Start	Date/Time Ended	Control	Date/Time Start	Date/Time Ended	Control
No.	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid
1	03/06/18 16:00	03/13/18 15:00	Yes	03/06/18 16:00	03/13/18 12:10	Yes

2.A. SUMMARY OF RESULTS FOR SCREENING TESTS:

Test	Eff.	Test Number											
		(1)			(2)			(3)			(4)		
Org.	Conc	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow
P.p.	16%	PASS	N/A	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
C.d.	16%	PASS	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

3. LABORATORY ANALYSES OF UNDILUTED SAMPLE(S):

SAMPLE	BOD5	TSS	NH3	pH	Alk	Hard-EFF	TRC	Conductivity
Id.	mg/l	mg/l	mg/l	su	mg/l	mg/l	mg/l	uS
1	----	-----	0.959	7.78	243	20.4	NA	2,800
2	----	-----	0.403	8.00	235	18.3	NA	2,980
3	----	-----	0.618	7.51	246	26.5	NA	2,910

Chemical Analyses Performed By (Lab): ERA

Total 24 Hour Flow: (1) 0.337 MGD (2) 0.329 MGD (3) 0.323 MGD

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF RESPONSIBLE OFFICIAL: _____ DATE: _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 03/06/18

4. SAMPLE COLLECTION:

Split Samples: N/A Yes (Explain) _____
 Samples Collected as Specified in the NPDES Permit: Yes No (Explain) _____
 Receiving Water: Five Mile Creek
 Design Flow: 0.406 (MGD)

Sample Id.	Sample(s) Collected	Arrival Temp. °C.	Used in Test(s)
1	3/04/18 0730 - 3/05/18 0730	2.6	3/06/18 - 3/07/18
2	3/06/18 0730 - 3/07/18 0730	3.6	3/08/18 - 3/09/18
3	3/08/18 0730 - 3/09/18 0730	3.8	3/10/18 - 3/12/18

5. CONTROL/DILUTION WATER:

Type	Prepared MM/DD/YY	Begin Use MM/DD/YY	Initial Water Chemistries				
			Hard.	Alk.	pH	Cond.	@ °C.
MHRW	02/27/18	03/06/18	82	64	7.68	313	@ 25
MHRW	03/04/18	03/07/18	86	58	7.43	297	@ 25
MHRW	03/04/18	03/08/18	84	58	7.49	286	@ 25
MHRW	03/08/18	03/10/18	90	60	7.48	292	@ 25
MHRW	03/08/18	03/11/18	88	60	7.47	310	@ 25
MHRW	03/08/18	03/12/18	88	58	7.44	317	@ 25

6. TOXICITY TEST INFORMATION:

Test Species	Organism Age	Organism Source	Test Solution Concentrations (%)				
P.p.	1-2 days	Florida Bioassay Supply	16%				
C.d.	10-8 hrs	ERA	16%				

Test Species	Test Vessel Type	Vessel Vol. (mL)	Solution Vol. (mL)	Org./Test Vessel	Replicates Per Conc.
P.p.	plastic beaker	500	250	10	2
C.d.	plastic beaker	25	20	5	4

Test Species	Temp. Range (°C.)	D.O. Range (mg/L)	pH Range (su)	Light Intensity Average (ft.-c.)
P.p.	24.1 - 26.0	5.9 - 8.8	7.08 - 7.63	75
C.d.	24.3 - 25.8	7.2 - 8.8	6.93 - 7.63	75

7. FEEDING:

Not Fed: _____ Fed Daily: Fed Irregular: _____ (Explain in Comments Below)
 Brine Shrimp: Fed 0.15 g Suspension of Newly Hatched Larvae 2 Times Daily.
 YCT: Fed 0.130 mL Suspension Containing 1.86 g/L TS Daily.
 Algae: Fed 0.130 mL Suspension Containing 3.0 x 10⁷ Algal Cells/mL Daily.

COMMENTS:

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 03/06/18

8. REFERENCE TOXICANT TESTS:

TOXICANT: Sodium Chloride SOURCE: Fisher Scientific CAS#: 7647-14-5
Solution Concentration Unit: mg/L _____ g/L X % _____ Other(specify)

Chronic:

Test Org.	Test Date	Control Water	Reference Test Solution Concentrations (Control to Highest Conc.)						
P.p.	3/20/18- 3/27/18	MHRW	0	2.0	4.0	6.0	8.0	10.0	
C.d.	3/20/18- 3/27/18	MHRW	0	0.5	1.0	1.5	2.0	2.5	
Test Org.	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit				NUMBER (N)		
P.p.	Survival	4.0	2.0 - 4.0				20		
P.p.	Growth	4.0	2.0 - 4.0				20		
C.d.	Survival	1.5	0.5 - 1.5				20		
C.d.	Reproduction	0.5	0.25- 1.0				20		

Raw Data on File With ADEM Toxics Unit

9. TEST CONDITION VARIABILITY:

9.A. Deviations From Standard Test Conditions:

None

9.B. Test Solution Manipulations or Test Modifications:

None

10. REQUIRED REPORT ATTACHMENTS:

Attach Copies Of Chain-of-Custody Forms, Reference Toxicant Tests, And Raw Data (Bench Sheets) Pertaining To Physical, Chemical, And Biological Measurements For All Tests. Include Suspended, Interrupted, or Discontinued Toxicity Tests Data.

11.C CHRONIC SCREENING TOXICITY TESTS RESULTS (Freshwater):

TEST ORGANISM: Ceriodaphnia dubia

Were Neonates Used to Begin the Test Within 8 hours of the same age?: Yes

Did 60% of the CONTROL Females Produce Their Third Brood? YES: X NO:

SURVIVAL

CHRONIC TOXICITY INDICATED: YES _____ NO X

NO SURVIVAL STATISTICAL ANALYSIS NECESSARY: X

CONTROL(%) 24h 100 48h 100 End 100 EFFLUENT(%): 24h 100 48h 100 End 100

Fishers Exact Test: A = _____, B = _____, a = _____, b = _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 03/06/18

REPRODUCTION (Average Neonates/Female)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 21.0 EFFLUENT(%): 21.7

NO REPRODUCTION STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F: _____

/ Test Statistic: _____ / Test Critical Value: _____

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

TEST ORGANISM: Pimephales promelas

MORTALITY

CHRONIC TOXICITY INDICATED: YES NO

CONTROL(%) 24h 100 48h 100 7day 95 EFFLUENT(%): 24h 95 48h 95 7day 93

NO MORTALITY STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.827 Critical Value: 0.749 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 1.33 Critical F: 47.5

/ Test Statistic: 0.655 / Test Critical Value: 1.94

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

GROWTH - Mean Dry Weight (mg)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 0.295 mg EFFLUENT: 0.290 mg

NO GROWTH STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.885 Critical Value: 0.749 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 13.35 Critical F: 47.5

/ Test Statistic: 0.227 / Test Critical Value: 1.943

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

Information:



Resources, Inc.
 Box 1260
 7th Avenue
 Auburn, Alabama 35953
 256-594-1445
 info@lab-resource.com

LRS Client Information:

ABC Coke
 P.O. Box 10246
 Birmingham, AL 35202
 354-0310
 "Report to" Contact:
Mr. David Vance

Analysis/Container/Preservative

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserve)

Laboratory Resources & Solutions, Inc. (LRS)
 A Laboratory Service Provider



Laboratory:
 Environmental Resource Analysts, Inc.
 2975 Brown Court
 Auburn, AL 36830

Name: 001 Chronic Toxicity
 City/State collected: Birmingham, Alabama
 Permit #: AL0003417
 Project Turnaround (Begins on Lab Login Date):
RUSH? Please Notify LRS
 ___ Same Day (200%)
 ___ Next Day (100%)
 ___ Two Day (50%)
 ___ Three Day (25%)
 Date Results Needed:
 Number of Containers: 1
 Freeze? N Y

Sample Remarks

177 SS-016

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Chronic Toxicity
001 Discharge	Comp.	3/4/18	0730	3/5/18	0730	1	X

SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____

Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Received by: (Signature) <i>David Vance</i>	Date: 3/5/18	Time: 0730	Received by: (Signature) <i>[Signature]</i>	Samples returned via: FedEx UPS Other G.S. Courier	Condition (lab use only)
Received by: (Signature) <i>[Signature]</i>	Date: 3/5/18	Time: 0730	Received by: (Signature) <i>[Signature]</i>	Temp: 2.6	Bottles Received: 1
Received by: (Signature)	Date: 3/5/18	Time: 0730	Received for lab by: (Signature) <i>David Vance</i>	Date: 03/04/18	Time: 9:30
				pH Checked:	NCF:

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

Information:

, Inc.
 ox 1260
 h Avenue
 e, Alabama 35953
 594-1445
 on@lab-resource.com



LRS Client Information:

ABC Coke
 P.O. Box 10246
 Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

Analysis/Container/Preservative

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserved)

Laboratory Resources & Solutions, Inc. (LRS)
 A Laboratory Service Provider



Name: 001 Chronic Toxicity

City/State collected:
 Birmingham, Alabama
 P.O. #

Permit #: **AL0003417**
359-0318

Signature: *A Bourgeois*

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

Date Results Needed:

- Same Day (200%)
- Next Day (100%)
- Two Day (50%)
- Three Day (25%)

Number of Containers

Laboratory:
 Environmental Resource Analysts, Inc.
 2975 Brown Court
 Auburn, AL 36830

Sample Remarks

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative	Sample Remarks
001 Discharge	Comp.	3/6/18	0730	3/7/18	0730	1	X	177294-01a

SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____

Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Received by: (Signature) <i>Bourgeois</i>	Date: 3/7/18 Time: 0730	Received by: (Signature) <i>Wine</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)
Received by: (Signature) <i>Wine</i>	Date: 3-8-18 Time: 0913	Received by: (Signature) <i>Wine</i>	Temp: _____ Bottles Received: _____	3.6°C
Received by: (Signature) <i>Wine</i>	Date: _____ Time: _____	Received by lab by: (Signature) <i>Wine</i>	Date: 3/8/18 Time: 9:13	pH Checked: _____ NCF: _____

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

Information:

, Inc.
Box 1260
1 Avenue
Birmingham, Alabama 35953
205-994-1445
info@lab-resource.com



LRS Client Information:

ABC Coke
P.O. Box 10246
Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

Name: **001 Chronic Toxicity**

City/State collected:
Birmingham, Alabama
P.O. #

Signature: *A. Bourque*
Permit #: **AL0003417**
359-0318

Project Turnaround (Begins on Lab Login Date)

- RUSH?** Please Notify LRS
- Same Day (200%)
- Next Day (100%)
- Two Day (50%)
- Three Day (25%)

Date Results Needed:

Number of Containers

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserved)

Analysis/Container/Preservative

**Laboratory Resources
& Solutions, Inc. (LRS)**
A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Sample Remarks

177279-01e.jb

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers															
001 Discharge	Comp.	3/8/18	0730	3/9/18	0730	1	X														

SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____
Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Received by: (Signature) <i>Bourque</i>	Date: 3/9/18	Time: 0730	Received by: (Signature) <i>JW</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition	(lab use only)
Received by: (Signature) <i>JW</i>	Date: 3-9-18	Time: 1625	Received by: (Signature) <i>Ch</i>	Temp: 3.80C	Bottles Received:	
Received by: (Signature)	Date:	Time:	Received by: (Signature)	Date: 030918	Time: 1625	pH Checked: NCF:

signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

7 DAY FATHEAD MINNOW TOXICITY TEST - EPA METHOD 1000.0

Client: ABC coke

Test #: 74-756

Age of Test Organisms: 24-48 hrs

Ambient Laboratory Illumination

Water Volume: 250mL

Source: ABS Lot #: 813

Test Start Date: 3-6-18

Time: 1600

Brine Shrimp Lot #: 29

Test End Date: 3-13-18

Time: 1200

Photoperiod: 16hrs. L; 8hrs. D

CONTROL

for DO, pH, and temp. readings: old water/ new water

Number Alive
Replicate Number

Test Day	1	2	3	4	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/Time/Initials	DO Meter/Probe	pH Meter/Probe	MHRW Lot #	Thermometer ID	Obs
Start	10	10	10	10	40	7.52	8.7	24.4	1830	N/A	03-06-18 1600 ABCE	YSI 2/2	AB153 1/2	3513	773237 11	N
1	10	10	10	10	40	7.03 7.32	6.8 8.7	25.5 24.7	900 16:00	JA	03-08-18 14:25 JA			3514		N
2	9	10	10	10	39	7.27 7.52	7.0 8.6	25.1 24.9	1030 17:30	JA	03-08-18 17:00 JA			3515		N
3	9	10	10	10	39	7.20 7.39	7.1 8.7	25.8 24.6	11:00 17:00	JA	03-09-18 13:00 JA			3515		N
4	9	10	10	10	39	7.27 7.55	6.5 8.8	25.3 24.9	1100 1750	BU	3-10-18 1300 BU			3516		N
5	9	10	10	10	39	7.44 7.49	5.7 8.6	24.6 25.3	1430 2030	BU	3-11-18 1730 BU			3517		N
6	9	10	10	9	38	7.18 7.63	6.8 8.5	25.6 25.4	1230 2230	BU	3-12-18 1500 BU			3518		N
7	9	10	10	9	38	7.54	7.3	25.1	N/A	N/A	3-13-18 1100 BU			N/A		N

Observations Key

OS = On Surface
ON = On Bottom
PRE = Precipitate

LETH = Lethargic
ERR = Erratic Swimming
UM = Undissolved Material

N = Normal
FC = Flared Carapace

CO = Caught On
F = Film
PM = Particulate Matter

N/A = Not Applicable
CLDY = Cloudy

ENVIRONMENTAL RESOURCE ANALYSTS, INC.

2975 BROWN CT. AUBURN, AL 36830

(334) 502-3444

L:\Analytical Data\Toxicity\Fathead Minnow Test

7 DAY FATHEAD MINNOW TOXICITY TEST - EPA METHOD 1000.0

 Test #: 74 -156

 Client: ABC Coke - Monthly
10 % Effluent

 Sample #: 1) 177255 2) 177294 3) 177279

 Number Alive
Replicate Number

Test Day	1	2	3	4	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/Time/Initials	Obs.	pH of 100% effluent
Start	10	10	10	10	40	7.37	8.2	25.4	1830	N/A	03-06-18 1605 AF CF	N	7.78
	10	10	10	10	40	7.19 7.45	7.1 8.4	25.3 24.1	0900 16:00	JA	03-07-18 1430 AP AP 03-07-18 JA	N	7.53
	10	10	9	10	39	7.31 7.53	6.2 8.5	25.6 24.9	1030 19:30	JA	03-08-18 JA 17:25 JA	N	8.00
	10	10	9	10	39	7.26 7.49	6.8 8.7	26.0 24.7	11:00 17:00	JA	03-09-18 13:05 JA	N	7.60
	9	10	9	9	37	7.29 7.37	6.6 8.8	25.2 25.3	1100 1750	BU	3-10-18 1305 BU	N	7.74
	9	10	9	9	37	7.54 7.41	5.9 8.3	24.8 25.8	1430 2030	BU	3-11-18 1735 BU	N	7.52
	9	10	9	9	37	7.27 7.18	6.6 9.4	25.6 25.4	1030 2230	BU	3-12-18 1505 BU	N	7.61
	9	10	9	9	37	7.53	6.7	25.1	N/A	N/A	3-13-18 1105 BU	N	7.43

Observations Key

 OS = On Surface
 ON = On Bottom
 PRE = Precipitate

 LETH = Lethargic
 ERR = Erratic Swimming
 UM = Undissolved Material

 N = Normal
 FC = Flared Carapace

 CO = Caught On
 F = Film
 PM = Particulate Matter

 N/A = Not Applicable
 CLDY = Cloudy

DRY WEIGHT DETERMINATION FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Test #: 74-156 Analyst: BU Balance #: AND #2
 Date/Time in Oven: 3-13-18 / 1400 Date/Time Out of Oven: 3-14-18 14:00 Oven Temp: 60° C

Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
Blank	1	1.00034	1.00029	N/A	N/A	N/A
Control	1	0.98763	0.99061	9	0.298	0.295
	2	1.04025	1.04334	10	0.309	
	3	1.01616	1.01909	10	0.293	
	4	1.00823	1.01104	9	0.281	
<u>16</u> % Effluent	1	0.99438	0.99789	9	0.351	0.290
	2	1.02436	1.02715	10	0.279	
	3	0.99509	0.99788	9	0.279	
	4	1.00314	1.00566	9	0.252	

Environmental Resource Analysts, Inc.

3 BROOD CERIODAPHNIA TOXICITY TEST - EPA METHOD 1002.0

Client: ABC coke Monthly

74-156

Age of Test Organisms: 0-8 hrs Ambient Laboratory Illumination

Volume: 20mL

Source: ERA

Photoperiod: 16hrs. L; 8hrs. D

Lot #: 271 1.800 g/L solids 0.13 mL fed per cup Test Start Date: 03.06.18 Time: 1600

Lot #: 208 3x10⁷ cells/mL 0.13 mL algae fed/cup Test End Date: 03.13.18 Time: 1500

TROL for DO, pH, and temp. readings: old water/ new water

1 = Alive, 0 = Dead, M = Male, / # = # neonates

Replicate Number (# Adults/ # Neonates)

1	2	3	4	5	6	7	8	9	10	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Chan	Date/Time/Initials	DO Meter/Probe	pH Meter/Probe	MHR W Lot #	Thermometer ID	Obs	
1	1	1	1	1	1	1	1	1	1	10	7.52	8.7	24.7	AF	AF	03.06.18 1600 AF	YSI2 #2	AB153 #12	3513	TT3257 #1	N	
1	1	1	1	1	1	1	1	1	1	10	7.39	8.1	25.3	AF	AF	03.07.18 1700 AF			3514		N	
1	1	1	1	1	1	1	1	1	1	10	7.48	8.3	25.4	CF	CF	03.08.18 1600 AF			3515		N	
1	1	1	1	1	1	1	1	1	1	10	7.52	8.6	24.9	AF	AF	03.09.18 1500 AF			3515		N	
1	1	1	1	1	1	1	1	1	1	10	7.36	8.2	25.4	AF	AF	03.10.18 1530 AF			3516		N	
1/2	1/5	1/2	1/2	1/3	1/3	1/3	1/4	1/2	1/3	10	7.39	8.2	25.3	AF	AF	03.11.18 1730 AF			3517		N	
1	1	1	1	1	1	1	1	1	1	10	7.47	7.9	25.5	AF	AF	03.12.18 1400 AE			3518		N	
1/6	1/11	1/6	1/6	1/5	1/4	1/3	1/2	1/6	1/7	10	7.03	7.7	25.1	AF	AF	03.13.18 1500 AF			N/A		N	
1/3	1/11	1/10	1/11	1/14	1/12	1/14	1/13	1/15	1/12	10	7.31	8.0	24.9	N/A	N/A							N
																AF031318A						
21	27	18	19	22	19	20	19	23	22						N/A	N/A						

Observations Key

On Surface LETH = Lethargic

N = Normal

CO = Caught On

N/A = Not Applicable

On Bottom ERR = Erratic Swimming

FC = Flared Carapace

F = Film

CLDY = Cloudy

Precipitate UM = Undissolved Material

PM = Particulate Matter

Average # neonates/female
21.0

ENVIRONMENTAL RESOURCE ANALYSTS, INC.

2975 BROWN CT.

AUBURN, AL 36830

(334) 502-3444

3 BROOD CERIODAPHNIA TOXICITY TEST - EPA METHOD 1002.0

Test #: 74 - 156

Client: LRS ABC Coke - Monthly

16 % Effluent

Sample #s: 1) 177255 2) 177294 3) 177279

I = Alive, 0 = Dead, M = Male, / # = # neonates

Replicate Number (# Adults/# Neonates)

Test Day	1	2	3	4	5	6	7	8	9	10	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/ Time/ Initials	Obs
Start	1	1	1	1	1	1	1	1	1	1	10	7.37	8.2	25.4	AF	NA	03-06-18 1605 AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.32 7.45	7.8 8.4	25.0 24.1	AF	AF	03-07-18 1705 AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.35 7.53	8.1 8.5	25.4 24.9	CF AF	CF AF	03-08-18 1605 CF AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.30 7.49	8.1 8.7	25.4 24.7	AF	AF	03-09-18 1505 AF	N
	1/3	1/3	1/2	1/4	1/3	1/2	1/3	1/4	1/2	1/3	10	7.38 7.37	8.0 8.8	25.1 25.3	AF	AF	03-10-18 1535 AF	N
	1	1	1	1/5	1	1	1/6	1	1	1	10	7.48 7.41	7.7 8.3	25.0 25.8	AF	AF	03-11-18 1735 AF	N
	1/8	1/8	1/6	1	1/5	1/9	1	1/8	1/11	1/9	10	7.23 7.18	7.2 8.5	25.1 25.4	AE AE	AE AE	03-12-18 1405 AE	N
	1/11	1/11	1/10	1/12	1/9	1/11	1/14	1/8	1/12	1/15	10	7.40 N/A	8.3 N/A	25.1 N/A	N/A	N/A	03-13-18 1505 AF	N
Neonates	22	22	18	21	17	22	23	20	25	27					N/A	N/A		

OS = On Surface
ON = On Bottom
RE = Precipitate

LETH = Lethargic
ERR = Erratic Swimming
UM = Undissolved Material

N = Normal
FC = Flared Carapace
F = Film
PM = Particulate Matter

CO = Caught On
N/A = Not Applicable
CLDY = Cloudy

Average # neonates per female

21.7

ENVIRONMENTAL RESOURCE ANALYSTS, INC.

2975 BROWN CT.

AUBURN, AL 36830

(334) 502-3444

Larval Fish Growth and Survival Test-7 Day Survival

Start Date: 3/6/2018	Test ID: 74-156fh	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: PP-Pimephales promelas
Comments:		

Conc-%	1	2	3	4
Control	0.9000	1.0000	1.0000	0.9000
eff	0.9000	1.0000	0.9000	0.9000

Conc-%	Mean	N-Mean	Transform: Arcsin Square Root				N	t-Stat	1-Tailed Critical	MSD
			Mean	Min	Max	CV%				
Control	0.9500	1.0000	1.3305	1.2490	1.4120	7.072	4	0.655	1.943	0.1209
eff	0.9250	0.9737	1.2898	1.2490	1.4120	6.318	4			

Auxiliary Tests	Statistic	Critical	Skew	Kurt		
Shapiro-Wilk's Test indicates normal distribution (p > 0.01)	0.82784	0.749	0.57143	-1.7286		
F-Test indicates equal variances (p = 0.82)	1.33333	47.4672				
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs Control	0.06826	0.07236	0.00332	0.00775	0.53696	1, 6

Larval Fish Growth and Survival Test-7 Day Growth

Start Date: 3/6/2018	Test ID: 74-156fh	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: PP-Pimephales promelas
Comments:		

Conc-%	1	2	3	4
Control	0.2980	0.3090	0.2930	0.2810
eff	0.3510	0.2790	0.2790	0.2520

Conc-%	Mean	N-Mean	Transform: Untransformed				N	t-Stat	1-Tailed Critical	MSD
			Mean	Min	Max	CV%				
Control	0.2953	1.0000	0.2953	0.2810	0.3090	3.934	4	0.227	1.943	0.0428
eff	0.2903	0.9831	0.2903	0.2520	0.3510	14.626	4			

Auxiliary Tests	Statistic	Critical	Skew	Kurt		
Shapiro-Wilk's Test indicates normal distribution (p > 0.01)	0.88508	0.749	1.31468	2.99418		
F-Test indicates equal variances (p = 0.06)	13.3582	47.4672				
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs Control	0.04276	0.14484	5E-05	0.00097	0.82781	1, 8

Toxicity Bench Sheet

Client: LRS-ABC coke-

Sample Collection Lab#/ Date/Time	Sample	pH Analysis Date/ Time	Analyst	pH Meter/ Probe	pH Result	TRC Analysis Date/ Time	TRC Result (mg/L)
03-05-18 0730 177255	#1	03-06-18 1530	AF	AB153 #12	7.78	N/A	N/A
03-07-18 0730 177294	#2	03-08-18 1500 0913 AF030818A	AF		8.00		
03-09-18 0730 177279	#3	03-09-18 1635	AF		7.51		

002 STORM WATER MONITORING

SAMPLE DATE:	3/7/2018	
SAMPLE LOCATION:	002 DISCHARGE	
SAMPLER:	NORMAN LOEBLER	
SAMPLE TIME:	9:45 AM	
WEATHER CONDITIONS:	CLEAR	
CREEK CONDITIONS:	CLEAR	
INIT STAFF LEVEL:	82"	DATE: 3/7/2018
	VOLUME: 16,797,724 GALLONS	
FINAL STAFF LEVEL:	42"	DATE: 3/12/2018
	VOLUME: 7,688,183 GALLONS	
TOTAL DISCHARGE VOLUME:	9,109,541 GALLONS	
DAILY AVERAGE FLOW:	1.822 MGD	

pH:	7.19 SU
TSS(mg/L):	20
NH3-N(ppd):	2.58
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE, T (mg/L):	0.128
IRON, T (mg/L):	1.01
O & G (mg/L)	BMDL

SAMPLE DATE:	3/20/2018	
SAMPLE LOCATION:	002 DISCHARGE	
SAMPLER:	NORMAN LOEBLER	
SAMPLE TIME:	10:20 AM	
WEATHER CONDITIONS:	CLOUDY	
CREEK CONDITIONS:	CLEAR	
INIT STAFF LEVEL:	75"	DATE: 3/20/2018
	VOLUME: 15,230,709 GALLONS	
FINAL STAFF LEVEL:	46"	DATE: 3/25/2018
	VOLUME: 8,487,870 GALLONS	
TOTAL DISCHARGE VOLUME:	6,742,839 GALLONS	
DAILY AVERAGE FLOW:	1.349 MGD	

pH:	6.81 SU
TSS(mg/L):	14.8
NH3-N(ppd):	BMDL
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE, T (mg/L):	0.11
IRON, T (mg/L):	0.98
O & G (mg/L)	BMDL

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	0.38	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	02/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.3	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.9	*****	7.2		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2.8	4.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	2.9	5.1		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.1 monthly average	52.4 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	8.3	15.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	232 monthly average	348 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	1.07	1.35		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	1.4	1.4	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****		*****	0	Monthly
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.2	0.2	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****		*****	0	Monthly
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****		*****	0	Weekly
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****		*****	0	Monthly
PHENOLS	Sample Measurement	0.003	0.005	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****		*****	0	2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.32477	0.36945	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	0.021	0.025	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****		*****	0	2X Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	4915.0	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	8.8	11.0	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	213 monthly average	320 maximum daily		*****	*****	*****		*****	Weekly	Composite
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	0.38	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	02/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.81	*****	7.19		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	17.4	20.0		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.30	2.58		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	1.00	1.01		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.12	0.13		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.586	1.822	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.60	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.70	*****	7.50		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	5.25	9.84		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	4.76	12.31		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.1 monthly average	52.4 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	10.01	25.59		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	232 monthly average	348 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.926	0.943		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	0.91	0.91	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****				
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.26	0.26	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****				
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****				
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****				
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.33111	0.39356	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CYANIDE, FREE AVAILABLE	Sample Measurement	0.051	0.076	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	5335	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	0	Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	9.43	10.52	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	213 monthly average	320 maximum daily		*****	*****	*****		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****
 NOTE: Read instructions before completing this form.

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.85	*****	7.31		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	21.50	38.10		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	3.16	3.82		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.94	1.47		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.10	0.11		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.654	2.038	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-04-01 To: 2018-04-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.60	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				Weekly
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.70	*****	7.50	12 S.U	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				Daily
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	5.25	9.84	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				Weekly
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	4.76	12.31	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.1 Monthly Average	52.4 Maximum Daily		*****	*****	*****				Weekly
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	10.01	25.59	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	232 Monthly Average	348 Maximum Daily		*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.926	0.943	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				2X Monthly
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-04-01 To: 2018-04-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE)	Sample Measurement	0.91	0.91	26 lbs/day	*****	*****	*****		0	Monthly	Composite
PARAM CODE: 01045 Stage Code: 1 Final Effluent	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****				Monthly
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.26	0.26	26 lbs/day	*****	*****	*****		0	Monthly	Composite
PARAM CODE: 01055 Stage Code: 1 Final Effluent	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****				Monthly
BENZO(A)PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
PARAM CODE: 34247 Stage Code: 1 Final Effluent	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****				Weekly
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
PARAM CODE: 34696 Stage Code: 1 Final Effluent	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****				Monthly
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
PARAM CODE: 46000 Stage Code: 1 Final Effluent	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****				2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	Sample Measurement	0.33111	0.39356	03 MGD	*****	*****	*****		0	Daily	Calculated
PARAM CODE: 50050 Stage Code: 1 Final Effluent	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	0.051	0.076	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
PARAM CODE: 51173 Stage Code: 1 Final Effluent	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****				2X Monthly

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2018-04-01 To: 2018-04-30

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****				
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****				
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	5335	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	9.43	10.52	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	213 Monthly Average	320 Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period : 2018-04-01 To: 2018-04-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH	Sample Measurement	*****	*****		6.85	*****	7.31		0	Weekly	Grab
PARAM CODE: 00400 Stage Code: 1 Final Effluent	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	21.50	38.10		0	Weekly	Grab
PARAM CODE: 00530 Stage Code: 1 Final Effluent	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
PARAM CODE: 00556 Stage Code: 1 Final Effluent	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	3.16	3.82		*****	*****	*****		0	Weekly	Grab
PARAM CODE: 00610 Stage Code: 1 Final Effluent	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
PARAM CODE: 00720 Stage Code: 1 Final Effluent	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.94	1.47		0	2X Monthly	Grab
PARAM CODE: 01045 Stage Code: 1 Final Effluent	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.10	0.11		0	2X Monthly	Grab
PARAM CODE: 01055 Stage Code: 1 Final Effluent	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)						Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)		
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)											

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period : 2018-04-01 To: 2018-04-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1.654	2.038	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No.	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

DSN001 (AL0003417) MAJOR Apr 2018 DMR Results

FREQ	WKLY	DAILY	WKLY	2XMNTHLY	WKLY	WKLY	2XMNTHLY	MONTHLY	MONTHLY	WKLY	MONTHLY	2XMNTHLY	DAILY	2XMNTLY	MONTHLY	MONTHLY	WKLY	Qtrly	Qtrly	
UNITS	mg/l	S.U.	ppd	ppd	ppd	ppd	ppd	ppd	ppd	ppd	ppd	ppd	MGD	ppd	pass/fail	ppd	ppd	ppd	ppd	
	D O	pH	TSS	O&G	NH3-N	TKN	CN,T	Fe,T	Mn,T	B(A)P	NAPH	Phenols	FLOW	CN,a	TOX	TDS	CBOD5	N3 & N2	P,T	
MIN	6.60	6.70																		
AVG			5.25	BMDL	4.76	10.01	0.926	0.91	0.26	BMDL	BMDL	BMDL	0.33111	0.051	PASS		9.43			
MAX		7.50	9.84	BMDL	12.31	25.59	0.943	0.91	0.26	BMDL	BMDL	BMDL	0.39356	0.076		5335	10.52	1.61	BMDL	

001 Limits December - April

MIN	6.0	6.0																		
AVG			342	25.0	33.1	232	18.27	7.5	5	0.0012	0.15	0.17	MONITOR	0.145	PASS		213			
MAX		9.0	513	37.5	52.4	348	26.11	15	10	0.0024	0.15	0.30	MONITOR	0.475		Monitor	320	Monitor	Monitor	

001 Limits May - November

MIN	6.0	6.0																		
AVG			342	25.0	33.0	66	18.27	7.5	5	0.0012	0.15	0.17	MONITOR	0.145	PASS		56			
MAX		9.0	513	37.5	49.5	99	26.11	15	10	0.0024	0.15	0.30	MONITOR	0.475		Monitor	84	Monitor	Monitor	

DSN002 (AL0003417) MAJOR Apr 2018 DMR Results

FREQ	1/Week	1/Week	2/MONTH	1/Week	1/Month	2/Month	2/Month	1/Month	1/Month	1/Month	1/Month	DAILY
UNITS	s.u.	mg/l	mg/l	ppd	ppd	mg/l	mg/l	ppd	ppd	ppd	ppd	MGD
	pH	TSS	O&G	NH3-N	Cn,t	Fe,T	Mn,T	BENZENE	B(a)P	NAPH	Phenol	FLOW
MIN	6.85											
AVG		21.50	BMDL	3.16		0.94	0.10					1.654
MAX	7.31	38.10	BMDL	3.82	BMDL	1.47	0.11	BMDL	BMDL	BMDL	BMDL	2.038

002 Limits

MIN	6											
AVG		35	10	Monitor		3	2					Monitor
MAX	8.5	70	15	Monitor	Monitor	6	4	Monitor	Monitor	Monitor	Monitor	Monitor

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.25	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.54	*****	7.54		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	4.24	9.34		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.52	1.81		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.0 monthly average	49.5 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	4.95	6.02		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	66 monthly average	99 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.790	0.931		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	06/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	0.37	0.37	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****				
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.32	0.32	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****				
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****				
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****				
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.29420	0.33845	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CYANIDE, FREE AVAILABLE	Sample Measurement	0.027	0.029	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	06/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	4800	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	0	Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	8.10	10.73	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	56 monthly average	84 maximum daily		*****	*****	*****		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	06/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.10	*****	7.27		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	12.35	16.00		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	12.39	18.99		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.53	0.75		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	2.37	2.60		1	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	06/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.670	1.777	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	06/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-05-01 To: 2018-05-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.25	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				Weekly
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.54	*****	7.54	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				Daily
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	4.24	9.34	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				Weekly
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.52	1.81	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.0 Monthly Average	49.5 Maximum Daily		*****	*****	*****				Weekly
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	4.95	6.02	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	66 Monthly Average	99 Maximum Daily		*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.790	0.931	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				2X Monthly
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 23 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2018-05-01 To: 2018-05-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE)	Sample Measurement	0.37	0.37	26 lbs/day	*****	*****	*****		0	Monthly	Composite
PARAM CODE: 01045 Stage Code: 1 Final Effluent	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****				Monthly
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.32	0.32	26 lbs/day	*****	*****	*****		0	Monthly	Composite
PARAM CODE: 01055 Stage Code: 1 Final Effluent	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****				Monthly
BENZO(A)PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
PARAM CODE: 34247 Stage Code: 1 Final Effluent	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****				Weekly
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
PARAM CODE: 34696 Stage Code: 1 Final Effluent	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****				Monthly
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
PARAM CODE: 46000 Stage Code: 1 Final Effluent	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****				2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	Sample Measurement	0.29420	0.33845	03 MGD	*****	*****	*****		0	Daily	Calculated
PARAM CODE: 50050 Stage Code: 1 Final Effluent	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	0.027	0.029	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
PARAM CODE: 51173 Stage Code: 1 Final Effluent	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****				2X Monthly

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-05-01 To: 2018-05-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	4800	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	8.10	10.73	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	56 Monthly Average	84 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 23 U.S.C. § 1339 <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>				Signature of Principal Executive Officer Or Authorized Agent			Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period : 2018-05-01 To: 2018-05-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		7.10	*****	7.27		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	12.35	16.00		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	12.39	18.99		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.53	0.75		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	2.37	2.60		1	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING 0021
 POINT:
 Monitoring Period : 2018-05-01 To: 2018-05-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1,670	1,777	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
Name/Title of Principal Executive Officer Or Authorized Agent		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.</small>				Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)



LRS, Inc.

Laboratory Resources & Solutions, Inc.

205 6th Avenue

Ashville, AL 35953

(205) 594-1445

www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
PO Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project Name: **001 Chronic Toxicity – May 2018**

Date: June 13, 2018

Primary Data Review by:

Courtney Snow
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
csnow@lab-resource.com

* Unless otherwise noted, all analyses on this report performed at ERA, 2975 Brown Court, Auburn, AL 36830.

* These results relate only to the items tested. This report may only be reproduced in full.

* Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
TOXICITY TEST REPORT SUMMARY

1. GENERAL:

NPDES PERMIT NO.: AL0003417 DSN: 001 COUNTY: Jefferson
 Permittee: ABC Coke, Inc.
 Facility Name: ABC Coke, Inc.
 Agent Submitting Report: : Mr. Jeff McCord
 Lab Conducting Toxicity Test(s): ERA, 2975 Brown Court, Auburn, AL 36830
 Months To Test: Monthly
 This Report for Toxicity Test(s) Required for the Month of: May
 Scheduled Test(s): Yes X No _____ Accelerated Test(s): Yes _____ No X
 Accelerated Test Number _____ of _____ For Failed Scheduled Test Date:
 Test Type Required: 48 -Hr Acute Screening: _____ -Hr Acute Definitive:
 Short-term Chronic Screening: X Short-term Chronic Definitive:

Test Organism: Ceriodaphnia dubia Test Organism: Pimephales promelas

Sam No.	Date/Time Start	Date/Time Ended	Control Valid	Date/Time Start	Date/Time Ended	Control Valid
	MM/DD/YY HH:MM	MM/DD/YY HH:MM		MM/DD/YY HH:MM	MM/DD/YY HH:MM	
1	05/15/18 14:30	05/22/18 14:00	Yes	05/15/18 15:00	05/22/18 13:00	Yes

2.A. SUMMARY OF RESULTS FOR SCREENING TESTS:

Test	Eff.	Test Number											
		(1)			(2)			(3)			(4)		
Org.	Conc	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow
P.p.	16%	PASS	N/A	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
C.d.	16%	PASS	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

3. LABORATORY ANALYSES OF UNDILUTED SAMPLE(S):

SAMPLE Id.	BOD5 mg/l	TSS mg/l	NH3 mg/l	pH su	Alk mg/l	Hard-EFF mg/l	TRC mg/l	Conductivity uS
1	-----	-----	0.637	7.45	120	22	NA	3,640
2	-----	-----	0.530	7.14	144	26	NA	3,960
3	-----	-----	0.641	7.28	150	18	NA	3,540

Chemical Analyses Performed By (Lab): ERA

Total 24 Hour Flow: (1) 0.270 MGD (2) 0.316 MGD (3) 0.320 MGD

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF RESPONSIBLE OFFICIAL: _____ DATE: _____

4. SAMPLE COLLECTION:

Split Samples: N/A X Yes ___ (Explain) _____
 Samples Collected as Specified in the NPDES Permit: Yes X No(Explain) _____
 Receiving Water: Five Mile Creek
 Design Flow: 0.406 (MGD)

Sample Id.	Sample(s) Collected MM/DD/YY HHMM - MM/DD/YY HHMM	Arrival Temp. °C.	Used in Test(s) MM/DD/YY - MM/DD/YY
1	5/13/18 0730 - 5/14/18 0730	2.6	5/15/18 - 5/16/18
2	5/15/18 0730 - 5/16/18 0730	2.4	5/17/18 - 5/18/18
3	5/17/18 0730 - 5/18/18 0730	2.6	5/19/18 - 5/21/18

5. CONTROL/DILUTION WATER:

Type	Prepared MM/DD/YY	Begin Use MM/DD/YY	Initial Water Chemistries					
			Hard.	Alk.	pH	Cond.	@	°C.
MHRW	05/14/18	05/15/18	94	59	7.58	302	@	25
MHRW	05/15/18	05/16/18	100	59	7.43	305	@	25
MHRW	05/16/18	05/17/18	88	61	7.51	312	@	25
MHRW	05/16/18	05/18/18	94	61	7.40	305	@	25
MHRW	05/16/18	05/19/18	96	59	7.48	304	@	25
MHRW	05/20/18	05/21/18	92	59	7.46	306	@	25

6. TOXICITY TEST INFORMATION:

Test	Organism	Organism	Test Solution Concentrations (%)					
Species	Age	Source						
P.p.	1-2 days	Florida Bioassay Supply	16%					
C.d.	0-5 hrs	ERA	16%					

Test	Test Vessel	Vessel	Solution	Org./Test	Replicates
Species	Type	Vol. (mL)	Vol. (mL)	Vessel	Per Conc.
P.p.	plastic beaker	500	250	10	2
C.d.	plastic beaker	25	20	5	4

Test	Temp. Range	D.O. Range	pH Range	Light Intensity
Species	(°C.)	(mg/L)	(su)	Average (ft.-c.)
P.p.	24.3 - 25.8	6.0 - 9.7	6.74 - 7.46	75
C.d.	24.3 - 25.8	7.5 - 9.7	7.01 - 7.59	75

7. FEEDING:

Not Fed: ___ Fed Daily: X Fed Irregular: ___ (Explain in Comments Below)
 Brine Shrimp: Fed 0.15 g Suspension of Newly Hatched Larvae 2 Times Daily.
 YCT: Fed 0.130 mL Suspension Containing 1.86 g/L TS Daily.
 Algae: Fed 0.130 mL Suspension Containing 3.0 x 10⁷ Algal Cells/mL Daily.

COMMENTS:

8. REFERENCE TOXICANT TESTS:

TOXICANT: Sodium Chloride SOURCE: Fisher Scientific CAS#: 7647-14-5
 Solution Concentration Unit: mg/L g/L % Other (specify)

Chronic:

Test Org.	Test Date	Control Water	Reference Test Solution Concentrations (Control to Highest Conc.)					
P.p.	5/01/18- 5/08/18	MHRW	0	2.0	4.0	6.0	8.0	10.0
C.d.	5/01/18- 5/08/18	MHRW	0	0.5	1.0	1.5	2.0	2.5

Test Org.	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit	NUMBER (N)
P.p.	Survival	4.0	2.0 - 4.0	20
P.p.	Growth	4.0	2.0 - 4.0	20
C.d.	Survival	1.5	0.5 - 1.5	20
C.d.	Reproduction	0.5	0.25- 1.0	20

Raw Data on File With ADEM Toxics Unit

9. TEST CONDITION VARIABILITY:

9.A. Deviations From Standard Test Conditions:

None

9.B. Test Solution Manipulations or Test Modifications:

None

10. REQUIRED REPORT ATTACHMENTS:

Attach Copies Of Chain-of-Custody Forms, Reference Toxicant Tests, And Raw Data (Bench Sheets) Pertaining To Physical, Chemical, And Biological Measurements For All Tests. Include Suspended, Interrupted, or Discontinued Toxicity Tests Data.

11.C CHRONIC SCREENING TOXICITY TESTS RESULTS (Freshwater):

TEST ORGANISM: Ceriodaphnia dubia

Were Neonates Used to Begin the Test Within 8 hours of the same age?: Yes

Did 60% of the CONTROL Females Produce Their Third Brood? YES: NO:

SURVIVAL

CHRONIC TOXICITY INDICATED: YES NO

NO SURVIVAL STATISTICAL ANALYSIS NECESSARY:

CONTROL(%) 24h 100 48h 100 End 100 EFFLUENT(%): 24h 100 48h 100 End 100

Fishers Exact Test: A = , B = , a = , b =

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 05/08/18

REPRODUCTION (Average Neonates/Female)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 20.7 EFFLUENT(%): 19.4

NO REPRODUCTION STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.931 Critical Value: 0.868 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 7.15 Critical F: 6.54

/ Test Statistic: _____ / Test Critical Value:

Sample Rank Sum: 105 #Reps.: 10 Critical Rank Sum: 82 (Non-Parametric)

COMMENTS:

TEST ORGANISM: Pimephales promelas

MORTALITY

CHRONIC TOXICITY INDICATED: YES NO

CONTROL(%) 24h 100 48h 100 7day 93 EFFLUENT(%): 24h 100 48h 100 7day 98

NO MORTALITY STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F:

/ Test Statistic: _____ / Test Critical Value:

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

GROWTH - Mean Dry Weight (mg)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 0.351 mg EFFLUENT: 0.355 mg

NO GROWTH STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F:

/ Test Statistic: _____ / Test Critical Value:

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

g Information:

S, Inc.

Box 1260
3th Avenue
ille, Alabama 35953
594-1445
:ton@lab-resource.com



LRS Client Information:

ABC Coke
P.O. Box 10246
Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

354-0510

Analysis/Container/Preservative

Chain of Custody
Page 1 of 1

**Laboratory Resources
& Solutions, Inc. (LRS)**
A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Project Name: 001 Chronic Toxicity

City/State collected:
Birmingham, Alabama

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

- ___ Same Day (200%)
- ___ Next Day (100%)
- ___ Two Day (50%)
- ___ Three Day (25%)

Date Results Needed:

STD

Number of Containers

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserve

in loco? N Y

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*
001 Discharge	Comp.	5-13-18	0730	5-14-18	0730

Sample Remarks

179341-019

SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____

pH _____ Temp _____

Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler*

Rainfall in Inches _____ Flow _____ Other _____

Shipped by (Signature): <i>[Signature]</i>	Date: 5-14-18	Time: 2260	Received by (Signature): <i>[Signature]</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition: Client
Shipped by (Signature): <i>[Signature]</i>	Date: 5-14-18	Time: 1700	Received by (Signature): <i>[Signature]</i>	Temp: 2.6°C	Bottles Received: 1
Shipped by (Signature): <i>[Signature]</i>	Date: 5-15-18	Time: 1054	Received for lab by (Signature): <i>[Signature]</i>	Date: 5/15/18	Time: 1054

pH Checked: NCF:

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

ig Information:

S, Inc.
 Box 1260
 6th Avenue
 ville, Alabama 35953
) 594-1445
 ston@lab-resource.com



LRS Client Information:

ABC Coke
 P.O. Box 10246
 Birmingham, AL 35202
3550518
 "Report to" Contact:
Mr. David Vance

Analysis/Container/Preservative

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserved)

Laboratory Resources & Solutions, Inc. (LRS)
 A Laboratory Service Provider



ct Name: **001 Chronic Toxicity**

City/State collected:
 Birmingham, Alabama
 P.O. #

d by: *A Bourgeois* Permit #: AL0003417

d by (signature):

Project Turnaround (Begins on Lab Login Date)

Bourgeois
 on Ice? N Y

RUSH? Please Notify LRS
 ___ Same Day (200%)
 ___ Next Day (100%)
 ___ Two Day (50%)
 ___ Three Day (25%)

Date Results Needed:

Number of Containers

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*
001 Discharge	Comp.	5-15-18	0730	5-16-18	0730

1 X

Laboratory:
 Environmental Resource Analysts, Inc.
 2975 Brown Court
 Auburn, AL 36830

Sample Remarks

174367019

: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____

pH _____ Temp _____

t Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler*

Rainfall in Inches _____ Flow _____ Other _____

ished by:(Signature) <i>A Bourgeois</i>	Date: 5-16-18	Time: 0730	Received by:(Signature) <i>Jeremy Smith</i>	Samples returned via: FedEx UPS Other <i>Direct</i>	Condition (lab use only)
ished by:(Signature) <i>Jeremy Smith</i>	Date: 5/17/18	Time: 10:45	Received by:(Signature)	Temp: 2.4°C	Bottles Received:
ished by:(Signature)	Date:	Time:	Received for lab by: (Signature) <i>J. Davis</i>	Date: 05/17/18	Time: <i>10:45</i>

t signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

SOP 610.4

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Date/Time Start	5/15/18 15:00	Randomization Board #	051418BU	Age Of Organisms	24-48 Hrs
Date/Time Finish	5/22/18 13:00	pH Meter/Probe	AB15-3/12		
Test #:	74-16P15 ²	DO Meter/Probe	YSI 2/2	CONTROL for Test	
Source: ABS Lot:	825	Thermometer ID	773237-1		
Shrimp Lot #	29	Photoperiod:	16 hrs Light / 8 Hrs Dark		
		Water Volume:	250 mLs		

Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp °C OLD	MHRW Dilution Lot	Feed AM	Analysis & Water Change Date/Time/Analyst	Obs.
						pH NEW	DO NEW	Temp °C NEW		Feed PM		
	10	10	10	10	40	N/A	N/A	N/A	3575	N/A	5/15/18 15:00 HA/AF	N
	10	10	10	10	40	7.08	6.6	25.5	3577	9:30	5/16/18 13:00 OR	N
	10	10	10	10	40	7.05	7.1	25.9	3578	15:00	5/17/18 13:00 HA/AF	N
	10	10	8	10	38	7.25	8.1	25.2	3579	10:00	05/18/18 13:00 RR/BU	N
	10	10	8	10	38	6.78	6.0	24.7	3580	15:15	05/19/18 13:00 HA/EC	N
	9	10	8	10	37	6.88	6.8	25.1	3580	8:00	05/20/18 13:00 RR/EC	N
	9	10	8	10	37	6.96	7.1	25.0	3582	13:45	05/21/18 13:00 RR/BU	N
	9	10	8	10	37	6.74	6.5	25.2	N/A	10:00	No Water Change	
						N/A	N/A	N/A	N/A	15:00	05/22/18 13:00 HA/BU	N

Observations Key:

Comments:

- N/A = Not Applicable
- 1 = Living
- 0 = Dead
- N = Normal
- ON = On Bottom
- OS = On Surface
- LETH = Lethargic
- SM = Small
- PRE = Precipitate
- FC = Flared Carapace
- CO = Caught On
- CLDY = Cloudy
- F = Film
- UM = Undissolved Material
- CL = Clear/Colorless
- ERR = Erratic Swimming

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

Rev'd By J

SOP 610.4

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Test #: 74 - 16p15

Client: ABC Coke

24-48 Hrs

Sample Type: eif
% Dilution: 16

Test Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp 'C OLD	Feed AM	Sample # Used	Analysis & Water Change	pH 100%	Obs.
						PH NEW	DO NEW	Temp 'C NEW	Feed PM		Date/Time/Analyst		
Start	10	10	10	10	40	N/A	N/A	N/A	N/A	179341-01b	5/15/18 15:05 HA/AF	7.45	N
1	10	10	10	10	40	7.09	6.4	25.1	9:30	179341-01b	5/16/18 13:05 OR	7.50	N
2	10	10	10	10	40	6.9	6.8	25.8	9:00	179367-01b	5/17/18 13:05 HA/AF	7.14	N
3	10	10	10	10	40	7.05	7.1	24.3	10:00	179367-01b	05/18/18 13:05 RR/BU	7.71	N
4	10	10	10	10	40	7.15	8.3	25.1	8:00		05/19/18 13:05 HA/EC	7.16	N
5	10	10	10	10	40	7.21	8.5	25.1	10:00		05/20/18 13:05 RR/BU	7.39	N
6	10	10	10	9	39	7.03	7.1	25.1	9:30		05/21/18 13:05 RR/BU	7.22	N
7	10	10	10	9	39	6.94	6.5	25	N/A	N/A	No Water Change		
						N/A	N/A	N/A	N/A		05/22/18 13:05 HA/BU	7.35	N

Observations Key:

Comments:

- N/A = Not Applicable
- 1 = Living
- 0 = Dead
- N = Normal
- ON = On Bottom
- OS = On Surface
- LETH = Lethargic
- SM = Small
- PRE = Precipitate
- FC = Flared Carapace
- CO = Caught On
- CLDY = Cloudy
- F = Film
- UM = Undissolved Material
- CL = Clear/Colorless
- ERR = Erratic Swimming

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

Rev'd By JE

DRY WEIGHT DETERMINATION FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Test #	<u>74-1615^o</u>	Balance#:	<u>2</u>
Date/Time/Analyst In Oven:	<u>5/22/2018 14:30 HA/BU</u>	Date/Time/Analyst Out Oven:	<u>5/23/18 14:30 HA/BU</u>
Temp C In:	<u>60.0</u>	Temp C Out:	<u>60.0</u>

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
Blank	1	0.9922	0.9923	N/A	N/A	N/A
Control	1	1.02550	1.02899	9	0.349	0.351
	2	1.05130	1.05473	10	0.343	
	3	1.03780	1.04138	8	0.358	
	4	1.02120	1.02476	10	0.356	

QA'd by J

Test Number: 74 -160 Client: LRS- ABC Coke

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
% Dilution: 16 Sample Type: Effluent	1	0.99270	0.99589	10	0.319	0.355
	2	1.02220	1.02602	10	0.382	
	3	0.99300	0.99623	10	0.323	
	4	1.03670	1.04067	9	0.397	
% Dilution: Sample Type:	1					
	2					
	3					
	4					
% Dilution: Sample Type:	1					
	2					
	3					
	4					
% Dilution: Sample Type:	1					
	2					
	3					
	4					
% Dilution: Sample Type:	1					
	2					
	3					
	4					

QA'd By _____

SOP 609.4

3 BROOD CERIODAPHNIA TOXICITY TEST

EPA METHOD 1002.0

Date/Time Start	5/15/2018 14:30	Test #	74-1601	Randomization Board #:	051418BU	Age Of Test Organisms	0-5 Hrs
Date/Time Finish	5/22/18 14:00			pH Meter/Probe	AB15-3/12/AB15-1/21		
				DO Meter/Probe	YSI 2/2/YSI 3/3		
Algae Lot	270	cells/mL	3*10 ⁷	Thermometer ID	773237-1		
Yeast Lot	273	g/L Solids	1.860	Photoperiod:	16 hrs Light / 8 Hrs Dark		
Vol Fed Per Cup (µL)	130			Water Volume:	20 mLs		

Day	Replicates										TOTAL	pH OLD	DO OLD	Temp °C OLD	MERW Dilution Lot	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.	
	1	2	3	4	5	6	7	8	9	10		pH NEW	DO NEW	Temp °C NEW					
1	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	3575	05/15/18 14:30 JL/AF	17:00	N	
											7.46	8.7	24.7						
2	1	1	1	1	1	1	1	1	1	1	10	7.33	7.7	24.7	3577	5/16/2018 14:30 RR/BU	20:00	N	
											7.38	8.6	24.5						
3	1	1	1	1	1	1	1	1	1	1	10	7.26	8.1	24.7	3578	5/17/2018 14:30 HA/AF	17:45	N	
											7.40	8.4	25.6						
4	1	1	1	1	1	1	1	1	1	1	10	7.06	8.2	25.9	3579	5/18/18 13:00 BU	17:00	N	
											7.41	8.5	24.3						
5	1	1	1	1	1	1	1	1	1	1	10	7.41	8.4	24.7	3580	5/19/18 14:30 EJC/HA	13:45	N	
	3	1 End	6	1 End	2	1 End	5	1 End	4	1 End	6	1 End	4	1 End					1
6	1	1	1	1	1	1	1	1	1	1	10	7.36	7.9	25.6	3580	05/20/2018 14:30 EJC/AF	15:00	N	
	10	2 End	9	2 End	9	2 End	6	1 End	6	2 End	5	2 End	7	2 End					8
7	1	1	1	1	1	1	1	1	1	1	10	7.20	8.1	25.2	3582	05/21/18 13:15 AF	15:00	N	
	3	3			7	3	5	2 End	6	2 End	8	3	6	3					
8	1	1	1	1	1	1	1	1	1	1	10	7.43	8.3	24.3	N/A	05/22/18 14:00 RR	N/A	N	
	6	3 End	8	3 End	3	3 End	6	3 End	6	3 End	2	3 End	7	3 End					11

Days: 22, 23, 21, 16, 18, 20, 24, 22, 20, 21. Comments:

<p>Abbreviations Key:</p> <p>N = Normal ON = On Bottom OS = On Surface LETH = Lethargic SM = Small</p>	<p>PM = Particulate Matter ERR = Erratic Swimming UM = Undissolved Material PRE = Precipitate FC = Flared Carapace</p>	<p>CL = Clear/Colorless F = Film CLDY = Cloudy CO = Caught ON</p>	<p>N/A = Not Applicable End = End of Brood</p>	<p>AVERAGE # Neonates per Female 20.7</p>
---	--	---	--	---

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

SOP 609.4

3 BROOD CERIODAPHNIA TOXICITY TEST

EPA METHOD 1002.0

Client: ABC Coke

Age of Test organisms: 0-5 Hrs

Test # 74 - 10/15
Sample Type: eff
% Dilution: 16

Day											TOTAL	pH OLD	DO OLD	Temp °C OLD	Sample # Used	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.	
	1	2	3	4	5	6	7	8	9	10		pH NEW	DO NEW	Temp °C NEW					
rt	1	1	1	1	1		1	1	1	1	10	N/A	N/A	N/A	179341-01b	05/15/18 14:35 JL/AF	17:00	N	
											7.01	9.7	25.3						
	1	1	1	1	1	1	1	1	1	1	10	7.05	9.5	25.3	179341-01b	05/16/18 14:35 RR/BU	20:00	N	
											7.40	8.5	24.8						
	1	1	1	1	1	1	1	1	1	1	10	7.22	8.1	24.6	179367-01b	5/17/2018 14:35 HA/AF	17:45	N	
											7.14	8.4	25.4						
	1	1	1	1	1	1	1	1	1	1	10	7.16	8.0	24.7	179367-01b	5/18/18 13:05 BU	17:00	N	
											7.71	8.8	25.3						
	1	1	1	1	1	1	1	1	1	1	10	7.31	8.1	25.1	179447-01b	5/19/18 14:35 EJC/HA	13:45	N	
	3	1 End	3	1 End	1	1 End	6	1 End	5	1		5	1 End	6					1 End
	1	1	1	1	1	1	1	1	1	1	10	7.23	8.0	25.8	179447-01b	05/20/2018 14:35 EJC/AF	15:00	N	
	9	2 End	8	2 End	6	2 End	11	2 End	1	1 End		6	1 End	8					2 End
	1	1	1	1	1	1	1	1	1	1	10	7.21	7.9	25.4	179447-01b	05/21/18 13:20 AF	15:00	N	
			5	3	7	3	5	3	10	2 End		2	3	4					3
	1	1	1	1	1	1	1	1	1	1	10	7.59	8.2	24.3	N/A	05/22/18 14:05 RR	N/A	N	
	10	3 End	6	3 End	3	3 End	2	3 End	8	3 End		4	2 End	6					3 End
tes	22	22	17	24	24	10	21	18	28	8	Comments:								

Observations Key:

Number Living	ON = On Bottom	PM = Particulate Matter	CL = Clear/Colorless	N/A = Not Applicable	AVERAGE # Nconates per Female 19.4
Nconates	OS = On Surface	ERR = Erratic Swimming	F = Film	End = End of Brood	
	LETH = Lethargic	UM = Undissolved Material	CLDY = Cloudy		
	SM = Small	PRE = Precipitate	CO = Caught ON		

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

v'd By JS

Ceriodaphnia Survival and Reproduction Test-Reproduction										
Start Date:	5/15/2018	Test ID:	74-160c	Sample ID:	EFF					
End Date:		Lab ID:	ERA	Sample Type:	EFF2-Industrial					
Sample Date:		Protocol:	EPAF 94-EPA/600/4-91/002	Test Species:	CD-Ceriodaphnia dubia					
Comments:	stat analysis conducted by JF									
Conc-%	1	2	3	4	5	6	7	8	9	10
Control	22.000	23.000	21.000	16.000	18.000	20.000	24.000	22.000	20.000	21.000
Eff	22.000	22.000	17.000	24.000	24.000	10.000	21.000	18.000	28.000	8.000

Conc-%	Mean	N-Mean	Transform: Untransformed					N	Rank Sum	1-Tailed Critical
			Mean	Min	Max	CV%				
Control	20.700	1.0000	20.700	16.000	24.000	11.398	10			
Eff	19.400	0.9372	19.400	8.000	28.000	32.528	10	105.50	82.00 3.69437	

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution ($p > 0.01$)	0.93085	0.868	-0.8977	1.44472
F-Test indicates unequal variances ($p = 7.26E-03$)	7.15369	6.54109		
Hypothesis Test (1-tail, 0.05)				
Wilcoxon Two-Sample Test indicates no significant differences				
Treatments vs Control				

Toxicity Benchsheet

Client:

74 - ABC Coke

Sample	Sample #	Collection Date/Time	pH 100%	TRC mg/L	Analysis Date/Time/ Analyst	pH Meter/Probe	TRC Meter
#1	179341-01b	5/14/18 19:30	7.45	N/A	5-15-18/ 15:00/AF	AB15-3/12	N/A
#2	179367-01b	5/16/18 19:30	7.14	N/A	5-17-18/ 15:00/HA	AB15-3/12	N/A
#3	179447-01b	5/18/18 7:30	7.28	N/A	5-18-18 17:00 BU	AB15-3/12	N/A

Q/A Rev'd By _____



002 STORM WATER MONITORING

SAMPLE DATE:	5/10/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	11:00 AM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLEAR
INIT STAFF LEVEL:	84" DATE: 5/10/2018
	VOLUME: 17,372,016 GALLONS
FINAL STAFF LEVEL:	46" DATE: 5/15/2018
	VOLUME: 8,487,870 GALLONS
TOTAL DISCHARGE VOLUME:	8,884,146 GALLONS
DAILY AVERAGE FLOW:	1.777 MGD

pH:	7.10 SU
TSS(mg/L):	8.7
NH3-N(ppd):	5.78
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE,T (mg/L):	2.13
IRON, T (mg/L):	0.308
O & G (mg/L)	BMDL

SAMPLE DATE:	5/21/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	10:30 AM
WEATHER CONDITIONS:	CLOUDY
CREEK CONDITIONS:	CLEAR
INIT STAFF LEVEL:	84" DATE: 5/21/2018
	VOLUME: 17,372,016 GALLONS
FINAL STAFF LEVEL:	50" DATE: 5/26/2018
	VOLUME: 9,563,853 GALLONS
TOTAL DISCHARGE VOLUME:	7,808,163 GALLONS
DAILY AVERAGE FLOW:	1.562 MGD

pH:	7.27 SU
TSS(mg/L):	16
NH3-N(ppd):	18.99
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE,T (mg/L):	2.6
IRON, T (mg/L):	0.753
O & G (mg/L)	BMDL

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-06-01 To: 2018-06-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.33	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				Weekly
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.72	*****	7.58	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				Daily
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	13.97	25.47	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily			*****	*****		*****		
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily			*****	*****		*****		
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.36	1.97	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.0 Monthly Average	49.5 Maximum Daily			*****	*****		*****		
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	3.65	9.09	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	66 Monthly Average	99 Maximum Daily			*****	*****		*****		
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.711	0.779	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily			*****	*****		*****		

Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-06-01 To: 2018-06-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	0.99	0.99	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.18	0.18	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.30285	0.34229	03 MGD	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.022	0.034	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-06-01 To: 2018-06-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		*****	0		*****	*****	*****				
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	0	0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	0	0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	5220	26 lbs/day	*****	*****	*****	0	0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	10.07	12.06	26 lbs/day	*****	*****	*****	0	0	Weekly	Composite
	Permit Requirement	56 Monthly Average	84 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period: 2018-06-01 To: 2018-06-30

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH	Sample Measurement	*****	*****		6.70	*****	6.80		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	9.20	14.00		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	7.90	9.80		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.32	0.36		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*****		*****	0.35	0.41		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab
PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	*****	*****		0	2X Monthly	Grab
PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.35	0.41		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab
Name/Title of Principal Executive Officer Or Authorized Agent		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months to 5 years.					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Dry Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417

MONITORING POINT: 0021

COUNTY: Jefferson

POINT:

Monitoring Period : 2018-06-01 To: 2018-06-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1.884	1.937	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	1.61	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.33	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****	*****	6.72	*****	7.58		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	13.97	25.47		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.36	1.97		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.0 monthly average	49.5 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	3.65	9.09		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	66 monthly average	99 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.711	0.779		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	0.99	0.99	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****		*****	0	Monthly
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.18	0.18	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****		*****	0	Monthly
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****		*****	0	Weekly
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****		*****	0	Monthly
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****		*****	0	2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.30285	0.34229	03 MGD	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	0.022	0.034	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****		*****	0	2X Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	5220	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	10.07	12.06	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	56 monthly average	84 maximum daily		*****	*****	*****		*****	Weekly	Composite
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	1.61	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.70	*****	6.80		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	9.20	14.00		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	7.90	9.80		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.32	0.36		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.35	0.41		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.884	1.937	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.08	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.83	*****	7.38		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	6.33	12.38		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.96	3.18		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.0 monthly average	49.5 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	1.08	5.42		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	66 monthly average	99 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.488	0.542		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	08/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	0.00	0.00	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****				
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.13	0.13	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****				
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****				
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****				
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.29771	0.32564	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CYANIDE, FREE AVAILABLE	Sample Measurement	0.011	0.013	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	08/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	6704	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	0	Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	5.92	8.42	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	56 monthly average	84 maximum daily		*****	*****	*****		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	08/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.75	*****	7.12		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	8.40	10.40		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	12.65	14.95		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.83	0.89		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	1.27	1.35		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	08/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.884	1.937	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	08/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period: 2018-07-01 To 2018-07-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.08	*****	*****		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****	19 mg/l		Weekly	Grab
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.83	*****	7.38		0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	6.33	12.38		*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Composite
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily	26 lbs/day	*****	*****	*****			2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.96	3.18		*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.0 Monthly Average	49.5 Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	1.08	5.42		*****	*****	*****		0	Weekly	Composite
	Permit Requirement	66 Monthly Average	99 Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Composite
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.488	0.542		*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily	26 lbs/day	*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY DUTY OF CARE AND FAITHFULNESS I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE: 19-1-5-1 (a) AND 23 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc.
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period: 2018-07-01 To 2018-07-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	0.00	0.00	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.13	0.13	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.29771	0.32564	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.011	0.013	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE DATA I AM IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1919. <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.)</small>	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc PERMIT NUMBER: AL0003417
 MAILING ADDRESS: P O Box 10246 MONITORING POINT: 0011 COUNTY: Jefferson
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue Monitoring Period : 2018-07-01 To: 2018-07-31 NO DISCHARGE FROM SITE: ()
 Tarrant, AL 35217

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail(1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****				
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail(1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****				
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	6704	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	5.92	8.42	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	56 Monthly Average	84 Maximum Daily		*****	*****	*****				

Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.</small>	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period: 2018-07-01 To 2018-07-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH	Sample Measurement	*****	*****		6.75	*****	7.12		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
PARAM CODE: 00400 Stage Code: 1 Final Effluent SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	8.40	10.40		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
PARAM CODE: 00556 Stage Code: 1 Final Effluent NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	12.65	14.95		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
PARAM CODE: 00720 Stage Code: 1 Final Effluent IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.83	0.89		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	1.27	1.35		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREBY AND BASED ON MY KNOWLEDGE OF THESE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 23 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or correction imprisonment of between 6 months to 3 years.	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period: 2018-07-01 To: 2018-07-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		*****	*B		*****	*****	*****				
BENZENE	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
PARAM CODE: 34030 Stage Code: 1 Final Effluent	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
BENZO(A)PYRENE	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
PARAM CODE: 34247 Stage Code: 1 Final Effluent	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
PARAM CODE: 34696 Stage Code: 1 Final Effluent	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
PHENOLS	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
PARAM CODE: 46000 Stage Code: 1 Final Effluent	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	Sample Measurement	1.884	1.937		*****	*****	*****		0	Daily	Calculated
PARAM CODE: 50050 Stage Code: 1 Final Effluent	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	03 MGD	*****	*****	*****			Daily	Calculated

Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 23 U.S.C. § 3319. Penalties under these statutes may include: Fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

002 STORM WATER MONITORING

SAMPLE DATE:	7/5/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	10:20 AM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLEAR
INIT STAFF LEVEL:	84" DATE: 7/5/2018
	VOLUME: 17,372,016 GALLONS
FINAL STAFF LEVEL:	44" DATE: 7/10/2018
	VOLUME: 8,220,490 GALLONS
TOTAL DISCHARGE VOLUME:	9,151,526 GALLONS
DAILY AVERAGE FLOW:	1.830 MGD

pH:	6.75
TSS(mg/L):	6.4
NH3-N(ppd):	14.95
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE,T (mg/L):	1.18
IRON, T (mg/L):	0.885
O & G (mg/L)	BMDL

SAMPLE DATE:	7/17/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	10:30 AM
WEATHER CONDITIONS:	CLOUDY
CREEK CONDITIONS:	CLEAR
INIT STAFF LEVEL:	84" DATE: 7/17/2018
	VOLUME: 17,372,016 GALLONS
FINAL STAFF LEVEL:	42" DATE: 7/22/2018
	VOLUME: 7,688,183 GALLONS
TOTAL DISCHARGE VOLUME:	9,683,833 GALLONS
DAILY AVERAGE FLOW:	1.937 MGD

pH:	7.12 SU
TSS(mg/L):	10.4
NH3-N(ppd):	10.34
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE,T (mg/L):	1.35
IRON, T (mg/L):	0.768
O & G (mg/L)	BMDL



LRS, Inc.
Laboratory Resources & Solutions, Inc.
205 6th Avenue
Ashville, AL 35953
(205) 594-1445
www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
PO Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project Name: **001 Chronic Toxicity – July 2018**

Date: August 14, 2018

Primary Data Review by:

Courtney Snow
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
csnow@lab-resource.com

- * Unless otherwise noted, all analyses on this report performed at ERA, 2975 Brown Court, Auburn, AL 36830.
- * These results relate only to the items tested. This report may only be reproduced in full.
- * Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
TOXICITY TEST REPORT SUMMARY

1. GENERAL:

NPDES PERMIT NO.: AL0003417 DSN: 001 COUNTY: Jefferson
 Permittee: ABC Coke, Inc.
 Facility Name: ABC Coke, Inc.
 Agent Submitting Report: : Mr. Jeff McCord Lab
 Conducting Toxicity Test(s): ERA, 2975 Brown Court, Auburn, AL 36830
 Months To Test: Monthly
 This Report for Toxicity Test(s) Required for the Month of: July
 Scheduled Test(s): Yes X No Accelerated Test(s): Yes No X
 Accelerated Test Number of For Failed Scheduled Test Date:
 Test Type Required: 48 -Hr Acute Screening: -Hr Acute Definitive:
 Short-term Chronic Screening: X Short-term Chronic Definitive:

Test Organism: Ceriodaphnia dubia Test Organism: Pimephales promelas

Sam No.	Date/Time Start	Date/Time Ended	Control	Date/Time Start	Date/Time Ended	Control
1	7/17/18 12:30	7/25/18 11:55	Yes	7/17/18 13:00	7/25/18 14:15	Yes

2.A. SUMMARY OF RESULTS FOR SCREENING TESTS:

Test	Eff.	Test Number											
		(1)			(2)			(3)			(4)		
Org.	Conc	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow
P.p.	16%	PASS	N/A	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
C.d.	16%	PASS	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

3. LABORATORY ANALYSES OF UNDILUTED SAMPLE(S):

SAMPLE Id.	BOD5 mg/l	TSS mg/l	NH3 mg/l	pH su	Alk mg/l	Hard-EFF mg/l	TRC mg/l	Conductivity uS
1	----	-----	0.440	7.77	203	18.3	NA	4,300
2	----	-----	0.255	7.76	225	22.4	NA	4,210
3	----	-----	<0.200	7.79	268	30.5	NA	4,260

Chemical Analyses Performed By (Lab): ERA
 Total 24 Hour Flow: (1) 0.323 MGD (2) 0.286 MGD (3) 0.301 MGD

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF RESPONSIBLE OFFICIAL: _____ DATE: _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 07/17/18

4. SAMPLE COLLECTION:

Split Samples: N/A X Yes ___ (Explain) _____
 Samples Collected as Specified in the NPDES Permit: Yes X No (Explain) _____
 Receiving Water: Five Mile Creek
 Design Flow: 0.406 (MGD)

Sample Id.	Sample(s) Collected	Arrival Temp. °C.	Used in Test(s)
1	7/15/18 0730 - 7/16/18 0730	1.9	7/17/18 - 7/18/18
2	7/17/18 0730 - 7/18/18 0730	4.2	7/19/18 - 7/20/18
3	7/19/18 0730 - 7/20/18 0730	2.1	7/21/18 - 7/23/18

5. CONTROL/DILUTION WATER:

Type	Prepared MM/DD/YY	Begin Use MM/DD/YY	Initial Water Chemistries				
			Hard.	Alk.	pH	Cond. @ °C.	
MHRW	7/03/18	7/17/18	98	63	7.7	302 @ 25	
MHRW	7/13/18	7/18/18	92	61	7.7	312 @ 25	
MHRW	7/13/18	7/19/18	94	59	7.8	314 @ 25	
MHRW	7/17/18	7/20/18	100	59	7.5	303 @ 25	
MHRW	7/17/18	7/22/18	98	59	7.7	298 @ 25	
MHRW	7/17/18	7/23/18	98	59	7.8	297 @ 25	
MHRW	7/19/18	7/24/18	98	61	7.8	316 @ 25	

6. TOXICITY TEST INFORMATION:

Test Species	Organism Age	Organism Source	Test Solution Concentrations (%)				
P.p.	1-2 days	Florida Bioassay Supply	16%				
C.d.	10-4 hrs	ERA	16%				

Test Species	Test Vessel Type	Vessel Vol. (mL)	Solution Vol. (mL)	Org./Test Vessel	Replicates Per Conc.
P.p.	plastic beaker	500	250	10	2
C.d.	plastic beaker	25	20	5	4

Test Species	Temp. Range (°C.)	D.O. Range (mg/L)	pH Range (su)	Light Intensity Average (ft.-c.)
P.p.	24.1 - 25.9	4.9 - 9.7	7.18 - 7.64	75
C.d.	24.1 - 25.8	7.7 - 9.7	7.37 - 7.86	75

7. FEEDING:

Not Fed: ___ Fed Daily: X Fed Irregular: ___ (Explain in Comments Below)
 Brine Shrimp: Fed 0.15 g Suspension of Newly Hatched Larvae 2 Times Daily.
 YCT: Fed 0.130 mL Suspension Containing 1.86 g/L TS Daily.
 Algae: Fed 0.130 mL Suspension Containing 3.0 x 10⁷ Algal Cells/mL Daily.

COMMENTS:

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 07/17/18

8. REFERENCE TOXICANT TESTS:

TOXICANT: Sodium Chloride SOURCE: Fisher Scientific CAS#: 7647-14-5
Solution Concentration Unit: mg/L g/L X % Other (specify)

Chronic:

Test Org.	Test Date	Control Water	Reference Test Solution Concentrations (Control to Highest Conc.)					NUMBER	
P.p.	7/24/18-7/31/18	MHRW	0	2.0	4.0	6.0	8.0	10.0	
C.d.	7/24/18-7/31/18	MHRW	0	0.5	1.0	1.5	2.0	2.5	
Test Org.	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit					(N)	
P.p.	Survival	4.0	2.0 - 4.0					20	
P.p.	Growth	4.0	2.0 - 4.0					20	
C.d.	Survival	1.5	0.5 - 1.5					20	
C.d.	Reproduction	0.5	0.25- 1.0					20	

Raw Data on File With ADEM Toxics Unit

9. TEST CONDITION VARIABILITY:

9.A. Deviations From Standard Test Conditions:

None

9.B. Test Solution Manipulations or Test Modifications:

None

10. REQUIRED REPORT ATTACHMENTS:

Attach Copies Of Chain-of-Custody Forms, Reference Toxicant Tests, And Raw Data (Bench Sheets) Pertaining To Physical, Chemical, And Biological Measurements For All Tests. Include Suspended, Interrupted, or Discontinued Toxicity Tests Data.

11.C CHRONIC SCREENING TOXICITY TESTS RESULTS (Freshwater):

TEST ORGANISM: Ceriodaphnia dubia

Were Neonates Used to Begin the Test Within 8 hours of the same age?: Yes

Did 60% of the CONTROL Females Produce Their Third Brood? YES: X NO:

SURVIVAL

CHRONIC TOXICITY INDICATED: YES NO X

NO SURVIVAL STATISTICAL ANALYSIS NECESSARY:

CONTROL(%) 24h 100 48h 100 End 100 EFFLUENT(%): 24h 100 48h 100 End 90

Fishers Exact Test: A = 10, B = 10, a = 10, b = 9

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 07/17/18

REPRODUCTION (Average Neonates/Female)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 23.5 EFFLUENT(%): 20.2

NO REPRODUCTION STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.631 Critical Value: 0.868 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 9.2 Critical F: 6.5

/ Test Statistic: / Test Critical Value:

Sample Rank Sum: 85 #Reps.: 4 Critical Rank Sum: 82 (Non-Parametric)

COMMENTS:

TEST ORGANISM: Pimephales promelas

MORTALITY

CHRONIC TOXICITY INDICATED: YES NO

CONTROL(%) 24h 100 48h 98 7day 98 EFFLUENT(%): 24h 98 48h 98 7day 98

NO MORTALITY STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: Critical Value: (Parametric)

Equal Variance: Unequal Variance:

F Statistic: Critical F:

/ Test Statistic: / Test Critical Value:

Sample Rank Sum: #Reps.: Critical Rank Sum: (Non-Parametric)

GROWTH - Mean Dry Weight (mg)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 0.783 mg EFFLUENT: 0.748 mg

NO GROWTH STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.958 Critical Value: 0.749 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 1.15 Critical F: 47.5

/ Test Statistic: 1.933 / Test Critical Value: 1.94

Sample Rank Sum: #Reps.: Critical Rank Sum: (Non-Parametric)

COMMENTS:

Billing Information:

LRS, Inc.
P.O. Box 1260
205 6th Avenue
Asheville, Alabama 35953
(205) 594-1445
wgaston@lab-resource.com
352-0718



LRS Client Information:

ABC Coke
P.O. Box 10246
Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

Project Name: 001 Chronic Toxicity

City/State collected:
Birmingham, Alabama
P.O. #

Collected by: *A Buregard* Permit #: **AL0003417**

Collected by (signature): *A Buregard*

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

- Same Day (200%)
- Next Day (100%)
- Two Day (50%)
- Three Day (25%)

Date Results Needed:

STP
~~Resub~~

Packed on Ice? N Y

Number of Containers
Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserved)

Analysis/Container/Preservative

Laboratory Resources & Solutions, Inc. (LRS)
A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Sample Remarks

181558-01a

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative
001 Discharge	Comp.	7-15-18	0730	07-16-18	0745	1	X

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____
Rainfall in Inches _____ Flow _____ Other _____

Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler*

Relinquished by: (Signature) <i>A Buregard</i>	Date: 7-16-18	Time: 1:00	Received by: (Signature) <i>David Vance</i>	Samples returned via: FedEx _____ UPS _____ Other _____	Condition: (lab use only)
Relinquished by: (Signature) <i>Michael Williams</i>	Date: 7-17-18	Time: 0915	Received by: (Signature) <i>Michael Williams</i>	Temp: 1.9 C	Bottles Received:
Relinquished by: (Signature) <i>Michael Williams</i>	Date: 7-17-18	Time: 1147	Received for Lab by: (Signature) <i>Michael Williams</i>	Date: 7/19/18	Time: 1147

Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com



Client URS

Sample # 181558-01

ERA Cooler Receipt Form

1. Condition of Cooler Upon Unpacking

A. Date & Time of Cooler Unpacking 7/17 1150 Receiving Analyst: AE

B. Method of Delivery:

Fed Ex UPS USPS ERA Driver Client Drop Off Other _____
Tracking Number _____

C. Condition of Custody Seal upon arrival: Absent Present & Broken by ERA Driver Present & sealed Present & broken

2. Condition of Cooler Contents

A. Chain Of Custody Information: Completed Incomplete, _____

B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____

C. Packaging Materials: Bubble Wrap None Other: _____

D. Broken Bottles? No Yes If yes, which? _____

E. Temperature °C 1.9 Thermometer ID: Utah Time: 1150 Initials: AE

Reason for incorrect temp: (>6.0°C) Frozen Beginning of Cooling process Ice melted Other _____

3. Sample Information and Verification

A. Sample Numbers match Chain of Custody? Yes No, _____

Correct bottle types used for each sample? Yes No, _____

All samples arrived within holding time? Yes No, _____

B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, _____

C. Samples with preservative have been checked and are in the correct pH range? Yes, no preservatives needed No, see preservative info Not applicable

D. Trip Blanks Absent Present N/A

Additional Preservative information	
1 Preservative Type:	_____
2 Preservative Lot #	_____
3 pH Strip Lot #	_____
4 Date/Time/Initials	_____

4. Comments and Resolutions

A. Was a non-conformance form needed for any samples received in the cooler? Yes No
If yes, Date Started: _____ Analyst: _____

B. Additional Comments: It's assigned @ receipt. to lab

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 7/17/18 1150 Initial: AE QA/QC Review By: [Signature]

Billing Information:

LRS, Inc.

P.O. Box 1260
205 6th Avenue
Ashville, Alabama 35953
(205) 594-1445
wqaston@lab-resource.com



LRS Client Information:

ABC Coke

P.O. Box 10246
Birmingham, AL 35202

"Report to" Contact:

Mr. David Vance

Project Name: 001 Chronic Toxicity

Collected by: **A Bourque**

Permit #: **AL0003417**

City/State collected:
Birmingham, Alabama
P.O. #

Collected by (signature):

A Bourque

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

- Same Day (200%)
- Next Day (100%)
- Two Day (50%)
- Three Day (25%)

Date Results Needed:

Packed on Ice? N Y

Number of Containers

Chronic Toxicity E1000.0 / E1002.0

(One 1-gallon HDPE, non-preserved)

Analysis/Container/Preservative

Chain of Custody
Page 1 of 1

Laboratory Resources & Solutions, Inc. (LRS)

A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Sample Remarks

181561-01a

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative	Sample Remarks
001 Discharge	Comp.	7-15-18	0730	7-15-18	0730	1	X	

*Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT-Other (Describe) _____ pH _____ Temp _____

Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Relinquished by: (Signature) <i>A Bourque</i>	Date: 7-15-18	Time: 12:17	Received by: (Signature) <i>Seamus Smith</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)
Relinquished by: (Signature) <i>Seamus Smith</i>	Date: 7-15-18	Time: 17:00	Received by: (Signature) <i>John MA</i>	Temp: 4.2-1.5	Bottles Received:
Relinquished by: (Signature) <i>John MA</i>	Date: 7-19-18	Time: 16:57	Received for lab by: (Signature) <i>D. D. D.</i>	Date: 07/19/18	Time: 10:57

Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com



Client LRS Justice Coal
ABC COKE ACPCO Sample # 181561-01

ERA Cooler Receipt Form

1. Condition of Cooler Upon Unpacking

- A. Date & Time of Cooler Unpacking 7/19/18 / 1057 Receiving Analyst: DD/AF
- B. Method of Delivery:
 Fed Ex UPS USPS ERA Driver Client Drop Off Other _____
 Tracking Number N/A Present & Broken by ERA Driver Present & sealed Present & broken
- C. Condition of Custody Seal upon arrival: Absent by ERA Driver sealed broken

2. Condition of Cooler Contents

- A. Chain Of Custody Information: Completed Incomplete, _____
- B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____
- C. Packaging Materials: Bubble Wrap None Other: _____
- D. Broken Bottles? No Yes If yes, which? _____
- E. Temperature °C 4.2 Thermometer ID: Utah Time: 1115 Initials: AF
 Reason for incorrect temp: ($>6.0^{\circ}\text{C}$) Frozen Beginning of Cooling process Ice melted Other _____

3. Sample Information and Verification

- A. Sample Numbers match Chain of Custody? Yes No, Labels to be made
 Correct bottle types used for each sample? Yes No, _____
 All samples arrived within holding time? Yes No, _____
- B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, _____
- C. Samples with preservative Yes, no preservatives needed
 have been checked and are in No, see preservative info
 the correct pH range? Not applicable
- D. Trip Blanks Absent Present N/A
- | Additional Preservative information | |
|-------------------------------------|-------|
| 1 Preservative Type: | _____ |
| 2 Preservative Lot # | _____ |
| 3 pH Strip Lot # | _____ |
| 4 Date/Time/Initials | _____ |

4. Comments and Resolutions

- A. Was a non-conformance form needed for any samples received in the cooler? Yes No
 If yes, Date Started: _____ Analyst: _____
- B. Additional Comments: #5 assigned @ receipt

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 07.19.18/1120 Initial: AF QA/QC Review By: Se

Billing Information:

LRS, Inc.
 P.O. Box 1260
 205 6th Avenue
 Ashville, Alabama 35953
 (205) 594-1445
 wgaston@lab-resource.com



LRS Client Information:

ABC Coke
 P.O. Box 10246
 Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

Project Name: 001 Chronic Toxicity

Collected by: A Bourquad Permit #: **AL0003417**

City/State collected:
 Birmingham, Alabama
 P.O. #

Collected by (signature):

A Bourquad

Project Turnaround (Begins on Lab Login Date)

- RUSH?** Please Notify LRS
- Same Day (200%)
 - Next Day (100%)
 - Two Day (50%)
 - Three Day (25%)

Date Results Needed:

Packed on ice? N Y

Number of Containers

Chronic Toxicity E1000.0 / E1002.0
 (One 1-gallon HDPE, non-preserved)

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative
001 Discharge	Comp.	7-19-18	0730	7-20-18	0730	1	X

Chain of Custody
 Page 1 of 1

Laboratory Resources & Solutions, Inc. (LRS)
 A Laboratory Service Provider



Laboratory:
 Environmental Resource Analysts, Inc.
 2975 Brown Court
 Auburn, AL 36830

Sample Remarks

1E1720da

*Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT-Other (Describe) _____ pH _____ Temp _____

Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Relinquished by: (Signature) <u>A Bourquad</u>	Date: 7-20-18	Time: 10:34	Received by: (Signature) <u>Seony Smith</u>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)
Relinquished by: (Signature) <u>Seony Smith</u>	Date: 7/20/18	Time: 1130	Received by: (Signature) <u>[Signature]</u>	Temp: 2.1°C	Bottles Received: 6
Relinquished by: (Signature) <u>[Signature]</u>	Date: 7/20/18	Time: 1420	Received for lab by: (Signature) <u>[Signature]</u>	Date: 072018	Time: 1420

Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com



Client ABC Coke Sample # _____

ERA Cooler Receipt Form

1. Condition of Cooler Upon Unpacking

A. Date & Time of Cooler Unpacking 07/20/18 1425 Receiving Analyst: DD

B. Method of Delivery:
 Fed Ex UPS USPS ERA Driver Client Drop Off Other _____
Tracking Number _____ Present & Broken Present & Present &

C. Condition of Custody Seal upon arrival: Absent by ERA Driver sealed broken

2. Condition of Cooler Contents

A. Chain Of Custody Information: Completed Incomplete, _____

B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____

C. Packaging Materials: Bubble Wrap None Other: _____

D. Broken Bottles? No Yes If yes, which? _____

E. Temperature °C 21 Thermometer ID: Jawa Time: 1425 Initials: DD
Reason for incorrect Frozen Beginning of Cooling process Ice melted
temp: (>6.0°C) Other _____

3. Sample Information and Verification

A. Sample Numbers match Chain of Custody? Yes No, NA

Correct bottle types used for each sample? Yes No, _____

All samples arrived within holding time? Yes No, _____

B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, NA

C. Samples with preservative Yes, no preservatives needed
have been checked and are in No, see preservative info
the correct pH range? Not applicable

D. Trip Blanks Absent Present N/A

Additional Preservative information	
1 Preservative Type:	_____
2 Preservative Lot #	_____
3 pH Strip Lot #	_____
4 Date/Time/Initials	_____

4. Comments and Resolutions

A. Was a non-conformance form needed for any samples received in the cooler? Yes No
If yes, Date Started: _____ Analyst: _____

B. Additional Comments: _____

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 07/20/18 1425 Initial: DD QA/QC Review By: [Signature]

SOP 610.4

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Date/Time Start	7/17/18 13:00	Randomization Board #	071618BU	Age Of Organisms	24-48 hrs
Date/Time Finish	7/24/18 14:15	pH Meter/Probe	AB15-3/12		
Test #:	74 -164	DO Meter/Probe	YSI 2/2		
Source: ABS Lot: 835	CONTROL for Test	Thermometer ID	773237-1		
Brine Shrimp Lot # 30		Photoperiod:	16 hrs Light / 8 Hrs Dark		
		Water Volume:	250 mLs		

Test Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp °C OLD	MHRW Dilution Lot	Feed AM	Analysis & Water Change Date/Time/Analyst	Obs.
						pH NEW	DO NEW	Temp °C NEW		Feed PM		
Start	10	10	10	10	40	N/A	N/A	N/A	3616	N/A	07/17/2018 13:00 HA	N
1	10	10	10	10	40	7.54	8.6	24.6	3617	15:15	7-18-18 12:30 BU	N
2	10	10	10	10	40	7.42	8.6	25.4	3618	8:30	7-19-18 13:00 RR	N
3	10	10	10	10	40	7.41	5.5	24.9	3619	13:00	7-20-18 11:00 BU	N
4	10	10	10	10	40	7.64	9.0	24.5	3619	8:35	07/21/2018 13:30 HA	N
5	10	10	10	10	40	7.18	5.8	25.9	3620	13:00	07/22/2018 12:30 HA	N
6	9	10	10	10	39	7.61	8.6	24.2	3621	8:00	7-23-18 11:45 BU	N
7	9	10	10	10	39	7.26	5.8	25.4	N/A	14:30	No Water Change	N
						7.24	4.9	25.2		9:00		
						7.37	6.2	24.2		14:00		
						7.56	8.3	24.9		9:15		
						7.47	9.7	24.8		14:30		
						7.25	4.9	25.6		N/A		
						N/A	N/A	N/A		N/A	7/24/18 14:15 AF	N
						Test Min	7.18	4.9	24.1			
						Test Max	7.64	9.7	25.9			

Observations Key:

N/A = Not Applicable
1 = Living
0 = Dead

N = Normal
ON = On Bottom
OS = On Surface
LETH = Lethargic
SM = Small

PRE = Precipitate
FC = Flared Carapace
CO = Caught On

CLDY = Cloudy
F = Film
UM = Undissolved Material

CL = Clear/Colorless
ERR = Erratic Swimming

Comments:

Environmental Resource Analysts, Inc.
2975 Brown Ct
Auburn, AL 36830
(334) 502-3444

SOP 610.4

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Test #: 74-164

Client: ABC Coke

Sample Type: eff

% Dilution: 16

Test Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp °C OLD	Feed AM	Sample # Used	Analysis & Water Change Date/Time/Analyst	pH 100%	Obs.
						pH NEW	DO NEW	Temp °C NEW	Feed PM				
Start	10	10	10	10	40	N/A	N/A	N/A	N/A	181558-01b	07/17/2018 13:05 HA	7.77	N
						7.58	8.8	24.5	15:15				
1	10	10	10	10	40	7.49	6.6	25.9	8:30	181558-01b	7-18-18 12:35 BU	7.78	N
						7.27	8.5	24.9	13:00				
2	10	10	10	10	40	7.66	5.9	24.9	8:35	181561-01b	7-19-18 13:05 RR	7.76	N
						7.62	9.8	25.2	13:30				
3	10	10	10	10	40	7.47	6.2	25.7	8:00	181561-01b	7-20-18 11:05 BU	7.61	N
						7.55	9.0	24.6	13:00				
4	10	10	10	10	40	7.40	5.3	25.4	8:00	181726-01b	07/21/2018 13:35 HA	7.76	N
						7.65	8.5	26.1	14:30				
5	10	10	10	10	40	7.33	4.8	25.1	9:00	181726-01b	07/22/2018 12:35 HA	7.78	N
						7.61	8.9	24.5	14:00				
6	10	10	10	9	39	7.52	6.0	24.4	9:15	181726-01b	7-23-18 11:50 BU	7.86	N
						7.58	9.0	24.6	14:30				
7	10	10	10	9	39	7.50	5.6	25.4	N/A	N/A	No Water Change	8.05	N
						N/A	N/A	N/A	N/A		7/24/18 14:20 AF		
						Test Min	7.27	4.8	24.1				
						Test Max	7.66	9.3	25.9				

Observations Key:

N/A = Not Applicable
1 = Living
0 = Dead

N = Normal
ON = On Bottom
OS = On Surface
LETH = Lethargic
SM = Small

PRE = Precipitate
FC = Flared Carapace
CO = Caught On

CLDY = Cloudy
F = Film
UM = Undissolved Material

CL = Clear/Colorless
ERR = Erratic Swimming

Comments:

Environmental Resource Analysis, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

Q/A Rev'd By J

DRY WEIGHT DETERMINATION FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Test #	74 -164	Balance#:	2
Date/Time/Analyst In Oven:	7/24/18 15:00 AF	Date/Time/Analyst Out Oven:	7/25/18 15:00 RR
Temp C In:	60.0	Temp C Out:	60.0

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
Blank	1	0.9919	0.9919	N/A	N/A	N/A
Control	1	1.00680	1.01430	9	0.750	0.783
	2	1.01103	1.01900	10	0.797	
	3	1.02920	1.03699	10	0.779	
	4	1.07204	1.08010	10	0.806	

QA'd by Jc

Test Number: 74 -164 Client: ABC Coke

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
% Dilution: 16 Sample Type: effluent	1	1.00966	1.01709	10	0.743	0.748
	2	1.02528	1.03270	10	0.742	
	3	0.98914	0.99699	10	0.785	
	4	1.04967	1.05689	9	0.722	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	

QA'd By

3 BROOD CERIODAPHNIA TOXICITY TEST

Date/Time Start 7/17/2018 12:30 Test # 74-164 Randomization Board #: 071618BU Age Of Test Organisms 0 - 4 Hrs
 Date/Time Finish 7/25/2018 11:55
 pH Meter/Probe AB15-3/12
 DO Meter/Probe YSI 2/2
 Thermometer ID 773237-1
 Photoperiod: 16 hrs Light / 8 Hrs Dark
 Water Volume: 20 mLs
 Algae Lot 272 cells/mL 3*10⁷
 Yeast Lot 276 g/L Solids 1.860
 Vol Fed Per Cup (µL) 130

Test Day											TOTAL	pH OLD	DO OLD	Temp °C OLD	MHRW Dilution Lot	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.
	1	2	3	4	5	6	7	8	9	10		pH NEW	DO NEW	Temp °C NEW				
Start	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	3614	7-17-18 12:30 BU	16:00	N
1	1	1	1	1	1	1	1	1	1	1	10	7.58	7.8	25.8	3617	7-18-18 12:30 RR	16:30	N
											7.42	8.6	25.4					
2											0	7.79	8.0	24.9	3618	7/19/2018 13:00 AF	16:30	N
											7.64	9.0	24.5					
3	1	1	1	1	1	1	1	1	1	1	10	7.37	7.9	25.6	3619	07/20/2018 11:15 HA	16:30	N
	5 1 ^{end}				4 1 ^{end}	3 1 ^{end}	1 1 ^{end}	3 1 ^{end}	3 1 ^{end}	4 1 ^{end}		7.61	8.6	24.2				
4	1	1	1	1	1	1	1	1	1	1	10	7.49	7.9	25.1	3619	7/21/18 12:30 RR	15:00	N
		4 1 ^{end}	3 1 ^{end}	4 1 ^{end}	6 2 ^{end}							7.61	8.5	24.1				
5	1	1	1	1	1	1	1	1	1	1	10	7.51	8.1	25.2	3620	7/22/18 13:00 RR	16:00	N
	7 2 ^{end}	7 2 ^{end}	2 2 ^{end}	7 2 ^{end}		6 2 ^{end}	8 2 ^{end}	3 2 ^{end}		6 2 ^{end}		7.56	8.3	24.9				
6	1	1	1	1	1	1	1	1	1	1	10	7.75	8.3	24.7	3621	7/23/18 14:30 AF	17:00	N
	13 3 ^{end}							1 2 ^{end}	11 2 ^{end}	3 2 ^{end}		7.47	9.7	24.8				
7	1	1	1	1	1	1	1	1	1	1	10	7.58	7.7	24.2	3622	7/24/18 14:00 HA	17:30	N
	1 3 ^{end}	13 3 ^{end}	16 3 ^{end}	15 3 ^{end}	8 3 ^{end}	14 3 ^{end}	15 3 ^{end}	14 3 ^{end}		14 3 ^{end}		7.86	8.5	24.8				
8	1	1	1	1	1	1	1	1	1	1	10	7.79	7.9	25.1	N/A	7/25/18 11:55 RR	N/A	N
			4 3 ^{end}		2 3 ^{end}					7 3 ^{end}		N/A	N/A	N/A				
Neonates	24	24	25	26	20	23	24	21	21	27		7.37	7.7	24.1	Test Minimum			
Observations Key:												7.86	9.7	25.8	Test Maximum			
Comments:																		

N = Normal
 ON = On Bottom
 OS = On Surface
 LETH = Lethargic
 SM = Small
 PM = Particulate Matter
 ERR = Erratic Swimming
 UM = Undissolved Material
 PRE = Precipitate
 FC = Flared Carapace
 CL = Clear/Colorless
 F = Film
 CLDY = Cloudy
 CO = Caught ON
 N/A = Not Applicable
 End = End of Brood

AVERAGE # Neonates per Female
23.5

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

SOP 609.4

3 BROOD CERIODAPHNIA TOXICITY TEST

EPA METHOD 1002.0

Client: ABC Coke

Age of Test organisms: 0-4 Hrs

Test # 74-164
Sample Type: eff
% Dilution: 16

Test Day											TOTAL	pH OLD	DO OLD	Temp °C OLD	Sample # Used	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.						
	1	2	3	4	5	6	7	8	9	10		pH NEW	DO NEW	Temp °C NEW										
Start	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	181558-01b	7-17-18 12:35 BU	15:15	N						
1	1	1	1	1	1	1	1	1	1	1	10	7.58	8.8	24.5	181558-01b	7-18-18 12:35 RR	16:00	N						
2	1	1	1	1	1	1	1	1	1	1	10	7.59	8.7	25.8	181558-01b	7-18-18 12:35 RR	16:00	N						
3	1	1	1	1	1	1	1	1	1	1	10	7.27	8.5	24.9	181561-01b	7/19/2018 13:05 AF	16:30	N						
4	1	1	1	1	1	1	1	1	1	1	10	7.90	7.8	24.9	181561-01b	7/19/2018 13:05 AF	16:30	N						
5	1	1	1	1	1	1	1	1	1	1	10	7.62	9.3	25.2	181561-01b	7/19/2018 13:05 AF	16:30	N						
6	1	1	1	1	1	1	1	1	1	1	10	7.56	7.8	25.6	181561-01b	07/20/2018 11:20 HA	16:30	N						
7	1	1	1	1	1	1	1	1	1	1	10	7.55	9.0	24.6	181561-01b	07/20/2018 11:20 HA	16:30	N						
8	1	1	1	1	1	1	1	1	1	1	10	7.55	9.0	24.6	181561-01b	07/20/2018 11:20 HA	16:30	N						
9	1	1	1	1	1	1	1	1	0	1	9	7.50	8.1	25.1	181726-01b	7/21/18 12:35 RR	15:00	N						
10	1	1	1	1	1	1	1	1	1	1	10	7.65	8.5	24.1	181726-01b	7/21/18 12:35 RR	15:00	N						
11	1	1	1	1	1	1	1	1	1	1	10	7.59	8.3	25.2	181726-01b	7/22/18 13:05 RR	16:00	N						
12	1	1	1	1	1	1	1	1	1	1	10	7.61	8.9	24.5	181726-01b	7/22/18 13:05 RR	16:00	N						
13	1	1	1	1	1	1	1	1	1	1	10	7.96	8.1	24.6	181726-01b	7/23/18 14:35 AF	17:00	N						
14	1	1	1	1	1	1	1	1	1	1	10	7.58	9.0	24.6	181726-01b	7/23/18 14:35 AF	17:00	N						
15	1	1	1	1	1	1	1	1	1	1	10	7.64	7.7	24.4	181726-01b	7/24/18 14:05 HA	17:30	N						
16	1	1	1	1	1	1	1	1	1	1	10	7.65	8.8	25.0	181726-01b	7/24/18 14:05 HA	17:30	N						
17	1	1	1	1	1	1	1	1	1	1	10	7.87	7.0	24.2	N/A	7/25/18 12:00 RR	N/A	N						
18	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	N/A	7/25/18 12:00 RR	N/A	N						
Neonates	24	24	21	23	20	21	21	23	1	24		7.27	7.7	24.1	Test Minimum									
Observations Key:												7.96	9.3	25.8	Test Maximum									
<p>Number Living</p> <table border="1"> <tr> <td>Neonates</td> <td>Brood #</td> </tr> <tr> <td></td> <td></td> </tr> </table>													Neonates	Brood #			<p>Comments:</p>				<p>AVERAGE # Neonates per Female</p> <p>20.2</p>			
Neonates	Brood #																							
<p>N = Normal ON = On Bottom OS = On Surface LETH = Lethargic SM = Small</p> <p>PM = Particulate Matter ERR = Erratic Swimming UM = Undissolved Material PRE = Precipitate FC = Flared Carapace</p> <p>CL = Clear/Colorless F = Film CLDY = Cloudy CO = Caught ON</p> <p>N/A = Not Applicable End = End of Brood</p>																								
<p>Environmental Resource Analysts, Inc. 2975 Brown Ct. Auburn, AL 36830 (334) 502-3444</p>																								

Larval Fish Growth and Survival Test-7 Day Growth

Start Date: 7/17/2018	Test ID: 74-164fh	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: PP-Pimephales promelas
Comments:		

Conc-%	1	2	3	4
Control	0.7500	0.7970	0.7790	0.8060
eff	0.7430	0.7420	0.7850	0.7220

Conc-%	Mean	N-Mean	Transform: Untransformed					N	t-Stat	1-Tailed	
			Mean	Min	Max	CV%	Critical			MSD	
Control	0.7830	1.0000	0.7830	0.7500	0.8060	3.154	4	1.933	1.943	0.0352	
eff	0.7480	0.9553	0.7480	0.7220	0.7850	3.542	4				

Auxiliary Tests	Statistic	Critical	Skew	Kurt		
Shapiro-Wilk's Test indicates normal distribution (p > 0.01)	0.95812	0.749	0.16637	-0.7385		
F-Test indicates equal variances (p = 0.91)	1.15082	47.4672				
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs Control	0.03619	0.04495	0.00245	0.00066	0.10148	1, 6

Ceriodaphnia Survival and Reproduction Test-7 Day Survival

Start Date: 7/17/2018	Test ID: 74-164c	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: CD-Ceriodaphnia dubia
Comments: stat analysis conducted by JF		

Conc-%	1	2	3	4	5	6	7	8	9	10
Control	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Eff	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.0000	1.0000

Conc-%	Mean	N-Mean	Resp	Not Resp	Total	N	Fisher's 1-Tailed Exact P	Critical
Control	1.0000	1.0000	0	10	10	10		
Eff	0.9000	0.9000	1	9	10	10	0.5000	0.0500

Hypothesis Test (1-tail, 0.05)

Fisher's Exact Test indicates no significant differences
Treatments vs Control

Ceriodaphnia Survival and Reproduction Test-Reproduction

Start Date: 7/17/2018 Test ID: 74-164c Sample ID: EFF
 End Date: Lab ID: ERA Sample Type: EFF2-Industrial
 Sample Date: Protocol: EPAF 94-EPA/600/4-91/002 Test Species: CD-Ceriodaphnia dubia
 Comments: stat analysis conducted by JF

Conc-%	1	2	3	4	5	6	7	8	9	10
Control	24.000	24.000	25.000	26.000	20.000	23.000	24.000	21.000	21.000	27.000
Eff	24.000	24.000	21.000	23.000	20.000	21.000	21.000	23.000	1.000	24.000

Conc-%	Mean	N-Mean	Transform: Untransformed					N	Rank Sum	1-Tailed Critical
			Mean	Min	Max	CV%				
Control	23.500	1.0000	23.500	20.000	27.000	9.672	10			
Eff	20.200	0.8596	20.200	1.000	24.000	34.203	10	85.00	82.00	

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates non-normal distribution (p <= 0.01)	0.63169	0.868	-3.2075	12.2304
F-Test indicates unequal variances (p = 2.82E-03)	9.23871	6.54109		
Hypothesis Test (1-tail, 0.05)				
Wilcoxon Two-Sample Test indicates no significant differences Treatments vs Control				

Toxicity Benchsheet

Client: 74 - ABC Coke

Sample	Sample #	Collection Date/Time	pH 100%/ Temperature(°C)	TRC mg/L	Analysis Date/Time/ Analyst	pH Meter/Probe	TRC Meter
#1	181558-01b	7/16/18 7:30	7.77/ 24.2	N/A	7/17/2018 12:00 BU	AB15-3/24	N/A
#2	181561-01b	7/18/18 7:30	7.76/24.6	N/A	7/19/18 12:37 AF	AB15-3/24	N/A
#3	181726-01b	7/20/18 7:30	7.79/ 24.9	N/A	7-20-18 14:57 BU	AB15-3/24	N/A

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.51	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.78	*****	7.06		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	7.27	22.56		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.01	1.34		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.0 monthly average	49.5 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	7.17	21.93		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	66 monthly average	99 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.926	1.175		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	09/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	0.59	0.59	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****		*****	0	Monthly
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.31	0.31	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****		*****	0	Monthly
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****		*****	0	Weekly
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****		*****	0	Monthly
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****		*****	0	2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.28940	0.32673	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	0.016	0.020	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****		*****	0	2X Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	09/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	5300	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	0	Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	5.92	6.60	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	56 monthly average	84 maximum daily		*****	*****	*****		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	09/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.80	*****	6.87		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	10.67	18.00		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	7.63	9.77		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.68	0.69		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.44	0.52		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	09/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.455	1.830	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	09/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-08-01 To: 2018-08-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.51	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				Weekly
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.78	*****	7.06	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				Daily
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	7.27	22.56	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				Weekly
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.01	1.34	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.0 Monthly Average	49.5 Maximum Daily		*****	*****	*****				Weekly
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	7.17	21.93	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	66 Monthly Average	99 Maximum Daily		*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.926	1.175	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				2X Monthly

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246
Birmingham, AL 35202-0246

MONITORING POINT: 0011

COUNTY: Jefferson

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue
Tarrant, AL 35217

Monitoring Period : 2018-08-01 To: 2018-08-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	0.59	0.59	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.31	0.31	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.28940	0.32673	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.016	0.020	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319 (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417

MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-08-01 To: 2018-08-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	5300	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	5.92	6.60	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	56 Monthly Average	84 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period : 2018-08-01 To 2018-08-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.80	*****	6.87		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	10.67	18.00		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	7.63	9.77		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.68	0.69		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.44	0.52		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246

MONITORING POINT: 0021

COUNTY: Jefferson

Jefferson

Birmingham, AL 35202-0246

FACILITY: Abc Coke Div Drummond Co Inc

POINT:

LOCATION: 900 Huntsville Avenue
Tarrant, AL 35217

Monitoring Period : 2018-08-01 To: 2018-08-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1.455	1.830	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)



LRS, Inc.

Laboratory Resources & Solutions, Inc.

P.O. Box 1260
205 6th Avenue
Ashville, AL 35953
(205) 594-1445
www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
P.O. Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project ID: **001 Chronic Toxicity – August 2018**

Date: September 13, 2018

Data Reviewed by:

Wayne J. Gaston

Wayne Gaston
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
wgaston@lab-resource.com

- * Unless otherwise noted, all analyses on this report performed at Environmental Resource Analysts, Inc. (ERA), 2975 Brown Court, Auburn, AL 36830.
- * These results relate only to the items tested. This report may only be reproduced in full.
- * Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
TOXICITY TEST REPORT SUMMARY

1. GENERAL:

NPDES PERMIT NO.: AL0003417 DSN: 001 COUNTY: Jefferson
 Permittee: ABC Coke, Inc.
 Facility Name: ABC Coke, Inc.
 Agent Submitting Report: : Mr. Jeff McCord Lab
 Conducting Toxicity Test(s): ERA, 2975 Brown Court, Auburn, AL 36830
 Months To Test: Monthly
 This Report for Toxicity Test(s) Required for the Month of: Aug
 Scheduled Test(s): Yes X No Accelerated Test(s): Yes No X
 Accelerated Test Number of For Failed Scheduled Test Date:
 Test Type Required: 48 -Hr Acute Screening: -Hr Acute Definitive:
 Short-term Chronic Screening: X Short-term Chronic Definitive:

Test Organism: Ceriodaphnia dubia						Test Organism: Pimephales promelas							
Sam	Date/Time Start	Date/Time Ended	Control	Date/Time Start	Date/Time Ended	Control	Sam	Date/Time Start	Date/Time Ended	Control	Date/Time Start	Date/Time Ended	Control
No.	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid	No.	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid
1	8/07/18 13:30	8/15/18 11:30	Yes	8/07/18 13:45	8/14/18 11:45	Yes							

2.A. SUMMARY OF RESULTS FOR SCREENING TESTS:

Test	Eff.	Test Number											
		(1)			(2)			(3)			(4)		
Org.	Conc	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow
P.p.	16%	PASS	N/A	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
C.d.	16%	PASS	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

3. LABORATORY ANALYSES OF UNDILUTED SAMPLES(S):

SAMPLE	BOD5	TSS	NH3	pH	Alk	Hard-EFF	TRC	Conductivity
Id.	mg/l	mg/l	mg/l	su	mg/l	mg/l	mg/l	uS
1	----	-----	<0.200	7.6	205	24.4	NA	3,850
2	----	-----	<0.200	7.7	197	14.3	NA	3,750
3	----	-----	<0.200	7.6	221	20.4	NA	3,430

Chemical Analyses Performed By (Lab): ERA

Total 24 Hour Flow: (1) 0.312 MGD (2) 0.318 MGD (3) 0.299 MGD

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF RESPONSIBLE OFFICIAL: _____ DATE: _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 08/07/18

4. SAMPLE COLLECTION:

Split Samples: N/A X Yes (Explain) _____
 Samples Collected as Specified in the NPDES Permit: Yes X No (Explain) _____
 Receiving Water: Five Mile Creek
 Design Flow: 0.406 (MGD)

Sample Id.	Sample(s) Collected	Arrival Temp. °C.	Used in Test(s)
1	8/05/18 0730 - 8/06/18 0730	3.5	8/07/18 - 8/08/18
2	8/07/18 0730 - 8/08/18 0730	6.0	8/09/18 - 8/10/18
3	8/09/18 0730 - 8/10/18 0730	3.3	8/11/18 - 8/13/18

5. CONTROL/DILUTION WATER:

Type	Prepared	Begin Use	Initial Water Chemistries			
			MM/DD/YY	MM/DD/YY	Hard.	Alk.
MHRW	7/30/18	8/07/18	88	59	7.6	302 @ 25
MHRW	7/30/18	8/09/18	100	59	7.5	299 @ 25
MHRW	8/07/18	8/11/18	92	61	7.6	289 @ 25
MHRW	8/07/18	8/13/18	100	59	7.6	301 @ 25

6. TOXICITY TEST INFORMATION:

Test	Organism	Organism	Test Solution Concentrations (%)			
Species	Age	Source				
P.p.	1-2 days	Florida Bioassay Supply	16%			
C.d.	10-5 hrs	ERA	16%			

Test	Test Vessel	Vessel	Solution	Org./Test	Replicates
Species	Type	Vol. (mL)	Vol. (mL)	Vessel	Per Conc.
P.p.	plastic beaker	500	250	10	2
C.d.	plastic beaker	25	20	5	4

Test	Temp. Range	D.O. Range	pH Range	Light Intensity
Species	(°C.)	(mg/L)	(su)	Average (ft.-c.)
P.p.	24.0 - 25.9	6.4 - 9.3	7.2 - 8.0	75
C.d.	24.0 - 25.9	7.8 - 9.3	7.0 - 8.0	75

7. FEEDING:

Not Fed: Fed Daily: X Fed Irregular: (Explain in Comments Below)
 Brine Shrimp: Fed 0.15 g Suspension of Newly Hatched Larvae 2 Times Daily.
 YCT: Fed 0.130 mL Suspension Containing 1.83 g/L TS Daily.
 Algae: Fed 0.130 mL Suspension Containing 3.0 x 10⁷ Algal Cells/mL Daily.

COMMENTS:

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 08/07/18

8. REFERENCE TOXICANT TESTS:

TOXICANT: Sodium Chloride SOURCE: Fisher Scientific CAS#: 7647-14-5
Solution Concentration Unit: mg/L _____ g/L X % _____ Other (specify)

Chronic:

Test	Test Date	Control	Reference Test Solution Concentrations						
Org.	MM/DD - MM/DD	Water	(Control to Highest Conc.)						
P.p.	8/21/18-8/28/18	MHRW	0	2.0	4.0	6.0	8.0	10.0	
C.d.	8/21/18-8/28/18	MHRW	0	0.5	1.0	1.5	2.0	2.5	
Test	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit			NUMBER			
Org.						(N)			
P.p.	Survival	4.0	2.0 - 4.0			20			
P.p.	Growth	2.0	2.0 - 4.0			20			
C.d.	Survival	1.5	0.5 - 1.5			20			
C.d.	Reproduction	1.0	0.25- 1.0			20			

Raw Data on File With ADEM Toxics Unit

9. TEST CONDITION VARIABILITY:

9.A. Deviations From Standard Test Conditions:

None

9.B. Test Solution Manipulations or Test Modifications:

None

10. REQUIRED REPORT ATTACHMENTS:

Attach Copies Of Chain-of-Custody Forms, Reference Toxicant Tests, And Raw Data (Bench Sheets) Pertaining To Physical, Chemical, And Biological Measurements For All Tests. Include Suspended, Interrupted, or Discontinued Toxicity Tests Data.

11.C CHRONIC SCREENING TOXICITY TESTS RESULTS (Freshwater):

TEST ORGANISM: Ceriodaphnia dubia

Were Neonates Used to Begin the Test Within 8 hours of the same age?: Yes
Did 60% of the CONTROL Females Produce Their Third Brood? YES: X NO:

SURVIVAL

CHRONIC TOXICITY INDICATED: YES _____ NO X

NO SURVIVAL STATISTICAL ANALYSIS NECESSARY: X

CONTROL(%) 24h 100 48h 100 End 80 EFFLUENT(%): 24h 100 48h 100 End 100

Fishers Exact Test: A = _____, B = _____, a = _____, b = _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 08/07/18

REPRODUCTION (Average Neonates/Female)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 17.0 EFFLUENT(%): 19.1

NO REPRODUCTION STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F: _____

/ Test Statistic: _____ / Test Critical Value: _____

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

TEST ORGANISM: Pimephales promelas

MORTALITY

CHRONIC TOXICITY INDICATED: YES NO

CONTROL(%) 24h 100 48h 100 7day 95 EFFLUENT(%): 24h 100 48h 100 7day 83

NO MORTALITY STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.903 Critical Value: 0.749 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 3.67 Critical F: 47.5

/ Test Statistic: 1.733 / Test Critical Value: 1.943

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

GROWTH - Mean Dry Weight (mg)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 0.631 mg EFFLUENT: 0.676 mg

NO GROWTH STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F: _____

/ Test Statistic: _____ / Test Critical Value: _____

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:



Client LRS

Sample # 10229-27

ERA Cooler Receipt Form

06/18
BU
PP

1. Condition of Cooler Upon Unpacking

A. Date & Time of Cooler Unpacking 8-7-18/11:04 Receiving Analyst: BU/BS

B. Method of Delivery:

Fed Ex UPS USPS ERA Driver Client Drop Off Other
Tracking Number _____

C. Condition of Custody Seal upon arrival: Absent Present & Broken by ERA Driver Present & sealed Present & broken

2. Condition of Cooler Contents

A. Chain Of Custody Information: Completed Incomplete,

B. Cooling Process Solid Ice Ice pack Dry Ice None Other

C. Packaging Materials: Bubble Wrap None Other: _____

D. Broken Bottles? No Yes If yes, which? _____

E. Temperature °C 3.5 Thermometer ID: Iowa Time: 11:04 Initials: BU

Reason for incorrect temp: (>6.0°C) Frozen Beginning of Cooling process Ice melted Other

3. Sample Information and Verification

A. Sample Numbers match Chain of Custody? Yes No, Labels to be made.

Correct bottle types used for each sample? Yes No, _____

All samples arrived within holding time? Yes No, _____

B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, _____

C. Samples with preservative have been checked and are in the correct pH range? Yes, no preservatives needed No, see preservative info Not applicable

D. Hexane Lot for O&G N/A

E. Trip Blanks Absent Present N/A

Additional Preservative information	
1 Preservative Type:	_____
2 Preservative Lot #	_____
3 pH Strip Lot #	_____
4 Date/Time/Initials	_____

4. Comments and Resolutions

A. Was a non-conformance form needed for any samples received in the cooler? Yes No
If yes, Date Started: _____ Analyst: _____

B. Additional Comments: _____

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 8-7-18/11:04 Initial: BU QA/QC Review By: _____



Client LRS

Sample # 182851-29

ERA Cooler Receipt Form

1. Condition of Cooler Upon Unpacking

A. Date & Time of Cooler Unpacking 8-9-18/10:45 Receiving Analyst: BU

B. Method of Delivery:

Fed Ex UPS USPS ERA Driver Client Drop Off Other _____
Tracking Number _____

C. Condition of Custody Seal upon arrival: Absent Present & Broken by ERA Driver Present & sealed Present & broken

2. Condition of Cooler Contents

A. Chain Of Custody Information: Completed Incomplete, _____

B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____

C. Packaging Materials: Bubble Wrap None Other: _____

D. Broken Bottles? No Yes If yes, which? _____

E. Temperature °C 3.6 Thermometer ID: Iowa Time: 10:45 Initials: BU

Reason for incorrect temp: (>6.0°C) Frozen Beginning of Cooling process Ice melted Other _____

3. Sample Information and Verification

A. Sample Numbers match Chain of Custody? Yes No, _____

Correct bottle types used for each sample? Yes No, _____

All samples arrived within holding time? Yes No, _____

B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, _____

C. Samples with preservative have been checked and are in the correct pH range? Yes, no preservatives needed No, see preservative info Not applicable

D. Hexane Lot for O&G N/A

E. Trip Blanks Absent Present N/A

Additional Preservative information	
1	Preservative Type: _____
2	Preservative Lot # _____
3	pH Strip Lot # _____
4	Date/Time/Initials _____

4. Comments and Resolutions

A. Was a non-conformance form needed for any samples received in the cooler? Yes No
If yes, Date Started: _____ Analyst: _____

B. Additional Comments: _____

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 8-9-18 Initial: BU/10:45 QA/QC Review By: [Signature]



Client LRS Sample # _____

ERA Cooler Receipt Form

1. Condition of Cooler Upon Unpacking

A. Date & Time of Cooler Unpacking 08/10/18 / 1430 Receiving Analyst: AF

B. Method of Delivery:

Fed Ex UPS USPS ERA Driver Client Drop Off Other _____
Tracking Number N/A Present & Broken Present & Present &

C. Condition of Custody Seal upon arrival: Absent by ERA Driver sealed broken

2. Condition of Cooler Contents

A. Chain Of Custody Information: Completed Incomplete, _____

B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____

C. Packaging Materials: Bubble Wrap None Other: _____

D. Broken Bottles? No Yes If yes, which? _____

E. Temperature °C 3.3 Thermometer ID: H201 Time: 1435 Initials: DD
Reason for incorrect Frozen Beginning of Cooling process Ice melted
temp: (>6.0°C) Other _____

3. Sample Information and Verification

A. Sample Numbers match Chain of Custody? Yes No, Labels to be made

Correct bottle types used for each sample? Yes No, _____

All samples arrived within holding time? Yes No, _____

B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, _____

C. Samples with preservative Yes, no preservatives needed
have been checked and are in No, see preservative info
the correct pH range? Not applicable

D. Hexane Lot for O&G N/A

E. Trip Blanks Absent Present N/A

Additional Preservative information	
1	Preservative Type: _____
2	Preservative Lot # _____
3	pH Strip Lot # _____
4	Date/Time/Initials _____

4. Comments and Resolutions

A. Was a non-conformance form needed for any samples received in the cooler? Yes No
If yes, Date Started: _____ Analyst: _____

B. Additional Comments: _____

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 08/10/18 / 1556 Initial: AF QA/QC Review By: _____

SOP 610.4

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Date/Time Start	8/7/18 13:45	Randomization Board #	080618BU	Age Of Organisms	24-48 hrs
Date/Time Finish	8/14/18 11:45	pH Meter/Probe	AB15-3/12		
Test #:	74 - 165	DO Meter/Probe	YSI 2/2		
Source: ABS Lot: 838	CONTROL for Test	Thermometer ID	Indiana		
Brine Shrimp Lot # 30		Photoperiod:	16 hrs Light / 8 Hrs Dark		
		Water Volume:	250 mLs		

Test Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp °C OLD	MHRW Dilution Lot	Feed AM	Analysis & Water Change Date/Time/Analyst	Obs.
						pH NEW	DO NEW	Temp °C NEW		Feed PM		
Start	10	10	10	10	40	N/A	N/A	N/A	3632	N/A	08/07/18 13:45 HA	N
1	10	10	10	10	40	7.7	7.2	25.0	3632	8:20	8/8/18 12:00 RR	N
2	10	10	10	10	40	7.5	7.3	24.8	3633	15:00	8/9/18 14:00 AF	N
3	10	10	10	10	40	7.5	7.0	25.7	3633	8:02	8/10/18 11:45 HA	N
4	10	10	10	9	39	7.4	8.1	25.9	3636	9:20	8/11/18 13:10 HA	N
5	10	10	10	9	39	7.5	8.0	25.1	3636	17:00	8/12/18 12:00 RR	N
6	10	10	9	9	38	7.3	6.7	25.7	3637	9:10	8/13/18 14:45 AF	N
7	10	10	9	9	38	7.4	6.6	24.2	N/A	N/A	No Water Change	N
						Test Min	7.3	6.6	24.0			
						Test Max	7.8	8.8	25.9			

Observations Key:

N/A = Not Applicable
1 = Living
0 = Dead

N = Normal
ON = On Bottom
OS = On Surface
LETH = Lethargic
SM = Small

PRE = Precipitate
FC = Flared Carapace
CO = Caught On

CLDY = Cloudy
F = Film
UM = Undissolved Material

CL = Clear/Colorless
ERR = Erratic Swimming

Comments:

Environmental Resource Analysts, Inc.
2975 Browne Ct.
Auburn, AL 36830
(334) 502-3444

Q/A Rev'd By J

SOP 610.4

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Test #: 74-165

Client: ABC Coke

Sample Type: effluent

% Dilution: 16

Test Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp °C OLD	Feed AM	Sample # Used	Analysis & Water Change Date/Time/Analyst	pH 100%	Obs.
						pH NEW	DO NEW	Temp °C NEW	Feed PM				
Start	10	10	10	10	40	N/A	N/A	N/A	N/A	182247-01b	08/07/18 13:50 HA	7.7	N
1	10	10	10	10	40	7.7	7.7	25.0	8:20	182247-01b	8/8/18 12:05 RR	7.7	N
						7.6	9.5	24.1	16:45				
2	10	10	10	10	40	7.6	6.9	24.8	8:15	182258-01b	8/9/18 14:05 AF	7.7	N
						7.7	9.5	25.3	15:00				
3	10	10	10	10	40	7.6	6.7	25.7	8:02	182258-01b	8/10/18 11:50 HA	7.7	N
						7.7	9.3	24.7	12:15				
4	10	10	9	10	39	7.5	7.3	25.9	9:20	182393-01b	8/11/18 13:15 HA	7.7	N
						7.8	9.3	24.0	14:00				
5	10	10	8	7	35	7.6	7.4	25.1	9:00	182393-01b	8/12/18 12:05 RR	7.7	N
						7.9	8.2	24.3	17:00				
6	10	9	8	7	34	7.5	6.4	25.6	9:10	182393-01b	8/13/18 14:50 AF	7.8	N
						8.0	9.0	25.1	15:45				
7	10	8	8	7	33	7.2	6.6	24.4	N/A	N/A	No Water Change	7.9	N
						N/A	N/A	N/A	N/A		8-14-18 11:50 BU		
Test Min						7.2	6.4	24.0					
Test Max						8.0	9.3	25.9					

Observations Key:

N/A = Not Applicable
l = Living
0 = Dead

N = Normal
ON = On Bottom
OS = On Surface
LETH = Lethargic
SM = Small

PRE = Precipitate
FC = Flared Carapace
CO = Caught On

CLDY = Cloudy
F = Film
UM = Undissolved Material

CL = Clear/Colorless
ERR = Erratic Swimming

Comments:

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

Q/A Rev'd By J

DRY WEIGHT DETERMINATION FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Test #	74 -165	Balance#:	2
Date/Time/Analyst In Oven:	8-14-18/ 12:30 / BU	Date/Time/Analyst Out Oven:	8-15-18 13:00 HA
Temp C In:	59.2	Temp C Out:	60.1

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
Blank	1	1.01970	1.01969	N/A	N/A	N/A
Control	1	1.03515	1.04194	10	0.679	0.631
	2	1.04223	1.04888	10	0.665	
	3	1.02572	1.03161	9	0.589	
	4	1.02096	1.02688	9	0.592	

QA'd by F

Test Number: 74 - 165 Client: ABC Coke

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
% Dilution: 16 Sample Type: effluent	1	1.00537	1.01307	10	0.770	0.676
	2	1.05042	1.05693	8	0.651	
	3	1.05415	1.06089	8	0.674	
	4	1.04421	1.05029	7	0.608	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	

QA'd By J

3 BROOD CERIODAPHNIA TOXICITY TEST

Date/Time Start 8/7/2018 13:30 Test # 74 -165 Randomization Board #: 080618BU Age Of Test Organisms 0-5 Hrs
 Date/Time Finish 8/15/2018 11:30
 pH Meter/Probe AB15-3/12
 DO Meter/Probe YSI 2/2
 Thermometer ID Indiana
 Photoperiod: 16 hrs Light / 8 Hrs Dark
 Water Volume: 20 mLs
 Algae Lot 272 cells/mL 3*10⁷
 Yeast Lot 277 g/L Solids 1.83
 Vol Fed Per Cup (µL) 130

Test Day											TOTAL	pH OLD	DO OLD	Temp °C OLD	MHRW Dilution Lot	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.
	1	2	3	4	5	6	7	8	9	10								
Start	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	3632	8-7-18 13:30 BU	14:15	N
1	1	1	1	1	1	1	1	1	1	1	10	7.6	8.2	25.9	3632	8-8-18 11:30 BU	15:00	N
2	1	1	1	1	1	1	1	1	1	1	10	7.7	7.9	24.8	3633	8-9-18 12:00 BU	13:00	N
3	1	1	1	1	1	1	1	1	1	1	10	7.8	8.6	24.6	3633	8-10-18 11:30 BU	13:00	N
4	1	1	1	1	1	1	1	1	1	1	10	7.7	8.0	25.2	3636	8/11/18 12:00 RR	13:00	N
5	1	1	1	1	1	1	1	1	1	1	10	7.7	8.1	24.7	3636	8/12/18 15:00 HA	16:00	N
6	0	1	1	1	1	1	1	1	0	1	8	7.5	8.0	25.3	3637	8/13/18 12:00 RR	14:00	N
7	0	1	1	1	1	1	1	1	0	1	8	7.0	8.8	25.2	3637	8/14/18 11:30 AF	16:00	N
8	0	1	1	1	1	1	1	1	0	1	8	7.7	7.8	25.2	N/A	8/15/18 11:30 AF	N/A	N
Neonates	20	19	22	20	21	21	23	20	0	24		7.00	7.8	24.0		Test Minimum		
Observations Key:												7.78	8.8	25.9		Test Maximum		

Comments:

AVERAGE # Neonates per Female
17

N = Normal
ON = On Bottom
OS = On Surface
LETH = Lethargic
SM = Small
PM = Particulate Matter
ERR = Erratic Swimming
UM = Undissolved Material
PRE = Precipitate
FC = Flared Carapace
CL = Clear/Colorless
F = Film
CLDY = Cloudy
CO = Caught ON
N/A = Not Applicable
End = End of Brood

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

SOP 609.4

3 BROOD CERIODAPHNIA TOXICITY TEST

EPA METHOD 1002.0

Client: ABC Coke

Age of Test organisms: 0-5 Hrs

Test # 74 -165
Sample Type: effluent
% Dilution: 16

Test Day											TOTAL	pH OLD	DO OLD	Temp °C OLD	Sample # Used	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.
	1	2	3	4	5	6	7	8	9	10		pH NEW	DO NEW	Temp °C NEW				
Start	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	182247-01b	8-7-18 13:35 BU	14:15	N
1	1	1	1	1	1	1	1	1	1	1	10	7.8	7.9	25.7	182247-01b	8-8-18 11:35 BU	15:00	N
2	1	1	1	1	1	1	1	1	1	1	10	7.7	7.8	24.8	182258-01b	8-9-18 12:05 BU	13:00	N
3	1	1	1	1	1	1	1	1	1	1	10	7.9	7.9	25.3	182258-01b	8-10-18 11:35 BU	13:00	N
4	1	1	1	1	1	1	1	1	1	1	10	7.9	7.8	25.2	182393-01b	8/11/18 12:05 RR	13:00	N
5	1	1	1	1	1	1	1	1	1	1	10	7.7	8.6	24.7	182393-01b	8/12/18 15:05 HA	16:00	N
6	1	1	1	1	1	1	1	1	1	1	10	7.6	8.5	25.3	182393-01b	8/13/18 12:05 RR	14:00	N
7	1	1	1	1	1	1	1	1	1	1	10	7.5	8.8	25.1	182393-01b	8/14/18 11:35 AF	16:00	N
8	1	1	1	1	1	1	1	1	1	1	10	7.8	8.1	25.5	N/A	8/15/18 11:35 AF	N/A	N
Neonates	15	16	19	18	19	18	25	26	19	16		7.53	7.8	24.0	Test Minimum			
Observations Key:												8.00	9.3	25.7	Test Maximum			
Comments:																		
N = Normal ON = On Bottom OS = On Surface LETH = Lethargic SM = Small PM = Particulate Matter ERR = Erratic Swimming UM = Undissolved Material PRE = Precipitate FC = Flared Carapace CL = Clear/Colorless F = Film CLDY = Cloudy CO = Caught ON N/A = Not Applicable End = End of Brood													AVERAGE # Neonates per Female					
													19.1					
Environmental Resource Analysts, Inc. 2975 Brown CL Auburn, AL 36830 (334) 502-3444																		

Larval Fish Growth and Survival Test-7 Day Survival

Start Date: 8/7/2018	Test ID: 74-165fh	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: PP-Pimephales promelas
Comments:		

Conc-%	1	2	3	4
Control	1.0000	1.0000	0.9000	0.9000
eff	1.0000	0.8000	0.8000	0.7000

Conc-%	Mean	N-Mean	Transform: Arcsin Square Root				N	t-Stat	1-Tailed	
			Mean	Min	Max	CV%			Critical	MSD
Control	0.9500	1.0000	1.3305	1.2490	1.4120	7.072	4	1.733	1.943	0.1976
eff	0.8250	0.8684	1.1544	0.9912	1.4120	15.615	4			

Auxiliary Tests	Statistic	Critical	Skew	Kurt		
Shapiro-Wilk's Test indicates normal distribution (p > 0.01)	0.90299	0.749	1.01305	0.88996		
F-Test indicates equal variances (p = 0.31)	3.67027	47.4672				
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs Control	0.12313	0.13052	0.06207	0.02067	0.13386	1, 6

Toxicity Benchsheet

Client: 74 - ABC Coke

Sample	Sample #	Collection Date/Time	pH 100%/ Temperature(°C)	TRC mg/L	Analysis Date/Time/ Analyst	pH Meter/Probe	TRC Meter
#1	182247-01b	8/6/18 7:30	7.6/20.9	N/A	08/07/18 12:25 HA	AB15-3/24	N/A
#2	182258-01b	8/8/18 7:30	7.7/ 23.9	N/A	8-9-18 11:25 BU	AB15-3/24	N/A
#3	182393-01b	8/10/18 7:30	7.6/23.4	N/A	8/10/18 17:30 AF	AB15-3/24	N/A

Q/A Rev'd By JF

002 STORM WATER MONITORING

SAMPLE DATE:	8/20/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	2:00 PM
WEATHER CONDITIONS:	CLOUDY
CREEK CONDITIONS:	CLEAR
INIT STAFF LEVEL:	83" DATE: 8/20/2018
VOLUME:	17,084,425 GALLONS
FINAL STAFF LEVEL:	50" DATE: 8/25/2018
VOLUME:	9,563,853 GALLONS
TOTAL DISCHARGE VOLUME:	7,520,572 GALLONS
DAILY AVERAGE FLOW:	1.504 MGD

pH:	6.87 SU
TSS(mg/L):	8.4
NH3-N(ppd):	7.78
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPTHALENE (ppd):	
MANGANESE,T (mg/L):	0.522
IRON, T (mg/L):	0.667
O & G (mg/L)	BMDL

SAMPLE DATE:	
SAMPLE LOCATION:	
SAMPLER:	
SAMPLE TIME:	
WEATHER CONDITIONS:	
CREEK CONDITIONS:	
INIT STAFF LEVEL:	DATE:
VOLUME:	
FINAL STAFF LEVEL:	DATE:
VOLUME:	
TOTAL DISCHARGE VOLUME:	
DAILY AVERAGE FLOW:	

pH:	
TSS(mg/L):	
NH3-N(ppd):	
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPTHALENE (ppd):	
MANGANESE,T (mg/L):	
IRON, T (mg/L):	
O & G (mg/L)	

002 STORM WATER MONITORING

SAMPLE DATE:	8/1/2018	
SAMPLE LOCATION:	002 DISCHARGE	
SAMPLER:	NORMAN LOEBLER	
SAMPLE TIME:	1:10 PM	
WEATHER CONDITIONS:	CLOUDY	
CREEK CONDITIONS:	STAINED	
INIT STAFF LEVEL:	84"	DATE: 8/1/2018
	VOLUME: 17,372,016 GALLONS	
FINAL STAFF LEVEL:	44"	DATE: 8/6/2018
	VOLUME: 8,220,490 GALLONS	
TOTAL DISCHARGE VOLUME:	9,151,526 GALLONS	
DAILY AVERAGE FLOW:	1.830 MGD	

pH:	6.80 SU
TSS(mg/L):	18
NH3-N(ppd):	9.77
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE,T (mg/L):	0.354
IRON, T (mg/L):	0.691
O & G (mg/L)	BMDL

SAMPLE DATE:	8/9/2018	
SAMPLE LOCATION:	002 DISCHARGE	
SAMPLER:	NORMAN LOEBLER	
SAMPLE TIME:	2:00 PM	
WEATHER CONDITIONS:	RAIN	
CREEK CONDITIONS:	CLEAR	
INIT STAFF LEVEL:	65"	DATE: 8/9/2018
	VOLUME: 12,849,585 GALLONS	
FINAL STAFF LEVEL:	42"	DATE: 8/14/2018
	VOLUME: 7,688,183 GALLONS	
TOTAL DISCHARGE VOLUME:	5,161,402 GALLONS	
DAILY AVERAGE FLOW:	1.032 MGD	

pH:	6.85 SU
TSS(mg/L):	5.6
NH3-N(ppd):	5.34
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE,T (mg/L):	
IRON, T (mg/L):	
O & G (mg/L)	

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	24.88	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	08/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.34	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.70	*****	7.10		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	8.69	15.93		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.60	2.35		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.0 monthly average	49.5 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	5.23	8.60		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	66 monthly average	99 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.523	0.647		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	0.74	0.74	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****		*****	Monthly	Composite
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.38	0.38	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****		*****	Monthly	Composite
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****		*****	Weekly	Composite
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****		*****	2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.31143	0.38848	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
CYANIDE, FREE AVAILABLE	Sample Measurement	0.022	0.023	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****		*****	2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****				
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****				
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	5597	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	4.50	5.84	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	56 monthly average	84 maximum daily		*****	*****	*****				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	24.88	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	08/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.85	*****	7.15		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	7.07	9.20		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	0.70	1.40		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	4.13	4.69		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.37	0.45		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.22	0.27		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR
 Jefferson
COUNTY:
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.574	1.669	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2018-09-01 To 2018-09-30

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.34	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.70	*****	7.10	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	8.69	15.93	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.60	2.35	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.0 Monthly Average	49.5 Maximum Daily		*****	*****	*****				
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	5.23	8.60	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	66 Monthly Average	99 Maximum Daily		*****	*****	*****				
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.523	0.647	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2018-09-01 To 2018-09-30

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	0.74	0.74	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****				
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.38	0.38	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****				
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****				
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****				
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.31143	0.38848	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.022	0.023	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****				

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period: 2018-09-01 To 2018-09-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****				
TOXICITY, PIMEPHIALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****				
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	5597	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	4 50	5 84	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	56 Monthly Average	84 Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period: 2018-09-01 To 2018-09-30

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.85	*****	7.15	12 S.U.	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily				Weekly
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	7.07	9.20	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily				Weekly
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.70	1.40	19 mg/l	0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	4.13	4.69		*****	*****	*****	26 lbs/day	0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B		*****	*****	*****	26 lbs/day	0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				Monthly
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.37	0.45	19 mg/l	0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily				2X Monthly
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.22	0.27	19 mg/l	0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily				2X Monthly
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246
Birmingham, AL35202-0246

MONITORING POINT: 0021

COUNTY: Jefferson

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue
Tarrant, AL 35217

Monitoring Period : 2018-09-01 To 2018-09-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1 574	1 669	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)



LRS, Inc.

Laboratory Resources & Solutions, Inc.

P.O. Box 1260
205 6th Avenue
Ashville, AL 35953
(205) 594-1445
www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
P.O. Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project ID: **001 Chronic Toxicity – September 2018**

Date: October 11, 2018

Data Reviewed by:

Wayne J. Gaston

Wayne Gaston
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
wgaston@lab-resource.com

- * Unless otherwise noted, all analyses on this report performed at Environmental Resource Analysts, Inc. (ERA), 2975 Brown Court, Auburn, AL 36830.
- * These results relate only to the items tested. This report may only be reproduced in full.
- * Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

**ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
TOXICITY TEST REPORT SUMMARY**

1. GENERAL:

NPDES PERMIT NO.: AL0003417 DSN: 001 COUNTY: Jefferson
 Permittee: ABC Coke, Inc.
 Facility Name: ABC Coke, Inc.
 Agent Submitting Report: : Mr. Jeff McCord Lab
 Conducting Toxicity Test(s): ERA, 2975 Brown Court, Auburn, AL 36830
 Months To Test: Monthly
 This Report for Toxicity Test(s) Required for the Month of: Sept
 Scheduled Test(s): Yes No Accelerated Test(s): Yes No
 Accelerated Test Number of For Failed Scheduled Test Date:
 Test Type Required: 48 -Hr Acute Screening: -Hr Acute Definitive:
 Short-term Chronic Screening: Short-term Chronic Definitive:

Test Organism: Ceriodaphnia dubia Test Organism: Pimephales promelas

Sam	Date/Time Start	Date/Time Ended	Control	Date/Time Start	Date/Time Ended	Control
No.	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid
1	9/18/18 15:00	9/26/18 13:00	Yes	9/18/18 15:10	9/25/18 14:30	Yes

2.A. SUMMARY OF RESULTS FOR SCREENING TESTS:

Test	Eff.	Test Number											
		(1)			(2)			(3)			(4)		
Org.	Conc	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow
P.p.	16%	PASS	N/A	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
C.d.	16%	PASS	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

3. LABORATORY ANALYSES OF UNDILUTED SAMPLE(S):

SAMPLE	BOD5	TSS	NH3	pH	Alk	Hard-EFF	TRC	Conductivity
Id.	mg/l	mg/l	mg/l	su	mg/l	mg/l	mg/l	uS
1	----	-----	<0.200	7.5	140	28.5	NA	4,150
2	----	-----	<0.200	7.5	134	42.8	NA	3,890
3	----	-----	<0.200	7.6	122	32.6	NA	4,200

Chemical Analyses Performed By (Lab): ERA

Total 24 Hour Flow: (1) 0.259 MGD (2) 0.199 MGD (3) 0.290 MGD

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF RESPONSIBLE OFFICIAL: _____ DATE: _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 09/18/18

4. SAMPLE COLLECTION:

Split Samples: N/A Yes (Explain) _____
 Samples Collected as Specified in the NPDES Permit: Yes No(Explain) _____
 Receiving Water: Five Mile Creek
 Design Flow: 0.406 (MGD)

Sample Id.	Sample(s) Collected MM/DD/YY HHMM - MM/DD/YY HHMM	Arrival Temp. °C.	Used in Test(s) MM/DD/YY - MM/DD/YY
1	9/16/18 0730 - 9/17/18 0730	2.5	9/18/18 - 9/19/18
2	9/18/18 0730 - 9/19/18 0730	2.9	9/20/18 - 9/21/18
3	9/20/18 0730 - 9/21/18 0730	2.6	9/22/18 - 9/24/18

5. CONTROL/DILUTION WATER:

Type	Prepared MM/DD/YY	Begin Use MM/DD/YY	Initial Water Chemistries				
			Hard.	Alk.	pH	Cond.	@ °C.
MHRW	9/14/18	9/18/18	100	59	7.8	313	@ 25
MHRW	9/14/18	9/19/18	100	59	7.7	317	@ 25
MHRW	9/14/18	9/20/18	96	59	7.4	321	@ 25
MHRW	9/19/18	9/22/18	92	59	7.7	319	@ 25
MHRW	9/19/18	9/23/18	98	59	7.6	313	@ 25

6. TOXICITY TEST INFORMATION:

Test	Organism	Organism	Test Solution Concentrations (%)				
Species	Age	Source					
P.p.	1-2 days	Florida Bioassay Supply	16%				
C.d.	0-8 hrs	ERA	16%				

Test	Test Vessel	Vessel	Solution	Org./Test	Replicates
Species	Type	Vol. (mL)	Vol. (mL)	Vessel	Per Conc.
P.p.	plastic beaker	500	250	10	2
C.d.	plastic beaker	25	20	5	4

Test	Temp. Range	D.O. Range	pH Range	Light Intensity
Species	{°C.}	(mg/L)	(su)	Average (ft.-c.)
P.p.	24.0 - 25.7	5.8 - 8.9	7.4 - 7.9	75
C.d.	24.0 - 25.9	7.7 - 8.9	7.6 - 7.9	75

7. FEEDING:

Not Fed: Fed Daily: Fed Irregular: (Explain in Comments Below)
 Brine Shrimp: Fed 0.15 g Suspension of Newly Hatched Larvae 2 Times Daily.
 YCT: Fed 0.130 mL Suspension Containing 1.85 g/L TS Daily.
 Algae: Fed 0.130 mL Suspension Containing 3.0 x 10⁷ Algal Cells/mL Daily.
COMMENTS:

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 09/18/18

8. REFERENCE TOXICANT TESTS:

TOXICANT: Sodium Chloride SOURCE: Fisher Scientific CAS#: 7647-14-5
Solution Concentration Unit: mg/L _____ g/L X % _____ Other(specify)

Chronic:

Test Org.	Test Date	Control Water	Reference Test Solution Concentrations (Control to Highest Conc.)					
P.p.	9/18/18-9/25/18	MHRW	0	2.0	4.0	6.0	8.0	10.0
C.d.	9/18/18-9/26/18	MHRW	0	0.5	1.0	1.5	2.0	2.5
Test Org.	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit			NUMBER (N)		
P.p.	Survival	2.0	2.0 - 4.0			20		
P.p.	Growth	2.0	2.0 - 4.0			20		
C.d.	Survival	1.5	0.5 - 1.5			20		
C.d.	Reproduction	0.5	0.25- 1.0			20		

Raw Data on File With ADEM Toxics Unit

9. TEST CONDITION VARIABILITY:

9.A. Deviations From Standard Test Conditions:

None

9.B. Test Solution Manipulations or Test Modifications:

None

10. REQUIRED REPORT ATTACHMENTS:

Attach Copies Of Chain-of-Custody Forms, Reference Toxicant Tests, And Raw Data (Bench Sheets) Pertaining To Physical, Chemical, And Biological Measurements For All Tests. Include Suspended, Interrupted, or Discontinued Toxicity Tests Data.

11.C CHRONIC SCREENING TOXICITY TESTS RESULTS (Freshwater):

TEST ORGANISM: Ceriodaphnia dubia

Were Neonates Used to Begin the Test Within 8 hours of the same age?: Yes

Did 60% of the CONTROL Females Produce Their Third Brood? YES: X NO:

SURVIVAL

CHRONIC TOXICITY INDICATED: YES _____ NO X

NO SURVIVAL STATISTICAL ANALYSIS NECESSARY: X

CONTROL(%) 24h 100 48h 100 End 100 EFFLUENT(%): 24h 100 48h 100 End 100

Fishers Exact Test: A = _____, B = _____, a = _____, b = _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 09/18/18

REPRODUCTION (Average Neonates/Female)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 22.9 EFFLUENT(%): 22.0

NO REPRODUCTION STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.923 Critical Value: 0.868 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 1.34 Critical F: 6.54

/ Test Statistic: 0.704 / Test Critical Value: 1.734

Sample Rank Sum: #Reps.: Critical Rank Sum: (Non-Parametric)

COMMENTS:

TEST ORGANISM: Pimephales promelas

MORTALITY

CHRONIC TOXICITY INDICATED: YES NO

CONTROL(%) 24h 100 48h 100 7day 98 EFFLUENT(%): 24h 95 48h 93 7day 93

NO MORTALITY STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.930 Critical Value: 0.749 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 1.00 Critical F: 47.5

/ Test Statistic: 1.414 / Test Critical Value: 1.943

Sample Rank Sum: #Reps.: Critical Rank Sum: (Non-Parametric)

GROWTH - Mean Dry Weight (mg)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 0.437 mg EFFLUENT: 0.408 mg

NO GROWTH STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.979 Critical Value: 0.749 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 1.53 Critical F: 47.5

/ Test Statistic: 1.760 / Test Critical Value: 1.943

Sample Rank Sum: #Reps.: Critical Rank Sum: (Non-Parametric)

COMMENTS:

Billing Information:

LRS, Inc.
 P.O. Box 1260
 205 6th Avenue
 Ashville, Alabama 35953
 (205) 594-1445
 wgaston@lab-resource.com



LRS Client Information:

ABC Coke
 P.O. Box 10246
 Birmingham, AL 35202

[Handwritten Signature]
 "Report to" Contact:
Mr. David Vance

Analysis/Container/Preservative

Chronic Toxicity E1000.0 / E1002.0
 (One 1-gallon HDPE, non-preserved)

Laboratory Resources & Solutions, Inc. (LRS)
 A Laboratory Service Provider



Laboratory:
 Environmental Resource Analysts, Inc.
 2975 Brown Court
 Auburn, AL 36830

Project Name: 001 Chronic Toxicity

Collected by: *A. Barywood* Permit #: **AL0003417**

City/State collected:
 Birmingham, Alabama
 P.O. #

Collected by (signature):

A. Barywood

Project Turnaround (Begins on Lab Login Date)

- RUSH? Please Notify LRS**
- Same Day (200%)
 - Next Day (100%)
 - Two Day (50%)
 - Three Day (25%)

Date Results Needed:

Number of Containers

Packed on Ice? N Y

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Chronic Toxicity E1000.0 / E1002.0	Analysis/Container/Preservative	Sample Remarks
001 Discharge	Comp.	9-16-18	0730	9-17-18	0730	1	X		18352302

*Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____
 Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Relinquished by: (Signature) <i>A. Barywood</i>	Date: 9-17-18	Time: 12:00	Received by: (Signature) <i>[Signature]</i>	Samples returned via: FedEx ___ UPS ___ Other ___ <i>dot</i>	Condition (lab use only)
Relinquished by: (Signature) <i>[Signature]</i>	Date: 9/18/18	Time: 1700	Received by: (Signature) <i>[Signature]</i>	Temp: <i>25</i>	Bottles Received: <i>1</i>
Relinquished by: (Signature) <i>[Signature]</i>	Date:	Time:	Received for lab by: (Signature) <i>[Signature]</i>	Date: <i>09/18/18</i>	Time: <i>1200</i>

Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com



Client URS

Sample # 183523

ERA Cooler Receipt Form

183524

1. Condition of Cooler Upon Unpacking

A. Date & Time of Cooler Unpacking 9/18/18 1120 Receiving Analyst: AF

B. Method of Delivery:

Fed Ex UPS USPS ERA Driver Client Drop Off Other _____

Tracking Number _____

C. Condition of Custody Seal upon arrival: Absent by ERA Driver Present & Broken Present & sealed Present & broken

2. Condition of Cooler Contents

A. Chain Of Custody Information: Completed Incomplete, _____

B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____

C. Packaging Materials: Bubble Wrap None Other: _____

D. Broken Bottles? No Yes If yes, which? _____

E. Temperature °C 4.6 Thermometer ID: Utah Time: 1127 Initials: AF

Reason for incorrect temp: (>6.0°C) Frozen Beginning of Cooling process Ice melted Other _____

3. Sample Information and Verification

A. Sample Numbers match Chain of Custody? Yes No, Labels to be made.

Correct bottle types used for each sample? Yes No, _____

All samples arrived within holding time? Yes No, _____

B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, _____

C. Samples with preservative have been checked and are in the correct pH range? Yes, no preservatives needed No, see preservative info Not applicable

Additional Preservative information	
1	Preservative Type: _____
2	Preservative Lot # _____
3	pH Strip Lot # _____
4	Date/Time/Initials _____

D. Hexane Lot for O&G N/A

E. Trip Blanks Absent Present N/A

4. Comments and Resolutions

A. Was a non-conformance form needed for any samples received in the cooler? Yes No
If yes, Date Started: _____ Analyst: _____

B. Additional Comments: _____

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 9/18/18 1125 Initial: AF QA/QC Review By: [Signature]

Billing Information:

LRS, Inc.

P.O. Box 1260
205 6th Avenue
Ashville, Alabama 35953
(205) 594-1445
wgaston@lab-resource.com



LRS Client Information:

ABC Coke

P.O. Box 10246
Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

Analysis/Container/Preservative

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserve)

**Laboratory Resources
& Solutions, Inc. (LRS)**

A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2875 Brown Court
Auburn, AL 36830

Project Name: 001 Chronic Toxicity

City/State collected:
Birmingham, Alabama
P.O. #

Collected by:
D. Vance

Permit #: **AL0003417**

Collected by (signature):

Project Turnaround (Begins on Lab Login Date)

- RUSH?** Please Notify LRS
____ Same Day (200%)
____ Next Day (100%)
____ Two Day (50%)
____ Three Day (25%)

Date Results Needed:

Packed on Ice? N Y

Number of Containers

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative
001 Discharge	Comp.	9-18-18	0730	9-19-18	0730	1	X
183536-01							

Sample Remarks

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____

Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Relinquished by: (Signature) 	Date: 9-19-18	Time: 10:50	Received by: (Signature) 	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)		
Relinquished by: (Signature) 	Date: 9/20/18	Time: 10:31	Received by: (Signature)	Temp: 29°C	Bottles Received:		
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature) 	Date: 9/20/18	Time: 10:31	pH Checked:	NCF:

Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com



Client URS ABC COKE Sample #

ERA Cooler Receipt Form

1. Condition of Cooler Upon Unpacking

- A. Date & Time of Cooler Unpacking 9/20/18/1031 Receiving Analyst: AF
- B. Method of Delivery:
 Fed Ex UPS USPS ERA Driver Client Drop Off Other
 Tracking Number MA Present & Broken by ERA Driver Present & sealed Present & broken
- C. Condition of Custody Seal upon arrival: Absent Present & Broken by ERA Driver Present & sealed Present & broken

2. Condition of Cooler Contents

- A. Chain Of Custody Information: Completed Incomplete,
- B. Cooling Process Solid Ice Ice pack Dry Ice None Other
- C. Packaging Materials: Bubble Wrap None Other:
- D. Broken Bottles? No Yes If yes, which?
- E. Temperature °C 2.9 Thermometer ID: LOWA Time: 1032 Initials: AF
 Reason for incorrect temp: (>6.0°C) Frozen Beginning of Cooling process Ice melted
 Other

3. Sample Information and Verification

- A. Sample Numbers match Chain of Custody? Yes No, Labels to be made
 Correct bottle types used for each sample? Yes No,
 All samples arrived within holding time? Yes No,
- B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No,
- C. Samples with preservative have been checked and are in the correct pH range? Yes, no preservatives needed
 No, see preservative info
 Not applicable
- D. Hexane Lot for O&G N/A
- E. Trip Blanks Absent Present N/A
- | Additional Preservative Information | |
|-------------------------------------|-----------------------------|
| 1 Preservative Type: | <u> </u> |
| 2 Preservative Lot # | <u> </u> |
| 3 pH Strip Lot # | <u> </u> |
| 4 Date/Time/Initials | <u> </u> |

4. Comments and Resolutions

- A. Was a non-conformance form needed for any samples received in the cooler? Yes No
 If yes, Date Started: Analyst:
- B. Additional Comments:

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 9/20/18 1033 Initial: AF QA/QC Review By: BH

Billing Information:

LRS, Inc.
P.O. Box 1260
205 6th Avenue
Ashville, Alabama 35953
(205) 594-1445
wgaston@lab-resource.com



LRS Client Information:

ABC Coke
P.O. Box 10246
Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

Analysis/Container/Preservative

Chronic Toxicity E1000.0 / E1002.0
(One 1-gallon HDPE, non-preserved)

Laboratory Resources & Solutions, Inc. (LRS)

A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Project Name: 001 Chronic Toxicity

City/State collected:
Birmingham, Alabama
P.O. #

Collected by: *A. Barquard* Permit #: **AL0003417**

Collected by (signature): *A. Barquard*

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

Date Results Needed:

- Same Day (200%)
- Next Day (100%)
- Two Day (50%)
- Three Day (25%)

Packed on Ice? N Y

Number of Containers

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative	Sample Remarks
001 Discharge 183553-01	Comp.	9-2-18	0730	9-2-18	0730	1	X	

*Matrix: SS-Soll/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____

Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Relinquished by: (Signature) <i>A. Barquard</i>	Date: 9-2-18	Time: 8.15	Received by: (Signature) <i>Scott Smith</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)
Relinquished by: (Signature) <i>Scott Smith</i>	Date: 9/2/18	Time: 12:07	Received by: (Signature) <i>Amber D. Treanna</i>	Temp: 2.6 °C	Bottles Received:
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 9/2/18	Time: 1227
Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com				pH Checked:	NCF:



Client ABC Coke Sample # TBD

ERA Cooler Receipt Form

1. Condition of Cooler Upon Unpacking

- A. Date & Time of Cooler Unpacking 9-21-18/ 12:27 Receiving Analyst: BH/AF
- B. Method of Delivery:
 Fed Ex UPS USPS ERA Driver Client Drop Off Other _____
 Tracking Number _____ Present & Broken by ERA Driver Present & sealed Present & broken
- C. Condition of Custody Seal upon arrival: Absent Present & Broken by ERA Driver Present & sealed Present & broken

2. Condition of Cooler Contents

- A. Chain Of Custody Information: Completed Incomplete, _____
- B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____
- C. Packaging Materials: Bubble Wrap None Other: _____
- D. Broken Bottles? No Yes If yes, which? _____
- E. Temperature °C 2.6 Thermometer ID: U+L Time: 12:27 Initials: BH
 Reason for incorrect temp: (>6.0°C) Frozen Beginning of Cooling process Ice melted Other _____

3. Sample Information and Verification

- A. Sample Numbers match Chain of Custody? Yes No, TBD
 Correct bottle types used for each sample? Yes No, _____
 All samples arrived within holding time? Yes No, _____
- B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, NA
- C. Samples with preservative have been checked and are in the correct pH range? Yes, no preservatives needed No, see preservative info Not applicable
- D. Hexane Lot for O&G _____ N/A
- E. Trip Blanks Absent Present N/A
- | Additional Preservative information | |
|-------------------------------------|-------|
| 1 Preservative Type: | _____ |
| 2 Preservative Lot # | _____ |
| 3 pH Strip Lot # | _____ |
| 4 Date/Time/Initials | _____ |

4. Comments and Resolutions

- A. Was a non-conformance form needed for any samples received in the cooler? Yes No
 If yes, Date Started: _____ Analyst: _____
- B. Additional Comments: _____

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 9-21-18/ 12:27 Initial: BH/AF QA/QC Review By: _____

Evan Ansuya

SOP 609.5

3 BROOD CERIODAPHNIA TOXICITY TEST

EPA METHOD 1002.0

Date/Time Start 9/18/2018 15:00 Test # 74-166 Randomization Board #: 091718AF Age Of Test Organisms 0-8 Hrs
 Date/Time Finish 9/26/2018 13:00 pH Meter/Probe AB15-3/24
 DO Meter/Probe YSI 2/2
 Algae Lot 274 cells/mL 3*10⁷ Thermometer ID Indiana
 Yeast Lot 279 g/L Solids 1.85 Photoperiod: 16 hrs Light / 8 Hrs Dark
 Vol Fed Per Cup (µL) 130 Water Volume: 20 mLs

Test Day	Replicates										TOTAL	pH OLD	DO OLD	Temp °C OLD	MHRW Dilution Lot	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.
	1	2	3	4	5	6	7	8	9	10		pH NEW	DO NEW	Temp °C NEW				
Start	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	3651	9/18/18 15:00 AF	17:00	N
1	1	1	1	1	1	1	1	1	1	1	10	7.8	8.1	25.5	3651	9/19/18 15:00 AF	17:00	N
2	1	1	1	1	1	1	1	1	1	1	10	7.8	8.2	25.6	3653	9/20/18 15:00 AF	17:00	N
3	1	1	1	1	1	1	1	1	1	1	10	7.7	8.2	25.9	3653	9/21/18 14:00 AF	16:00	N
4	1	1	1	1	1	1	1	1	1	1	10	7.7	8.3	25.3	3654	9/22/18 14:00 RR	16:00	N
5	1	1	1	1	1	1	1	1	1	1	10	7.7	8.1	25.6	3655	9/23/18 15:00 HA	17:00	N
6	1	1	1	1	1	1	1	1	1	1	10	7.7	7.7	25.3	3655	9/24/18 13:00 AF	17:00	N
7	1	1	1	1	1	1	1	1	1	1	10	7.7	7.9	25.6	3655	9/25/18 13:00 AF	17:10	N
8	1	1	1	1	1	1	1	1	1	1	10	7.7	8.2	25.7	N/A	No Water Change		
Neonates	21	19	25	23	21	26	20	24	27	23		7.6	7.7	24.0				
Observations Key:												7.9	8.5	25.9				

Comments:

N = Normal
 ON = On Bottom
 OS = On Surface
 LETH = Lethargic
 SM = Small
 PM = Particulate Matter
 ERR = Erratic Swimming
 UM = Undissolved Material
 PRE = Precipitate
 FC = Flared Carapace
 CL = Clear/Colorless
 F = Film
 CLDY = Cloudy
 CO = Caught ON
 N/A = Not Applicable
 End = End of Brood
 M = Male

AVERAGE # Neonates per Female

22.9

Environmental Resource Analysts, Inc.
 2975 Brown Ct.
 Auburn, AL 36830
 (334) 502-3444

Q/A Rev'd By _____

AF

SOP 609.5

3 BROOD CERIODAPHNIA TOXICITY TEST

EPA METHOD 1002.0

Client:

 LRS-ABC Coke

Age of Test organisms:

 0-8 Hrs

Test # 74 -166
Sample Type: effluent
% Dilution: 16

Test Day	1	2	3	4	5	6	7	8	9	10	TOTAL	pH OLD	DO OLD	Temp °C OLD	Sample # Used	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.
												pH NEW	DO NEW	Temp °C NEW				
Start	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	183523-01b	9/18/18 15:05 AF	17:00	N
1	1	1	1	1	1	1	1	1	1	1	10	7.9	8.1	25.5	183523-01b	9/19/18 15:05 AF	17:00	N
2	1	1	1	1	1	1	1	1	1	1	10	7.8	8.1	25.5	183536-01b	9/20/18 15:05 AF	17:00	N
3	1	1	1	1	1	1	1	1	1	1	10	7.9	8.3	25.8	183536-01b	9/21/18 14:05 AF	16:00	N
4	1	1	1	1	1	1	1	1	1	1	10	7.6	8.6	25.5	183553-01b	9/22/18 14:05 RR	16:00	N
5	1	1	1	1	1	1	1	1	1	1	10	7.6	8.4	25.6	183553-01b	9/23/18 15:05 HA	17:00	N
6	1	1	1	1	1	1	1	1	1	1	10	7.7	8.7	25.0	183553-01b	9/23/18 15:05 HA	17:00	N
7	1	1	1	1	1	1	1	1	1	1	10	7.8	7.8	25.4	183553-01b	9/24/18 13:05 AF	17:00	N
8	1	1	1	1	1	1	1	1	1	1	10	7.7	7.9	25.5	183553-01b	9/25/18 13:05 AF	17:10	N
Neonates	1	1	1	1	1	1	1	1	1	1	10	7.8	8.0	25.7	N/A	No Water Change		
												N/A	N/A	N/A	N/A	9/26/18 13:05 AF	N/A	N
												7.6	7.8	24.2				
												7.9	8.9	25.8				

Observations Key:

Comments:

<table border="1"> <tr> <th>Number Living</th> <th>Brood #</th> </tr> <tr> <td> </td> <td> </td> </tr> </table>	Number Living	Brood #			<p>N = Normal ON = On Bottom OS = On Surface LETH = Lethargic SM = Small</p>	<p>PM = Particulate Matter ERR = Erratic Swimming UM = Undissolved Material PRE = Precipitate FC = Flared Carapace</p>	<p>CL = Clear/Colorless F = Film CLDY = Cloudy CO = Caught ON</p>	<p>N/A = Not Applicable End = End of Brood M = Male</p>	<p>AVERAGE # Neonates per Female 22</p>
Number Living	Brood #								

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

Q/A Rev'd By

JS
AP

SOP 610.5

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Date/Time Start	9/18/18 15:10	Randomization Board #	091818AF	Age Of Organisms	31-33 hrs
Date/Time Finish	9/25/18 14:30	pH Meter/Probe	AB15-3/24		
Test #:	74 - 166	DO Meter/Probe	YSI 2/2		
Source: ABS Lot: 842	CONTROL for Test	Thermometer ID	Indiana		
Brine Shrimp Lot # 30		Photoperiod:	16 hrs Light / 8 Hrs Dark		
		Water Volume:	250 mLs		

Test Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp °C OLD	MHRW Dilution Lot	Feed AM/ Shrimp Lot	Analysis & Water Change Date/Time/Analyst	Obs.
						pH NEW	DO NEW	Temp °C NEW		Feed PM/ Shrimp Lot		
Start					40	N/A	N/A	N/A		N/A		
	10	10	10	10	40	7.9	8.3	24.0	3651	17:30/091718AF	9/18/18 15:10 RR	N
1					40	7.6	7.1	25.4		8:55/091818AF		
	10	10	10	10	40	7.7	8.2	25.0	3652	17:30/091818AF	9/19/18 16:40 HA	N
2					40	7.6	7.7	24.9		0845/091918AF		
	10	10	10	10	40	7.6	8.4	24.1	3653	16:30/091918AF	9-20-18 13:10 BU	N
3					40	7.4	7.6	25.4		8:45/092018AF1		
	10	10	10	10	40	7.7	8.4	24.1	3653	16:30/092018AF2	09/21/18 13:10 HA	N
4					40	7.5	7.1	25.7		9:05/092118AF2		
	10	10	10	10	40	7.7	8.3	24.3	3654	14:00/092118AF2	09/22/18 13:10 HA	N
5					39	7.5	7.0	25.7		10:30/092218HA1		
	10	9	10	10	39	7.7	8.3	25.0	3655	19:00/092318RR1	9/23/18 13:10 RR	N
6					39	7.4	5.8	25.5		8:35/092318RR1		
	10	9	10	10	39	7.7	8.5	24.1	3655	15:30/092318HA2	9/24/18 15:00 AF	N
7					39	7.4	5.9	24.5		N/A	No Water Change	
	10	9	10	10	39	N/A	N/A	N/A	N/A	N/A	9/25/18 14:30 RR	N
Test Min						7.4	5.8	24.0				
Test Max						7.9	8.5	25.7				

Observations Key:

- N/A = Not Applicable
- 1 = Living
- 0 = Dead
- N = Normal
- ON = On Bottom
- OS = On Surface
- LETH = Lethargic
- SM = Small
- PRE = Precipitate
- FC = Flared Carapace
- CO = Caught On
- CLDY = Cloudy
- F = Film
- UM = Undissolved Material
- CL = Clear/Colorless
- ERR = Erratic Swimming
- M = Male

Comments:

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

Q/A Rev'd By
JF
APF

SOP 610.5

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Test #: 74 - 166

Client: LRS- ABC Coke

Sample Type effluent

% Dilution: 16

Test Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp °C OLD	Feed AM/ Shrimp Lot	Sample # Used	Analysis & Water Change Date/Time/Analyst	pH 100%	Obs.	
						pH NEW	DO NEW	Temp °C NEW	Feed PM/ Shrimp Lot					
Start	10	10	10	10	40	N/A	N/A	N/A	N/A	183523-01b	9/18/18 15:15 RR	7.5	N	
1	10	9	9	10	38	7.5	6.9	25.5	8:55/091818AF	183523-01b	9/19/18 16:45 HA	8.0	N	
						7.6	8.9	25.7	17:30/091818AF					
2	9	9	9	10	37	7.6	7.5	25.2	08:45/091918AF	183536-01b	9-20-18 13:15 BU	7.5	N	
						7.6	8.6	24.9	16:30/091918AF					
3	9	9	9	10	37	7.4	7.0	25.3	8:45/092018AF1	183536-01b	09/21/18 13:15 HA	7.6	N	
						7.6	8.7	25.6	16:30/092018AF2					
4	9	9	9	10	37	7.5	6.7	25.6	9:05/092118AF2	183553-01b	09/22/18 13:15 HA	7.6	N	
						7.6	8.7	25.4	14:00/092118AF2					
5	9	9	9	10	37	7.5	6.9	25.6	10:30/092218HA1	183553-01b	9/23/18 13:15 RR	7.6	N	
						7.7	8.7	25.0	19:00/092318RR1					
6	9	9	9	10	37	7.5	6.0	25.4	8:35/092318RR1	183553-01b	9/24/18 15:05 AF	7.8	N	
						7.6	8.5	24.8	15:30/092318HA2					
7	9	9	9	10	37	7.5	6.7	24.5	N/A	N/A	No Water Change	7.8	N	
						N/A	N/A	N/A	N/A		9/25/18 14:35 RR			
Test Min						7.4	6.0	24.2						
Test Max						7.7	8.9	25.7						
Observations Key:						Comments:								
N/A = Not Applicable I = Living 0 = Dead						N = Normal ON = On Bottom OS = On Surface LETH= Lethargic SM= Small		PRE = Precipitate FC = Flared Carapace CO = Caught On		CLDY = Cloudy F = Film UM = Undissolved Material		CL = Clear/Colorless ERR = Erratic Swimming		
Environmental Resource Analysts, Inc. 2975 Brown Ct. Auburn, AL 36830 (334) 502-3444														

Q/A Rev'd By

JF
AF

DRY WEIGHT DETERMINATION FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST



Test # 74 -166 **Balance#:** 2
Date/Time/Analyst In Oven: 9/25/18 15:30 RR **Date/Time/Analyst Out Oven:** 9/26/18 15:30 HA
Temp C In: 60.0 **Thermometer ID:** Hawaii **Temp C Out:** 60.0

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
Blank	1	1.02372	1.02365	N/A	N/A	N/A
Control	1	1.03055	1.03515	10	0.460	0.437
	2	1.03444	1.03844	9	0.400	
	3	1.02351	1.02791	10	0.440	
	4	1.00741	1.01188	10	0.447	

QA'd by JE
AF

Test Number: 74 - 166 Client: LRS-ABC Coke

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
% Dilution: 16 Sample Type: effluent	1	1.04139	1.04534	9	0.395	0.408
	2	1.04802	1.05206	9	0.404	
	3	1.05417	1.05810	9	0.393	
	4	1.01698	1.02136	10	0.438	
% Dilution: Sample Type:	1					
	2					
	3					
	4					
% Dilution: Sample Type:	1					
	2					
	3					
	4					
% Dilution: Sample Type:	1					
	2					
	3					
	4					
% Dilution: Sample Type:	1					
	2					
	3					
	4					

QA'd By



Ceriodaphnia Survival and Reproduction Test-Reproduction

Start Date: 9/18/2018	Test ID: 74-166c	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: CD-Ceriodaphnia dubia
Comments: stat analysis conducted by JF		

Conc-%	1	2	3	4	5	6	7	8	9	10
Control	21.000	19.000	25.000	23.000	21.000	26.000	20.000	24.000	27.000	23.000
Eff	22.000	18.000	23.000	19.000	25.000	18.000	24.000	25.000	20.000	26.000

Conc-%	Mean	N-Mean	Transform: Untransformed					N	t-Stat	1-Tailed	
			Mean	Min	Max	CV%	Critical			MSD	
Control	22.900	1.0000	22.900	19.000	27.000	11.544	10	0.704	1.734	2.215	
Eff	22.000	0.9607	22.000	18.000	26.000	13.887	10				

Auxiliary Tests	Statistic	Critical	Skew	Kurt		
Shapiro-Wilk's Test Indicates normal distribution (p > 0.01)	0.92266	0.868	-0.0656	-1.4027		
F-Test Indicates equal variances (p = 0.67)	1.33545	6.54109				
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs Control	2.21541	0.09674	4.05	8.16111	0.49016	1, 18

Larval Fish Growth and Survival Test-7 Day Survival

Start Date: 9/18/2018	Test ID: 74-166fh	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: PP-Pimephales promelas
Comments:		

Conc-%	1	2	3	4
Control	1.0000	0.9000	1.0000	1.0000
eff	0.9000	0.9000	0.9000	1.0000

Conc-%	Mean	N-Mean	Transform: Arcsin Square Root				N	t-Stat	1-Tailed	
			Mean	Min	Max	CV%			Critical	MSD
Control	0.9750	1.0000	1.3713	1.2490	1.4120	5.942	4			
eff	0.9250	0.9487	1.2898	1.2490	1.4120	6.318	4	1.414	1.943	0.1120

Auxiliary Tests	Statistic	Critical	Skew	Kurt		
Shapiro-Wilk's Test indicates normal distribution ($p > 0.01$)	0.93016	0.749	0	0		
F-Test indicates equal variances ($p = 1.00$)	1	47.4672				
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs Control	0.05464	0.05688	0.01328	0.00664	0.20703	1, 6

Larval Fish Growth and Survival Test-7 Day Growth

Start Date: 9/18/2018	Test ID: 74-166fh	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: PP-Pimephales promelas
Comments:		

Conc-%	1	2	3	4
Control	0.4600	0.4000	0.4400	0.4470
eff	0.3950	0.4040	0.3930	0.4380

Conc-%	Mean	N-Mean	Transform: Untransformed				N	t-Stat	1-Tailed	
			Mean	Min	Max	CV%			Critical	MSD
Control	0.4368	1.0000	0.4368	0.4000	0.4600	5.922	4			
eff	0.4075	0.9330	0.4075	0.3930	0.4380	5.126	4	1.760	1.943	0.0323

Auxiliary Tests	Statistic	Critical	Skew	Kurt		
Shapiro-Wilk's Test indicates normal distribution (p > 0.01)	0.97945	0.749	-0.2333	-0.2218		
F-Test indicates equal variances (p = 0.73)	1.53304	47.4672				
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs Control	0.0323	0.07396	0.00171	0.00055	0.12896	1, 6

Toxicity Benchsheet

Client: 74 LRS- ABC Coke

Sample	Sample #	Collection Date/Time	pH 100%/ Temperature(°C)	TRC mg/L	Analysis Date/Time/ Analyst	pH Meter/Probe	TRC Meter
#1	183523-01b	9/17/18 7:30	7.5/24.3	N/A	9/18/18 14:00 AF	AB15-3/24	N/A
#2	183536-01b	9/19/18 7:30	7.5/24.8	N/A	9/20/2018 17:22 AF	AB15-3/24	N/A
#3	183553-01b	9/21/18 7:30	7.6/24.9	N/A	9/21/18 13:35 AF	AB15-3/24	N/A

Q/A Rev'd By _____

J
AF

002 STORM WATER MONITORING

SAMPLE DATE:	9/4/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	8:35 AM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLEAR
INIT STAFF LEVEL:	84" DATE: 9/4/2018
	VOLUME: 17,372,016 GALLONS
FINAL STAFF LEVEL:	50" DATE: 9/9/2018
	VOLUME: 9,563,853 GALLONS
TOTAL DISCHARGE VOLUME:	7,808,163 GALLONS
DAILY AVERAGE FLOW:	1.562 MGD

pH:	7.06 SU
TSS(mg/L):	9.2
NH3-N(ppd):	4.69
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE,T (mg/L):	0.164
IRON, T (mg/L):	0.292
O & G (mg/L)	BMDL

SAMPLE DATE:	9/14/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	10:45 AM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLEAR
INIT STAFF LEVEL:	78" DATE: 9/14/2018
	VOLUME: 15,940,897 GALLONS
FINAL STAFF LEVEL:	46" DATE: 9/19/2018
	VOLUME: 8,487,870 GALLONS
TOTAL DISCHARGE VOLUME:	7,453,027 GALLONS
DAILY AVERAGE FLOW:	1.491 MGD

pH:	7.15 SU
TSS(mg/L):	5.2
NH3-N(ppd):	4.23
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE,T (mg/L):	0.273
IRON, T (mg/L):	0.447
O & G (mg/L)	1.4

002 STORM WATER MONITORING

SAMPLE DATE:	9/24/2018	
SAMPLE LOCATION:	002 DISCHARGE	
SAMPLER:	NORMAN LOEBLER	
SAMPLE TIME:	10:55 AM	
WEATHER CONDITIONS:	CLOUDY	
CREEK CONDITIONS:	CLEAR	
INIT STAFF LEVEL:	84"	DATE: 9/24/2018
	VOLUME: 17,372,016 GALLONS	
FINAL STAFF LEVEL:	48"	DATE: 9/29/2018
	VOLUME: 9,024,672 GALLONS	
TOTAL DISCHARGE VOLUME:	8,347,344 GALLONS	
DAILY AVERAGE FLOW:	1.669 MGD	

pH:	6.85 SU
TSS(mg/L):	6.8
NH3-N(ppd):	3.48
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE, T (mg/L):	
IRON, T (mg/L):	
O & G (mg/L)	

SAMPLE DATE:	
SAMPLE LOCATION:	
SAMPLER:	
SAMPLE TIME:	
WEATHER CONDITIONS:	
CREEK CONDITIONS:	
INIT STAFF LEVEL:	DATE:
	VOLUME:
FINAL STAFF LEVEL:	DATE:
	VOLUME:
TOTAL DISCHARGE VOLUME:	
DAILY AVERAGE FLOW:	

pH:	
TSS(mg/L):	
NH3-N(ppd):	
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE, T (mg/L):	
IRON, T (mg/L):	
O & G (mg/L)	

Allworth LLC.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.36	*****	6.36	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Quarterly
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Quarterly
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	16.9	19 mg/l	0	Quarterly	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	25 maximum daily				Quarterly
BENZENE, ETHYLBENZENETOULENE, XYLEN	Sample Measurement	*****	*****		*****	*****	10	28 ug/l	0	Quarterly	Grab
Parameter Code: 30383 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.4 maximum daily				Quarterly
METHYLENE CHLORIDE	Sample Measurement	*****	*****		*****	*****	7	28 ug/l	0	Quarterly	Grab
Parameter Code: 34423 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	345.679 maximum daily				Quarterly
TETRACHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34475 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1.917 maximum daily				Quarterly
TRICHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 39180 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	17.470 maximum daily				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	01/11/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217


PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0010	03 MGD	*****	*****	*****	*****	0	Quarterly	Estimate
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	01/11/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 005S

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.12	*****	7.12	12 S.U.	0	Semi-Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Semi-Annually
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Semi-Annually	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Semi-Annually
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	3.7	19 mg/l	0	Semi-Annually	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
BENZENE, ETHYLBENZENETOULENE, XYLEN	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 30383 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
METHYLENE CHLORIDE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 34423 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
TETRACHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 34475 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
TRICHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 39180 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	01/11/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 005S

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0082	03 MGD	*****	*****	*****	*****	0	Semi-Annually	Estimate
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Semi-Annually
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	01/11/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.26	*****	6.26	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Quarterly
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Quarterly
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	5	19 mg/l	0	Quarterly	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	25 maximum daily				Quarterly
BENZENE, ETHYLBENZENETOULENE, XYLEN	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 30383 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.4 maximum daily				Quarterly
METHYLENE CHLORIDE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34423 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	345.679 maximum daily				Quarterly
TETRACHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34475 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1.917 maximum daily				Quarterly
TRICHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 39180 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	17.470 maximum daily				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	04/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217


PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0014	03 MGD	*****	*****	*****	*****	0	Quarterly	Estimate
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	04/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 005S

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.69	*****	6.69	12 S.U.	0	Semi-Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Semi-Annually
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Semi-Annually	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Semi-Annually
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	6	19 mg/l	0	Semi-Annually	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
BENZENE, ETHYLBENZENETOULENE, XYLEN	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 30383 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
METHYLENE CHLORIDE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 34423 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
TETRACHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 34475 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
TRICHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 39180 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	04/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217


PERMIT NUMBER: AL0032298
MONITORING POINT: 005S

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0115	03 MGD	*****	*****	*****	*****	0	Semi-Annually	Estimate
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****			Semi-Annually	Estimate
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	04/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.43	*****	6.43		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Quarterly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	10		0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily	19 mg/l		Quarterly	Grab
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	9		0	Quarterly	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	25 maximum daily	19 mg/l		Quarterly	Grab
BENZENE, ETHYLBENZENETOULENE, XYLEN	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 30383 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.4 maximum daily	28 ug/l		Quarterly	Grab
METHYLENE CHLORIDE	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 34423 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	345.679 maximum daily	28 ug/l		Quarterly	Grab
TETRACHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 34475 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1.917 maximum daily	28 ug/l		Quarterly	Grab
TRICHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 39180 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	17.470 maximum daily	28 ug/l		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	06/22/2018

PERMITTEE COMMENT: Q2 2018 Storm Water Discharge Monitoring Report

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0007	03 MGD	*****	*****	*****	*****	0	Quarterly	Estimate
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****			Quarterly	Estimate
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	06/22/2018

PERMITTEE COMMENT: Q2 2018 Storm Water Discharge Monitoring Report

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 005S

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.69	*****	6.69	12 S.U.	0	Semi-Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Semi-Annually
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Semi-Annually	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Semi-Annually
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	6	19 mg/l	0	Semi-Annually	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
BENZENE, ETHYLBENZENETOULENE, XYLEN	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 30383 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
METHYLENE CHLORIDE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 34423 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
TETRACHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 34475 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
TRICHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 39180 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	04/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217


PERMIT NUMBER: AL0032298
MONITORING POINT: 005S

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0115	03 MGD	*****	*****	*****	*****	0	Semi-Annually	Estimate
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****			Semi-Annually	Estimate
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	04/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.5	*****	6.5	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Quarterly
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Quarterly
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	6.0	19 mg/l	0	Quarterly	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	25 maximum daily				Quarterly
BENZENE, ETHYLBENZENETOULENE, XYLEN	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 30383 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.4 maximum daily				Quarterly
METHYLENE CHLORIDE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34423 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	345.679 maximum daily				Quarterly
TETRACHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34475 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1.917 maximum daily				Quarterly
TRICHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 39180 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	17.470 maximum daily				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	10/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217


PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0003	03 MGD	*****	*****	*****	*****	0	Quarterly	Estimate
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****			Quarterly	Estimate
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	10/18/2018

Amerex

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0014

MINOR
 Jefferson
 Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.64	*****	6.64	12 S.U.	0	Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Annually
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	10.5	19 mg/l	0	Annually	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	5.56	19 mg/l	0	Annually	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Annually
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	24.6	19 mg/l	0	Annually	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	8.97	19 mg/l	0	Annually	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*****		*****	*****	0.005	19 mg/l	0	Annually	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
ARSENIC, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.00182	19 mg/l	0	Annually	Grab
Parameter Code: 00978 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Vic Modic	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	03/20/2017

PERMITTEE COMMENT: Annual Stormwater report for January through December 2017.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0014

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NICKEL TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.01	19 mg/l	0	Annually	Grab
Parameter Code: 01074 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
SILVER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.005	19 mg/l	0	Annually	Grab
Parameter Code: 01079 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.371	19 mg/l	0	Annually	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
ALUMINUM, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.292	19 mg/l	0	Annually	Grab
Parameter Code: 01104 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
CADMIUM, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.002	19 mg/l	0	Annually	Grab
Parameter Code: 01113 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.005	19 mg/l	0	Annually	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
CHROMIUM TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.01	19 mg/l	0	Annually	Grab
Parameter Code: 01118 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	03/20/2017

PERMITTEE COMMENT: Annual Stormwater report for January through December 2017.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0014

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.0218	19 mg/l	0	Annually	Grab
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
RAINFALL	Sample Measurement	*****	0.4	61 inches	*****	*****	*****	*****	0	Annually	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		
MERCURY, TOTAL (AS HG)	Sample Measurement	*****	*****		*****	*****	0.0002	19 mg/l	0	Annually	Grab
Parameter Code: 71900 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
TOTAL TOXIC ORGANICS (TTO) (40CFR433)	Sample Measurement	*****	*****		*****	*****	0	19 mg/l	0	Annually	Grab
Parameter Code: 78224 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Vic Modic	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	03/20/2017

PERMITTEE COMMENT: Annual Stormwater report for January through December 2017.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0014

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.64	*****	6.64	12 S.U.	0	Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Annually
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	10.5	19 mg/l	0	Annually	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	5.56	19 mg/l	0	Annually	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Annually
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	24.6	19 mg/l	0	Annually	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	8.97	19 mg/l	0	Annually	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*****		*****	*****	0.005	19 mg/l	0	Annually	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
ARSENIC, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.00182	19 mg/l	0	Annually	Grab
Parameter Code: 00978 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Vic Modic	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	03/20/2017

PERMITTEE COMMENT: Annual Stormwater report for January through December 2017.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0014

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NICKEL TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.01	19 mg/l	0	Annually	Grab
Parameter Code: 01074 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
SILVER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.005	19 mg/l	0	Annually	Grab
Parameter Code: 01079 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.371	19 mg/l	0	Annually	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
ALUMINUM, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.292	19 mg/l	0	Annually	Grab
Parameter Code: 01104 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
CADMIUM, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.002	19 mg/l	0	Annually	Grab
Parameter Code: 01113 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.005	19 mg/l	0	Annually	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
CHROMIUM TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.01	19 mg/l	0	Annually	Grab
Parameter Code: 01118 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	03/20/2017

PERMITTEE COMMENT: Annual Stormwater report for January through December 2017.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0014

COUNTY: MINOR Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.0218	19 mg/l	0	Annually	Grab
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
RAINFALL	Sample Measurement	*****	0.4	61 inches	*****	*****	*****	*****	0	Annually	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		
MERCURY, TOTAL (AS HG)	Sample Measurement	*****	*****		*****	*****	0.0002	19 mg/l	0	Annually	Grab
Parameter Code: 71900 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
TOTAL TOXIC ORGANICS (TTO) (40CFR433)	Sample Measurement	*****	*****		*****	*****	0	19 mg/l	0	Annually	Grab
Parameter Code: 78224 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Vic Modic	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	03/20/2017

PERMITTEE COMMENT: Annual Stormwater report for January through December 2017.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.29	*****	6.35	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	10.6	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	5.81	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.991	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.05	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
CADMIUM, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.002	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01113 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.005	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	10/20/2017

PERMITTEE COMMENT: 2nd Biannual Stormwater monitoring report 2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.01	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
TOLUENE	Sample Measurement	*****	*****		*****	*****	1.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
BENZENE	Sample Measurement	*****	*****		*****	*****	1.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
ETHYLBENZENE	Sample Measurement	*****	*****		*****	*****	1.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
NAPHTHALENE	Sample Measurement	*****	*****		*****	*****	5.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
RAINFALL	Sample Measurement	*****	.93		*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	61 inches	*****	*****	*****				Twice per Year
XYLENE	Sample Measurement	*****	*****		*****	*****	3.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year


NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Vic Modic	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	10/20/2017

PERMITTEE COMMENT: 2nd Biannual Stormwater monitoring report 2017

MESKER DOOR LLC

3440 STANWOOD BOULEVARD HUNTSVILLE, AL 35811 PHONE: 256-851-6670

FAX: 877-877-6839 CUSTOMER SERVICE FAX: 256-851-7896



February 28, 2018

ADEM
Permits and Services Division
Environmental Data Section
P.O. Box 301463
Montgomery, AL 36130-1463

RE: Discharge Monitoring Report
NPDES Permit Number: ALG120683
Mesker Door, LLC Facility
3440 Stanwood Boulevard
Huntsville, Alabama 35811

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations" _

A handwritten signature in black ink, appearing to read "Martin Skurka".

Martin Skurka
Plant Manager
Mesker Door LLC

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.58	*****	6.58	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	222	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	5.88	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	1.48	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.131	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
CADMIUM, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.002	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01113 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.005	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	04/27/2018

PERMITTEE COMMENT: Semi annual discharge monitoring report. DSN002.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	*****	0.0106	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
TOLUENE	Sample Measurement	*****	*****	*****	*****	*****	1.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
BENZENE	Sample Measurement	*****	*****	*****	*****	*****	1.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
ETHYLBENZENE	Sample Measurement	*****	*****	*****	*****	*****	1.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
NAPHTHALENE	Sample Measurement	*****	*****	*****	*****	*****	5.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
RAINFALL	Sample Measurement	*****	0.81	61 inches	*****	*****	*****	*****	0	Annually	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	3.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	04/27/2018

PERMITTEE COMMENT: Semi annual discharge monitoring report. DSN002.

Fieldstown Crossing On-site

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: November, 20 17

COMPANY: Arbor Utility Management

PERMIT#: ALS19937714

FACILITY: Fieldstown Crossing On-site
 LOCATION: Gardendale, Jefferson County, AL

PARAM	Flow	BOD5 Monitor	TSS Monitor	TKN Monitor	pH Monitor	Fecal Coliform sec permit
LIMIT	21,000				6.5-8.5	
FREQ	Daily	Monthly	Monthly	Monthly	standard units	col/100ml
UNITS	GPD	mg/L	mg/L	mg/L		
1	13781					
2	10766					
3	8414					
4	10168					
5	11652					
6	9799					
7	9060					
8	8531					
9	8735					
10	8594					
11	10692					
12	9202					
13	9800					
14	10279					
15	9444					
16	9284					
17	11569					
18	7442					
19	10811					
20	12050					
21	12790					
22	13279					
23	12291					
24	10327					
25	12303					
26	15878					
27	14147	15.6				
28	9861					
29	10481		13.0			
30	11670			38.65		
31					7.5	800

RECEIVED
 ADEM
 ROUNDWATER BRANCH
 DEC 22 2017

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

SIGNATURE OF RESPONSIBLE OFFICIAL

[Handwritten Signature]

DATE

12/19/2017

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: December, 2017

PERMIT#: ALSI 9937714

COMPANY: Arbor Utility Management
 FACILITY: Fieldstown Crossing On-site
 LOCATION: Gardendale, Jefferson County, AL

PARAM	Flow	BOD5	TSS	TKN	pH	Fecal Coliform
LIMIT	21,000	Monitor	Monitor	Monitor	6.5-8.5	see permit
FREQ	Daily	Monthly	Monthly	mg/L	Monitor	col/100ml
UNITS	GPD	mg/L	mg/L	mg/L	standard units	col/100ml
1	12531					
2	10949					
3	12153					
4	8827					
5	11703					
6	11363					
7	9545					
8	10710					
9	11959					
10	13632					
11	12882					
12	13274					
13	13662					
14	12888					
15	15812					
16	12642					
17	16941					
18	16603					
19	12075					
20	11067					
21	14482					
22	12540					
23	15253					
24	11587					
25	12484					
26	11630					
27	12852					
28	11686	18.70	20.50	34.50	7.50	800
29	13319					
30	12873					
31	13221					

ADEM RECEIVED
 MAR - 5 2018
 GROUNDWATER BRANCH

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS

[Handwritten Signature]

SIGNATURE OF RESPONSIBLE OFFICIAL

DATE: 1/28/18

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: January, 20 18

PERMIT#: ALSI 9937714

COMPANY: Arbor Utility Management

FACILITY: Fieldstown Crossing On-site

LOCATION: Gardendale, Jefferson County, AL

PARAM	Flow	BOD5	TSS	TKN	pH	Fecal Coliform
LIMIT	21,000	Monitor	Monitor	Monitor	6.5-8.5	see permit
FREQ	Daily	Monthly	Monthly	mg/L	Monitor	col/100ml
UNITS	GPD	mg/L	mg/L	mg/L	standard units	col/100ml
1	14667					
2	18490					
3	17439					
4	17952					
5	19073					
6	13069					
7	12221					
8	13053					
9	15475					
10	14004					
11	15473					
12	16542					
13	16629					
14	13699					
15	12619					
16	17882					
17	14920	14.70	15.00	36.85	7.30	800
18	16397					
19	14669					
20	14583					
21	13079					
22	16484					
23	12628					
24	13904					
25	12986					
26	11601					
27	9999					
28	10046					
29	10184					
30	12750					
31	12824					

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS

[Handwritten Signature]

SIGNATURE OF RESPONSIBLE OFFICIAL

DATE: 2/28/18

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: Feb, 2018

COMPANY: Arbor Utility Management

PERMIT#: ALSI 9937714

FACILITY: Fieldstown Crossing On-site
 LOCATION: Gardendale, Jefferson County, AL

PARAM	Flow	BOD5	TSS	TKN	pH	Fecal Coliform
LIMIT	21,000	Monitor	Monitor	Monitor	6.5-8.5	see permit
FREQ	Daily	Monthly	Monthly	Monthly	Monitor	col/100ml
UNITS	GPD	mg/L	mg/L	mg/L	standard units	
1	10481					
2	11993					
3	11950					
4	13731					
5	13816					
6	13156					
7	11099					
8	11904					
9	13253					
10	12049					
11	10459					
12	11988					
13	13128					
14	11991					
15	11875					
16	12445					
17	13082					
18	11213					
19	11978					
20	12257					
21	12666					
22	12322					
23	11719					
24	12418					
25	11617					
26	12426					
27	12409					
28	11879	11.40	10.50	19.45	7.20	800
29						
30						
31						

ADEM
 RECEIVED
 MAR 2 2018
 ROUNDWATER BRANCH

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

SIGNATURE OF RESPONSIBLE OFFICIAL

DATE

3/26/2018

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: April, 20 18

PERMIT#: ALSI 9937714

COMPANY: Arbor Utility Management
 FACILITY: Fieldstown Crossing On-site
 LOCATION: Gardendale, Jefferson County, AL

PARAM	Flow	BOD5 Monitor	TSS Monitor	TKN Monitor	pH	Fecal Coliform
LIMIT	21,000	Monthly	Monthly	Monthly	6.5-8.5	sec permit
FREQ	Daily	mg/L	mg/L	mg/L	standard units	col/100ml
UNITS	GPD					
1	12208					
2	11951					
3	11840					
4	16364					
5	11700					
6	14816					
7	14793					
8	15288					
9	14080					
10	14406					
11	14245					
12	12500					
13	11808					
14	13035					
15	15918					
16	12366					
17	12512					
18	11911					
19	11150					
20	13637					
21	12578					
22	11172					
23	11946	11.35	32.00	36.50	7.1	3000
24	13001					
25	11074					
26	12223					
27	12129					
28	11379					
29	12646					
30	10961					
31						

ADEM RECEIVED
 MAY 29 2018
 WINDY WATER BRANCH
 Jessica

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

SIGNATURE OF RESPONSIBLE OFFICIAL:  DATE: 5/24/2018

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: May, 2018

PERMIT#: ALS1 9937714

COMPANY: Arbor Utility Management
 FACILITY: Fieldstown Crossing On-site
 LOCATION: Gardendale, Jefferson County, AL

PARAM	Flow	BOD5	TSS	TKN	pH	Fecal Coliform
LIMIT	21,000	Monitor	Monitor	Monitor	6.5-8.5	see permit
FREQ	Daily	Monthly	Monthly	Monthly	Monitor	col/100ml
UNITS	GPD	mg/L	mg/L	mg/L	standard units	
1	11328					
2	12695					
3	14204					
4	11688					
5	14972					
6	15768					
7	14690					
8	14935					
9	15149					
10	12372					
11	12911					
12	13494					
13	13405					
14	12783					
15	13100					
16	13365					
17	13358					
18	11961					
19	9660					
20	12047					
21	12649					
22	10428					
23	13720					
24	12628					
25	12432					
26	12246					
27	14507					
28	10941					
29	13075	14.00	17.00	39.85	7.20	900
30	12100					
31	12119					

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

SIGNATURE OF RESPONSIBLE OFFICIAL

DATE

6/28/2018

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: July, 2018

COMPANY: Arbor Utility Management

FACILITY: Fieldstown Crossing On-site

LOCATION: Gardendale, Jefferson County, AL

PERMIT#: ALSI 9937714

PARAM	Flow	BOD5 Monitor	TSS Monitor	TKN Monitor	pH Monitor	Fecal Coliform sec permit
LIMIT	21,000	Monthly	Monthly	Monthly	6.5-8.5	col/100ml
FREQ	Daily					
UNITS	GPD	mg/L	mg/L	mg/L	standard units	
1	11819					
2	13986					
3	11783					
4	11486					
5	10943					
6	11346					
7	12067					
8	12647					
9	12405					
10	12440					
11	11610					
12	13040					
13	12337					
14	11052					
15	12046					
16	13555					
17	11965					
18	12982					
19	9083					
20	1633					
21	0					
22	0					
23	0					
24	0					
25	0					
26	8040					
27	2168	12.90	9.00	22.40	7.0	13400
28	13902					
29	14897					
30	17168					
31	11847					

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS

SIGNATURE OF RESPONSIBLE OFFICIAL

[Handwritten Signature]

DATE

8/28/2018

ADEM RECEIVED

UNDERWATER BRANCH
06 31 2018
CS

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: August, 2018

grace

COMPANY: Arbor Utility Management

PERMIT#: ALSI 9937714

FACILITY: Fieldstown Crossing On-site
 LOCATION: Gardendale, Jefferson County, AL

PARAM	Flow	BOD5 Monitor Monthly mg/L	TSS Monitor Monthly mg/L	TKN Monitor mg/L	pH Monitor standard units	Fecal Coliform sec permit col/100ml
1	12855					
2	13414					
3	13016					
4	11936					
5	11895					
6	14414					
7	11580					
8	12686					
9	11394					
10	11195					
11	11649					
12	9142					
13	13481					
14	11012					
15	11181					
16	9907					
17	13112					
18	12766					
19	14935					
20	15217					
21	14120					
22	10338					
23	11095					
24	12339	15.40	15.50	39.75	7.2	800
25	12012					
26	10747					
27	11440					
28	10413					
29	11143					
30	11994					
31	12638					

ADEM
 RECEIVED
 30 OCT - 3 2018
 WINDWATER BRANCH

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

SIGNATURE OF RESPONSIBLE OFFICIAL

[Signature]

DATE

9/28/2018

Barber Dairies, Inc.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

MINOR
 Jefferson
 Industrial

COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	79.88	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		7.1	*****	7.1	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	.010	.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	01/26/2018



36 Barber Court
Birmingham, AL 35209
205-942-2351



October 30, 2017

Ms. Glenda L. Dean, Chief
Water Division
Alabama Department of
Environmental Management
P.O. Box 301463
Montgomery, Alabama 36130-1463

RE: Consent Order No. 16-053-CWP
SID Permit No. IU393700329
NPDES Permit No. ALG150072
Dean Dairy Holdings, LLC
Jefferson County (073)

Dear Ms. Dean,

We are submitting this correspondence pursuant to Paragraph F of the referenced Consent Order. We trust this progress report is satisfactory.

SouthWest Water Company ("SouthWest") has substantially completed the upgrades and modifications of the storm water and process wastewater collection system as described in the Compliance Plan. SouthWest, Engineers of the South ("EOS") and Electric Machine Control ("EMC") introduced the remote monitoring and control system capabilities to the Mayfield/Barber's team on October 26, 2017.

The water quality monitoring instruments are measuring pH, turbidity and conductivity in real time and the system can now be remotely accessed. The design team has defined the water quality limits and established alarm conditions when the limits have been exceeded. The automatic closure of the storm water control gates occurs when water quality limits are outside of the established setpoints and alarm notification is sent via text and email to the personnel identified by the owner. Other actions will also occur either automatically or manually depending on the alarm event. A fuel detection device will alert personnel to a potential fuel spill which can be contained in a newly constructed trench drain and a pH probe or turbidity sensor installed in a storm inlet in the Barber's parking lot will cause a pump to transfer flow to a side stream holding tank for offsite removal.

Ms. Glenda Dean
August 10, 2017
Page 2 of 2



The system is currently being tested to ensure that it will respond as intended. Because the system is predominantly measuring storm water run-off (from both onsite and offsite), multiple rain events during our field testing period are desired for the evaluation of the water quality setpoints, the observation of turbidity readings during the first-flush of a rain period and troubleshooting nuisance alarms. During the week of October 30th, the design team will also simulate "spill" events to observe the response of the system.

With all of the physical components of the system complete, we anticipate there will be an additional 2 to 3 weeks of programming and tweaking of the system based on the performance of the system during "stress" tests and rain events. The system should be certified by the engineer of record as complete by mid-November.

Vanguard Environmental Group has completed improvements to the pretreatment facility on behalf of Dean Dairy Holdings, LLC as outlined in the Engineering Report and Compliance Plan prepared by Engineers of the South in July 2016.

Based on the projected work schedule provided by SouthWest Water and their sub-contractors, the work will be completed in accordance with the terms of the Consent Order.

We trust this Consent Order progress report is satisfactory. Should you have any questions regarding this matter, please contact me at 205-943-0361.

Best Regards,

A handwritten signature in blue ink that reads "E. Allen".

Eddie Allen
Senior Operations Manager

cc: Daphne Lutz, ADEM
Eddie Allen, Senior Operations Manager
Doug Hampton, EHS Manager
Ed Becker, Vanguard Environmental

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	71.42	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		6.8	*****	6.8	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	.010	.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BOD, 5-DAY (20 DEG. C)	Sample Measurement	*****	*****		*****	*****	14	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00310 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
PH	Sample Measurement	*****	*****		7.6	*****	7.6	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	156	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	6.97	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	3.37	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*9	19 mg/l	0	Annually	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	1.64	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****	.38	61 inches	*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****			Twice per Year	Measured
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	71.42	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		6.8	*****	6.8	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	.010	.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units		Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum	Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****	*****	*****	71	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****	*****	6.8	6.8	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035	*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average				Once/2 Weeks
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	65	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		6.9	*****	6.9	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	0.010	0.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	X	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	62	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		6.5	*****	6.5	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	0.010	0.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	66	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		6.5	*****	6.5	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	0.010	0.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units		Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum	Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****	*****	*****	70	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****	*****	6.9	6.9	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035	*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	0.010	0.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BOD, 5-DAY (20 DEG. C)	Sample Measurement	*****	*****		*****	*****	25	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00310 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
PH	Sample Measurement	*****	*****		6.6	*****	6.6	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	42	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	3.16	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	1.51	19 mg/l	0	Annually	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0011

MINOR
 Jefferson
 Industrial

COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****	1.05	61 inches	*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****			Twice per Year	Measured
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	X	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	73	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		6.6	*****	6.6	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	0.010	0.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Birmingham Hauling

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: BFI Waste Systems Of North America, Inc.
MAILING ADDRESS: 3950 50th Street SW , Birmingham, AL 35221

PERMIT NUMBER: ALG140372
MONITORING POINT: 0011

MINOR
 Jefferson
 Industrial

COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Birmingham Hauling
LOCATION: 3950 50th Street SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.58	*****	7.58	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	49	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.36	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
TOLUENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
BENZENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Amber Hoffman	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-929-5616	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: BFI Waste Systems Of North America, Inc.
MAILING ADDRESS: 3950 50th Street SW , Birmingham, AL 35221

PERMIT NUMBER: ALG140372
MONITORING POINT: 0011

MINOR
 Jefferson
 Industrial

COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Birmingham Hauling
LOCATION: 3950 50th Street SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ETHYLBENZENE	Sample Measurement	*****	*****	*****	*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
NAPHTHALENE	Sample Measurement	*****	*****	*****	*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
RAINFALL	Sample Measurement	*****	0.38	61 inches	*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Amber Hoffman	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-929-5616	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: BFI Waste Services, LLC
MAILING ADDRESS: 3950 50th Street SW , Birmingham, AL 35221

PERMIT NUMBER: ALG140372
MONITORING POINT: 0011

MINOR
 Jefferson
 Industrial

COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Birmingham Hauling
LOCATION: 3950 50th Street SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.77	*****	7.77	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	104	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	6.55	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.24	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.05	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
TOLUENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
BENZENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-929-5616	07/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: BFI Waste Services, LLC
MAILING ADDRESS: 3950 50th Street SW , Birmingham, AL 35221

PERMIT NUMBER: ALG140372
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Birmingham Hauling
LOCATION: 3950 50th Street SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ETHYLBENZENE	Sample Measurement	*****	*****	*****	*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
NAPHTHALENE	Sample Measurement	*****	*****	*****	*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
RAINFALL	Sample Measurement	*****	0.17	61 inches	*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Amber Hoffman	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-929-5616	07/24/2018

Bottenfield Jr. High School

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.35 monthly average	0.53 weekly average	26 lbs/day	*****	2.5 monthly average	3.7 weekly average	19 mg/l		Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Monthly	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average	26 lbs/day	*****	25.0 monthly average	37.5 weekly average			Monthly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85.0 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.35 monthly average	0.53 weekly average	26 lbs/day	*****	2.5 monthly average	3.7 weekly average	19 mg/l		Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****				
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Monthly	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****						
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
Jerry Speigle		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average		*****	25.0 monthly average	37.5 weekly average				
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****		*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85.0 monthly average	*****	*****				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****	*****		*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		65.0 monthly average	*****	*****				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average		*****	90.0 monthly average	135 weekly average			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.66 monthly average	0.99 weekly average		*****	4.7 monthly average	7.0 weekly average			Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement			03 MGD	*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****			Monthly	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average		*****	25.0 monthly average	37.5 weekly average				
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****		*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85.0 monthly average	*****	*****				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****	*****		*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		65.0 monthly average	*****	*****				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.7	*****	*****		0	Monthly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	Grab
PH	Sample Measurement	*****	*****		7.8	*****	7.8		0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2.90	2.90		*****	248	248		0	Monthly	Grab
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.18	0.18		*****	15.0	15.0		0	Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.029	0.029		*****	2.49	2.49		0	Monthly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.66 monthly average	0.99 weekly average	26 lbs/day	*****	4.7 monthly average	7.0 weekly average	19 mg/l		Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0014	0.0014		*****	*****	*****		0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Monthly	Instantaneous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	*B	*B		0	Monthly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	20	20	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	2.07	2.07	26 lbs/day	*****	177	177	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.045	0.045	26 lbs/day	*****	3.85	3.85	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average		*****	25.0 monthly average	37.5 weekly average				
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	97.8	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85.0 monthly average	*****	*****				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****	*****	94.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		65.0 monthly average	*****	*****				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.66 monthly average	0.99 weekly average	26 lbs/day	*****	4.7 monthly average	7.0 weekly average	19 mg/l		Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****				
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Monthly	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****						
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

MINOR
 Jefferson
 Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average		*****	25.0 monthly average	37.5 weekly average				Monthly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****		*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85.0 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****	*****		*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		65.0 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.8	*****	*****	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****			Monthly	Grab
PH	Sample Measurement	*****	*****		7.9	*****	7.9	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	7.41	7.41		*****	404	404	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.22	0.22		*****	12.0	12.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average			Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.0005	0.0005		*****	0.026	0.026	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.66 monthly average	0.99 weekly average	26 lbs/day	*****	4.7 monthly average	7.0 weekly average			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0033	0.0043		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Monthly	Instantaneous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	*B	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*B	*B	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	6.24	6.24		*****	340	340	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.005	0.005		*****	0.25	0.25	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average	26 lbs/day	*****	25.0 monthly average	37.5 weekly average				Monthly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		99.9	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85.0 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		97.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.66 monthly average	0.99 weekly average	26 lbs/day	*****	4.7 monthly average	7.0 weekly average	19 mg/l		Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Monthly	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average	26 lbs/day	*****	25.0 monthly average	37.5 weekly average			Monthly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85.0 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244


PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Jerry Speigle	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		5.1	*****	*****		0	Monthly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	Grab
PH	Sample Measurement	*****	*****		7.2	*****	7.2		0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	4.06	4.06		*****	348	348		0	Monthly	Grab
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.082	0.082		*****	7.00	7.00		0	Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.004	0.004		*****	0.36	0.36		0	Monthly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.35 monthly average	0.53 weekly average	26 lbs/day	*****	2.5 monthly average	3.7 weekly average	19 mg/l		Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.025	0.025		*****	2.14	2.14		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	0.006	0.006		*****	0.50	0.50		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
Jerry Speigle		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.033	0.033	26 lbs/day	*****	2.80	2.80	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0042	0.0070	03 MGD	*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*B	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily		
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	2.80	2.80	26 lbs/day	*****	240	240	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.003	0.003	26 lbs/day	*****	0.25	0.25	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average		*****	*****	25.0 monthly average		37.5 weekly average		
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99.9	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85.0 monthly average	*****		*****		

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244


PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.35 monthly average	0.53 weekly average	26 lbs/day	*****	2.5 monthly average	3.7 weekly average	19 mg/l		Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Monthly	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average	26 lbs/day	*****	25.0 monthly average	37.5 weekly average			Monthly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85.0 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244


PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.35 monthly average	0.53 weekly average	26 lbs/day	*****	2.5 monthly average	3.7 weekly average	19 mg/l		Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Monthly	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average	26 lbs/day	*****	25.0 monthly average	37.5 weekly average			Monthly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85.0 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244


PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

MINOR
 Jefferson
 Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

MINOR
 Jefferson
 Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.0	*****	*****	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****			Monthly	Grab
PH	Sample Measurement	*****	*****		6.9	*****	7.1	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*E	*E		*****	*E	*E	19 mg/l	4	Monthly	Grab
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.33	*9		*****	14.0	*9	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average			Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.038	*9		*****	1.64	*9	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.35 monthly average	0.53 weekly average	26 lbs/day	*****	2.5 monthly average	3.7 weekly average			Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.073	*9		*****	3.14	*9	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	0.023	*9		*****	1.00	*9	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
William Atkins		Signed By E2	205-987-8352	09/27/2018

PERMITTEE COMMENT: *9 Bottenfield School, AL0051161 - August 2018 - In accordance with the provisions of the permit, the monthly average falls in this month but the weekly maximum average does not. The weekly maximum average will be reported on next month's DMR.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

MINOR
 Jefferson
 Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.030	*9	26 lbs/day	*****	1.30	*9	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0020	0.0029	03 MGD	*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*B	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily		
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		487 maximum daily		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*E	*E	26 lbs/day	*****	*E	*E	19 mg/l	4	Monthly	Grab
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.063	*9	26 lbs/day	*****	2.70	*9	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average		*****	*****	25.0 monthly average		37.5 weekly average		
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	*E	*****	*****	23 %	1	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85.0 monthly average	*****		*****		

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/27/2018

PERMITTEE COMMENT: *9 Bottenfield School, AL0051161 - August 2018 - In accordance with the provisions of the permit, the monthly average falls in this month but the weekly maximum average does not. The weekly maximum average will be reported on next month's DMR.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		*E	*****	*****	23 %	1	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/27/2018

PERMITTEE COMMENT: *9 Bottenfield School, AL0051161 - August 2018 - In accordance with the provisions of the permit, the monthly average falls in this month but the weekly maximum average does not. The weekly maximum average will be reported on next month's DMR.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.1	*****	*****		0	Monthly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	Grab
PH	Sample Measurement	*****	*****		7.2	*****	7.2		0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	265	265		*****	1104	1104		0	Monthly	Grab
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2.64	2.64		*****	11.0	14.0		0	Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.016	0.038		*****	0.068	1.64		0	Monthly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.35 monthly average	0.53 weekly average	26 lbs/day	*****	2.5 monthly average	3.7 weekly average	19 mg/l		Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*B	0.073		*****	*B	3.14		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	2.86	2.86		*****	11.9	11.9		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
William Atkins		Signed By E2	205-987-8352	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.64	0.64	26 lbs/day	*****	2.68	2.68	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0288	0.0288	03 MGD	*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*B	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	162	162	26 lbs/day	*****	675	675	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	2.74	2.74	26 lbs/day	*****	11.4	11.4	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average		*****	25.0 monthly average	37.5 weekly average				
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.3	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85.0 monthly average	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244


PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/26/2018

Diamond Rubber Products

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253

PERMIT NUMBER: ALG200008
MONITORING POINT: 0024

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BOD, 5-DAY (20 DEG. C)	Sample Measurement	*****	*****		*****	*****	12.3	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00310 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
PH	Sample Measurement	*****	*****		7.60	*****	7.60	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	74.0	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.320	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.060	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
CHROMIUM TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01118 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Blumenthal	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	12/18/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253

PERMIT NUMBER: ALG200008
MONITORING POINT: 0024

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
			Average	Maximum	Minimum				
RAINFALL	Sample Measurement	****	0.380	****	****	****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	report maximum daily	****	****	****		Twice per Year	Measured
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	12/18/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253

PERMIT NUMBER: ALG200008
MONITORING POINT: 0025

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BOD, 5-DAY (20 DEG. C)	Sample Measurement	*****	*****		*****	*****	2.72	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00310 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
PH	Sample Measurement	*****	*****		7.78	*****	7.78	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	19.0	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.030	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
CHROMIUM TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01118 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Blumenthal	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	12/18/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253


PERMIT NUMBER: ALG200008
MONITORING POINT: 0025

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****	0.380	61 inches	*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****			Twice per Year	Measured
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Blumenthal	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	12/18/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253

PERMIT NUMBER: ALG200008
MONITORING POINT: 0024

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BOD, 5-DAY (20 DEG. C)	Sample Measurement	*****	*****		*****	*****	4.98	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00310 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
PH	Sample Measurement	*****	*****		7.04	*****	7.04	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	66.0	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.320	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.060	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
CHROMIUM TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01118 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	02/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253


PERMIT NUMBER: ALG200008
MONITORING POINT: 0024

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****	0.170	61 inches	*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****			Twice per Year	Measured
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Blumenthal	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	02/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253

PERMIT NUMBER: ALG200008
MONITORING POINT: 0025

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BOD, 5-DAY (20 DEG. C)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00310 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
PH	Sample Measurement	*****	*****		7.17	*****	7.17	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	2.00	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.040	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
CHROMIUM TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01118 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	02/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253

PERMIT NUMBER: ALG200008
MONITORING POINT: 0025

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****	0.170	61 inches	*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****			Twice per Year	Measured
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Blumenthal	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	02/20/2018

Dolcito Quarry

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type		
			Average	Maximum	Minimum					Average	Maximum
PH	Sample Measurement	*****	*****	*****	8.22	*****	8.28	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	5	8	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	03 MGD	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	*****	*****	*****	*****			2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	11/28/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.40	*****	8.40		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	9	9		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	11/28/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
			Average	Maximum	Minimum					Average
PH	Sample Measurement	*****	*****	8.25	*****	8.25	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	6	8	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	25.0 monthly average	45.0 maximum daily				2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****				2X Monthly
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	01/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.28	*****	8.32		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	7	8		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	01/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.29	*****	8.46	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	2	3	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily				2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6		*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****				2X Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	01/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Mining
***** NO DISCHARGE [X] *****

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
			Average	Maximum	Minimum				
PH	Sample Measurement	*****	*****	*****	*****	*****	*****	*****	*****
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.	2X Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	*****	19 mg/l	2X Monthly
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	*****	2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	*****	*****	*****	*****	*****	*****	*****
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****	2X Monthly
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	01/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
			Average	Maximum	Minimum					Average
PH	Sample Measurement	*****	*****	8.28	*****	8.36	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*B	*B	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	25.0 monthly average	45.0 maximum daily				2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****				2X Monthly
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	04/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.38	*****	8.38		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	4	4		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	04/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type		
			Average	Maximum	Minimum					Average	Maximum
PH	Sample Measurement	*****	*****	*****	8.27	*****	8.27	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	5	9	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	03 MGD	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****			2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	04/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.27	*****	8.35		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	5	7		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	04/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.22	*****	8.31		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	04/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.28	*****	8.37	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily				2X Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	13	37	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily				2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****				2X Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	04/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type		
			Average	Maximum	Minimum					Average	Maximum
PH	Sample Measurement	*****	*****	*****	8.22	*****	8.26	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	3	4	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	03 MGD	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****			2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.33	*****	8.35		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	3	4		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type		
			Average	Maximum	Minimum					Average	Maximum
PH	Sample Measurement	*****	*****	*****	8.27	*****	8.29	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	3	5	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	03 MGD	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****			2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units		Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
		Average	Maximum	Minimum	Average	Maximum					
PH	Sample Measurement	*****	*****	*****	8.28	*****	8.29	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily				2X Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	5	6	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily				2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144	03 MGD	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				2X Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type		
			Average	Maximum	Minimum					Average	Maximum
PH	Sample Measurement	*****	*****	*****	8.16	*****	8.18	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	3	3	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	03 MGD	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****			2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.04	*****	8.16		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	11	13		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.16	*****	8.18		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	2	2		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.24	*****	8.28		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	11	11		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type		
			Average	Maximum	Minimum					Average	Maximum
PH	Sample Measurement	*****	*****	*****	8.25	*****	8.25	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*B	1	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	03 MGD	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****			2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

MINOR
 Jefferson
 Mining

COUNTY: Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.29	*****	8.30		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	6	10		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type		
			Average	Maximum	Minimum					Average	Maximum
PH	Sample Measurement	*****	*****	*****	8.23	*****	8.26	12 S.U.	2	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	3	5	19 mg/l	2	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	03 MGD	*****	*****	*****	*****	2	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****			2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type		
			Average	Maximum	Minimum					Average	Maximum
PH	Sample Measurement	*****	*****	*****	8.26	*****	8.26	12 S.U.	1	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	16	16	19 mg/l	1	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144	03 MGD	*****	*****	*****	*****	1	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****			2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.23	*****	8.26		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	3	5		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.26	*****	8.26		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	16	16		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/26/2018

Dunn Construction Co. Inc.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Dunn Construction Co Inc
MAILING ADDRESS: PO Box 11967 , Birmingham, AL 35202

PERMIT NUMBER: ALG020033
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Dunn Const Co Inc
LOCATION: 2201 Pinson Valley Highway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.3	*****	7.3	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
RAINFALL	Sample Measurement	*****	0.62		*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	61 inches	*****	*****	*****				Twice per Year
CHEMICAL OXYGEN DEMAND (COD)	Sample Measurement	*****	*****		*****	*****	9.5	19 mg/l	0	Twice per Year	Grab
Parameter Code: 81017 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Carl Covington	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-510-0216	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Dunn Construction Company, Inc.
MAILING ADDRESS: PO Box 11967 , Birmingham, AL 35202

PERMIT NUMBER: ALG020033
MONITORING POINT: 0011

MINOR
 Jefferson
 Industrial

COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Dunn Const Co Inc
LOCATION: 2201 Pinson Valley Highway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.10	*****	8.10	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	42.0	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
RAINFALL	Sample Measurement	*****	.000001		*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	61 inches	*****	*****	*****				Twice per Year
CHEMICAL OXYGEN DEMAND (COD)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 81017 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Carl Covington	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-510-0216	07/16/2018

Express Oil Change Distribution

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Express Oil Change Distribution
MAILING ADDRESS: P.O. Box 590 , Trussville, AL 35173

PERMIT NUMBER: ALG340357
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [X] ***

FACILITY: Express Oil Change Distributio
LOCATION: 7809 Highway 11 , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Quarterly	
OIL & GREASE	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily			Quarterly	
METHYL TERT-BUTYL ETHER	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 22417 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Quarterly	
TOLUENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	8723 maximum daily			Quarterly	
BENZENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.5 maximum daily			Quarterly	
ETHYLBENZENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1244 maximum daily			Quarterly	
NAPHTHALENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	620 maximum daily			Quarterly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-683-6731	01/10/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Express Oil Change Distribution
MAILING ADDRESS: P.O. Box 590 , Trussville, AL 35173

PERMIT NUMBER: ALG340357
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Express Oil Change Distributio
LOCATION: 7809 Highway 11 , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****			*****	*****	*****	*****			
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	61 inches	*****	*****	*****	*****		Quarterly	
XYLENE	Sample Measurement	*****	*****		*****	*****		28 ug/l			
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Quarterly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-683-6731	01/10/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Express Oil Change Distribution
MAILING ADDRESS: P.O. Box 590 , Trussville, AL 35173

PERMIT NUMBER: ALG340357
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Express Oil Change Distributio
LOCATION: 7809 Highway 11 , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Quarterly	
OIL & GREASE	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily			Quarterly	
METHYL TERT-BUTYL ETHER	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 22417 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Quarterly	
TOLUENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	8723 maximum daily			Quarterly	
BENZENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.5 maximum daily			Quarterly	
ETHYLBENZENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1244 maximum daily			Quarterly	
NAPHTHALENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	620 maximum daily			Quarterly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-594-1445	07/13/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Express Oil Change Distribution
MAILING ADDRESS: P.O. Box 590 , Trussville, AL 35173

PERMIT NUMBER: ALG340357
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Express Oil Change Distributio
LOCATION: 7809 Highway 11 , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
			Average	Maximum	Minimum				
RAINFALL	Sample Measurement	****			****	****			
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	report maximum daily	61 inches	****	****	****		Quarterly
XYLENE	Sample Measurement	****	****	****	****	****			
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	****	****	****	report maximum daily	28 ug/l		Quarterly
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-594-1445	07/13/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Express Oil Change Distribution
MAILING ADDRESS: P.O. Box 590 , Trussville, AL 35173

PERMIT NUMBER: ALG340357
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Express Oil Change Distributio
LOCATION: 7809 Highway 11 , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Quarterly	
OIL & GREASE	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily			Quarterly	
METHYL TERT-BUTYL ETHER	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 22417 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Quarterly	
TOLUENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	8723 maximum daily			Quarterly	
BENZENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.5 maximum daily			Quarterly	
ETHYLBENZENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1244 maximum daily			Quarterly	
NAPHTHALENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	620 maximum daily			Quarterly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-594-1445	07/13/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Express Oil Change Distribution
MAILING ADDRESS: P.O. Box 590 , Trussville, AL 35173

PERMIT NUMBER: ALG340357
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Express Oil Change Distributio
LOCATION: 7809 Highway 11 , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****			*****	*****	*****				
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	61 inches	*****	*****	*****	*****		Quarterly	
XYLENE	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	28 ug/l		Quarterly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-594-1445	07/13/2018

Hot Metal Coatings

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Birmingham Hot Metal Coatings, Inc.
MAILING ADDRESS: 1513 Industrial Blvd , Birmingham, AL 35221

PERMIT NUMBER: ALG230059
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Birmingham Hot Metal Coatings,
LOCATION: 1513 Industrial Blvd , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****	*****	7.8	*****	7.8	12 S.U.	1	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	67	19 mg/l	1	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				Twice per Year
RAINFALL	Sample Measurement	*****	0.62	61 inches	*****	*****	*****	*****	1	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****				Twice per Year
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Tim Powell	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-0429	01/19/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Birmingham Hot Metal Coatings, Inc.
MAILING ADDRESS: 1513 Industrial Blvd , Birmingham, AL 35221

PERMIT NUMBER: ALG230059
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Birmingham Hot Metal Coatings,
LOCATION: 1513 Industrial Blvd , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****	*****	7.3	*****	7.3	12 S.U.	1	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		report minimum daily	*****	report maximum daily				
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	0	19 mg/l	1	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				
OIL & GREASE	Sample Measurement	*****	*****	*****	*****	*****	0	19 mg/l	1	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	15 maximum daily				
RAINFALL	Sample Measurement	*****	0.7	61 inches	*****	*****	*****	*****	1	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-0429	07/11/2018

Jefferson County Valley Creek WWTP

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.8	*****	*****	19 mg/l	0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****				5X Weekly
PH	Sample Measurement	*****	*****		7.1	*****	7.4	12 S.U.	0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	51384	62356		*****	151	194	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2610	3754		*****	6.7	8.4	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				5X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	8.5	21		*****	0.03	0.10	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average				5X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	339	451		*****	0.94	1.1	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1417 monthly average	2126 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				5X Weekly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	4564	4564		*****	16	16	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	11/28/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY: Jefferson
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	513	513	26 lbs/day	*****	1.8	1.8	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	41	95	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	5X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	6	18	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		298 maximum daily	*****	5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	30506	34880	26 lbs/day	*****	95	142	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	788	1085	26 lbs/day	*****	2.4	5.4	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3544 monthly average	5316 weekly average		*****	*****	5.0 monthly average		7.5 weekly average	*****	5X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	97.4	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	11/28/2017


Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		95.5	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	11/28/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.0	*****	*****		0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****	19 mg/l		5X Weekly	Grab
PH	Sample Measurement	*****	*****	*****	7.2	*****	7.3		0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	49174	58487		*****	195	210		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1434	2613		*****	5.4	7.0		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	7	16		*****	0.03	0.08		0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	256	342		*****	1.0	1.1		0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1417 monthly average	2126 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	5297	5297		*****	17	17		0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	12/20/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	592	592	26 lbs/day	*****	1.9	1.9	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	31	41	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	16	48	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	29426	35026	26 lbs/day	*****	116	138	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	439	802	26 lbs/day	*****	1.7	2.9	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3544 monthly average	5316 weekly average		*****	5.0 monthly average	7.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.5	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	12/20/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		97.2	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	12/20/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 001Q

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*9	28 ug/l	0	Quarterly	24-Hr Composite
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	11/28/2017

PERMITTEE COMMENT: New permit effective 10/1/17 added this parameter. Permit states that monitoring begins first full quarter after effective date; should begin 1/1/18.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.4	*****	*****	19 mg/l	0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****				5X Weekly
PH	Sample Measurement	*****	*****		7.1	*****	7.3	12 S.U.	0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	51625	57918		*****	163	208	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1793	3197		*****	5.0	6.3	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				5X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	34	83		*****	0.11	0.26	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average				5X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	425	749		*****	1.2	1.5	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	2835 monthly average	4253 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				5X Weekly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	4434	4434		*****	15	15	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart

PERMIT NUMBER: AL0023655

MAJOR

MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203

MONITORING POINT: 0012

COUNTY: Jefferson

FACILITY: Jefferson Co Valley Creek Wwtp

PROGRAM: Municipal

LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	562	562	26 lbs/day	*****	1.9	1.9	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	39	80	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	24	80	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	30677	42653	26 lbs/day	*****	94	109	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	806	1426	26 lbs/day	*****	2.2	2.9	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	4962 monthly average	7443 weekly average		*****	7.0 monthly average	10.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	97.6	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018


Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		96.9	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018


Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 001Q

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*9	28 ug/l	0	Quarterly	24-Hr Composite
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	11/28/2017

PERMITTEE COMMENT: New permit effective 10/1/17 added this parameter. Permit states that monitoring begins first full quarter after effective date; should begin 1/1/18.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson Co Comm Environmental Services Dept
MAILING ADDRESS: 716 Richard Arrington Jr Blvd N, Ste A-300, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 005S

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.4	*****	7.4	12 S.U.	0	Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Annually
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Annually	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	35	19 mg/l	1	Annually	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Annually
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.31	19 mg/l	0	Annually	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	1.2	19 mg/l	0	Annually	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.44	19 mg/l	0	Annually	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.31	19 mg/l	0	Annually	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson Co Comm Environmental Services Dept
MAILING ADDRESS: 716 Richard Arrington Jr Blvd N, Ste A-300, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 005S

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0129	03 MGD	*****	*****	*****	*****	0	Annually	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Annually
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	6.3	13 col/100mL	0	Annually	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Annually
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	1.6	19 mg/l	0	Annually	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Annually
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson Co Comm Environmental Services Dept
MAILING ADDRESS: 716 Richard Arrington Jr Blvd N, Ste A-300 , Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 007S

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.7	*****	7.7	12 S.U.	0	Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Annually
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	1.2	19 mg/l	0	Annually	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	19	19 mg/l	1	Annually	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Annually
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	1.0	19 mg/l	0	Annually	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	2.2	19 mg/l	0	Annually	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	2.3	19 mg/l	0	Annually	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.23	19 mg/l	0	Annually	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson Co Comm Environmental Services Dept
MAILING ADDRESS: 716 Richard Arrington Jr Blvd N, Ste A-300 , Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 007S

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0035	03 MGD	*****	*****	*****	*****	0	Annually	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Annually
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	169.0	13 col/100mL	0	Annually	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Annually
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	3.4	19 mg/l	0	Annually	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Annually
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson Co Comm Environmental Services Dept
MAILING ADDRESS: 716 Richard Arrington Jr Blvd N, Ste A-300, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 009G

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.3	*****	7.3		0	Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Annually	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	1.3		0	Annually	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Annually	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.21		0	Annually	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Annually	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.61		0	Annually	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Annually	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.11		0	Annually	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Annually	Grab
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	1.6		0	Annually	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Annually	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.54		*****	*****	*****		0	Annually	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Annually	Instantaneous

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson Co Comm Environmental Services Dept
MAILING ADDRESS: 716 Richard Arrington Jr Blvd N, Ste A-300, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 009G

MAJOR
 Jefferson
COUNTY:
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	3	13 col/100mL	0	Annually	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Annually	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		9.0	*****	*****	19 mg/l	0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****				5X Weekly
PH	Sample Measurement	*****	*****		7.0	*****	7.2	12 S.U.	0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	57806	78248		*****	204	253	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1314	2421		*****	4.6	7.8	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				5X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	3.4	10		*****	0.01	0.04	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average				5X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	286	303		*****	1.0	1.1	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	2835 monthly average	4253 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				5X Weekly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	4550	4550		*****	16	16	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	02/28/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart

PERMIT NUMBER: AL0023655

MAJOR

MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203

MONITORING POINT: 0012

COUNTY: Jefferson

FACILITY: Jefferson Co Valley Creek Wwtp

PROGRAM: Municipal

LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	483	483	26 lbs/day	*****	1.7	1.7	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	34	42	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	12	36	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	30755	34755	26 lbs/day	*****	109	121	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	469	685	26 lbs/day	*****	1.7	2.3	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	4962 monthly average	7443 weekly average		*****	7.0 monthly average	10.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.5	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	02/28/2018


Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

MAJOR
 COUNTY: Jefferson
 PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		97.8	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	02/28/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.9	*****	*****	19 mg/l	0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****				5X Weekly
PH	Sample Measurement	*****	*****		7.0	*****	7.2	12 S.U.	0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	63624	73553		*****	108	234	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	3309	5273		*****	4.7	6.4	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				5X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	68	233		*****	0.09	0.32	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average				5X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	642	1095		*****	1.0	1.4	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	2835 monthly average	4253 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				5X Weekly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	5446	5446		*****	13	13	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	03/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart

PERMIT NUMBER: AL0023655

MAJOR

MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203

MONITORING POINT: 0012

COUNTY: Jefferson
PROGRAM: Municipal

FACILITY: Jefferson Co Valley Creek Wwtp

LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	628	628	26 lbs/day	*****	1.5	1.5	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	76	132	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	5X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	25	66	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily	*****	5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	33376	42328	26 lbs/day	*****	55	100	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	1518	2683	26 lbs/day	*****	2.1	3.4	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	4962 monthly average	7443 weekly average		*****	*****	7.0 monthly average		10.5 weekly average	*****	5X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	96.2	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	03/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		95.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	03/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.8	*****	*****		0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****	19 mg/l		5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.1	*****	7.2		0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	61798	64345		*****	145	214		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1829	3513		*****	3.6	5.1		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	22	53		*****	0.06	0.14		0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	525	667		*****	1.1	1.2		0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	2835 monthly average	4253 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	5661	5661		*****	15	15		0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart

PERMIT NUMBER: AL0023655

MAJOR

MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203

MONITORING POINT: 0012

COUNTY: Jefferson

FACILITY: Jefferson Co Valley Creek Wwtp

PROGRAM: Municipal

LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	642	642	26 lbs/day	*****	1.7	1.7	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	57	99	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				Daily
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily		5X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	31	173	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily		5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	36274	39545	26 lbs/day	*****	86	124	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average		5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	944	1485	26 lbs/day	*****	1.9	2.4	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	4962 monthly average	7443 weekly average		*****	*****	7.0 monthly average		10.5 weekly average		5X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	97.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****		Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	04/26/2018


Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		97.5	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: B1011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.8	*****	*****	19 mg/l	0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****				5X Weekly
PH	Sample Measurement	*****	*****		7.1	*****	7.2	12 S.U.	0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	61798	64345		*****	145	214	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1829	3513		*****	3.6	5.1	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				5X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	22	53		*****	0.06	0.14	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average				5X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	525	667		*****	1.1	1.2	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	2835 monthly average	4253 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				5X Weekly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	5661	5661		*****	15	15	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	642	642	26 lbs/day	*****	1.7	1.7	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	57	99	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	31	173	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	36274	39545	26 lbs/day	*****	86	124	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	944	1485	26 lbs/day	*****	1.9	2.4	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	4962 monthly average	7443 weekly average		*****	7.0 monthly average	10.5 weekly average				
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	97.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	04/26/2018


Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		97.5	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 001Q

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	24-Hr Composite
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Quarterly	24-Hr Composite
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.7	*****	*****		0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****	19 mg/l		5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.1	*****	7.3		0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	69372	77442		*****	149	198		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1825	2966		*****	3.5	3.9		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	38	108		*****	0.06	0.20		0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	431	541		*****	0.9	1.0		0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	2835 monthly average	4253 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	5798	5798		*****	6	6		0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	884	884	26 lbs/day	*****	0.9	0.9	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	60	118	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	5X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	13	47	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily	*****	5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	40299	56487	26 lbs/day	*****	87	130	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	978	1781	26 lbs/day	*****	1.8	2.1	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	4962 monthly average	7443 weekly average		*****	*****	7.0 monthly average		10.5 weekly average	*****	5X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	05/24/2018


Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		97.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.0	*****	*****		0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****	19 mg/l		5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.2	*****	7.4		0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	63254	73105		*****	213	268		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1160	1527		*****	3.5	5.3		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	12	24		*****	0.03	0.06		0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	372	496		*****	1.2	1.5		0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1417 monthly average	2126 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	7208	7208		*****	26	26		0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	06/28/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	665	665	26 lbs/day	*****	2.4	2.4	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	38	105	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	4	16	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	298 maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	36432	41096	26 lbs/day	*****	121	136	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	626	1320	26 lbs/day	*****	1.7	2.0	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3544 monthly average	5316 weekly average		*****	5.0 monthly average	7.5 weekly average				
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.6	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	06/28/2018


Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.4	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	06/28/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.8	*****	*****	19 mg/l	0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****			5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.2	*****	7.4	12 S.U.	0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	82403	85322		*****	227	238	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1269	1784		*****	3.5	5.2	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average			5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	10	16		*****	0.03	0.04	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average			5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	412	526		*****	1.1	1.3	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1417 monthly average	2126 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average			5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	3825	3825		*****	12	12	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	07/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	478	478	26 lbs/day	*****	1.5	1.5	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	45.3	89	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	14	54	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	298 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	39120	43065	26 lbs/day	*****	108	126	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	619	1249	26 lbs/day	*****	1.7	2.3	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3544 monthly average	5316 weekly average		*****	5.0 monthly average	7.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.4	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	07/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.5	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	07/20/2018


Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 001Q

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	24-Hr Composite
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	07/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.4	*****	*****	19 mg/l	0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****				5X Weekly
PH	Sample Measurement	*****	*****		7.2	*****	7.4	12 S.U.	0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	54939	70461		*****	213	272	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	745	950		*****	2.9	3.6	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				5X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	15	20		*****	0.06	0.09	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average				5X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	291	349		*****	1.1	1.2	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1417 monthly average	2126 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				5X Weekly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	4146	4146		*****	13	13	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	478	478	26 lbs/day	*****	1.5	1.5	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	31	43	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	12.4	33	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	298 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	32224	36735	26 lbs/day	*****	124	148	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	418	514	26 lbs/day	*****	1.6	1.7	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3544 monthly average	5316 weekly average		*****	5.0 monthly average	7.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.3	*****	*****		0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****	19 mg/l		5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.1	*****	7.4		0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	49972	58557		*****	215	230		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	677	1111		*****	2.8	4.0		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	30	42		*****	0.13	0.20		0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	301	343		*****	1.3	1.6		0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1417 monthly average	2126 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	3475	3475		*****	16	16		0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	09/28/2018

PERMITTEE COMMENT: Attachments documenting August 30, 2018 effluent violation for Valley Creek Water Reclamation Facility (AL0023655), Outfall 0012 have been included with the discharge monitoring report.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart

PERMIT NUMBER: AL0023655

MAJOR

MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203

MONITORING POINT: 0012

COUNTY: Jefferson

FACILITY: Jefferson Co Valley Creek Wwtp

PROGRAM: Municipal

LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	608	608	26 lbs/day	*****	2.8	2.8	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	28.0	45	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	5X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	66	1414	13 col/100mL	1	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		298 maximum daily	*****	5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	27573	31686	26 lbs/day	*****	119	144	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	342	543	26 lbs/day	*****	1.4	1.9	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3544 monthly average	5316 weekly average		*****	*****	5.0 monthly average		7.5 weekly average	*****	5X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.8	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
David Denard		Signed By E2	205-325-5979	09/28/2018

PERMITTEE COMMENT: Attachments documenting August 30, 2018 effluent violation for Valley Creek Water Reclamation Facility (AL0023655), Outfall 0012 have been included with the discharge monitoring report.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	09/28/2018

PERMITTEE COMMENT: Attachments documenting August 30, 2018 effluent violation for Valley Creek Water Reclamation Facility (AL0023655), Outfall 0012 have been included with the discharge monitoring report.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 001T

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
			Average	Maximum	Minimum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	****	0	****	****	****	0	See Permit Requirements	24-Hr Composite
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	0 single sample	****	****	****		See Permit Requirements	24-Hr Composite
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	****	0	****	****	****	0	See Permit Requirements	24-Hr Composite
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	0 single sample	****	****	****		See Permit Requirements	24-Hr Composite
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	09/28/2018

PERMITTEE COMMENT: Attachments documenting August 30, 2018 effluent violation for Valley Creek Water Reclamation Facility (AL0023655), Outfall 0012 have been included with the discharge monitoring report.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 001Q

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	24-Hr Composite
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Quarterly	24-Hr Composite
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.2	*****	*****		0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****	19 mg/l		5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.2	*****	7.5		0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	53819	72935		*****	200	220		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1110	2349		*****	3.5	5.0		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	43	55		*****	0.15	0.20		0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	390	666		*****	1.4	1.6		0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1417 monthly average	2126 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	3169	3169		*****	15	15		0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY: Jefferson
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	613	613	26 lbs/day	*****	2.9	2.9	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	33.0	82.0	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	14	75	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	298 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	35020	47891	26 lbs/day	*****	134	200	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	569	941	26 lbs/day	*****	1.9	2.2	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3544 monthly average	5316 weekly average		*****	5.0 monthly average	7.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.6	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.3	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 001Q

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
			Average	Maximum	Minimum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*B	28 ug/l	0	Quarterly	24-Hr Composite
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report maximum daily			Quarterly	24-Hr Composite
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	08/27/2018

Liberty Park WRRF

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.1	*****	7.2		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	714	720		*****	140	171		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2.44	2.44		*****	1.50	1.50		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, TOTAL (AS N)	Sample Measurement	14.0	14.0		*****	7.51	7.51		0	2X Weekly	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.063	0.063		*****	0.035	0.035		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	17.9	17.9		*****	8.91	8.91		0	2X Weekly	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*B	*B		*****	*B	*B		0	2X Weekly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average	19 mg/l		2X Weekly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.27	0.27	26 lbs/day	*****	0.14	0.14	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.599	1.004	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.347	0.649	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily		*****	2X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	386	524	26 lbs/day	*****	76.4	102	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.68	0.68	26 lbs/day	*****	0.30	0.30	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average		*****	2X Weekly	Grab
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.2 monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		*****	*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.5	*****	*****		0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	Grab
PH	Sample Measurement	*****	*****		7.0	*****	7.2		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	714	720		*****	140	171		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	6.83	8.65		*****	1.00	1.25		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.18	0.27		*****	0.026	0.038		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.94	1.88		*****	0.14	0.29		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	48.2	57.7		*****	6.96	8.19		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****	7.3	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****	8.8	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PH	Sample Measurement	*****	*****		8.9	*****	8.9	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Monthly
PH	Sample Measurement	*****	*****		8.3	*****	8.3	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	33.5	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	9.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.026	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
			Average	Maximum	Minimum				
COLIFORM, FECAL GENERAL	Sample Measurement	*****	*****	*****	4400	13 col/100mL	0	See Permit Requirements	Grab
Parameter Code: 74055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report maximum daily				See Permit Requirements
WATER LEVEL AT SAMP. COLLECTION TIME	Sample Measurement	*****	29	*****	*****	*****	0	See Permit Requirements	Grab
Parameter Code: 85327 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	*****	*****				See Permit Requirements
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

MINOR
 Jefferson
 COUNTY: Jefferson
 PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	1.37	1.88	26 lbs/day	*****	0.20	0.27	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.2 monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.767	0.937	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	2X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily		*****	2X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	386	524	26 lbs/day	*****	76.4	102	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	7.18	7.98	26 lbs/day	*****	1.05	1.15	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	10.0 monthly average	15.0 weekly average		*****	2X Weekly	Grab
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.6	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.3	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average		*****	2.0 monthly average	3.0 weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.023	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.054	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.062	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	21	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	64	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	0.6	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	0.6	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.016	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRITE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00615 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.014	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
METHYLENE BLUE ACTIVE SUBSTANCES	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 47021 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL2

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.017	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRITE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00615 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.024	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	1.1	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
METHYLENE BLUE ACTIVE SUBSTANCES	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 47021 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL2

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COLIFORM, FECAL GENERAL	Sample Measurement	*****	*****	*****	*****	*****	*T	13 col/100mL	0	See Permit Requirements	Grab
Parameter Code: 74055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				See Permit Requirements
WATER LEVEL AT SAMP. COLLECTION TIME	Sample Measurement	*****	6.4	Z7 feet	*****	*****	*****	*****	0	See Permit Requirements	Grab
Parameter Code: 85327 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****				See Permit Requirements
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL3

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.48	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRITE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00615 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.048	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	1.5	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
METHYLENE BLUE ACTIVE SUBSTANCES	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 47021 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL3

COUNTY: Jefferson
PROGRAM: Municipal

MINOR

FACILITY: Liberty Park WRRF

LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COLIFORM, FECAL GENERAL	Sample Measurement	*****	*****	*****	*****	*****	*T	13 col/100mL	0	See Permit Requirements	Grab
Parameter Code: 74055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				See Permit Requirements
WATER LEVEL AT SAMP. COLLECTION TIME	Sample Measurement	*****	10.3	Z7 feet	*****	*****	*****	*****	0	See Permit Requirements	Grab
Parameter Code: 85327 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****				See Permit Requirements
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****								
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		9.5	*****	*****		0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	Grab
PH	Sample Measurement	*****	*****	*****	6.8	*****	7.3		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	817	1044		*****	176	228		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	5.69	7.23		*****	0.94	1.00		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.29	0.49		*****	0.047	0.066		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	1.12	1.72		*****	0.23	0.29		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	42.9	46.8		*****	7.15	7.56		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	6.23	9.26	26 lbs/day	*****	1.04	1.28	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.676	0.995	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily		
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	426	477	26 lbs/day	*****	91.8	106	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	7.12	10.8	26 lbs/day	*****	1.19	1.55	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	*****	10.0 monthly average		15.0 weekly average		
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****		

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.5	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 020T

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
			Average	Maximum	Minimum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	****	0	****	****	****	0	See Permit Requirements	24-Hr Composite
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	0 single sample	****	****	****		See Permit Requirements	24-Hr Composite
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	****	0	****	****	****	0	See Permit Requirements	24-Hr Composite
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	0 single sample	****	****	****		See Permit Requirements	24-Hr Composite
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units		Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum	Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.5	*****	7.5		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	5.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.012		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.058		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.568		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.5	*****	7.5		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	20.5		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.039		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.99		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	4.50		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.87		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.568		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.6	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	380	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	1.5	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.7	*****	7.7		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	131		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.013		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.90		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.072		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.568		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	*T	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	9.7	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	40		0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	13 col/100mL		Quarterly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	1.2		0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.1	*****	*****	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****				2X Weekly
PH	Sample Measurement	*****	*****		6.8	*****	7.5	12 S.U.	0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1076	1618		*****	190	253	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	3.63	4.70		*****	0.81	1.00	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				2X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.45	5.16		*****	0.33	1.18	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				2X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	1.16	3.71		*****	0.27	0.85	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	30.6	34.7		*****	7.00	7.66	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	5.29	6.60	26 lbs/day	*****	1.22	1.62	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.531	0.671	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	1	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	644	1035	26 lbs/day	*****	112	144	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	7.40	11.6	26 lbs/day	*****	1.68	2.53	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	10.0 monthly average	15.0 weekly average				
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.5	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

MINOR
 Jefferson
 Municipal

COUNTY:
PROGRAM: *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.5	*****	*****	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****				2X Weekly
PH	Sample Measurement	*****	*****		6.3	*****	7.5	12 S.U.	0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	816	1320		*****	164	260	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	4.43	6.93		*****	1.00	1.75	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				2X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.85	1.15		*****	0.19	0.29	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				2X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*B	*B		*****	*B	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	39.8	45.8		*****	8.62	9.66	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	5.28	6.66	26 lbs/day	*****	1.14	1.36	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.547	0.743	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	483	521	26 lbs/day	*****	97.2	109	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	5.12	5.95	26 lbs/day	*****	1.13	1.28	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	10.0 monthly average	15.0 weekly average				
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.8	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.4	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR Jefferson
PROGRAM: Municipal
***** NO DISCHARGE [X] *****

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.1	*****	*****		0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	Grab
PH	Sample Measurement	*****	*****		6.8	*****	7.3		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1056	1111		*****	149	186		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	7.99	10.2		*****	1.07	1.25		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.78	1.24		*****	0.12	0.21		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*B	*B		*****	*B	*B		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	38.5	43.7		*****	5.46	6.40		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	7.68	10.5	26 lbs/day	*****	1.07	1.29	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.850	0.996	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily		
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	560	613	26 lbs/day	*****	79.2	98.8	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	8.54	9.87	26 lbs/day	*****	1.25	1.75	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	*****	10.0 monthly average		15.0 weekly average		
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.4	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****		

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.3	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242


PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.7	*****	7.7		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	17.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.78		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.43		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.72		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.12		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	1.549		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	700	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	0.4	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.2	*****	8.2		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	36.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.021		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.25		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.073		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	1.549		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	840	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	0.4	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.6	*****	8.6		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	103		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.015		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.097		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	1.549		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	25	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	0.8	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.3	*****	*****		0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	Grab
PH	Sample Measurement	*****	*****		6.8	*****	7.1		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1084	1858		*****	146	223		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	7.81	14.6		*****	1.00	2.00		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.58	0.86		*****	0.073	0.11		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	2.85	6.81		*****	0.35	0.84		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	48.2	51.5		*****	6.04	6.40		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.

MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

FACILITY: Liberty Park WRRF

LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814

MONITORING POINT: 0201

MINOR

Jefferson

COUNTY: Jefferson
PROGRAM: Municipal

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	6.18	11.2	26 lbs/day	*****	0.79	1.42	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	0	2X Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.948	1.041	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	0
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily	*****	0
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	633	956	26 lbs/day	*****	89.3	120	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	0
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	12.5	17.1	26 lbs/day	*****	1.56	2.13	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	*****	10.0 monthly average		15.0 weekly average	*****	0
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.3	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	0

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.3	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average		*****	2.0 monthly average	3.0 weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		*****	*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: B1011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR Jefferson
PROGRAM: Municipal
***** NO DISCHARGE [X] *****

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242


PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.2 monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.7	*****	*****		0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	Grab
PH	Sample Measurement	*****	*****		6.6	*****	7.1		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	864	993		*****	144	156		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	12.0	15.3		*****	1.63	2.00		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.47	0.79		*****	0.064	0.10		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.84	1.79		*****	0.13	0.29		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	44.4	53.5		*****	6.08	6.93		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.56	0.85	26 lbs/day	*****	0.080	0.11	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.2 monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.866	1.030	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	2X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily	*****	2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	484	511	26 lbs/day	*****	81.6	83.8	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	13.1	18.0	26 lbs/day	*****	1.79	2.33	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	*****	10.0 monthly average		15.0 weekly average	*****	2X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	97.8	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.9	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average		*****	2.0 monthly average	3.0 weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			See Permit Requirements	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.024	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			See Permit Requirements	Grab
NITROGEN, NITRITE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00615 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			See Permit Requirements	Grab
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			See Permit Requirements	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.011	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			See Permit Requirements	Grab
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	1.0	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			See Permit Requirements	Grab
METHYLENE BLUE ACTIVE SUBSTANCES	Sample Measurement	*****	*****		*****	*****	0.04	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 47021 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			See Permit Requirements	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COLIFORM, FECAL GENERAL	Sample Measurement	*****	*****	*****	*****	*****	*B	13 col/100mL	0	See Permit Requirements	Grab
Parameter Code: 74055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				See Permit Requirements
WATER LEVEL AT SAMP. COLLECTION TIME	Sample Measurement	*****	27.9	Z7 feet	*****	*****	*****	*****	0	See Permit Requirements	Grab
Parameter Code: 85327 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****				See Permit Requirements
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL2

MINOR
 COUNTY: Jefferson
 PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.034	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRITE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00615 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.021	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	1.6	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
METHYLENE BLUE ACTIVE SUBSTANCES	Sample Measurement	*****	*****		*****	*****	0.03	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 47021 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL2

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COLIFORM, FECAL GENERAL	Sample Measurement	*****	*****	*****	*****	*****	292	13 col/100mL	0	See Permit Requirements	Grab
Parameter Code: 74055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		See Permit Requirements
WATER LEVEL AT SAMP. COLLECTION TIME	Sample Measurement	*****	8.0	Z7 feet	*****	*****	*****	*****	0	See Permit Requirements	Grab
Parameter Code: 85327 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		See Permit Requirements
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL3

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	1.46	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.48	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRITE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00615 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.034	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	1.0	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
METHYLENE BLUE ACTIVE SUBSTANCES	Sample Measurement	*****	*****		*****	*****	0.02	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 47021 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL3

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COLIFORM, FECAL GENERAL	Sample Measurement	*****	*****	*****	*****	*****	58	13 col/100mL	0	See Permit Requirements	Grab
Parameter Code: 74055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
WATER LEVEL AT SAMP. COLLECTION TIME	Sample Measurement	*****	4.6	Z7 feet	*****	*****	*****	*****	0	See Permit Requirements	Grab
Parameter Code: 85327 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.3	*****	7.0		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	876	934		*****	157	173		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2.68	3.55		*****	1.13	1.50		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, TOTAL (AS N)	Sample Measurement	12.6	20.1		*****	4.49	5.66		0	2X Weekly	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.37	1.00		*****	0.21	0.70		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	15.4	25.2		*****	5.46	6.74		0	2X Weekly	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*B	*B		*****	*B	*B		0	2X Weekly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average	19 mg/l		2X Weekly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.30	0.41	26 lbs/day	*****	0.12	0.18	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.635	0.972	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.285	0.509	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily		*****	2X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	481	642	26 lbs/day	*****	85.7	115	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	1.83	3.65	26 lbs/day	*****	0.63	1.03	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average		*****	2X Weekly	Grab
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.2 monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		*****	*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.1	*****	*****	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****				2X Weekly
PH	Sample Measurement	*****	*****		6.8	*****	7.0	12 S.U.	0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	876	934		*****	157	173	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	12.7	11.2		*****	2.13	2.50	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				2X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.37	2.20		*****	0.29	0.51	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				2X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	1.66	3.32		*****	0.38	0.76	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	29.8	20.3		*****	4.81	4.62	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****	8.1	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****	7.8	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PH	Sample Measurement	*****	*****	*****	7.6	*****	7.6	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	Grab
PH	Sample Measurement	*****	*****	*****	7.5	*****	7.5	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	1.5	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	46.5	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****	0.040	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.66	0.57	26 lbs/day	*****	0.11	0.13	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.2 monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.780	0.990	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	2X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily		*****	2X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	481	642	26 lbs/day	*****	85.7	115	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	10.4	8.06	26 lbs/day	*****	1.71	1.83	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	10.0 monthly average	15.0 weekly average		*****	2X Weekly	Grab
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.6	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****		45.0 weekly average	19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average		*****	30.0 monthly average					
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****		3.0 weekly average	19 mg/l		2X Weekly	
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average		*****	2.0 monthly average					
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****		report weekly average	19 mg/l		Monthly	
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average					
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****		report weekly average	19 mg/l		Monthly	
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average					

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Monthly	
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.052	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.036	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.041	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	100	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	84	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	0.7	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	2.0	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.8	*****	6.9		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	922	1009		*****	162	189		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2.63	4.13		*****	1.50	2.25		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, TOTAL (AS N)	Sample Measurement	12.2	15.1		*****	6.33	6.78		0	2X Weekly	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.66	1.51		*****	0.23	0.46		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	14.5	19.2		*****	7.45	8.37		0	2X Weekly	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.063	0.19		*****	0.054	0.16		0	2X Weekly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average	19 mg/l		2X Weekly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.32	0.49	26 lbs/day	*****	0.17	0.21	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.671	0.844	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.234	0.411	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	2	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily		*****	2X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	471	584	26 lbs/day	*****	82.4	108	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.95	1.68	26 lbs/day	*****	0.41	0.58	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average		*****	2X Weekly	Grab
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.6	*****	7.6	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Quarterly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	4.0	19 mg/l	0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.042	19 mg/l	0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.31	19 mg/l	0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.026	19 mg/l	0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.866		*****	*****	*****	*****	0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	48	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	1.1	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.3	*****	7.3		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	79.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.039		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.075		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	1.22		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.056		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.866		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.6	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	125	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	0.5	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.4	*****	7.4		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	36.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.037		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	1.12		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.043		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.866		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	240	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	0.8	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.9	*****	*****		0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	Grab
PH	Sample Measurement	*****	*****		6.9	*****	7.0		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	922	1009		*****	162	189		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	13.8	20.6		*****	2.19	3.50		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.26	0.64		*****	0.037	0.080		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.75	1.76		*****	0.12	0.30		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	43.7	47.7		*****	6.99	8.03		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	1.05	1.34	26 lbs/day	*****	0.17	0.22	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.2 monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.734	1.019	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	2X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		487 maximum daily	*****	2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	471	584	26 lbs/day	*****	82.4	108	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	11.1	20.6	26 lbs/day	*****	1.63	2.58	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	*****	10.0 monthly average		15.0 weekly average	*****	2X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average		*****	2.0 monthly average	3.0 weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.2 monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242


PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units		Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum	Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****	7.7	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****	8.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PH	Sample Measurement	*****	*****		7.7	*****	7.7	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Monthly
PH	Sample Measurement	*****	*****		7.6	*****	7.6	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	120	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	7.5	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.013	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.013	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.33	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.034	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.040	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	25	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	62	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	1.5	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	1.3	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.6	*****	7.1		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1013	1239		*****	217	229		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1.80	5.82		*****	1.13	2.00		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, TOTAL (AS N)	Sample Measurement	10.6	22.0		*****	6.86	7.56		0	2X Weekly	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.049	0.068		*****	0.033	0.042		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	12.6	29.0		*****	7.98	9.95		0	2X Weekly	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.16	0.15		*****	0.12	0.12		0	2X Weekly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average	19 mg/l		2X Weekly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.73	2.58	26 lbs/day	*****	0.43	0.89	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.539	0.686	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.203	0.591	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
E. COLI	Sample Measurement	*****	*****	*****	*****	2	12	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	344	383	26 lbs/day	*****	73.9	84.8	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.61	1.12	26 lbs/day	*****	0.38	0.63	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average				
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.2 monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

MINOR
 Jefferson
 COUNTY: Jefferson
 PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.7	*****	*****	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****				2X Weekly
PH	Sample Measurement	*****	*****		6.7	*****	7.0	12 S.U.	0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1013	1239		*****	217	229	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	14.7	21.0		*****	2.88	4.25	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				2X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.15	0.24		*****	0.028	0.043	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				2X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.81	1.30		*****	0.16	0.25	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	43.2	50.5		*****	8.27	9.25	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****	8.6	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****	7.8	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PH	Sample Measurement	*****	*****	*****	7.3	*****	7.3	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	Grab
PH	Sample Measurement	*****	*****	*****	7.2	*****	7.2	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	5.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	1.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****	0.020	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.97	0.99	26 lbs/day	*****	0.19	0.19	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.2 monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.670	0.861	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	2X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	1	2	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily		*****	2X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	344	383	26 lbs/day	*****	73.9	84.8	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	3.90	6.43	26 lbs/day	*****	0.78	1.30	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	10.0 monthly average	15.0 weekly average		*****	2X Weekly	Grab
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.7	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****	19 mg/l			
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****			2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average		*****	2.0 monthly average	3.0 weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.035	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.43	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.34	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.079	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.018	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	41	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	440	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	0.6	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	0.3	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.5	*****	6.8		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	864	1757		*****	196	390		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1.65	2.12		*****	1.50	2.00		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, TOTAL (AS N)	Sample Measurement	8.03	13.4		*****	6.84	9.03		0	2X Weekly	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.048	0.062		*****	0.041	0.056		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	10.0	14.0		*****	8.40	9.34		0	2X Weekly	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*B	0.50		*****	*B	0.36		0	2X Weekly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average	19 mg/l		2X Weekly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.20	0.83	26 lbs/day	*****	0.17	0.55	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.536	0.755	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.201	0.476	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	1	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily		*****	2X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	442	590	26 lbs/day	*****	102	140	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.68	1.10	26 lbs/day	*****	0.53	0.80	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average		*****	2X Weekly	Grab
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.2 monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242


PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****								
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average	19 mg/l		2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.6	*****	*****	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****				2X Weekly
PH	Sample Measurement	*****	*****		6.5	*****	6.6	12 S.U.	0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	864	1757		*****	196	390	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	9.68	13.6		*****	1.58	2.50	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				2X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.18	0.19		*****	0.027	0.029	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				2X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.70	2.10		*****	0.11	0.33	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	56.6	59.3		*****	8.94	8.94	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****	7.2	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****	7.2	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PH	Sample Measurement	*****	*****		7.1	*****	7.1	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Monthly
PH	Sample Measurement	*****	*****		7.0	*****	7.0	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	1.5	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	3.5	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.017	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.73	1.04	26 lbs/day	*****	0.11	0.15	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.2 monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.728	0.873	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	2X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily		*****	2X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	442	590	26 lbs/day	*****	102	140	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	6.68	7.33	26 lbs/day	*****	1.06	1.08	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	10.0 monthly average	15.0 weekly average		*****	2X Weekly	Grab
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.2	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.026	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.022	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.039	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	145	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	34	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	0.8	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	1.0	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.6	*****	7.0		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	818	1156		*****	172	200		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	6.04	7.52		*****	1.50	1.50		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, TOTAL (AS N)	Sample Measurement	32.6	40.4		*****	8.17	8.28		0	2X Weekly	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.25	0.36		*****	0.055	0.072		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	35.3	44.2		*****	8.76	8.85		0	2X Weekly	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*B	*B		*****	*B	*B		0	2X Weekly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average	19 mg/l		2X Weekly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	1.11	1.39	26 lbs/day	*****	0.28	0.28	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.533	0.820	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.483	0.630	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	449	544	26 lbs/day	*****	97.4	112	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	2.53	3.02	26 lbs/day	*****	0.65	0.75	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average				
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.2	*****	7.2		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	7.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.022		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.61		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.089		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.755		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	118	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	1.5	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.1	*****	7.1		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	20.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.017		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	2.09		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.10		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.755		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.3	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	160	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	0.4	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.6	*****	7.6		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	21.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.014		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.81		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.059		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.755		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	4500	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	2.0	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.8	*****	*****	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****				2X Weekly
PH	Sample Measurement	*****	*****		6.5	*****	6.7	12 S.U.	0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	818	1156		*****	172	200	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	6.83	8.67		*****	1.13	1.50	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				2X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.12	0.16		*****	0.020	0.025	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				2X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.12	0.24		*****	0.020	0.040	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	53.6	59.6		*****	8.72	9.04	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.89	1.24	26 lbs/day	*****	0.15	0.21	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.2 monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.744	0.904	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	2X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		487 maximum daily	*****	2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	449	544	26 lbs/day	*****	97.4	112	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	5.36	7.25	26 lbs/day	*****	0.90	1.13	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	*****	10.0 monthly average		15.0 weekly average	*****	2X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99.1	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF

LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.2 monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		*****	*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Monthly	
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****	7.7	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****	8.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PH	Sample Measurement	*****	*****	*****	7.2	*****	7.2	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	Grab
PH	Sample Measurement	*****	*****	*****	7.2	*****	7.2	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	6.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	4.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****	0.011	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.008	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.46	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.060	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.046	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	66	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	48	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	1.0	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	0.9	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

McPherson Companies Trussville

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.0	*****	8.5	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Quarterly
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	15.0	19 mg/l	0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Quarterly
METHYL TERT-BUTYL ETHER	Sample Measurement	*****	*****		*****	*****	5.0	28 ug/l	0	Quarterly	Grab
Parameter Code: 22417 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
TOLUENE	Sample Measurement	*****	*****		*****	*****	8723	28 ug/l	0	Quarterly	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	8723 maximum daily				Quarterly
BENZENE	Sample Measurement	*****	*****		*****	*****	15.5	28 ug/l	0	Quarterly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.5 maximum daily				Quarterly
ETHYLBENZENE	Sample Measurement	*****	*****		*****	*****	1244	28 ug/l	0	Quarterly	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1244 maximum daily				Quarterly
NAPHTHALENE	Sample Measurement	*****	*****		*****	*****	620	28 ug/l	0	Quarterly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	620 maximum daily				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	01/08/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****	3.7	61 inches	*****	*****	*****	*****	0	Quarterly	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	5.0	28 ug/l	0	Quarterly	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily	*****	Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	01/08/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.0	*****	8.5	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Quarterly
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	15.0	19 mg/l	0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Quarterly
METHYL TERT-BUTYL ETHER	Sample Measurement	*****	*****		*****	*****	5.0	28 ug/l	0	Quarterly	Grab
Parameter Code: 22417 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
TOLUENE	Sample Measurement	*****	*****		*****	*****	8723	28 ug/l	0	Quarterly	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	8723 maximum daily				Quarterly
BENZENE	Sample Measurement	*****	*****		*****	*****	15.5	28 ug/l	0	Quarterly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.5 maximum daily				Quarterly
ETHYLBENZENE	Sample Measurement	*****	*****		*****	*****	1244	28 ug/l	0	Quarterly	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1244 maximum daily				Quarterly
NAPHTHALENE	Sample Measurement	*****	*****		*****	*****	620	28 ug/l	0	Quarterly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	620 maximum daily				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	03/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****	4.53	61 inches	*****	*****	*****	*****	0	Quarterly	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	5.0	28 ug/l	0	Quarterly	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	03/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.0	*****	8.5	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Quarterly
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	15.0	19 mg/l	0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Quarterly
METHYL TERT-BUTYL ETHER	Sample Measurement	*****	*****		*****	*****	5.0	28 ug/l	0	Quarterly	Grab
Parameter Code: 22417 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
TOLUENE	Sample Measurement	*****	*****		*****	*****	8723	28 ug/l	0	Quarterly	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	8723 maximum daily				Quarterly
BENZENE	Sample Measurement	*****	*****		*****	*****	15.5	28 ug/l	0	Quarterly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.5 maximum daily				Quarterly
ETHYLBENZENE	Sample Measurement	*****	*****		*****	*****	1244	28 ug/l	0	Quarterly	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1244 maximum daily				Quarterly
NAPHTHALENE	Sample Measurement	*****	*****		*****	*****	620	28 ug/l	0	Quarterly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	620 maximum daily				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	07/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****	4.43	61 inches	*****	*****	*****	*****	0	Quarterly	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	5.0	28 ug/l	0	Quarterly	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	07/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.0	*****	6.75	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Quarterly
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Quarterly
METHYL TERT-BUTYL ETHER	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 22417 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
TOLUENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	8723 maximum daily				Quarterly
BENZENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.5 maximum daily				Quarterly
ETHYLBENZENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1244 maximum daily				Quarterly
NAPHTHALENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	620 maximum daily				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	10/08/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****	3.8	61 inches	*****	*****	*****	*****	0	Quarterly	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	10/08/2018

Mountain Brook High School

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.6	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		8.2	*****	8.5		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	13.7	19.6		*****	822	1180		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.038	0.050		*****	2.25	3.00		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.011	0.015		*****	0.648	0.870		0	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.001	0.004		*****	0.200	0.240		0	Monthly	8-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	1.23	1.23		*****	73.9	73.9		0	Monthly	8-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	11/20/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.001	0.004	26 lbs/day	*****	0.2	0.24	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.3 monthly average	report weekly average		*****	Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.002	0.004	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	8.00	8.00	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		235 maximum daily	Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	4.59	7.57	26 lbs/day	*****	275	454	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	Weekly	8-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.020	0.060	26 lbs/day	*****	1.41	3.57	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average		*****	*****	4.0 monthly average		6.0 weekly average	Weekly	8-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	11/20/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Sam Gaston	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	11/20/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		9.3	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		7.9	*****	8.3		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	9.54	18.3		*****	623	1100		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.04	0.05		*****	2.60	3.00		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.006	0.010		*****	0.40	0.57		0	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.001	0.003		*****	0.001	0.003		0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.002	0.002		*****	*****	*****		0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Daily	Continuous

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	12/18/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Weekly
E. COLI	Sample Measurement	*****	*****		*****	1.00	1.00	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	235 maximum daily				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	2.81	3.32		*****	187	199	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.020	0.060		*****	1.42	3.64	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		98	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	12/18/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		10	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****	*****	8.0	*****	8.0		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	12.4	12.4		*****	748	748		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.033	0.033		*****	2.00	2.00		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.36	0.36		*****	21	21		2	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.022	0.022		*****	1.29	1.29		0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.004	0.004		*****	*****	*****		0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Daily	Continuous

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	01/19/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Weekly
E. COLI	Sample Measurement	*****	*****		*****	96.0	96.0	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	235 maximum daily				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	5.17	5.17		*****	310	310	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.06	0.06		*****	3.3	3.3	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		98	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	01/19/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		10	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		7.8	*****	8.2		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	8.00	14.0		*****	478	852		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.13	0.30		*****	8.00	18.0		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.080	0.190		*****	4.5	11		2	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.006	0.010		*****	0.390	0.680		0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.002	0.005		*****	*****	*****		0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Daily	Continuous

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	02/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Weekly
E. COLI	Sample Measurement	*****	*****		*****	284	517	13 col/100mL	2	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	235 maximum daily				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	2.68	4.37		*****	161	262	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.020	0.040		*****	1.1	2.3	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	02/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.9	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		7.9	*****	8.4		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	10.1	14.0		*****	608	850		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.360	1.23		*****	21.5	74.0		1	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.020	0.060		*****	1.3	3.4		2	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.04	0.09		*****	2.44	5.40		0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.002	0.011		*****	*****	*****		0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Daily	Continuous

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	03/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Weekly
E. COLI	Sample Measurement	*****	*****		*****	96.9	*T	13 col/100mL	1	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	235 maximum daily				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	4.32	5.04		*****	259	302	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.020	0.040		*****	1.09	2.24	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		96	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	03/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.1	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.9	*****	7.0		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1.52	4.54		*****	183	544		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.050	0.130		*****	6.25	16.0		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.0025	0.005		*****	0.22	0.57		0	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.002	0.005		*****	0.28	0.55		0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0006	0.003		*****	*****	*****		0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Daily	Continuous

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	04/17/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Weekly
E. COLI	Sample Measurement	*****	*****		*****	1.16	6.00	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	235 maximum daily				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.74	2.08		*****	89.0	249	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.010	0.030		*****	1.5	3.3	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		98	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		96	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	04/17/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.1	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		7.0	*****	7.9		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	13.3	28.6		*****	863	1720		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.040	0.080		*****	3.25	10.0		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.004	0.014		*****	0.210	0.560		0	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.005	0.005		*****	0.580	0.580		0	Monthly	8-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	0.336	0.336		*****	40.4	40.4		0	Monthly	8-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	05/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.006	0.011	26 lbs/day	*****	0.44	0.65	19 mg/l	1	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.3 monthly average	report weekly average		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.002	0.009	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	1.40	4.00	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		235 maximum daily	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	3.24	5.85	26 lbs/day	*****	228	283	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.020	0.060	26 lbs/day	*****	1.10	2.24	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average		*****	*****	4.0 monthly average		6.0 weekly average	*****	Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	05/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213


PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Sam Gaston	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	05/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.5	*****	*****	19 mg/l	0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****				Weekly
PH	Sample Measurement	*****	*****		8.4	*****	8.4	12 S.U.	0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	20.4	34.4		*****	1220	2060	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.050	0.083		*****	3.00	5.00	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.005	0.005		*****	0.280	0.280	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average				Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.003	0.004		*****	0.200	0.240	19 mg/l	0	Monthly	8-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	0.900	0.900		*****	54.8	54.8	19 mg/l	0	Monthly	8-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	06/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.003	0.004	26 lbs/day	*****	0.200	0.240	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.3 monthly average	report weekly average		*****	Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0006	0.0007	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		235 maximum daily	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	8.46	11.2	26 lbs/day	*****	507	669	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.020	0.040	26 lbs/day	*****	1.17	2.33	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average		*****	*****	4.0 monthly average		6.0 weekly average	*****	Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	06/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Sam Gaston	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	06/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal
***** NO DISCHARGE [X] *****

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average		*****	30.0 monthly average	45.0 weekly average			Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average		*****	1.0 monthly average	1.5 weekly average			Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
Sam Gaston		Signed By E2	205-802-3803	07/17/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.3 monthly average	report weekly average			Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	235 maximum daily			Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average			Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
Sam Gaston		Signed By E2	205-802-3803	07/17/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011


MINOR
 Jefferson
 Municipal

COUNTY:
PROGRAM: *** NO DISCHARGE [X] ***

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Sam Gaston	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	07/17/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average		*****	30.0 monthly average	45.0 weekly average			Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average		*****	1.0 monthly average	1.5 weekly average			Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
Sam Gaston		Signed By E2	205-802-3803	08/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.3 monthly average	report weekly average			Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	235 maximum daily			Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average			Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
Sam Gaston		Signed By E2	205-802-3803	08/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	08/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.4	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		7.5	*****	7.5		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1012	1012		*****	3280	3280		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1.54	1.54		*****	5.00	5.00		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.089	0.089		*****	0.290	0.290		0	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.176	0.176		*****	0.570	0.570		0	Monthly	8-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	9.80	9.80		*****	31.6	31.6		0	Monthly	8-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	09/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.015	0.015	26 lbs/day	*****	0.050	0.050	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.3 monthly average	report weekly average		*****	Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0370	0.0370	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		235 maximum daily	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	179	179	26 lbs/day	*****	582	582	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	1.3	1.3	26 lbs/day	*****	4.20	4.2	19 mg/l	1	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average		*****	*****	4.0 monthly average		6.0 weekly average	*****	Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	09/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213


PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Sam Gaston	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	09/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.6	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		7.6	*****	8.1		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	137	43.0		*****	790	2580		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.029	0.100		*****	1.25	4.00		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.005	0.010		*****	0.290	0.580		0	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.007	0.007		*****	0.29	0.29		0	Monthly	8-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	0.625	0.625		*****	25.0	25.0		0	Monthly	8-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	10/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.001	0.002	26 lbs/day	*****	0.058	0.100	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.3 monthly average	report weekly average		*****	Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.003	0.006	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		235 maximum daily	Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	3.24	5.38	26 lbs/day	*****	167	215	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	Weekly	8-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.08	0.23	26 lbs/day	*****	3.7	9.2	19 mg/l	1	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average		*****	*****	4.0 monthly average		6.0 weekly average	Weekly	8-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	97	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	10/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

MINOR
 Jefferson
 Municipal

COUNTY:
PROGRAM: *** NO DISCHARGE [] ***

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	10/18/2018

Precoat Metals

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.94	*****	9.99		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	18	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	1.4	2.0		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.27	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.008	.012		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	.011	.022		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	11/26/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	.027	.062	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	.0323	.0793	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	11/26/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****	*****	8.54	*****	9.93	12 S.U.	0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily			Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	11	*****	19 mg/l	0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****			Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****	*****	*****	3.22	10	19 mg/l	0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily			Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	0.18	*****	19 mg/l	0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****			Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9	26 lbs/day	*****	*****	*****	*****	0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily		*****	*****	*****			Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.011	0.017	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily		*****	*****	*****			Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.011	0.023	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily		*****	*****	*****			Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	12/14/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.040	0.091	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0505	0.1437	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT James Reeves	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	12/14/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.57	*****	9.98		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	25	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	0.80	1.60		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.77	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.018	0.035		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.010	0.013		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	01/19/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.029	0.046	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0506	0.1143	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	01/19/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.99	*****	10.17		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	6.0	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	3.50	8.60		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.13	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.013	0.023		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.010	0.021		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	02/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.028	0.043	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0668	0.1385	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	02/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.37	*****	10.11		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	35	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	3.85	7.2		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.67	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.021	0.034		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.018	0.030		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	03/19/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.051	0.086	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0645	0.1150	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	03/19/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.78	*****	10.17		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	20	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	12.48	53.2		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.72	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	.017	.024		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	.019	.041		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	04/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	.055	.073	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	.0724	.1220	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	04/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.85	*****	10.14		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	22	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	2.00	2.60		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.44	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.011	0.016		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.011	0.025		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	06/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.029	0.038	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0631	0.1139	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	06/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.24	*****	9.72		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	24	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	2.05	4.20		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.31	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.010	0.025		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.004	0.008		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	06/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.025	0.042	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0683	0.1100	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	06/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.41	*****	10.37		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	13	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	0.92	1.2		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.31	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.012	0.024		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.008	0.019		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	07/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.033	0.051	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0729	0.1118	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	07/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		9.04	*****	10.47		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	27	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	2.10	3.60		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.53	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.006	0.007		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.010	0.016		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.029	0.055	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0671	0.1355	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		9.16	*****	10.45		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	28	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	0.88	1.4		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.41	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.025	0.081		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.005	0.007		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	09/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.021	0.036	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0672	0.1324	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	09/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.80	*****	10.34		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	25	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	1.15	2.80		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.34	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	.011	.025		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	.016	.026		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	10/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	.043	.057	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	.0802	0.1252	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	10/22/2018

Winslow Parc WWTP

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Pinnacle Wastewater Systems, LLC
MAILING ADDRESS: 2025 First Avenue North Unit 100 , Birmingham, AL 35203

PERMIT NUMBER: ALSI9937715
MONITORING POINT: EFF-0

COUNTY: MINOR Jefferson
PROGRAM: UIC Sites

FACILITY: Winslow Parc WWTP

LOCATION: Liles Lane and Winslow Drive , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BOD, 5-DAY (20 DEG. C)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00310 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum			Monthly	
PH	Sample Measurement	*****	*****		*****	*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum			Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****			*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	26340 maximum daily	07 GPD	*****	*****	*****			Daily	
COLIFORM, FECAL GENERAL	Sample Measurement	*****	*****		*****	*****		13 col/100mL			
Parameter Code: 74055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum			Monthly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-396-3170	03/27/2018

Monitoring Data

2017-2018 Raw Data

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
MOU-SHC-068T	3/6/2018 7:30:00 AM	BIOCHEMICAL OXYGEN DEMAND	11	11	MG/L	WET	GRAB	1803-00074-001	5210B
HOM-SHC-071T	3/6/2018 8:00:00 AM	BIOCHEMICAL OXYGEN DEMAND	22	22	MG/L	WET	GRAB	1803-00075-001	5210B
HOM-SHC-087M	3/6/2018 8:30:00 AM	BIOCHEMICAL OXYGEN DEMAND	16	16	MG/L	WET	GRAB	1803-00076-001	5210B
VES-CAR-074T	3/29/2018 2:58:00 PM	BIOCHEMICAL OXYGEN DEMAND	5	5	MG/L	WET	GRAB	1803-0447-001	5210B
TRU-CAR-048T	3/29/2018 3:20:00 PM	BIOCHEMICAL OXYGEN DEMAND	13	13	MG/L	WET	GRAB	1803-0443-001	5210B
MOU-CAR-086T	3/29/2018 3:35:00 PM	BIOCHEMICAL OXYGEN DEMAND	3	3	MG/L	WET	GRAB	1803-0448-001	5210B
TRU-CAR-051T	3/29/2018 3:45:00 PM	BIOCHEMICAL OXYGEN DEMAND	13	13	MG/L	WET	GRAB	1803-0444-001	5210B
VES-CAR-085M	3/29/2018 4:32:00 PM	BIOCHEMICAL OXYGEN DEMAND	2	2	MG/L	WET	GRAB	1803-0449-001	5210B
LEE-CAR-053M	3/29/2018 4:50:00 PM	BIOCHEMICAL OXYGEN DEMAND	3	3	MG/L	WET	GRAB	1803-0445-001	5210B
IRO-CAR-057M	3/29/2018 5:03:00 PM	BIOCHEMICAL OXYGEN DEMAND	7	7	MG/L	WET	GRAB	1803-0446-001	5210B
FAI-VAC-010T	9/5/2018 10:07:00 AM	BIOCHEMICAL OXYGEN DEMAND	12	12	MG/L	WET	GRAB	1809-0051-001	5210B
BRI-VAC-018T	9/5/2018 10:29:00 AM	BIOCHEMICAL OXYGEN DEMAND	6	6	MG/L	WET	GRAB	1809-0052-001	5210B
BRI-VAC-015M	9/5/2018 10:39:00 AM	BIOCHEMICAL OXYGEN DEMAND	8	8	MG/L	WET	GRAB	1809-0053-001	5210B
HUE-VAC-003M	9/5/2018 11:02:00 AM	BIOCHEMICAL OXYGEN DEMAND	7	7	MG/L	WET	GRAB	1809-0054-001	5210B
ADA-VIC-023M	9/5/2018 11:15:00 AM	BIOCHEMICAL OXYGEN DEMAND	4	4	MG/L	WET	GRAB	1809-0050-001	5210B
HUE-VAC-014T	9/5/2018 11:22:00 AM	BIOCHEMICAL OXYGEN DEMAND	6	6	MG/L	WET	GRAB	1809-0055-001	5210B
PLE-VAC-006T	9/5/2018 11:43:00 AM	BIOCHEMICAL OXYGEN DEMAND	6	6	MG/L	WET	GRAB	1809-0056-001	5210B
MOU-SHC-065M	9/24/2018 6:18:00 PM	BIOCHEMICAL OXYGEN DEMAND	12	12	MG/L	WET	GRAB	1809-00380-001	5210B
MOU-SHC-069M	9/24/2018 6:38:00 PM	BIOCHEMICAL OXYGEN DEMAND	16	16	MG/L	WET	GRAB	1809-00381-001	5210B
HOM-SHC-072T	9/24/2018 7:01:00 PM	BIOCHEMICAL OXYGEN DEMAND	13	13	MG/L	WET	GRAB	1809-00383-001	5210B
GAR-FMC-031T	9/24/2018 7:25:00 PM	BIOCHEMICAL OXYGEN DEMAND	2	2	MG/L	WET	GRAB	1809-00379-001	5210B
TAR-FMC-036M	9/24/2018 7:50:00 PM	BIOCHEMICAL OXYGEN DEMAND	16	16	MG/L	WET	GRAB	1809-00382-001	5210B

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
BRO-FMC-029M	9/24/2018 8:15:00 PM	BIOCHEMICAL OXYGEN DEMAND	1	1	MG/L	WET	GRAB	1809-00378-001	5210B
MOU-SHC-068T	3/6/2018 7:30:00 AM	CALCIUM, TOTAL	41.5	41.5	MG/L	WET	GRAB	1803-00074-001	EPA 200.7
HOM-SHC-071T	3/6/2018 8:00:00 AM	CALCIUM, TOTAL	49.4	49.4	MG/L	WET	GRAB	1803-00075-001	EPA 200.7
HOM-SHC-087M	3/6/2018 8:30:00 AM	CALCIUM, TOTAL	42.1	42.1	MG/L	WET	GRAB	1803-00076-001	EPA 200.7
VES-CAR-074T	3/29/2018 2:58:00 PM	CALCIUM, TOTAL	30.5	30.5	MG/L	WET	GRAB	1803-0447-001	EPA 200.7
TRU-CAR-048T	3/29/2018 3:20:00 PM	CALCIUM, TOTAL	39.4	39.4	MG/L	WET	GRAB	1803-0443-001	EPA 200.7
MOU-CAR-086T	3/29/2018 3:35:00 PM	CALCIUM, TOTAL	24.1	24.1	MG/L	WET	GRAB	1803-0448-001	EPA 200.7
TRU-CAR-051T	3/29/2018 3:45:00 PM	CALCIUM, TOTAL	58.5	58.5	MG/L	WET	GRAB	1803-0444-001	EPA 200.7
VES-CAR-085M	3/29/2018 4:32:00 PM	CALCIUM, TOTAL	18.8	18.8	MG/L	WET	GRAB	1803-0449-001	EPA 200.7
LEE-CAR-053M	3/29/2018 4:50:00 PM	CALCIUM, TOTAL	26.8	26.8	MG/L	WET	GRAB	1803-0445-001	EPA 200.7
IRO-CAR-057M	3/29/2018 5:03:00 PM	CALCIUM, TOTAL	16.4	16.4	MG/L	WET	GRAB	1803-0446-001	EPA 200.7
FAI-VAC-010T	9/5/2018 10:07:00 AM	CALCIUM, TOTAL	41.7	41.7	MG/L	WET	GRAB	1809-0051-001	EPA 200.7
BRI-VAC-018T	9/5/2018 10:29:00 AM	CALCIUM, TOTAL	53.6	53.6	MG/L	WET	GRAB	1809-0052-001	EPA 200.7
BRI-VAC-015M	9/5/2018 10:39:00 AM	CALCIUM, TOTAL	58.4	58.4	MG/L	WET	GRAB	1809-0053-001	EPA 200.7
HUE-VAC-003M	9/5/2018 11:02:00 AM	CALCIUM, TOTAL	50.6	50.6	MG/L	WET	GRAB	1809-0054-001	EPA 200.7
ADA-VIC-023M	9/5/2018 11:15:00 AM	CALCIUM, TOTAL	60	60	MG/L	WET	GRAB	1809-0050-001	EPA 200.7
HUE-VAC-014T	9/5/2018 11:22:00 AM	CALCIUM, TOTAL	67.3	67.3	MG/L	WET	GRAB	1809-0055-001	EPA 200.7
PLE-VAC-006T	9/5/2018 11:43:00 AM	CALCIUM, TOTAL	16.5	16.5	MG/L	WET	GRAB	1809-0056-001	EPA 200.7
MOU-SHC-065M	9/24/2018 6:18:00 PM	CALCIUM, TOTAL	9.26	9.26	MG/L	WET	GRAB	1809-00380-001	EPA 200.7
MOU-SHC-069M	9/24/2018 6:38:00 PM	CALCIUM, TOTAL	10.2	10.2	MG/L	WET	GRAB	1809-00381-001	EPA 200.7
HOM-SHC-072T	9/24/2018 7:01:00 PM	CALCIUM, TOTAL	16.3	16.3	MG/L	WET	GRAB	1809-00383-001	EPA 200.7
GAR-FMC-031T	9/24/2018 7:25:00 PM	CALCIUM, TOTAL	31.8	31.8	MG/L	WET	GRAB	1809-00379-001	EPA 200.7
TAR-FMC-036M	9/24/2018 7:50:00 PM	CALCIUM, TOTAL	23.2	23.2	MG/L	WET	GRAB	1809-00382-001	EPA 200.7
BRO-FMC-030T	9/24/2018 7:55:00 PM	CALCIUM, TOTAL	22.5	22.5	MG/L	WET	GRAB	1809-00377-001	EPA 200.7
BRO-FMC-029M	9/24/2018 8:15:00 PM	CALCIUM, TOTAL	34.4	34.4	MG/L	WET	GRAB	1809-00378-001	EPA 200.7
MOU-SHC-068T	3/6/2018 7:30:00 AM	CHEMICAL OXYGEN DEMAND	112	112	MG/L	WET	GRAB	1803-00074-001	EPA 410.4
HOM-SHC-071T	3/6/2018 8:00:00 AM	CHEMICAL OXYGEN DEMAND	201	201	MG/L	WET	GRAB	1803-00075-001	EPA 410.4
HOM-SHC-087M	3/6/2018 8:30:00 AM	CHEMICAL OXYGEN DEMAND	318	318	MG/L	WET	GRAB	1803-00076-001	EPA 410.4
VES-CAR-074T	3/29/2018 2:58:00 PM	CHEMICAL OXYGEN DEMAND	41	41	MG/L	WET	GRAB	1803-0447-001	EPA 410.4
TRU-CAR-048T	3/29/2018 3:20:00 PM	CHEMICAL OXYGEN DEMAND	82	82	MG/L	WET	GRAB	1803-0443-001	EPA 410.4

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
MOU-CAR-086T	3/29/2018 3:35:00 PM	CHEMICAL OXYGEN DEMAND	14	14	MG/L	WET	GRAB	1803-0448-001	EPA 410.4
TRU-CAR-051T	3/29/2018 3:45:00 PM	CHEMICAL OXYGEN DEMAND	136	136	MG/L	WET	GRAB	1803-0444-001	EPA 410.4
VES-CAR-085M	3/29/2018 4:32:00 PM	CHEMICAL OXYGEN DEMAND	14	14	MG/L	WET	GRAB	1803-0449-001	EPA 410.4
LEE-CAR-053M	3/29/2018 4:50:00 PM	CHEMICAL OXYGEN DEMAND	22	22	MG/L	WET	GRAB	1803-0445-001	EPA 410.4
IRO-CAR-057M	3/29/2018 5:03:00 PM	CHEMICAL OXYGEN DEMAND	77	77	MG/L	WET	GRAB	1803-0446-001	EPA 410.4
FAI-VAC-010T	9/5/2018 10:07:00 AM	CHEMICAL OXYGEN DEMAND	47	47	MG/L	WET	GRAB	1809-0051-001	EPA 410.4
BRI-VAC-018T	9/5/2018 10:29:00 AM	CHEMICAL OXYGEN DEMAND	18	18	MG/L	WET	GRAB	1809-0052-001	EPA 410.4
BRI-VAC-015M	9/5/2018 10:39:00 AM	CHEMICAL OXYGEN DEMAND	18	18	MG/L	WET	GRAB	1809-0053-001	EPA 410.4
HUE-VAC-003M	9/5/2018 11:02:00 AM	CHEMICAL OXYGEN DEMAND	29	29	MG/L	WET	GRAB	1809-0054-001	EPA 410.4
ADA-VIC-023M	9/5/2018 11:15:00 AM	CHEMICAL OXYGEN DEMAND	18	18	MG/L	WET	GRAB	1809-0050-001	EPA 410.4
HUE-VAC-014T	9/5/2018 11:22:00 AM	CHEMICAL OXYGEN DEMAND	23	23	MG/L	WET	GRAB	1809-0055-001	EPA 410.4
PLE-VAC-006T	9/5/2018 11:43:00 AM	CHEMICAL OXYGEN DEMAND	16	16	MG/L	WET	GRAB	1809-0056-001	EPA 410.4
MOU-SHC-065M	9/24/2018 6:18:00 PM	CHEMICAL OXYGEN DEMAND	74	74	MG/L	WET	GRAB	1809-00380-001	EPA 410.4
MOU-SHC-069M	9/24/2018 6:38:00 PM	CHEMICAL OXYGEN DEMAND	74	74	MG/L	WET	GRAB	1809-00381-001	EPA 410.4
HOM-SHC-072T	9/24/2018 7:01:00 PM	CHEMICAL OXYGEN DEMAND	59	59	MG/L	WET	GRAB	1809-00383-001	EPA 410.4
GAR-FMC-031T	9/24/2018 7:25:00 PM	CHEMICAL OXYGEN DEMAND	10	10	MG/L	WET	GRAB	1809-00379-001	EPA 410.4
TAR-FMC-036M	9/24/2018 7:50:00 PM	CHEMICAL OXYGEN DEMAND	56	56	MG/L	WET	GRAB	1809-00382-001	EPA 410.4
BRO-FMC-030T	9/24/2018 7:55:00 PM	CHEMICAL OXYGEN DEMAND	15	15	MG/L	WET	GRAB	1809-00377-001	EPA 410.4
BRO-FMC-029M	9/24/2018 8:15:00 PM	CHEMICAL OXYGEN DEMAND	10	10	MG/L	WET	GRAB	1809-00378-001	EPA 410.4
LEE-CAR-053M	10/10/2017 1:45:00 PM	DISCHARGE	70.3	70.3	CFS	WET	MONTHLY	IN SITU	USGS GAGE
MUL-VIC-028M	10/12/2017 11:27:00 AM	DISCHARGE	83	83	CFS	DRY	MONTHLY	IN SITU	USGS GAGE
MUL-VIC-028M	11/3/2017 12:47:00 PM	DISCHARGE	75.3	75.3	CFS	WET	MONTHLY	IN SITU	USGS GAGE
TRU-CAR-050M	11/6/2017 11:19:00 AM	DISCHARGE	7.97	7.97	CFS	DRY	MONTHLY	IN SITU	USGS GAGE
LEE-CAR-053M	11/6/2017 11:57:00 AM	DISCHARGE	21.2	21.2	CFS	DRY	MONTHLY	IN SITU	USGS GAGE

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
TAR-FMC-035M	11/7/2017 10:52:00 AM	DISCHARGE	12.3	12.3	CFS	WET	MONTHLY	IN SITU	USGS GAGE
LEE-CAR-053M	12/15/2017 2:10:00 PM	DISCHARGE	21.9	21.9	CFS	DRY	MONTHLY	IN SITU	USGS GAGE
TRU-CAR-050M	12/19/2017 11:17:00 AM	DISCHARGE	11.4	11.4	CFS	DRY	MONTHLY	IN SITU	USGS GAGE
LEE-CAR-053M	1/2/2018 1:18:00 PM	DISCHARGE	41.4	41.4	CFS	DRY	MONTHLY	IN SITU	USGS GAGE
TRU-CAR-050M	1/3/2018 3:05:00 PM	DISCHARGE	19.3	19.3	CFS	DRY	MONTHLY	IN SITU	USGS GAGE
ADA-VIC-023M	10/9/2017 12:31:59 PM	DISSOLVED OXYGEN	8	8	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/9/2017 12:31:59 PM	DISSOLVED OXYGEN	8	8	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/9/2017 12:31:59 PM	DISSOLVED OXYGEN	8	8	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-074T	10/10/2017 10:45:00 AM	DISSOLVED OXYGEN	6.82	6.82	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-077T	10/10/2017 11:05:00 AM	DISSOLVED OXYGEN	7.01	7.01	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-076T	10/10/2017 11:32:00 AM	DISSOLVED OXYGEN	6.97	6.97	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
FAI-VAC-009T	10/11/2017 11:10:00 AM	DISSOLVED OXYGEN	6.42	6.42	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-013T	10/11/2017 12:01:00 PM	DISSOLVED OXYGEN	6.47	6.47	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-004M	10/11/2017 12:25:00 PM	DISSOLVED OXYGEN	7.61	7.61	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-005M	10/11/2017 1:21:00 PM	DISSOLVED OXYGEN	8.42	8.42	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
MUL-VIC-028M	10/12/2017 11:27:00 AM	DISSOLVED OXYGEN	7.42	7.42	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
BRI-VAC-015M	10/30/2017 2:09:00 PM	DISSOLVED OXYGEN	7.23	7.23	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	10/31/2017 11:13:59 AM	DISSOLVED OXYGEN	7.37	7.37	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	10/31/2017 11:13:59 AM	DISSOLVED OXYGEN	7.37	7.37	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	10/31/2017 11:13:59 AM	DISSOLVED OXYGEN	7.37	7.37	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-030T	11/3/2017 11:34:00 AM	DISSOLVED OXYGEN	6.72	6.72	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
GRA-FMC-082M	11/3/2017 12:02:00 PM	DISSOLVED OXYGEN	7.5	7.5	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-CAR-046M	11/6/2017 10:37:00 AM	DISSOLVED OXYGEN	5.87	5.87	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-055M	11/6/2017 12:31:00 PM	DISSOLVED OXYGEN	6.79	6.79	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-057M	11/6/2017 1:25:00 PM	DISSOLVED OXYGEN	7.05	7.05	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-SHC-062M	11/7/2017 10:24:00 AM	DISSOLVED OXYGEN	6.36	6.36	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-TUC-044M	11/7/2017 12:25:00 PM	DISSOLVED OXYGEN	6.17	6.17	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HOM-SHC-073M	11/7/2017 12:41:00 PM	DISSOLVED OXYGEN	6.52	6.52	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
LEE-CAR-053M	12/15/2017 2:10:00 PM	DISSOLVED OXYGEN	7.58	7.58	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
PIN-TUC-039M	12/19/2017 2:47:00 PM	DISSOLVED OXYGEN	7.53	7.53	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-069M	1/5/2018 12:01:00 PM	DISSOLVED OXYGEN	6.28	6.28	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-065M	1/5/2018 2:05:00 PM	DISSOLVED OXYGEN	8.15	8.15	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-074T	3/29/2018 2:58:00 PM	DISSOLVED OXYGEN	8.79	8.79	MG/L	WET	GRAB	1803-0447-001	EPA 150.1

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
TRU-CAR-048T	3/29/2018 3:20:00 PM	DISSOLVED OXYGEN	8.45	8.45	MG/L	WET	GRAB	1803-0443-001	EPA 150.1
TRU-CAR-051T	3/29/2018 3:45:00 PM	DISSOLVED OXYGEN	9.19	9.19	MG/L	WET	GRAB	1803-0444-001	EPA 150.1
VES-CAR-085M	3/29/2018 4:32:00 PM	DISSOLVED OXYGEN	9.82	9.82	MG/L	WET	GRAB	1803-0449-001	EPA 150.1
LEE-CAR-053M	3/29/2018 4:50:00 PM	DISSOLVED OXYGEN	9.82	9.82	MG/L	WET	GRAB	1803-0445-002	5210B
IRO-CAR-057M	3/29/2018 5:03:00 PM	DISSOLVED OXYGEN	9.75	9.75	MG/L	WET	GRAB	1803-0446-001	EPA 150.1
MOU-SHC-068T	3/6/2018 7:30:00 AM	E. COLI	144	144	COL/100ML	WET	GRAB	1803-00074-001	9222D
HOM-SHC-071T	3/6/2018 8:00:00 AM	E. COLI	0	0	COL/100ML	WET	GRAB	1803-00075-001	9222D
HOM-SHC-087M	3/6/2018 8:30:00 AM	E. COLI	0	0	COL/100ML	WET	GRAB	1803-00076-001	9222D
VES-CAR-074T	3/29/2018 2:58:00 PM	E. COLI	4	4	COL/100ML	WET	GRAB	1803-0447-001	9222D
TRU-CAR-048T	3/29/2018 3:20:00 PM	E. COLI	40	40	COL/100ML	WET	GRAB	1803-0443-001	9222D
MOU-CAR-086T	3/29/2018 3:35:00 PM	E. COLI	20	20	COL/100ML	WET	GRAB	1803-0448-001	9222D
TRU-CAR-051T	3/29/2018 3:45:00 PM	E. COLI	40	40	COL/100ML	WET	GRAB	1803-0444-001	9222D
VES-CAR-085M	3/29/2018 4:32:00 PM	E. COLI	0	0	COL/100ML	WET	GRAB	1803-0449-001	9222D
LEE-CAR-053M	3/29/2018 4:50:00 PM	E. COLI	0	0	COL/100ML	WET	GRAB	1803-0445-001	9222D
IRO-CAR-057M	3/29/2018 5:03:00 PM	E. COLI	10	10	COL/100ML	WET	GRAB	1803-0446-001	9222D
FAI-VAC-010T	9/5/2018 10:07:00 AM	E. COLI	0	NEGATIVE	COL/100ML	WET	GRAB	1809-0051-001	9222D
BRI-VAC-018T	9/5/2018 10:29:00 AM	E. COLI	2	2	COL/100ML	WET	GRAB	1809-0052-001	9222D
BRI-VAC-015M	9/5/2018 10:39:00 AM	E. COLI	0	NEGATIVE	COL/100ML	WET	GRAB	1809-0053-001	9222D
HUE-VAC-003M	9/5/2018 11:02:00 AM	E. COLI	84	84	COL/100ML	WET	GRAB	1809-0054-001	9222D
ADA-VIC-023M	9/5/2018 11:15:00 AM	E. COLI	42	42	COL/100ML	WET	GRAB	1809-0050-001	9222D
HUE-VAC-014T	9/5/2018 11:22:00 AM	E. COLI	156	156	COL/100ML	WET	GRAB	1809-0055-001	9222D
PLE-VAC-006T	9/5/2018 11:43:00 AM	E. COLI	100	100	COL/100ML	WET	GRAB	1809-0056-001	9222D
MOU-SHC-065M	9/24/2018 6:18:00 PM	E. COLI	0	NEGATIVE	COL/100ML	WET	GRAB	1809-00380-001	9222D
MOU-SHC-069M	9/24/2018 6:38:00 PM	E. COLI	0	NEGATIVE	COL/100ML	WET	GRAB	1809-00381-001	9222D
HOM-SHC-072T	9/24/2018 7:01:00 PM	E. COLI	0	NEGATIVE	COL/100ML	WET	GRAB	1809-00383-001	9222D
GAR-FMC-031T	9/24/2018 7:25:00 PM	E. COLI	92	92	COL/100ML	WET	GRAB	1809-00379-001	9222D
TAR-FMC-036M	9/24/2018 7:50:00 PM	E. COLI	0	NEGATIVE	COL/100ML	WET	GRAB	1809-00382-001	9222D
BRO-FMC-030T	9/24/2018 7:55:00 PM	E. COLI	480	480	COL/100ML	WET	GRAB	1809-00377-001	9222D
BRO-FMC-029M	9/24/2018 8:15:00 PM	E. COLI	100	100	COL/100ML	WET	GRAB	1809-00378-001	9222D
VES-CAR-074T	10/10/2017 10:45:00 AM	GAGE HEIGHT	12.2	12.2	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-077T	10/10/2017 11:05:00 AM	GAGE HEIGHT	15	15	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-076T	10/10/2017 11:32:00 AM	GAGE HEIGHT	12.75	12.75	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRO-FMC-030T	10/10/2017 12:16:00 PM	GAGE HEIGHT	28.5	28.5	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
VES-CAR-080M	10/10/2017 12:39:00 PM	GAGE HEIGHT	35.5	35.5	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
GRA-FMC-082M	10/10/2017 1:06:00 PM	GAGE HEIGHT	34.1	34.1	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
IRO-CAR-057M	10/10/2017 1:09:00 PM	GAGE HEIGHT	47.2	47.2	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
IRO-CAR-055M	10/10/2017 1:36:00 PM	GAGE HEIGHT	40	40	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
LEE-CAR-053M	10/10/2017 1:45:00 PM	GAGE HEIGHT	1.88	1.88	FT.	WET	MONTHLY	IN SITU	USGS GAGE
HOM-SHC-073M	10/11/2017 10:14:00 AM	GAGE HEIGHT	27.5	27.5	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
FAI-VAC-009T	10/11/2017 11:10:00 AM	GAGE HEIGHT	0.45	0.45	FT.	WET	MONTHLY	IN SITU	STAFF GAGE
MOU-SHC-069M	10/11/2017 11:19:00 AM	GAGE HEIGHT	12.8	12.8	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRI-VAC-015M	10/11/2017 11:47:00 AM	GAGE HEIGHT	16	16	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
MOU-SHC-065M	10/11/2017 12:00:00 PM	GAGE HEIGHT	15.75	15.75	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
HUE-VAC-013T	10/11/2017 12:01:00 PM	GAGE HEIGHT	10.4	10.4	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
HUE-VAC-004M	10/11/2017 12:25:00 PM	GAGE HEIGHT	28	28	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
IRO-SHC-062M	10/11/2017 12:47:00 PM	GAGE HEIGHT	2.5	2.5	FT.	WET	MONTHLY	IN SITU	STAFF GAGE
HUE-VAC-005M	10/11/2017 1:21:00 PM	GAGE HEIGHT	3.85	3.85	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
CLA-CAR-046M	10/11/2017 1:33:00 PM	GAGE HEIGHT	9.2	9.2	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
CLA-TUC-044M	10/11/2017 1:50:00 PM	GAGE HEIGHT	3.5	3.5	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
PIN-TUC-039M	10/11/2017 2:43:00 PM	GAGE HEIGHT	20.2	20.2	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
MUL-VIC-028M	10/12/2017 11:27:00 AM	GAGE HEIGHT	1.32	1.32	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
PLE-VIC-008T	10/12/2017 11:50:00 AM	GAGE HEIGHT	7.3	7.3	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
ADA-VIC-023M	10/12/2017 12:32:00 PM	GAGE HEIGHT	37.6	37.6	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
FAI-VAC-009T	11/2/2017 12:14:00 PM	GAGE HEIGHT	0.45	0.45	FT.	WET	MONTHLY	IN SITU	STAFF GAGE
MID-VAC-011M	11/2/2017 1:30:00 PM	GAGE HEIGHT	15.5	15.5	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRI-VAC-015M	11/2/2017 2:09:00 PM	GAGE HEIGHT	15.85	15.85	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
HUE-VAC-013T	11/2/2017 2:20:00 PM	GAGE HEIGHT	10.75	10.75	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
GAR-FMC-031T	11/3/2017 10:07:00 AM	GAGE HEIGHT	43.8	43.8	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRO-FMC-026M	11/3/2017 10:37:00 AM	GAGE HEIGHT	31.4	31.4	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRO-FMC-029M	11/3/2017 11:14:00 AM	GAGE HEIGHT	29.9	29.9	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRO-FMC-030T	11/3/2017 11:34:00 AM	GAGE HEIGHT	27.95	27.95	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
GRA-FMC-082M	11/3/2017 12:02:00 PM	GAGE HEIGHT	33.65	33.65	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
MUL-VIC-028M	11/3/2017 12:47:00 PM	GAGE HEIGHT	1.3	1.3	FT.	WET	MONTHLY	IN SITU	USGS GAGE
PLE-VIC-008T	11/3/2017 1:03:00 PM	GAGE HEIGHT	6.9	6.9	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
CLA-CAR-046M	11/6/2017 10:37:00 AM	GAGE HEIGHT	9.85	9.85	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
TRU-CAR-050M	11/6/2017 11:19:00 AM	GAGE HEIGHT	1.69	1.69	FT.	DRY	MONTHLY	IN SITU	USGS GAGE

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
LEE-CAR-053M	11/6/2017 11:57:00 AM	GAGE HEIGHT	1.52	1.52	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
IRO-CAR-055M	11/6/2017 12:31:00 PM	GAGE HEIGHT	40.85	40.85	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
ADA-VIC-023M	11/6/2017 12:43:00 PM	GAGE HEIGHT	38.2	38.2	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
IRO-CAR-057M	11/6/2017 1:25:00 PM	GAGE HEIGHT	48.5	48.5	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-080M	11/6/2017 2:01:00 PM	GAGE HEIGHT	34.7	34.7	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
HUE-VAC-003M	11/6/2017 2:46:00 PM	GAGE HEIGHT	26.1	26.1	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
HUE-VAC-004M	11/6/2017 3:08:00 PM	GAGE HEIGHT	28.35	28.35	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
IRO-SHC-062M	11/7/2017 10:24:00 AM	GAGE HEIGHT	0.5	0.5	FT.	DRY	MONTHLY	IN SITU	STAFF GAGE
TAR-FMC-035M	11/7/2017 10:52:00 AM	GAGE HEIGHT	0.58	0.58	FT.	WET	MONTHLY	IN SITU	USGS GAGE
MOU-SHC-065M	11/7/2017 11:03:00 AM	GAGE HEIGHT	15.65	15.65	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
PIN-TUC-039M	11/7/2017 11:33:00 AM	GAGE HEIGHT	19.65	19.65	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
MOU-SHC-069M	11/7/2017 11:52:00 AM	GAGE HEIGHT	12.85	12.85	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
CLA-TUC-044M	11/7/2017 12:25:00 PM	GAGE HEIGHT	3	3	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
HOM-SHC-073M	11/7/2017 12:41:00 PM	GAGE HEIGHT	30.5	30.5	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-074T	11/7/2017 1:43:00 PM	GAGE HEIGHT	12.45	12.45	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-077T	11/7/2017 2:33:00 PM	GAGE HEIGHT	15.5	15.5	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-076T	11/8/2017 10:47:00 AM	GAGE HEIGHT	12.8	12.8	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-074T	12/15/2017 10:52:00 AM	GAGE HEIGHT	12.4	12.4	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-085M	12/15/2017 11:50:00 AM	GAGE HEIGHT	0.97	0.97	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
IRO-CAR-057M	12/15/2017 12:35:00 PM	GAGE HEIGHT	47.95	47.95	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
LEE-CAR-053M	12/15/2017 2:10:00 PM	GAGE HEIGHT	1.53	1.53	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
GAR-FMC-031T	12/18/2017 1:55:00 PM	GAGE HEIGHT	42.75	42.75	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRO-FMC-030T	12/18/2017 2:29:00 PM	GAGE HEIGHT	26.8	26.8	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRO-FMC-029M	12/18/2017 2:43:00 PM	GAGE HEIGHT	27.7	27.7	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
TRU-CAR-050M	12/19/2017 11:17:00 AM	GAGE HEIGHT	1.88	1.88	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
HUE-VAC-003M	12/19/2017 11:34:00 AM	GAGE HEIGHT	25.8	25.8	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
PLE-VAC-006T	12/19/2017 12:24:00 PM	GAGE HEIGHT	25.5	25.5	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
CLA-CAR-046M	12/19/2017 1:14:00 PM	GAGE HEIGHT	9	9	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
BRI-VAC-015M	12/19/2017 2:05:00 PM	GAGE HEIGHT	14.95	14.95	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
CLA-TUC-044M	12/19/2017 2:24:00 PM	GAGE HEIGHT	3.9	3.9	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
PIN-TUC-039M	12/19/2017 2:47:00 PM	GAGE HEIGHT	18.9	18.9	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
ADA-VIC-023M	12/21/2017 1:26:00 PM	GAGE HEIGHT	37.65	37.65	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
MOU-SHC-069M	12/21/2017 3:05:00 PM	GAGE HEIGHT	12	12	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
VES-CAR-074T	1/2/2018 10:43:00 AM	GAGE HEIGHT	12.85	12.85	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-085M	1/2/2018 11:48:00 AM	GAGE HEIGHT	1.05	1.05	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
IRO-CAR-057M	1/2/2018 12:27:00 PM	GAGE HEIGHT	47.85	47.85	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
LEE-CAR-053M	1/2/2018 1:18:00 PM	GAGE HEIGHT	1.76	1.76	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
TRU-CAR-050M	1/3/2018 3:05:00 PM	GAGE HEIGHT	2.06	2.06	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
CLA-CAR-046M	1/4/2018 12:22:00 PM	GAGE HEIGHT	9.2	9.2	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
CLA-TUC-044M	1/4/2018 1:47:00 PM	GAGE HEIGHT	4.8	4.8	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
PIN-TUC-039M	1/4/2018 3:32:00 PM	GAGE HEIGHT	20	20	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
BRI-VAC-015M	1/5/2018 10:57:00 AM	GAGE HEIGHT	16.15	16.15	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
MOU-SHC-069M	1/5/2018 12:01:00 PM	GAGE HEIGHT	12.95	12.95	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
HUE-VAC-003M	1/5/2018 1:19:00 PM	GAGE HEIGHT	26.85	26.85	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
MOU-SHC-065M	1/5/2018 2:05:00 PM	GAGE HEIGHT	19	19	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
MOU-SHC-068T	3/6/2018 7:30:00 AM	HARDNESS	133	133	MG/L	WET	GRAB	1803-00074-001	EPA 200.7
HOM-SHC-071T	3/6/2018 8:00:00 AM	HARDNESS	163	163	MG/L	WET	GRAB	1803-00075-001	EPA 200.7
HOM-SHC-087M	3/6/2018 8:30:00 AM	HARDNESS	141	141	MG/L	WET	GRAB	1803-00076-001	EPA 200.7
VES-CAR-074T	3/29/2018 2:58:00 PM	HARDNESS	109	109	MG/L	WET	GRAB	1803-0447-001	EPA 200.7
TRU-CAR-048T	3/29/2018 3:20:00 PM	HARDNESS	112	112	MG/L	WET	GRAB	1803-0443-001	EPA 200.7
MOU-CAR-086T	3/29/2018 3:35:00 PM	HARDNESS	88	88	MG/L	WET	GRAB	1803-0448-001	EPA 200.7
TRU-CAR-051T	3/29/2018 3:45:00 PM	HARDNESS	168	168	MG/L	WET	GRAB	1803-0444-001	EPA 200.7
VES-CAR-085M	3/29/2018 4:32:00 PM	HARDNESS	72	72	MG/L	WET	GRAB	1803-0449-001	EPA 200.7
LEE-CAR-053M	3/29/2018 4:50:00 PM	HARDNESS	84	84	MG/L	WET	GRAB	1803-0445-001	EPA 200.7
IRO-CAR-057M	3/29/2018 5:03:00 PM	HARDNESS	67	67	MG/L	WET	GRAB	1803-0446-001	EPA 200.7
FAI-VAC-010T	9/5/2018 10:07:00 AM	HARDNESS	158	158	MG/L	WET	GRAB	1809-0051-001	EPA 200.7
BRI-VAC-018T	9/5/2018 10:29:00 AM	HARDNESS	216	216	MG/L	WET	GRAB	1809-0052-001	EPA 200.7
BRI-VAC-015M	9/5/2018 10:39:00 AM	HARDNESS	210	210	MG/L	WET	GRAB	1809-0053-001	EPA 200.7
HUE-VAC-003M	9/5/2018 11:02:00 AM	HARDNESS	195	195	MG/L	WET	GRAB	1809-0054-001	EPA 200.7
ADA-VIC-023M	9/5/2018 11:15:00 AM	HARDNESS	328	328	MG/L	WET	GRAB	1809-0050-001	EPA 200.7
HUE-VAC-014T	9/5/2018 11:22:00 AM	HARDNESS	226	226	MG/L	WET	GRAB	1809-0055-001	EPA 200.7
PLE-VAC-006T	9/5/2018 11:43:00 AM	HARDNESS	92	92	MG/L	WET	GRAB	1809-0056-001	EPA 200.7
MOU-SHC-065M	9/24/2018 6:18:00 PM	HARDNESS	30	30	MG/L	WET	GRAB	1809-00380-001	EPA 200.7
MOU-SHC-069M	9/24/2018 6:38:00 PM	HARDNESS	35	35	MG/L	WET	GRAB	1809-00381-001	EPA 200.7
HOM-SHC-072T	9/24/2018 7:01:00 PM	HARDNESS	54	54	MG/L	WET	GRAB	1809-00383-001	EPA 200.7
GAR-FMC-031T	9/24/2018 7:25:00 PM	HARDNESS	127	127	MG/L	WET	GRAB	1809-00379-001	EPA 200.7

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
TAR-FMC-036M	9/24/2018 7:50:00 PM	HARDNESS	104	104	MG/L	WET	GRAB	1809-00382-001	EPA 200.7
BRO-FMC-030T	9/24/2018 7:55:00 PM	HARDNESS	113	113	MG/L	WET	GRAB	1809-00377-001	EPA 200.7
BRO-FMC-029M	9/24/2018 8:15:00 PM	HARDNESS	150	150	MG/L	WET	GRAB	1809-00378-001	EPA 200.7
MOU-SHC-068T	3/6/2018 7:30:00 AM	MAGNESIUM, TOTAL	7.04	7.04	MG/L	WET	GRAB	1803-00074-001	EPA 200.7
HOM-SHC-071T	3/6/2018 8:00:00 AM	MAGNESIUM, TOTAL	9.55	9.55	MG/L	WET	GRAB	1803-00075-001	EPA 200.7
HOM-SHC-087M	3/6/2018 8:30:00 AM	MAGNESIUM, TOTAL	8.71	8.71	MG/L	WET	GRAB	1803-00076-001	EPA 200.7
VES-CAR-074T	3/29/2018 2:58:00 PM	MAGNESIUM, TOTAL	7.89	7.89	MG/L	WET	GRAB	1803-0447-001	EPA 200.7
TRU-CAR-048T	3/29/2018 3:20:00 PM	MAGNESIUM, TOTAL	3.42	3.42	MG/L	WET	GRAB	1803-0443-001	EPA 200.7
MOU-CAR-086T	3/29/2018 3:35:00 PM	MAGNESIUM, TOTAL	6.65	6.65	MG/L	WET	GRAB	1803-0448-001	EPA 200.7
TRU-CAR-051T	3/29/2018 3:45:00 PM	MAGNESIUM, TOTAL	5.39	5.39	MG/L	WET	GRAB	1803-0444-001	EPA 200.7
VES-CAR-085M	3/29/2018 4:32:00 PM	MAGNESIUM, TOTAL	5.99	5.99	MG/L	WET	GRAB	1803-0449-001	EPA 200.7
LEE-CAR-053M	3/29/2018 4:50:00 PM	MAGNESIUM, TOTAL	4.16	4.16	MG/L	WET	GRAB	1803-0445-001	EPA 200.7
IRO-CAR-057M	3/29/2018 5:03:00 PM	MAGNESIUM, TOTAL	6.36	6.36	MG/L	WET	GRAB	1803-0446-001	EPA 200.7
FAI-VAC-010T	9/5/2018 10:07:00 AM	MAGNESIUM, TOTAL	13.2	13.2	MG/L	WET	GRAB	1809-0051-001	EPA 200.7
BRI-VAC-018T	9/5/2018 10:29:00 AM	MAGNESIUM, TOTAL	20	20	MG/L	WET	GRAB	1809-0052-001	EPA 200.7
BRI-VAC-015M	9/5/2018 10:39:00 AM	MAGNESIUM, TOTAL	15.7	15.7	MG/L	WET	GRAB	1809-0053-001	EPA 200.7
HUE-VAC-003M	9/5/2018 11:02:00 AM	MAGNESIUM, TOTAL	16.8	16.8	MG/L	WET	GRAB	1809-0054-001	EPA 200.7
ADA-VIC-023M	9/5/2018 11:15:00 AM	MAGNESIUM, TOTAL	43.2	43.2	MG/L	WET	GRAB	1809-0050-001	EPA 200.7
HUE-VAC-014T	9/5/2018 11:22:00 AM	MAGNESIUM, TOTAL	14.1	14.1	MG/L	WET	GRAB	1809-0055-001	EPA 200.7
PLE-VAC-006T	9/5/2018 11:43:00 AM	MAGNESIUM, TOTAL	12.4	12.4	MG/L	WET	GRAB	1809-0056-001	EPA 200.7
MOU-SHC-065M	9/24/2018 6:18:00 PM	MAGNESIUM, TOTAL	1.65	1.65	MG/L	WET	GRAB	1809-00380-001	EPA 200.7
MOU-SHC-069M	9/24/2018 6:38:00 PM	MAGNESIUM, TOTAL	2.24	2.24	MG/L	WET	GRAB	1809-00381-001	EPA 200.7
HOM-SHC-072T	9/24/2018 7:01:00 PM	MAGNESIUM, TOTAL	3.24	3.24	MG/L	WET	GRAB	1809-00383-001	EPA 200.7
GAR-FMC-031T	9/24/2018 7:25:00 PM	MAGNESIUM, TOTAL	11.6	11.6	MG/L	WET	GRAB	1809-00379-001	EPA 200.7
TAR-FMC-036M	9/24/2018 7:50:00 PM	MAGNESIUM, TOTAL	11.2	11.2	MG/L	WET	GRAB	1809-00382-001	EPA 200.7
BRO-FMC-030T	9/24/2018 7:55:00 PM	MAGNESIUM, TOTAL	13.8	13.8	MG/L	WET	GRAB	1809-00377-001	EPA 200.7
BRO-FMC-029M	9/24/2018 8:15:00 PM	MAGNESIUM, TOTAL	15.5	15.5	MG/L	WET	GRAB	1809-00378-001	EPA 200.7
MOU-SHC-068T	3/6/2018 7:30:00 AM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1803-00074-001	EPA 350.2
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, AMMONIA	1.1	1.1	MG/L	WET	GRAB	1803-00075-001	EPA 350.2
HOM-SHC-087M	3/6/2018 8:30:00 AM	NITROGEN, AMMONIA	0.2	0.2	MG/L	WET	GRAB	1803-00076-001	EPA 350.2
VES-CAR-074T	3/29/2018 2:58:00 PM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1803-0447-001	EPA 350.2
TRU-CAR-048T	3/29/2018 3:20:00 PM	NITROGEN, AMMONIA	0.11	0.11	MG/L	WET	GRAB	1803-0443-001	EPA 350.2
MOU-CAR-086T	3/29/2018 3:35:00 PM	NITROGEN, AMMONIA	0.27	0.27	MG/L	WET	GRAB	1803-0448-001	EPA 350.2

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
TRU-CAR-051T	3/29/2018 3:45:00 PM	NITROGEN, AMMONIA	0.13	0.13	MG/L	WET	GRAB	1803-0444-001	EPA 350.2
VES-CAR-085M	3/29/2018 4:32:00 PM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1803-0449-001	EPA 350.2
LEE-CAR-053M	3/29/2018 4:50:00 PM	NITROGEN, AMMONIA	0.17	0.17	MG/L	WET	GRAB	1803-0445-001	EPA 350.2
IRO-CAR-057M	3/29/2018 5:03:00 PM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1803-0446-001	EPA 350.2
FAI-VAC-010T	9/5/2018 10:07:00 AM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1809-0051-001	EPA 350.2
BRI-VAC-018T	9/5/2018 10:29:00 AM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1809-0052-001	EPA 350.2
BRI-VAC-015M	9/5/2018 10:39:00 AM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1809-0053-001	EPA 350.2
HUE-VAC-003M	9/5/2018 11:02:00 AM	NITROGEN, AMMONIA	0.1	<0.10	MG/L	WET	GRAB	1809-0054-001	EPA 350.2
ADA-VIC-023M	9/5/2018 11:15:00 AM	NITROGEN, AMMONIA	0.1	<.01	MG/L	WET	GRAB	1809-0050-001	EPA 350.2
HUE-VAC-014T	9/5/2018 11:22:00 AM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1809-0055-001	EPA 350.2
PLE-VAC-006T	9/5/2018 11:43:00 AM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1809-0056-001	EPA 350.2
MOU-SHC-065M	9/24/2018 6:18:00 PM	NITROGEN, AMMONIA	0.46	0.46	MG/L	WET	GRAB	1809-00380-001	EPA 350.2
MOU-SHC-069M	9/24/2018 6:38:00 PM	NITROGEN, AMMONIA	0.85	0.85	MG/L	WET	GRAB	1809-00381-001	EPA 350.2
HOM-SHC-072T	9/24/2018 7:01:00 PM	NITROGEN, AMMONIA	0.41	0.41	MG/L	WET	GRAB	1809-00383-001	EPA 350.2
GAR-FMC-031T	9/24/2018 7:25:00 PM	NITROGEN, AMMONIA	0.35	0.35	MG/L	WET	GRAB	1809-00379-001	EPA 350.2
TAR-FMC-036M	9/24/2018 7:50:00 PM	NITROGEN, AMMONIA	0.21	0.21	MG/L	WET	GRAB	1809-00382-001	EPA 350.2
BRO-FMC-030T	9/24/2018 7:55:00 PM	NITROGEN, AMMONIA	0.29	0.29	MG/L	WET	GRAB	1809-00377-001	EPA 350.2
BRO-FMC-029M	9/24/2018 8:15:00 PM	NITROGEN, AMMONIA	0.48	0.48	MG/L	WET	GRAB	1809-00378-001	EPA 350.2
MOU-SHC-068T	3/6/2018 7:30:00 AM	NITROGEN, NITRATE	1	1	MG/L	WET	GRAB	1803-00074-001	EPA 300.0
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, NITRATE	0.69	0.69	MG/L	WET	GRAB	1803-00075-001	EPA 300.0
HOM-SHC-087M	3/6/2018 8:30:00 AM	NITROGEN, NITRATE	0.45	0.45	MG/L	WET	GRAB	1803-00076-001	EPA 300.0
VES-CAR-074T	3/29/2018 2:58:00 PM	NITROGEN, NITRATE	0.55	0.55	MG/L	WET	GRAB	1803-0447-001	EPA 300.0
TRU-CAR-048T	3/29/2018 3:20:00 PM	NITROGEN, NITRATE	0.29	0.29	MG/L	WET	GRAB	1803-0443-001	EPA 300.0
MOU-CAR-086T	3/29/2018 3:35:00 PM	NITROGEN, NITRATE	0.87	0.87	MG/L	WET	GRAB	1803-0448-001	EPA 300.0
TRU-CAR-051T	3/29/2018 3:45:00 PM	NITROGEN, NITRATE	0.35	0.35	MG/L	WET	GRAB	1803-0444-001	EPA 300.0
VES-CAR-085M	3/29/2018 4:32:00 PM	NITROGEN, NITRATE	0.26	0.26	MG/L	WET	GRAB	1803-0449-001	EPA 300.0
LEE-CAR-053M	3/29/2018 4:50:00 PM	NITROGEN, NITRATE	0.5	0.5	MG/L	WET	GRAB	1803-0445-001	EPA 300.0
IRO-CAR-057M	3/29/2018 5:03:00 PM	NITROGEN, NITRATE	0.22	0.22	MG/L	WET	GRAB	1803-0446-001	EPA 300.0
FAI-VAC-010T	9/5/2018 10:07:00 AM	NITROGEN, NITRATE	0.21	0.21	MG/L	WET	GRAB	1809-0051-001	EPA 300.0
BRI-VAC-018T	9/5/2018 10:29:00 AM	NITROGEN, NITRATE	0.3	0.3	MG/L	WET	GRAB	1809-0052-001	EPA 300.0
BRI-VAC-015M	9/5/2018 10:39:00 AM	NITROGEN, NITRATE	0.67	0.67	MG/L	WET	GRAB	1809-0053-001	EPA 300.0
HUE-VAC-003M	9/5/2018 11:02:00 AM	NITROGEN, NITRATE	0.88	0.88	MG/L	WET	GRAB	1809-0054-001	EPA 300.0
ADA-VIC-023M	9/5/2018 11:15:00 AM	NITROGEN, NITRATE	3.74	3.74	MG/L	WET	GRAB	1809-0050-001	EPA 300.0

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
HUE-VAC-014T	9/5/2018 11:22:00 AM	NITROGEN, NITRATE	0.16	0.16	MG/L	WET	GRAB	1809-0055-001	EPA 300.0
PLE-VAC-006T	9/5/2018 11:43:00 AM	NITROGEN, NITRATE	0.35	0.35	MG/L	WET	GRAB	1809-0056-001	EPA 300.0
MOU-SHC-065M	9/24/2018 6:18:00 PM	NITROGEN, NITRATE	0.3	0.3	MG/L	WET	GRAB	1809-00380-001	EPA 300.0
MOU-SHC-069M	9/24/2018 6:38:00 PM	NITROGEN, NITRATE	0.43	0.43	MG/L	WET	GRAB	1809-00381-001	EPA 300.0
HOM-SHC-072T	9/24/2018 7:01:00 PM	NITROGEN, NITRATE	0.38	0.38	MG/L	WET	GRAB	1809-00383-001	EPA 300.0
GAR-FMC-031T	9/24/2018 7:25:00 PM	NITROGEN, NITRATE	0.21	0.21	MG/L	WET	GRAB	1809-00379-001	EPA 300.0
TAR-FMC-036M	9/24/2018 7:50:00 PM	NITROGEN, NITRATE	0.58	0.58	MG/L	WET	GRAB	1809-00382-001	EPA 300.0
BRO-FMC-030T	9/24/2018 7:55:00 PM	NITROGEN, NITRATE	0.67	0.67	MG/L	WET	GRAB	1809-00377-001	EPA 300.0
BRO-FMC-029M	9/24/2018 8:15:00 PM	NITROGEN, NITRATE	4.47	4.47	MG/L	WET	GRAB	1809-00378-001	EPA 300.0
MOU-SHC-068T	3/6/2018 7:30:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-00074-001	EPA 300.0
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-00075-001	EPA 300.0
HOM-SHC-087M	3/6/2018 8:30:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-00076-001	EPA 300.0
VES-CAR-074T	3/29/2018 2:58:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-0447-001	EPA 300.0
TRU-CAR-048T	3/29/2018 3:20:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-0443-001	EPA 300.0
MOU-CAR-086T	3/29/2018 3:35:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-0448-001	EPA 300.0
TRU-CAR-051T	3/29/2018 3:45:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-0444-001	EPA 300.0
VES-CAR-085M	3/29/2018 4:32:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-0449-001	EPA 300.0
LEE-CAR-053M	3/29/2018 4:50:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-0445-001	EPA 300.0
IRO-CAR-057M	3/29/2018 5:03:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-0446-001	EPA 300.0
FAI-VAC-010T	9/5/2018 10:07:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-0051-001	EPA 300.0
BRI-VAC-018T	9/5/2018 10:29:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-0052-001	EPA 300.0
BRI-VAC-015M	9/5/2018 10:39:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-0053-001	EPA 300.0
HUE-VAC-003M	9/5/2018 11:02:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-0054-001	EPA 300.0
ADA-VIC-023M	9/5/2018 11:15:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-0050-001	EPA 300.0
HUE-VAC-014T	9/5/2018 11:22:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-0055-001	EPA 300.0
PLE-VAC-006T	9/5/2018 11:43:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-0056-001	EPA 300.0
MOU-SHC-065M	9/24/2018 6:18:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-00380-001	EPA 300.0
MOU-SHC-069M	9/24/2018 6:38:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-00381-001	EPA 300.0
HOM-SHC-072T	9/24/2018 7:01:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-00383-001	EPA 300.0
GAR-FMC-031T	9/24/2018 7:25:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-00379-001	EPA 300.0
TAR-FMC-036M	9/24/2018 7:50:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-00382-001	EPA 300.0
BRO-FMC-030T	9/24/2018 7:55:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-00377-001	EPA 300.0
BRO-FMC-029M	9/24/2018 8:15:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-00378-001	EPA 300.0

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
MOU-SHC-068T	3/6/2018 7:30:00 AM	NITROGEN, TOTAL KJELDAHL	1.2	1.2	MG/L	WET	GRAB	1803-00074-001	EPA 351.2
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, TOTAL KJELDAHL	3.5	3.5	MG/L	WET	GRAB	1803-00075-001	EPA 351.2
HOM-SHC-087M	3/6/2018 8:30:00 AM	NITROGEN, TOTAL KJELDAHL	2.8	2.8	MG/L	WET	GRAB	1803-00076-001	EPA 351.2
VES-CAR-074T	3/29/2018 2:58:00 PM	NITROGEN, TOTAL KJELDAHL	0.56	0.56	MG/L	WET	GRAB	1803-0447-001	EPA 351.2
TRU-CAR-048T	3/29/2018 3:20:00 PM	NITROGEN, TOTAL KJELDAHL	1	1	MG/L	WET	GRAB	1803-0443-001	EPA 351.2
MOU-CAR-086T	3/29/2018 3:35:00 PM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1803-0448-001	EPA 351.2
TRU-CAR-051T	3/29/2018 3:45:00 PM	NITROGEN, TOTAL KJELDAHL	1.7	1.7	MG/L	WET	GRAB	1803-0444-001	EPA 351.2
VES-CAR-085M	3/29/2018 4:32:00 PM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1803-0449-001	EPA 351.2
LEE-CAR-053M	3/29/2018 4:50:00 PM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1803-0445-001	EPA 351.2
IRO-CAR-057M	3/29/2018 5:03:00 PM	NITROGEN, TOTAL KJELDAHL	1.1	1.1	MG/L	WET	GRAB	1803-0446-001	EPA 351.2
FAI-VAC-010T	9/5/2018 10:07:00 AM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-0051-001	EPA 351.2
BRI-VAC-018T	9/5/2018 10:29:00 AM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-0052-001	EPA 351.2
BRI-VAC-015M	9/5/2018 10:39:00 AM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-0053-001	EPA 351.2
HUE-VAC-003M	9/5/2018 11:02:00 AM	NITROGEN, TOTAL KJELDAHL	0.81	0.81	MG/L	WET	GRAB	1809-0054-001	EPA 351.2
ADA-VIC-023M	9/5/2018 11:15:00 AM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-0050-001	EPA 351.2
HUE-VAC-014T	9/5/2018 11:22:00 AM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-0055-001	EPA 351.2
PLE-VAC-006T	9/5/2018 11:43:00 AM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-0056-001	EPA 351.2
MOU-SHC-065M	9/24/2018 6:18:00 PM	NITROGEN, TOTAL KJELDAHL	1	1	MG/L	WET	GRAB	1809-00380-001	EPA 351.2
MOU-SHC-069M	9/24/2018 6:38:00 PM	NITROGEN, TOTAL KJELDAHL	1.1	1.1	MG/L	WET	GRAB	1809-00381-001	EPA 351.2
HOM-SHC-072T	9/24/2018 7:01:00 PM	NITROGEN, TOTAL KJELDAHL	0.84	0.84	MG/L	WET	GRAB	1809-00383-001	EPA 351.2
GAR-FMC-031T	9/24/2018 7:25:00 PM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-00379-001	EPA 351.2
TAR-FMC-036M	9/24/2018 7:50:00 PM	NITROGEN, TOTAL KJELDAHL	0.66	0.66	MG/L	WET	GRAB	1809-00382-001	EPA 351.2

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
BRO-FMC-030T	9/24/2018 7:55:00 PM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-00377-001	EPA 351.2
BRO-FMC-029M	9/24/2018 8:15:00 PM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-00378-001	EPA 351.2
MOU-SHC-068T	3/6/2018 7:30:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-00074-001	1664
HOM-SHC-071T	3/6/2018 8:00:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-00075-001	1664
HOM-SHC-087M	3/6/2018 8:30:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-00076-001	1664
VES-CAR-074T	3/29/2018 2:58:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-0447-001	1664
TRU-CAR-048T	3/29/2018 3:20:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-0443-001	1664
MOU-CAR-086T	3/29/2018 3:35:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-0448-001	1664
TRU-CAR-051T	3/29/2018 3:45:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-0444-001	1664
VES-CAR-085M	3/29/2018 4:32:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-0449-001	1664
LEE-CAR-053M	3/29/2018 4:50:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-0445-001	1664
IRO-CAR-057M	3/29/2018 5:03:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-0446-001	1664
FAI-VAC-010T	9/5/2018 10:07:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-0051-001	1664
BRI-VAC-018T	9/5/2018 10:29:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-0052-001	1664
BRI-VAC-015M	9/5/2018 10:39:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-0053-001	1664
HUE-VAC-003M	9/5/2018 11:02:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-0054-001	1664
ADA-VIC-023M	9/5/2018 11:15:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-0050-001	1664
HUE-VAC-014T	9/5/2018 11:22:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-0055-001	1664
PLE-VAC-006T	9/5/2018 11:43:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-0056-001	1664
MOU-SHC-065M	9/24/2018 6:18:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-00380-001	1664
MOU-SHC-069M	9/24/2018 6:38:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-00381-001	1664
HOM-SHC-072T	9/24/2018 7:01:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-00383-001	1664
GAR-FMC-031T	9/24/2018 7:25:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-00379-001	1664
TAR-FMC-036M	9/24/2018 7:50:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-00382-001	1664
BRO-FMC-030T	9/24/2018 7:55:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-00377-001	1664
BRO-FMC-029M	9/24/2018 8:15:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-00378-001	1664
VES-CAR-074T	10/10/2017 10:45:00 AM	PH	7.66	7.66	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-077T	10/10/2017 11:05:00 AM	PH	7.56	7.56	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-076T	10/10/2017 11:32:00 AM	PH	7.75	7.75	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/10/2017 12:31:59 PM	PH	7.92	7.92	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/10/2017 12:31:59 PM	PH	7.92	7.92	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/10/2017 12:31:59 PM	PH	7.92	7.92	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
FAI-VAC-009T	10/11/2017 11:10:00 AM	PH	7.8	7.8	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-013T	10/11/2017 12:01:00 PM	PH	7.53	7.53	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-004M	10/11/2017 12:25:00 PM	PH	7.88	7.88	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-005M	10/11/2017 1:21:00 PM	PH	8.16	8.16	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
MUL-VIC-028M	10/12/2017 11:27:00 AM	PH	7.58	7.58	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
BRI-VAC-015M	10/31/2017 2:09:00 PM	PH	7.92	7.92	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	11/1/2017 11:13:59 AM	PH	7.88	7.88	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	11/1/2017 11:13:59 AM	PH	7.88	7.88	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	11/1/2017 11:13:59 AM	PH	7.88	7.88	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-030T	11/3/2017 11:34:00 AM	PH	7.35	7.35	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
GRA-FMC-082M	11/3/2017 12:02:00 PM	PH	7.73	7.73	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-CAR-046M	11/6/2017 10:37:00 AM	PH	7.52	7.52	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-055M	11/6/2017 12:31:00 PM	PH	7.61	7.61	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-057M	11/6/2017 1:25:00 PM	PH	7.62	7.62	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-SHC-062M	11/7/2017 10:24:00 AM	PH	7.84	7.84	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-TUC-044M	11/7/2017 12:25:00 PM	PH	7.58	7.58	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HOM-SHC-073M	11/7/2017 12:41:00 PM	PH	7.74	7.74	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
LEE-CAR-053M	12/15/2017 2:10:00 PM	PH	7.56	7.56	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
PIN-TUC-039M	12/19/2017 2:47:00 PM	PH	7.83	7.83	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-069M	1/5/2018 12:01:00 PM	PH	7.61	7.61	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-065M	1/5/2018 2:05:00 PM	PH	7.84	7.84	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-068T	3/6/2018 7:30:00 AM	PH	7.69	7.69	SU	WET	GRAB	1803-00074-001	EPA 150.1
HOM-SHC-071T	3/6/2018 8:00:00 AM	PH	7.54	7.54	SU	WET	GRAB	1803-00075-001	EPA 150.1
HOM-SHC-087M	3/6/2018 8:30:00 AM	PH	7.7	7.7	SU	WET	GRAB	1803-00076-001	EPA 150.1
VES-CAR-074T	3/29/2018 2:58:00 PM	PH	6.23	6.23	SU	WET	GRAB	1803-0447-001	EPA 150.1
TRU-CAR-048T	3/29/2018 3:20:00 PM	PH	7.54	7.54	SU	WET	GRAB	1803-0443-001	EPA 150.1
MOU-CAR-086T	3/29/2018 3:35:00 PM	PH	6.87	6.87	SU	WET	GRAB	1803-0448-001	EPA 150.1
TRU-CAR-051T	3/29/2018 3:45:00 PM	PH	7.81	7.81	SU	WET	GRAB	1803-0444-001	EPA 150.1
VES-CAR-085M	3/29/2018 4:32:00 PM	PH	7.33	7.33	SU	WET	GRAB	1803-0449-001	EPA 150.1
LEE-CAR-053M	3/29/2018 4:50:00 PM	PH	7.88	7.88	SU	WET	GRAB	1803-0445-001	EPA 150.1
IRO-CAR-057M	3/29/2018 5:03:00 PM	PH	7.38	7.38	SU	WET	GRAB	1803-0446-001	EPA 150.1
FAI-VAC-010T	9/5/2018 10:07:00 AM	PH	7.4	7.4	SU	WET	GRAB	1809-0051-001	EPA 150.1
BRI-VAC-018T	9/5/2018 10:29:00 AM	PH	7.3	7.3	SU	WET	GRAB	1809-0052-001	EPA 150.1

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
BRI-VAC-015M	9/5/2018 10:39:00 AM	PH	7.39	7.39	SU	WET	GRAB	1809-0053-001	EPA 150.1
HUE-VAC-003M	9/5/2018 11:02:00 AM	PH	7.39	7.39	SU	WET	GRAB	1809-0054-001	EPA 150.1
ADA-VIC-023M	9/5/2018 11:15:00 AM	PH	7.3	7.3	SU	WET	GRAB	1809-0050-001	EPA 150.1
HUE-VAC-014T	9/5/2018 11:22:00 AM	PH	7.55	7.55	SU	WET	GRAB	1809-0055-001	EPA 150.1
PLE-VAC-006T	9/5/2018 11:43:00 AM	PH	7.48	7.48	SU	WET	GRAB	1809-0056-001	EPA 150.1
MOU-SHC-065M	9/24/2018 6:18:00 PM	PH	8.3	8.3	SU	WET	GRAB	1809-00380-001	EPA 150.1
MOU-SHC-069M	9/24/2018 6:38:00 PM	PH	8.05	8.05	SU	WET	GRAB	1809-00381-001	EPA 150.1
HOM-SHC-072T	9/24/2018 7:01:00 PM	PH	7.56	7.56	SU	WET	GRAB	1809-00383-001	EPA 150.1
GAR-FMC-031T	9/24/2018 7:25:00 PM	PH	7.63	7.63	SU	WET	GRAB	1809-00379-001	EPA 150.1
TAR-FMC-036M	9/24/2018 7:50:00 PM	PH	7.39	7.39	SU	WET	GRAB	1809-00382-001	EPA 150.1
BRO-FMC-030T	9/24/2018 7:55:00 PM	PH	7.05	7.05	SU	WET	GRAB	1809-00377-001	EPA 150.1
BRO-FMC-029M	9/24/2018 8:15:00 PM	PH	7.14	7.14	SU	WET	GRAB	1809-00378-001	EPA 150.1
MOU-SHC-068T	3/6/2018 7:30:00 AM	PHOSPHATE AS P	0.41	0.41	MG/L	WET	GRAB	1803-00074-001	EPA 365.2
HOM-SHC-071T	3/6/2018 8:00:00 AM	PHOSPHATE AS P	0.72	0.72	MG/L	WET	GRAB	1803-00075-001	EPA 365.2
HOM-SHC-087M	3/6/2018 8:30:00 AM	PHOSPHATE AS P	0.77	0.77	MG/L	WET	GRAB	1803-00076-001	EPA 365.2
VES-CAR-074T	3/29/2018 2:58:00 PM	PHOSPHATE AS P	0.1	0.1	MG/L	WET	GRAB	1803-0447-001	EPA 365.2
TRU-CAR-048T	3/29/2018 3:20:00 PM	PHOSPHATE AS P	0.13	0.13	MG/L	WET	GRAB	1803-0443-001	EPA 365.2
MOU-CAR-086T	3/29/2018 3:35:00 PM	PHOSPHATE AS P	0.05	0.05	MG/L	WET	GRAB	1803-0448-001	EPA 365.2
TRU-CAR-051T	3/29/2018 3:45:00 PM	PHOSPHATE AS P	0.31	0.31	MG/L	WET	GRAB	1803-0444-001	EPA 365.2
VES-CAR-085M	3/29/2018 4:32:00 PM	PHOSPHATE AS P	0.04	0.04	MG/L	WET	GRAB	1803-0449-001	EPA 365.2
LEE-CAR-053M	3/29/2018 4:50:00 PM	PHOSPHATE AS P	0.05	0.05	MG/L	WET	GRAB	1803-0445-001	EPA 365.2
IRO-CAR-057M	3/29/2018 5:03:00 PM	PHOSPHATE AS P	0.33	0.33	MG/L	WET	GRAB	1803-0446-001	EPA 365.2
FAI-VAC-010T	9/5/2018 10:07:00 AM	PHOSPHATE AS P	0.38	0.38	MG/L	WET	GRAB	1809-0051-001	EPA 365.2
BRI-VAC-018T	9/5/2018 10:29:00 AM	PHOSPHATE AS P	0.24	0.24	MG/L	WET	GRAB	1809-0052-001	EPA 365.2
BRI-VAC-015M	9/5/2018 10:39:00 AM	PHOSPHATE AS P	0.18	0.18	MG/L	WET	GRAB	1809-0053-001	EPA 365.2
HUE-VAC-003M	9/5/2018 11:02:00 AM	PHOSPHATE AS P	1.3	1.3	MG/L	WET	GRAB	1809-0054-001	EPA 365.2
ADA-VIC-023M	9/5/2018 11:15:00 AM	PHOSPHATE AS P	0.25	0.25	MG/L	WET	GRAB	1809-0050-001	EPA 365.2
HUE-VAC-014T	9/5/2018 11:22:00 AM	PHOSPHATE AS P	0.35	0.35	MG/L	WET	GRAB	1809-0055-001	EPA 365.2
PLE-VAC-006T	9/5/2018 11:43:00 AM	PHOSPHATE AS P	0.18	0.18	MG/L	WET	GRAB	1809-0056-001	EPA 365.2
MOU-SHC-065M	9/24/2018 6:18:00 PM	PHOSPHATE AS P	0.28	0.28	MG/L	WET	GRAB	1809-00380-001	EPA 365.2
MOU-SHC-069M	9/24/2018 6:38:00 PM	PHOSPHATE AS P	0.36	0.36	MG/L	WET	GRAB	1809-00381-001	EPA 365.2
HOM-SHC-072T	9/24/2018 7:01:00 PM	PHOSPHATE AS P	0.28	0.28	MG/L	WET	GRAB	1809-00383-001	EPA 365.2
GAR-FMC-031T	9/24/2018 7:25:00 PM	PHOSPHATE AS P	0.03	0.03	MG/L	WET	GRAB	1809-00379-001	EPA 365.2

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
TAR-FMC-036M	9/24/2018 7:50:00 PM	PHOSPHATE AS P	0.15	0.15	MG/L	WET	GRAB	1809-00382-001	EPA 365.2
BRO-FMC-030T	9/24/2018 7:55:00 PM	PHOSPHATE AS P	0.1	0.1	MG/L	WET	GRAB	1809-00377-001	EPA 365.2
BRO-FMC-029M	9/24/2018 8:15:00 PM	PHOSPHATE AS P	0.55	0.55	MG/L	WET	GRAB	1809-00378-001	EPA 365.2
VES-CAR-074T	10/10/2017 10:45:00 AM	SPECIFIC CONDUCTANCE	285.4	285.4	µS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-077T	10/10/2017 11:05:00 AM	SPECIFIC CONDUCTANCE	274.4	274.4	µS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-076T	10/10/2017 11:32:00 AM	SPECIFIC CONDUCTANCE	312.1	312.1	µS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
FAI-VAC-009T	10/11/2017 11:10:00 AM	SPECIFIC CONDUCTANCE	853.1	853.1	µS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-013T	10/11/2017 12:01:00 PM	SPECIFIC CONDUCTANCE	415.2	415.2	µS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-004M	10/11/2017 12:25:00 PM	SPECIFIC CONDUCTANCE	448.6	448.6	µS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/11/2017 12:31:59 PM	SPECIFIC CONDUCTANCE	464.2	464.2	µS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/11/2017 12:31:59 PM	SPECIFIC CONDUCTANCE	464.2	464.2	µS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/11/2017 12:31:59 PM	SPECIFIC CONDUCTANCE	464.2	464.2	µS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-005M	10/11/2017 1:21:00 PM	SPECIFIC CONDUCTANCE	428.9	428.9	µS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
MUL-VIC-028M	10/12/2017 11:27:00 AM	SPECIFIC CONDUCTANCE	458.3	458.3	µS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
BRI-VAC-015M	11/1/2017 2:09:00 PM	SPECIFIC CONDUCTANCE	447.1	447.1	µS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	11/2/2017 11:13:59 AM	SPECIFIC CONDUCTANCE	340.8	340.8	µS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	11/2/2017 11:13:59 AM	SPECIFIC CONDUCTANCE	340.8	340.8	µS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	11/2/2017 11:13:59 AM	SPECIFIC CONDUCTANCE	340.8	340.8	µS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-030T	11/3/2017 11:34:00 AM	SPECIFIC CONDUCTANCE	189.5	189.5	µS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
GRA-FMC-082M	11/3/2017 12:02:00 PM	SPECIFIC CONDUCTANCE	315.6	315.6	µS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-CAR-046M	11/6/2017 10:37:00 AM	SPECIFIC CONDUCTANCE	195.8	195.8	µS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-055M	11/6/2017 12:31:00 PM	SPECIFIC CONDUCTANCE	139.2	139.2	µS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-057M	11/6/2017 1:25:00 PM	SPECIFIC CONDUCTANCE	143.9	143.9	µS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
IRO-SHC-062M	11/7/2017 10:24:00 AM	SPECIFIC CONDUCTANCE	290.3	290.3	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-TUC-044M	11/7/2017 12:25:00 PM	SPECIFIC CONDUCTANCE	235.6	235.6	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HOM-SHC-073M	11/7/2017 12:41:00 PM	SPECIFIC CONDUCTANCE	321.3	321.3	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
LEE-CAR-053M	12/15/2017 2:10:00 PM	SPECIFIC CONDUCTANCE	182.9	182.9	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
PIN-TUC-039M	12/19/2017 2:47:00 PM	SPECIFIC CONDUCTANCE	298.7	298.7	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-069M	1/5/2018 12:01:00 PM	SPECIFIC CONDUCTANCE	298.5	298.5	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-065M	1/5/2018 2:05:00 PM	SPECIFIC CONDUCTANCE	301.1	301.1	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-068T	3/6/2018 7:30:00 AM	SPECIFIC CONDUCTANCE	300	300	UMHOS	WET	GRAB	1803-00074-001	EPA 120.1
HOM-SHC-071T	3/6/2018 8:00:00 AM	SPECIFIC CONDUCTANCE	350	350	UMHOS	WET	GRAB	1803-00075-001	EPA 120.1
HOM-SHC-087M	3/6/2018 8:30:00 AM	SPECIFIC CONDUCTANCE	280	280	UMHOS	WET	GRAB	1803-00076-001	EPA 120.1
VES-CAR-074T	3/29/2018 2:58:00 PM	SPECIFIC CONDUCTANCE	236.7	236.7	μS/CM	WET	GRAB	1803-0447-001	EPA 150.1
TRU-CAR-048T	3/29/2018 3:20:00 PM	SPECIFIC CONDUCTANCE	210	210	UMHOS	WET	GRAB	1803-0443-001	EPA 120.1
MOU-CAR-086T	3/29/2018 3:35:00 PM	SPECIFIC CONDUCTANCE	220	220	UMHOS	WET	GRAB	1803-0448-001	EPA 120.1
TRU-CAR-051T	3/29/2018 3:45:00 PM	SPECIFIC CONDUCTANCE	146.9	146.9	μS/CM	WET	GRAB	1803-0444-001	EPA 150.1
VES-CAR-085M	3/29/2018 4:32:00 PM	SPECIFIC CONDUCTANCE	168.4	168.4	μS/CM	WET	GRAB	1803-0449-001	EPA 150.1
LEE-CAR-053M	3/29/2018 4:50:00 PM	SPECIFIC CONDUCTANCE	170	170	UMHOS	WET	GRAB	1803-0445-001	EPA 120.1
IRO-CAR-057M	3/29/2018 5:03:00 PM	SPECIFIC CONDUCTANCE	140	140	UMHOS	WET	GRAB	1803-0446-001	EPA 120.1
FAI-VAC-010T	9/5/2018 10:07:00 AM	SPECIFIC CONDUCTANCE	300	300	UMHOS	WET	GRAB	1809-0051-001	EPA 120.1
BRI-VAC-018T	9/5/2018 10:29:00 AM	SPECIFIC CONDUCTANCE	410	410	UMHOS	WET	GRAB	1809-0052-001	EPA 120.1
BRI-VAC-015M	9/5/2018 10:39:00 AM	SPECIFIC CONDUCTANCE	430	430	UMHOS	WET	GRAB	1809-0053-001	EPA 120.1
HUE-VAC-003M	9/5/2018 11:02:00 AM	SPECIFIC CONDUCTANCE	460	460	UMHOS	WET	GRAB	1809-0054-001	EPA 120.1
ADA-VIC-023M	9/5/2018 11:15:00 AM	SPECIFIC CONDUCTANCE	730	730	UMHOS	WET	GRAB	1809-0050-001	EPA 120.1

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
HUE-VAC-014T	9/5/2018 11:22:00 AM	SPECIFIC CONDUCTANCE	420	420	UMHOS	WET	GRAB	1809-0055-001	EPA 120.1
PLE-VAC-006T	9/5/2018 11:43:00 AM	SPECIFIC CONDUCTANCE	1050	1050	UMHOS	WET	GRAB	1809-0056-001	EPA 120.1
MOU-SHC-065M	9/24/2018 6:18:00 PM	SPECIFIC CONDUCTANCE	80	80	UMHOS	WET	GRAB	1809-00380-001	EPA 120.1
MOU-SHC-069M	9/24/2018 6:38:00 PM	SPECIFIC CONDUCTANCE	90	90	UMHOS	WET	GRAB	1809-00381-001	EPA 120.1
HOM-SHC-072T	9/24/2018 7:01:00 PM	SPECIFIC CONDUCTANCE	110	110	UMHOS	WET	GRAB	1809-00383-001	EPA 120.1
GAR-FMC-031T	9/24/2018 7:25:00 PM	SPECIFIC CONDUCTANCE	270	270	UMHOS	WET	GRAB	1809-00379-001	EPA 120.1
TAR-FMC-036M	9/24/2018 7:50:00 PM	SPECIFIC CONDUCTANCE	250	250	UMHOS	WET	GRAB	1809-00382-001	EPA 120.1
BRO-FMC-030T	9/24/2018 7:55:00 PM	SPECIFIC CONDUCTANCE	260	260	UMHOS	WET	GRAB	1809-00377-001	EPA 120.1
BRO-FMC-029M	9/24/2018 8:15:00 PM	SPECIFIC CONDUCTANCE	520	520	UMHOS	WET	GRAB	1809-00378-001	EPA 120.1
ADA-VIC-023M	10/8/2017 12:31:59 PM	TEMPERATURE	25.92	25.92	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/8/2017 12:31:59 PM	TEMPERATURE	25.92	25.92	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/8/2017 12:31:59 PM	TEMPERATURE	25.92	25.92	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-074T	10/10/2017 10:45:00 AM	TEMPERATURE	24.42	24.42	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-077T	10/10/2017 11:05:00 AM	TEMPERATURE	24.65	24.65	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-076T	10/10/2017 11:32:00 AM	TEMPERATURE	25.18	25.18	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
FAI-VAC-009T	10/11/2017 11:10:00 AM	TEMPERATURE	24.68	24.68	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-013T	10/11/2017 12:01:00 PM	TEMPERATURE	27.03	27.03	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-004M	10/11/2017 12:25:00 PM	TEMPERATURE	28.27	28.27	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-005M	10/11/2017 1:21:00 PM	TEMPERATURE	26.92	26.92	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
MUL-VIC-028M	10/12/2017 11:27:00 AM	TEMPERATURE	21.78	21.78	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
BRI-VAC-015M	10/29/2017 2:09:00 PM	TEMPERATURE	26.48	26.48	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	10/30/2017 11:13:59 AM	TEMPERATURE	25.24	25.24	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	10/30/2017 11:13:59 AM	TEMPERATURE	25.24	25.24	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	10/30/2017 11:13:59 AM	TEMPERATURE	25.24	25.24	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-030T	11/3/2017 11:34:00 AM	TEMPERATURE	27.29	27.29	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
GRA-FMC-082M	11/3/2017 12:02:00 PM	TEMPERATURE	28.31	28.31	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-CAR-046M	11/6/2017 10:37:00 AM	TEMPERATURE	24.74	24.74	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-055M	11/6/2017 12:31:00 PM	TEMPERATURE	27.08	27.08	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-057M	11/6/2017 1:25:00 PM	TEMPERATURE	26.65	26.65	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
IRO-SHC-062M	11/7/2017 10:24:00 AM	TEMPERATURE	25.33	25.33	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-TUC-044M	11/7/2017 12:25:00 PM	TEMPERATURE	27.45	27.45	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HOM-SHC-073M	11/7/2017 12:41:00 PM	TEMPERATURE	25.7	25.7	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
LEE-CAR-053M	12/15/2017 2:10:00 PM	TEMPERATURE	25.2	25.2	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
PIN-TUC-039M	12/19/2017 2:47:00 PM	TEMPERATURE	22.62	22.62	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-069M	1/5/2018 12:01:00 PM	TEMPERATURE	25.52	25.52	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-065M	1/5/2018 2:05:00 PM	TEMPERATURE	25.55	25.55	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-074T	3/29/2018 2:58:00 PM	TEMPERATURE	18.63	18.63	CELSIUS	WET	GRAB	1803-0447-001	EPA 150.1
TRU-CAR-048T	3/29/2018 3:20:00 PM	TEMPERATURE	17.77	17.77	CELSIUS	WET	GRAB	1803-0443-001	EPA 150.1
TRU-CAR-051T	3/29/2018 3:45:00 PM	TEMPERATURE	17.21	17.21	CELSIUS	WET	GRAB	1803-0444-001	EPA 150.1
VES-CAR-085M	3/29/2018 4:32:00 PM	TEMPERATURE	18.15	18.15	CELSIUS	WET	GRAB	1803-0449-001	EPA 150.1
LEE-CAR-053M	3/29/2018 4:50:00 PM	TEMPERATURE	17.48	17.48	CELSIUS	WET	GRAB	1803-0445-003	5210B
IRO-CAR-057M	3/29/2018 5:03:00 PM	TEMPERATURE	17.54	17.54	CELSIUS	WET	GRAB	1803-0446-001	EPA 150.1
MOU-SHC-068T	3/6/2018 7:30:00 AM	TOTAL DISSOLVED SOLIDS	176	176	MG/L	WET	GRAB	1803-00074-001	2540C
HOM-SHC-071T	3/6/2018 8:00:00 AM	TOTAL DISSOLVED SOLIDS	186	186	MG/L	WET	GRAB	1803-00075-001	2540C
HOM-SHC-087M	3/6/2018 8:30:00 AM	TOTAL DISSOLVED SOLIDS	154	154	MG/L	WET	GRAB	1803-00076-001	2540C
VES-CAR-074T	3/29/2018 2:58:00 PM	TOTAL DISSOLVED SOLIDS	160	160	MG/L	WET	GRAB	1803-0447-001	2540C
TRU-CAR-048T	3/29/2018 3:20:00 PM	TOTAL DISSOLVED SOLIDS	160	160	MG/L	WET	GRAB	1803-0443-001	2540C
MOU-CAR-086T	3/29/2018 3:35:00 PM	TOTAL DISSOLVED SOLIDS	128	128	MG/L	WET	GRAB	1803-0448-001	2540C
TRU-CAR-051T	3/29/2018 3:45:00 PM	TOTAL DISSOLVED SOLIDS	156	156	MG/L	WET	GRAB	1803-0444-001	2540C
VES-CAR-085M	3/29/2018 4:32:00 PM	TOTAL DISSOLVED SOLIDS	108	108	MG/L	WET	GRAB	1803-0449-001	2540C
LEE-CAR-053M	3/29/2018 4:50:00 PM	TOTAL DISSOLVED SOLIDS	104	104	MG/L	WET	GRAB	1803-0445-001	2540C
IRO-CAR-057M	3/29/2018 5:03:00 PM	TOTAL DISSOLVED SOLIDS	100	100	MG/L	WET	GRAB	1803-0446-001	2540C
FAI-VAC-010T	9/5/2018 10:07:00 AM	TOTAL DISSOLVED SOLIDS	178	178	MG/L	WET	GRAB	1809-0051-001	2540C
BRI-VAC-018T	9/5/2018 10:29:00 AM	TOTAL DISSOLVED SOLIDS	232	232	MG/L	WET	GRAB	1809-0052-001	2540C
BRI-VAC-015M	9/5/2018 10:39:00 AM	TOTAL DISSOLVED SOLIDS	258	258	MG/L	WET	GRAB	1809-0053-001	2540C

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
HUE-VAC-003M	9/5/2018 11:02:00 AM	TOTAL DISSOLVED SOLIDS	316	316	MG/L	WET	GRAB	1809-0054-001	2540C
ADA-VIC-023M	9/5/2018 11:15:00 AM	TOTAL DISSOLVED SOLIDS	678	678	MG/L	WET	GRAB	1809-0050-001	2540C
HUE-VAC-014T	9/5/2018 11:22:00 AM	TOTAL DISSOLVED SOLIDS	248	248	MG/L	WET	GRAB	1809-0055-001	2540C
PLE-VAC-006T	9/5/2018 11:43:00 AM	TOTAL DISSOLVED SOLIDS	768	768	MG/L	WET	GRAB	1809-0056-001	2540C
MOU-SHC-065M	9/24/2018 6:18:00 PM	TOTAL DISSOLVED SOLIDS	70	70	MG/L	WET	GRAB	1809-00380-001	2540C
MOU-SHC-069M	9/24/2018 6:38:00 PM	TOTAL DISSOLVED SOLIDS	78	78	MG/L	WET	GRAB	1809-00381-001	2540C
HOM-SHC-072T	9/24/2018 7:01:00 PM	TOTAL DISSOLVED SOLIDS	112	112	MG/L	WET	GRAB	1809-00383-001	2540C
GAR-FMC-031T	9/24/2018 7:25:00 PM	TOTAL DISSOLVED SOLIDS	212	212	MG/L	WET	GRAB	1809-00379-001	2540C
TAR-FMC-036M	9/24/2018 7:50:00 PM	TOTAL DISSOLVED SOLIDS	182	182	MG/L	WET	GRAB	1809-00382-001	2540C
BRO-FMC-030T	9/24/2018 7:55:00 PM	TOTAL DISSOLVED SOLIDS	230	230	MG/L	WET	GRAB	1809-00377-001	2540C
BRO-FMC-029M	9/24/2018 8:15:00 PM	TOTAL DISSOLVED SOLIDS	410	410	MG/L	WET	GRAB	1809-00378-001	2540C
MOU-SHC-068T	3/6/2018 7:30:00 AM	TOTAL SUSPENDED SOLIDS	940	940	MG/L	WET	GRAB	1803-00074-001	2540D
HOM-SHC-071T	3/6/2018 8:00:00 AM	TOTAL SUSPENDED SOLIDS	2504	2504	MG/L	WET	GRAB	1803-00075-001	2540D
HOM-SHC-087M	3/6/2018 8:30:00 AM	TOTAL SUSPENDED SOLIDS	1680	1680	MG/L	WET	GRAB	1803-00076-001	2540D
VES-CAR-074T	3/29/2018 2:58:00 PM	TOTAL SUSPENDED SOLIDS	43	43	MG/L	WET	GRAB	1803-0447-001	2540D
TRU-CAR-048T	3/29/2018 3:20:00 PM	TOTAL SUSPENDED SOLIDS	30	30	MG/L	WET	GRAB	1803-0443-001	2540D
MOU-CAR-086T	3/29/2018 3:35:00 PM	TOTAL SUSPENDED SOLIDS	9	9	MG/L	WET	GRAB	1803-0448-001	2540D
TRU-CAR-051T	3/29/2018 3:45:00 PM	TOTAL SUSPENDED SOLIDS	350	350	MG/L	WET	GRAB	1803-0444-001	2540D
VES-CAR-085M	3/29/2018 4:32:00 PM	TOTAL SUSPENDED SOLIDS	5	5	MG/L	WET	GRAB	1803-0449-001	2540D
LEE-CAR-053M	3/29/2018 4:50:00 PM	TOTAL SUSPENDED SOLIDS	10	10	MG/L	WET	GRAB	1803-0445-001	2540D
IRO-CAR-057M	3/29/2018 5:03:00 PM	TOTAL SUSPENDED SOLIDS	398	398	MG/L	WET	GRAB	1803-0446-001	2540D
FAI-VAC-010T	9/5/2018 10:07:00 AM	TOTAL SUSPENDED SOLIDS	17	17	MG/L	WET	GRAB	1809-0051-001	2540D

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
BRI-VAC-018T	9/5/2018 10:29:00 AM	TOTAL SUSPENDED SOLIDS	10	10	MG/L	WET	GRAB	1809-0052-001	2540D
BRI-VAC-015M	9/5/2018 10:39:00 AM	TOTAL SUSPENDED SOLIDS	5	5	MG/L	WET	GRAB	1809-0053-001	2540D
HUE-VAC-003M	9/5/2018 11:02:00 AM	TOTAL SUSPENDED SOLIDS	6	6	MG/L	WET	GRAB	1809-0054-001	2540D
ADA-VIC-023M	9/5/2018 11:15:00 AM	TOTAL SUSPENDED SOLIDS	8	8	MG/L	WET	GRAB	1809-0050-001	2540D
HUE-VAC-014T	9/5/2018 11:22:00 AM	TOTAL SUSPENDED SOLIDS	7	7	MG/L	WET	GRAB	1809-0055-001	2540D
PLE-VAC-006T	9/5/2018 11:43:00 AM	TOTAL SUSPENDED SOLIDS	7	7	MG/L	WET	GRAB	1809-0056-001	2540D
MOU-SHC-065M	9/24/2018 6:18:00 PM	TOTAL SUSPENDED SOLIDS	245	245	MG/L	WET	GRAB	1809-00380-001	2540D
MOU-SHC-069M	9/24/2018 6:38:00 PM	TOTAL SUSPENDED SOLIDS	199	199	MG/L	WET	GRAB	1809-00381-001	2540D
HOM-SHC-072T	9/24/2018 7:01:00 PM	TOTAL SUSPENDED SOLIDS	134	134	MG/L	WET	GRAB	1809-00383-001	2540D
GAR-FMC-031T	9/24/2018 7:25:00 PM	TOTAL SUSPENDED SOLIDS	1	1	MG/L	WET	GRAB	1809-00379-001	2540D
TAR-FMC-036M	9/24/2018 7:50:00 PM	TOTAL SUSPENDED SOLIDS	58	58	MG/L	WET	GRAB	1809-00382-001	2540D
BRO-FMC-030T	9/24/2018 7:55:00 PM	TOTAL SUSPENDED SOLIDS	3	3	MG/L	WET	GRAB	1809-00377-001	2540D
BRO-FMC-029M	9/24/2018 8:15:00 PM	TOTAL SUSPENDED SOLIDS	4	4	MG/L	WET	GRAB	1809-00378-001	2540D
VES-CAR-074T	10/10/2017 10:45:00 AM	TURBIDITY	2.6	2.6	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-077T	10/10/2017 11:05:00 AM	TURBIDITY	3.9	3.9	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-076T	10/10/2017 11:32:00 AM	TURBIDITY	2.03	2.03	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRO-FMC-030T	10/10/2017 12:16:00 PM	TURBIDITY	10.3	10.3	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-080M	10/10/2017 12:39:00 PM	TURBIDITY	21.1	21.1	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
GRA-FMC-082M	10/10/2017 1:06:00 PM	TURBIDITY	13.7	13.7	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
IRO-CAR-057M	10/10/2017 1:09:00 PM	TURBIDITY	15.1	15.1	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
IRO-CAR-055M	10/10/2017 1:36:00 PM	TURBIDITY	13.4	13.4	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
LEE-CAR-053M	10/10/2017 1:51:00 PM	TURBIDITY	9.8	9.8	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
HOM-SHC-073M	10/11/2017 10:14:00 AM	TURBIDITY	5.9	5.9	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
FAI-VAC-009T	10/11/2017 11:10:00 AM	TURBIDITY	2.8	2.8	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-069M	10/11/2017 11:19:00 AM	TURBIDITY	5.21	5.21	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRI-VAC-015M	10/11/2017 11:47:00 AM	TURBIDITY	1.97	1.97	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-065M	10/11/2017 12:00:00 PM	TURBIDITY	5.2	5.2	NTU	WET	MONTHLY	IN SITU	HACH 2100Q

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
HUE-VAC-013T	10/11/2017 12:01:00 PM	TURBIDITY	3	3	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-004M	10/11/2017 12:25:00 PM	TURBIDITY	3.69	3.69	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
IRO-SHC-062M	10/11/2017 12:47:00 PM	TURBIDITY	5.2	5.2	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-005M	10/11/2017 1:21:00 PM	TURBIDITY	3.84	3.84	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
CLA-CAR-046M	10/11/2017 1:33:00 PM	TURBIDITY	5.3	5.3	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
CLA-TUC-044M	10/11/2017 1:50:00 PM	TURBIDITY	2.43	2.43	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
PIN-TUC-039M	10/11/2017 2:43:00 PM	TURBIDITY	6.05	6.05	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MUL-VIC-028M	10/12/2017 11:27:00 AM	TURBIDITY	2.21	2.21	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
PLE-VIC-008T	10/12/2017 11:50:00 AM	TURBIDITY	4.17	4.17	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
ADA-VIC-023M	10/12/2017 12:32:00 PM	TURBIDITY	2.91	2.91	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
FAI-VAC-009T	11/2/2017 12:14:00 PM	TURBIDITY	3.9	3.9	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MID-VAC-011M	11/2/2017 1:30:00 PM	TURBIDITY	2.7	2.7	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRI-VAC-015M	11/2/2017 2:09:00 PM	TURBIDITY	2.71	2.71	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-013T	11/2/2017 2:20:00 PM	TURBIDITY	2.43	2.43	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
GAR-FMC-031T	11/3/2017 10:07:00 AM	TURBIDITY	5.12	5.12	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRO-FMC-026M	11/3/2017 10:37:00 AM	TURBIDITY	2.93	2.93	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRO-FMC-029M	11/3/2017 11:14:00 AM	TURBIDITY	3.93	3.93	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRO-FMC-030T	11/3/2017 11:34:00 AM	TURBIDITY	5.39	5.39	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
GRA-FMC-082M	11/3/2017 12:02:00 PM	TURBIDITY	6.58	6.58	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MUL-VIC-028M	11/3/2017 12:47:00 PM	TURBIDITY	1.88	1.88	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
PLE-VIC-008T	11/3/2017 1:03:00 PM	TURBIDITY	3.33	3.33	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
TAR-FMC-036M	11/3/2017 3:10:00 PM	TURBIDITY	10.1	10.1	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
CLA-CAR-046M	11/6/2017 10:37:00 AM	TURBIDITY	1.81	1.81	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
TRU-CAR-050M	11/6/2017 11:19:00 AM	TURBIDITY	3.63	3.63	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
LEE-CAR-053M	11/6/2017 11:57:00 AM	TURBIDITY	8.14	8.14	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
IRO-CAR-055M	11/6/2017 12:31:00 PM	TURBIDITY	10.5	10.5	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
ADA-VIC-023M	11/6/2017 12:43:00 PM	TURBIDITY	3.71	3.71	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
IRO-CAR-057M	11/6/2017 1:25:00 PM	TURBIDITY	11.7	11.7	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-080M	11/6/2017 2:01:00 PM	TURBIDITY	13.4	13.4	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-003M	11/6/2017 2:46:00 PM	TURBIDITY	2.68	2.68	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-004M	11/6/2017 3:08:00 PM	TURBIDITY	2.95	2.95	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
IRO-SHC-062M	11/7/2017 10:24:00 AM	TURBIDITY	6.19	6.19	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
TAR-FMC-035M	11/7/2017 10:52:00 AM	TURBIDITY	4.22	4.22	NTU	WET	MONTHLY	IN SITU	HACH 2100Q

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
MOU-SHC-065M	11/7/2017 11:03:00 AM	TURBIDITY	5.45	5.45	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
PIN-TUC-039M	11/7/2017 11:33:00 AM	TURBIDITY	3.01	3.01	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-069M	11/7/2017 11:52:00 AM	TURBIDITY	5.42	5.42	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
CLA-TUC-044M	11/7/2017 12:25:00 PM	TURBIDITY	2.72	2.72	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
HOM-SHC-073M	11/7/2017 12:41:00 PM	TURBIDITY	17.3	17.3	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-074T	11/7/2017 1:43:00 PM	TURBIDITY	13.6	13.6	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-077T	11/7/2017 2:33:00 PM	TURBIDITY	7.62	7.62	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-076T	11/8/2017 10:47:00 AM	TURBIDITY	1.74	1.74	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-074T	12/15/2017 10:52:00 AM	TURBIDITY	2.73	2.73	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-085M	12/15/2017 11:50:00 AM	TURBIDITY	4.75	4.75	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
MOU-CAR-086T	12/15/2017 12:04:00 PM	TURBIDITY	2.64	2.64	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
IRO-CAR-057M	12/15/2017 12:35:00 PM	TURBIDITY	3.46	3.46	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
LEE-CAR-053M	12/15/2017 2:10:00 PM	TURBIDITY	3.19	3.19	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
TRU-CAR-051T	12/15/2017 2:26:00 PM	TURBIDITY	3.11	3.11	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
TAR-FMC-036M	12/18/2017 12:58:00 PM	TURBIDITY	25.1	25.1	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
GAR-FMC-031T	12/18/2017 1:55:00 PM	TURBIDITY	28.4	28.4	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRO-FMC-030T	12/18/2017 2:29:00 PM	TURBIDITY	6.67	6.67	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRO-FMC-029M	12/18/2017 2:43:00 PM	TURBIDITY	18	18	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
TRU-CAR-050M	12/19/2017 11:17:00 AM	TURBIDITY	4.56	4.56	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-003M	12/19/2017 11:34:00 AM	TURBIDITY	10.6	10.6	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
PLE-VAC-006T	12/19/2017 12:24:00 PM	TURBIDITY	10.6	10.6	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
CLA-CAR-046M	12/19/2017 1:14:00 PM	TURBIDITY	3.56	3.56	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-014T	12/19/2017 1:56:00 PM	TURBIDITY	8.82	8.82	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRI-VAC-015M	12/19/2017 2:05:00 PM	TURBIDITY	8.61	8.61	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
CLA-TUC-044M	12/19/2017 2:24:00 PM	TURBIDITY	6.54	6.54	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
PIN-TUC-039M	12/19/2017 2:47:00 PM	TURBIDITY	3.7	3.7	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
BRI-VAC-018T	12/21/2017 10:48:00 AM	TURBIDITY	26.1	26.1	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
LIP-VAC-017T	12/21/2017 11:23:00 AM	TURBIDITY	13.6	13.6	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
FAI-VAC-010T	12/21/2017 11:48:00 AM	TURBIDITY	11	11	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
ADA-VIC-023M	12/21/2017 1:26:00 PM	TURBIDITY	60.23	60.23	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-069M	12/21/2017 3:05:00 PM	TURBIDITY	2.45	2.45	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-068T	12/21/2017 3:18:00 PM	TURBIDITY	4.53	4.53	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
HOM-SHC-072T	12/22/2017 8:30:00 AM	TURBIDITY	6.75	6.75	NTU	WET	MONTHLY	IN SITU	HACH 2100Q

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
HOM-SHC-087M	12/22/2017 9:04:00 AM	TURBIDITY	3.25	3.25	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-074T	1/2/2018 10:43:00 AM	TURBIDITY	4.1	4.1	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-085M	1/2/2018 11:48:00 AM	TURBIDITY	4.5	4.5	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
MOU-CAR-086T	1/2/2018 11:59:00 AM	TURBIDITY	3.9	3.9	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
IRO-CAR-057M	1/2/2018 12:27:00 PM	TURBIDITY	5.42	5.42	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
LEE-CAR-053M	1/2/2018 1:18:00 PM	TURBIDITY	3.52	3.52	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
TRU-CAR-051T	1/2/2018 2:03:00 PM	TURBIDITY	3.88	3.88	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
TRU-CAR-050M	1/3/2018 3:05:00 PM	TURBIDITY	5.2	5.2	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
CLA-CAR-046M	1/4/2018 12:22:00 PM	TURBIDITY	5.9	5.9	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
CLA-TUC-044M	1/4/2018 1:47:00 PM	TURBIDITY	5.23	5.23	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
TAR-FMC-036M	1/4/2018 2:34:00 PM	TURBIDITY	9.44	9.44	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
PIN-TUC-039M	1/4/2018 3:32:00 PM	TURBIDITY	4.3	4.3	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
FAI-VAC-010T	1/5/2018 9:41:00 AM	TURBIDITY	2.61	2.61	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HOM-SHC-072T	1/5/2018 9:54:00 AM	TURBIDITY	4.3	4.3	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HOM-SHC-087M	1/5/2018 10:30:00 AM	TURBIDITY	3.97	3.97	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
LIP-VAC-017T	1/5/2018 10:50:00 AM	TURBIDITY	3.45	3.45	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
BRI-VAC-015M	1/5/2018 10:57:00 AM	TURBIDITY	2.14	2.14	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
BRI-VAC-018T	1/5/2018 11:04:00 AM	TURBIDITY	4.24	4.24	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HOM-SHC-071T	1/5/2018 11:11:00 AM	TURBIDITY	5.13	5.13	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-068T	1/5/2018 11:35:00 AM	TURBIDITY	3.1	3.1	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-069M	1/5/2018 12:01:00 PM	TURBIDITY	4.66	4.66	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-014T	1/5/2018 12:26:00 PM	TURBIDITY	4.19	4.19	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-003M	1/5/2018 1:19:00 PM	TURBIDITY	2.81	2.81	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-065M	1/5/2018 2:05:00 PM	TURBIDITY	5.96	5.96	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
PLE-VAC-006T	1/5/2018 2:13:00 PM	TURBIDITY	2.38	2.38	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-068T	3/6/2018 7:30:00 AM	TURBIDITY	19.2	19.2	NTU	WET	GRAB	1803-00074-001	EPA 180.1
HOM-SHC-071T	3/6/2018 8:00:00 AM	TURBIDITY	25.2	25.2	NTU	WET	GRAB	1803-00075-001	EPA 180.1
HOM-SHC-087M	3/6/2018 8:30:00 AM	TURBIDITY	26.7	26.7	NTU	WET	GRAB	1803-00076-001	EPA 180.1
VES-CAR-074T	3/29/2018 2:58:00 PM	TURBIDITY	25.9	25.9	NTU	WET	GRAB	1803-0447-001	EPA 180.1
TRU-CAR-048T	3/29/2018 3:20:00 PM	TURBIDITY	38.1	38.1	NTU	WET	GRAB	1803-0443-001	EPA 180.1
MOU-CAR-086T	3/29/2018 3:35:00 PM	TURBIDITY	8.25	8.25	NTU	WET	GRAB	1803-0448-001	EPA 180.1
TRU-CAR-051T	3/29/2018 3:45:00 PM	TURBIDITY	79.1	79.1	NTU	WET	GRAB	1803-0444-001	EPA 180.1
VES-CAR-085M	3/29/2018 4:32:00 PM	TURBIDITY	6.6	6.6	NTU	WET	GRAB	1803-0449-001	EPA 180.1

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
LEE-CAR-053M	3/29/2018 4:50:00 PM	TURBIDITY	18.1	18.1	NTU	WET	GRAB	1803-0445-001	EPA 180.1
IRO-CAR-057M	3/29/2018 5:03:00 PM	TURBIDITY	28.5	28.5	NTU	WET	GRAB	1803-0446-001	EPA 180.1
FAI-VAC-010T	9/5/2018 10:07:00 AM	TURBIDITY	13.6	13.6	NTU	WET	GRAB	1809-0051-001	EPA 180.1
BRI-VAC-018T	9/5/2018 10:29:00 AM	TURBIDITY	4.37	4.37	NTU	WET	GRAB	1809-0052-001	EPA 180.1
BRI-VAC-015M	9/5/2018 10:39:00 AM	TURBIDITY	3.59	3.59	NTU	WET	GRAB	1809-0053-001	EPA 180.1
HUE-VAC-003M	9/5/2018 11:02:00 AM	TURBIDITY	2.74	2.74	NTU	WET	GRAB	1809-0054-001	EPA 180.1
ADA-VIC-023M	9/5/2018 11:15:00 AM	TURBIDITY	5.41	5.41	NTU	WET	GRAB	1809-0050-001	EPA 180.1
HUE-VAC-014T	9/5/2018 11:22:00 AM	TURBIDITY	4.57	4.57	NTU	WET	GRAB	1809-0055-001	EPA 180.1
PLE-VAC-006T	9/5/2018 11:43:00 AM	TURBIDITY	4.39	4.39	NTU	WET	GRAB	1809-0056-001	EPA 180.1
MOU-SHC-065M	9/24/2018 6:18:00 PM	TURBIDITY	37.4	37.4	NTU	WET	GRAB	1809-00380-001	EPA 180.1
MOU-SHC-069M	9/24/2018 6:38:00 PM	TURBIDITY	63.3	63.3	NTU	WET	GRAB	1809-00381-001	EPA 180.1
HOM-SHC-072T	9/24/2018 7:01:00 PM	TURBIDITY	112	112	NTU	WET	GRAB	1809-00383-001	EPA 180.1
GAR-FMC-031T	9/24/2018 7:25:00 PM	TURBIDITY	1.79	1.79	NTU	WET	GRAB	1809-00379-001	EPA 180.1
TAR-FMC-036M	9/24/2018 7:50:00 PM	TURBIDITY	20.5	20.5	NTU	WET	GRAB	1809-00382-001	EPA 180.1
BRO-FMC-030T	9/24/2018 7:55:00 PM	TURBIDITY	2.63	2.63	NTU	WET	GRAB	1809-00377-001	EPA 180.1
BRO-FMC-029M	9/24/2018 8:15:00 PM	TURBIDITY	2.8	2.8	NTU	WET	GRAB	1809-00378-001	EPA 180.1
ADA-VIC-023M	9/5/2018 11:15:00 AM	TOTAL NITROGEN	4.34	4.34	MG/L	WET	GRAB		Calculated
BRI-VAC-015M	9/5/2018 10:39:00 AM	TOTAL NITROGEN	1.27	1.27	MG/L	WET	GRAB		Calculated
BRI-VAC-018T	9/5/2018 10:29:00 AM	TOTAL NITROGEN	0.90	0.90	MG/L	WET	GRAB		Calculated
BRO-FMC-029M	9/24/2018 8:15:00 PM	TOTAL NITROGEN	5.07	5.07	MG/L	WET	GRAB		Calculated
BRO-FMC-030T	9/24/2018 7:55:00 PM	TOTAL NITROGEN	1.27	1.27	MG/L	WET	GRAB		Calculated
FAI-VAC-010T	9/5/2018 10:07:00 AM	TOTAL NITROGEN	0.81	0.81	MG/L	WET	GRAB		Calculated
GAR-FMC-031T	9/24/2018 7:25:00 PM	TOTAL NITROGEN	0.81	0.81	MG/L	WET	GRAB		Calculated
HOM-SHC-071T	3/6/2018 8:00:00 AM	TOTAL NITROGEN	4.29	4.29	MG/L	WET	GRAB		Calculated
HOM-SHC-072T	9/24/2018 7:01:00 PM	TOTAL NITROGEN	1.32	1.32	MG/L	WET	GRAB		Calculated
HOM-SHC-087M	3/6/2018 8:30:00 AM	TOTAL NITROGEN	3.35	3.35	MG/L	WET	GRAB		Calculated
HUE-VAC-003M	9/5/2018 11:02:00 AM	TOTAL NITROGEN	1.79	1.79	MG/L	WET	GRAB		Calculated
HUE-VAC-014T	9/5/2018 11:22:00 AM	TOTAL NITROGEN	0.76	0.76	MG/L	WET	GRAB		Calculated
IRO-CAR-057M	3/29/2018 5:03:00 PM	TOTAL NITROGEN	1.42	1.42	MG/L	WET	GRAB		Calculated
LEE-CAR-053M	3/29/2018 4:50:00 PM	TOTAL NITROGEN	1.10	1.10	MG/L	WET	GRAB		Calculated
MOU-CAR-086T	3/29/2018 3:35:00 PM	TOTAL NITROGEN	1.47	1.47	MG/L	WET	GRAB		Calculated
MOU-SHC-065M	9/24/2018 6:18:00 PM	TOTAL NITROGEN	1.40	1.40	MG/L	WET	GRAB		Calculated
MOU-SHC-068T	3/6/2018 7:30:00 AM	TOTAL NITROGEN	2.30	2.30	MG/L	WET	GRAB		Calculated

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
MOU-SHC-069M	9/24/2018 6:38:00 PM	TOTAL NITROGEN	1.63	1.63	MG/L	WET	GRAB		Calculated
PLE-VAC-006T	9/5/2018 11:43:00 AM	TOTAL NITROGEN	0.95	0.95	MG/L	WET	GRAB		Calculated
TAR-FMC-036M	9/24/2018 7:50:00 PM	TOTAL NITROGEN	1.34	1.34	MG/L	WET	GRAB		Calculated
TRU-CAR-048T	3/29/2018 3:20:00 PM	TOTAL NITROGEN	1.39	1.39	MG/L	WET	GRAB		Calculated
TRU-CAR-051T	3/29/2018 3:45:00 PM	TOTAL NITROGEN	2.15	2.15	MG/L	WET	GRAB		Calculated
VES-CAR-074T	3/29/2018 2:58:00 PM	TOTAL NITROGEN	1.21	1.21	MG/L	WET	GRAB		Calculated
VES-CAR-085M	3/29/2018 4:32:00 PM	TOTAL NITROGEN	0.86	0.86	MG/L	WET	GRAB		Calculated

2017-2018 Scoring Results


Parameter Results and Rating

Site Name	Sample Date	Test Name	Result Value	Sample Type	Parameter Rating
HOM-SHC-071T	3/6/2018 8:00:00 AM	BIOCHEMICAL OXYGEN DEMAND	22	GRAB	3
TAR-FMC-036M	9/24/18 07:50 PM	BIOCHEMICAL OXYGEN DEMAND	16	GRAB	2
MOU-SHC-069M	9/24/18 06:38 PM	BIOCHEMICAL OXYGEN DEMAND	16	GRAB	2
HOM-SHC-087M	3/6/2018 8:30:00 AM	BIOCHEMICAL OXYGEN DEMAND	16	GRAB	2
HOM-SHC-087M	3/6/2018 8:30:00 AM	CHEMICAL OXYGEN DEMAND	318	GRAB	3
HOM-SHC-071T	3/6/2018 8:00:00 AM	CHEMICAL OXYGEN DEMAND	201	GRAB	2
TRU-CAR-051T	3/29/2018 3:45:00 PM	CHEMICAL OXYGEN DEMAND	136	GRAB	1
BRO-FMC-030T	9/24/18 07:55 PM	E. COLI	480	GRAB	3
HUE-VAC-014T	9/5/2018 11:22:00 AM	E. COLI	156	GRAB	2
MOU-SHC-068T	3/6/2018 7:30:00 AM	E. COLI	144	GRAB	1
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, AMMONIA	1.1	GRAB	3
MOU-SHC-069M	9/24/18 06:38 PM	NITROGEN, AMMONIA	0.85	GRAB	2
BRO-FMC-029M	9/24/18 08:15 PM	NITROGEN, AMMONIA	0.48	GRAB	1
BRO-FMC-029M	9/24/18 08:15 PM	NITROGEN, NITRATE	4.57	GRAB	3
ADA-VIC-023M	9/5/2018 11:15:00 AM	NITROGEN, NITRATE	3.84	GRAB	2
MOU-SHC-068T	3/6/2018 7:30:00 AM	NITROGEN, NITRATE	1.1	GRAB	1
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, TOTAL KJELDAHL	3.5	GRAB	3
HOM-SHC-087M	3/6/2018 8:30:00 AM	NITROGEN, TOTAL KJELDAHL	2.8	GRAB	2
TRU-CAR-051T	3/29/2018 3:45:00 PM	NITROGEN, TOTAL KJELDAHL	1.7	GRAB	1
VES-CAR-074T	3/29/2018 2:58:00 PM	PH	6.23	GRAB	3
MOU-CAR-086T	3/29/2018 3:35:00 PM	PH	6.87	GRAB	2
BRO-FMC-030T	9/24/18 07:55 PM	pH	7.05	GRAB	1
HUE-VAC-003M	9/5/2018 11:02:00 AM	PHOSPHATE AS P	1.3	GRAB	3
HOM-SHC-087M	3/6/2018 8:30:00 AM	PHOSPHATE AS P	0.77	GRAB	2
HOM-SHC-071T	3/6/2018 8:00:00 AM	PHOSPHATE AS P	0.72	GRAB	1
PLE-VAC-006T	9/5/2018 11:43:00 AM	SPECIFIC CONDUCTANCE	1050	GRAB	3
ADA-VIC-023M	9/5/2018 11:15:00 AM	SPECIFIC CONDUCTANCE	730	GRAB	2
BRO-FMC-029M	9/24/18 08:15 PM	SPECIFIC CONDUCTANCE	520	GRAB	1
PLE-VAC-006T	9/5/2018 11:43:00 AM	TOTAL DISSOLVED SOLIDS	768	GRAB	3
ADA-VIC-023M	9/5/2018 11:15:00 AM	TOTAL DISSOLVED SOLIDS	678	GRAB	2
BRO-FMC-029M	9/24/18 08:15 PM	TOTAL DISSOLVED SOLIDS	410	GRAB	1
BRO-FMC-029M	9/24/2018 8:15:00 PM	TOTAL NITROGEN	5.07	GRAB	3
ADA-VIC-023M	9/5/2018 11:15:00 AM	TOTAL NITROGEN	4.34	GRAB	2
HOM-SHC-071T	3/6/2018 8:00:00 AM	TOTAL NITROGEN	4.29	GRAB	1
HOM-SHC-071T	3/6/2018 8:00:00 AM	TOTAL SUSPENDED SOLIDS	2504	GRAB	3
HOM-SHC-087M	3/6/2018 8:30:00 AM	TOTAL SUSPENDED SOLIDS	1680	GRAB	2
MOU-SHC-068T	3/6/2018 7:30:00 AM	TOTAL SUSPENDED SOLIDS	940	GRAB	1
HOM-SHC-072T	9/24/18 07:01 PM	TURBIDITY	112	GRAB	3
TRU-CAR-051T	3/29/2018 3:45:00 PM	TURBIDITY	79.1	GRAB	2
MOU-SHC-069M	9/24/18 06:38 PM	TURBIDITY	63.3	GRAB	1

Sites and Score Summation

Site Name	Sample Date	Test Name	Result Value	Sample Type	Parameter Rating	Site Score (Sum of Parameter Ratings)
VES-CAR-074T	3/29/2018 2:58:00 PM	PH	6.23	GRAB	3	3
TRU-CAR-051T	3/29/2018 3:45:00 PM	CHEMICAL OXYGEN DEMAND	136	GRAB	1	4
TRU-CAR-051T	3/29/2018 3:45:00 PM	NITROGEN, TOTAL KJELDAHL	1.7	GRAB	1	
TRU-CAR-051T	3/29/2018 3:45:00 PM	TURBIDITY	79.1	GRAB	2	
TAR-FMC-036M	9/24/18 07:50 PM	BIOCHEMICAL OXYGEN DEMAND	16	Grab	2	2
PLE-VAC-006T	9/5/2018 11:43:00 AM	SPECIFIC CONDUCTANCE	1050	GRAB	3	6
PLE-VAC-006T	9/5/2018 11:43:00 AM	TOTAL DISSOLVED SOLIDS	768	GRAB	3	
MOU-SHC-069M	9/24/18 06:38 PM	BIOCHEMICAL OXYGEN DEMAND	16	Grab	2	5
MOU-SHC-069M	9/24/18 06:38 PM	NITROGEN, AMMONIA	0.85	Grab	2	
MOU-SHC-069M	9/24/18 06:38 PM	TURBIDITY	63.3	Grab	1	
MOU-SHC-068T	3/6/2018 7:30:00 AM	E. COLI	144	GRAB	1	3
MOU-SHC-068T	3/6/2018 7:30:00 AM	NITROGEN, NITRATE	1.1	GRAB	1	
MOU-SHC-068T	3/6/2018 7:30:00 AM	TOTAL SUSPENDED SOLIDS	940	GRAB	1	
MOU-CAR-086T	3/29/2018 3:35:00 PM	PH	6.87	GRAB	2	2
HUE-VAC-014T	9/5/2018 11:22:00 AM	E. COLI	156	GRAB	2	2
HUE-VAC-003M	9/5/2018 11:02:00 AM	PHOSPHATE AS P	1.3	GRAB	3	3
HOM-SHC-087M	3/6/2018 8:30:00 AM	BIOCHEMICAL OXYGEN DEMAND	16	GRAB	2	11
HOM-SHC-087M	3/6/2018 8:30:00 AM	CHEMICAL OXYGEN DEMAND	318	GRAB	3	
HOM-SHC-087M	3/6/2018 8:30:00 AM	NITROGEN, TOTAL KJELDAHL	2.8	GRAB	2	
HOM-SHC-087M	3/6/2018 8:30:00 AM	PHOSPHATE AS P	0.77	GRAB	2	
HOM-SHC-087M	3/6/2018 8:30:00 AM	TOTAL SUSPENDED SOLIDS	1680	GRAB	2	
HOM-SHC-072T	9/24/18 07:01 PM	TURBIDITY	112	Grab	3	3
HOM-SHC-071T	3/6/2018 8:00:00 AM	BIOCHEMICAL OXYGEN DEMAND	22	GRAB	3	16
HOM-SHC-071T	3/6/2018 8:00:00 AM	CHEMICAL OXYGEN DEMAND	201	GRAB	2	
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, AMMONIA	1.1	GRAB	3	
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, TOTAL KJELDAHL	3.5	GRAB	3	
HOM-SHC-071T	3/6/2018 8:00:00 AM	PHOSPHATE AS P	0.72	GRAB	1	
HOM-SHC-071T	3/6/2018 8:00:00 AM	TOTAL NITROGEN	4.29	grab	1	
HOM-SHC-071T	3/6/2018 8:00:00 AM	TOTAL SUSPENDED SOLIDS	2504	GRAB	3	
BRO-FMC-030T	9/24/18 07:55 PM	E. COLI	480	Grab	3	4
BRO-FMC-030T	9/24/18 07:55 PM	pH	7.05	Grab	1	
BRO-FMC-029M	9/24/18 08:15 PM	NITROGEN, AMMONIA	0.48	Grab	1	9
BRO-FMC-029M	9/24/18 08:15 PM	NITROGEN, NITRATE	4.57	Grab	3	
BRO-FMC-029M	9/24/18 08:15 PM	SPECIFIC CONDUCTANCE	520	Grab	1	
BRO-FMC-029M	9/24/18 08:15 PM	TOTAL DISSOLVED SOLIDS	410	Grab	1	
BRO-FMC-029M	9/24/2018 8:15:00 PM	TOTAL NITROGEN	5.07	grab	3	
ADA-VIC-023M	9/5/2018 11:15:00 AM	NITROGEN, NITRATE	3.84	GRAB	2	8
ADA-VIC-023M	9/5/2018 11:15:00 AM	SPECIFIC CONDUCTANCE	730	GRAB	2	
ADA-VIC-023M	9/5/2018 11:15:00 AM	TOTAL DISSOLVED SOLIDS	678	GRAB	2	
ADA-VIC-023M	9/5/2018 11:15:00 AM	TOTAL NITROGEN	4.34	grab	2	

Wet Weather Site Rating Results



Fiscal Analysis

STORM WATER MANAGEMENT AUTHORITY, INC.

COMPILED FINANCIAL STATEMENTS

SEPTEMBER 30, 2018



Cork, Hill & Company, L.L.C.

Certified Public Accountants

2100 Southbridge Parkway
Suite 530
Birmingham, AL 35209

P. 205.879.3292
F. 205.879.3295

TABLE OF CONTENTS
STORM WATER MANAGEMENT AUTHORITY, INC.
SEPTEMBER 30, 2018

Accountants' Report 1

Financial Statements:

Statement of Assets, Liabilities, and Fund Balance – Cash Basis 2

Statement of Revenues, Expenses, and Fund Balance – Cash Basis 3



Cork, Hill & Company, L.L.C.

ACCOUNTANTS' COMPILATION REPORT

To the Board of Directors of the
Storm Water Management Authority, Inc.

Management is responsible for the accompanying financial statements of the Storm Water Management Authority, Inc., which comprise the statement of assets, liabilities, and fund balance – cash basis as of September 30, 2018, and the related statement of revenues, expenses and fund balance – cash basis for the one month and twelve months then ended, and for determining that the cash basis of accounting is an acceptable financial reporting framework. We have performed a compilation engagement in accordance with Statements on Standards for Accounting and Review Services promulgated by the Accounting and Review Services Committee of the AICPA. We did not audit or review the financial statements nor were we required to perform any procedures to verify the accuracy or completeness of the information provided by management. Accordingly, we do not express an opinion, a conclusion, not provide any form of assurance on these financial statements.

The financial statements are prepared in accordance with the cash basis of accounting, which is a basis of accounting other than accounting principles generally accepted in the United States of America.

Management has elected to omit substantially all the disclosures ordinarily included in financial statements prepared in accordance with the cash basis of accounting. If the omitted disclosures were included in the financial statements, they might influence the user's conclusions about the Organization's assets, liabilities, fund balance, revenues and expenses. Accordingly, the financial statements are not designed for those who are not informed about such matters.

We are not independent with respect to Storm Water Management Authority, Inc.

Cork, Hill & Company, L.L.C.

Birmingham, Alabama
October 8, 2018

Certified Public Accountants

2100 Southbridge Parkway
Suite 530
Birmingham, AL 35209

P. 205.879.3292
F. 205.879.3295

STATEMENT OF ASSETS, LIABILITIES AND FUND BALANCE – CASH BASIS
STORM WATER MANAGEMENT AUTHORITY, INC.
SEPTEMBER 30, 2018

ASSETS

CURRENT ASSETS

Cash and cash equivalents	\$ 184,525
TOTAL CURRENT ASSETS	<u>184,525</u>

FIXED ASSETS

Equipment	<u>6,281</u>
-----------	--------------

TOTAL ASSETS	<u><u>\$ 190,806</u></u>
---------------------	--------------------------

LIABILITIES AND FUND BALANCE

TOTAL LIABILITIES	\$ -
--------------------------	------

FUND BALANCE

Fund balance	<u>190,806</u>
--------------	----------------

TOTAL LIABILITIES AND FUND BALANCE	<u><u>\$ 190,806</u></u>
---	--------------------------

See Accountants' Compilation Report

**STATEMENT OF REVENUES, EXPENSES AND FUND BALANCE – CASH BASIS
STORM WATER MANAGEMENT AUTHORITY, INC.
FOR THE ONE MONTH AND TWELVE MONTHS ENDED SEPTEMBER 30, 2018**

	MONTH TO DATE	YEAR TO DATE
REVENUES:		
Storm water fees	\$ 3,204	\$ 700,646
Interest income	47	787
TOTAL REVENUES	3,251	701,433
EXPENSES:		
Jefferson County Health Department fees	57,000	684,000
Insurance expense	-	3,000
Accounting fees	225	2,700
TOTAL EXPENSES	57,225	689,700
INCREASE / (DECREASE) IN FUND BALANCE	\$ (53,974)	11,733
FUND BALANCE - BEGINNING OF YEAR		179,073
FUND BALANCE - END OF PERIOD		\$ 190,806

See Accountants' Compilation Report

Contracts and Bylaws

SWMA Contract with JCDH

To Bid: Yes No

JCDH ID # EH/AP-46



JEFFERSON COUNTY DEPARTMENT OF HEALTH
CONTRACT COVERSHEET



SERVICE CENTER ORIGINATING CONTRACT: Environmental Health

SERVICE CENTER CONTACT PERSON: Jonathan Stanton TELEPHONE: (205) 930-1292

CONTRACTOR'S NAME: Storm Water Management Authority, Inc. (SWMA) FEDERAL ID #: _____

ADDRESS: 501 Park Road
Pleasant Grove, AL 35127

CONTRACT CONTACT PERSON: Mayor Jerry Brasseale TELEPHONE: (205) 744-1720 FAX: _____

JCDH PAY STATUS: PAYEE PAYOR BILLING NOTATION: YES NO
(Check One)

CONTRACT TERM FROM: 1/1/2017 THRU: 12/31/2017 STATUS: NEW RENEWAL
AMENDMENT

AMOUNT: 644,000.00 / 12 equal monthly payments
NOT TO EXCEED \$ _____

SYNOPSIS/SERVICES PROVIDED:
JCDH will provide stormwater management services to the members of the Storm Water Management Authority, Inc.

If Independent Contractor, explain why needed: _____

ORIGINATION/REVIEW & APPROVAL OF SERVICE CENTER ADMINISTRATOR:

Provisions Reviewed:

Contractor Legal Name
Bid Law Compliance

Term
Proper Signature Lines

Payment
Indemnity

Signature of Service Center Administrator: [Signature] Date 4/13/17

FINANCIAL REVIEW:

LEGAL REVIEW: Approved from

Date	Initials
<u>4/14/17</u>	<u>[Signature]</u>
<u>4-17-17</u>	<u>ASM</u>
<u>4/18/17</u>	<u>[Signature]</u>
<u>4/19/17</u>	<u>[Signature]</u>
<u>4/18/17 Hand delivered</u>	<u>[Signature]</u>
<u>4/20/17</u>	<u>[Signature]</u>

APPOINTING AUTHORITY'S SIGNATURE:
SENT TO PERSONNEL BOARD (IF APPLICABLE):
BOARD OF HEALTH APPROVAL:
SENT TO CONTRACTOR FOR SIGNATURE
SIGNED CONTRACT REC'D & FILED WITH F & A:

APPROVED/DISAPPROVED BY PERSONNEL BOARD: _____
(Circle one) SIGNATURE TITLE DATE

RECEIVED
APR 18 2017

AGREEMENT
Between the
Jefferson County Board of Health
And the
Storm Water Management Authority, Inc.

THIS AGREEMENT, made this first day of January, 2017, by and between the Jefferson County Board of Health, "**Board**", and The Storm Water Management Authority, Inc. and its Board of Directors hereinafter referred to as "**SWMA**".

WITNESSETH:

WHEREAS, the Board is a county board of health constituted under the laws of the State of Alabama and provides the sanitary and public health work as Jefferson County Department of Health ("**Department**") under supervision of its county health officer.

WHEREAS, SWMA is a public corporation incorporated pursuant to the Storm Water Act, Code of Alabama (1975), §§ 11-89C-1, *et seq.* (the "**Storm Water Act**") and composed of member municipalities that are required to comply with certain Storm Water Laws as defined by Code of Alabama (1975), § 11-89C-2(8), including, but not limited to the federal Clean Water Act of 1972, 33 U.S.C. §§ 1251, *et seq.*, as amended ("**CWA**") and NPDES Permits ("**Permits**") issued to SWMA's member municipalities by the Alabama Department of Environmental Management ("**ADEM**");

WHEREAS, SWMA is incorporated to assist its member municipalities in complying with their obligations under the Storm Water Laws and the Permit and for that purpose performs certain functions on behalf of its members;

WHEREAS, SWMA, in an effort to comply with its members' obligations under the Permit, undertakes to monitor various sites in the field that have been identified and approved by ADEM and the Environmental Protection Agency ("**EPA**");

WHEREAS, it is the intent of the Board and SWMA that the Board will provide the storm water management services for the member municipalities of SWMA, other than those services expressly excluded.

NOW, THEREFORE, in consideration of the premises, the mutual promises and covenants of the parties other good and valuable consideration the parties agree:

I. **PROVISION OF SERVICES BY THE BOARD**

- A. The Department agrees to provide the following services to SWMA (the "**Services**");

1. Wet Weather Monitoring — The Department will monitor, sample, and provide lab analysis for the monitoring component as directed by the Municipal Separate Storm Sewer System (“MS4”) Permits.
2. MS4 Outfall Screening — The Department will sample and provide lab analysis to meet 100% of MS4 outfalls within the five year permit cycle.
3. Illicit Discharge/Illegal Dumping Inspection — The Department will provide field inspections, sampling and lab analysis for dry weather screening for detection of illicit discharges/illegal dumping into the MS4. Provide enforcement assistance to remediate illicit discharges and illegal dumping as determined during these inspections.
4. Complaint Investigations — The Department will investigate all storm water complaints and record all investigations electronically so that a comprehensive report can be provided at any time. Records will be kept in such a manner as to provide documentation should legal proceedings be necessary. The Department will assist member jurisdictions with any necessary enforcement actions.
5. Complaint Reporting System — The Department will provide a day time complaint reporting system, a night time, and weekend hot line as well as a 24-7 web based reporting system for the public to report illegal discharges or illegal dumping into the MS4.
6. Household Hazardous Waste Disposal — The Department will assist any jurisdiction member with the set up and operation of Household Hazardous Waste disposal projects.
7. Erosion and Sediment Control Inspections — The Department will assist with pre-, ongoing, and post-construction inspections as related to the enforcement of erosion and sediment control requirements per the approved best management practices. The Department will notify member jurisdictions in a timely manner of any verified permit violations.
8. Erosion and Sediment Control Workshops — The Department will conduct a minimum of one erosion and sediment control workshops to inform builders of the usage and importance of BMPs on local construction sites.
9. Classroom Education — The Department will develop and present age appropriate (elementary through high school) education on water quality and storm water runoff protection to local (public and private) classrooms in the member jurisdictions at a minimum of one time per year. The Department will provide educational materials and teacher resources.

10. Public Education — The Department will deliver technical and professional presentations on the storm water management program elements and reduction of non-point source pollutants to professional and nonprofessional groups. The Department will also produce and distribute professional informational publications for public education in member jurisdictions.
11. Public Education/Information Online — The Department will provide web based access to storm water issues/information, educational materials, assistance guides on the Department's website.
12. Water Quality Inventory — The Department will continue to update the hydrographic layers of the existing GIS database for each member jurisdiction. Where possible through aerial photography, existing survey information, derived planimetric features, and field data collection, the Department will work to increase the spatial and attribute accuracy of the existing mapped information. Including the collection and integration of data as required by the Permits.
13. Industrial Storm Water Runoff — The Department will implement a program to inspect and monitor storm water runoff to the MS4 from industrial or commercial sites as required in the Permits. Additional sites may be inspected upon request of the Permittees.
14. Full Cooperation with SWMA — The Department will fully cooperate with SWMA by providing information and documentation as more fully set forth in paragraph 7.
15. The Department will be responsible for preparation of the Annual Report to ADEM which is required pursuant to the Permits.
16. Permitting - The Department will provide administrative support to implement NPDES permit requirements.

B. EXCLUDED SERVICES:

SWMA and Department agree to exclude from services the issuance of any permits pursuant to the Erosion & Sedimentation Control Ordinances adopted by SWMA's members in approximately 1999 or any enforcement actions related to such permits.

II. OBLIGATIONS OF SWMA; PAYMENT TERMS

- A. SWMA's obligations under this Agreement (the "Obligations") are as follows:
1. Without cost to SWMA, fully cooperate with the Department in the performance of the Department's Services stated herein.
 2. All water sampling data, GIS data and storm water related documentation will be returned to SWMA upon termination of the Agreement at no cost to SWMA.
- B. SWMA shall pay the Department for the Services performed hereunder as follows:
1. The total amount for the annual contract term payable by SWMA to the Department shall be \$644,000.00 (the "Annual Contract Amount") to be paid in equal monthly installments. SWMA shall remit payment in advance for the Services on the 1st business day of each month in the amount of 1/12 of the Annual Contract Amount (\$53,666.67) beginning January 1, 2016.

III. TERM OF AGREEMENT

The term of this Agreement shall be from January 1, 2017 through December 31, 2017 unless terminated sooner by the parties as provided herein. This Agreement shall renew automatically at the end of each term for a period of one year beginning on January 1 of the year of renewal and ending December 31 the following year unless terminated sooner by the parties as provided herein.

IV. TERMINATION

At any time during the term of this Agreement, this contract may be terminated by either party by giving ninety (90) days written notice to the other party

V. NOT DEBT OF STATE

It is agreed that the terms and commitments contained herein shall not be constituted as a debt of the State of Alabama in violation of Article 11, Section 213 of the Constitution of Alabama of 1901, as amended by Amendment Number 26. It is further agreed that if any provision of this contract shall contravene any statute or Constitutional provision or amendment, either now in effect or which may, during the course of this contract, be enacted, then that conflicting provision in the contract shall be deemed null and void. SWMA's sole remedy for claims for damages arising from any breach of this Agreement or failure to perform this Agreement shall be limited to the filing of a claim with the Board of Adjustment for the State of Alabama.

VI. CIVIL SERVICE SYSTEM

The Board and SWMA acknowledge that the Board is an appointing authority under the Civil Service System of Jefferson County, Alabama (the "System") and that the Board's Services hereunder are subject to said System.

VII. RECORDS AND DOCUMENTS

- A. Upon written request by SWMA, the Department will promptly provide to SWMA such reports, documents, information, and any other similar materials generated by the Department under this Agreement.
- B. Unless required by law, the Department will not use any confidential or proprietary reports, documents or information developed during performance of the Services for any purpose other than the performance of such services without the prior written consent of SWMA.
- C. The Department will maintain records and documents relating to performance of the Services hereunder for a period of not less than five (5) years after completion of the Services or such longer period as may be required by ADEM or EPA. Should the Department thereafter determine that it will no longer retain such records or documents, then sixty (60) days prior to disposing of such records and documents, the Department will notify SWMA of the impending termination of storage, and request that SWMA take delivery of such records and documents. If requested, the Department will deliver copies of such requested documents to SWMA at no cost to SWMA.
- D. Notwithstanding the provisions of subsection VII.C., the Department will not destroy or discard data or information contained within the GIS database to which the Department is provided access unless in the normal course of business and agreed upon in writing by the Department and SWMA.

VIII. NON-EXCLUSIVITY

This Agreement shall not be construed to grant the Department an exclusive right to perform work or provide services to SWMA. SWMA reserves the right to contract with other parties for such services as it deems appropriate.

IX. ASSIGNMENT

The Department shall not assign any of its rights or obligations under this Agreement without the prior written consent of SWMA. This Agreement is binding on the successors and assigns of SWMA and the Department.

X. GOVERNING LAW

The validity and enforceability of this Agreement and every term or provision, as well as the rights and duties of the parties to this Agreement will be governed by the laws of the State of Alabama.

XI. NOTICE

Any information or notices required or permitted under this Agreement shall be deemed to have been sufficiently given if in writing and sent by first-class mail or overnight delivery to the following:

For the Board:

Jefferson County Board of Health
Attn: Dr. Mark E. Wilson, M.D.
1400 6th Avenue South
Birmingham, AL 35233

For SWMA:

Storm Water Management Authority, Inc.
Attn: Mayor Jerry Brasseale
501 Park Road
Pleasant Grove, AL 35217

XII. AMENDMENT

This Agreement may not be amended except by a written agreement executed by the parties.

XIII. ENTIRE AGREEMENT

This Agreement constitutes the entire understanding and agreement between the parties relating to the subject of this Agreement and supersedes all prior agreements, whether written or oral.

XIV. SEVERABILITY

If any portion of this Agreement is determined to be illegal, invalid, or unenforceable, such illegality, invalidity or unenforceability shall not affect any other portion of this Agreement.

XV. SURVIVAL

All covenants, indemnities and other agreements of the parties in this Agreement (or given with this Agreement) shall survive termination of this Agreement.

XVI. HEADINGS

Headings and subheadings are inserted only for convenience and are in no way to be construed as a part of this Agreement or as a limitation of the sections to which they refer.

XVII. COUNTERPARTS

This Agreement may be executed simultaneously in two or more counterparts, each of which shall be deemed an original, but all of which together shall constitute one and the same instrument.

IN WITNESS WHEREOF, the parties have caused this Agreement to be signed by their duly authorized representatives as of the date first above written:

JEFFERSON COUNTY BOARD OF HEALTH

By: MEW MD

**Mark E. Wilson, M.D.
Health Officer**

STORM WATER MANAGEMENT AUTHORITY, INC.

By: Jerry Brasseale

**Jerry Brasseale
Chairman of the Board of Directors**



**JEFFERSON COUNTY DEPARTMENT OF HEALTH
 CONTRACTS**

BE IT RESOLVED that the Board of Health approves the contracts listed below:

CONTRACTOR	STATUS	SERVICES	AMOUNT	TERMS
Storm Water Management Authority, Inc. (EH-46)	Renewal	JCDH to provide storm water management services to the members of the Storm Water Management Authority, Inc.	Not to exceed \$644,000	1/1/2017 – 12/31/2017

BE IT FURTHER RESOLVED that the Health Officer is hereby authorized to sign said contracts and contract related documents for the Board of Health.

Adopted by the Jefferson County
 Board of Health on
April 19, 2017
M.S. [Signature]
 Health Officer

Color Codes: **Red** = Payee **Black** = Payor **Blue** = Reimbursement or No Funds Involved
 * Pending Personnel Board Approval ** Pending Final Negotiations and Legal Review

To Bid: Yes No

JCDH ID # EH/AP-46



**JEFFERSON COUNTY DEPARTMENT OF HEALTH
CONTRACT COVERSHEET**



SERVICE CENTER ORIGINATING CONTRACT: Environmental Health

SERVICE CENTER CONTACT PERSON: Jonathan Stanton TELEPHONE: (205) 930-1292

CONTRACTOR'S NAME: Storm Water Management Authority, Inc. (SWMA) FEDERAL ID #: _____

ADDRESS: 501 Park Road
Pleasant Grove, AL 35127

CONTRACT CONTACT PERSON: Mayor Jerry Brasseale TELEPHONE: (205) 744-1720 FAX: _____

JCDH PAY STATUS: PAYEE PAYOR BILLING NOTATION: YES NO
(Check One)

CONTRACT TERM FROM: 1/1/2017 THRU: 12/31/2017 STATUS: NEW RENEWAL
AMENDMENT

AMOUNT: 684,000.00 / 12 equal monthly payments

CHARGE TO: FUND _____ CC _____ DIV _____ ACCOUNT # _____ (e.g. 01-02-001-810114)

NOT TO EXCEED \$ _____

SYNOPSIS/SERVICES PROVIDED:
JCDH will provide storm water management services to the members of the Storm Water Management Authority, Inc.

If Independent Contractor, explain why needed: _____

ORIGINATION/REVIEW & APPROVAL OF SERVICE CENTER ADMINISTRATOR:

Provisions Reviewed:

Contractor Legal Name
Bid Law Compliance

Term
Proper Signature Lines

Payment
Indemnity

Signature of Service Center Administrator: *Jonathan Stanton* Date 6-7-18

FINANCIAL REVIEW:

LEGAL REVIEW: Approved form

APPOINTING AUTHORITY'S SIGNATURE: _____

SENT TO PERSONNEL BOARD (IF APPLICABLE): _____

BOARD OF HEALTH APPROVAL: _____

SENT TO CONTRACTOR FOR SIGNATURE _____

SIGNED CONTRACT REC'D & FILED WITH F & A: _____

6/12/18
6-13-18
6/14/18
n/a
Rec'd signed 6/8/18
6/14/18

Initials
LKH
LSM
cd
cd
cd

APPROVED/DISAPPROVED BY PERSONNEL BOARD: _____
(Circle one) SIGNATURE TITLE DATE

AMENDMENT
Between the
Jefferson County Board of Health
And the
Storm water Management Authority, Inc.

This Amendment, effective the 1st day of January, 2017 (the "Amendment"), by and between the Jefferson County Board of Health, hereinafter referred to as "**Board**", and The Storm Water Management Authority, Inc. and its Board of Directors, hereinafter referred to as **SWMA**", hereby amend the Agreement entered into between the parties in September of 2009 (the "Agreement").

WITNESSETH:

WHEREAS, the Board and SWMA wish to renew the Agreement entered into between the parties January 1, 2017, subject to the amendments noted below.

NOW, THEREFORE, in consideration of the premises, mutual promises, and covenants of the parties contained herein and other good and valuable consideration, the parties hereby amend Section II B of the Agreement, titled **OBLIGATIONS OF SWMA; PAYMENT TERMS**, as follows:

Delete the following Section II B 1:

"The total amount for the annual contract term payable by SWMA to the Department shall be \$644,000.00 (the "**Annual Contract Amount**") to be paid in equal monthly installments. SWMA shall remit payment in advance for the Services on the 1st business day of each month in the amount of 1/12 of the Annual Contract Amount (\$53,666.67) beginning October 1, 2016."

And, substitute in lieu thereof the following as Section II B 1:

"The total amount for the annual contract term payable by SWMA to the Board shall be \$684,000.00 (the "**Annual Contract Amount**") to be paid in equal monthly installments. SWMA shall remit payment in advance for the Services on the 1st business day of each month in the amount of 1/12 of the Annual Contract Amount (\$57,000.00) beginning January 1, 2017."

All other terms and conditions of the Agreement shall remain in full force and effect.

IN WITNESS WHEREOF, the parties have caused this Amendment to be signed by their duly authorized representatives as of the date first above written:

JEFFERSON COUNTY BOARD OF HEALTH

By: MEW MD
Mark E. Wilson, M.D.
Health Officer

**STORM WATER MANAGEMENT
AUTHORITY, INC.**

By: Jerry Brasseale
Jerry Brasseale, Mayor Pleasant Grove
Chairman of the Board of Directors
Roger McEndichie

SWMA Bylaws

INAL DRAFT

9/08/1998

Approved
10/15/98

**BYLAWS
OF THE
STORM WATER MANAGEMENT AUTHORITY, INC.**

Section 1. Name. The name of this organization shall be the Storm Water Management Authority, Inc. ("Authority").

Section 2. Objectives and Purposes. The objectives and purposes of the Authority shall be to serve as a public corporation pursuant to Act No. 95-775, Legislature of Alabama 1995, as codified from time to time in the Code of Alabama §§ 11-89C-1 et seq. (the "Act"), and to assist the member governing bodies in carrying out implementation of the storm water laws and in undertaking the responsibilities of, and achieving and maintaining compliance with, the National Pollutant Discharge Elimination System ("NPDES") MS4 Permit ALS000001 (as the same may be hereafter extended, modified, or renewed, the "Permit") issued by the Alabama Department of Environmental Management ("ADEM"), and to do all things necessary or convenient to achieve such purposes.

Section 3. Membership. Membership in the Authority shall be open to each "governing body" as defined in the Act which elects to join the Authority, to abide by these Bylaws, and to be a co-permittee under the Permit.

Section 4. Board of Directors.

a. The business of the Authority shall be managed by its Board of Directors, consisting of one representative from each member governing body. The representative shall be the Mayor, if the member governing body is a governing body of a municipality, or a County Commissioner, if the member governing body is a governing body of a county.

9/08/1998

b. The Board of Directors may hold its meetings and have one or more offices and keep the books of the Authority at such places within the boundaries of any member governing body as the Board may, from time to time, determine.

c. In addition to the powers and authorities by these Bylaws expressly conferred upon it, the Board of Directors may exercise all such powers of the Authority and do all such lawful acts and things as are by statute or by the certificate of incorporation granted to them.

d. No member of the Board of Directors shall receive compensation for his or her services rendered as a member of the Authority but each member shall be entitled to receive reimbursement for his or her reasonable actual expenses incurred in the performance of his or her duties as a member of the Board of Directors, which expenses are consistent with the budget, properly documented and approved by the Chair of the Board of Directors of the Authority. A maximum amount of expenses for each event or project for which a member of the Board of Directors seeks reimbursement shall be subject to the approval of the Chair of the Board of Directors in advance of such event or project, and the actual expenses shall also be subject to the approval of the Chair of the Board of Directors after they are incurred and before reimbursement of them is made.

e. Because under the Act each governing body is represented by a member who is a Mayor or County Commissioner, and because of the press of duties attending such elective office, and in order to prevent the Board of Directors from being unable to conduct its ordinary business when the conflicting and multiple duties of the members make their attendance at meetings difficult, any member of the Board of Directors may designate an

19/08/1998

alternate to represent such member at meetings of the Board of Directors; provided, however, that such designation must be made separately for any given meeting, must be made in writing signed by the member so represented, and must state whether the alternate may vote at such meeting on items in the published agenda. Such designation shall be attached to the minutes of the meeting. An alternate with voting power shall be counted for purposes of determining a quorum, and may vote on agenda items, except that alternates may not vote on the adoption of Rules as defined herein. Where an alternate is authorized to cast a vote concerning amendment of Bylaws or election or removal of officers, the designation shall specify that the alternate is so authorized. An alternate may be another member or a non-member, but no person shall act as alternate for more than one (1) member at any given meeting. Also, in the event of absence or disability of a Mayor and consistent with Code of Alabama (1975) § 11-43-42, providing for the exercise of the functions of Mayor during a Mayor's absence or disability, the Mayor pro tempore or chairman pro tempore of a governing body may cast the vote of a governing body as provided in § 11-43-42.

f. It shall be the policy of the Authority to require and enforce ethical standards of conduct. Members of the Board of Directors, and employees of the Authority, shall comply with the code of ethics for public officials and employees set forth in Code of Alabama (1975) § 36-25-1 et seq., as amended from time to time, and rules and regulations promulgated thereunder. The Board of Directors shall require procedures consistent with § 36-25-1 with respect to matters including but not limited to reimbursement of expenses, and business dealings and contracts of the Authority.

Section 5. Meetings of the Board of Directors.

09/08/1998

a. The annual meeting of the Board of Directors shall be held on the second Thursday in September of each year, to elect the Executive Committee and its officers in applicable years, to consider and approve the Authority's budget for the following fiscal year, and to receive the report of the Authority's activities for the current fiscal year. The semi-annual meeting of the Board of Directors shall be held on the second Thursday in March to review and approve the method of funding.

b. The Board of Directors shall elect five members as the Executive Committee. The Executive Committee shall include one member who is a County Commissioner from the largest county participating in the Authority, one member who is the Mayor of the largest city participating in the Authority, and three other members. The Board of Directors shall elect one member of the Executive Committee as Chair, one member as Co-Chair, and one member as Secretary. The Chair, Co-Chair, and Secretary of the Executive Committee shall also serve as the Chair, Co-Chair, and Secretary, respectively, of the Board of Directors. No alternate shall be designated for Executive Committee meetings.

c. Other regular meetings of the Board may be held without public notice (except as may be specifically required by statute) at such time and place as shall be determined from time to time by the Board. The Chair of the Board shall notify the members of the date, hour, and site for the meeting, in writing, not less than ten (10) days prior thereto.

d. Except as may be specifically required by statute, special meetings of the Board may be called by the Chair, or by any two members of the Board, on one day's notice to each member of the Board (if by facsimile, by phone, in person, or by written notice hand-delivered) or 72 hours notice if by U. S. Mail. If a member of the Board does not receive

9/08/1998

such notice, but does attend the special meeting, his or her presence at the special meeting shall satisfy the notice requirement as to such member unless the sole purpose of his or her attendance at the meeting was to protest the manner in which (or purpose for which) it was called.

e. At all meetings of the Board, one-third of the members thereof or designated voting alternates (initially this number is eight) shall be necessary and sufficient to constitute a quorum for the transaction of business. The Chair may vote on all matters. The act of a majority of the Board present at any meeting at which there is a quorum shall be the act of the Board, except as otherwise provided in sections 7 and 13 hereof.

f. The Chair of the Board of Directors shall appoint a Nominating Committee from the members of the Board of Directors. The Nominating Committee shall make recommendations to the Board for the election of members to the Executive Committee, and for the election of officers thereof.

Section 6. Executive Committee. The Executive Committee of the Board shall oversee the executive and administrative functions of the Authority. The Executive Committee shall hold regular quarterly meetings on the second Thursday of March, June, September and December, as well as other meetings which may be called hereunder. The Chair may vote in meetings of the Executive Committee. Day-to-day management of the Authority shall be handled by the administrator of the Authority. The Executive Committee shall receive reports from time to time from the Chair and from the administrator concerning day-to-day operations of the Authority, including such matters as employment of personnel, coordination of activities connected with the Permit, maintenance of records, and provision of assistance to member governing bodies in connection with Permit compliance and related activities. The administrator

/08/1998

shall develop recommendations for action by the Executive Committee, and, on issues requiring Board action, for recommendation by the Executive Committee.

The terms of the members of the Executive Committee shall be three years, beginning on October 1 of the year in which elected to the Executive Committee, with staggered terms. To implement such staggered terms, from the date of election by the Board,

--The initial terms of the first Chair ("first member") and Co-Chair ("second member") of the Executive Committee shall be three years.

--The initial terms of the first Secretary ("third member") and the fourth member shall be two years.

--The initial term of the fifth member of the Executive Committee shall be one year. Upon expiration of each term, the Board of Directors shall receive recommendations from the Nominating Committee and shall elect new officers for the Executive Committee. Vacancies occurring in the Executive Committee shall be filled by the Board of Directors of the Authority.

Action may be taken by the Executive Committee without a meeting, provided all committee members are notified twenty-four (24) hours in advance of any polling or action and there is consent of a majority of the membership of the Executive Committee. Such consent shall be confirmed in writing within seventy-two (72) hours of such decision.

The Executive Committee shall report its activities and transactions at the next following regular meeting of the Board of Directors.

Without limiting the authority of the Executive Committee, said Committee shall have the following specific authority, with such additional authority as is necessary to implement the performance of the following activities:

19/08/1998

- a. To engage personnel or services deemed necessary to perform the function of the Authority, consistent with the approved budget, under such terms and conditions as it shall prescribe;
- b. To organize the Board of Directors into such committees or other groups as will in its judgment serve to efficiently accomplish the purposes or ends for which the Authority was established and created under law (such committees may include, in an advisory capacity, persons other than members of the Board of Directors);
- c. To designate such programs of study and research as will promote the purposes for which the Authority was established and created;
- d. To publish such records, reports or findings, in writing, as may in its judgment be of use or value to the public or other interested party or parties;
- e. At the annual meeting of the Board in each fiscal year, the Executive Committee shall provide a summary of the Authority's activities during the current calendar year;
- f. To make application for and to accept on behalf of the Authority any funds, gifts, donations, assistance or governmental grants, under such conditions as it shall deem appropriate, not inconsistent with the power of the Authority, as prescribed by law;
- g. To recommend, not later than the March quarterly meeting of each fiscal year, the proposed fee structure method and the approximate amount of revenue to be collected by the method selected, for the following fiscal year, and, no later than the June quarterly meeting of each year, the Authority's annual budget for the following fiscal year, in order that member governing bodies may adopt and transmit any revised instructions concerning

09/08/1998

fees for the following fiscal year to the Tax Assessor and Tax Collector by no later than July 31 of the current fiscal year (as directed by the Tax Collector).

Matters not delegated to the Executive Committee, including election of officers, amendment of the Bylaws or Articles of Incorporation, rulemaking procedures, and approval of the annual budget, shall be determined by the Board of Directors.

Section 7. Rulemaking Procedures. As used herein, "Rule" shall have the meaning set forth in §11-89C -2(6) of the Act, as the same may be from time to time amended. As of the date of adoption of these Bylaws, "Rule" means any regulation or standard of general applicability of the Authority which prescribes or recommends law, procedure or policy to be adopted by the member governing bodies of the Authority, specifically including all pro forma ordinances, regulations, resolutions, rules, procedures or remedies for such member governing bodies. In development of any Rule of the Authority, or procedures for the enforcement of such, the Authority shall follow the procedures set forth in the Act in §11-89C-4(b), as the same may be from time to time amended. As of the date of adoption of these Bylaws, the Act requires that the Authority's procedures include all of the following:

a. Set a date and time for a public hearing and afford the public and interested parties an opportunity to offer written comments, and to present testimony and evidence in support of their respective positions as to the proposed resolutions, ordinances, remedies, or procedures, and to have counsel to represent them at their own expense. The Board of Directors shall consider fully all written and oral submissions presented. At the conclusion of the public hearing and any continuation thereof, the Board of Directors may modify or withdraw such proposals, or may adopt such pro forma resolutions, ordinances,

09/08/1998

remedies, or procedures which are reasonable and supported by evidence from the proposal itself, the public comments submitted thereupon and the public hearing record and which shall be thereafter presented to the member governing bodies for their consideration. Adoption of any Rule shall require an affirmative vote of at least two thirds (2/3) (initially this number is sixteen) of the members of the Board of Directors. Upon adoption of a Rule, the Authority shall issue a statement reflecting the reasoning and evidence supporting adoption of the Rule and an explanation for rejecting the evidence or assertions made urging that the Rule be modified or not adopted.

b. Give notice of the hearing by publishing in a newspaper of general circulation published within the counties in which the member governing bodies exist, at least 30 days prior to the date of the hearing, stating the date, time and location of the hearing, and including either the terms or the substance of the proposals to be considered or a description of the subjects and issues involved, the address of the location where copies of the proposed resolution, ordinances, remedies and procedures may be inspected or copies thereof obtained, and the manner in which interested persons may present their views thereon. Every proposed Rule shall be accompanied by a thorough statement identifying and explaining the purpose and support for its adoption. The notice shall also be mailed to all persons who pay in advance the cost of the mailing and who have made timely request of the corporation in advance for advance notice of any such hearings.

c. Make available for public inspection and copying, at a charge of \$.25/page or such amount as the Executive Committee may establish from time to time, any

09/08/1998

such proposed resolutions, ordinances, remedies, and procedures at least thirty (30) days prior to the hearing.

Section 8. Officers. The officers of the Authority shall hold office until their successors are chosen and qualified in their stead. No member shall simultaneously hold than more than one office (Chair, Co-Chair, Secretary). Any officer elected or appointed by the Board may be removed at any time by the affirmative vote of two-thirds of the members of the Board. Their duties shall be as follows:

a. **Chair.** The Chair of the Executive Committee is also Chair of the Board of Directors. He/she shall preside at all meetings of the Board and see that all orders and recommendations of the Board are carried into effect. The Chair shall be available for the administrator to consult between meetings of the Executive Committee, in order to carry out the day-to-day management of the Authority. Decisions reached as a result of such consultation shall be reported to the Executive Committee at its next meeting. The Chair shall execute all contracts of the Authority. The Chair shall recommend appointments to all committees of the Authority, except the Executive Committee, subject to the approval of the Executive Committee. The Chair shall oversee or provide for recordation of minutes of all proceedings of the Board of Directors and Executive Committee in book(s) to be kept for that purpose. The Chair shall give, or cause to be given, notice of all meetings of the Board. The Chair shall also keep in safe custody the seal of the Authority and shall affix the same to any instrument requiring it and shall attest it. The Chair shall be the custodian of all funds of the Authority and shall withdraw and expend the same from time to time in accordance with the budget approved by the Board of Directors. He/she shall perform such other duties as may be prescribed by the Board.

b. **Co-Chair.** The Co-Chair of the Board of Directors shall have the same powers and duties as the Chair except that he/she shall exercise such powers and duties, and preside at meetings of the Board, only in the absence of or unavailability of the Chair. The signature of either the Co-Chair or the Chair on contracts, bonds and obligations of the Authority shall be sufficient.

c. **Secretary.** The Secretary of the Board of Directors shall be an officer of the Board and shall preside at meetings in the absence of the Chair and Co-Chair.

Section 9. Duties of Officers May Be Delegated. In case of the absence of any officer of the Authority or for any other reason that the Board may deem sufficient, the Board may delegate, for the time being, the powers and duties, or any of them, of such officer, to any other officer, provided that a majority of the entire Board concur therein.

Section 10. Funds and Checkwriting Authority.

a. The Authority may enter into an agreement with the Jefferson County Finance Department to act as custodian of the Authority's funds and to write such checks, transfer such funds and make such payments as may be directed pursuant to such agreement. The Authority may in such agreement specify procedures for authorization of such checks, transfers and payments by designated officer(s) and/or employees of the Authority.

b. The Authority may not make gifts, donations, or contributions to any person, firm, corporation, association or any other entity.

Section 11. Fiscal Year. The fiscal year shall begin on October 1 and end on September 30 of the following year. The fee structure for each member governing body shall

09/08/1998.

be adopted by the Authority no later than March 31 of each year. The Authority's annual budget for the upcoming fiscal year shall be approved by September 15 of each year.

Section 12. Notices.

a. Whenever, under the provisions of these Bylaws, notice is required to be given to any member of the Board of Directors, such notice may be given to him/her in person, by mail, by telephone, by facsimile transmission, or by certified or registered mail mailed to his/her address as it appears in the records of the Authority.

b. Any member of the Board of Directors may waive any notice required to be given under these Bylaws, either before or after the meeting of which notice is required to be given. Such waiver shall be confirmed in writing.

Section 13. Amendments. These Bylaws may be altered or amended by the affirmative vote of a majority of the members of the Board of Directors at any regular meeting of the Board, or at any special meeting of the Board if at least ten (10) days' notice is provided of the proposed alteration or amendment in the notice of such meeting.

Section 14. Seal. The Authority's seal shall have inscribed thereon the name of the Authority and the words "CORPORATE SEAL".

Section 15. Parliamentary Procedures. In all cases (1) where not inconsistent with these Bylaws and any special rules of order the Authority may adopt, and (2) where applicable, the rules contained in the current edition of Robert's Rules of Order, Newly Revised, shall govern the Authority.

Section 16. Member Governing Bodies.

a. Adoption of Ordinances and Resolutions. To maintain membership herein, a member governing body shall adopt such ordinances and resolutions as may be adopted by the Authority as Rules following the rule-making procedure described herein. Each member governing body shall satisfy all statutory requirements applicable to it for adoption of ordinances or resolutions, as applicable, before adopting any such Rule. Adoption by a member governing body of any ordinance or resolution recommended by the Board or authorized by the Act shall require an affirmative vote of at least a majority of the members of the council or commission authorized to adopt such ordinances or resolutions in the governing body.

b. Financial Support. Each member governing body shall, no later than July 31 of an applicable year, adopt and forward to the Authority and to the Jefferson County Tax Collector an ordinance and/or resolution directing the Jefferson County Tax Collector to collect and to forward, during the upcoming fiscal year, such member governing body's required annual financial support (pursuant to the fee structure voted by the Authority) for the upcoming fiscal year to the Authority. The administrator shall provide to the Board, quarterly in December, March, June and September of each year, information provided by the Tax Collector on the payments collected on behalf of each member governing body.

c. Continued Membership. Members of governing bodies shall follow all Rules, pro forma ordinances and resolutions, and enforcement procedures adopted by the Board of Directors, in order for the Authority to achieve a uniform, consistent and cost-effective stormwater program. Deviation from such Rules, pro forma ordinances and resolutions and enforcement procedures will result in termination of such member governing body from membership in the Authority, pursuant to procedures to be adopted by the Board of Directors

09/08/1998

and which shall provide notice of such deviation and a reasonable opportunity to comply. Such procedures may be adopted as an amendment to these Bylaws. In the event of such termination, the Executive Committee shall determine the amount of any refund to be provided to such terminated member governing body from fees collected by the Tax Collector on behalf of such member governing body.

Section 17. Membership and Withdrawal.

a. The members of the Authority are, as of the date of adoption of these Bylaws: the City of Adamsville, the City of Bessemer, the City of Birmingham, the City of Brighton, the City of Brookside, the City of Fairfield, the City of Fultondale, the City of Gardendale, the City of Graysville, the City of Homewood, the City of Hoover, the City of Hueytown, the City of Irondale, the City of Leeds, the City of Lipscomb, the Town of Maytown, the City of Midfield, the City of Mountain Brook, the City of Mulga, the City of Pleasant Grove, the City of Tarrant, the City of Trussville, the City of Vestavia Hills, and the Jefferson County Commission.

b. A member governing body which desires to withdraw from the Authority must provide notice of such withdrawal by adopting an ordinance or resolution, in accordance with law, no later than January 15 of a fiscal year, which notice shall become effective on October 1 of the next year.

c. A governing body as defined in the Act which desires to join the Authority and to comply with all requirements for membership as set forth herein shall, no later than January 15 of a fiscal year, adopt in accordance with law and submit to the Board of Directors an ordinance or resolution in form satisfactory to the Board of Directors, requesting

09/08/1998

to become a member governing body in the Authority, indicating its intent to abide by these Bylaws, and authorizing its Mayor (if a city) or commissioner (if a county) to serve as a member of the Board of Directors of the Authority. The Board of Directors shall promptly act on such request, generally at its March meeting, in order that the applicant governing body may be admitted effective October 1 of the next fiscal year.

Section 18. Employees.

a. The Authority shall use the Jefferson County Personnel Board to engage personnel to serve as the classified employees of the Authority (including the administrator or executive director of the Authority). Salaries and benefits shall be in accordance with the Jefferson County Personnel Board or the governing body from which the classified employee is assigned.

b. The Authority may employ individuals directly or indirectly through loaned, detailed or assigned employees from the member governing bodies or other entities.

City of Irondale's SWMPP



STORM WATER MANAGEMENT PROGRAM PLAN
January 31, 2019

Prepared For
City of Irondale
101 20th Street South
Irondale, Alabama 35210

Prepared by
Jefferson County Department of Health.
1400 Sixth Avenue South
Birmingham, Alabama 35233
(205) 930-1230

Signatory and Certification Requirements:

I certify under the penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information the information is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.



Charles Moore
Mayor, City of Irondale

1-22-19

Date

Address: 101 20th Street South
Irondale, Alabama 35210

Phone: (205) 956-9200

CONTENTS

INTRODUCTION.....	8
Regulatory Overview.....	8
MS4 Jurisdictional Boundary	9
LEGAL AUTHORITY AND ENFORCEMENT.....	9
STORM WATER COLLECTION SYSTEMS OPERATIONS.....	14
Structural Controls Mapping.....	14
Structural Controls Inspection	14
Standard Operating Procedure (SOP) for Structural Control Inspection and Maintenance Procedures.....	14
Stabilization and Re-Vegetation of Eroded Areas.....	14
Floatables, Litter, Sediment and Debris in Structural Controls	15
PUBLIC EDUCATION AND PUBLIC INVOLVEMENT ON STORM WATER IMPACTS 	16
Development and Implementation of the SWMPP	16
Public Access to City Storm Water Documents.....	16
Targeted Pollutant Sources for Public Education	16
Reduction of Litter Floatables and Debris	16
Educating Individuals and Households on Reducing Storm Water Pollution	16
Community Involvement with the Storm Water Program.....	17
General Public	17
Businesses.....	17
Homeowners, Landscapers, and Property Managers.....	17
Engineers, Contractors, and Developers	18
Evaluating the Effectiveness of the Public Education Program.....	18
Public Awareness Activities	18

ILLICIT DISCHARGE DETECTION AND ELIMINATION (IDDE) 19

- MS4 Map..... 19
- Ordinance/Regulatory Mechanism..... 19
- Dry Weather Screening Program..... 19
- Source Identification 20
- Illicit Discharge Elimination 20
- ADEM Notification by the City 20
- Illicit Discharge Reporting by the Public 21
- Personnel Training 21
- Ordinance/Regulatory Mechanism Availability 21

CONSTRUCTION SITE STORM WATER RUNOFF CONTROL..... 22

- Erosion and Sedimentation Control Complaints..... 22
- Site Plan Reviews..... 22
- Site Inspection Plan 22
- Training of MS4 Site Inspection Staff..... 22
- Construction Site Inspection Checklist..... 23
- Enforcement Response Plan (ERP)..... 23
- Construction Site Operator Training 23

POST-CONSTRUCTION STORM WATER MANAGEMENT IN NEW DEVELOPMENT AND RE-DEVELOPMENT..... 24

- Ordinance/Regulatory Mechanism..... 24
- Inventory of Post Construction Structural Controls 24

SPILL PREVENTION AND RESPONSE 25

- City Response Protocol 25
- Spill Prevention/Spill Response Plan 25
- Personnel Spill Prevention/Response Training 25

POLLUTION PREVENTION/GOOD HOUSEKEEPING FOR MUNICIPAL OPERATIONS	26
Municipal Facilities Inventory	26
Good Housekeeping Practices SOP	26
Inspection Plan	26
Good Housekeeping Training Program.....	26
Short Term and long Term Trash Removal Strategy	26
APPLICATION OF PESTICIDES, HERBICIDES, AND FERTILIZERS (PHF)	28
Application and Storage.....	28
PHF Training Program.....	28
OILS, TOXICS, AND HOUSEHOLD HAZARDOUS WASTE.....	30
Public Education on Proper Disposal	30
Annual Employee Training.....	30
INDUSTRIAL STORM WATER RUNOFF.....	30
Inventory of High Risk Facilities.....	30
Inspection of High Risk Facilities	30
WET-WEATHER MONITORING AND REPORTING	32
Monitoring Locations	32
Impaired Waterways.....	32
Monitoring Parameters and Frequency.....	32
Sample Type, Collection and Analysis	33
Other requirements.....	35
SWMPP Plan Review and Modification	35
Annual Report.....	35

FIGURES

Figure 1: MS4 Boundary.....	13
Figure 2: Municipal Properties.....	27
Figure 3: PHF Distribution.....	29
Figure 4: Industrial and High Risk Facilities.....	31
Figure 5: Sampling Sites.....	34

APPENDICES

Appendix A – Irondale Storm Water Program Documents

Appendix B - Storm Water Collection Systems Operations

Appendix C - Illicit Discharge Detection and Elimination (IDDE)

Appendix D - Construction Site Storm Water Runoff Control

Appendix E - Spill Prevention and Response

Appendix F - Pollution Prevention/Good Housekeeping for Municipal Operations

Appendix G – Industrial Storm Water Runoff

INTRODUCTION

REGULATORY OVERVIEW

The City of Irondale (City) was issued by the Alabama Department of Environmental Management (ADEM) a Municipal Separate Storm Sewer System (MS4) Individual Phase I Permit (ALS000019) on June 7th, 2017 (**Appendix A**). This permit went into effect on July 1, 2017. Previously, the City was included as a Co-Permittee under permit number ALS000001.

As a condition of this permit, “The permittee is required to develop, revise, implement, maintain and enforce a storm water management program (SWMP) which shall include controls necessary to reduce the discharge of pollutants from its MS4 consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26. These requirements shall be met by the development and implementation of a storm water management program plan (SWMPP) which addresses the best management practices (BMPs), control techniques and systems, design and engineering methods, public participation and education, monitoring, and other appropriate provisions designed to reduce the discharge of pollutants from the MS4 to the Maximum Extent Practicable (MEP)”.

Per the requirements of NPDES Permit Number ALS000019, BMPs, measurable goals, and responsibility designations are provided for each of the following program elements:

- Storm Water Collection System Operations
- Public Education and Public Involvement on Storm Water Impacts
- Illicit Discharge Detection and Elimination
- Construction Site Storm Water Runoff Control
- Post-Construction Storm Water Management in New Development and Re- Development
- Spill Prevention and Response
- Pollution Prevention/Good Housekeeping for Municipal Operations
- Application of Pesticides, Herbicides, and Fertilizers
- Oils, Toxics, and Household Hazardous Waste Control
- Industrial Storm Water Runoff

ADEM defines the fiscal year as October 1st to September 30th. Annual reports are required to be submitted to ADEM no later than January 31st following the previous fiscal year.

MS4 JURISDICTIONAL BOUNDARY

Irondale's MS4 boundary is bound to the north by the city of Birmingham and Trussville, to the south by the city of Mountain Brook and Vestavia, and to the east and west by Birmingham and Leeds respectively. Approximately 16 square miles of residential, commercial, industrial, undeveloped lands, and streams make up the MS4 boundary. See **Figure 1: MS4 Boundary**.

There are two waterbodies, Cahaba River and Shades Creek, which are considered impaired by the U.S. Environmental Protection Agency and ADEM and flow through sections of Irondale. Cahaba River's designated use above Grant's Mill Bridge is Fish and Wildlife and below the bridge is Outstanding Alabama Waters (OAW) and Public Water Supply (PWS). Cahaba River has an approved Total Maximum Daily Loads (TMDLs) for Siltation (Habitat Alteration) and Nutrients. Shades Creek's designated use is Fish and Wildlife (F&W). Shades Creek has an approved Total Maximum Daily Loads (TMDLs) for Siltation (Habitat Alteration), Turbidity, and Pathogens (Fecal Coliform).

LEGAL AUTHORITY AND ENFORCEMENT

Part II C of the permit requires the City to review and revise its ordinances and regulatory mechanisms as necessary to comply with the permit. Below is a summary of the current ordinances, municipal codes, and regulations related to the management of Irondale's MS4. These ordinances are found in **Appendix A**.

- **Ordinance 2018-11, Erosion and Sedimentation Control Ordinance:** Controls sedimentation leaving construction sites. The ordinance describes the fees, regulations, and the requirements surrounding a land disturbing permit issuance.
- **Ordinance 464-83, Subdivision Regulations:** Approved by the Planning and Zoning Board and carry the force of a City Ordinance. They address design requirements for residential and commercial storm water infrastructure.
- **Ordinance 00-12, Tree Ordinance:** Encourages the planting of trees and shrubs to aid in the prevention of erosion and sedimentation, reduce storm water runoff, help control drainage, and restore denuded soil subsequent to construction and grading.

- **Ordinance 2006-36, Flood Ordinance:** Promotes public health, safety and general welfare by controlling construction and construction practices in and around the floodplain as well as controlling the alteration of natural floodplains, stream channels, and natural protective barriers which are involved in the accommodation of floodwaters.
- **Ordinance 2017-57, Garbage, Refuse, and Trash Ordinance:** Makes it unlawful to litter upon any curb, gutter, sidewalk, avenue, highway, tunnel, park, parkway, or lot within the city limits. This ordinance also institutes a law against any person sweeping or depositing grass clippings, limbs, leaves, bushes, solid waste or any other materials on public streets, curb lines, sidewalks and gutters.
- **Ordinance 4-0794, Junked and Abandoned Motor Vehicles Ordinance:** Establishes a law against leaving abandoned and non-usable motor vehicles in the street or within public view.
- **Ordinance 2018-12, Post Construction Ordinance:** Establishes procedures to address the discharge of pollutants in post-construction storm water runoff to the MS4 from new development and re-development.
- **Ordinance 2018-13, Illicit Discharge Ordinance:** Prohibits non- storm water discharges to the MS4.

In 2011 the City of Irondale also adopted a Standard Operating Procedure (SOP) Manual detailing guidelines for addressing many activities associated with the program elements. The SOP Manual is found in **Appendix A**.

The following table reflects which City department is responsible for implementing or coordinating BMPs for each separate program element:

DEPARTMENT	RESPONSIBILITIES
Storm Water Collection Systems Operations	
JCDH/SWMA	Maintain map of City owned/maintained structural controls
Inspections	Semi-annual inspection of new and existing structural controls
Inspections	Develop SOP, inspection checklist, and maintenance procedures
Public Works	Stabilize and re-vegetate eroded areas as needed
Public Works	Remove floatable, litter, sediment, and debris from structural controls
Public Education and Public Involvement on Storm Water Impacts	
Administration	Seek and consider public input in the development and implementation of the SWMPP
Public Works	Post signs prohibiting littering and illegal dumping
Administration	Educating individuals and households on reducing storm water pollution
Administration	Community involvement in the storm water program
Administration	Evaluate the effectiveness of the public education program
Administration	Organize annual cleanup
Illicit Discharge Detection and Elimination (IDDE)	
JCDH/SWMA	Develop MS4 map of outfalls
Administration	Develop applicable ordinances and other regulatory mechanisms
JCDH/SWMA	Screen 20% of the stream miles during dry weather conditions
JCDH/SWMA/City Personnel	Illicit discharge source identification
JCDH/Code Enforcement	Elimination of illicit discharges
Administration	Procedures to notify ADEM of a suspected illicit discharge entering the MS4 from an adjacent MS4
Administration	Illicit discharge public reporting system
JCDH/SWMA	Educating employees on detecting an IDDE , tracing the source of and eliminating illicit discharge
Administration	Ordinance/Regulatory mechanism availability
Construction Site Storm Water Runoff Control	
Inspections/Engineering	Site plan reviews
Inspections/Engineering	Site inspection plan
Inspections	Inspection staff training
Inspections	Construction site inspection checklist
Administration	Enforcement Response Plan (ERP)
Administration and Inspections	Construction site operator education

DEPARTMENT	RESPONSIBILITIES
Post-Construction Storm Water Management in New Development and Re-Development	
Administration	Develop applicable ordinances and other regulatory mechanisms
Inspections	Inventory of post construction structural controls
Spill Prevention and Response	
Fire	Spill prevention/spill response plan
Fire/JCDH	Educating employees on spill prevention/spill response
Pollution Prevention/Good Housekeeping for Municipal Operations	
All Departments	Inventory of municipal facilities
All Departments	Good housekeeping practices SOP
All Departments	Inspection plan
JCDH	Educating employees on good housekeeping
Application of Pesticides, Herbicides, and Fertilizers(PHF)	
Public Works/ Private Applicator	Application and storage of PHFs
JCDH	Educating employees on PHFs usage and storage
Oils, Toxics, and Household Hazardous Waste Control	
Administration	Public education on proper disposal
JCDH	Educating employees on oils, toxics, and household hazardous waste
Industrial Storm Water Runoff	
Administration/JCDH	Inventory of high risk facilities
JCDH	Inspection of high risk facilities
Wet Weather Monitoring and Reporting	
JCDH	Monitoring locations
JCDH	Impaired waterways review
JCDH	Sampling
Other Requirements	
Administration/JCDH	SWMPP plan review and modification
Administration/JCDH	Annual Report submittal




Figure 1: MS4 Boundary

STORM WATER COLLECTION SYSTEMS OPERATIONS

STRUCTURAL CONTROLS MAPPING

The City currently has no owned/maintained structural controls within the MS4 boundary limits.

The City will monitor the addition of any City owned/ maintained structural controls.

Responsible Department: Inspections

STRUCTURAL CONTROLS INSPECTION

As stated in the permit, all existing and new structural controls owned/maintained by the Permittee shall be inspected using a standard inspection form found in **Appendix B** on a semi-annual basis, at a minimum. While the City does not own/maintain structure controls currently, any future inspections will be performed by a city inspector and/or a contractor. Any deficiencies or maintenance recommendations listed on the inspection form in regards to the structural control will be addressed by Public Works.

Responsible Department: Inspections

STANDARD OPERATING PROCEDURE (SOP) FOR STRUCTURAL CONTROL INSPECTION AND MAINTENANCE PROCEDURES

The standard inspection form found in **Appendix B** is used to document structural control inspections. Once any maintenance is completed, a city inspector and/or a contractor will re-inspect the Structural Control to ensure the structure can effectively function as designed.

Responsible Department: Inspections

STABILIZATION AND RE-VEGETATION OF ERODED AREAS

During the inspection of the structural controls, areas of erosion will be documented. The Public Works Department will receive a copy of the inspection documentation noting the eroded areas and will stabilize and re-vegetate these areas.

Responsible Department: Public Works

FLOATABLES, LITTER, SEDIMENT AND DEBRIS IN STRUCTURAL CONTROLS

All floatables, litter, sediment, and/or debris found during the structural inspection will be documented. The Public Works Department will receive a copy of the inspection documentation and will remove the noted items. Public Works will maintain documentation of the estimated amounts of floatables, litter, sediment and debris removed during maintenance activities using the Storm Water Online Activity Record (SOAR) program. The maintenance form can be found in **Appendix B**

Responsible Department: Public Works

PUBLIC EDUCATION AND PUBLIC INVOLVEMENT ON STORM WATER IMPACTS

DEVELOPMENT AND IMPLEMENTATION OF THE SWMPP

The City seeks public input on the SWMPP by posting the draft SWMPP on Irondale’s website for comments. Notification announcements will be made at council meetings. The Council-approved SWMPP for the upcoming year will then be posted on the website and be submitted yearly with the annual report on January 31st.

Responsible Department: Administration

PUBLIC ACCESS TO CITY STORM WATER DOCUMENTS

The City posts copies of the current Annual Report, draft SWMPP, current SWMPP and the NPDES permit on the City’s website. The documents will be updated on the website as they are approved by the city council and/or submitted to ADEM.

Responsible Department: Administration

TARGETED POLLUTANT SOURCES FOR PUBLIC EDUCATION

The City discusses targeted pollutant sources in the section of the SWMPP titled “Community Involvement with the Storm Water Program”.

REDUCTION OF LITTER FLOATABLES AND DEBRIS

The City currently maintains litter signage in Beacon Park, Ruffner Park, Ellard Park, the Cahaba River Walk and other places. The City will investigate options for installing additional signage, in practical locations, referencing the City’s litter control ordinance. Administration will approve the messages and Public Works will install the signs and/or labels.

Responsible Department: Administration and Public Works

EDUCATING INDIVIDUALS AND HOUSEHOLDS ON REDUCING STORM WATER POLLUTION

The City posts on its website information describing Irondale’s Storm Water Program. The information includes general information about the storm water permit with links and brochures about different ways to reduce storm water pollution in relation to the different community segments. The information and links will be modified and/or updated on the

website as needed. These same brochures on storm water issues are placed at City Hall for public pickup.

Responsible Department: Administration

COMMUNITY INVOLVEMENT WITH THE STORM WATER PROGRAM

GENERAL PUBLIC

The City developed a storm water page on its website and placed brochures containing information in City facilities that informs the general public of:

- General impacts litter has on waterbodies and ways to reduce the litter
- General impacts of storm water on surface water from impervious surfaces
- Source control BMPs in areas of pet waste, home vehicle maintenance, landscaping and rain water reuse.
- Impacts of illicit discharges and how to report them.

The storm water page will be updated as needed.

Responsible Department: Administration

BUSINESSES

The City developed a storm water page on its website and placed brochures containing information in City facilities on the following business-related topics:

- Information on BMPs for use and storage of automotive chemicals, hazardous cleaning supplies, carwash soaps and other hazardous materials.
- Impacts of illicit discharges and how to report them.

The storm water page will be updated as needed.

Responsible Department: Administration

HOMEOWNERS, LANDSCAPERS, AND PROPERTY MANAGERS

The City developed a storm water page on its website and placed brochures in City facilities informing homeowners, landscapers, and property managers on the following topics:

- BMPs and storage of pesticides, herbicides, and fertilizers.
- Detention/retention pond maintenance.
- General impacts of storm water from impervious surfaces into surface water.

The storm water page will be updated as needed.

Responsible Department: Administration

ENGINEERS, CONTRACTORS, AND DEVELOPERS

The City developed a storm water page on its website and placed brochures in City facilities to inform engineers, contractors and developers on the following topics:

- Impacts of increased storm water flows into receiving waterbodies.
- Run-off reduction techniques and low impact development (LID)/Green infrastructure practices. Specifically addressing site design, pervious pavement, alternative parking lot design, retention of forests and mature trees.

The storm water page will be updated as needed.

Responsible Department: Administration

EVALUATING THE EFFECTIVENESS OF THE PUBLIC EDUCATION PROGRAM

The City will evaluate the effectiveness of the public education program by monitoring and reporting the number of visitors to the storm water page and the number of brochures that are picked up from the City facilities on an annual basis.

Responsible Department: Administration

PUBLIC AWARENESS ACTIVITIES

Currently the City is planning to host or participate in a cleanup annually. The tonnage collected by the City will be included in the annual report.

Responsible Department: Administration

ILLCIT DISCHARGE DETECTION AND ELIMINATION (IDDE)

MS4 MAP

Maps of the major outfalls, structural controls owned/maintained by the City, and waters of the State within the MS4 boundary that receive discharge from the major outfalls can be found in **Appendix C**. Also, a list of the major outfalls' latitude and longitude coordinates can be found in **Appendix C**.

JCDH will update the MS4 map and provide a list of location coordinates annually on behalf of the City.

Responsible Party: JCDH

ORDINANCE/REGULATORY MECHANISM

Ordinance 2018-13, passed in 2018, addresses illicit discharges as required by the City's Permit.

Responsible Department: Administration

DRY WEATHER SCREENING PROGRAM

Dry weather screening of 20% of the stream miles will be performed annually with 100 percent of the major outfalls screened at least once per the five year permit period. This work will be completed by JCDH. Currently there are no priority outfalls identified within the MS4 boundary, but if illicit discharges are identified during the dry weather inspections, those outfalls will be screened on an annual basis. JCDH shall use the EPA's guidance manual, *Illicit Discharge Detection and Elimination, A Guidance Manual for Program Development and Technical Assessments*, Center for Watershed Protection, October, 2004, for the main source of investigative techniques and guidance for the dry weather screening process. Outfalls will be field inspected after a minimum of 72 hours of dry weather. Data sheets found in **Appendix C** will be filled out for each outfall inspected. Protocols for dry weather are also found in the Standard Operating Procedure Manual. In addition to the required dry weather screening program, Public Works staff will be educated annually to recognize and report potential illicit discharges while conducting their day to day operations. Also, all citizen complaints regarding potential illicit discharges will be investigated.

Responsible Party: JCDH

SOURCE IDENTIFICATION

If during the dry weather screenings, Public Works' identification, or citizen complaint, an outfall is found to be discharging a liquid, the city inspector or JCDH personnel will traverse upstream of the discharge in an attempt to identify the source of the discharge. If the discharge source is unidentifiable, then a sample of the discharge shall be collected by JCDH and analyzed by a qualified lab. Based on the lab results, the outfall will be prioritized and scheduled for further investigation if needed.

Responsible Parties: Inspections Department and/or JCDH

ILLICIT DISCHARGE ELIMINATION

Once the source and responsible party of an illicit discharge has been identified, either the City will take action through its pertinent ordinances or JCDH will through its regulations.

Responsible Parties: Inspections Department or JCDH

ADEM NOTIFICATION BY THE CITY

If a suspected illicit discharge enters the City's MS4 boundary from an adjacent MS4, the City will notify the adjacent MS4 and the ADEM Water Division within 48 hours of observing the suspected illicit discharge. The Standard Operating Procedure for this action is found in **Appendix C**.

Responsible Department: Inspections Department

ILLCIT DISCHARGE REPORTING BY THE PUBLIC

The City receives calls for illicit discharges at the City Hall phone number 205-956-9200 frequently. There is also a phone number, 205-930-1999, listed on the City's website to report illicit discharges.

Responsible Department: Administration

PERSONNEL TRAINING

Non-First Responder City Personnel will be trained by JCDH on IDDE identification and response annually.

Responsible Party: JCDH

ORDINANCE/REGULATORY MECHANISM AVAILABILITY

All ordinances and regulatory mechanisms can be found on the City's website, <http://cityofirondaleal.gov/> , or through the link to Municode on the City's website.

Responsible Department: Administration

CONSTRUCTION SITE STORM WATER RUNOFF CONTROL

EROSION AND SEDIMENTATION CONTROL COMPLAINTS

The City frequently receives calls about construction and sedimentation runoff at the city hall phone number (205-956-9200). These calls are directed to the Department of Building Inspections and Permitting (205-951-1417). The City website lists the Department of Building Inspections and Permitting as the contact number for construction complaints.

Responsible Department: Building Inspections and Permitting

SITE PLAN REVIEWS

According to Ordinance 2018-11, a BMP plan must be submitted to the City along with the permit application before the commencement of any land disturbance. The City must either approve or disapprove the BMP plan within 14 days. Reasons for disapproval must be submitted to the applicant in writing. All revisions have an additional 14-day response time. Land disturbing activity may not be commenced prior to the issuance of the permit by the City.

Responsible Department: Building Inspections and Permitting

SITE INSPECTION PLAN

The City will perform a monthly inspection, at a minimum, on sites that have been issued land disturbance permits. Monthly inspections are required due to the Cahaba River's impaired status resulting in Irondale's sites being categorized as "Priority Construction Sites". Erosion controls and best management practices will be inspected during these inspections. Deficiencies identified during an inspection will be subjected to enforcement procedures outlined in the Erosion Control Ordinance.

Responsible Department: Building Inspections and Permitting

TRAINING OF MS4 SITE INSPECTION STAFF

City staff responsible for construction site inspections receive QCI training annually.

Responsible Department: Building Inspections and Permitting

CONSTRUCTION SITE INSPECTION CHECKLIST

See **Appendix D** for the City's construction site inspection checklist.

Responsible Department: Building Inspections and Permitting

ENFORCEMENT RESPONSE PLAN (ERP)

An Enforcement Response Plan is included in Ordinance 2018-11

Responsible Department: Building Inspections and Permitting

CONSTRUCTION SITE OPERATOR TRAINING

The City provides construction site operator's informational materials regarding appropriate application and maintenance of erosion and sediment controls when they receive their permits from the Inspections Department. The City developed a storm water page on its website and has brochures at City facilities that inform the engineers, contractors and developers on:

- Impacts of increased storm water flows into receiving waterbodies.
- Run-off reduction techniques and low impact development (LID)/Green infrastructure practices. Specifically addressing site design, pervious pavement, alternative parking lot design, retention of forests and mature trees.

The storm water page will be updated as needed.

Responsible Department: Administration and Building Inspections and Permitting

POST-CONSTRUCTION STORM WATER MANAGEMENT IN NEW DEVELOPMENT AND RE-DEVELOPMENT

ORDINANCE/REGULATORY MECHANISM

City Ordinance 2018-12 meets the requirements for post-construction storm water management.

The Post-Construction Ordinance addresses the following:

- Procedures to develop, implement and enforce systems of appropriate structural and/or non-structural BMPs.
- Procedures to develop, implement and enforce performance standards.
- Procedures for encouragement of the utilization of LID/green infrastructure practices.
- Procedures to ensure compliance including sanctions and enforcement mechanisms.
- Procedures for post-construction inspections to include tracking and enforcement.
- Procedures to ensure adequate long-term operation and maintenance of BMPs.

Responsible Department: Administration and Building Inspections and Permitting

INVENTORY OF POST CONSTRUCTION STRUCTURAL CONTROLS

The City currently has no publically-owned structural controls. The City will develop a list of privately-owned structural controls for those built after the codification of the new requirements. The City will update annually the list of publicly-owned post construction structural controls and the privately-owned structurally controls under the new requirements.

Responsible Department: Building Inspections and Permitting

SPILL PREVENTION AND RESPONSE

CITY RESPONSE PROTOCOL

The Irondale Fire Department is responsible for investigating, responding, and conducting response actions for any spill within the City's boundaries. Jefferson County's Emergency Management Agency (EMA) will additionally respond at the request of the City. Irondale's Fire Department and EMA track the spills, the response, and the cleanup activities for all spills.

SPILL PREVENTION/SPILL RESPONSE PLAN

The City's SOP for spill response is found in **Appendix E**.

Responsible Department: Fire

PERSONNEL SPILL PREVENTION/RESPONSE TRAINING

Irondale Fire Department is responsible for the training and certification of their personnel. An annual training will be provided to municipal personnel on spill prevention/response.

Responsible Party: JCDH

POLLUTION PREVENTION/GOOD HOUSEKEEPING FOR MUNICIPAL OPERATIONS

MUNICIPAL FACILITIES INVENTORY

See **Figure 2: Municipal Properties** for a map of municipal properties as well as the locations for vehicle and equipment maintenance facilities. The map shows which department maintains which properties. Generally, Parks and Recreation use pesticides, herbicides and fertilizers while Public Works only mows. The map will be reviewed annually and updated if needed. JCDH will compile the data provided by each Department.

Responsible Department: All Departments

GOOD HOUSEKEEPING PRACTICES SOP

The SOP detailing good housekeeping practices is found in the 2011 SWMA SOP Manual.

Responsible Department: All Departments

INSPECTION PLAN

Annual inspections will be conducted for municipal facilities, to include municipal maintenance shops and equipment yards, for good housekeeping practices, including BMPs. See **Appendix F** for the inspection checklist.

Responsible Department: All Departments

GOOD HOUSEKEEPING TRAINING PROGRAM

City staff will be educated annually on good housekeeping practices. The 2011 SWMA SOP Manual contains procedures related to Good Housekeeping.

Responsible Party: JCDH

SHORT TERM AND LONG TERM TRASH REMOVAL STRATEGY

The City has a SOP for special events that promotes the reduction of trash and debris into the City's MS4 as well as Waters of the State (**Appendix F**).

Responsible Party: JCDH




Figure 2: Municipal Properties

APPLICATION OF PESTICIDES, HERBICIDES, AND FERTILIZERS (PHF)

APPLICATION AND STORAGE

The Public Works Department keeps annual records of pesticides, herbicides, and fertilizers (PHFs) used at municipal facilities. Each chemical used is applied per the labeling instructions. Material safety data sheets (MSDS) on each product are found in the chemical storage areas. City staff responsible for application of PHFs receive annual training in safe use, storage, and disposal of PHFs. A map of the scheduled spraying sites for the year is found in **Figure 3: PHF Distribution**. The scheduled spraying is subject to change. All contractors contracted to apply pesticides or herbicides to City property shall provide proper certification and licensing before performing work. Also, contractors contracted to apply fertilizer must provide qualification in utilizing proper nutrient management practices.

City facilities that store PHFs will be inspected annually to determine proper storage, product labeling, and MSDS accessibility (**Figure 2: Municipal Properties**). The SOP manual contains procedures related to usage and storage of PHFs.

Responsible Department: Public Works

PHF TRAINING PROGRAM

City staff will be educated annually on proper PHF practices.

Responsible Party: JCDH




Figure 3: PHF Distribution

OILS, TOXICS, AND HOUSEHOLD HAZARDOUS WASTE

PUBLIC EDUCATION ON PROPER DISPOSAL

The city has contact information on the City's website on where to report spills, illicit discharges and improper disposals.

The City also provides a link on the City's website that allows citizens to search for oil recycling sites in or near the City. Brochures on oils, toxics, and household hazardous waste are on the City storm water website as well as placed in City facilities for public pick-up.

Responsible Department: Administration

ANNUAL EMPLOYEE TRAINING

Annual training on spill prevention is provided to City personnel by JCDH.

Responsible Party: JCDH

INDUSTRIAL STORM WATER RUNOFF

INVENTORY OF HIGH RISK FACILITIES

The City maintains a list of industrial and high risk facilities within the city limits, see **Appendix G**. This list is updated annually.

The list of industrial facilities will be reviewed annually for completeness and accuracy and will be updated when necessary. A map of the industrial and high risk facilities can be found in **Figure 3: Industrial and High Risk Facilities**.

Responsible Party: JCDH and Administration

INSPECTION OF HIGH RISK FACILITIES

JCDH will inspect these sites annually on behalf of the city. See **Appendix G** for the Industrial Inspection form.

Responsible Party: JCDH




Figure 4: Industrial and High Risk Facilities

WET-WEATHER MONITORING AND REPORTING

MONITORING LOCATIONS

JCDH will take wet-weather grab samples at sites on Cahaba River and Shades Creek annually on behalf of the City. See **Figure 4: Sampling Sites** for a map of the sampling sites

The site locations are as follows:

Water Body	Latitude, Longitude	Description
Cahaba River	33.511484, -86.652636	Grab Sample
Shades Creek	33.520615, -86.716795	Grab Sample and Water Quality Sonde Site

An hourly water quality sonde will be placed on Shades Creek. The sonde will be managed by the United States Geological Survey (USGS). The site's title is USGS 02423571 Shades Creek at Elder St. near Springdale AL.

Responsible Party: JCDH

IMPAIRED WATERWAYS

The City will review the waterbodies listed in the latest final §303(d) list, annually. If a waterbody becomes listed that falls within the MS4 boundary, the SWMPP will be updated as needed.

Responsible Party: JCDH

MONITORING PARAMETERS AND FREQUENCY

Grab samples will be analyzed for the following parameters:

- a. E.Coli
- b. Total Nitrogen (TN) (mg/l)
- c. Total Phosphorus (mg/l)
- d. Total Suspended Solids (TSS) (mg/l)
- e. Temperature
- f. pH/ORP
- g. Turbidity (NTU)
- h. Conductivity
- i. Dissolved Oxygen (mg/l)

- j. Ammonia Nitrogen (NH₃-N) (mg/l)
- k. Biochemical Oxygen Demand (BOD) (mg/l)
- l. Chemical Oxygen Demand (COD) (mg/l)
- m. Hardness as CaCO₃ (mg/l)
- n. Nitrate plus Nitrite Nitrogen (NO₃+NO₂-N) (mg/l)
- o. Oil and Grease (mg/l)
- p. Total Dissolved Solids (TDS) (mg/l)
- q. Total Kjeldahl Nitrogen (TKN) (mg/l)

The water quality sonde will monitor the following parameters at least hourly:

- a. Temperature
- b. pH/ORP
- c. Turbidity (NTU)
- d. Conductivity
- e. Dissolved Oxygen
- f. Water level

Responsible Party: JCDH

SAMPLE TYPE, COLLECTION AND ANALYSIS

JCDH will collect grab samples and submit them to a certified laboratory for analysis.

Responsible Party: JCDH




Figure 5: Sampling Sites

OTHER REQUIREMENTS

SWMPP PLAN REVIEW AND MODIFICATION

This plan will be reviewed annually and updated as necessary.

Responsible Department: All Departments

ANNUAL REPORT

The Annual report will be compiled by JCDH for the city of Irondale.

Responsible Party: JCDH

APPENDIX A

Irondale Storm Water Program Documents

Alabama Department of Environmental Management
adem.alabama.gov

1400 Coliseum Blvd. 36110-2400 ■ Post Office Box 301463
Montgomery, Alabama 36130-1463
(334) 271-7700 ■ FAX (334) 271-7950

JUN - 7 2017

Certified Mail # 91 7108 2133 3936 7155 3634

Honorable Charles Moore
Mayor, City of Irondale
PO BOX 100188
Irondale, Alabama 35210

RE: Municipal Separate Storm Sewer System (MS4) Individual Phase I Permit
NPDES Number ALS000019
City of Irondale MS4
Jefferson County (073)

Dear Mayor Moore:

The Department has made a final determination to issue NPDES Permit No. ALS000019 to the City of Irondale for discharges from its MS4. The NPDES Permit Number ALS000019 will be effective July 1, 2017 and expire on June 30, 2022.


The Department notified the public of its tentative determination to issue NPDES Permit No. ALS000019 on January 27, 2017. Interested persons were provided the opportunity to submit comments on the Department's tentative decision through February 27, 2017. In accordance with ADEM Admin Code r. 335-6-6-.21(7), a response to all comments received during the public comment period are provided with the enclosed permit.

The City of Irondale is responsible for compliance with all provisions of the permit including, but not limited to, the performance of any monitoring, the submittal of any reports, and the preparation and implementation of any plans required by the permit.

Please note that On October 22, 2015, EPA finalized the National Pollutant Discharge Elimination System (NPDES) Electronic Reporting Rule (Federal Register Vol. 80 No. 24). As required by this rule, the Department has included, in this permit, a requirement that on and after December 21, 2020, annual reports shall be submitted to the Department electronically in a prescribed manner acceptable to the Department.

If you have questions concerning this permit, please contact Marla Smith either by email at mssmith@adem.alabama.gov or by phone at 334-270-5616.

Sincerely,


Jeffery W. Kitchens, Chief
Stormwater Management Branch
Water Division

JWK/mss

File: FPER/6374

Enclosures: Permit and Response to Comments

cc: Ms. Kacy Sable /Environmental Protection Agency



NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

PERMITTEE: CITY OF IRONDALE

AREA OF COVERAGE: CORPORATE BOUNDARIES OF THE CITY OF IRONDALE

PERMIT NUMBER: ALS000019

RECEIVING WATERS: WATERBODIES WITHIN THE CORPORATE BOUNDARIES OF CITY OF IRONDALE

In accordance with and subject to the provisions of the Federal Water Pollution Control Act, as amended, 33 U.S.C. §§1251-1378 (the "FWPCA"), the Alabama Water Pollution Control Act, as amended, Code of Alabama 1975, §§ 22-22-1 to 22-22-14 (the "AWPCA"), the Alabama Environmental Management Act, as amended, Code of Alabama 1975, §§22-22A-1 to 22-22A-15, and rules and regulations adopted thereunder, and subject further to the terms and conditions set forth in this permit, the Permittee is hereby authorized to discharge into the above-named receiving waters.

ISSUANCE DATE: JUNE 7, 2017

EFFECTIVE DATE: JULY 1, 2017

EXPIRATION DATE: JUNE 30, 2022

GLENN A. DEAN

Alabama Department of Environmental Management

Table of Contents

Part I. Applicability4

- A. Permit Area.....4
- B. Authorized Discharges.....4
- C. Prohibited Discharges4

Part II. Storm Water Pollution Prevention & Management Programs5

- A. Storm Water Management Program5
- B. Storm Water Program Elements and Requirements.....5
 - 1. Storm Water Collections System Operations5
 - 2. Public Education and Public Involvement on Storm Water Impacts6
 - 3. Illicit Discharge Detection and Elimination (IDDE).....8
 - 4. Construction Site Storm Water Runoff Control9
 - 5. Post-Construction Storm Water Management in New Development and Re-Development12
 - 6. Spill Prevention and Response14
 - 7. Pollution Prevention/Good Housekeeping for Municipal Operations14
 - 8. Application of Pesticides, Herbicides, and Fertilizers (PHFs).....16
 - 9. Oils, Toxics, and Household Hazardous Waste Control17
 - 10. Industrial Storm Water Runoff.....17
- C. Legal Authority18
- D. SWMPP Plan Review and Modification18
- E. Impaired Waters and Total Maximum Daily Loads (TMDLs)19
- F. Responsibilities of Permittee.....20

Part III. Monitoring and Reporting.....20

- A. Monitoring Locations20
- B. Monitoring Parameters and Frequency20
- C. Sample Type, Collection and Analysis21

Part IV. Annual Reporting Requirements21

Part V. Standard and General Permit Conditions23

- A. Certification and Signature of Reports23
- B. Submittals23
- C. Retention of Records23
- D. Duty to Comply23

Table of Contents (continued)

E. Civil and Criminal Liability	24
F. Duty to Reapply	24
G. Need to Halt or Reduce an Activity Not a Defense	24
H. Duty to Mitigate.....	24
I. Duty to Provide Information	24
J. Other Information	24
K. Signatory Requirements.....	25
L. Oil and Hazardous Substance Liability.....	25
M. Property and Other Rights.....	25
N. Severability.....	25
O. Compliance with Statutes and Rules	25
P. Proper Operations and Maintenance	25
Q. Monitoring Records.....	25
R. Monitoring Methods	26
S. Right of Entry and Inspection	26
T. Additional Monitoring by the Permittee	26
U. Permit Modification and Revocation.....	26
V. Termination of Coverage for a Single Permittee	28
W. Modification of Storm Water Mangament Program	28
X. Changes in Monitoring Outfalls	28
Y. Definitions.....	28

PART I Applicability

A. Permit Area

This permit applies to the corporate boundaries of the City of Irondale that are regulated by the Permittee and discharge to the Permittee's Municipal Separate Storm Sewer System (MS4).

B. Authorized Discharges

1. This permit authorizes all existing or new storm water point source discharges to waters of the State of Alabama from those portions of the (MS4s) owned or operated by the Permittee. Discharge of pollutants shall be reduced to the Maximum Extent Practicable (MEP), shall not cause, nor contribute to, violations of Alabama Water Quality Standards, and shall be in compliance with Total Maximum Daily Loads (TMDLs) where applicable.
2. This permit authorizes the following non-storm water discharges provided that they do not cause or contribute to a violation of water quality standards and provided that they have been determined not to be substantial contributor pollutants by the Permittee or the Department:
 - a. Water line flushing
 - b. Landscape irrigation (not consisting of treated, or untreated wastewater unless authorized by the Department)
 - c. Diverted stream flows
 - d. Uncontaminated ground water infiltration
 - e. Uncontaminated pumped groundwater
 - f. Discharges from potable water sources
 - g. Foundation and footing drains
 - h. Air conditioning drains
 - i. Irrigation water (not consisting of treated, or untreated, wastewater unless authorized by the Department)
 - j. Rising ground water
 - k. Springs
 - l. Water from crawl space pumps
 - m. Lawn watering runoff
 - n. Individual residential car washing, to include charitable carwashes
 - o. Residual street wash water
 - p. Discharge or flows from firefighting activities (including fire hydrant flushing)
 - q. Flows from riparian habitats and wetlands
 - r. Dechlorinated swimming pool discharges

C. Prohibited Discharges

The following discharges are not authorized by this permit:

1. Discharges that are mixed with sources of non-storm water, unless such non-storm water discharges are in compliance with a separate NPDES permit or where those dischargers have been determined not to represent significant sources of pollution, as identified by, and in compliance with, Part I.B.2;
2. Discharges of materials resulting from a spill, except emergency discharges required to prevent imminent threat to human health or to prevent severe property damage, provided reasonable and prudent measures have been taken to minimize the impact of the discharges; and

3. The discharge of sanitary wastewater through cross connections or other illicit discharges through the MS4 is prohibited.

PART II Storm Water Pollution Prevention and Management Programs

A. Storm Water Management Program (SWMP)

1. The Permittee is required to develop, revise, implement, maintain and enforce a storm water management program (SWMP) which shall include controls necessary to reduce the discharge of pollutants from its MS4 consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26. These requirements shall be met by the development and implementation of a storm water management program plan (SWMPP) which addresses the best management practices (BMPs), control techniques and systems, design and engineering methods, public participation and education, monitoring, and other appropriate provisions designed to reduce the discharge of pollutants from the MS4 to the MEP.
2. The Permittee shall provide and maintain adequate finance, staff, equipment, and support capabilities necessary to implement the SWMPP and comply with the requirements of this permit.
3. The SWMPP must address the minimum program elements referenced in Part II.B. to include the following:
 - a. A map of the Permittee's MS4 corporate boundaries;
 - b. The BMPs that will be implemented for each control measure. Low impact development (LID)/green infrastructure (GI) shall be considered where feasible. Information on LID/GI is available on the following websites: <http://www.adem.alabama.gov/programs/water/waterforms/LIDHandbook.pdf> and <http://epa.gov/polwaste/green/index.cfm>;
 - c. The measureable goals for each of the program elements outlined in Part II.B.;
 - d. The proposed schedule – including interim milestones, as appropriate, inspections, and the frequency of actions needed to fully implement each program element; and
 - e. The person and/or persons responsible for implementing or coordinating the BMPs for each separate program element.
4. Once the SWMPP is acknowledged by ADEM, activities and associated schedules outlined by the SWMPP or updates to the SWMPP are conditions of this permit.
5. Unless otherwise specified in this permit, the Permittee shall be in compliance with the conditions of this permit by the effective date.

B. Storm Water Program Elements and Requirements

1. **Storm Water Collection System Operations**
 - a. Structural Controls
 - i. For Permittee owned/maintained structural controls, the structural controls shall be operated in a manner to reduce the discharge of pollutants, to the MEP;
 - ii. For Permittee owned/maintained structural controls, the Permittee shall include in the SWMPP and implement the following:
 1. Maintain a map of the structural controls;

2. Inspect existing and newly constructed structural controls on a semi- annual basis, at a minimum;
 3. Develop a standard operating procedure (SOP) or inspection checklist for structural control inspection and maintenance procedures;
 4. Stabilization and re-vegetation of eroded areas as needed; and
 5. Floatables, litter, sediment and debris, in structural controls, shall be removed as needed.
- iii. The Permittee shall maintain an inventory of structural controls, and maintain a tracking system for inspections and maintenance of the control structures; and
- iv. The Permittee shall report each year in the annual report the following structural control information:
1. The number of inspections performed on structural controls, to include follow-up inspections. The inspection documentation (i.e. checklist) shall be made available upon request;
 2. A summarization of the maintenance activities performed on structural controls;
 3. The estimated amount of floatable, litter, sediment and debris that was removed, if applicable;
 4. Copies of any contractual agreements for maintenance activities if not performed by the Permittee, if requested by the Department. The contractual agreement should specify maintenance activities performed and schedule; and
 5. Updated structural controls map of Permittee-owned structural controls added during the preceding year with geographic coordinates.

2. Public Education and Public Involvement on Storm Water Impacts

- a. The Permittee must further develop and implement a public education and outreach program to inform the community about the impacts from storm water discharges on water bodies and the steps that the public can take to reduce pollutants in storm water runoff to the MEP. The Permittee shall continuously implement this program in the areas served by the MS4.
- b. The Permittee shall include within the SWMPP the methods for how it will:
1. Seek and consider public input in the development, revision and implementation of the SWMPP;
 2. Identify targeted pollutant sources the Permittee’s public education program is intended to address;
 3. Plans to specifically address the reduction of litter, floatables and debris from entering the MS4, that may include, but is not limited to:
 - a. Labeling storm drain inlets and catch basins with “no dumping” message; and
 - b. Posting signs referencing local codes that prohibit littering and illegal dumping at designated public access points to open channels, creeks, and other relevant waterbodies
 4. Inform and involve individuals and households about the steps they can take to reduce storm water pollution; and
 5. Inform individuals and groups on how to become involved in the storm water program (with activities such as local stream and lake restoration activities). The target audiences and subject areas for the education program that are likely to have

significant storm water impacts should include, but is not limited to, the following:

- i. General Public
 - a. General impacts litter has on water bodies, how trash is delivered to streams via the MS4 and ways to reduce the litter;
 - b. General impacts of storm water flows into surface water from impervious surface; and
 - c. Source control BMPs in areas of pet waste, vehicle maintenance, landscaping and rain water reuse.
 - d. Impacts of illicit discharges and how to report them.
 - ii. General Public and Businesses to include Home-Based and Mobile Businesses
 - a. BMPs for use and storage of automotive chemicals, hazardous cleaning supplies, carwash soaps and other hazardous materials;
 - b. Impacts of illicit discharges and how to report them.
 - iii. Homeowners, Landscapers, Property Managers and City Personnel
 - a. Landscape techniques that protect water quality;
 - b. BMPs for use and storage of pesticides, herbicides and fertilizers;
 - c. BMPs for carpet cleaning and auto repair and maintenance; and
 - d. Storm water pond maintenance.
 - iv. Engineers, City Personnel, Land Use Planners, Contractors and Developers
 - a. Impacts of increased storm water flows into receiving water bodies;
 - b. Technical standards for construction site sediment and erosion control;
 - c. Storm water treatment and flow control BMPs; and
 - d. Run-off reduction techniques and low impact development (LID)/green infrastructure (GI) practices that may include, but not limited to, site design, pervious pavement, alternative parking lot design, retention of forests and mature trees to assist in storm water treatment and flow control BMPS.
6. Evaluate the effectiveness of the public education and public involvement program; and
 7. Organize and participate in activities that target the removal of litter, floatables, and debris from area waterways. The minimum number and the waterways these activities will target will be addressed in the SWMPP.
- c. The Permittee shall report each year in the annual report the following information:
 - 1) A description of the activities used to involve groups and/or individuals in the development and implementation of the SWMPP;
 - 2) A description of the individuals and groups targeted and how many groups and/or individuals participated. If exact participation is not readily quantifiable, an estimation will be sufficient;
 - 3) A description of the communication mechanisms or advertisements used to inform the public and the number of applications that were distributed (i.e. number of printed brochures, copies of newspapers, workshops, public service announcements, etc);
 - 4) Results of the evaluation as required in Part II.B.2.b.6.; and
 - 5) A list of the activities required in Part II.B.2.b.7 and the estimated amount of litter, floatables and debris removed during each activity.
 - d. The current SWMPP and latest annual report should be posted on the Permittee's website.

3. Illicit Discharge Detection and Elimination (IDDE)

- a. The Permittee shall implement an ongoing program to detect and eliminate illicit discharges into the MS4, to the maximum extent practicable. The program shall include, at a minimum, the following:
 - 1) The development and annual update of an MS4 map. An initial map shall be provided in the SWMPP with updates provided each year in the annual report. The map shall include, at a minimum:
 - a. The latitude/longitude of all known major outfalls;
 - b. The names of all waters of the State within the MS4 area that receive discharges from these major outfalls; and,
 - 2) To the extent allowable under State law, an ordinance or other regulatory mechanism that prohibits non-storm water discharges to the MS4. The ordinance or other regulatory mechanism shall:
 - a. Include escalating enforcement procedures and actions;
 - b. Require the removal of illicit discharges and the immediate cessation of improper disposal practices upon identification of responsible parties. Where the removal of illicit discharge within ten (10) working days is not possible, the ordinance shall require the operator of the illicit discharge to take all reasonable and prudent measures to minimize the discharge of pollutants to the MS4; and
 - c. Provide for the review of the IDDE ordinance and update as necessary.
 - 3) A dry weather screening program designed to detect and address non-storm water discharges to the MS4. This program must address, at a minimum, dry weather screening of twenty (20) percent of the major outfalls at least once per year with all (100 percent) major outfalls screened at least once per five years. Also, priority areas, as described by the Permittee in the SWMPP, will be dry weather screened on a more frequent schedule as outlined in the SWMPP. If any flow, from an unidentified source, is observed during the dry weather screening of an outfall, then the Permittee shall follow the sampling protocol as outlined in the SWMPP and developed in accordance with EPA's guidance manual, *Illicit Discharge Detection and Elimination, A Guidance Manual for Program Development and Technical Assessments*, Center for Watershed Protection, October, 2004.
 - 4) Procedures for tracing the source of a suspect illicit discharge as outlined in the SWMPP. At a minimum, these procedures will be followed to investigate portions of the MS4 that, based on the results of the field screening or other appropriate information, indicate a reasonable potential of containing illicit discharges or other sources of non-storm water.
 - 5) Procedures for eliminating an illicit discharge as outlined in the SWMPP;
 - 6) Procedures to notify ADEM of a suspect illicit discharge entering the Permittee's MS4 from an adjacent MS4 as outlined in the SWMPP;
 - 7) A mechanism for the public to report illicit discharges discovered within the Permittee's MS4 and procedures for appropriate investigation of such reports;
 - 8) A training program for appropriate personnel on identification, reporting, and corrective action of illicit discharges; and

- 9) The Permittee shall post on its website the ordinance or other regulatory mechanism as required by Part II.B.3.a.2 of this Permit.
- b. The Permittee shall report each year in the annual report the following information:
- 1) List of outfalls observed during the dry weather screening of the current year and a list of the outfalls to be dry weather screened during the upcoming year;
 - 2) Updated MS4 map(s), if necessary;
 - 3) Copies of the IDDE ordinance or other regulatory mechanism or provide a hyperlink for the ordinance or regulatory mechanism location on the Permittee's website; and,
 - 4) The number of illicit discharges investigated, any associated sampling results, and the summary of corrective actions taken to include dates and timeframe of response.

4. Construction Site Storm Water Runoff Control

- a. The Permittee shall further develop/revise, implement and enforce an ongoing program to reduce, to the maximum extent practicable, the pollutants in any storm water runoff to the MS4 from qualifying construction sites. The program shall include the following, at a minimum:
- 1) Procedures to require all applicable construction sites to obtain coverage under ADEM NPDES General Permit ALR10000 or other applicable NPDES permits;
 - 2) To the extent allowed under State law, an ordinance or other regulatory mechanism to require effective erosion and sediment controls on qualifying construction sites, as well as sanctions to ensure compliance;
 - 3) Requirements for construction site operators to control waste such as discarded building materials, concrete truck washout, chemicals, litter, and sanitary waste at the construction site that may cause adverse impacts to water quality;
 - 4) Procedures for site plan review to ensure the selection of effective erosion and sediment controls are consistent with the Alabama Handbook for Erosion Control, Sediment Control, and Stormwater Management on Construction Sites and Urban Areas published by the Alabama Soil and Water Conservation Committee (hereinafter the "Alabama Handbook") and are appropriate for site conditions. Site plan review may be prioritized based on criteria outlined in the Permittee's SWMPP and may include, but is not limited to, size and location within priority watersheds. The plan review process will also consider potential water quality impacts;
 - 5) A mechanism for the public to report complaints regarding pollution discharges from construction sites;
 - 6) Inspection of sites to verify use and proper maintenance of appropriate BMPs. Inspections of construction sites shall be performed in accordance with the frequency specified in the table below:

Site	Inspection Frequency
Priority Construction Sites (Defined in Part V.Y.)	At a minimum, inspections must occur monthly
Other sites determined by the Permittee or Permitting Authority to be a significant threat to water quality*	
All construction sites not meeting the criteria specified above.	At a minimum, inspections must occur every two months

<p>*In evaluating the threat to water quality, the following factors must be considered: soil erosion potential; site slope; project size and type; sensitivity of receiving waterbodies; proximity to receiving waterbodies; non-storm water discharges; past record of non-compliance by the operators of the construction site; and other factors deemed relevant to the MS4.</p>	

- 7) Training for the Permittee's construction site inspection staff in the identification of appropriate construction best management practices (Example: QCI training in accordance with ADEM Admin Code. r. 335-6-12 or the Alabama Construction Site General Permit);
 - 8) Development of a construction site inspection checklist;
 - 9) Implementation of an enforcement response plan (ERP), which sets out the Permittee's potential responses to violations through progressively stricter actions as needed to achieve compliance. The ERP must include a system for tracking formal actions and ADEM referrals. Types of enforcement actions may include, but not limited to the following:
 - a. Verbal Warnings—Verbal warnings are primarily consultative in nature and must specify the nature of the violation and required corrective action;
 - b. Written Notices—Written Notices must stipulate the nature of the violation and the required corrective action, with deadlines for taking such action; and
 - c. Escalated Enforcement Measures—Citations, stop work orders, withholding plan approvals/authorizations, monetary penalties, or additional measures to address persistent non-compliance, repeat or escalating violations or incidents of major environmental harm.
 - 10) A program to make available a list of education and training materials and resources to construction site operators in the appropriate application and maintenance of erosion and sediment controls; and
 - 11) The Permittee shall post on its website the ordinance or other regulatory mechanism required by Part II.B.4.a.2.
- b. The Permittee shall include within the SWMPP the following information:
- 1) Procedures for site plan reviews required by Part II.B.4.a.4;
 - 2) A site inspection plan meeting the requirements of Part II.B.4.a.6;
 - 3) Plans for the training of MS4 site inspection staff as required by Part II.B.4.a.7;
 - 4) A copy of the construction site inspection checklist as required by Part II.B.4.a.8;
 - 5) The ERP as required by Part II.B.4.a.9;
 - 6) Procedures and schedule for making available a list of education and training materials and resources to construction site operators in the appropriate application and maintenance of erosion and sediment controls required by Part II.B.4.a.10.
- c. The Permittee shall report each year in the annual report the following information:
- 1) A copy or a hyperlink to the ordinance or regulatory mechanism location on the Permittee's website;
 - 2) List of all active qualifying construction sites within the MS4 to include the inspections as required by Part II.B.4.a.6; and
 - 3) A summary of the following:

- a. Number of construction site inspections;
 - b. Number of formal enforcement actions and description of violations;
 - c. Number of construction site runoff complaints received.
 - d. Number of new staff trained and follow-up training provided to existing staff.
- d. The Permittee shall maintain the following information and make it available upon request:
- 1) Documentation of all inspections conducted of construction sites. The inspection documentation shall include, at a minimum, the following:
 - a. Facility type;
 - b. Inspection date;
 - c. Name and signature of inspector;
 - d. Location of construction project;
 - e. Owner/operator information (name, address, phone number, fax, and email);
 - f. Description of the storm water BMP condition that may include, but not limited to, the quality of: vegetation and soils, inlet and outlet channels and structures, embankments, slopes, and safety benches; spillways, weirs, and other control structures; and sediment and debris accumulation in storage and forebay areas as well as in and around inlet and outlet structures; and
 - g. Photographic documentation of any issues and/or concerns.
 - 2) Documentation of enforcement actions taken at construction sites to include, at a minimum, the following:
 - a. Name of owner/operator;
 - b. Location of construction project;
 - c. Description of violation;
 - d. Required schedule for returning to compliance;
 - e. Description of enforcement response used, including escalated responses if repeat violations occur;
 - f. Accompanying documentation of enforcement responses (e.g. notices of non-compliance, notices of violations, etc.); and
 - g. Any referrals to different Departments or Agencies.
 - 3) Records of public complaints including:
 - a. Date, time and description of the complaint;
 - b. Location of subject construction sites; and
 - c. Identification of any actions taken (e.g. inspections, enforcement, corrections). Identifying information must be sufficient to cross-reference inspection and enforcement records.
 - 4) Educational and Training Documentation for Construction Site Operators
 - a. List of education and training materials and resources

5. Post-Construction Stormwater Management in Qualifying New Development and Re-Development

The Permittee must develop/revise and implement a program, within 365 days from the effective date of this permit, to address the discharge of pollutants in post-construction storm water runoff to the MS4 from new development and re-development. Post-Construction Stormwater Management refers to the activities that take place after construction occurs, and includes structural and non-structural controls including low-impact development and green infrastructure practices to obtain permanent stormwater management over the life of the property's use. These post construction controls should be considered during the initial site development planning phase.

- a. The Permittee shall develop/revise and implement project review and enforcement procedures for qualifying new development and redevelopment projects, to the maximum extent practicable. Specifically, the Permittee shall:
 - 1) Require landowners and developers to, the MEP, implement systems of appropriate structural and/or non-structural BMPs designed to reduce the discharge of pollutants, which may include, but is not limited to, the following:
 - a. Minimize the amount of impervious surfaces;
 - b. Preserve and protect ecologically sensitive areas that provide water quality benefits;
 - c. Provide vegetated buffers along waterways, and reduce discharges to surface waters from impervious surfaces such as parking lots;
 - d. Implement policies to protect trees, native soils and other vegetation; and
 - e. Minimize topsoil stripping and compacted soils where feasible.
 - 2) Require landowners and developers to develop and maintain best management practices to ensure, to the maximum extent practicable, that post-construction runoff mimics pre-construction hydrology of the site. A 1.1 inch rainfall over a 24-hour period preceded by a 72-hour antecedent dry period shall be the basis for the design and implementation of post construction BMPs;
 - 3) Encourage landowners and developers to incorporate the use of low impact development (LID)/green infrastructure where feasible. Information on low impact development (LID)/green infrastructure is available on the following website:<http://www.adem.alabama.gov/programs/water/waterforms/LIDHandbook.pdf> and <http://epa.gov/nps/lid>;
 - 4) To the extent allowed under State law, adopt or amend an ordinance or other regulatory mechanism to ensure the applicability and enforceability of post-construction BMPs at all new qualifying development and redevelopment projects;
 - 5) Require the submittal of a post-construction BMP plan, for review, as outlined in the SWMPP. The post-construction BMP plan review process may be integrated with the construction plan review process under Section II.B.4.a.4;
 - 6) Require the submittal of an 'as built' certification of the post-construction BMPs within 120 days of completion;
 - 7) Perform and/or require the performance of, at a minimum, an annual post-construction inspection to ensure that design standards are being met and require corrective actions to poorly functioning or inadequately maintained post-construction BMPs. The Permittee shall document its post-construction inspection. Such documentation shall include, at a minimum:
 - a. Facility type
 - b. Inspection date

- c. Name and signature of inspector
 - d. Site location
 - e. Owner information (name, address, phone number, fax, and email)
 - f. Description of the storm water BMP condition that may include the quality of: vegetation and soils, inlet and outlet channels and structures, embankments, slopes, and safety benches; spillways, weirs, and other control structures; and sediment and debris accumulation in storage and forebay areas as well as in and around inlet and outlet structures;
 - g. Photographic documentation of all critical storm water BMP components;
 - h. Specific maintenance items or violations that need to be corrected by the owner/operator of the storm water control or BMP; and
 - i. Maintenance agreements for long-term BMP operations and maintenance.
- 8) The Permittee shall maintain or require the developer/ owner/operator to keep records of post-construction inspections, maintenance activities and make them available to the Department upon request;
- 9) Require and/or perform adequate long-term operation and maintenance of post-construction BMPs, including one or more of the following, as applicable:
- a. The developer's signed statement accepting responsibility for maintenance until the maintenance responsibility is legally transferred to another party; and/or
 - b. Written conditions in the sales or lease agreement that require the recipient to assume responsibility for maintenance; and/or
 - c. Written conditions in project conditions, covenants and restrictions for residential properties assigning maintenance responsibilities to a home owner's association, or other appropriate group, for maintenance of structural and treatment control management practices; and/or
 - d. Any other legally enforceable agreement that assigns permanent responsibility for maintenance of structural or treatment control management practices.
- b. The Permittee shall include within the SWMPP the following information:
- 1) Procedures to develop, implement and enforce systems of appropriate structural and/or non-structural BMPs;
 - 2) Procedures to develop, implement and enforce performance standards;
 - 3) Procedures for encouragement of the utilization of LID/green infrastructure practices;
 - 4) Procedures to ensure compliance with the ordinance or regulatory mechanism, including the sanctions and enforcement mechanisms the Permittee will use to ensure compliance. If an ordinance or regulatory mechanism needs to be developed, then the Permittee must provide a timeline for the development of the ordinance and/or regulatory mechanism;
 - 5) Procedures for post-construction inspections, to include tracking and enforcement;
 - 6) Procedures to ensure adequate long-term operation and maintenance of BMPs; and,
 - 7) Development of an inventory of post-construction structural controls.
- c. The Permittee shall report each year in the annual report the following information:

- 1) Provide a hyperlink for the ordinance or regulatory mechanism location on the Permittee's website;
- 2) A list of the post-construction structural controls installed and inspected during the permit year;
- 3) Updated inventory of post-construction structural controls including those owned by the Permittee;
- 4) Number of inspections performed on post-construction structural controls; and,
- 5) Summary of enforcement actions.

6. Spill Prevention and Response

- a. The Permittee shall further develop/revise and implement a program to prevent, contain, and respond to spills that may discharge into the MS4. The Permittee must, at a minimum:
 - 1) Investigate, respond, and conduct response actions or coordinate w/other agencies that may provide response actions as outlined in the SWMPP;
 - 2) Develop a mechanism to track spills, response, and cleanup activities for all spills;
 - 3) Use GIS or acceptable mapping scheme to identify spill locations, locations for inspections, and chronic problem areas;
 - 4) Implement a spill prevention/spill response plan;
 - 5) Provide training of appropriate personnel in spill and response procedures and techniques to mitigate pollutant discharges from spills to the MS4; and
 - 6) Establish procedures to ensure that all spills are able to be promptly reported to appropriate authority.
- b. The Permittee shall include within the SWMPP the following information:
 - 1) The spill prevention/spill response plan; and
 - 2) Procedures to provide training of personnel in spill prevention and response.
- c. The Permittee shall report each year in the annual report the following information:
 - 1) Summary of spills occurring during the reporting year, to include the following, at a minimum:
 - a. Location;
 - b. Spill Substance (i.e. fuel, oil, etc);
 - c. Photographs (Spill and After clean-up) to be made available upon request; and
 - d. Incident dates and time to resolution, including any enforcement actions taken and their result.
 - 2) Documentation of employee training as required by Part II.B.6.b.2
 - a. Title of Training Presentations; and
 - b. Dated Attendance Sheets.

7. Pollution Prevention/Good Housekeeping for Municipal Operations

- a. The Permittee shall further develop/revise, implement, and maintain a program that will prevent or reduce the discharge of pollutants in storm water run-off from municipal operations to the MEP. The program elements shall include, at a minimum, the following:

- 1) An inventory of all municipal facilities, including municipal facilities that have the potential to discharge pollutants via storm water runoff;
 - 2) Develop and implement a short and long term strategy and program for the removal of trash from the waterways and tributaries in the permitted area in such a manner to quantify the removal of trash per year, which shall be included in the annual report. These strategies shall be included in the Permittee's SWMPP and shall be updated as necessary. This program shall address the following, at a minimum:
 - a. Direct removal of trash from waterbodies;
 - b. Direct removal of trash from the MS4;
 - c. Direct removal of trash prior to entry to the MS4;
 - d. Prevention through disposal alternatives; and
 - e. Prevention through waste reduction practices, additional enforcement, and/or initiatives.
 - 3) Require the following measures to be implemented in the public right of way for any event or wherever it is anticipated that substantial quantities of trash or litter may generated:
 - a. Arrangement for temporary protection of preventative measures to the catch basins, where feasible, and
 - b. Provide proper disposal of trash receptacles, clean up of catch basins, as needed, and grounds of the event area within one business day subsequent to the event.
 - 4) Ensure that trash receptacles, or similar trash capturing devices are provided and maintained in areas identified as high trash generated areas;
 - 5) A Standard Operating Procedures (SOP) detailing good housekeeping practices to be employed at appropriate municipal facilities and during municipal operations that may include, but not limited to, the following:
 - a. Equipment washing;
 - b. Street sweeping;
 - c. Maintenance of municipal roads owned, operated, or under the responsibility of the Permittee;
 - d. Storage and disposal of chemicals and waste materials;
 - e. Vegetation control, cutting, removal, and disposal of the cuttings;
 - f. Vehicle fleets/equipment maintenance and repair;
 - g. External Building maintenance; and
 - h. Materials storage facilities and storage yards.
 - 6) A program for inspecting municipal facilities, to include municipal maintenance shops and equipment yards, for good housekeeping practices, including BMPs. The program shall include checklists and procedures for correcting noted deficiencies;
 - 7) A training program for municipal facility staff in good housekeeping practices as outlined in the SOP developed pursuant to Part II.B.7.a.(5); and
 - 8) The Permittee shall assess the water quality impacts for those flood management projects owned, operated, or the responsibility of the Permittee. The feasibility of retro-fitting existing structural control devised to provide additional pollutant removal from the storm water shall be evaluated.
- b. The Permittee shall include within the SWMPP the following information:

- 1) The inventory of municipal facilities required by Part II.B.7.a.(1);
- 2) Schedule for developing the SOP of good housekeeping practices required by Part II.B.7.a.(5);
- 3) An inspection plan and schedule, including checklists and any other materials needed to comply with Part II.B.7.a.(6); and
- 4) A description of the training program and training schedule required by Part II.B.7.a.(7).

c. The Permittee shall report each year in the annual report the following information:

- 1) Any updates to the municipal facility inventory;
- 2) An estimated amount of floatable material collected from the MS4 as required by Part II.B.7.a.(2-4);
- 3) Any updates to the inspection plan;
- 4) Any updates to the SOP of good housekeeping practices; and
- 5) Summary of inspection reports of municipal facilities

d. The Permittee shall maintain the following information and make it available upon request:

- 1) Records of inspections and corrective actions, if any; and
- 2) Training records including the dates of each training activities and names of personnel in attendance.

8. Application of Pesticide, Herbicide, and Fertilizers (PHFs)

a. For the *Application of Pesticide, Herbicide, and Fertilizers (PHFs)*, the Permittee shall implement controls to reduce, to the *MEP*, the discharge of pollutants related to the storage and application of PHFs applied by employees or contractors, to public rights of way, parks, and other public property. The Permittee shall implement programs to encourage the reduction of the discharge of pollutants related to application and distribution of PHFs. For those controls implemented, the Permittee will obtain coverage and maintain compliance with ADEM NPDES Pesticide General Permit ALG870000, if applicable, or other applicable NPDES permits. In addition, the Permittee shall address priorities to include the following:

- 1) Identify all areas known to receive high applications of PHFs, develop a program to detect improper usage, and prioritize problem areas;
- 2) Require evidence of proper certification and licensing for all applicators contracted to apply pesticides or herbicides on municipal property; require that applicators contracted to apply fertilizer are qualified in utilizing proper nutrient management practices;
- 3) Maintain an inventory of on-hand PHFs with information about the formulations of various products, including how to recognize the chemical constituents from the label, their respective uses, directions and precautions for applicators that explain if products should be diluted, mixed or only used alone, and, proper storage of products;
- 4) Equipment use and maintenance;
- 5) Training in safe use, storage and disposal of PHFs;
- 6) Inspection and monitoring of facilities where PHFs are stored; and
- 7) Record keeping.

9. Oils, Toxics, and Household Hazardous Waste Control

- a. The Permittee shall prohibit to the MEP the discharge or disposal of used motor vehicle fluids and household hazardous wastes into the MS4. Specific activities to be completed under this item are:
 - 1) Make available material educating the public about used oil facility locations, hotline numbers, and alternatives to toxic materials;
 - 2) Advertise the location of used oil collection facilities; and
 - 3) Provide employee training on spill prevention at all municipal facilities where oils or toxic materials are used.
- b. The Permittee shall include within the SWMPP the following information:
 - 1) Procedures to develop, implement, and enforce a program for oils, toxics, and household hazardous waste control to include educational information and employee training.
- c. The Permittee shall report each year in the annual report the following information:
 - 1) Quantities of Household Hazardous Waste and used oil collected; and
 - 2) Oils, Toxics, and Household Hazardous Waste Control training workshops
 - a. Dated attendance sheet; and
 - b. Titles of presentations.

10. Industrial Storm Water Runoff

- a. The Permittee shall implement a program to inspect, monitor and control pollutants in storm water runoff to the MS4 from municipal waste landfills, hazardous waste treatment, storage, disposal and recovery facilities, and industrial facilities and high risk commercial facilities. Facilities to be addressed under this program include: facilities that have reported under the requirements of the Emergency Planning and Community Right to Know Act (EPCRA) Title III, Section 313; and any other industrial or commercial discharge that the Permittee determines is contributing substantial pollutants loading to the MS4 ("high risk facilities"). The program must provide for, at a minimum:
 - 1) Annual inspections of municipal waste landfills, hazardous waste treatment, storage, disposal (TSD) and recovery facilities;
 - 2) Annual inspections, at a minimum, of industrial facilities and high-risk commercial facilities that do not have an NPDES permit issued by the Department as outlined in the SWMPP, and
 - 3) Data collected by a NPDES permitted facility to satisfy the monitoring requirements of an NPDES, State, land application or local pretreatment discharge permit may be used to satisfy Part II.B.10.a of the Permit. The Permittee may require the facility to conduct self-monitoring to satisfy this requirement, if necessary.
- b. The Permittee shall include in the SWMPP a list of all municipal waste landfills, hazardous waste treatment, storage, disposal and recovery facilities, high risk commercial facilities, and industrial facilities, both NPDES permitted and non-NPDES permitted, within the MS4.

- c. The Permittee shall include in the annual report a summary of inspections performed for the year and enforcement, if applicable.

C. *Legal Authority*

To the extent allowed under State law, the Permittee must review and revise its relevant ordinances or other regulatory mechanisms, or adopt any new ordinances that provide it with adequate legal authority to control pollutant discharges into and from its MS4, and to implement and enforce its SWMPP. To be considered adequate, this legal authority must, at a minimum, authorize the Permittee to:

1. Prohibit non-storm water discharges unless such storm water discharges are in compliance with a separate NPDES permit, or determined by the Department not to be a significant contributor of pollutants to waters of the State;
2. Prohibit and eliminate illicit connections to the MS4. Illicit connections include pipes, drains, open channels, or other conveyances that have the potential to allow an illicit discharge to enter the MS4;
3. Control the discharge of spills, and prohibit dumping or disposal of materials other than storm water into the MS4;
4. Require operators of construction sites and industrial and commercial facilities to minimize the discharge of pollutants to the MS4 to the maximum extent practicable through the installation, implementation, and maintenance of appropriate controls, including installation, implementation and long-term maintenance of post construction controls;
5. Request information to determine compliance with ordinances or other regulatory mechanism;
6. Inspect and monitor at reasonable times any facilities, equipment, practices, or operations for active or potential polluted storm water discharges to the MS4;
7. Promptly require that dischargers cease and desist discharging and/or clean-up and abate a discharge;
8. Levy citations or administrative fines against responsible parties to include but not limited to non-compliant construction sites;
9. Require recovery and remediation costs from responsible parties; and
10. Provide the authority to enter into interagency agreements with other entities for the purpose of controlling the contribution of pollutants to the maximum extent practicable from one MS4 to another MS4.

D. *SWMPP Plan Review and Modification*

1. The Permittee shall submit to the Department within nine months of the effective date of this permit a SWMPP. The Permittee shall implement plans to seek and consider public input in the development, revision and implementation of this SWMPP, as required by Part II.B.2.b.1. Thereafter, the Permittee shall perform an annual review of the current SWMPP and must modify the SWMPP, as necessary, to maintain compliance with the permit. Any modifications to the SWMPP shall be submitted to the Department at the time a modification is made. Modifications made to the SWMPP may include, but are not limited to, the replacement of ineffective or infeasible BMPs or the addition of components, controls and requirements.
2. The Permittee shall implement the SWMPP on all new areas added to their municipal separate storm sewer system (or for which they become responsible for implementation of storm water quality controls) as soon as practicable. Implementation of the program in any new area shall consider the plans of the SWMPP of the previous MS4 ownership, if any.

E. Impaired Waters and Total Maximum Daily Loads (TMDLs)

1. The Permittee must determine whether the discharge from any part of the MS4 contributes directly or indirectly to a waterbody that is included on the latest §303(d) list or designated by the Department as impaired;
2. If the Permittee's MS4 discharges to a waterbody included on the latest §303(d) or designated by the Department as impaired, it must demonstrate the discharges, as controlled by the Permittee, do not cause or contribute to the impairment. The SWMPP must detail the BMPs that are being utilized to control discharges of pollutants associated with the impairment. If existing BMPs are not sufficient to achieve this demonstration, the Permittee must, within six (6) months following the publication of the latest final §303(d) list, Department designation, or the effective date of this permit, submit a revised SWMPP detailing new or modified BMPs. The SWMPP must be revised as directed by the Department and the new or modified BMPs must be implemented within one year from the publication of the latest final §303(d) list or Department designation.
3. Permittees discharging from MS4s into waters with EPA-Approved TMDLs and/or EPA-Established TMDLs
 - a. The Permittee must determine whether its MS4 discharges to a waterbody for which a total maximum daily load (TMDL) has been established or approved by EPA. If an MS4 discharges into a water body with an EPA approved or established TMDL, then the SWMPP must include BMPs targeted to meet the assumptions and requirements of the TMDL. If additional BMPs will be necessary to meet the requirements of the TMDL, the SWMPP must include a schedule for installation and/or implementation of such BMPs. A monitoring component to assess the effectiveness of the BMPs in achieving the TMDL requirements must also be included in the SWMPP. Monitoring can entail a number of activities including, but not limited to: outfall monitoring, in-stream monitoring, and/or modeling. Monitoring data, along with an analysis of this data, shall be included in the Annual Report.
 - b. If, during this permit cycle, a TMDL is approved by EPA or a TMDL is established by EPA for any waterbody into which an MS4 discharges, the Permittee must review the applicable TMDL to see if it includes requirements for control of storm water discharges from the MS4.
 - a. If it is found that the Permittee must implement specific allocations of the TMDL, it must assess whether the assumptions and requirements of the TMDL are being met through implementation of existing BMPs or if additional BMPs are necessary. The SWMPP must include BMPs targeted to meet the assumptions and requirements of the TMDL. If existing BMPs are not sufficient, the Permittee must, within six (6) months following the approval or establishment of the TMDL by EPA, submit a revised SWMPP detailing new or modified BMPs to be utilized along with a schedule of installation and/or implementation of such BMPs. Any new or modified BMPs must be implemented within one year, unless an alternate date is approved by the Department, from the establishment or approval of the TMDL by EPA. A monitoring

component to assess the effectiveness of the BMPs in achieving the TMDL requirements must also be included in the SWMPP. Monitoring can entail a number of activities including, but not limited to: outfall monitoring, in-stream monitoring, and/or modeling. Monitoring data, along with an analysis of this data, shall be included in the Annual Report.

F. Responsibilities of Permittee

If the Permittee is relying on another entity to satisfy one or more requirements of this permit, then the Permittee must note that fact in the SWMPP. The Permittee remains responsible for compliance with the permit and reliance on another entity will not be a defense or justification for non-compliance if the entity fails to implement the permit requirements.

PART III Monitoring and Reporting

The Permittee shall implement a monitoring program to provide data necessary to assess the effectiveness and adequacy of BMPs implemented under the SWMPP. The quality of the streams receiving MS4 discharges shall continue to be monitored to assess the water quality of the streams and to identify potential water quality impairments. This shall be accomplished by the following:

A. Monitoring Locations

1. Proposed monitoring locations and descriptions of their respective characteristics shall be described in the SWPPP with actual locations described in the annual report;

Waterbody	Frequency
Shades Creek	Hourly Sonde Annual (Grab) Sample
Cahaba River	Annual (Grab) Sample

2. In addition to the requirements in Part III.A.1., if a waterbody (not listed in Part III.A.1) within the MS4 jurisdiction is listed on the latest final §303(d) list, or otherwise designated impaired by the Department, or for which a TMDL is approved or established by EPA, during this permit cycle, then the Permittee must revise its monitoring program to include monitoring that addresses the impairment or TMDL. Any revisions to the monitoring program shall be documented in the SWMPP and Annual Report. In addition, the permit may be modified by the Department to establish the additional or revised monitoring locations.

B. Monitoring Parameters and Frequency

1. Water quality data shall be obtained by a water quality probe (i.e sonde) at Shades Creek with a minimum frequency of hourly and shall consist of the following:
 - a. Temperature;
 - b. pH/ORP;
 - c. Turbidity (NTU);
 - d. Conductivity;
 - e. Dissolved Oxygen (mg/l)
 - f. Water level

2. Grab samples shall be collected on Shades Creek and Cahaba River at each instream monitoring station and analyzed for the following parameters:
 - a. E.Coli;
 - b. Total Nitrogen (TN) (mg/l);
 - c. Total Phosphorus (mg/l);
 - d. Total Suspended Solids (TSS) (mg/l);
 - e. Temperature;
 - f. pH/ORP;
 - g. Turbidity (NTU);
 - h. Conductivity;
 - i. Dissolved Oxygen (mg/l);
 - j. Ammonia Nitrogen (NH₃-N) (mg/l);
 - k. Biochemical Oxygen Demand (BOD) (mg/l);
 - l. Chemical Oxygen Demand (COD) (mg/l);
 - m. Hardness as CaCO₃ (mg/l);
 - n. Nitrate plus Nitrite Nitrogen (NO₃+NO₂-N) (mg/l);
 - o. Oil and Grease (mg/l);
 - p. Total Dissolved Solids (TDS) (mg/l);
 - q. Total Kjeldahl Nitrogen (TKN) (mg/l); and
3. The Permittee must include in the instream monitoring program any additional parameters attributed with the latest final §303(d) list or otherwise designated by the Department as impaired or are included in an EPA-approved or EPA-established TMDL.

C. *Sample Type, Collection and Analysis*

1. Grab samples taken within the first two hours of discharge shall be used for the analysis;
2. Grab samples shall be collected resulting from a storm event that is greater than 0.1 inches in magnitude and that occurs at least 72 hours from the previously measurable (greater than 0.1 inch rainfall) storm event;
3. Analysis and collection of grab samples shall be done in accordance with the methods specified at 40 CFR Part 136. Where an approved 40 CFR Part 136 does not exist, then a Department approved alternative method may be used;
4. If the Permittee is unable to collect grab samples due to adverse conditions, the Permittee must submit a description of why samples could not be collected, including available documentation of the event. An adverse climatic condition which may prohibit the collection of samples includes weather conditions that create dangerous conditions for personnel (such as local flooding, high winds, hurricane, tornadoes, electrical storms, etc.) or otherwise make the collection of a sample impracticable (drought, extended frozen conditions, etc.).

PART IV Annual Reporting Requirements

1. The Permittee shall submit to the Department an annual report (1 hardcopy and 1 electronic copy) no later than January 31 of each year. The annual report shall cover the previous fiscal year beginning October 1 through September 30.
2. On or after December 21, 2020, all annual reports shall be submitted to the Department electronically in a prescribed manner acceptable to the Department.
3. The Permittee shall sign and certify the annual report in accordance with Part V.K.
4. The annual report shall include the following information, at a minimum, and in addition to those requirements referenced in Part II.B and Part III:

- a. A list of contacts and responsible parties (e.g.: agency, name, phone number, address, & email address) who had input to and are responsible for the preparation of the annual report.
- b. An overall evaluation of the storm water management program developments and progress for the following:
 - 1) Major findings such as water quality improvements or degradation;
 - 2) Major accomplishments;
 - 3) Overall program strengths/weaknesses;
 - 4) Future direction of the program;
 - 5) The Permittee(s) will make an overall determination of the effectiveness of the SWMPP taking into account water quality/watershed improvements; and
 - 6) Required actions that were not performed, and reasons why the actions were not accomplished.
- c. The annual report will include a narrative report of all program elements referenced in Part II.B of this permit. The activities concerning a program element shall be discussed as follows:
 - 1) Program element activities completed and in progress;
 - 2) General discussion of element. Explanation for all element activities that have not been fully implemented or completed. Results of activities shall be summarized and discussed (e.g.: maintenance caused by inspection, pollutants detected by monitoring, investigations as a result of dry and wet weather screening, number and nature of enforcement item, education activities/participation);
 - 3) Status of program element with compliance, implementation, and augmentation schedules in Part II of the permit;
 - 4) Assessment of controls; and
 - 5) Discussion of proposed element revisions.
- d. The annual report shall contain a monitoring section which discusses the progress and results of the monitoring programs required under Part III of the permit and shall include, at a minimum, the following information.
 - 1) Status of implementation of the monitoring program;
 - 2) Map(s) showing the monitoring station locations, latitude/longitude, and narrative site descriptions, including watershed size;
 - 3) Raw data, results, methods of evaluating the data, graphical summaries of the data, and an explanation/discussion of the data for each component of the monitoring program;
 - 4) An analysis of the results of each monitoring program component;
 - 5) A comparison of the reporting year's data to the previous five years of data to establish a trend analysis to determine the relative health of the receiving water;
 - 6) All monitoring reports and supporting data shall be submitted in hardcopy and/or electronically in a format deemed acceptable to the Department concurrently with the submission of the Annual Report; Failure to provide this data in a format appropriate to the Department for review shall be a violation of this permit; and
 - 7) The interpretation of the analytical data, required by Part III.B.1-2 of the Permit, for determinacy of meeting water quality standards.

- e. Provide the status of the implementation and proposed changes to the SWMPP to include assessment of controls and specific improvements or degradation to water quality;
- f. Provide a summary of inspections and enforcement actions for regulatory program. Enforcement actions should include a corrective actions summary;
- g. Implementation status of the public education programs; and
- h. Status of expenditures and budget for the past fiscal year and the next fiscal year for the Permittee's program. The analysis shall indicate budgets and funding sources.

PART V Standard and General Permit Conditions

A. Certification and Signature of Reports

All reports required by the permit and other information requested by the Director shall be signed and certified in accordance with Part V.K. of this permit.

B. Submittals

All documents required to be submitted to the Department by this permit, shall be addressed to:

Alabama Department of Environmental Management
Stormwater Management Branch, Water Division
Post Office Box 301463
Montgomery, Alabama 36130-1463

Certified and Registered Mail shall be addressed to:

Alabama Department of Environmental Management
Stormwater Management Branch, Water Division
1400 Coliseum Blvd
Montgomery, Alabama 36110-2059

C. Retention of Records

The Permittee shall retain the storm water quality management program developed in accordance with Part II of this permit until at least five years after coverage under this permit terminates. The Permittee shall retain all records of all monitoring information, copies of all reports required by this permit, and records required by this permit, and records of all other data required by or used to demonstrate compliance with this permit, until at least three years after coverage under this permit terminates. This period may be explicitly modified by alternative provisions of this permit or extended by request of the Director at any time.

D. Duty to Comply

The Permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the Clean Water Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

E. Civil and Criminal Liability

1. Tampering

Any person, who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained or performed under this permit shall, upon conviction, be subject to penalties as provided by AWPCA.

2. False Statements

Any person knowingly makes any false statement, representation, or certification in any record or other documentation submitted or required to be maintained under this permit, including monitoring reports or reports of compliance or non-compliance, shall, upon conviction, be punished as provided by AWPCA

3. Relief from Liability

Nothing in this permit shall be construed to relieve the Permittee(s) of civil and criminal liability under AWPCA or FWPCA for non-compliance with any term or condition of this permit.

F. Duty to Reapply

1. If the Permittee intends to continue an activity regulated by this permit beyond the expiration of this permit, the Permittee must apply for and obtain a new permit. The application shall be submitted at least 180 days prior to expiration of this permit.

2. Failure of the Permittee to apply for re-issuance at least 180 days prior to permit expiration will void the automatic continuation of the expiring permit provided by ADEM Administrative Code, Rule 335-6-6.-06, and should the permit not be re-issued for any reason any discharge after expiration of this permit will be an unpermitted discharge.

G. Need to Halt or Reduce an Activity Not a Defense

It shall not be a defense for a Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

H. Duty to Mitigate

The Permittee shall take all reasonable steps to minimize or prevent any discharge in violation of this permit which has a reasonable likelihood of adversely affecting human or the environment.

I. Duty to Provide Information

The Permittee shall furnish to the Director, within a reasonable time, any information which the Director may request to determine whether cause exists for modifying, suspending, or revoking this permit in whole or in part, or to determine compliance with this permit. The Permittee shall also furnish to the Director upon request copies of records required to be kept by this permit.

J. Other Information

If the Permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Director, it shall promptly submit such facts or information with a written explanation for the mistake and/or omission.

K. *Signatory Requirements*

All reports and forms to be submitted by this permit, AWPCA and the Department's rules and regulations, shall be signed by a "responsible official" of the Permittee, as defined in ADEM Administrative Code, Rule 335-6-6-.09, or a "duly authorized representative" of such official, as defined by ADEM Administrative Code, Rule 335-6-6-.09, and shall bear the following certification:

"I certify under the penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

L. *Oil and Hazardous Substance Liability*

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the Permittee from any responsibilities, liabilities, or penalties to which the Permittee is or may be subject under Section 311 of FWPCA.

M. *Property and Other Rights*

This permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to persons or property or invasion of other private rights, or any infringement of Federal, State, or local laws or regulations, nor does it authorize or approve the construction of any physical structures or facilities or the undertaking of any work in any waters of the State of Alabama.

N. *Severability*

The provision of this permit are severable, and if any provision of this permit or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of the permit shall not be affected thereby.

O. *Compliance with Statutes and Rules*

This permit is issued under ADEM Administrative Code, Chapter 335-6-6. All provisions of this chapter that are applicable to this permit are hereby made a part of this permit.

This permit does not authorize the non-compliance with or violation of any laws of the State of Alabama or the United States of America or any regulations or rules implementing such laws.

P. *Proper Operations and Maintenance*

The Permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the Permittee to achieve compliance with the conditions of this permit and with the requirements of storm water pollution prevention plans. Proper operation and maintenance requires the operation of backup or auxiliary facilities or similar systems, installed by a Permittee only when necessary to achieve compliance with conditions of the permit.

Q. *Monitoring Records*

1. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.
2. The Permittee shall retain records of all monitoring information including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of reports required by this permit, and records of all data used to

complete the application of this permit, for a period of at least three (3) years from the date of the sample, measurement, report or application. This period may be extended at the request of the Director at any time.

R. *Monitoring Methods*

Monitoring must be conducted according to test procedures approved under 40 CFR Part 136, unless other test procedures have been specified in this permit.

S. *Right of Entry and Inspection*

The Permittee shall allow the Director or an authorized representative, upon presentation of credentials and other documents as may be required by law, to:

1. Enter upon any of the permittee's premises where a regulated facility or activity or point source is located or in which any records must be maintained under conditions of this permit;
2. Have access to and copy, at reasonable times, any records required to be maintained by the terms and conditions of this permit;
3. Inspect, at reasonable times, any point source, any monitoring equipment or practices being maintained to comply with this permit, or any treatment or control or systems being maintained to comply with this permit; and
4. Sample or monitor, at reasonable times, for the purposes of determining permit compliance or as otherwise authorized by AWPCA, any substances or parameters at any location.

T. *Additional Monitoring by the Permittee*

If the Permittee monitors more frequently than required by this permit, using test procedures approved under 40 CFR Part 136 or as specified in this permit, the results of this monitoring shall be included in the calculation and reporting of the data submitted in the monitoring report. Such increased monitoring frequency shall also be indicated on the monitoring report.

U. *Permit Modification and Revocation*

1. This permit may be modified or revoked or reissued, in whole or in part, during its term for cause including but not limited to, the following:
 - a. If cause for termination under Part V.A.3., of this permit exists, the Director may choose to revoke or re-issue this permit instead of terminating the permit;
 - b. If a request to transfer this permit has been received, the Director may decide to revoke and re-issue or to modify the permit; or
 - c. If modification or revocation and re-issuance is requested by the Permittee and cause exists, the Director may grant the request.
2. This permit may be modified during its term for cause, including but not limited to:
 - a. If cause for termination under Part V.A.3., of this permit exists, the Director may choose to modify this permit instead of terminating this permit;
 - b. The Director has received new information that was not available at the time of permit issuance and that would have justified the application of different permit conditions at the time of issuance;

- c. Errors in calculation of discharge limitation or typographical or clerical errors were made;
 - d. To the extent allowed by ADEM Administrative Code, Rule 335-6-6-.17, when the standards or regulations on which the permit was based have been changed by promulgation of amended standards or regulations or judicial decision after the permit was issued;
 - e. To the extent allowed by ADEM Administrative Code, Rule 335-6-6-.17, permit may be modified to change compliance schedules;
 - f. To incorporate an applicable Section 307(a) of FWPCA toxic effluent standard or prohibition;
 - g. When required by the re-opener conditions in this permit;
 - h. Upon failure of the State to notify, as required by Section 402(b)(3) of FWPCA, another State whose water may be affected by a discharge permitted by this permit;
 - i. When required to correct technical mistakes, such as errors in calculation, or mistaken interpretations of law made in determining permit conditions;
 - j. When requested by the Permittee and the Director determines that the modification has cause and will not result in a violation of federal or State law, rules, or regulations;
 - k. To add a new Permittee who is the owner or operator of a portion of the Municipal Separate Storm Sewer System; or
 - l. To change portions of the Storm Water Quality Management Program that is considered permit conditions.
3. This permit may be terminated during its term for cause, including but not limited to, the following:
- a. Violation of any term or condition of this permit;
 - b. The permittee's misrepresentation or failure to disclose fully all relevant facts in the permit application or during the permit issuance or the permittee's misrepresentation of any relevant facts at any time;
 - c. Materially false or inaccurate statements or information in the permit application or the permit;
 - d. The permittee's discharge threatens human life or welfare or the maintenance or water quality standards; or
 - e. Any other cause allowed by ADEM Administrative Code, Rule 335-6-6.
4. This permit may be suspended during its term for cause, including but not limited to, the reasons for termination listed above.
5. The filing of a request by the Permittee for modification, suspension or revocation of this permit, in whole or in part, does not stay any permit term condition.

V. *Termination of Coverage for a Single Permittee*

Permit Coverage may be terminated, in accordance with the provision of 30 CFR 122.64 and 124.5, for a single Permittee without terminating coverage for other permittees.

W. *Modification of Storm Water Management Program*

Only those portions of the Storm Water Management Program specifically required as permit conditions shall be subject to modification requirements of 40 CFR 124.5. Replacement of an ineffective or infeasible BMP implementing a required component of the Storm Water Management Program with an alternate BMP expected to achieve the goals of the ineffective or infeasible BMP shall be considered a minor modification to the SWMPP and not modification to the Permit.

X. *Changes in Monitoring Outfalls*

This permit is issued on a system-wide basis in accordance with CWA §402(p)(3)(i) and authorizes discharges from all portions of the MS4. Since all outfalls are authorized, changes in monitoring outfalls, other than those with specific numeric effluent limitations, shall be considered minor modifications to the permit and will be made in accordance with the procedures at 40 CFR 122.63.

Y. *Definitions*

1. “Alabama Handbook” means the September 2014 edition of the Alabama Handbook for Erosion Control, Sediment Control, And Stormwater Management on Construction Sites and Urban Areas, Alabama Soil and Water Conservation Committee (ASWCC) published at the time permit is effective.
2. “Arithmetic Mean” means the summation of the individual values of any set values divided by the number of individual values.
3. “AWPCA” means Code of Alabama 1975, Title 22, the Alabama Water Pollution Control Act, as amended.
4. “Best Management Practices” (BMPs) means activities, prohibitions of practices, maintenance procedures, and other management practices implemented to prevent or reduce the discharge of pollutants to waters of the State. BMPs also include treatment systems, operating procedures, and practices to control facility runoff, spillage or leaks, sludge or water disposal, or drainage from raw material storage.
5. “Bypass” means the intentional diversion of waste streams from any portion of a treatment facility.
6. “Control Measure” as used in this permit, refers to any Best Management Practice or other method used to prevent or reduce the discharge of pollutants to waters of the State.
7. “CWA” or “The Act” means the Clean Water Act (formerly referred to as the Federal Water Pollution Control Act or Federal Water Pollution Control Act Amendments of 1972) Pub.L. 92-500, as amended Pub. L. 95-217, Pub. L. 95-576, Pub. L. 96-483 and Pub. L. 97-117, 33 U.S.C. 1251 et.seq.
8. “Department” means the Alabama Department of Environmental Management or an authorized representative.
9. “Discharge”, when used without a qualifier, refers to “discharge of a pollutant” as defined as ADEM Administrative Code 335-6-6-.02(m).

10. "Flood Management Project" means a project that will alter, modify or change the base flood elevation of a 1% annual chance flood event.
11. "Flow-weighted composite sample" means a composite sample consisting of a mixture of aliquots collected at a constant time interval, where the volume of each aliquot is proportional to the flow rate of the discharge at the time of sampling.
12. "Green Infrastructure" refers to systems and practices that use or mimic natural processes to infiltrate, evapotranspire (the return of water to the atmosphere either through evaporation or by plants), or reuse stormwater or runoff on the site where it is generated.
13. "Hydrology" refers to the physical characteristics of storm water discharge, including the magnitude, duration, frequency, and timing of discharge.
14. "Illicit connection" means any man-made conveyance connecting a non-storm water discharge directly to a municipal separate storm sewer system.
15. "Illicit discharge" means any discharge to a municipal separate storm sewer that is not composed entirely of storm water except discharges pursuant to a NPDES permit.
16. "Industrial Land Use" means land utilized in connection with manufacturing, processing, or raw materials storage at facilities identified under Alabama State Law.
17. "Infiltration" means water other than wastewater that enters a sewer system, including foundation drains, from the ground through such means as defective pipes, pipe joints, connections, or manholes. Infiltration does not include, and is distinguished from, inflow.
18. "Landfill" means an area of land or an excavation in which wastes are placed for permanent disposal, and which is not a land application unit, surface impoundment, injection well, or waste pile.
19. "Large" municipal separate storm sewer system means all municipal separate storm sewers that are either: (i) located in an incorporated place (city) with a population of 250,000 or more as determined by the latest decennial census.
20. "Low Impact Development" (LID) is an approach to land development (or re-development) that works with nature to manage stormwater as close to its source as possible. LID employs principles such as preserving and recreating natural landscape features, minimizing effective imperviousness to create functional and appealing site drainage that treat stormwater as a resource rather than a waste product.
21. "Major outfall" is the point(s) where the MS4 discharges to a water of the State from (1) a pipe (or closed conveyance) system with a cross-sectional area equal to or greater than 7.07 square feet (e.g., if a single circular pipe system, an inside diameter of 36 inches or greater),(2) a single conveyance other than a pipe, such as an open channel ditch, which is associated with a drainage area of more than 50 acres,(3) a pipe (or closed conveyance) system draining "industrial land use" with a cross-sectional area equal to or greater than 0.79 square feet (e.g., if a single circular pipe system, an inside diameter of 12 inches or greater),(4) or a single conveyance other than a pipe, such as an open channel ditch, which is associated with an "industrial land use" drainage area of more than 2 acres;For the purpose of this permit, outfalls of the "double barrel" type, whose combined cross-sectional area is greater than 7.07 square feet, equivalent to a single circular pipe outfall with an inside diameter of 36 inches or greater, are also considered major outfalls.

22. "MEP" is an acronym for "Maximum Extent Practicable," the technology-based discharge standards and controls necessary for municipal separate storm sewer systems to reduce pollutants in storm water discharges that was established by CWA Section 402(p). These standards and controls may consist of a combination of best management practices, control techniques, system design and engineering methods, and such other provisions for the reduction of pollutants discharged from a MS4 as described in the storm water management system.
23. "Medium" municipal separate storm sewer system means all municipal separate storm sewers that are either: (i) located in an incorporated place (city) with a population of 100,000 or more but less than 250,000 as determined by the latest decennial census.
24. "MS4" is an acronym for "Municipal Separate Storm Sewer System" and is used to refer to either a large, medium, or small municipal separate storm sewer system. The term is used to refer to either the system operated by a single entity or a group of systems within an area that are operated by multiple entities.
25. "Municipal Separate Storm System" is defined at 40 CFR Part 122.26(b)(8) and means a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels, or storm drains): (i) Owned or operated by a State, city, town, borough, county, parish, district, association, or other public body (created by or pursuant to State law) having jurisdiction over disposal of sewage, industrial wastes, storm water, or other wastes, including special districts under State law such as a sewer district, flood control district or drainage district, or similar entity, or a designated and approved management agency under section 208 of the CWA that discharges to waters of the United States; (ii) Designed or used for collecting or conveying storm water; (iii) Which is not a combined sewer; and (iv) Which is not part of a Publicly Owned Treatment Works (POTW) as defined in ADEM Administrative Code 335-6-6-.02(nn).
26. "Permittee" means each individual co-applicant for an NPDES permit who is only responsible for permit conditions relating to the discharge that they own or operate.
27. "Point Source" means any discernible, confined, and discrete conveyance, including but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, landfill leachate collection system, vessel or other floating craft from which pollutants are or may be discharged. This term does not include return flows from irrigated agriculture or agricultural storm water runoff.
28. "Priority Construction Site" means any qualifying construction site in an area where the MS4 discharges to a waterbody which is listed on the most recently approved 303(d) list of impaired waters for turbidity, siltation, or sedimentation, any waterbody for which a TMDL has been finalized or approved by EPA for turbidity, siltation or sedimentation, any waterbody assigned the Outstanding Alabama Water use classification in accordance with ADEM Admin. Code r. 335-6-10-.09, and any waterbody assigned a special designation in accordance with 335-6-10-.10.
29. "Qualifying Construction Site" means any construction activity that results in a total land disturbance of one or more acres and activities that disturb less than one acre but are part of a larger common plan of development or sale that would disturb one or more acres. Qualifying construction sites do not include land disturbance conducted by entities under the jurisdiction and supervision of the Alabama Public Service Commission.
30. "Qualifying New Development and Redevelopment" means any site that results from the disturbance of one acre or more of land or the disturbance of less than one acre of land if part of a larger common plan of development or sale that is greater than one acre. Qualifying new development and redevelopment does not include land disturbances conducted by entities under the jurisdiction and supervision of the Alabama Public Service Commission.

31. "Storm water" is defined at 40 CFR Part 122.26(b)(13) and means storm water runoff, snow melt runoff, and surface runoff and drainage.
32. "Structural Controls" means an engineered BMP constructed with rigid walls and/or weirs and piped drainage that utilize active or passive treatment and/or mechanical systems for the purpose of treating storm water runoff.
33. "Structural Flood Control" means structural measures that control the 1% annual chance floodwaters by construction of barriers, storage areas or by modifying / redirecting channels.

ALABAMA STORMWATER PARTNERSHIP RESPONSE TO COMMENTS

Comment (1): *Storm Water Collection System Operations* – Like the other structural controls in this section, roadside ditches should be operated, inspected and maintained. Under federal regulations, “ditches” are “used for collecting or conveying stormwater” and the MS4 is responsible for these ditches. 40 CFR Part 122.26(b)(8). Roadside ditches are an integral component of the MS4 that may have significant potential for improving or degrading the water quality of the MS4 discharge. For example, efforts by the municipality to reduce channel erosion within roadside ditches will reduce sediment loading from the MS4 discharge. Structural controls are defined under Part V, Section Y, as “...an engineered BMP constructed with rigid walls and/or weirs and piped drainage that utilize active or passive treatment and/or mechanical systems for the purpose of treating storm water runoff.” This definition would exclude roadside ditches as those are not ‘constructed with rigid walls’. However, such conveyances are integral for stormwater conveyance and to some degree the infiltration of stormwater. Minimizing erosion in those conveyances is crucial for protecting water quality of storm water discharges by the municipality.

We urge ADEM to either modify the definition of what constitutes a ‘structural control’ or include an additional section in these permits that addresses the integrity and erosion potential of conveyances, whether those are constructed of concrete or are earthen or grass-lined conveyances.

Response (1): A municipal separate storm sewer is defined in 40 CFR 122.26(b)(8) as a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels, or storm drains) which is owned or operated by a public body designed or used for collecting or conveying storm water. The intent of the draft permit is to require the Permittee to implement, maintain and enforce a comprehensive stormwater management program which involves using management practices, control techniques and system, design and engineering methods, and such other provisions which are appropriate to reduce the **discharge of pollutants** from its municipal separate storm sewer system (MS4) consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26. Since “ditches” is included as part of the definition of MS4s then they are considered conveyances, not structural controls, unless they are designed to infiltrate stormwater. The Department believes that the Draft Permit addresses the commenter’s concerns and no changes were made based on this comment.

Comment (2): Additionally, we have previously requested that at least the number of inspections of the structural controls be reported in the annual report. We believe this was ADEM’s intention since in its response to the Alabama Stormwater Partnership comments on Trussville’s draft permit, ADEM wrote, “The Permittee is required to include in the annual report the number of inspections performed on the structural controls to include follow-up inspections. (Part II.B.1.a.iv.1).” ADEM Response 1 to the ASP Comments. However, Trussville’s permit and these new draft permits are still written in a way to allow

the number of inspections to “be made available upon request”. II.B.1.a.iv.1. These permits currently state that the number of inspections AND the inspection documentation shall be made available upon request. We recommend deleting the “and” so that just the inspection documentation shall be made available upon request consistent with ADEM’s intent.

Response (2): The Department believes that the language in Part II.B.1.a.iv.1 of the Draft Permit is clear; however, to provide additional clarity, Part II. B.1.a.iv.1 language has been revised to state: “The number of inspections performed on structural controls, to include follow-up inspections. The inspection documentation (i.e. checklist) shall be made available upon request.”

Comment (3): *Public Education and Public Involvement on Storm Water Impacts* - The SWMPP is required to provide a mechanism to “Seek and consider public input in the development, revision and implementation of the SWMP.” Of the Public Education and Public Involvement programs available for review on various MS4 websites, there is proportionately much more emphasis on education than on seeking input and public involvement to guide stormwater programs. Most programs have good information to share, but none that we have reviewed have a formal avenue for input from the public beyond reporting potential stormwater problems. This aspect of this program element needs greater emphasis. For example, none of these municipalities have invited input on the development of their SWMPP on their websites or have a process in place to inform known stakeholders of the opportunity for involvement. It is very difficult for the public to be aware these opportunities are available unless the MS4s make some effort to notify the public that such an effort is underway.

Recently, the City of Oxford passed an ordinance to establish a Citizen Advisory Committee for their Stormwater Program. We understand this was done in part due to ADEM’s encouragement. We hope you will also encourage the MS4s that are the focus of these permits to establish a similar stormwater Citizen Advisory Committee

Response (3): With regards to several of the entities referenced in your comments (Homewood, Irondale, Mountain Brook, Vestavia Hills), their permits are still draft permits, and this requirement within the draft permits (Part II.D.1) will not take effect until the permits are effective. Also, JCHD is not a MS4 Permittee. Regarding the remainder of the entities mentioned in your comments, your comment stated that none of these municipalities have invited input on the development of their SWMPP on their websites or have a process in place to inform known stakeholders of the opportunity for involvement. While Part II.B.2.b.1 of the Draft Permit requires the Permittee to seek and consider public input in the development, revision and implementation of the SWMPP, it does not specify the mechanism the Permittee must implement to accomplish this requirement. This allows flexibility for each Permittee to determine what practice(s) to utilize in notifying its stakeholders regarding input and participation in the development of the stormwater program. For example, one Phase II MS4 Permittee sent a letter to its citizens, notifying them of the SWMPP and instructions on how to become involved in the stormwater program. This letter was included in the City’s SWMPP submitted to the Department.

As required by Part II.D.1 of the Draft Permit, the Permittee is required to submit a SWMPP to the Department, and the Permittee shall implement plans to seek and consider public input in the development, revision and implementation of **this** SWMPP. Therefore, the Department believes that the Permittee will be seeking and accepting public input on its SWMPP if you have any concerns you would like to relay to the Permittee.

With regard to Oxford, please note that a Citizen Advisory Committee was one of the possible public involvement options listed in the 2011 Phase II MS4 General Permit (ALR040000 Part III.B.2.(b)iv).

Comment (4): *Illicit Discharge Detection and Elimination (IDDE)* – We encourage these MS4s to develop the investigation protocols for IDDE efforts as required by these permits. While this capacity is a requirement of this draft permit and of the previous applicable permits, some MS4s are still weak in this area. For example, fecal coliforms (probably from an illicit discharge) have contaminated Shades Creek near Elder Street in Birmingham for many years. We and Alabama Water Watch Volunteers have reported this problem only to be told by the City of Birmingham that this is Jefferson County’s and told by Jefferson County Environmental Services Department that Birmingham is responsible. Similarly, where Valley Creek emerges from under downtown Birmingham, significant fecal contamination has been documented for many years. We understand that such problems are very difficult to resolve; however, this emphasizes the need for ADEM to set a deadline for the resolution of IDDE problems. For example, ADEM could model the deadline that Tennessee includes in its Phase II permit: illicit discharges should be removed as “soon as practicable, but not longer than xx days, unless an appropriate deadline is approved”. Also, the way these draft permits are currently written give the MS4s an out. Immediate cessation is only required until after “identification of the responsible party” which as we have seen, takes years. II.B.3.a.2.b

None of the SWMPs we have reviewed have or describe an explicit protocol for tracing the source of such problems nor is there any reference to following the sampling / detection protocol outlined in the EPA Guidance Manual by the Center for Watershed Protection as is required by the draft permit. (II.B.3.a.3.-4). This highlights a potential general weakness in the implementation of IDDE programs by even the more sophisticated MS4 programs. We understand that identifying illicit discharges beneath downtown Birmingham is a daunting prospect, but more progress toward that goal is urgently needed to protect public health.

Response (4): As defined in 40 CFR 122.26(b)(8), MS4s are a **conveyance or system of conveyances** and therefore, MS4s are not considered to create most illicit discharges. Part II.B.3.a.2.b of the Draft Permit requires the Permittee to remove illicit discharges and requires the immediate cessation of improper disposal practices upon identification of responsible parties. It would be difficult, if not impossible, to remove an illicit discharge without having identified the party responsible for the illicit discharge. Please note that the Draft Permit states that immediate cessation of the discharge is required; however, this may not always be feasible, which is why the Draft Permit states where the removal of

illicit discharges within ten (10) working days is not possible, the ordinance shall require the operator of the illicit discharge to take all reasonable and prudent measures to minimize the discharge of pollutants to the MS4. This language is consistent with previously issued Phase I MS4 permits, and no changes were made to the Draft Permit based on this comment.

Please note that Part I.C.3 of the Draft Permit also prohibits the discharge of sanitary wastewater through cross connections or other illicit discharges through the MS4.

Regarding your comment highlighting a potential general weakness in the implementation of the IDDE programs, several of the entities mentioned in your comments have only recently received a **draft** permit, which included the requirement in Part II.B.3.a.3-4 that references EPA's Illicit Discharge Detection and Elimination, A Guidance Manual for Program Development and Technical Assessments, Center for Watershed Protection, October, 2004. This is not a requirement within their current administratively extended 2001 MS4 Phase I ALS000001 permit. However, based on MS4 audits performed by the Department in 2015 and 2016 on ALS000001 Permittees, it is the Department's understanding that these Permittees have adopted JCDH Guidelines and Standard Operating procedures to include an IDDE program for identifying, tracing and eliminating illicit discharges (2010 Guidelines and Standard Operating Procedures, JCDH website). Since Part II.D. of the Draft Permit requires the Permittee to seek public input in the development, implementation and revision of the SWMPP, you may also voice any concerns regarding components of the IDDE program with the Permittee.

Comment (5): *Construction Site Storm Water Runoff Control* – We note that the stormwater programs with the best construction site compliance are those with an ordinance that allow their city inspectors to issue 'stop work' orders. We urge ADEM to strongly encourage MS4s to establish and implement 'stop work' authority when violations are evident on construction sites as a way of controlling pollutants to the Maximum Extent Practicable (MEP).

These draft permits require that the MS4 inspect construction sites every two months, at a minimum, unless consideration of various listed factors dictates that monthly inspections are appropriate. However, most of these listed factors are relevant to the sites in these MS4s, and therefore ADEM should require monthly inspections to avoid ambiguity. For example, four of these MS4s eventually drain to the Cahaba River, the focus of a watershed siltation TMDL. Additionally, most of the area within these MS4s has been developed, leaving almost exclusively marginal development sites located on steep, difficult locations. One of those factors listed is 'proximity to receiving waterbodies'. We agree that the question of whether a discharge to receiving waters occurs is relevant, however, it should not be the determining factor. Eventually, any pollutant discharge that does not assimilate will be delivered to the waters of the US and be carried downstream. From our perspective, it would be very unlikely to impossible to identify a construction site in these MS4s that does not qualify as being a significant threats to water quality or one that is not a 'Priority Construction Site'. We suggest ADEM require monthly inspections of construction sites

by the MS4s in the upper Cahaba River to avoid any possible confusion about the appropriate inspection regime.

Response (5): The Draft Permit requires, in Part II.B.4.a.9, for the Permittee to implement an enforcement response plan (ERP), which sets out the Permittee's potential responses to violations through progressively stricter actions. This may include, but not be limited to: verbal warnings, written notices, and escalated enforcement measures (i.e. citations, stop work orders, etc).

Regarding your inspection comment, Part II.B.4.a.6 of the Draft Permit requires sites that are located within a priority areas to be inspected monthly, at a minimum. Also, other sites that are determined by the Permittee or the Permitting Authority to be a significant threat to water quality shall be monitoring monthly, at a minimum. Part II.B.4.b.2 of the Draft Permit requires the Permittee to submit within the SWMPP a site inspection plan meeting the requirements of Part II.B.4.a.6. The Department reviews all SWMPPs and provides comments as deemed appropriate. Also, please note that the public has an opportunity to engage in the development and implementation of the Permittee's SWMPP as detailed in Part II.D.1. of the Draft Permit, so any concerns you may have regarding construction site inspections may also be addressed with the individual Permittee.

Comment (6): *Post-Construction Stormwater Management in Qualifying New Development and Re-Development* –We encourage ADEM to specifically note in Part II, B.) 5.) a.) 2.) that the maximum extent practicable standard includes adoption of BMPs that minimize the magnitude of stormwater runoff volume. An engineer might assume that the definition of magnitude provided at *Y. Definitions 12. "Hydrology"* only addresses the magnitude of the 'runoff rate' and fail to include a consideration of the magnitude of the volume of stormwater runoff. In fact, the training many engineers have received focused exclusively on management of runoff *rates* and not on management of runoff volume. Alternatively, the definition of "Hydrology" in *Y. Definitions 12. "Hydrology"* should be amended to make that clarification.

Response (6): The Department believes that the definition of hydrology provides the Permittee with an understanding of what must be performed to comply with Part II.B.5 of the Draft Permit. Additionally, the definition used in the Draft Permit is consistent with the other recently-issued MS4 Phase I Permits. No changes were made to the Draft Permit in response to this comment.

Comment (7): ADEM is aware that we believe the post-construction standard included in AL MS4 permits (1.1" value as the basis for the design and implementation of post-construction BMPs) is inadequate to mimic, to the maximum extent practicable, the pre-construction hydrology of a development project to the extent required to reduce instream erosion and pollutant loading to our streams.

ADEM has indicated they do not have the authority to regulate stormwater volume. The Clean Water Act is a minimum standard that must be addressed by the State program. State regulations must be adequate to enforce the federal standard. If Alabama's statutes remain

as a hurdle for adoption of maximum extent practical (MEP) standards, then those fall short of what the federal laws require. There is a clear mandate for ADEM to minimize pollutant discharge to the maximum extent practicable. ADEM has a broad responsibility to manage and regulate discharge of pollutants. Reduction of stormwater runoff volume *will reduce the discharge of pollutants*.

As the Alabama Stormwater Partnership pointed out in their previous comments on Trussville's DRAFT MS4 permit, "The Clean Water Act states and EPA reiterates that 'The statute requires the inclusion of *any* control measures determined to be necessary to reduce the pollutants to the maximum extent practicable. This *compels* the inclusion of controls to reduce the discharge of pollutants to the maximum extent practicable (emphasis added).' We believe that using the 2.2" rain event as the basis for BMP design for the Birmingham area is an essential 'maximum extent practicable' standard justifiable on the basis that it would reduce downstream sediment loading to river segments with a siltation TMDL.

There is a clear mandate for ADEM to minimize pollutant discharge to the maximum extent practicable. ADEM has a broad responsibility to manage and regulate discharge of pollutants. Reduction of stormwater runoff volume *will reduce the discharge of pollutants*.

Response (7): Regarding the 1.1 inch rainfall over a 24-hour period preceded by a 72-hour antecedent dry period, this requirement is the basis for the design of the BMPs. Once the BMPs are installed, the landowners/developers will be expected to operate and maintain the BMPs as designed, to the MEP. Importantly, what constitutes MEP is not a "one size fits all," but is determined on a case-by-case basis, which means that provisions may be different for each Permittee.

Regarding your comment for the need to reduce the discharge of pollutants, the intent of the draft Permit is to require the Permittee to implement, maintain and enforce a comprehensive stormwater management program. This involves using management practices, control techniques and system, design and engineering methods, and such other provisions which are appropriate to reduce the discharge of pollutants **from the MS4** consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26. 40 CFR 122.26(d)(2)(iv)(A)(2) is clear that the Permittee is responsible for controlling the **discharge of pollutants** in stormwater runoff from new developments and significant redevelopments. Please note that flow is not a pollutant under the Clean Water Act. The Department finds that the language in the Draft Permit regarding post construction controls is appropriate, and the design storm specified in the Draft Permit meets the statutory and regulatory requirements.

In addition, the Permittee shall not cause or contribute to violations of Alabama Water Quality Standards, and shall be in compliance with applicable TMDLs. Part II.E of the Draft Permit contains requirements regarding discharges into a water body with an EPA-approved or established TMDL, including BMPs targeted to meet the assumptions and requirements of the TMDL, schedules for installation and/or implementation of such

BMPs, and monitoring to assess the effectiveness of the BMPs in achieving the TMDL requirements.


Comment (8): *Spill Prevention and Response* – Our review of on-line SWMPs reveals that MS4s rarely have vigorous spill prevention programs. The SWMPs generally say ‘We rely on the Fire Department for Spill Response’. The available SWMPs rarely address the spill ‘prevention’ component of the program.

Their ‘response’ component of Spill Prevention and Response programs available on-line are often limited to reliance on whatever response the local fire department may undertake. The adequacy of that response is not clear. The MS4’s SWMP should spell out greater details about the resources and capabilities of what their fire departments can do per the requirements in the permits, especially if the MS4 is relying on those departments. Hoover’s Program is an exception that sets a good standard in this regard. We urge ADEM to encourage other MS4s to emulate Hoover’s Spill Prevention and Response Program.

Response (8): Part II.B.6.a.1 of the Draft Permit requires the Permittee to investigate, respond and conduct, but does allow a Permittee to coordinate with other agencies that may provide response actions as outlined in the SWMPP. The Department reviews all SWMPPs and provides comments as deemed appropriate. Also, please note that the public has an opportunity to engage in the development and implementation of the Permittees SWMPP as detailed in Part II.D.1. of the Draft Permit, so any concerns you may have regarding the spill prevention and response programs may also be addressed with the individual Permittee.

Comment (9): Evaluating the efficacy of these MS4 programs relies entirely on adequate water quality monitoring. ADEM places emphasis on monitoring 303(d) and TMDL waters. Based on the distribution of Sonde monitoring locations and the statistical inadequacy of ‘annual grab’ sampling (described in detail below), the proposed monitoring by MS4s, when pooled together, will not be adequate to make a statistically valid assessment of water quality conditions in the Cahaba River. The proposed collective monitoring approach will be inadequate as a basis to require MS4s to adopt enhanced BMPs should their current programs fail to achieve water quality and biological improvements. We renew our request that ADEM facilitate a joint monitoring plan for the upper Cahaba River basin that will provide the data necessary to meet MS4 expectations and allow shared costs and shared data. We understand that ADEM’s implementation of the MS4 program tries to balance the requirements of the MS4 regulations with the MEP capabilities of the permittees. It is also important to ensure that the MS4 investments in monitoring will be cost effective, that these investments will yield actionable data and are coordinated with all monitoring in the basin to address gaps and overlaps. CRS would like to be a stakeholder and resource towards development of that program. In the meantime,

the monitoring requirements of the MS4 permits must be enhanced.



We believe that collecting hourly Sonde data will be very helpful. Unfortunately, it appears that no MS4 downstream of Vestavia Hills will be collecting this type of information for the Cahaba River mainstem. The overall health of the basin would be served if ADEM required one of the downstream MS4s to locate a Sonde in the Cahaba River mainstem. A comparison of such data with that collected by Trussville and the City of Vestavia would be very informative.

The map above, modified from the Cahaba Siltation (Habitat Alteration) TMDL, shows the approximate deployment locations of proposed monitoring Sondes in the Upper Cahaba basin. While data from these locations will be valuable, a considerable portion of the upper Cahaba subject to the Siltation TMDL, and still within an MS4 jurisdiction, will not be monitored. The table below arranges MS4 Monitoring activity in roughly an upstream to downstream order within the Cahaba River basin:

MS4	Hourly Sonde Monitoring [†]	Grab Sample Location (frequency)
Trussville	Cahaba River	Cahaba (semi-annual*) Pinchgut Cr (semi-annual) Dry Cr (semi-annual)
Irondale		Cahaba (annual) Shades Cr (annual)
Vestavia	Cahaba River	Cahaba (annual) Patton Cr (annual)
Homewood	Shades Creek	Shades Cr (annual) Tributaries of Shades (annual)
Mountain Brook		Shades Cr (annual) Tributaries of Shades (annual)
Hoover	Patton Creek (two locations) Lee Branch	
Alabaster		Buck Creek, multiple locations (quarterly**)
Pelham		Buck Creek (quarterly) Cahaba Valley Cr (quarterly) Pea Vine Cr (biannually***)
Helena		Cahaba (semi-annual) Buck Creek (semi-annual)
Shelby County	Cahaba Valley Creek	Cahaba Valley Cr (semi-annual) Lee Branch (semi-annual)

[†] Hoover's Sonde measurements are collected at 15 minute intervals.

* Semi-annual means two times per year.

** Quarterly means four times per year.

*** Biannual means once per two years.

These draft permits direct some MS4s to collect 'turbidity' data using Sonde technology. However, the Cahaba Siltation (Habitat alteration) TMDL focuses on Total Suspended Solids (TSS). If the TMDL is framed in terms of TSS, then MS4s should be monitoring TSS. TSS data from annual grab samples will be of limited help, as described in the following paragraph. TSS is important because without that data, it will be difficult to impossible to assess the progress toward achieving the TMDL goals. Since it is difficult to estimate TSS from turbidity, we question whether it is helpful to require turbidity to be the parameter monitored. TSS can be estimated by acoustic Doppler meter backscatter methodology. Evaluation of the Cahaba's Siltation (Habitat Alteration) TMDL progress would be facilitated if the MS4s were required to collect hourly TSS data.

The use of annual grab samples as a water quality monitoring approach is statistically inadequate. The temporal variability of water quality data is typically quite large. There are so many factors that influence water quality parameter values that it can be difficult to obtain an accurate estimate of actual parameter values. Such variability necessitates sampling more often so as to obtain a sufficient sample size to provide reasonable margins of error.

'Power analysis' is an approach that allows an investigator to determine the magnitude of a statistically valid sample size if the following three values are known:

- 1) The magnitude of the difference you would like to be able to detect between two parameter estimates. For this context, we chose 8 mg/l.
- 2) The variance of the variable.
- 3) The desired power of the test. Power is the probability that, if the difference in means is real, it will be detected as statistically "significant" in any one test. Usually, you want power to be relatively high; e.g., around 80% or more.

As an example, we used the EPA's STORET system to examine TSS data from the Cahaba at Highway 52 Bridge from 2012 to 2016. The average TSS value for this data was about 14 mg/l with a variance of about 493 (mg/l). If we want an 80% probability of detecting a change of 8 mg/l (an 8 mg/l change is a reasonable difference we would wish to be able to detect) then a sample size of 61 is needed. Using an annual grab sample regimen, these MS4s would not have enough data to make a valid assessment of the adequacy of their stormwater program for a very, very long time.

Data collection with an automated Sonde will provide valuable water quality information. We hope this monitoring technology will be more widely adopted by the MS4s. We appreciate that ADEM has encouraged some MS4s to adopt this technology. However, Sonde probes are not available for all water quality parameters. For those important parameters that may not be acquired with automated Sonde technology, where grab samples are essential (such as for TSS determination), we recommend collecting and analyzing quarterly or monthly grab samples. Quarterly sampling is a bare minimum to have any statistically reasonable level of accuracy. Even at that compromised sample collection rate, the MS4s may not have a statistically valid assessment of the required parameters for over a decade.

As for the variability of data for other parameters, we have not yet done those analyses. However, TSS information is the basis for the Siltation (Habitat alteration) TMDL for the Cahaba River and therefore should be considered when establishing monitoring requirements for the MS4s to assess whether or not progress is being made toward the goals of that TMDL.

As these draft permits are currently written, ADEM will be unable to determine whether these MS4s are holding steady or making progress toward achieving the Cahaba's Siltation (Habitat Alteration) TMDL goals or even if they are losing ground. More frequent/intensive and more accurate assessments are needed to provide the necessary data to allow sound environmental management decisions to be made in a timely manner.

Response (9): Regarding your comment on requiring the use of sondes within the Draft Permit, the use of sondes was an approach proposed by some of the Permittees, not unilaterally required by the Department.

It is the Department's understanding that one entity will be handling the monitoring for these Permittees, and the monitoring will be based on a watershed approach. These Permittees have a history of working closely together and with the surrounding MS4 entities, and there is nothing in this Draft Permit that prohibits or restricts these MS4 entities from working together to address stormwater issues, to include monitoring. Additionally, the Department has been conducting monitoring on both the main stem of the Cahaba River as well as tributaries for the pollutants of concern. Other agencies, such as United States Geological Survey (USGS), also perform sampling with real-time stations on both the main stem of the Cahaba River and its tributaries. The Department reviews the monitoring plans and provides comments when necessary. Again, the public has an opportunity to engage in the development and implementation of the Permittee's SWMPP as detailed in Part II.D.1. of the Draft Permit.

Part III.B of the Draft Permit requires the Permittee to sample total suspended solids (TSS) via grab samples. This Draft Permit provides specific requirements, in addition to monitoring, that shall be addressed by the Permittee's SWMPP, including BMPs selected by the Permittee which are adequate to assist in compliance with the TMDLs. Part II.E. of the Draft Permit requires monitoring to address the BMP effectiveness for TMDL implementation. If existing BMPs are not sufficient, then the BMPs must be revised. Also, Part IV.d. of the Draft Permit requires the Permittee to submit within the Annual Report a monitoring section which discusses the progress and results of the monitoring programs and includes, at a minimum, the following information: status of implementation of monitoring program; monitoring locations; raw data, to include, an explanation/discussion of the data for each component of the monitoring program; an interpretation of the analytical data for determinacy of meeting water quality standards. As with monitoring plans, the Department reviews all annual reports, to include monitoring data, and will continue to review this data individually and on a watershed basis. The Department provides feedback on the data as deemed appropriate.

BARD RESPONSE TO COMMENTS

Comment (1): The Draft Permit Improperly Incorporates Guidance Provisions as Mandatory Permit Requirements.

According to ADEM's own regulations, NPDES permits issued to large or medium MS4s must include the applicable requirements of 40 C.F.R. § 122.42(c). *See* ADEM Admin. Rule 335-6-6-.11. Currently, the proposed Draft Permit incorporates a number of guidance provisions that go beyond what the CWA and Phase I regulations require. BARD acknowledges and commends ADEM for the changes it has made to address this guidance issue in the recent MS4 draft permits it has issued. Nevertheless, guidance provisions classified as mandatory requirements still exist in the Draft Permit. This is not administratively proper, as guidance provisions are not legally binding. Alabama's Administrative Procedure Act ("AAPA") requires a public notice and comment rulemaking before any compliance standard can have the effect of law. *See* Ala. Code §§ 41-22-1, *et seq.* Because ADEM has not complied with the AAPA in this regard, it must: (1) remove all proposed provisions not enumerated in applicable rules and regulations as permit requirements before finalizing the permit; (2) suspend the permit renewal process until the provisions are properly promulgated through notice and comment rulemaking, or (3) revise the Draft Permit such that the provisions are included as recommendations of the agency, but not mandatory permit requirements.

The inclusion of these guidance provisions as permit requirements undercuts the maximum extent practicable ("MEP") standard promulgated by EPA to serve as the lodestar for the entire MS4 program and the creation of individual permits for regulated MS4s. Under both the CWA and EPA's Phase I regulations, a municipality must develop and implement a storm water management program designed to reduce the discharge of pollutants from its respective MS4 to the MEP. *See, e.g.,* 33 U.S.C. § 1342(p)(3)(B)(iii); 40 C.F.R. § 122.26(d)(2)(iv); 55 Fed. Reg. 47989, 47994 (Nov. 16, 1990). Despite the importance of the term, EPA intentionally left MEP undefined in its regulations in order to provide both permitting authorities and regulated MS4s maximum flexibility in implementing MS4 program requirements. While EPA's Phase I regulations provided little insight as to what constitutes MEP, EPA's 1999 rulemaking for small MS4s (known as "Phase II") attempted to describe how MEP should be applied in practice. *See, e.g.* 64 Fed. Reg. 68722, 68732 (December 8, 1999). The Phase II discussion of MEP is very useful in the present context since section 402(p)(3)(B)(iii) of the CWA—the source of the MEP standard—makes no distinction between large, medium, or small MS4s. EPA's reasoning therefore applies equally to all MS4s irrespective of size. *See* 64 Fed. Reg. at 68737 (noting that the minimum control measures required by the Phase II rule for small MS4s are "very similar to a number of the permit requirements for medium and large MS4s under the existing storm water program").

In its Phase II rulemaking, EPA explains that MEP is a site-specific standard that should be applied in a flexible manner, taking into account cost considerations and water quality effects. 64 Fed. Reg. at 68732. The pollutant reduction procedures that represent MEP are likely to differ significantly between MS4s because of each system's unique local hydrologic and geologic concerns and potentially divergent pollutant control strategies. *Id.* at 68754. EPA recommends that permit writers and individual MS4s evaluate the following factors in determining what constitutes MEP for a given regulated governing body: (1) the size of the MS4, (2) the local climate, (3)

implementation schedules, (4) the financial constraints of a given county or municipality, (5) beneficial uses of receiving water, (5) hydrology, (6) geology, (7) the capacity of the county or municipality to perform operation and maintenance, (8) conditions of receiving waters, (9) specific local concerns, and (10) other aspects included in a comprehensive watershed plan. *See* 64 Fed. Reg. at 68732, 68754. EPA instructed that each regulated governing body be afforded the flexibility it needs to determine what BMPs will appropriately fulfill the applicable minimum control measures and satisfy MEP. *See id.*

In stark contrast to these aforementioned principles, ADEM's Draft Permit directly incorporates a number of generic, guidance provisions from various sources—including, but not limited, to EPA's MS4 Program Evaluation Guidance—and imposes them as mandatory requirements for minimum control measures. Despite not being required by the Phase I regulations, these currently proposed permit requirements must be included in the City's Storm Water Management Plan and implemented as a part of its MS4 program. This is directly contrary to EPA's intent to allow counties or municipalities maximum flexibility in developing their programs.

By proposing to include the guidance provisions as mandatory permit requirements, ADEM is effectively eliminating the MEP standard that governs when, how, and under what conditions the County should implement certain guidance provisions or other BMPs to reduce pollutants to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the CWA. ADEM's incorporation of mandatory guidance provisions handcuffs the County, leaving it very little discretionary authority to implement the MS4 program how it sees fit in compliance with the Phase I regulations.

BARD is also concerned that ADEM and/or other interested stakeholders will treat the City's Draft Permit as a template or baseline for future NPDES permits reissued to Phase I MS4s within the State over the coming years. This concern is seemingly justified given that this Draft Permit is almost identical to ones recently issued by ADEM to the City of Montgomery, City of Mobile and Shelby County. The substantially similar permits for these governing bodies located in geologically and hydrologically diverse areas of the State provide clear evidence that ADEM is not properly adhering to the MEP standard EPA intended to be fundamental to the MS4 permitting process. *See* 64 Fed. Reg. at 68754 (providing that “the pollutant reduction procedures that represent MEP may be different for each MS4 . . . [g]iven the unique local hydrologic and geologic concerns that may exist among the various MS4s and the possible differing pollutant control strategies.”); *see also* 55 Fed. Reg. 47989, 48001, 48038 (providing that “[the Environmental Protection Agency (“EPA”)] notes that each municipal program will be tailored to the conditions in that city” and that the controls utilized by each MS4 “may be different in different permits”). It is a basic premise of EPA's rulemaking that the significantly different circumstances characterizing each MS4 disallows generic permit conditions which can be applied interchangeably to each system. Instead, each MS4 must be given the flexibility necessary to evaluate what BMPs are appropriate to satisfy the applicable minimum control measures under its unique circumstances. *Id.* At 68754. ADEM must reevaluate this Draft Permit to account for any relevant unique circumstances affecting the City and its MS4. And, BARD asks that ADEM remain cognizant of this principle as it drafts new permits for other MS4s in the future.

Response (1): Your comment does not identify portions of the Draft Permit you feel incorporate “guidance provisions classified as mandatory requirements.” The intent of the Draft Permit is to require the Permittee to implement, maintain and enforce a comprehensive stormwater management program which involves using management practices, control techniques and system, design and engineering methods, and such other provisions which are appropriate to reduce the discharge of pollutants from its MS4 consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26. The Draft Permit language and provisions have been agreed to by the Permittee instead of being unilaterally required as suggested by your comment.

The Department agrees that the permitted entity should be granted flexibility to determine what BMPs are appropriate to fulfill the applicable minimum control measures and satisfy the MEP standard. For this reason, the specific BMPs the Permittee utilizes to meet Permit requirements will be determined by the Permittee and laid out in the SWMPP, which will be reviewed by the Department. So, while the overarching Draft Permit requirements may be similar or identical to those found in other Phase I permits, the BMPs utilized to meet these requirements will likely vary, giving the Permittee the flexibility in implementation. The Department believes that the terms of this Draft Permit meet the statutory and regulatory requirements and are achievable by the Permittee.

Comment (2): The Draft Permit Disregards the Alabama State Legislature’s Instructions as to the Scope of MS4 Programs.

The Phase I regulations are an unfunded federal mandate. In revising Chapter 11-89C of the Alabama Code during the last legislative session, the Alabama Legislature recently clarified what ADEM may require of counties and municipalities to comply with this unfunded mandate. As explained in detail below, the current Draft Permit conflicts with the tenets of these statutory provisions.

As background, the Alabama Legislature first voiced its growing concern in 1997 regarding the significant costs municipalities are required to incur simply to comply with the Phase I regulations. In a joint resolution, lawmakers made clear that municipal MS4 programs need to be limited to that which is “absolutely required to satisfy the relevant federal laws and regulations.” *See* Ala. Act 97-931 (H.J.R. 144) (1997). Under the recently amended Chapter 11-89C of the Alabama Code, the Legislature explicitly provides that any and all rules and regulations ADEM adopts related to storm water discharges into MS4s “shall be limited to include only those rules, regulations, and/or aspects that are absolutely required to satisfy the storm water laws.” *See* Ala. Code §11-89C-9(a); *see also* Ala. Code § 11-89C-1(e) (instructing that the “substantive scope” “of such local programs [is to be limited] to include only those rules, regulations, and/or aspects that are absolutely required to satisfy the Clean Water Act, as specifically set out in the Code of Federal Regulations.”). These prohibitions were collectively intended to limit both the *jurisdictional and substantive scope* of the local MS4 programs to matters absolutely required by the relevant federal laws and regulations. *Id.* By doing so, the Alabama Legislature ensured that the costs associated with MS4 programs “would be restrained by the strict limitations on the scope of such programs to that scope absolutely required by the relevant federal laws and regulations.” Ala. Act 97-931 (H.J.R. 144) (1997). By incorporating requirements beyond those required by the Phase I regulations, ADEM is unlawfully disregarding the statutory limitations set forth in

Section 11-89C-9(a).

Before finalizing the Draft Permit (or any future Phase I MS4 permit), ADEM must determine that incorporating numerous requirements beyond those mandated by the Phase I regulations is consistent with the recently revised provisions of Chapter 11-89C of the Alabama Code.

Response (2): The Department sees no conflict between the Draft Permit requirements and Ala. Code Chapter 11-89C. In addition, your comment does not indicate which Draft Permit requirements you feel go “beyond those required by the Phase I regulations.” The intent of the Draft Permit is to require the Permittee to implement, maintain and enforce a comprehensive stormwater management program which involves using management practices, control techniques and system, design and engineering methods, and such other provisions which are appropriate to reduce the discharge of pollutants from its MS4 consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26. The stormwater program elements and requirements (Part II.B of the Draft Permit) that must be addressed by the Permittee are those that are listed in 40 CFR 122.26(d)(2)(iv). The specific BMPs the Permittee utilizes to meet each of these elements will be determined by the Permittee and laid out in the SWMPP, which will be reviewed by the Department.

Comment (3): Citations to Handbooks Must Reference the Specific Publication Date and/or Edition

ADEM has incorporated by reference the Low Impact Development (“LID”)/green infrastructure (“GI”) handbook and the Alabama Handbook for Erosion Control, Sediment Control, and Stormwater Management on Construction Sites and Urban Areas published by the Alabama Soil and Water Conservation Committee without specifying the publication date, version, edition, etc., of these materials. This is improper as a matter of administrative law. It is a basic principle of notice and comment rulemaking that the public must be provided a meaningful chance to review, analyze, and offer comments on the rules and regulations that administrative agencies propose as laws. *See* Ala. Code § 41-22-5(a) (“Prior to the adoption, amendment, or repeal of any rule, the agency shall: . . . [provide] a statement of either the terms or substance of the intended action or a description of the subjects and issues involved. . . [and] [a]fford all interested persons reasonable opportunity to submit data, views, or arguments, orally or in writing”). For example, the Alabama Code authorizes ADEM to “adopt, by reference in its rules and without publishing the adopted matter in full, all or any part of a code, standard or regulation which has been adopted by . . . a generally recognized organization or association approved by the joint committee administrative regulation review.” *See* Code § 41-22-9. However, such references must “fully identify the adopted matter *by date and otherwise*” and “copies of the adopted matter” must be made available “*for inspection.*” *Id.* (emphasis added).

While commenters are able to assess and offer comments to standards set forth in the current versions of these handbooks (assuming it is these versions ADEM intends to reference), they have no way to consider what a future version may prescribe. This means that the standards in the Draft Permit could substantively change without an additional public comment period, effectively circumventing the AAPA. ADEM must therefore specify the precise versions or editions of these handbooks it intends to incorporate by reference.

Response (3): To clarify, the following definition has been added to Part V.Y: *Alabama Handbook* means the September 2014 edition of the Alabama Handbook for Erosion Control, Sediment Control, And Stormwater Management on Constructions Sites and Urban Areas, Alabama Soil and Water Conservation Committee (ASWCC) published at the time permit is effective. References to the Low Impact Development (“LID”)/green infrastructure (“GI”) handbook are included for informational purposes only, so there is no need to specify the publication date.

Comment (4): Part II. Subparts A.3.b. and B.5.a.3. Consideration of LID/GI

A conflict exists between these two Draft Permit provisions. Section II.A.3.b. provides that LID/GI *shall* be considered; whereas, Section II.B.5.a.3. of the Draft Permit requires the City to “[e]ncourage” landowners and developers to implement LID/GI when doing so is pragmatic and economically feasible. The use of LID/GI cannot be mandated in the Draft Permit because the use of such control measures is not enumerated in any federal regulation, or accompanying text, that is applicable to MS4s. *See generally* 40 C.F.R. § 122.26; 55 Fed. Reg. 47989-48091; 64 Fed. Reg. 68721-68851. Thus, while it is acceptable for ADEM to encourage permittees to consider the use of LID/GI, it is improper (for the reasons discussed in the guidance provisions general comments set out above) for ADEM to mandate use or consideration of LID/GI since there is no requirement to do so in the Phase I regulations.

Response (4): The Draft Permit states in Part II.A.3.b, LID/GI shall be considered where feasible. Part II.B.5.a.3 of the Draft Permit states to encourage landowners and developers to incorporate the use of low impact development (LID/GI) where feasible. In neither instance is the Department mandating the use of LID/GI, only that it be **considered** and **encouraged** where feasible.

Comment (5): Part II., Subpart B.4. Construction Site Stormwater Runoff Control.

ADEM should clarify that the City is permitted to utilize and incorporate various components of ADEM’s existing construction storm water program to satisfy the requirements of this subpart. Although EPA has informally interpreted the Phase I regulations as prohibiting a medium or large MS4 from relying solely on ADEM’s program (though there is no explicit statement in the Phase I regulations to this effect), there is no reason that a medium or large MS4 cannot incorporate *parts* of ADEM’s program to meet this requirement. Specifically, as EPA has pointed out:

The [Phase I] regulations contemplate a degree of flexibility in allowing Individual Phase I MS4s to design a construction program appropriate for local conditions, provided that the minimum components . . . are included and the local government is able to control discharges from construction sites to the maximum extent practicable. Further, local governments may maximize efficiencies with existing state-level programs. For example, a local government may adopt local requirements that mirror or *incorporate* requirements from the state construction general permit, or it may coordinate its enforcement activities with state enforcement of the state construction general permit.

See March 20, 2008 Letter from Mr. James D. Giattina, Director of Water Management Division, EPA Region IV, to Mr. Steve Jenkins, Chief of Field Operations, Water Division, ADEM (emphasis added). A City could, for example, rely on ADEM's review and approval of Erosion and Sediment Control plans for sites that require ADEM review (i.e. priority sites). This would avoid conflicting opinions (City vs. ADEM) on Erosion and Sediment Control plan design, as well as preventing the City from having to "reinvent the wheel." Moreover, Chapter 11-89C of the Alabama Code provides that any entity in compliance with an ADEM-issued NPDES permit is deemed compliant with any local ordinance issued by the City pursuant to its MS4 obligations, meaning the City could not lawfully require a developer to revise its plans at ADEM-regulated construction sites. Requiring the City to review these plans therefore amounts to unnecessary double regulation and undermines the efficient use of governmental resources without any compelling justification.

Similarly, construction sites that disturb one acre or greater are currently subject to ADEM's general NPDES permit for qualifying construction sites. This general permit requires frequent, periodic inspections. The Draft Permit requires the City to inspect these sites as well. Thus, by requiring the City to implement an inspection program, a third entity is tasked with inspecting such sites (i.e., NPDES Construction Permittee, MS4, and ADEM). This is a waste of resources. The City's role should be limited to quality control, with periodic inspection left to its discretion. The Draft Permit, as presently drafted, requires the City to waste resources in a duplication of ADEM's responsibilities.

Finally, the Draft Permit would require the City to implement an enforcement response plan. This is another needless duplication of ADEM's responsibilities. The City should be allowed to utilize ADEM's existing system for its NPDES construction storm water program and seek enforcement only on those sites that are non-compliant and that ADEM is not addressing. The Draft Permit does not clearly reference that the City may rely upon ADEM and its construction storm water program for the enforcement of all violations at sites regulated by ADEM's general permit for qualifying construction sites. Indeed, revised Chapter 11-89C makes it mandatory for the City to rely upon ADEM for this enforcement to the maximum extent permitted by law. This needs to be more clearly articulated in the text of the Draft Permit.

Response (5): Again, the Department sees no conflict between the Draft Permit and Ala. Code Chapter 11-89C, as the Draft Permit allows the Permittee to rely upon ADEM to the extent allowed. This Draft Permit was developed to meet the requirements set forth in 40 CFR 122.26(d)(2)(iv)(D), and with the consent of the Permittee. If the Department has taken and is proceeding with an enforcement action, then Ala. Code § 11-89C-12 prohibits the Permittee from pursuing an enforcement action for the same alleged violation; however, under Section 11-89C-12(b), the Permittee may pursue enforcement actions for continued or continuing violations.

Comment (6): Part II., Subpart B.5. Post-Construction Storm Water Management in New Development and Re-Development.

BARD is particularly concerned with a number of requirements set out in this subpart. A discussion of each is set out below.

a. The proposed regulation of pre- and post-construction hydrology is improper

How is the City to interpret and implement Section II.B.5.a.2, which requires “preconstruction hydrology” to mimic “post-construction hydrology”? Do these terms refer to flow, volume, timing, or all of these? Should it refer to any of the above or anything other than the discharge of a “pollutant” as it is defined under the CWA, it is outside the scope of the MS4 program and cannot be enforced by ADEM and/or EPA under the MS4 program. Neither the CWA nor the CFR use the term “hydrology,” not even in guidance. In fact, the concept of regulating hydrology through MS4 permits was arguably developed by EPA as a means to unlawfully incorporate section 438 of the Energy Independence and Security Act (“EISA”) into CWA section 402(p)(3)(B). *See generally In Re Joint Base Lewis-McChord Municipal Separate Storm Sewer System*, NPDES Appeal No. 13-09 (EPA App. Bd. 2009).

In December 2007, EISA section 438 established storm water design requirements for federal development and redevelopment projects, stating that such projects over 5,000 square feet must “maintain or restore, to the maximum extent technically feasible, the predevelopment hydrology of the property with regard to the temperature, rate, volume, and duration of flow.” *See* 42 U.S.C. § 17094. In addressing the argument that EPA could not incorporate this provision into a MS4 permit under the auspices of CWA section 402(p)(3)(B), EPA stated:

EPA’s Permit does not purport to implement Section 438 of EISA, 42 U.S.C. § 17094. Further, EPA disagrees that the CWA and EISA § 438 are mutually exclusive unless Congress directs otherwise. Postconstruction performance standards for development sites are established by EPA in Permit Part II.B.5 pursuant to CWA Section 402(p)(3). EPA’s [Fact Sheet] at page 32 explains that these provisions are intended to “...*protect water quality in Puget Sound and its tributaries to the maximum extent practicable, [such that] all new development and redevelopment sites within the surrounding watersheds must be planned, designed, and constructed in a manner that minimizes the negative impact of urbanization by mimicking natural hydrology.*”

U.S. Dep’t of the Army, *Petition for Review of NPDES Permit for Joint Base Lewis-McChord Municipal Separate Storm Sewer System and Request for Oral Argument*, 9 (2009) (quoting EPA, *Response to Comments*, pp. 28-29, response 50) (emphasis in original).

Despite the fact that EPA’s response appears disingenuous in light of the similarity in language between the provisions, EPA asserts that the CWA and EISA are not mutually exclusive “unless Congress directs otherwise.” This rationale is incorrect because agencies may only act on authority expressly granted by Congress, not on authority inferred from Congressional silence. *See Va. Dept. of Transp. v. EPA*, 2013 WL 5374, *3 (E.D. Va. 2013) (“[t]he question is whether the statute grants the agency the authority it is claiming, not whether the statute explicitly withholds that authority”). Hence, ADEM, by proxy, should not adopt hydrology requirements from EISA section 438 and enforce them as mandatory extensions of CWA section 402(p)(3)(B).

Even if EPA and/or ADEM are not seeking to incorporate EISA section 438, hydrology regulations are impermissible because EPA may not regulate storm water flow as a surrogate pollutant. *See Va. Dep’t of Transp.*, 2013 WL 53741, at *4-5 (holding that EPA may not regulate storm water

flow as a surrogate pollutant).⁷ By EPA's own admission, this is precisely what it intends when it imposes hydrology regulations. *See* U.S. Dep't of the Army, Petition for Review of NPDES Permit for Joint Base Lewis-McChord Municipal Separate Storm Sewer System and Request for Oral Argument, 9 (2009) (EPA stating that hydrology regulations are intended to "minimize[] the negative impact of urbanization") (quoting EPA, Response to Comments, pp. 28-29, response 50); *see also* 64 Fed. Reg. at 68760 (in reference to minimizing impervious surfaces (i.e., urbanization) "[t]his strategy can slow the rate of runoff, reduce runoff volumes, attenuate peak flows, and encourage filtering and infiltration of storm water").

If it is not ADEM's intention by and through this provision to regulate storm water flow where a discharge of pollution does not actually occur, the Draft Permit must be redrafted with clear and justiciable terms which explain the purpose of the hydrology regulations under Section II.B.5.a.2.

Response (6): Again, the intent of the Draft Permit is to require the Permittee to implement, maintain and enforce a comprehensive stormwater management program which involves using management practices, control techniques and system, design and engineering methods, and such other provisions which are appropriate to reduce the **discharge of pollutants** from its MS4 consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26(d)(2)(iv)(A)(2). 40 CFR 122.26(d)(2)(iv)(A)(2) is clear that the Permittee is responsible for controlling the **discharge of pollutants** in stormwater runoff from new developments and significant redevelopments. The Department notes that flow is not a pollutant.

Regarding hydrology, the Department believes that the definition provides the Permittee with a clear understanding of what must be performed to comply with Part II.5 of the Draft Permit. Additionally, the definition used in this Draft Permit is consistent with other recently-issued MS4 Phase I Permits.

Comment (7): *ADEM should not use the MS4 permitting process as a means to regulate land use*

In some form, requiring minimization of impervious surfaces, preservation of ecologically sensitive areas, the establishment of vegetative buffers, protection of vegetation and soil, and/or regulation of hydrology all amount to impermissible attempts to regulate land use by way of federal mandate. Federal authority under the CWA does not go so far as to usurp the "quintessential state and local power" found in the "[r]egulation of land use." *Rapanos v. U.S.*, 547 U.S. 715, 738-39 (2006) ("We ordinarily expect a 'clear and manifest' statement from Congress to authorize an unprecedented intrusion into traditional state authority. The phrase 'the waters of the United States' hardly qualifies.") (Scalia, J. plurality) (citations omitted); *see also Solid Waste Agency of N. Cook Cnty. v. U.S. Army Corps of Eng'rs*, 531 U.S. 159, 174 (2001) (*SWANCC*) (rejecting a similar CWA application because of "significant constitutional questions raised" by impingement of the States' traditional and primary power over land and water use"). The decisions in both *SWANCC* and *Rapanos* turned on how broad the term "waters of the United States" should be interpreted and both cases reasoned that Congress did not authorize "*de facto*" federal regulation of land use through the CWA. *See Rapanos*, 547 U.S. at 738 ("[t]he extensive federal jurisdiction urged by the Government would authorize the Corps to function as a *de facto* regulator of immense

stretches of intrastate land—an authority the agency has shown its willingness to exercise with the scope of discretion that would befit a local zoning board”).

In the present case, ADEM, through the MS4 permitting process, has imposed postconstruction BMPs in the Draft Permit which would allow it to function as a *de facto* regulator of immense stretches of intrastate land with the scope of discretion that would befit a local zoning board. For example, by placing limitations on impervious surfaces and hydrology, and imposing water retention mandates, ADEM has effectively paralyzed opportunities for meaningful, industrial development in the City. Because the CWA only authorizes regulations narrowly tailored to reduce the discharge of pollutants, ADEM authority under section 402(p)(3)(B) should be so limited here.

Response (7): The post-construction BMP requirements in the Draft Permit do not operate to regulate land use. The intent of the Draft Permit is to require the Permittee to implement, maintain and enforce a comprehensive stormwater management program which involves using management practices, control techniques and system, design and engineering methods, and such other provisions which are appropriate to reduce the **discharge of pollutants** from its MS4 consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26(d)(2)(iv)(A)(2). 40 CFR 122.26(d)(2)(iv)(A)(2) is clear that the Permittee is responsible for controlling the discharge of pollutants in stormwater runoff from new developments and significant redevelopments. Regarding the controls required to reduce the discharge of pollutants from new developments and significant redevelopment, 40 CFR 122.26(d)(2)(iv) states, in part, that the Permittee’s program must include:

A description of planning procedures including a comprehensive master plan to develop, implement and enforce controls to reduce the discharge of pollutants from municipal separate storm sewers which receive discharges from areas of new development and significant redevelopment. Such plan shall address controls to reduce pollutants in discharges from municipal separate storm sewers after construction is completed.

The intent of Part II.B.5 of the Draft Permit is to require controls to reduce the **discharge of pollutants** and to ensure that the Permittee retains flexibility in determining the appropriate BMPs utilized to meet the required MEP standard. The Department believes that the Draft Permit is clear in this intent and no changes were made based on this comment.

Comment (8): Other Concerns

BARD questions EPA’s authority to require the submittal of an as-built certification for post-construction BMPs under Section II.B.5.a.6 of the Draft Permit. Regardless of either EPA or ADEM’s legal authority, BARD questions the prudence of creating what will almost assuredly be a costly and onerous requirement for both the developer as well as the City, especially without further clarification regarding the nature of the certification. Is the developer required to certify that the BMPs were built as shown on the plans, that they are effective, or both?

Finally, Section II.5.a.9. of the Draft Permit requires either the City or another entity to perform long-term operation and maintenance of post-construction BMPs. This requirement is beyond the scope of both EPA and ADEM’s authority. Neither regulatory body possesses the authority to

require Alabama municipalities or counties to take over such responsibilities, or to take any other affirmative actions. This requirement must therefore be removed.

Response (8): The requirements in Part II.B.5.a.6 to submit “as-built” certifications along with the inspections of post-construction BMPs will aid in the assurance that the BMPs were installed and are functioning as planned. Part II.B.5.a.9 language has been agreed to by the Permittee, and the Department believes it is achievable for the Permittee. In addition, this language is consistent with recently issued Phase I MS4 permits, and the recently issued Phase II MS4 General Permit (ALR040000).

USPS Tracking® Results

FAQs > (<http://faq.usps.com/?articleId=220900>)

[Track Another Package](#) +

[Remove](#) X

Tracking Number: 9171082133393671553634



Delivered

Product & Tracking Information

[See Available Actions](#)

Postal Product:

First-Class Mail®

Features:

Certified Mail™

DATE & TIME	STATUS OF ITEM	LOCATION
June 15, 2017, 10:09 am	Delivered, PO Box	BIRMINGHAM, AL 35210
<p>Your item has been delivered and is available at a PO Box at 10:09 am on June 15, 2017 in BIRMINGHAM, AL 35210.</p>		
June 9, 2017, 3:26 pm	Departed USPS Facility	BIRMINGHAM, AL 35222
June 9, 2017, 10:41 am	Arrived at USPS Facility	BIRMINGHAM, AL 35222
June 9, 2017, 3:57 am	Departed USPS Facility	MONTGOMERY, AL 36119

[See More](#) ✓

Available Actions

Text Updates	∨
Email Updates	∨
Return Receipt Email	∨

See Less ^

Can't find what you're looking for?

Go to our FAQs section to find answers to your tracking questions.

FAQs (<http://faq.usps.com/?articleId=220900>)

There's an easier way to track your packages.

Why jump from page to page to track packages being sent to you? With My USPS™, you can easily track all your packages in one place. Sign up to:

- Set up automatic email and text alerts, so you'll never have to manually track a package again
- Provide delivery instructions, so your carrier knows where to leave packages

Sign Up

([https://reg.usps.com/entreg/RegistrationAction_input?](https://reg.usps.com/entreg/RegistrationAction_input?app=UspsTools&appURL=https%3A%2F%2Ftools.usps.com%2Fgo%2FTrackConfirmAction%21input%3FtRef%3Dfullpage%26tLc%3D2%26text28777%3D%26tLabels%3D9171082133393671553694%2526)

(<https://www.usps.com/>)

[app=UspsTools&appURL=https%](https://reg.usps.com/entreg/RegistrationAction_input?app=UspsTools&appURL=https%3A%2F%2Ftools.usps.com%2Fgo%2FTrackConfirmAction%21input%3FtRef%3Dfullpage%26tLc%3D2%26text28777%3D%26tLabels%3D9171082133393671553694%2526)

[3A%2F%2Ftools.usps.com%](https://reg.usps.com/entreg/RegistrationAction_input?app=UspsTools&appURL=https%3A%2F%2Ftools.usps.com%2Fgo%2FTrackConfirmAction%21input%3FtRef%3Dfullpage%26tLc%3D2%26text28777%3D%26tLabels%3D9171082133393671553694%2526)

HELPFUL LINKS

- Contact Us
(<https://www.usps.com/help/welcome.htm>)
- Site Index
(<https://www.usps.com/globals/siteindex.htm>)
- FAQs (<http://faq.usps.com/>)

ON ABOUT.USPS.COM

- About USPS Home
(<http://about.usps.com/>)
- Newsroom
(<http://about.usps.com/news/welcome.htm>)
- USPS Service Updates
(<http://about.usps.com/news/services/alerts/welcome.htm>)
- Forms & Publications
(<http://about.usps.com/publications/welcome.htm>)
- Government Services
(<https://www.usps.com/gov-services/gov-services.htm>)
- Careers
(<http://about.usps.com/careers/welcome.htm>)

OTHER USPS SITES

- Business Customer Gateway
(<https://gateway.usps.com/>)
- Postal Inspectors
(<https://postalinspectors.uspis.gov/>)
- Inspector General
(<http://www.uspsoig.gov/>)
- Postal Explorer
(<http://pe.usps.gov/>)
- Post Office Post Office
(<http://www.postalmuseum.si.edu/>)
- Resources for Developers
(<https://www.usps.com/webtools/welcome.htm>)

LEGAL INFORMATION

- Privacy Policy
(<http://about.usps.com/who-we-are/privacy-policy/privacy-policy-highlights.htm>)
- Terms of Use
(<http://about.usps.com/termsfuse.htm>)
- FOIA
(<http://about.usps.com/who-we-are/foia/welcome.htm>)
- No FEAR Act EEO Data
(<http://about.usps.com/who-we-are/foia/welcome.htm>)

Copyright © 2017 USPS. All Rights Reserved.



<https://www.facebook.com/USPS?rf=108501355848630>



<https://twitter.com/usps>



<http://www.pinterest.com/uspsstamps/>



<https://www.youtube.com/usps>

Ordinance 2018-11

**STORMWATER MANAGEMENT AUTHORITY, INC.
EROSION AND SEDIMENTATION CONTROL ORDINANCE**

RECITALS

**Article 1
DEFINITIONS**

**Article 2
ADMINISTRATION**

**Article 3
APPLICATION AND FEES**

- Section 3.01 Application.
- Section 3.02 Permit Application Fee.
- Section 3.03 Post Construction Annual Issuance Fee.
- Section 3.04 Data Required on the Application for a Permit.
- Section 3.05 Maintenance of Records.
- Section 3.06 Amended Application; Transfer of Permit.
- Section 3.07 Signatory Requirements.

**Article 4
EXCLUSION**

- Section 4.01
- Section 4.02

**Article 5
BMP APPROVAL REQUIREMENTS**

- Section 5.01 General Requirements.
- Section 5.02 Design and Performance Standards.

**Article 6
MONITORING AND INSPECTION**

- Section 6.01
- Section 6.03 Inspections.

Article 7
ENFORCEMENT AND ABATEMENT

- Section 7.01 NPDES Permits for Storm Water Discharge Associated with Construction Activities.
- Section 7.02 Immediate Threats to Public Health or Welfare.
- Section 7.03 Notification; Enforcement Remedies.
- Section 7.04 Unlawful Acts, Misdemeanor.
- Section 7.05 Judicial Proceedings and Relief.

Article 8
MISCELLANEOUS

- Section 8.01 Notices.
- Section 8.02 References.
- Section 8.03 Severability.
- Section 8.04 Captions.
- Section 8.05 Effective Date.

**STORM WATER MANAGEMENT
EROSION AND SEDIMENTATION CONTROL
ORDINANCE**

RECITALS

WHEREAS, the sedimentation of streams, lakes and other waters of this state constitutes a major pollution problem; and

WHEREAS sedimentation occurs from the erosion or depositing of soil and other materials into the waters, and control of erosion and sedimentation is deemed vital to the public interest and is necessary to the public health and welfare, and expenditures of funds for an erosion and sedimentation control program shall be deemed to benefit the public health and welfare; and

WHEREAS, the purpose of this ordinance is to provide for the creation, administration, control and enforcement of a program to reduce erosion and sedimentation problems pursuant to the National Pollutant Discharge Elimination System ("NPDES") permit ALS000019 from Alabama Department of Environmental Management ("ADEM") for stormwater discharges from the Municipal Separate Storm Sewer System of the City of Irondale ("MS4"), which will permit the development in the City of Irondale, ("City") to continue with the least detrimental effects from pollution by sedimentation; and

WHEREAS, ADEM, pursuant to the authority delegated to it under the Clean Water Act, 33 U.S.C. Section 1251, *et seq.*, has required City to obtain an NPDES permit for stormwater discharges from the MS4, effective March 1, 1995, and, therefore, City is subject to the federal stormwater laws and regulations contained in 33 U.S.C. ¶ 1342 (P) and 40 C.F.R. ¶ 122.26, and is required to adopt a local erosion control ordinance. Act No. 95-775 of the Alabama State Legislature (Code of Alabama 1975, § 11-89C 1-14) and other provisions of the Code of Alabama 1975 grant the authority to adopt such ordinances to the governing bodies of all Class 1 municipalities within the State of Alabama, to the governing bodies of counties in which Class 1 municipalities are located and to the governing bodies of all other municipalities located within such counties, and where any such other municipality is also located partially within an adjoining county, then the governing body of such adjoining county and which governing bodies are specifically designated in 40 C.F.R. part 122, Appendices F, G, H or I or by ADEM pursuant to the authority delegated to it under the Clean Water Act, 33 U.S.C. Section 1251, *et seq.*; and

WHEREAS, it is the purpose of this ordinance to protect and maintain the environment of the City and the short-term and long-term public health, safety and general welfare of the citizens of the City by controlling discharges of pollutants to the City's MS4, thereby, maintaining and improving the quality of the community waters into which the stormwater outfalls flow, including, without limitation, the lakes, streams, ponds, wetlands, sinkholes, and groundwater of the City; and

WHEREAS, this ordinance controls the discharge of certain non-storm water to the MS4 from land on which land-disturbing activities are conducted, to the maximum extent practicable, and provides enforcement procedures and penalties to ensure compliance with such controls; and

WHEREAS, it is further the purpose of this ordinance to enable the City to comply with the NPDES permit and applicable regulations (40 C.F.R. ¶ 122.26) for stormwater discharges; and

WHEREAS, the objectives of this ordinance are to:

- (a) control (i) the contribution of pollutants to the MS4 by stormwater discharges associated with land-disturbing activities and (ii) the quality of stormwater discharged to the MS4 from sites of land-disturbing activity;
- (b) prohibit illicit discharges to the MS4;
- (c) control the discharge to the MS4 of any spills, dumping or disposal of materials other than stormwater from sites of land-disturbing activity; and
- (d) carry out all inspections, surveillance and monitoring procedures necessary to determine compliance and noncompliance with land-disturbing activity permits (singular, "Permit" and plural, "Permits").

NOW, THEREFORE, be it ordained by the City Council of the City of Irondale ("City Council") as follows:

Article 1 DEFINITIONS

Section 1.01 Definitions.

For the purposes of this ordinance, the following words and terms shall have the meaning assigned to them in this section.

Accidental Discharge - a discharge prohibited by this Article into the MS4 or community water which occurs by chance and without planning or consideration before the occurrence.

Adverse Impact - any deleterious effect on waters or wetlands, including their quality, quantity, surface area, species composition, aesthetics or usefulness for human or natural uses which are or may potentially be harmful or injurious to human health, welfare, safety or property or to biological productivity, diversity or stability, or which would unreasonably interfere with the enjoyment of life or property.

Agriculture - activities are undertaken on land for the production of plants, crops, and animals which are useful to man.

Alabama Department of Environmental Management (herein abbreviated as "ADEM") - the State of Alabama regulatory agency, created under Code of Alabama 1975, § 22-22A-1, et seq., responsible for administering and enforcing the storm water laws of the United States of America and the State of Alabama.

Applicant - any person, firm, corporation or governmental agency who executes the necessary forms to procure approval of Best Management Practices Plans from the Official.

Best Management Practices (herein abbreviated as "BMP") - activities, prohibitions of practices, maintenance procedures and management practices designed to prevent or reduce the pollution of waters to the MS4. Best Management Practices also include treatment requirements, operating procedures, and practices to control facility site runoff, spillage or leaks, sludge or waste disposal or drainage from raw material storage and construction sites.

Best Management Practices Plan (herein abbreviated as "BMP Plan") - a set of drawings and/or other documents submitted by a person as a prerequisite to obtaining a Permit, which contains all of the information and specifications about BMP.

Clean Water Act (herein abbreviated as "CWA") - the federal act (33 U.S.C. § 1251 through § 1387) which was formerly referred to as the Federal Water Pollution Control Act and Federal Water Pollution Control Act Amendments of 1972, Public Law 92-500, as amended by Public Law 95-217, Public Law 95-576, Public Law 6-483 and Public Law 97-117, 33 U.S.C. § 1251-1387.

Clearing - the removal of trees and brush from the land, not including the ordinary mowing of grass or the maintenance of previously cleared areas.

Community Waters - any or all rivers, streams, creeks, branches, lakes, reservoirs, ponds, drainage systems, springs, wetlands, wells and other bodies of natural or artificial surface or subsurface water into which the MS4 outfalls flow.

Contour - a line of equal elevation above a specified datum, usually, mean sea level.

Contour Line - a line joining points having or representing equal elevations.

Discharge - the passing of water or other liquid through an opening or along a pipe, conduit or channel; the rate of flow of water, silt, or other mobile substance which emerges from a pipe, conduit or channel, usually expressed as cubic feet per second, gallons per minute or million gallons per day.

Drainage - the removal of surface water from a given area either by gravity or by pumping; commonly applied to surface water and groundwater.

Drainage Area - that area contributing runoff to a single point measured in a horizontal plane, which is enclosed by a ridge line; the area of a drainage basin or watershed, expressed in acres, square miles or another unit of area.

Engineer - a person currently licensed by the Alabama State Board of Registration for Professional Engineers and Land Surveyors to provide engineering services.

Erosion - wearing away of lands by running water.

Erosion Control - the application of measures to reduce erosion of land surfaces.

Grading - any act by which soil is cleared, stripped, stockpiled, excavated, scarified or filled, or any combination thereof.

Illicit Connection - any man-made conveyance connecting an illicit discharge directly to the MS4.

Illicit Discharge - any discharge that is not composed entirely of storm water, except discharges pursuant to an NPDES permit (other than NPDES Permit ALS000019) and discharges which are specifically excepted from this ordinance.

Minor Extension - an addition to an existing utility pipeline or another utility line in which the land disturbed consists of fewer than 7,500 linear feet.

Municipal Separate Storm Sewer (herein abbreviated as "MS3") - a conveyance or conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels and storm drains), owned or operated by a city, town or county or another public body (created by, or pursuant to, State law) having jurisdiction over stormwater.

Municipal Separate Storm Sewer System (herein abbreviated as "MS4") - a system of municipal separate storm sewers, as defined hereinbefore.

NPDES - National Pollutant Discharge Elimination System.

Outfall - a point source (meaning any discernible, confined and discrete conveyance, including, but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container rolling stock, concentrated animal feeding operation, landfill leachate collection system, vessel or other floating craft from which pollutants are or may be discharged, but not including return flows from irrigated agriculture or agricultural water runoff) at the point of a discharge to waters of the United States of America.

Permit - any permit issued pursuant to this ordinance.

Permittee - a person, party, government entity and all others who receive a permit to discharge under the NPDES.

Pollutant - includes, but is not limited to, the pollutants specified in Code of Alabama 1975, § 22-22-1(b) (3) and any other effluent characteristics specified in a Permit.

Pollutant Loading - the amount of a pollutant entering the MS4.

Qualified Credentialed Professional - a Certified Professional in Erosion and Sediment Control ("CPESC") as determined by the Soil and Water Conservation Society ("SWCS") or the International Erosion Control Association ("IECA"). Other

registered or certified professionals such as a professional engineer or a landscape architect, registered land surveyor, registered architect, registered geologist, registered forester, Registered Environmental Manager as determined by the National Registry of Environmental Professionals ("NREP"), Certified Professional Soil Scientist ("CPSS") as determined by the American Registry of Certified Professionals in Agronomy, Crops and Soils ("ARCPACS"), who can document the necessary education, training, and professional certification, registration, or credentials acceptable to the Official and can demonstrate proven experience in the field of erosion and sediment control shall be considered a qualified credentialed professional. The qualified credentialed professional must be in good standing with the authority granting the registration. The qualified credentialed professional must be familiar, and have expertise, with current industry standards for erosion and sediment controls and must be able to inspect and assure that nonstructural BMPs or other pollution control devices (silt fences, erosion control fabric, rock check devices, etc.) and erosion control efforts, such as grading, mulching, seeding and growth management, or management strategies have been properly implemented and regularly maintained according to good engineering practices and the requirements of this permit. A professional engineer ("PE") registered in the state of Alabama must certify the design and construction of structural practices such as spill prevention control and counter measures ("SPCC") plan containment structures, dam construction, etc.

Sediment - solid material settled from suspension in a liquid that has been transported and deposited from its site of origin by air, water, ice or gravity as a product of erosion and has come to rest on the earth's surface either above or below a water surface, usually, inorganic or organic particles originating from weathering, chemical precipitation, or biological activity.

Silviculture - the care and cultivation of forest trees, including site preparation, planting, pruning, thinning and harvesting.

Site - any tract, lot or parcel of land or combination of contiguous tracts, lots or parcels of land which are in one ownership, and any combination of tracts, lots and parcels which are contiguous, are owned by two or more parties and are to be developed as a unit, subdivision or project.

Stabilization - the prevention of soil movement by any of various vegetative and/or structural means.

- Storm Water** - the excess water running off from the surface of a drainage area during and immediately after a period of rain. It is that portion of the rainfall and resulting surface flow that is in excess of that which can be absorbed through the infiltration capacity of the surface of the basin.
- Storm Water Management** - the incorporation of a variety of activities and equipment into a plan to address concerns associated with Storm Water to prevent pollution, improving water quality, keeping pollutants out of the runoff, and the implementation of Best Management Practices.
- Storm Water Management Program** (herein referred to as "the Management Program" or "the Program") - a program which covers the duration of the permit. It shall include a comprehensive planning process which involves public participation and, where necessary, intergovernmental coordination, to reduce the discharge of pollutants, to the maximum extent practicable, using management practices control techniques and system design and engineering methods and such other provisions which are appropriate.
- Storm Water Permit** - a permit which grants permission to the holder to discharge stormwater to the MS4 under the NPDES.
- Stream** - a course of running water usually flowing in a particular direction in a definite channel and discharging into some other course of running water or body of water.
- Structural Controls** - measures incorporated into existing Storm Water drainage systems or newly constructed systems to prevent or minimize the discharge of pollutants for maintaining and/or improving water quantity and quality management; quantitative control by a system of vegetative and structural measures that control the increased volume and rate of surface runoff caused by man-made changes to the land; qualitative control by a system of vegetative, structural and other measures that reduce or eliminate pollutants that might otherwise be carried by surface runoff.
- Turbidity** - a condition in water or wastewater caused by the presence of suspended matter, resulting in the scattering and absorption of light rays. A measure of fine suspended matter in liquids.
- Utility** - a business or service which is engaged in regularly supplying the public with some commodity or service which is of public consequence and need, such as electricity, gas, water, telephone service, and telegraph service.
- Variance** - the modification of the minimum stormwater management requirements in situations in which exceptional circumstances, applicable to the site with respect to which the variance is requested, exist so that strict adherence to the provisions of this ordinance would result in unnecessary hardship and the granting of such modification would not result in a condition contrary to the intent of this ordinance.

Article 2
ADMINISTRATION

Section 2.01

The municipal engineer for the City, the municipal building inspections official or employee who is a qualified credentialed professional, such other municipal official or municipal employee who has had sufficient experience dealing with BMP design to enable them to enforce the provisions of this ordinance, an individual or agency contracted to provide such service, shall be responsible, on behalf of the City ("Official"), to enforce the provisions of this ordinance (whenever the word "Official" is used in this ordinance, it shall include the authorized agent of the Official).

Article 3
APPLICATION AND FEES

Section 3.01 Application.

- (a) Before the commencement of any land-disturbing activity that is not exempted from obtaining a Permit under this ordinance, the owner of the land on which such activity shall be conducted, or his duly authorized agent, must file with the City of Irondale Building Inspections Office an application for the approval of the owner's BMP Plan. The Official must either approve or disapprove the BMP Plan within fourteen (14) days of the day it is filed with the Official. If the BMP Plan is disapproved, the Official must inform the Applicant, in writing, of the reasons for its disapproval. If the Applicant, on one or more occasions, revises the BMP Plan or submits to the Official additional documents or information in connection with the BMP Plan, the Official must make a written response to the Applicant with respect to whether such revised BMP Plan and/or additional documents and information have been approved or disapproved by the Official. All such additional responses must be made by the Official to the Applicant within fourteen (14) days of the day such revised BMP Plan, or additional documents or information are submitted to the Official. The land-disturbing activity may not be commenced before the issuance of the Permit by the Official. The issuance of the Permit shall not excuse the owner from the need to obtain other required state and local permits or licenses.
- (b) The minimum standards for the issuance of a Permit must meet the requirements of this ordinance.
- (c) Facilities that are covered under an ADEM NPDES permit for stormwater discharge associated with construction activities ("ADEM NPDES permit") shall submit an ADEM Notice of Registration (NOR) with their application. The Notice of Intent (NOI) may be provided until the NOR is received from ADEM. Copies of all monitoring data and reports shall be submitted to the City in the same manner as they are submitted to ADEM and in the frequency specified by the City.

Section 3.02 Permit Application Fee.

Each application for the issuance of a Permit shall include all erosion and sediment control, vegetation and drainage and shall be based on the engineer or contractor's estimate of these items. The applicant must submit Best Management Practice Plans with the application and fee to the City of Irondale Building Official. Each application for the issuance of a Clearing and/or Earthwork permit shall be accompanied by a non-refundable fee associated with the Building Permit application as follows:

\$1,000 or less	\$40.00
\$1,001 to \$10,000	\$80.00
\$10,001 to \$25,000	\$120.00
\$25,001 to \$50,000	\$200.00
\$50,001 to 100,000	\$250.00
\$100,001 to 200,000	\$500.00
\$200,000 & over	Plus 0.05 percent

In addition to the Clearing and/or Earthwork permit, a surety bond or a cash bond, with the City of Irondale having the right to determine which type of security shall be furnished. A surety bond or cash bond (a surety bond and a cash bond shall be herein collectively referred to as a "security") shall be furnished to the City of Irondale in accordance with the following provisions:

- The City Official shall require a surety bond or a cash bond in such amount as specified herein to assure that the work, if not completed or if not in accordance with the permitted plans and specifications, will be corrected to eliminate hazardous conditions, erosion and/or drainage problems. In lieu of a surety bond required by the City of Irondale, the owner may file a cash bond with the City of Irondale in an amount equal to that which would be required in the surety bond.
- The surety shall contain, or have attached to it as an exhibit, a legal description of the site. The security shall remain in effect for such reasonable period as may be required by the City Official.
- The security for clearing operations only shall be for \$1000.00 per acre for each acre, or fraction of an acre, disturbed or affected by such operations.
- The security for earthwork or clearing and earthwork operations shall be for \$3,000.00 per acre for each acre, or fraction of an acre, disturbed or affected by such operations.
- Security equal to double the amounts required above herein shall be required where clearing or earthwork is performed in areas designated as floodways, floodplains, or areas susceptible to landslides.
- Each letter of credit must be issued by a bank which has its principal office in Jefferson County, Alabama.
- Each letter of credit must be issued by a bank which is reasonably satisfactory to the City of Irondale, and each surety bond must be issued by a surety company which is qualified to do business in Alabama and which is otherwise reasonably satisfactory to the City of Irondale.

Any person, contractors, or sub-contractors who commences clearing and/or earthwork before obtaining the necessary permits as listed above, shall be subject to a \$100.00 penalty plus a double permit fee.

To help defray the City's cost of processing and reviewing the application and the inspections associated with the application. Sites that are required to have Post-Construction controls as stated in Ordinance # (2018-12) will have an additional fee of \$1500 to defray the City's cost of processing and reviewing the structure's design and the associated inspection and maintenance BMPs. The applicant must submit three sets of its BMP Plan with its application and fee to the Official.

Section 3.03 Post Construction Annual Issuance Fee.

An annual issuance fee of \$100.00 will be paid to the City to defray the administrative cost of inspecting Post-Construction controls and maintaining inspection records.

Section 3.04 Data Required on the Application for a Permit.

(a) All applications for a Permit must include the following information:

- (1) name of Applicant;
- (2) the telephone number of applicants, telecopier number, if any, of the applicant, and e-mail address, if any, of Applicant;
- (3) address where the Applicant or another person who can furnish information about the land-disturbing activity can be reached;
- (4) name, address, telephone number, telecopier number, if any, and e-mail address, if any, of the owner of the project, the owner of the property on which the project is to be located and the ground lessee of the property, if any, on which the land-disturbing activity is to be conducted if the applicant is not the owner of the project and such property;
- (5) legal description and address, if any, of the property upon which the land-disturbing activity is to be conducted;
- (6) names, addresses, telephone numbers, telecopier numbers, if any, and e-mail addresses, if any, of all contractors and subcontractors who shall implement any BMP Plan; provided, however, that if the contractor and the subcontractors have not been selected when the application for a permit is filed, the Applicant shall furnish such information to the Official within five (5) days of the day or days on which the contractor and/or subcontractors are selected;
- (7) name, address, telephone number, telecopier number, if any, and e-mail address, if any, of the qualified credentialed professional who has approved the BMP Plan application (this is required for all land-disturbing activities except those related to the construction of individual single-family residences);
- (8) each application for a Permit must be accompanied by a map or a plot of the land on which the land-disturbing activity will be conducted and any other information that is required under the

provisions of Article 5.

- (b) The detail of the BMP Plan must be commensurate with the size of the project, the severity of the site condition and potential for off-site damage, as provided in Article 5.

Section 3.05 Maintenance of Records.

Records of compliance with the provisions of the Permit shall be maintained in the office of the owner or the applicant, shall be available to the Contact Person and shall be made available at any time for review by the Official; provided, that if such records are maintained without the State of Alabama and, because of their size, cannot be transmitted to the Official by telecopier, such records must be delivered to the Official (at no expense to the City or the Official) within forty-eight (48) hours of the earliest of the receipt by the owner, applicant or Contact Person of a request by the Official for such records.

Section 3.06 Amended Application; Transfer of Permit.

- (a) A Permit may be amended, without the payment of an additional fee, upon the filing with the Official of an amended or restated Permit application, containing all changes from the original application; provided, that the holder of the Permit shows to the reasonable satisfaction of the Official that there are no proposed changes which may affect the quantity and/or quality of stormwater runoff. If an amended or restated application is filed with the Official with respect to land-disturbing activities for which a Permit has been issued, such existing Permit shall continue in effect, and the holder of the Permit may continue to operate under it unless and until an amended Permit is issued in response to the amended or restated application ("Amended Permit") at which time the original Permit shall expire, and all land-disturbing activities must be conducted in accordance with the Amended Permit.
- (b) A Permit may be transferred, without the payment of an additional fee, upon the filing with the Official of an application for transfer; provided, that the holder and proposed transferee of the Permit show to the reasonable satisfaction of the Official that, upon or following the transfer, there will be no proposed changes which may affect the quantity and/or quality of stormwater runoff. If there is a request for the transfer of a Permit and there are to be one or more changes in the operation of the project which is the source of the land-disturbing activity which may affect the quantity and/or quality of stormwater runoff, the new owner or operator of such project must apply to the City for a new Permit prior to his involvement with the operation of such project.

Section 3.07 Signatory Requirements.

- (a) All applications and correspondence required by this ordinance to be submitted to the Official shall be signed as follows:
 - (1) If an application or correspondence is submitted by a corporation, it must be signed by the president of the corporation or by a vice-president of the corporation who is in charge of a principal business function of the corporation, or any other person who performs

similar policy-making or decision-making functions for the corporation, or who has been authorized to sign such applications and/or correspondence by a resolution adopted by the board of directors of the corporation. Proof of the authority of the signatory shall be provided to the Official, upon his request.

- (2) If an application or correspondence is submitted by a limited liability company, it must be signed by a manager or other person who serves the same or similar function as the president of a corporation.
 - (3) If an application or correspondence is submitted by a partnership, it must be signed by a general partner of the partnership.
 - (4) If an application or correspondence is submitted by a sole proprietorship, it must be signed by the proprietor.
 - (5) If an application or correspondence is submitted by a municipality, the State or the federal government or by any municipal, state or federal agency, it must be signed by either the chief executive officer or a principal executive officer of any such government or by either the chief executive officer, a principal executive officer or a senior executive officer having responsibility for the overall operations of a principal geographic unit of any such governmental agency.
- (b) Any person signing any application or correspondence required by this ordinance shall make the following certification: "I certify, under penalty of law, that this document and all attachments were prepared under my direction or supervision and that I have personally examined, and I am familiar with, the information in this document and such attachments. Based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and civil penalty."

Article 4 EXCLUSION

Section 4.01

No person may conduct any land-disturbing activity without having obtained a Permit from the Official.

Section 4.02

Land-disturbing activities shall include any land change which may result in soil erosion from water or wind and the movement of sediment to the MS4, including, but not limited to, the clearing, dredging, grading, excavating, transporting and filling of land, except that the term shall not include the following:

- (a) Any land change on the property about which the owner of the property has submitted information to the Authority proving, to the satisfaction of the Authority, that such property does not drain to the MS4. Such information may be submitted to the Official, who shall promptly deliver it to the Authority, and the determination as to whether such property drains to the MS4 shall be made by the Authority.
- (b) Agriculture.
- (c) Silviculture.
- (d) Such minor land-disturbing activities as home gardens, landscaping on individual residential lots (excluding landscaping performed by, or on behalf of, a developer or builder, who builds a house on any such lot), home repairs, home maintenance work, minor additions to houses, the construction, maintenance or repair of accessory structures and other related activities which result in minor soil erosion.
- (e) Minor land-disturbing activities such as individual connections for utility services and sewer services for single or two-family residences, minor grading for driveways, yard areas, and sidewalks, excluding any grading done by, or on behalf of, a developer or builder in connection with the construction of a house.
- (f) Minor maintenance, minor repair, and the minor extension of any existing underground public utility lines, except sewer lines; provided, that the utility company which owns such lines has received approval of a general BMP Plan from the Authority for such maintenance, repair, and extension; and provided further, that any utility company making a minor extension in connection with which the land disturbed consists of more than 1,000 linear feet must give the Official written notice of such extension prior to the commencement of such minor extension.
- (g) The construction, repair or rebuilding of railroad tracks.
- (h) Minor subsurface exploratory excavations under the direction of soils engineers or engineering geologists.

- (i) The opening of individual burial sites in property which has been approved for such use by all necessary governmental authorities.
- (j) Digging of water wells or environmental monitoring wells.

The activities referred to in items (b) through (i) above may be undertaken without a Permit; however, the persons conducting these excluded activities shall remain responsible for otherwise conducting such activities in accordance with the provisions of this ordinance and any other applicable law, including the proper control of sedimentation and runoff to the MS4. This ordinance shall apply to such land-disturbing activities that drain to the MS4 if a stormwater pollution problem is shown to be caused by such activity following monitoring procedures and complaints.

Article 5

BMP APPROVAL REQUIREMENTS

Section 5.01 General Requirements.

No land-disturbing activity shall be conducted within the City until a Permit has been issued by the Official allowing such activity pursuant to the provisions of this ordinance. The following are BMP approval requirements:

- (a) Persons conducting land-disturbing activities shall take all reasonable measures referred to, or provided for, in this ordinance to protect all public and private property from damage caused by such activities and to reduce stormwater pollution to the maximum extent practicable.
- (b) No land-disturbing activities subject to this ordinance shall be undertaken except in accordance with the following requirements:
 - (1) The person(s) proposing to conduct any land-disturbing activity or an agent, contractor or other representative of such person must contact the Official at least five (5) business days before commencement of the land-disturbing activity to advise the Official of the commencement of such land-disturbing activity, unless, for good cause shown, the Official permits such person, contractor, agent or other representative to contact him nearer to the date of the commencement of such land-disturbing activity.
 - (2) Other than land-clearing activities required to install the appropriate BMP in accordance with BMP Plans, any down slope erosion and sediment control measures, on-site stream channel protection and upslope diversion of drainage required by the BMP Plan shall be in place and functional before any clearing or earth-moving operations begin, and shall be constructed and maintained throughout the construction period. Temporary measures may be removed at the beginning of the workday, but shall be replaced at the end of the workday.
 - (3) The angle for graded slopes and fills shall be no greater than the angle, which can be retained by vegetative cover or other adequate erosion control devices or structures. Any slope or fill which has

been graded shall, within fourteen (14) days of the completion of such grading or the completion of any phase of grading, be planted or otherwise provided with a ground cover, materials, devices or structures sufficient to restrain erosion. The BMPs shall remain in place in accordance with the BMP Plan until the graded slope or fill is stabilized.

- (4) Adequate protective measures shall be provided for the containment of hazardous substances and any other materials which may pollute the MS4, including petroleum products, lubricants, and paint.
- (5) All control measures shall be checked, and repaired as necessary, monthly in dry periods and within twenty-four (24) hours after any rainfall at the site of .75 inch within a twenty-four (24)-hour period. During prolonged rainfalls, daily checking and, if necessary, repairing shall be done. The Permittee shall maintain written records of such checks and repairs, which records shall be subject to the inspection of the Official at any reasonable time.
- (6) The BMP Plan shall show the size of the disturbed area and a schedule of the projected starting and completion dates of the land-disturbing activity.
- (7) A site plan, accompanied by a written description of BMPs which are shown on the site plan and a schedule of implementation during land-disturbing activities and construction shall be furnished to the Official before the commencement of any land-disturbing activities.
- (8) A description of, and procedures for, proper storage, handling and disposal of construction materials stored on-site which could contribute to the pollutant loading to the MS4, shall be furnished to the Official before the commencement of any land-disturbing activities.

Section 5.02 Design and Performance Standards.

The following are required for all land-disturbing activities except those related to the construction of individual single-family residences.

All applications for a Permit must contain, or be accompanied by, the materials and information necessary to satisfy the requirements of Sections 5.01 and 5.02 and must be accompanied by soil erosion and sediment control plan ("Control Plan"). The Control Plan shall be prepared by a Qualified Credentialed Professional and shall include the following:

- (a) The Control Plan shall be accompanied by a map or plot of the property upon which land-disturbing activities are to be conducted, prepared by a registered land surveyor, showing the present contour lines of such property, and the present contour lines of at least the nearest twenty-five (25) feet of the properties immediately adjacent to such property and the existing grades and elevations of all streets which abut such property. Such map or plot shall show all existing

drainage facilities and all-natural drainage on such property and such adjacent property.

- (b) All proposed contours, the proposed temporary and permanent disposition of surface water and the proposed drainage structures; provided, however, the Control Plans for utility projects, except sewer projects, shall not be required to show the proposed contours.
- (c) The proposed contours in the map or plot shall be depicted in contour intervals of two (2) or fewer feet; provided, however, the Control Plans for utility projects, except sewer projects, shall not be required to show the proposed contours. All maps, plots, and plans submitted shall be on a sheet of paper at least twenty-four (24) inches by thirty-six (36) inches and drawn to a scale of not less than one-inch equals 100 feet. Contour intervals of more than two (2) feet and maps, plots or plans which are smaller than the required size may be approved by the Official, upon written request and for a good cause shown.
- (d) The Control Plan shall contain a description of the existing site conditions, a description of adjacent topographical features, the information necessary to determine the erosion qualities of the soil on the site, potential problem areas of soil and erosion and sedimentation, soil stabilization specifications, storm water management considerations, a projected time schedule for the commencement and completion of the land-disturbing activity, specifications for BMP Plan maintenance during the project and after the completion of the project, clearing and grading limits, and all other information needed to depict accurately the solutions to potential soil erosion and sedimentation problems to the MS4. The Control Plan shall include the series of BMPs and shall be reviewed by, and subject to the approval of, the Official before the issuance of the Permit.
- (e) Where appropriate, in the opinion of the qualified credentialed professional who prepares the Control Plan, to the maximum extent practicable, the Control Plan shall include measures to reduce erosion and other adverse impact to MS4 drainage which would result from an increase in the volume of water and the rate of runoff of water during the conduct of land-disturbing activities.
- (f) Whenever the Official determines that a Control Plan does not comply with this ordinance, he shall notify the applicant in writing of how the Control Plan does not comply with this ordinance.
- (g) To the maximum extent practicable, sediment in runoff water must be minimized by using appropriate BMPs.
- (h) Structural controls shall be designed and maintained as required to minimize erosion and pollution to the maximum extent practicable. All surface water flowing toward the construction area shall, to the maximum extent practicable, either be passed through the site in a protected channel or diverted by using berms, channels or sediment

traps, as necessary. Erosion and sediment control measures shall be designed, according to the size and slope of the disturbed areas or drainage areas, to minimize erosion and to control sediment, to the maximum extent practicable. Discharges from sediment basins and traps must be conducted in a manner consistent with good engineering practices. Sediment-laden, or otherwise polluted, water discharged to MS4 must be addressed in a manner consistent with good engineering practices and the requirements of this ordinance.

- (i) Control measures shall be maintained as an effective barrier to sedimentation and erosion in accordance with the provisions of this ordinance.
- (j) There shall be no distinctly visible floating scum, oil or other matter contained in the stormwater discharge. The stormwater discharge to an MS4 must not cause an unnatural color (except dyes or other substances discharged to an MS4 for the purpose of environmental studies and which do not have a harmful effect on the bodies of water within the MS4) or odor in the community waters. The stormwater discharge to the MS4 must result in no materials in concentrations sufficient to be hazardous or otherwise detrimental to humans, livestock, wildlife, plant life or fish and aquatic life in the community waters.
- (k) When the land-disturbing activity is finished, and stable vegetation or other permanent controls have been established on all remaining exposed soil, the owner of the land where the land-disturbing activity was conducted, or his authorized agent, shall notify the Official of these facts, and request a final inspection. The Official shall then inspect the site within five (5) working days after receipt of the notice, and may require additional measures to stabilize the soil and control erosion and sedimentation. If the Official requires additional measures, written notice of such additional measures shall be delivered to the owner, and the owner shall continue to be covered by the Permit issued with respect to the land-disturbing activity until a final, and complete inspection is made and the Official approves the project as having been satisfactorily completed and delivers to the owner, within ten (10) days of the date of such approval, a certification of completion showing that the requirements of the Permit have been fulfilled. At that time the site and/or the project constructed thereon may come under the operation of other ordinances of the City.

Article 6
MONITORING AND INSPECTION

Section 6.01

The Official may periodically monitor the quality of stormwater and the concentration of pollutants in stormwater discharges from land-disturbing activities permitted to the MS4 pursuant to this ordinance.

Section 6.02 Inspections.

- (a) The Official, bearing proper identification, may enter and inspect all land-disturbing activities for regular periodic inspections, investigations, monitoring, observations, measurements, enforcement, sampling, and testing to verify compliance with the provisions of this ordinance and the specific BMP Plans and Control Plans for such land-disturbing activities. The Official shall notify the owner of such property, his Contact Person or his representative on the construction site before inspection, and the inspections shall be conducted at reasonable times. The owner or operator of a construction site concerning which an NPDES permit has been issued shall provide the Official with the information required in Section 3.01(c) before the commencement of the work on the construction site. The Official shall inspect the construction site to confirm the implementation and the maintenance of BMP Plans. Otherwise, such site shall be inspected when the Official believes, as a result of complaints or monitoring activity, that land-disturbing activities on the site are causing a substantial pollutant loading which threatens the MS4.
- (b) Upon the refusal by any property owner to allow the Official to enter, or to continue an inspection on, a site on which land-disturbing activities or construction work is being done, the Official shall terminate the inspection or confine the inspection to areas to which no objection is raised. If an agent of the Official was making or attempting to make, such inspection, the agent shall promptly report to the Official the refusal and the reasons for the refusal, if the reasons are known by the agent. The Official may seek appropriate legal remedies to enable him to make or complete such inspection, including seeking appropriate legal remedies from any court having jurisdiction over the matter. If the court grants a remedy to the Official, the property owner must reimburse the City all of the costs and expenses incurred by the City in obtaining such remedy, including court costs and reasonable attorneys' fees.
- (c) If the Official has reasonable cause to believe that discharges from the land-disturbing activities to the MS4 may cause an imminent threat to human health or the environment, an inspection of the site may take place at any time and without notice to the owner of the property or a representative on site. The Official shall present proper credentials upon request of the owner or his representative.
- (d) At any time during the conduct of an inspection, or at such other times as the Official may request information from an owner or his representative,

the owner or representative may identify areas of its business, material or processes which contain a trade secret and an inspection of which might reveal such trade secret. If the Official has no clear and convincing reason to question such assertion of the owner or his representative, the inspection report shall note that trade secret information has been omitted. To the extent practicable, the Official shall protect all information which is designated as a trade secret by the owner or his representative.

Article 7 ENFORCEMENT AND ABATEMENT

Section 7.01 NPDES Permits for Storm Water Discharge Associated with Construction Activities.

- (a) No enforcement action shall be taken by the City for a violation of the terms of this ordinance if any of the following has occurred:
 - (1) ADEM has issued a notice of violation with respect to the same alleged violation and is proceeding with an enforcement action with respect to such alleged violation;
 - (2) ADEM has issued an administrative order with respect to the same alleged violation and is proceeding with an enforcement action concerning such violation; or
 - (3) ADEM has commenced, and is proceeding with, an enforcement action, or has completed any other type of administrative or civil action, concerning such alleged violation.
- (b) Any determination or resolution made by ADEM with respect to an alleged violation shall be final, and the alleged violation shall not be made the subject of any additional enforcement action by the City; provided, however, that an enforcement action may be pursued by the City for continued or continuing substantial violations, subject to the provisions of Section 7.03(b) and pursuant to the following:
 - (1) ADEM will provide the Official with access to the ADEM NPDES permits issued with respect to each property within its jurisdiction, including inspections and notification of any enforcement actions taken by ADEM.
 - (2) The Official will notify ADEM and the permit holder, in writing, when the Official demonstrates that an NPDES permit holder is causing a substantial pollutant loading to the MS4.
 - (3) The Official may rely on ADEM to regulate and to take enforcement actions against Permittees until a Permittee is in continuing substantial violation of its NPDES permit and ADEM has failed to respond in a timely manner in accordance with Code of Alabama 1975, § 11-89C-1 et seq. If there is a continuing substantial violation of an ADEM NPDES permit and ADEM fails to respond as stated above, the Permittee shall be subject to this ordinance for that violation.

Section 7.02 Immediate Threats to Public Health or Welfare.

Notwithstanding any other provision in this ordinance to the contrary, in the event of an immediate threat to the public health or welfare, the Official may take all appropriate measures to remove or alleviate such threat.

Section 7.03 Notification; Enforcement Remedies.

- (a) Verbal Warning: Whenever the Official finds that any person is in violation of any provision of this ordinance, or any order issued hereunder, the Official or his agent may serve upon such person a verbal warning of violation.
- (b) Notification of Violation: Whenever the Official finds that any person is in violation of any provision of this ordinance, or any order issued hereunder, the Official or his agent may serve upon such person written notice of the violation. Within ten (10) calendar days of the date of such notice, an explanation of the violation and a plan for the satisfactory correction and future prevention thereof, including specific required actions, shall be submitted to the Official. Submission of such plan shall in no way relieve such person in violation of this ordinance of liability for any violations occurring before or after receipt of the notice of violation.
- (c) Compliance Order: When the Official finds that any person has violated, or continues to violate, this ordinance, he may issue a compliance order to the violator, directing that, within a specified time period, adequate structures and devices be installed, or procedures implemented and properly operated, or other action be taken, to remedy such violation. Compliance orders may also contain such other requirements as may be reasonably necessary and appropriate to address such violation, including the construction of appropriate structures, installation of devices and self-monitoring and management practices.
- (d) Cease and Desist Orders: When the Official finds that any person has violated, or continues to violate, this ordinance or any order issued under this ordinance; the Official may issue an order to such person to cease and desist all such violations immediately, and direct such person in violation of this ordinance to:
 - (1) comply with this ordinance forthwith; or
 - (2) take such appropriate remedial or preventive action as may be required to address properly a continuing or threatened a violation of this ordinance, including halting operations and terminating the discharge.

Section 7.04 Unlawful Acts, Misdemeanor.

It shall be unlawful for any person to:

- (a) violate any provision of this ordinance;
- (b) violate the provisions of any Permit issued pursuant to this ordinance; Such person shall be guilty of a misdemeanor; and each day of such violation, failure or refusal to comply with this ordinance shall be deemed a separate offense and punishable accordingly. Any person found to be in violation of

any of the provisions of this ordinance shall be punished by a fine of not less than \$100.00 and not more than \$500.00 and/or up to 180 days in jail.

Section 7.05 Judicial Proceedings and Relief.

- (a) The Official may initiate proceedings in any court of competent jurisdiction against any person who has, or who, the Official has reason to believe, is about to:
 - (1) violate any provision of this ordinance;
 - (2) violate any provision of a Permit;
 - (3) fail or refuse to comply with any lawful order issued by the Official

- (b) The Official, with the consent of the City Council, may also initiate civil proceedings in any court of competent jurisdiction seeking monetary damages for any damages caused to public stormwater facilities by any person, and may seek injunctive or other equitable relief to enforce compliance with the provisions of this ordinance or to force compliance with any lawful orders of the Official or the Board.

**Article 8
MISCELLANEOUS**

Section 8.01 Notices.

Whenever the City is required or permitted to:

- (a) give notice to any party; such notice must be in writing; or
- (b) deliver a document to any party; such notice or document may be delivered by personal delivery, certified mail (return receipt requested), registered mail (return receipt requested) or a generally recognized overnight carrier, to the address of such party which is in the records of the City or is otherwise known to the City.

Section 8.02 References.

Whenever an Article or Section is referred to in this ordinance, unless the context indicates the contrary, such reference shall be to an article or section of this ordinance.

Section 8.03 Severability.

The provisions of this ordinance are severable. If any part of this ordinance is determined by a court of law to be invalid, unenforceable or unconstitutional, such determination shall not affect any other part of this ordinance.


Section 8.04 Captions.

The captions of articles and sections are for the purpose of reference only, and such captions shall not affect the meaning of any provision of this ordinance.

Section 8.05 Effective Date.

This ordinance shall be published as required by law and shall become effective June 7, 2018.

ADOPTED & APPROVED this the 7th day of June 2018.



Charles Moore, Mayor

CERTIFICATION

I, James D. Stewart Jr., City Clerk of the City of Irondale, Alabama, hereby certifies the above to be a true and correct copy of a resolution adopted by the City Council of the City of Irondale at its regular meeting held on June 7, 2018, as same appears in the minutes of record of said meeting.

ATTEST:


James D. Stewart Jr., City Clerk

SUBDIVISION REGULATIONS

for the

City of Irondale

Adopted

August 2, 1983

Ordinance Number 464-83

Book Number 55

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
RULES OF PROCEDURE	
1. Rules	1
2. Meetings	1
3. Agenda	1
4. Applications	1
5. Study	2
6. Quorum	2
7. Subdivision Plats	2
ARTICLE I GENERAL PROVISIONS	
1. Authority	3
2. Jurisdiction	3
3. Separability and Severability	3
4. Definitions	3
5. Amendments	6
ARTICLE II PROCEDURE	
1. Application for Approval	7
2. Fees and Notice; Resubdivisions	7
3. Preliminary Plat Approval	8
4. Effect of Preliminary Plat Approval	8
5. Engineering Requirements	8
6. Final Plat Fee and Recording	9
7. Approval of Final Plat	9
8. Final Plat Fee and Recording	10
9. Small Subdivision and Resubdivisions	10
ARTICLE III PLAT REQUIREMENTS	
1. Preliminary Plat	12
2. Vicinity Sketch	13
3. The Final Plat	13
ARTICLE IV DESIGN STANDARDS	
1. Street Plan	19
2. Street and Subdivision Names	25
3. Alleys, Easements and Half Streets	25
4. Storm Water Drainage and Flooded Areas	25

IRONDALE PLANNING COMMISSION

RULES OF PROCEDURE

1. Rules.

"Roberts Rules of Order" shall govern the order of business and conduct of meetings of the Planning Commission.

2. Meetings.

- (a) The Planning and Zoning Commission will hold one (1) regular scheduled meeting per month on the last Thursday of each month, commencing at 7:00 p.m.
- (b) Special meetings of the Planning Commission may be called by the Chairman upon the giving of three (3) days written notice to the membership.
- (c) Extraordinary meetings of the Planning Commission may be called by the Chairman or Vice-Chairman upon the request of any three (3) members of the Planning Commission, provided that the membership shall be notified by telephone at least four (4) hours prior to such meeting.
- (d) All meetings of the Planning Commission shall be held in the City Hall.

3. Agenda.

An agenda for each meeting shall be prepared by the City Clerk approved by the Chairman, and mailed to members not later than six (6) days prior to each regular monthly meeting of the Planning Commission.

4. Applications.

Subdivision plats and applications for recommendations as to vacation of lands shall be filed and handled in accordance with the provisions of the Subdivision Regulations.

5. Platting Requirements	26
6. Public Areas	27
ARTICLE V REQUIRED IMPROVEMENTS: BOND	
1. Improvements	28
2. Bond and Surety: Amount and Release	29
3. Maintenance Bond	29
ARTICLE VI VARIANCES	
1. Modifications, Variances and Waivers	30
2. Conditions of and Applications for Variance	30
ARTICLE VII VALUATION OF PUBLIC LANDS	
1. Applications	31
2. Investigations and Recommendations	31
3. Final Plat of Resubdivisions	32
ARTICLE VIII CONDOMINIUM, UNIT AND PLANNED DEVELOPMENT PROJECT	
1. Approval Required	33
2. Application (Required Evidence)	33
3. Filing Fees	35
4. Filed as Subdivision	35
5. Hearing (Notice of)	36
6. Hearing Required	37
7. Commission Records	37
8. Action on Application	37
9. Action of Application	37
10. Expiration of Permit	38

5. Study.

The Planning Commission may defer action on any matter, presented to it at a regular meeting, until the next regular meeting of the Commission, so that proper study of the matter may be made by the membership.

6. Quorum.

Unless otherwise provided by statute, a majority of the members shall constitute a quorum for the conduct of business.

7. Subdivision Plats.

The City Clerk, or the Chairman of the Planning Commission shall be the persons authorized to sign plats approved by the Planning Commission.

IRONDALE PLANNING COMMISSION
SUBDIVISION REGULATIONS

ARTICLE I. GENERAL PROVISIONS

1. Authority.

Under the provisions of Title 11-52 (1 thru 84) Code of Alabama, 1975, which provisions are hereby made a part hereof, these following regulations governing the subdivisions of land and hereby adopted by the Irondale Planning and Zoning Commission. A copy of these regulations shall be certified to the Probate Judge of Jefferson County, Alabama, and returned to the Clerk of the City of Irondale.

2. Jurisdiction.

On and after August 2, 1933 these regulations shall govern each and every subdivision of land within the corporate limits of the City of Irondale, Alabama, as now or hereafter established, and within such territory outside the corporate limits as the Irondale Planning Commission shall now or hereafter have within its jurisdiction.

3. Separability and Severability.

Should any section or provision of these regulations be for any reason held void or invalid, it shall not affect the validity of any other section or provision hereof which is not itself void or invalid.

4. Definitions.

- (a) Alley: Any public way designed primarily for vehicular access to the back or side or premises otherwise abutting on a street, unless officially designated otherwise.
- (b) Architect: A registered professional architect in good standing with the State Board of Registration for Practicing Architects and licensed to do business in the City of Irondale.
- (c) City: The City of Irondale, Alabama, together with any extraterritorial planning jurisdiction thereof.

- (d) City Council: The chief legislative body of the City.
- (e) Common Areas: All that area within the bounds of the project and including all of the building or buildings, except those units and/or areas specifically deeded to an owner, such as, but not limited to:
1. The land on which the building or buildings are located.
 2. The foundation columns, girders, beams, supports, main walls, roofs, corridors, entrances and exists of the building.
 3. The basement, yards, gardens and parking areas.
 4. The premises for the lodging of janitors or persons in charge of the property.
 5. Installations of central services such as power, light, gas, hot water, cold water, heating, and refrigeration, air conditioning and incineration.
 6. The elevators, tanks, pumps, motors, fans, compressors, ducts and in general all apparatus and installation existing for common use.
 7. All other parts of the property necessary for or convenient to the existence maintenance or safety of common use areas.
- (f) City Clerk: The City Clerk of the City of Irondale, Alabama.
- (g) Condominium: A joint dominion or sovereignty, joint ownership in common with others in a parcel of land and in certain parts of a building thereon, which would normally be used by all occupants, such as yards, foundations, etc., which are the common areas, together with an individual ownership in fee title or a particular unit and/or units in such a building or project.
- (h) Comprehensive Plan: The official city plan or master plan for the City of Irondale adopted in accordance with the provisions of Title 11-52 (1 thru 84) Code of Alabama, 1975
- (i) Engineer: A registered professional engineer, qualified to practice in this area of expertise, in good standing with the State Board of Registration for Professional Engineers and Land Surveyors, and licensed to do business in the City of Irondale.

- (j) Final Plat: The completed subdivision plan in form for approval and recording.
- (k) Lot: A parcel or portion of land in a subdivision or plat of land separated from other parcels or portions of land by description as on a subdivision or record of survey, map or by metes and bounds of what is existing or by any other approved description.
- (l) Major Street Plan: The official Major Street Plan of the City of Irondale adopted, amended and recorded in accordance with the provisions of Title 11-52, Code of Alabama, 1975.
- (m) Planned Development Project: A tract of land where improvements and development is to be controlled by a development plan duly approved and adopted by the Irondale Planning and Zoning Commission.
- (n) Planning Commission: The Irondale Planning and Zoning Commission, a legal agency of the City.
- (o) Preliminary Plat: A tentative plat of a proposed subdivision for presentation to the Planning Commission for its consideration.
- (p) Roadway: That portion of a street between the regularly established curb lines, or that part of a street or alley devoted to vehicular traffic.
- (q) Sidewalk Area: That portion of a street not included in the roadway, and devoted in whole or in part to pedestrian traffic.
- (r) Street: A public way for the vehicular or pedestrian traffic, whether designated as a street, highway, thoroughfare, parkway, throughway, road, avenue, boulevard, land, place or however otherwise designated, excepting, however, an alley.
- (s) Subdivider or Applicant: Any individual, firm, association, syndicate, copartnership, corporation, trust or any other legal entity commencing proceedings under these regulations to effect a subdivision of land hereunder for himself or for another.

- (t) Subdivision: The division of a lot, tract, or parcel of land into two (2) or more lots, plots, sites, or other divisions of land, whether described by metes and bounds or by any other description, for the purpose, whether immediate or future of sale or building development. Also, unit condominium division of land and buildings shall be included in the meaning of "subdivision" as defined herein. It includes resubdivision and, where appropriate to the context, relates to the process of subdividing or to the land, buildings or territory subdivided.
- (u) Surveyor: A qualified Registered Land Surveyor in good standing with the State Board of Registration for P.E. & L.S. and licensed to do business in the City of Irondale.
- (v) Unit: A part of the property designed or intended for any type of independent use including one or more floors of a part or parts thereof, which has direct access to a public street, or way, or to a common area leading to a public street, or way, or to an easement of right-of-way leading to a public street, or way.

5. Amendments.

The Planning Commission may from time to time adopt amendments that will tend to increase the effectiveness of these Subdivision Regulations or expedite the approval of subdivision plats. These Subdivision Regulations and amendments thereto may be changed or amended by the Planning Commission after a public hearing by giving due notice as required by law.

ARTICLE II. PROCEDURE

1. Application for Approval.

- (a) To obtain approval of a proposed subdivision, the Subdivider or Applicant shall submit to the Planning Commission a Preliminary Plat, a Vicinity Sketch, a list of the names and addresses of owners of record of parcels of land immediately adjoining the proposed subdivision, and final Plat prepared in accordance with the requirements as set forth in Article II herein below. No owner of land or Subdivider shall proceed with improvement or sale of land subdivided after July 5, 1983, without the written approval of the Planning Commission.
- (b) The Subdivider shall apply and submit ~~three~~ copies of the Preliminary Plat and five (5) copies of a Vicinity Sketch to the office of the City Clerk of the City of Irondale at least fifteen (15) days prior to a regularly scheduled meeting of the Planning Commission, Otherwise, the proposed subdivision shall not be considered at that meeting.
- (c) The City Clerk shall forward ~~two~~ (2) of said copies to the City Engineer who shall submit his written recommendations, if any, to the Planning Commission by the time of its initial hearing on said plat.

2. Fees and Notice; Resubdivisions.

- (a) To defray the cost of filing said application and Preliminary Plat, notifying interested parties of, investigations of, and holding a hearing upon, a fee of ~~fifty dollars (\$50)~~ shall be paid by the Subdivider at the time of filing the application for approval of the Preliminary Plat, together with the cost of giving legal notice.
- (b) ~~Notice by certified mail~~ to parties owning contiguous properties shall be given at least ten (10) days prior to the hearing on the Preliminary Plat, in accordance with the provisions of of Title 11-52 (1 thru 84) Code of Alabama, 1975.

- (c) . When application is made for approval of a resubdivision under the provisions of subsections (b) and (c) of Section 9 of this Article, the fee of fifty dollars (\$50) shall be paid and the Subdivider may also pay the Final Plat fee at the same time.

3. Preliminary Plat Approval.

The Planning Commission shall approve, approve conditionally, or disapprove such Preliminary Plat within thirty (30) days after the submission thereof to it at its regular meeting. If approved conditionally the conditions and reasons therefor shall be stated and, if necessary, the Planning Commission may require the Subdivider to submit a revised Preliminary Plat. If any of the requirements are modified or waived, the reasons for such shall be specified. If the Planning Commission should disapprove the Preliminary Plat, the reasons for such action shall be stated and if possible recommendations made on the basis of which the proposed Subdivision would be approved. One (1) copy of the Preliminary Plat as acted upon by the Planning Commission shall be retained in its office, one (1) copy forwarded to the City Engineer, and one (1) copy returned to the Subdivider.

4. Effect of Preliminary Plat Approval.

Receipt of the approved copy of the Preliminary Plat by the Subdivider is authorization, subject to the obtaining of proper permits, that he may proceed with the construction of any improvements under the direction and supervision of the City Engineer, and with the staking of streets and lots in preparation for the Final Plat.

5. Engineering Requirements.

- (a) The Subdivider shall furnish the City Engineer all plans and information necessary for engineering consideration and approval for the construction of the proposed improvements. Such plans and information shall be furnished separately and apart from the Preliminary Plat and Vicinity Sketch. All storm drainage systems, sanitary sewer systems, on-site disposal systems, roadway horizontal and vertical alignment and cross-section and other design related information shall be done by a

Registered Professional Engineer, licensed in the State of Alabama and experienced in such design. All layout of lots and property lines shall be done by a Registered Land Surveyor, licensed in the State of Alabama.

- (b) Before starting construction, necessary arrangements must be made between the Subdivider and the City Engineer for adequate laboratory and construction inspection to insure that the improvements shall comply with the Standard Construction Specifications of the City of Irondale.

6. Final Plat Filing and Execution.

- (a) The Subdivider shall file the Final Plat and four (4) copies thereof, which copies shall be distributed as in Section 1 (c) of this Article by the City Clerk at least ten (10) days prior to the date of the meeting of the Subdivision Committee at which time it is to be considered.
- (b) All Final Plats shall have been signed and executed by all necessary parties before being filed.

7. Approval of Final Plat.

Approval or disapproval of the Final Plat shall take place within thirty (30) days after the date of submittal unless the Subdivider agrees to an extension of that time. If the Final Plat is disapproved, the grounds for refusal shall be stated in the records of the Planning and Zoning Commission. The action of the Planning Commission shall be shown on the Final Plat with the date of action shown over the signature of the person authorized by the Planning and Zoning Commission to sign such plats.

Approval of the Final Plat carries with it the condition that the Planning and Zoning Commission must be notified in writing by the City Engineer that either (1) all required improvements have been satisfactorily installed and completed by the Subdivider, or (2) a bond has been posted to secure the same, before such Final Plat is signed as approved by the Planning Commission and the City Engineer and before said Plat is submitted to the Council for passage of

the resolution assenting to the dedication of any public ways or lands.

8. Final Plat Fees and Recording.

- (a) When application is made for Final Plat approval, the Subdivider shall pay any additional fee to defray the expense of investigating, hearing, and acting upon the Final Plat, as follows:

~~Each residential lot in subdivision,.....\$5.00..~~

~~Each acre or portion thereof in subdivision not zoned for residential use or devoted to public purpose.....\$5.00..~~

~~Actual cost of recording and making four (4) copies of Final Plat.~~

- (b) ~~The Final Plat shall be filed for record in the Office of the Probate Judge of Jefferson County by the City as agent for the Owner. Three (3) copies shall be made showing the Map Book Volume and page numbers where the Final Plat is recorded; one (1) of said copies shall be sent to and filed by the Engineering Department, one (1) to the Building Department, and one (1) shall be retained by the City Clerk. Said Final Plat shall then be returned to the Subdivider.~~

9. Small Subdivisions and Resubdivisions.

- (a) Where a proposed subdivision is of such small size or contains so few lots as to present no engineering problems and few, if any, planning problems, the Planning Commission may waive the filing of the Preliminary Plat, may require only the five (5) copies of the Final Plat and five (5) copies of the Vicinity Sketch, and may approve the final Plat at the time of the initial hearing.

- (b) Where a proposed resubdivision upgrades or maintains relatively constant lot sizes or conditions and the Subdivider has secured a written waiver of legal notice and hearing from the immediately adjoining property owners, the City Engineer and the City Clerk may, after investigation, approve said resubdivision for immediate recordation and the Planning Commission shall ratify their action at its next regular meeting at which time said application appears on its agenda.
- (c) Where applications for resubdivision are filed under (b) above, such shall be filed together with all maps and other matter on or before 5 p.m., ten (10) days prior to a regular scheduled meeting of the Planning Commission. The City Engineer and the City Clerk may recommend said applications to be held over for regular action by the Planning Commission if they deem such advisable.

ARTICLE III. PLAT REQUIREMENTS

1. Preliminary Plat.

The Preliminary Plat shall show the following:

- (a) Date, North Point, Title, and Graphic Scale: Scale shall not be more than sixty (60) feet to the inch unless lot contains one (1) acre or more, but in no event more than one hundred (100) feet to the inch.
- (b) Topography: Based on City of Irondale, Alabama, Geodetic, or U. S. Coast and Geodetic Sea Level Datum. Contours at one (1) foot interval, unless grade is five per cent (5%) - ten per cent (10%) in which case contours shall be at two (2) foot intervals.
- (c) Streets: Names, together with a letter from the Post Office Department stating that there is no duplication of proposed names within the metropolitan area of the City, right-of-way and roadway widths, and approximate grades.
- (d) Other Rights-of-way or Easements: Locations, widths and purposes.
- (e) Utilities: Location of those on or adjacent to the tract to be subdivided, including size and elevation.
- (f) Lot lines, Lot and Block numbers and approximate dimensions.
- (g) Number of Section, Township and Range with exact ties to all recognized existing quarter section corners within or close to the proposed Subdivision.
- (h) If any portion of the land of the proposed Subdivision is subject to inundation by storm sewers or overflow or ponding of local storm water, such fact and portion shall be clearly shown and identified.
- (i) Proposed Street Lights and Signs: Location, size and type including proposed traffic control signage and/or signals.
- (j) Proposed parks, school sites, or other public open spaces.
- (k) Any other information that may be necessary for the full and proper consideration of the proposed Subdivision.

Each modification, variance, or waiver of these Subdivision Regulations sought by a Subdivider shall be specially applied for, in writing by the Subdivider. A copy of said application shall be filed with the City Clerk and to the City Engineer following the closing of each docket. Any condition shown on the Preliminary or Final Plat (or on engineering plans or data called for by Section 5 of Article II) which would require a modification, variance, or waiver, shall constitute a ground for disapproval of the Preliminary or Final Plat unless such special application for modification, variance, or waiver is made.

2. Vicinity Sketch.

A Vicinity Sketch or key map shall be shown on or accompany the Preliminary Plat. This sketch or map shall show all existing subdivisions, streets, and tract lines of acreage parcels, and right-of-way width of all streets abutting the proposed subdivision. It shall also show streets and alleys in the proposed subdivision may connect with existing and proposed streets and alleys in neighboring subdivisions or undeveloped property to produce the most advantageous development of the entire neighboring area.

3. The Final Plat.

The Final Plat shall be an original drawing in ink, on mylar, and shall be tied to an accepted section corner based on the U.S. Government Survey of this area which shows the relationship to the Huntsville Base Line and the Huntsville Meridan. A resurvey of a part of a subdivision may be tied to the original subdivision. This plat also show the following:

- (a) Tract boundary lines with order of closure of unadjusted survey, right-of-way lines of streets, easements, and other right-of-way, and property lines of lots, with accurate dimensions, bearings, of deflection angles, radii, arcs, and central angles of all curves.
- (b) Name and right-of-way width of each street and other right-of-way.

- (c) Location, dimensions, and purposes of any easements.
- (d) Number to identify each lot or site.
- (e) Purpose for which sites, other than residential lots, are dedicated or reserved, it being understood that any reservations of areas for other than residential purposes shall be subject to the proper zoning thereof.
- (f) The minimum building setback line on all lots and other sites.
- (g) Location and description of monuments. (Iron pipes shall be designated by a small open circle at point of installation.)
- (h) Reference to recorded subdivision plats of adjoining platted land by Map Book Volume and page number.
- (i) Title, graphic scale, written scale, north arrow, name and registration number of surveyor, and date, together with the quarter section or quarter sections in which the subdivision is located based on the Government Survey of that area.
- (j) Space for the approval of the City Engineer and the Irondale Planning and Zoning Commission.
- (k) The total acreage in a subdivision not zoned for residential or devoted to public purposes.
- (l) On all lots when there is no mortgagee, whether there is a dedication of property for street purposes or not, a certificate substantially in form as follows:

STATE OF ALABAMA
JEFFERSON COUNTY

The undersigned _____, surveyor, and _____ owner(s), hereby certify that this plat or map was made pursuant to a survey made by said surveyor and that said survey and this plat or map were made at the instance of said owner(s); that this plat or map is a true and correct plat or map of lands shown therein and known or to be known as (name of subdivision or resurvey) showing the subdivisions into which is proposed to divide said lands, giving the length, width and name of each street, as well as the number of each lot and block and showing the relation of the lands to the

government survey (or, if the plot is a resurvey of an existing recorded subdivision, "showing the relation of the lands to the survey of _____ as recorded in the probate Office of Jefferson County in Map Book _____, page _____"); and that iron pins have been installed at all lot corners and curve points as shown and designated by small open circles on said plat or map. Said owner(s) also certifies (certify) that he (she, they, it) is (are) the owner(s) of said lands and that the same are not subject to any mortgage. Said owner(s) dedicates (dedicate) streets, alleys and public grounds as shown by said plat or map. Said owner(s) agrees (agree) that the City of Irondale may at any time change the natural or existing grade of any street, alley or public grounds, or any part thereof, from the natural or existing grade to the permanent grade without the payment of compensation or damages to the abutting owner; and this agreement shall be a covenant running with the lands. The undersigned appoints the City of Irondale as agent for the purpose of filing said plat or map, together with this instrument, for record, and certify that we have full authority to execute this instrument and map.

Dated _____, 19__.

(Execution and Acknowledgement by Surveyor and Owner(s).)

- (m) On all plats when there is a mortgagee, whether there is a dedication of property for street purposes or not, a certificate substantially in form as follows:

STATE OF ALABAMA
JEFFERSON COUNTY

The undersigned _____, surveyor, and _____ owner(s), hereby certify that this plat or map was made pursuant to a survey made by said surveyor and that said survey and this plat or map were made and correct map of lands shown therein

and known or to be known as (name of subdivision or resurvey) showing the subdivisions into which it is proposed to divide said lands, giving the length and bearings of the boundaries of each lot and its number, showing the streets, alleys and public grounds, giving the bearings, length, width and name of each street, as well as the number of each lot and block, and showing the relation of the lands to the government survey (or, if the plot is a resurvey of an existing recorded subdivision, "showing the relation of the lands to the survey of _____ as recorded in the Probate Office of Jefferson County in Map Book _____, page _____"); and that iron pins have been installed at all lot corners and curve points as shown and designated by small open circles on said plat or map. Said owner(s) also certifies (certify) that he (she, they, it) is (are) the owner(s) of said lands and that the same are not subject to any mortgage, except a mortgage or mortgages held by the following mortgagee(s):

Said owner(s) and said mortgagee(s) dedicate streets, alleys, and public grounds as shown by said plat or map. Said owner(s) and said mortgagee(s) agree that the City of Irondale may at any time change the natural or existing grade of any street, alley or public grounds, or any part thereof, from the natural or existing grade to the permanent grade without the payment of compensation or damages to the abutting owner; and this agreement shall be a covenant running with the lands. The undersigned appoints the City of Irondale as agent for the purpose of filing said plat or map, together with this instrument, for record, and certifies that we have full authority to execute this instrument and map.

Dated _____, 19__.

(Executed and Acknowledgement by Surveyor, Owner(s) and Mortgagee(s).)

- (n) Notary's acknowledgement of the certificate referred to in (l) or (m) above, substantially in form as follows:

STATE OF ALABAMA
JEFFERSON COUNTY

I, _____, as Notary Public in and for said County and State, do hereby certify that _____, whose name is signed to the foregoing certificate as Surveyor, and _____, whose name is signed to same as Owner (and _____, whose name is signed to same as Mortgagee), that after having been duly informed of the contents of said certificate, they executed same voluntarily as such individuals (or in any other capacities) with full authority therefor.

Given under my hand and seal this _____ day of _____, 19__.

Notary Public

- (o) On all plats where there is a dedication of land for street purposes, whether in the form of new streets, additional right-of-way for existing streets, or merely curve radii where there were angle corners formerly existing, a resolution substantially in for as follows:

BE IT RESOLVED BY the Council of the City of Irondale that the assent of this body be, and the same hereby is, given to the dedication of the streets, alleys and public grounds as shown on plat or map of _____ which said plat or map is certified to have been made by _____ as surveyor, at the instance of _____ as owner, and has been exhibited to this Council, said plat or map being further identified by a recital of the approval of this Council signed by _____ City Clerk, of even date herewith. But this shall not be construed as an assumption of dominion by the City over any street, alley or

public grounds shown on said plat or map or impose liability upon the City for the upkeep of same.

- (p) Where a street or alley has been vacated, a note on the plat indicating such and referring to the recorded instruments of vacation by Deed Book and page number.
- (q) If there are existing structures on land proposed to be subdivided or resubdivided or on immediately adjoining land in which the Subdivider has or has had or will have an interest, three (3) copies of a survey plot plan showing the exact location of such structures, with their relation to the proposed subdivision or resubdivision shall accompany the Final Plat, two (2) of which shall be forwarded to the City Engineer.
- (r) The Final Plat shall be accompanied by three (3) copies of any Protective Covenants running with the land in form of recording.

ARTICLE IV. DESIGN STANDARDS

1. Street Plan.

- (a) All streets shall be platted along contour elevations which will result in minimum grades and greatest visibility wherever practicable, with consideration given to the anticipated use of the land.
- (b) The proposed street layout shall be made according to good land planning practice for the type development proposed and shall be coordinated with the street systems of the surrounding areas. All streets must provide for the continuation or appropriate projection of principle streets in surrounding areas and provide reasonable means of ingress and egress for surrounding acreage tracts. Street patterns in all subdivisions shall be in conformity with the Major Street Plan of the City of Irondale.
- (c) In subdivisions which border on or have included within the proposed areas to be subdivided any expressway or major or minor arterial street or streets, access to lots abutting such major traffic arteries shall be provided in a manner such that the individual lots shall not have direct access to such expressway or arterial street.
- (d) Reserve strips or "spite" strips for unspecified or unacceptable purposes are prohibited. Without special approval of the Planning and Zoning Commission and the City Council there shall be no ditches permitted within a developed subdivision for the conveyance of the storm water unless said open ditch remains within the bounds and flow patterns of natural and undisturbed drainage way.
- (e) In the event a development is deemed to have probable effect of detrimentally changing the downstream storm water patterns of existing developed area the City Engineer may require the developer to provide for storm detention facilities that will minimize the impact of the upstream development on the downstream

development. These retention facilities shall be designed to retain the developed volume of runoff from a 25 year 24 hour storm with a release rate equal to the undeveloped peak discharge rate of a 10 year 24 hour storm event. Overflow structures from retention facilities shall be designed to safely and adequately pass a storm event appropriate to the downstream conditions when safety and public health are considered.

(f) Streets shall conform to the following standards:

1. The geometric design of all roadways for streets classified as freeways, expressways, major arterials and minor arterials shall conform generally with A Policy on Arterial Highways in Urban Areas, published by the American Association of State Highway Officials, including any published supplement to this policy, but in no case shall the minimum standards be less than the following, except as provided in this Article under Section 1., Subsection (3), Item (1) and in Article VI, Section 1, of these Subdivision Regulations.

	Minimum Right-of-Way	Minimum Pavement Width
a. Freeways and/or Expressways	200 Feet	Ala. Hwy. Dept. Std.
b. Major Arterial Street	100 Feet	48 Feet
c. Minor Arterial Street	80 Feet	26 Feet

2. Collector Streets shall conform to the following standards:

MINIMUM COLLECTOR STREET DESIGN STANDARDS

	<u>TOPOGRAPHIC GRADIENTS</u>		
	0-8%	8.1 - 15%	Over 15%
a. Right-of-way Width in feet	60	60	60
b. Pavement Width in feet	24	24	24
c. Minimum Sight Distance in feet	250	200	150
d. Maximum Grade	12%	12%	12%
e. Minimum Centerline Radii in feet	350	350	350
f. Sidewalks (minimum width in feet)	4	4	4
g.	The minimum distance between the facing of the curb and the required sidewalk shall be three (3) feet.		
h.	All curbs and gutters installed in conformity with these regulations shall be minimum six (6) inch vertical face with one (1) foot of gutter, or an overall width of combined curb and gutter of eighteen (18) inches.		
i.	The minimum spacing of collector street intersection along any major arterial or minor arterial street shall be 1300 feet from centerline to centerline.		
j.	All commercial or industrial service streets shall be constructed to the minimum collector street standards.		

3. Local streets shall conform to the following standards:

MINIMUM LOCAL STREET DESIGN STANDARDS

TOPOGRAPHIC GRADIENTS

	0-8%	8.1 - 15%	OVER 15%
a. Right-of-way Width in Feet	60	60	60
b. Pavement Width in Feet	24	24	24
c. Minimum Sight Distance in Feet	200	150	110
d. Maximum Street Grade	10%	15%	22%
e. Maximum Cul-de-Sac Length in Feet:			
Single Fam. Dist.	1000	1000	1000
Multi-Fam. Dist.	500	500	500
f. Minimum Centerline Radii in Feet	250	175	150
g. Sidewalks (minimum width in feet)	4	4	4
k. The minimum distance between the face of the curb and the required sidewalk shall be three (3) feet.			
l. All Cul-de-sacs shall terminate in a circle with a radius of not less than 50 feet with a minimum pavement radius of 90 feet.			
m. All curbs and gutters installed in conformity with these regulations shall be minimum six (6) inch vertical face with one (1) foot of gutter, or an overall width of combined curb and gutter of eighteen (18) inches.			
n. All sidewalks installed in conformity with these regulations shall be along at least one (1) side of all local streets except no sidewalks shall be required on culs-de-sac 500 feet or less in length in single family subdivisions. Sidewalks shall be installed on both sides of all local streets within 2000 feet of a school.			

- o. Subdivisions along existing or dedicated or platted streets where rights-of-way to meet minimum standards. When subdivisions are adjacent to or include within their boundaries an expressway, major arterial street, minor arterial street or collector street, the subdivider shall be required to post a bond to insure the installation of improvements not in excess of local street standards all expense for roadway width in excess of local street standard will be borne by the City of Irondale. In the event that the City of Irondale has not appropriated its share of the roadway expense within five (5) years from the date that the subdivider shall have posted a bond or cash or certified or cashier's check or a certificate of deposit with the City of Irondale; the said bond shall be deemed to be terminated and the said cash or certified or cashier's check or certificate of deposit shall be returned to the subdivider by the City of Irondale.
- p. All driveways shall be installed in accordance with the provisions of the General City Code of the City of Irondale.
- q. All streets not classified as freeways, expressways, major arterials and minor arterials shall conform to the following intersection design standards:

MINIMUM INTERSECTION DESIGN STANDARDS

TOPOGRAPHIC GRADIENTS

	0-8%	8.1 - 15%	Over 15%
1. Clear Horizontal Sight Distance (Length along each approach leg)	90'	90'	90'
2. Vertical Alignment within 100 feet of the centerline of intersections	5%	5%	5%

3. The minimum center-line off-set of adjacent street intersections shall be as follows:

Local - Local	150 Feet
Local - Collector	150 Feet
Collector - Collector	200 Feet

r. Street alignment shall be designed to eliminate sharp curves and street jogs. Streets shall intersect at right angles if possible and in no case at an angle of 80 degrees.

s. Curb radii of collector and local streets shall be as follows:

Local - Local	25 Feet
Local - Collector	25 Feet
Collector - Collector	25 Feet

t. Streets shall be graded to a minimum line of seven (7) feet back of the curb line with a rise of not less than eight (8) inches nor more than fifteen (15) inches from the flow line of the gutter unless the topography in such as to make this prohibited.

u. The provisions of Article IV, Section 1 of the Subdivision Regulations shall be complied with provided, that the Subdivision Committee will have the authority to grant waivers requested but only if the Community Development Director and the City Engineer recommend in writing said waivers. Before granting any waivers of the provisions of Article IV, Section 1, the Subdivision Committee must have considered a report, in any, from the City Engineer regarding any waivers requested, provided such report from the City Engineer shall have been submitted to the City Clerk at least 24 hours prior to the scheduled Subdivision Committee meeting at which the request for waivers will be heard.

2. Street and Subdivision Names.

- a. Street names for all subdivision plats shall be subject to approval of the City Clerk.
- b. Subdivision names for plats shall be subject to the approval of the Planning Commission and shall not duplicate the name of any plat already recorded in Jefferson County.

3. Alleys, Easements, and Half Streets.

Alleys are not required in residential districts but may be required in commercial or industrial districts if it is determined by the Planning Commission that conditions necessitate alleys in any such district. In no case shall alleys be less than 20 feet in width with curb radii at street intersections of at least 15 feet.

Easements shall be not less than ten (10) feet in width except in cases of double tiered lots where a width of seven and one-half (7 1/2) feet from each tier will be permitted. Where there exists a storm water ditch, creek or any other such watercourse, the easement shall be of sufficient width that such watercourse may be installed and maintained efficiently. The location of any storm water ditch, creek, or other such watercourse shall not be changed without the approval of the Planning Commission upon recommendation of the City Clerk and the City Engineer.

Half streets will not be permitted except in such cases where there exists a half street contiguous thereto.

4. Storm Water Drainage and Flooded Areas

- a. All Subdivisions shall be provided with adequate storm sewers. Cases where the size of such storm sewer would make the cost prohibitive in relation to the value of the land shall be planned and shown in dotted lines for future development and shall be excluded from the proposed subdivision until properly designed and funded. All storm drainage systems shall be designed on a minimum storm event of 25 year return and 24 hour duration, as required to be in harmony with up

- and downstream existing and planned conditions, or as required by the City Engineer.
- b. Lakes, ponds, creeks and similar areas will be accepted for maintenance only if sufficient land is dedicated as a public recreation area or park or if such area constitutes a necessary part of the drainage control system. Such area must be approved by the Park and Recreation Board and accepted by the City Council.
 - c. Areas subject to periodic flooding caused by poor drainage facilities will not be accepted by the Planning Commission unless the Subdivider makes necessary provisions to eliminate such flooding.

5. Platting Requirements.

a. Blocks:

1. Blocks shall be laid out with special attention given to the type of use contemplated.
2. Length of blocks shall be from five hundred to thirteen hundred (500 to 1300) feet.
3. Width of blocks shall be from two hundred fifty to four hundred (250-400) feet in order to permit double tiered lots.
4. Blocks with lots having double frontage on streets shall be avoided.
5. The forgoing dimensions may be adjusted by the Planning Commission where the type of use or nature of the topography requires such modification.

b. Lots:

1. Lot sizes, shapes and locations shall be made with due regard to topographic conditions, contemplated use, and the surrounding area. A resubdivision, or a subdivision in an area already subdivided, shall improve, rather than detract from, the surrounding neighborhood.
2. Where easements for public utilities storm or sanitary sewers are contemplated, the lot lines shall be located in such a manner as to facilitate the construction of such improvements and the maintenance thereof.

3. Lot areas and widths shall meet or exceed minimum zoning and health requirements in the area in which the property is located, but the Planning Commission may choose greater requirements if it finds that a proposed subdivision, through meeting minimum zoning requirements, would tend to depreciate the value of surrounding or adjacent properties or would impose an undue burden on the City in furnishing municipal services to the area.
4. Corner lots shall be made larger than interior lots and shall provide at least the same minimum setback on the side as required on the front by the zoning ordinances.
5. Lot lines shall be substantially at right angles to the streets except on curves where they shall be radial. Where the distance between rear lot corners on double tiered lots would be less than ten (10) feet the radial lines shall be deviated so that the corners will be the same.

6. Public Areas.

- a. In all subdivisions suitable open spaces may be required to be set aside for park and recreation areas for acquisition by the Irondale Park and Recreation Board.

ARTICLE V. REQUIRED IMPROVEMENTS: BOND

1. Improvements.

Prior to the approval of the Final Plat the Subdivider shall have installed or constructed the following improvements, or posted bond as provided for in Section 2 of this Article:

- a. All streets shall have been designed and constructed in conformity with the requirements set out in Article IV.
- b. On both sides of each street there shall have been constructed a standard curb (with face no less than six (6) inches in height) and gutter, and a minimum roadway as prescribed in Section 1 (f) of Article IV.
- c. On all streets, including side streets and alleys, a suitable hard surfaced permanent type of pavement shall be constructed, meeting the requirements of the City of Irondale Standard Construction Specifications.
- d. Water, gas and sanitary sewer mains shall have been constructed prior to installation of paving with all mains being extended and all lots having sufficient stubouts to insure that subsequent cutting of pavement is avoided. Where septic tanks are necessary, sanitary sewers shall also be installed and capped until such time as connection may be had with a sanitary sewer system.
- e. Sidewalks shall have been constructed, if deemed essential for public safety by the Planning Commission and the City Engineer.
- f. Adequate storm sewers shall have been constructed, subject to the provisions of Article IV, Section 4 (a).
- g. Subdividers shall have installed or paid for street signs and street lights approved by and at points designated by the City Engineer.

2. Bond and Surety: Amount and Release.

- a. "In the event it is decided by the Planning Commission that the requirements set out in Section 1 of this Article need not immediately be met by the Subdivider, the requirements may be modified by the Subdivider as authorized by the Planning Commission. The requirements may be modified by the execution of an agreement between the City and the Subdivider that such improvements shall be installed and constructed within a reasonable and specified length of time. Bond shall be required to insure the fulfillment of such agreement and shall be in cash, by certified or cashier's check, acceptable certificates of deposit approved by the City Engineer, or made by a surety company authorized to do business in the State of Alabama."
- b. Such bond shall not exceed one hundred-fifteen per cent (115%) of the estimated cost of the improvements. The surety shall not be released from said bond except by a release in writing from the City Engineer.

3. Maintenance Bond.

- a. In any case in which the City Engineer may have reasonable doubt concerning the stability or proper construction of any improvement required herein upon his recommendation the Council may require a maintenance bond for ten (10) years for street construction maintenance and one (1) year for sewer lines and facilities. This bond shall be in cash or be made by a Surety Company authorized to do business in the State of Alabama.
- b. The City Engineer shall secure from all developers a letter or statement in which said developer shall agree to maintain the backfill and any improvements located thereon or therein of any ditch which has been dug in connection with the installation of such improvements and such letter or statement shall be binding on the developer for any period of one (1) year after acceptance of such improvements by the City of Irondale.

ARTICLE VI. VARIANCES

1. Modification, Variances, and Waivers

If it be determined that strict compliance with these regulations would result in extraordinary hardship to the Subdivider due to unusual topography or conditions beyond the control of the Subdivider, then the Planning Commission may modify, vary or waive such requirements provided that such modification, variance, or waiver will not nullify the intent or purpose of these Subdivision Regulations, and provided further that such modification, variance, or waiver and the reason therefor shall be entered upon the minutes of the Planning Commission.

2. Conditions of, and Applications for Variances.

- a. In granting modifications, variances or waivers, the Planning Commission may attach such other reasonable conditions as will, in its judgement, justify such modifications, variances or waivers and still maintain substantially the objectives of these Regulations.
- b. Each and every modification, variance, or waiver of these Subdivision Regulations sought by a Subdivider shall be specifically applied for, in the numerical order of the Subdivision Regulations, in writing by the Subdivider on forms supplied by the City Clerk who shall then forward copy of said application to the City Engineer immediately following the passage of the fifteenth (15th) day prior to a regularly scheduled meeting of the Planning Commission. Any condition shown on the Preliminary or Final Plat (or on engineering plans or data called for by Section 5 of Article II) which would require a modification, variance, or waiver, shall constitute a ground for disapproval of the preliminary or Final Plat unless such special application for a modification, variance, or waiver is made.

ARTICLE VII. VACATION OF PUBLIC LANDS

1. Applications.

- a. Applicants seeking the recommendations of the Planning Commission as to a proposed vacation of public streets, alleys, ways, parks, or other lands, shall apply as though seeking approval of a subdivision, paying the Preliminary Plat fee, but submitting only five (5) copies of a Vicinity Sketch showing the public lands proposed to be vacated.
- b. Applicants may, at the time of submission of the Vicinity Sketch, also submit a Final Plat and five (5) copies thereof, showing the old property lines erased and new property lines as proposed to be established, so that the approval of said Final Plat might be expedited.
- c. Neither the City of Irondale, nor any officers, agents, or employees of the City acting in his or her official capacity, nor any agency of the City shall be required to pay a fee under this Article.

2. Investigation and Recommendation.

- a. Copies of Vicinity Sketches and Plats shall be distributed by the Planning Commission as provided in the case of regular subdivision applications, and written recommendations, if any, submitted to the Planning Commission.
- b. Upon hearing the application, the Planning Commission shall make its recommendations to the City Council as to whether said proposed vacation is in the best interest of the City. As this is only a recommendations, the applicant may then prepare the proper Declaration of Vacation and Resolution of Assent for submission to the City through the office of the City Engineer, and shall meet all statutory requirements concerning vacation of lands.

3. Final Plat of Resubdivision.

- a. As the effect of vacating public ways establishes new property lines of abutting properties in the center of such vacated ways, the applicant shall, within a reasonable time after the passage of the resolution assenting to the vacation thereof by the Council, submit a Final Plat erasing old property lines and establishing new ones for the approval of the Planning Commission.
- b. Said Final Plat shall show the vacated land in dotted lines, with reference to the Deed Book and page where the instruments of vacation are recorded. The Final Plat shall comply with all other applicable requirements of the Subdivision Regulations.

ARTICLE VIII. CONDOMINIUM, UNIT AND PLANNED
DEVELOPMENT PROJECT

1. Approval Required.

No building or structure, for any unit, condominium, or planned development project shall be erected unless there is first secured approval of said project by the Irondale Planning Commission as provided in these Regulations.

2. Application (Required Evidence):

The application for a cooperative, unit, condominium, or planned development project, as provided herein, shall be made to the Irondale Planning Commission in triplicate, on forms furnished by said Commission. Such application shall be accompanied by:

- a. Legal Description: The legal description of the property involved, with legal description of each proposed unit of condominium, or planned development ownership and the legal description of the common areas, together with the existing zoning.
- b. Architectural Plans:
 - 1. Preliminary Approval: Three (3) sets of Preliminary Architectural Plans drawn to scale, fully dimensioned and keyed to the legal descriptions, including site development plans, front elevation, skeleton elevations cross sections showing all units and sizes thereof, typical separation of units or unit ownership, common areas, location of all utilities and the proposed use for buildings and structures of the project or parts thereof in compliance with the existing zoning and bearing the approval of the Building Inspector of the City of the City of Irondale.
 - 2. Final Approval: Three (3) sets of complete architectural plans drawn to scale, fully dimensioned, keyed to the legal descriptions, together with elevations, plans of each floor of the building, cross sections showing all dimensions and all units, separation of units or unit ownership, common areas, location of

all utilities, and the proposed use for all buildings and structures of all utilities, and the the project and parts thereof in compliance with the existing zoning and bearing the approval of the Building Inspector of the City of Irondale.

- c. Surveyors' Certificate: Three (3) sets of a survey drawn to scale and fully dimensioned showing the size of and the location of the existing and proposed structures on the said land together with the dimensions of all yards, parking spaces and open spaces, and showing all common areas of the project and certified as to the accuracy and validity by a Surveyor.
- d. Ground Plans: Three (3) copies of complete plans drawn to scale and fully dimensioned showing all roads, playing grounds, recreational areas, sidewalks, area lighting, parking, utilities, curbing and other facilities; and showing the relationship of the various buildings, structures, and open spaces to each other.
- e. Plans for Entire Area: If the said project is a portion of a larger holding intended for subsequent development, three (3) copies of such plans shall be submitted indicating the development of the entire area.
- f. Plat Requirements: The plat requirements for preliminary and final approval shall be as established in Article III of the Subdivision Regulations. The plat shall show all land of the condominium development resurveyed into one lot.
- g. Declaration Restrictions & Development Deed Requirements: Three (3) copies of the proposed condominium, unit and/or Planned Development Deed and the proposed Declaration Restrictions of said project, which shall include the following:
 - 1. Common Area Easement: Easements shall be provided for the use of the common area which permit only such developments as are consistent with the designated uses of the common area and which explicitly prohibit other uses.
 - 2. Maintenance: A declaration as to the maintenance of the common area as defined herein, shall define the intent and

limitations intended and shall include the establishment by the developer of a separate account, in a local financial institution, designated for the faithful performance of those allegations and further that the maintenance funds paid by the individual unit owners shall accumulate in this fund for this purpose.

3. Perpetual Deed and Restrictions: The Deeds and Restrictions shall be recorded and shall run with the land.
 4. Airspace Ownership: Deeds and Declarations of Restrictions shall provide that whenever the building settles or changes locations, the ownership of said airspace stipulated on the recorded deeds and plans, shall automatically shift in location so as to accommodate the natural settlement or changing location of a building or apartment unit.
- h. Ability and Intent to Construct: Evidence satisfactory to the Planning Commission of the ability and intention of the applicant to proceed with actual construction work in accordance with said plans within twelve (12) months after the effective date of such approval, and fully complete same.
- i. Application in Conjunction With Others: A condominium project application may be submitted in conjunction with Planned Unit or Development, and may be treated together.

3. Filing Fees:

The Planning Commission shall charge and collect a fee of \$50.00 for the filing of each condominium project application, in addition to regular subdivision fees, and said charge being due and payable at the time of filing such application.

4. Filed As A Subdivision:

The Developer shall subdivide the property into units and common areas and condominium, planned unit or planned development projects will be filed as a subdivision in a manner as prescribed in Article I through VII of these Subdivision Regulations for the Preliminary Plats,

Vicinity Sketches, Final Plats. Upon the recording of the final plat conveyances may be made of parcels shown on said plat and plans by Lot and Block Number, parcel and unit number or by such other designation as may be shown on such map and plans.

PLATS AND SKETCHES

- a. Plats and Sketches: Preliminary Plats, Vicinity Sketches and Final Plats shall be filed with the same information as required on any other subdivision.
- b. Reviewed by Commission: The maps will be reviewed in the same manner as any other subdivision.
- c. "As-Built", Site and Architectural Plans of Units to be Recorded: The final plans of site and architectural developments together with legal description of the property, and each proposed unit and of each common area shall be recorded in the Office of Probate Court Jefferson County, Alabama.
- d. Amendments to Recorded Map and Plans: Whenever the subdivision map and plans as required herein have been recorded and there are intended changes in size, shape or location of buildings and/or units, then an amendment to the recorded map shall be made in accordance with the same procedure as set forth in the filing and recording of the original application.

5. Hearing (Notice of):

Upon receipt in the proper form of any such application, the Planning Commission shall hold a public hearing thereon following the procedure as established in Article II of these Subdivision Regulations. Notice of the time and place of hearing shall be sent to each owner of property within a minimum distance of three hundred (300) feet of the exterior boundary of the lot or parcel of land under the same ownership and/or as described in such application, or if deemed advisable, the Planning Commission shall cause said notice to be published in a newspaper of general circulation in the City at least ten (10) days prior to the meeting. For the purpose of this section "Property Owner" shall mean that owner shown upon the latest assessment rolls of the County.

6. Hearing Required:

If the application does not conform to all requirements of the Zoning Ordinance of the City of Irondale and all the Subdivision Regulations, heretofore, or hereinafter, enacted, a public hearing shall be held thereon prior to granting or denying either a zone change, a variance, a conditional use or waiver of subdivision improvement requirements. Prior to said public hearing the City of Irondale shall make an investigation thereof and shall present to the Planning Commission precisely the manner in which the condominium project application varies with the Land Use or Subdivision Ordinances, and his recommendation thereon.

7. Commission Records:

From the time of filing such application, the application, together with all plans and data submitted, shall become a part of the permanent records of the Planning Commission and shall be made available for public inspection in said Commission's office, the City Clerks office of the City of Irondale.

8. Investigation of Facts:

The Planning Commission shall cause to be made by its own members or the Community Development Director as its agent when assigned for the purpose, an investigation of the facts bearing on any application for a condominium project sufficient to assure that the action taken on each application is sufficient to assure the intent of these Regulations.


9. Action on Applications:

If, in the opinion of the Planning Commission, the necessary facts and conditions apply, so that in fact there is substantial adherence to the aims of this Article and the Subdivision Regulations in general to the particular property referred to in the application for planned unit, condominium, or planned development project, and that the same comes within the purview of the Commission and sound planning, it may approve same in whole or in part. If, however, such facts and conditions do not prevail nor apply, or if granting of the said

permits will adversely affect the property of the persons in the vicinity of the applicant's property, or for any other valid reason, the Commission may disapprove the application as submitted.

10. Expiration of Permit:

Each Permit or Conditional Permit authorized under the provisions of this Chapter which is not actually established or the actual construction commenced on the buildings or structures involved within twelve (12) months from the date of its authorization by the Planning Commission, shall become null and void. In the event some construction work is involved, it must actually commence within the stated period and must be diligently prosecuted to completion.



Sec. 5:24. - Tree and landscape ordinance.

Section 1. *Ordinance authority.*

- 1.1 The planning and zoning commission of the city, under the authority of Ordinance No. 1-0598, zoning ordinance of the city, has authority in all zoning districts as pertains to the regulation and requirements of landscaping and buffer areas.
- 1.2 The ordinance requires buffer/greenbelts in many of the zoning districts and, under article V, special use regulations, has the authority to cause or require additional plans and landscaping beyond the normal greenbelt requirements.

Section 2. *Review.*

The planning and zoning commission may refer all landscape projects that, in their opinion, require additional review to the design review committee established under Section IV of Ordinance No. 99-72 (section 5:23 of this article) and amendment Ordinance No. 2000-13. One member of the tree commission and the city arborist will also serve on the design review committee with respect to tree and landscape ordinance compliance. The design review committee will review the submitted plans and make written comments and recommendations with respect to compliance with this tree and landscape ordinance and may make recommendations for changes to be considered by the planning and zoning commission for their final decision.

Section 3. *Purpose.*

It is the purpose of this ordinance to promote and protect the public health, safety and general welfare by providing for the regulation of the planting, maintenance and removal of trees, shrubs and other plants in public street or highway rights-of-way, parks and other city-owned property as well as those on private property which, in the opinion of the city arborist, constitute a threat to life or property. By such regulation it is intended that the preservation, conservation and replacement of trees and other plants shall be practiced to the fullest practicable extent.

Section 4. *Applicability.*

The provisions of this ordinance shall apply to all properties within the city;

- 4.1 When new improvements require the submission to and approval of a site plan or subdivision plan by the planning and zoning commission.
- 4.2 When clearing and grading operations are planned in preparation for site development or modification.
- 4.3 When requests are made to cut or remove trees or shrubs from public property.
- 4.4 When, in the opinion of the city arborist, a tree on private property fits the definition of a problem tree.
- 4.5 When an individual citizen or property owner requests to be allowed to cut trees or shrubbery on or over public property.
- 4.6 When a major public improvement project includes new planting or the removal of existing plants.

Section 5. *Definitions.*

Except as listed below, words used herein shall bear the meanings given to them in the Random House Dictionary of the English Language, Second Edition, Unabridged.

Buffer: Space between adjacent properties either left in natural vegetation or planted in trees and or other vegetation.

Caliper: The diameter the trunk of a tree measured 12 inches above the ground.

City: The City of Irondale, Alabama, its agents and agencies.

City arborist: A person so certified by the Jefferson County Personnel Board and approved by the city council who is certified as such by the International Society of Arboriculture or holds a degree from an accredited school of forestry or in absence of a qualified employee, the person temporarily appointed by the mayor to discharge the duties thereof.

City-owned property: Rights-of-way and other property owned by the city.

Crown: The portion of a tree consisting of the branches whose tips extend farthest from the trunk and all branches above that level.

DBH: Diameter at breast height, a standard measure of tree size. It is the diameter of the trunk measured four and one-half feet above the ground. If a tree splits into two or more trunks below four and one-half feet, the trunk is measured where it is narrowest below the split.

Dripline: A vertical line extending from the outer extremities of a tree's crown down to the ground.

Landmark tree: A tree so designated by the historical commission, the city, the county, the state or the federal government, because of species rarity, old age, abnormality, scenic enhancement, association with a historical person or event or some other condition making the tree unique.

Large tree: A tree attaining a mature height of 15 feet or more.

Private tree: A tree growing on privately owned property.

Problem tree: A tree that is potentially unsafe due to a structural defect and constitutes a threat to public property or public safety.

Public tree: A tree growing in a park, in the right-of-way of a public street, highway or on other city-owned property.

Small tree: A tree attaining a mature height of less than 15 feet.

Species list: The city's list of plant species approved for planting in the city. (See subsection 8.2)

Topping: The severe cutting back of the trunk and/or limbs within a tree's crown, disfiguring the tree.

Tree: A self-supporting woody plant, usually having a single woody trunk and a potential DBH of two inches or more.

Tree cover: The area directly beneath the crown and within the dripline of the tree.

Tree lawn: The space between a street or highway right-of-way and the curbline or other edge of paving.

Section 6. *Licensing and permitted activities.*

6.1 *Licensing.* Any person or company paid a fee for the business of planting, cutting, trimming, pruning, removing, or otherwise modifying trees within the city shall obtain an appropriately classified business license.

6.2 *Permit required for tree removal.* No person shall remove, cut above ground, or otherwise disturb any tree within city-owned property without city approval and then procuring the necessary permit from the city clerk. This section is not applicable to removal of trees for site development and subdivision projects approved for construction by the city. The city shall determine if trees or shrubs on city-owned property are problem trees after examination by the city arborist and, if so determined, to cause such trees or shrubs to be removed.

6.3 Trees may be removed for the following reasons:

1. Problem trees or trees that are deteriorated.
2. Diseased or infectious trees and trees in decline.
3. Trees or their root systems causing visible damage to structures, and or areas used for pedestrian and vehicle traffic.

4. Trees within utility easements, which can not be properly pruned by the local utility company as determined by the city arborist.
 5. Trees to be removed, cut, pruned or disturbed as detailed on plans approved by the planning and zoning commission and after all other applicable permits for construction have been issued. Example: Clearing of existing right-of-way to provide proper sight distance at a new proposed street intersection.
- 6.4 *Application.* Applications for permits must be made at the office of the city clerk at least five business days in advance of the time the work is to be done on forms provided by the city. The city clerk will forward the permit application to the city arborist for his review and recommendations. The permit will contain a date of expiration and the work shall be completed in the time allowed on the permit. The city arborist will inspect the site and tree(s) and forward the approval application to the mayor for his approval. The city arborist may void the permit if any of the conditions of the permit as granted are violated. The applicant shall notify the city arborist upon completion of the work and request a final inspection and release from the terms of the permit.
- 6.5 *Utility companies.* Utility companies or their subcontractors engaged in removal or pruning of trees on city-owned property for the purpose of line clearance should notify the city arborist as to the location and scope of the work they will be performing. The city arborist will work with the companies to enhance the work for the best interests of the city to maintain an acceptable visual appearance and promote proper growth in the future. Rather than allow the topping of trees, the utility company may be required to completely remove said trees, including the stump to a minimum of six inches below the low point of the surrounding grade adjacent to the stump and to plant a replacement small tree or shrub as approved by the city arborist.
- 6.6 *Request for new tree plantings.* Requests from private citizens for new trees to be planted near their property and located in the street right-of-way or on the other public property will be accommodated in accordance with planting priorities set by the city council and reviewed and recommended for approval by the city arborist. The city arborist may request the design review committee, the beautification advisory committee and/or the tree commission for their review and recommendations.
- 6.7 *Excavation within street rights-of-way.* Excavation within the street right-of-way for the purpose of removing or planting trees by a contractor or individual shall not be undertaken without notification to and approval by the city. All necessary bonding requirements and street construction procedures must be followed. An underground utility request shall also be made to the Alabama Line Location Service or other approved line locator service which shall locate and mark all utility lines before the individual or contractor commences excavation.
- 6.8 *Regulated activities.* Unless specifically authorized in writing by the city, no person shall damage, cut, carve, transplant or remove any tree, shrub, or other plant materials on city-owned property, except for city employees under the supervision of the city arborist and who are performing their daily duties as assigned by the city arborist relating to landscaping and work incidental thereto. No person or other entity shall attach any rope, wire, nails, advertising posters or other similar objects to any tree or shrub in the public rights-of-way or other city-owned property.
- 6.9 *Sight distances/obstruction of rights-of-way.* It shall be the duty of the property owner of any parcel bordering on a public street to ensure that trees and shrubs on their property are planted and pruned in a manner that will not obstruct free passage or the vision of vehicular or pedestrian traffic, sidewalks, traffic signs, or the proper lighting of street intersections or alleyways.
- 6.10 *Corrective action.* Any person or other entity failing to comply with the provisions of this ordinance shall be notified in writing by the city attorney to take corrective action within ten days of the written notice. Such notice will be delivered by registered mail or hand delivered by an official of the city to the owner of record of the subject property. When a person or other entity to whom the notice was delivered shall fail to comply within the specified time, the city shall take

appropriate action to correct the specified problem and all the cost incurred by the city to correct the problem shall be assessed to that person or other entity.

- 6.11 *Emergency work.* Any emergency work activity immediately necessary to protect life or property or to maintain safe access to any property in the event of a natural disaster shall be exempted from the provisions of this ordinance. The city arborist and/or the superintendent of public works shall be notified as soon as possible of the location and or locations of performed emergency work in order that the situation may be reviewed and proper guidance may be provided concerning public property, trees or shrubs involved in the emergency work.
- 6.12 *Penalties.* Any person, firm or corporation violating any of the provisions of this ordinance shall be guilty of a misdemeanor offense and shall be assessed the maximum fine provided for the destruction of public property.

Section 7. *Landscaping.*

Submittals for building permits for new subdivision and the development of commercial and industrial property, shall include landscape plans, designating all existing trees, showing trees and shrubs proposed for planting on city rights-of-way, at entrances and exits, in buffer areas, in parking lots and similar locations. Such plantings shall conform to the requirements set forth for buffers and greenbelts in the city's zoning ordinance (Ord. No. 1-0598).

Section 8. *Tree planting, maintenance and removal.*

- 8.1 *General:* No tree on public property shall be planted, removed, cut above the ground or otherwise damaged without prior written approval of the city arborist. All such operations shall comply with all provisions of this ordinance.
- 8.2 *Species:* All plants shall be selected from a list obtainable from the city clerk's office. Any other plants proposed for use in the city must be approved by the city arborist.
- 8.3 *Spacing:* Small trees shall be planted no closer together than thirty (30) feet; large trees, 40 feet unless a variance is granted by the city.
- 8.4 *Utility lines:* Only small trees shall be planted under or within ten lateral feet of overhead utility lines. No trees shall be planted directly over or within five lateral feet of buried utility lines.
- 8.5 *Distance from curbs and sidewalks:* Small trees shall be planted no closer to curbs or sidewalks than four feet; large trees no closer than six feet.
- 8.6 *Topping:* The topping of any tree is strictly forbidden except in rare cases approved in writing by the city arborist.
- 8.7 *Clearing:* All clearing of land shall be held to the minimum amount necessary to accomplish the purpose for which it is done. Clearing and all other land disturbance shall be carried out in strict compliance with the provisions of all applicable city ordinances and best management practices.

Section 9. *Tree protection.*

- 9.1 *Disease or infestation:* Upon discovery within the city limits of any disease or pestilence which will endanger the growth or health of trees, whether on public or private property, the city shall immediately cause written notice to be served upon the owner of the property where evidence of the problem is observed. The notice shall require said owner, whether a public or private entity, to eradicate, remove or otherwise control or abate such condition within a reasonable time as set forth in the notice. Failure to comply will be just cause for the city to take appropriate action and the cost incurred by the city shall be assessed against the property owner.
- 9.2 Trees to be retained on a building or development site shall be protected by the use of barriers, by preventing siltation, grading or the burying of utility lines within the trees' driplines and by refraining from any activity that may result in damage to the tree(s).

9.3 Landmark trees shall be diligently protected from any and all activities which may result in their being damaged in any manner.

Section 10. *Nuisance trees.*

The city may declare to be a public nuisance any tree, shrub, plant or plant part which:

- (a) Is a problem tree or is diseased or infected as described in 9.1 above, or
- (b) Is dead or dying and will fall onto public property, or
- (c) Is obstructing the free passage of pedestrians or vehicles; obstructing the view of traffic lights or signs, or is interfering with the proper lighting of a street or sidewalk and/or poses a threat to safety in any manner, as determined by the chief of police or his designee, and/or qualified engineer engaged by the city.

The city shall notify in writing the owner of any such public nuisance, requiring said owner to remove the public nuisance within a reasonable time as set forth in the notice. Upon the failure of the owner to comply with the terms of the notice, the city may cause the required removal to be done and the cost incurred by the city shall be assessed against the property owner.

Section 11. *Authority of the city arborist.*

11.1 *Rules:* The city arborist shall have the authority and the power to enforce rules and regulations approved by the city council and specifications concerning the trimming, spraying, removal, planting, pruning, maintenance and protection of trees, shrubs, vines, hedges and other plants on any public property within the city.

11.2 *Master plan:* The city arborist shall recommend rules, regulations and a master street tree plan to be adopted by the city council and which the city council may amend or add thereto from time to time as circumstances make it advisable to do so. Such plan shall specify by species and other particulars the types, placement and spacing of trees to be planted on the streets and other public property of the city. On and after the date of adoption by the city of the master street tree plan, all planting shall conform thereto.

(Ord. No. 00-12, §§ 1—11, 5-2-2000)

Editor's note— Ord. No. 00-12, §§ 1—11, adopted May 2, 2000, did not specifically amend the Code; hence, inclusion herein as § 5:24 was at the discretion of the editor.

Chapter 7 - FLOOD DAMAGE PREVENTION^[1]

Footnotes:

--- (1) ---

Cross reference— Planning and zoning commission, § 2-61 et seq.; buildings and building regulations, ch. 4; stormwater detention and drainage, ch. 15; water, ch. 18; zoning, app. A.

ARTICLE I. - IN GENERAL

Sec. 7-1. - Definitions.

Unless specifically defined below, words or phrases used in this chapter shall be interpreted so as to give them the meaning they have in common usage and to give this chapter its most reasonable application.

Addition (to an existing building) means any walled and roofed expansion to the perimeter of a building in which the addition is connected by a common load-bearing wall other than a fire wall. Any walled and roofed addition, which is connected by a fire wall or is separated by an independent perimeter load-bearing wall shall be considered new construction.

Appeal means a request for a review of the building inspector's or city engineer's interpretation of any provision of this chapter.

Area of shallow flooding means a designated AO or AH zone on a community's flood insurance rate map (FIRM) with base flood depths from one to three feet, and/or where a clearly defined channel does not exist, where the path of flooding is unpredictable and indeterminate, and where velocity flow may be evident.

Area of special flood hazard is the land in the floodplain within a community subject to a one percent or greater chance of flooding in any given year. In the absence of official designation by the Federal Emergency Management Agency, areas of special flood hazard shall be those designated by the local community and referenced in section 7-7.

Base flood means the flood having a one percent chance of being equaled or exceeded in any given year.

Basement means that portion of a building having its floor subgrade (below ground level) on all sides.

Building means any structure built for support, shelter, or enclosure for any occupancy or storage.

Development means any man-made change to improved or unimproved real estate, including, but not limited to, buildings or other structures, mining, dredging, filling, grading, paving, excavation, drilling operations, and permanent storage of equipment or materials.

Elevated building means a non-basement building built to have the lowest floor of the lowest enclosed area elevated above the ground level by means of fill, solid foundation perimeter walls, pilings, columns, piers, or shear walls adequately anchored so as not to impair the structural integrity of the building during a base flood event.

Existing Construction. Any structure for which the "start of construction" commenced before March 17, 1987.

Existing manufactured home park or subdivision means a manufactured home park or subdivision for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including at a minimum the installation of utilities, the construction of streets, and final site grading or the pouring of concrete pads) is completed before March 17, 1987.

Expansion to an existing manufactured home park or subdivision means the preparation of additional sites by the construction of facilities for servicing the lots on which the manufactured homes are to be affixed, including the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads.

Flood or Flooding means a general and temporary condition of partial or complete inundation of normally dry land areas from:

- (1) The overflow of inland or tidal waters; or
- (2) The unusual and rapid accumulation or runoff of surface waters from any source.

Flood hazard boundary map (FHBM) means an official map of a community, issued by the Federal Insurance Administration, where the boundaries of areas of special flood hazard have been defined as Zone A.

Flood insurance rate map (FIRM) means an official map of a community, issued by the Federal Insurance Administration, delineating the areas of special flood hazard and/or risk premium zones applicable to the community.

Flood insurance study means the official report by the Federal Insurance Administration evaluating flood hazards and containing flood profiles and water surface elevations of the base flood.

Floodplain means any land area susceptible to flooding.

Floodway (regulatory floodway) means the channel of a river or other watercourse and the adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than a designated height.

Functionally dependent facility means a facility which cannot be used for its intended purpose unless it is located or carried out in close proximity to water, such as a docking or port facility necessary for the loading and unloading of cargo or passengers, shipbuilding, or ship repair facilities. The term does not include long-term storage, manufacture, sales, or service facilities.

Highest adjacent grade means the highest natural elevation of the ground surface, prior to construction, adjacent to the proposed walls of a structure.

Historic structure means any structure that is:

- (1) Listed individually in the National Register of Historic Places (a listing maintained by the U.S. Department of Interior) or preliminarily determined by the secretary of the interior as meeting the requirements for individual listing on the national register;
- (2) Certified or preliminarily determined by the secretary of the interior as contributing to the historical significance of a registered historic district or a district preliminarily determined by the secretary to qualify as a registered historic district;
- (3) Individually listed on a state inventory of historic places and determined as eligible by states with historic preservation programs which have been approved by the secretary of the interior; or
- (4) Individually listed on a local inventory of historic places and determined as eligible by communities with historic preservation programs that have been certified either:
 - a. By an approved state program as determined by the secretary of the interior, or
 - b. Directly by the secretary of the interior in states without approved programs.

Levee means a man-made structure, usually an earthen embankment, designed and constructed in accordance with sound engineering practices to contain, control, or divert the flow of water so as to provide protection from temporary flooding.

Levee system means a flood protection system which consists of a levee, or levees, and associated structures, such as closure and drainage devices, which are constructed and operated in accordance with sound engineering practices.

Lowest floor means the lowest floor of the lowest enclosed area (including basement). An unfinished or flood resistant enclosure, used solely for parking of vehicles, building access, or storage, in an area other than a basement, is not considered a building's lowest floor, provided that such enclosure is not built so as to render the structure in violation of other provisions of this code.

Manufactured home means a building, transportable in one or more sections, built on a permanent chassis and designed to be used with or without a permanent foundation when connected to the required utilities. The term also includes park trailers, travel trailers, and similar transportable structures placed on a site for 180 consecutive days or longer and intended to be improved property.

Mean sea level means the average height of the sea for all stages of the tide. It is used as a reference for establishing various elevations within the floodplain. For purposes of this chapter, the term is synonymous with National Geodetic Vertical Datum (NGVD) of 1929 or other datum.

National Geodetic Vertical Datum (NGVD) as corrected in 1929 is a vertical control used as a reference for establishing varying elevations within the floodplain.

New construction means any structure (see definition) for which the start of construction commenced after March 17, 1987, and includes any subsequent improvements to such structures.

New manufactured home park or subdivision means a manufactured home park or subdivision for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including at a minimum, the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) is completed on or after March 17, 1987.

Repetitive Loss means flood-related damages sustained by a structure on two separate occasions during a ten-year period for which the cost of repairs at the time of each such flood event, on the average, equals or exceeds 25 percent of the market value of the structure before the damages occurred.

Recreational vehicle means a vehicle which is:

- (1) Built on a single chassis;
- (2) Four hundred square feet or less when measured at the largest horizontal projection;
- (3) Designed to be self-propelled or permanently towable by a light duty truck; and
- (4) Designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel, or seasonal use.

Remedy a violation means to bring the structure or other development into compliance with state or local flood plain management regulations, or, if this is not possible, to reduce the impacts of its noncompliance. Ways that impacts may be reduced include protecting the structure or other affected development from flood damages, implementing the enforcement provisions of the ordinance or otherwise deterring future similar violations, or reducing federal financial exposure with regard to the structure or other development.

Section 1316: No new flood insurance shall be provided for any property which the administrator finds has been declared by a duly constituted state or local zoning authority or other authorized public body, to be in violation of state or local laws, regulations or ordinances which are intended to discourage or otherwise restrict land development or occupancy in flood-prone areas.

Start of construction means the date the development permit was issued, provided the actual start of construction, repair, reconstruction, or improvement was within 180 days of the permit date. The actual start means the first placement of permanent construction of the structure such as the pouring of slabs or footings, installation of piles, construction of columns, or any work beyond the stage of excavation, and includes the placement of a manufactured home on a foundation. (Permanent construction does not include initial land preparation, such as clearing, grading and filling; nor does it include the installation of streets and/or walkways; nor does it include excavation for a basement, footings, piers or foundations or the erection of temporary forms; nor does it include the installation on the property of buildings appurtenant to the permitted structure, such as garages or sheds not occupied as dwelling units or part of the main structure. (Note: accessory structures are not exempt from any ordinance requirements) For a substantial improvement, the actual start of construction means the first alteration of any wall, ceiling,

floor, or other structural part of a building, whether or not that alteration affects the external dimensions of the building.

Structure means a walled and roofed building that is principally above ground, a manufactured home, a gas or liquid storage tank.

Substantial damage means damage of any origin sustained by a structure whereby the cost of restoring the structure to its before damaged condition would equal or exceed 50 percent of the market value of the structure before the damage occurred. Substantial damage also means flood related damages sustained by a structure on two separate occasions during a ten-year period for which the cost of repairs at the time of each such flood event, on the average, equals or exceeds 25 percent of the market value of the structure before the damages occurred.

Substantial improvement means any reconstruction, rehabilitation, addition, or other improvement of a structure, the cost of which equals or exceeds 50 percent of the market value of the structure before the "start of construction" of the improvement. This term includes structures which have incurred repetitive loss" or substantial damage, regardless of the actual repair work performed. The market value of the building should be (1) the appraised value of the structure prior to the start of the initial repair or improvement, or (2) in the case of damage, the value of the structure prior to the damage occurring. This term includes structures which have incurred "substantial damage", regardless of the actual amount of repair work performed.

For the purpose of this definition, "substantial improvement" is considered to occur when the first alteration of any wall, ceiling, floor, or other structural part of the building commences, whether or not that alteration affects the external dimensions of the building. The term does not, however, include either: (1) any project for improvement of a structure to correct existing violations of state or local health, sanitary, or safety code specifications which have been identified by the local code enforcement official and which are the minimum necessary to assure safe living conditions or; (2) any alteration of a "historic structure", provided that the alteration will not preclude the structure's continued designation as a "historic structure".

Substantially improved existing manufactured home parks or subdivisions is where the repair, reconstruction, rehabilitation or improvement of the streets, utilities and pads equals or exceeds 50 percent of the value of the streets, utilities and pads before the repair, reconstruction or improvement commenced.

Variance is a grant of relief from the requirements of this chapter which permits construction in a manner otherwise prohibited by this chapter.

Violation means the failure of a structure or other development to be fully compliant with the community's floodplain management regulations. A structure or other development without the elevation certificate, other certifications, or other evidence of compliance required in the Code of Federal Regulations (CFR) § 44, Sec. 60.3(b)(5), (c)(4), (c)(10), (d)(3), (e)(2), (e)(4), or (e)(5) and corresponding parts of this chapter is presumed to be in violation until such time as that documentation is provided.

(Ord. No. 99-2, Art. 6, 2-2-99; Ord. No. 2006-36, Art. 6, 9-19-06)

Sec. 7-2. - Statutory authorization.

The legislature of the state has in title 11, chapter 19, sections 1—24, chapter 45, sections 1—11, chapter 52, sections 1—84, and title 41, chapter 9, section 166 of the Code of Alabama, 1975, authorized local government units to adopt regulations designed to promote the public health, safety, and general welfare of its citizenry. Therefore, the city council does hereby ordain this chapter.

(Ord. No. 99-2, Art. 1, § A, 2-2-99; Ord. No. 2006-36, Art. 1, § A, 9-19-06)

Sec. 7-3. - Findings of fact.

- (a) The flood hazard areas of the city are subject to periodic inundation which results in loss of life and property, health and safety hazards, disruption of commerce and governmental services, extraordinary public expenditures for flood relief and protection, and impairment of the tax base, all of which adversely affect the public health, safety and general welfare.
- (b) These flood losses are caused by the occupancy in flood hazard areas of uses vulnerable to floods, which are inadequately elevated, flood-proofed, or otherwise unprotected from flood damages, and by the cumulative effect of obstructions in floodplains causing increases in flood heights and velocities.

(Ord. No. 99-2, Art. 1, § B, 2-2-99; Ord. No. 2006-36, Art. 1, § B, 9-19-06)

Sec. 7-4. - Statement of purpose.

It is the purpose of this chapter to promote the public health, safety and general welfare and to minimize public and private losses due to flood conditions in specific areas by provisions designed to:

- (1) Require that uses vulnerable to floods, including facilities which serve such uses, be protected against flood damage at the time of initial construction;
- (2) Restrict or prohibit uses which are dangerous to health, safety and property due to water or erosion hazards, or which increase flood heights, velocities, or erosion;
- (3) Control filling, grading, dredging and other development which may increase flood damage or erosion; and
- (4) Prevent or regulate the construction of flood barriers which will unnaturally divert floodwaters or which may increase flood hazards to other lands;
- (5) Control the alteration of natural floodplains, stream channels, and natural protective barriers which are involved in the accommodation of floodwaters.

(Ord. No. 99-2, Art. 1, § C, 2-2-99; Ord. No. 2006-36, Art. 1, § C, 9-19-06)

Sec. 7-5. - Objectives.

The objectives of this chapter are:

- (1) To protect human life and health;
- (2) To minimize damage to public facilities and utilities such as water and gas mains, electric, telephone and sewer lines, streets and bridges located in floodplains;
- (3) To help maintain a stable tax base by providing for the sound use and development of flood prone areas in such a manner as to minimize flood blight areas;
- (4) To minimize expenditure of public money for costly flood control projects;
- (5) To minimize the need for rescue and relief efforts associated with flooding and generally undertaken at the expense of the general public;
- (6) To minimize prolonged business interruptions; and
- (7) To insure that potential home buyers are notified that property is in a flood area.

(Ord. No. 99-2, Art. 1, § D, 2-2-99; Ord. No. 2006-36, Art. 1, § D, 9-19-06)

Sec. 7-6. - Lands to which this chapter applies.

This chapter shall apply to all areas of special flood hazard within the jurisdiction of the city.

(Ord. No. 99-2, Art. 2, § A, 2-2-99; Ord. No. 2006-36, Art. 2, § A, 9-19-06)

Sec. 7-7. - Basis for area of special flood hazard.

The areas of special flood hazard identified by the Federal Emergency Management Agency in its flood insurance study (FIS), dated September 29, 2006, with accompanying maps and other supporting data and any revision thereto, are adopted by reference and declared a part of this chapter. For those land areas acquired by a municipality through annexation, the current effective FIS and data for Jefferson County are hereby adopted by reference. Areas of special flood hazard may also include those areas known to have flooded historically or defined through standard engineering analysis by governmental agencies or private parties but not yet incorporated in a FIS.

(Ord. No. 99-2, Art. 2, § B, 2-2-99; Ord. No. 2006-36, Art. 2, § B, 9-19-06)

Sec. 7-8. - Establishment of development permit.

A development permit shall be required in conformance with the provisions of this chapter prior to the commencement of any development activities.

(Ord. No. 99-2, Art. 2, § C, 2-2-99; Ord. No. 2006-36, Art. 2, § C, 9-19-06)

Sec. 7-9. - Compliance.

No structure or land shall hereafter be located, extended, converted or altered without full compliance with the terms of this chapter and other applicable regulations.

(Ord. No. 99-2, Art. 2, § D, 2-2-99; Ord. No. 2006-36, Art. 2, § D, 9-19-06)

Sec. 7-10. - Abrogation and greater restrictions.

This chapter is not intended to repeal, abrogate, or impair any existing ordinance, easements, covenants, or deed restrictions. However, where this chapter and another conflict or overlap, whichever imposes the more stringent restrictions shall prevail.

(Ord. No. 99-2, Art. 2, § E, 2-2-99; Ord. No. 2006-36, Art. 2, § E, 9-19-06)

Sec. 7-11. - Interpretation.

In the interpretation and application of this chapter all provisions shall be: (1) considered as minimum requirements; (2) liberally construed in favor of the governing body, and; (3) deemed neither to limit nor repeal any other powers granted under state statutes.

(Ord. No. 99-2, Art. 2, § A, 2-2-99; Ord. No. 2006-36, Art. 2, § F, 9-19-06)

Sec. 7-12. - Warning and disclaimer of liability.

The degree of flood protection required by this chapter is considered reasonable for regulatory purposes and is based on scientific and engineering considerations. Larger floods can and will occur; flood heights may be increased by man-made or natural causes. This chapter does not imply that land outside the areas of special flood hazard or uses permitted within such areas will be free from flooding or flood damages. This chapter shall not create liability on the part of the city or by any officer or employee

thereof for any flood damages that result from reliance on this chapter or any administrative decision lawfully made thereunder.

(Ord. No. 99-2, Art. 2, § G, 2-2-99; Ord. No. 2006-36, Art. 2, § G, 9-19-06)

Sec. 7-13. - Penalties for violation.

Violation of the provisions of this chapter or failure to comply with any of its requirements, including violation of conditions and safeguards established in connection with grants of variance or special exceptions shall constitute a misdemeanor. Any person who violates this chapter or fails to comply with any of its requirements shall, upon conviction thereof, be fined not more than \$500.00 or imprisoned for not more than 30 days, or both, and in addition, shall pay all costs and expenses involved in the case. Each day such violation continues shall be considered a separate offense. Nothing herein contained shall prevent the city from taking such other lawful actions as is necessary to prevent or remedy any violation.

(Ord. No. 99-2, Art. 2, § H, 2-2-99; Ord. No. 2006-36, Art. 2, § H, 9-19-06)

Secs. 7-14—7-30. - Reserved.

ARTICLE II. - ADMINISTRATION

Sec. 7-31. - Designation of ordinance administrator.

The city engineer is hereby appointed to administer and implement the provisions of this chapter.

(Ord. No. 99-2, Art. 3, § A, 2-2-99; Ord. No. 2006-36, Art. 3, § A, 9-19-06)

Sec. 7-32. - Permit procedures.

Application for a development permit shall be made to the city engineer (floodplain administrator) on forms furnished by the community prior to any development activities, and may include, but not be limited to the following: plans in duplicate drawn to scale showing the elevations of the area in question and the nature, location, dimensions, of existing or proposed structures, earthen fill placement, storage of materials or equipment, and drainage facilities.

Specifically, the following information is required:

(1) *Application stage.*

- a. Elevation in relation to mean sea level (or highest adjacent grade) of the regulatory lowest floor level, including basement, of all proposed structures;
- b. Elevation in relation to mean sea level to which any nonresidential structure will be flood-proofed;
- c. Design certification from a registered professional engineer or architect that any proposed nonresidential flood-proofed structure will meet the flood-proofing criteria of sections 7-52(2) and 7-53(2);
- d. Description of the extent to which any watercourse will be altered or relocated as a result of a proposed development, and;

(2) *Construction stage.* For all new construction and substantial improvements, the permit holder shall provide to the administrator an as-built certification of the regulatory floor elevation or flood-proofing level using appropriate FEMA elevation or flood-proofing certificate immediately after the lowest floor or flood-proofing is completed. When flood-proofing is utilized for

nonresidential structures, said certification shall be prepared by or under the direct supervision of a professional engineer or architect and certified by same.

Any work undertaken prior to submission of these certifications shall be at the permit holder's risk. The city engineer shall review the above referenced certification data submitted. Deficiencies detected by such review shall be corrected by the permit holder immediately and prior to further progressive work being allowed to proceed. Failure to submit certification or failure to make said corrections required hereby, shall be cause to issue a stop-work order for the project.

(Ord. No. 99-2, Art. 3, § B, 2-2-99; Ord. No. 2006-36, Art. 3, § B, 9-19-06)

Sec. 7-33. - Duties and responsibilities of the administrator.

Duties of the city engineer shall include, but shall not be limited to:

- (1) Review all development permits to assure that the permit requirements of this chapter have been satisfied;
- (2) Review proposed development to assure that all necessary permits have been received from governmental agencies from which approval is required by federal or state law, including section 404 of the Federal Water Pollution Control Act Amendments of 1972, 33 U.S.C. 1334. Require that copies of such permits be provided and maintained on file.
- (3) When base flood elevation data or floodway data have not been provided in accordance with section 7-7, then the city engineer shall obtain, review and reasonably utilize any base flood elevation and floodway data available from a federal, state or other sources in order to administer the provisions of article III.
- (4) Verify and record the actual elevation in relation to mean sea level (or highest adjacent grade) of the regulatory floor level, including basement, of all new construction or substantially improved structures in accordance with section 7-32(2).
- (5) Verify and record the actual elevation, in relation to mean sea level to which any new or substantially improved structures have been flood-proofed, in accordance with sections 7-52(2) and 7-53(2).
- (6) When flood-proofing is utilized for a structure, the city engineer shall obtain certification of design criteria from a registered professional engineer or architect in accordance with section 7-32(1)c. and section 7-52(2) or section 7-53(2).
- (7) Notify adjacent communities and the state department of natural resources prior to any alteration or relocation of a watercourse and submit evidence of such notification to the Federal Emergency Management Agency (FEMA), and the state department of economic and community affairs/office of water resources/NFIP state coordinator's office.
- (8) For any altered or relocated watercourse, submit engineering data/analysis within six months to the FEMA and state to ensure accuracy of community flood maps through the letter of map revision process. Assure flood carrying capacity of any altered or relocated watercourse is maintained.
- (9) Where interpretation is needed as to the exact location of boundaries of the areas of special flood hazard (for example, where there appears to be a conflict between a mapped boundary and actual field conditions) the floodplain administrator shall make the necessary interpretation. Any person contesting the location of the boundary shall be given a reasonable opportunity to appeal the interpretation as provided in this chapter.
- (10) All records pertaining to the provisions of this chapter shall be maintained in the office of the floodplain administrator and shall be open for public inspection.

(Ord. No. 99-2, Art. 3, § C, 2-2-99; Ord. No. 2006-36, Art. 3, § C, 9-19-06)

Sec. 7-34. - Variance procedures.

- (a) The board of zoning adjustments, as established by the city council shall hear and decide requests for appeals or variance from the requirements of this chapter.
- (b) The board shall hear and decide appeals when it is alleged an error in any requirement, decision, or determination is made by the building inspector or city engineer in the enforcement or administration of this chapter.
- (c) Any person aggrieved by the decision of the board of zoning adjustments may appeal such decision to the circuit court or court of like jurisdiction, as provided in 11-52-81 of the Code of Alabama.
- (d) Variances may be issued for the repair or rehabilitation of historic structures upon a determination that the proposed repair or rehabilitation will not preclude the structure's continued designation as an historic structure and the variance is the minimum to preserve the historic character and design of the structure.
- (e) Variances may be issued for development necessary for the conduct of a functionally dependent use, provided the criteria of this article are met, no reasonable alternative exists, and the development is protected by methods that minimize flood damage during the base flood and create no additional threats to public safety.
- (f) Variances shall not be issued within any designated floodway if any increase in flood levels during the base flood discharge would result.
- (g) In reviewing such requests, the board of zoning adjustments shall consider all technical evaluations, relevant factors, and all standards specified in this and other sections of this chapter.
- (h) Conditions for variances:
 - (1) A variance shall be issued only when there is:
 - a. A finding of good and sufficient cause;
 - b. A determination that failure to grant the variance would result in exceptional hardship; and
 - c. A determination that the granting of a variance will not result in increased flood heights, additional threats to public safety, extraordinary public expense, create nuisance, cause fraud on or victimization of the public, or conflict with existing local laws or ordinances.
 - (2) The provisions of this chapter are minimum standards for flood loss reduction, therefore any deviation from the standards must be weighed carefully. Variances shall only be issued upon a determination that the variance is the minimum necessary, considering the flood hazard, to afford relief; and, in the instance of an historic structure, a determination that the variance is the minimum necessary so as not to destroy the historic character and design of the building.
 - (3) Any applicant to whom a variance is granted shall be given written notice specifying the difference between the base flood elevation and the elevation of the proposed lowest floor and stating that the cost of flood insurance will be commensurate with the increased risk to life and property resulting from the reduced lowest floor elevation.
 - (4) The city engineer shall maintain the records of all appeal actions and report any variances to the Federal Emergency Management Agency and the state department of economic and community affairs/office of water resources upon request.
- (i) Upon consideration of the factors listed above and the purposes of this chapter, the board of zoning adjustments may attach such conditions to the granting of variances as it deems necessary to further the purposes of this chapter.

(Ord. No. 99-2, Art. 5, 2-2-99; Ord. No. 2006-36, Art. 5, 9-19-06)

Secs. 7-35—7-50. - Reserved.

ARTICLE III. - PROVISIONS FOR FLOOD HAZARD REDUCTION

Sec. 7-51. - General standards.

In all areas of special flood hazard the following provisions are required:

- (1) New construction and substantial improvements of existing structures shall be anchored to prevent flotation, collapse or lateral movement of the structure;
- (2) New construction and substantial improvements of existing structures shall be constructed with materials and utility equipment resistant to flood damage;
- (3) New construction and substantial improvements of existing structures shall be constructed by methods and practices that minimize flood damage;
- (4) Elevated buildings. All new construction or substantial improvements of existing structures that include any fully enclosed area located below the lowest floor formed by foundation and other exterior walls shall be designed so as to be an unfinished or flood-resistant enclosure. The enclosure shall be designed to equalize hydrostatic flood forces on exterior walls by allowing for the automatic entry and exit of floodwaters.
 - a. Designs for complying with this requirement must either be certified by a professional engineer or architect or meet the following minimum criteria:
 1. Provide a minimum of two openings having a total net area of not less than one square inch for every square foot of enclosed area subject to flooding;
 2. The bottom of all openings shall be no higher than one foot above grade; and,
 3. Openings may be equipped with screens, louvers, valves or other coverings or devices provided they permit the automatic flow of floodwater in both directions.
 - b. So as not to violate the "lowest floor" criteria of this chapter, the unfinished or flood resistant enclosure shall only be used for parking of vehicles, limited storage of maintenance equipment used in connection with the premises, or entry to the elevated area; and,
 - c. The interior portion of such enclosed area shall not be partitioned or finished into separate rooms.
- (5) All heating and air conditioning equipment and components, all electrical, ventilation, plumbing, and other service facilities shall be designed and/or located so as to prevent water from entering or accumulating within the components during conditions of flooding.
- (6) Manufactured homes shall be anchored to prevent flotation, collapse, or lateral movement. Methods of anchoring may include, but are not limited to, use of over-the-top or frame ties to ground anchors. This standard shall be in addition to and consistent with applicable state requirements for resisting wind forces.
- (7) New and replacement water supply systems shall be designed to minimize or eliminate infiltration of floodwaters into the system;
- (8) New and replacement sanitary sewage systems shall be designed to minimize or eliminate infiltration of floodwaters into the systems and discharges from the systems into floodwaters;
- (9) On-site waste disposal systems shall be located and constructed to avoid impairment to them or contamination from them during flooding, and;
- (10) Any alteration, repair, reconstruction or improvement to a structure which is not compliant with the provisions of this chapter, shall be undertaken only if the nonconformity is not furthered, extended or replaced.

(Ord. No. 99-2, Art. 4, § B, 2-2-99; Ord. No. 2006-36, Art. 4, § A, 9-19-06)

Sec. 7-52. - Specific standards.

In all areas of special flood hazard designated as A1-30, AE, AH, A (with estimated BFE), the following provisions are required:

- (1) *New construction and substantial improvements.* Where base flood elevation data are available, new construction or substantial improvement of any structure or manufactured home shall have the lowest floor, including basement, elevated no lower than one foot above the base flood elevation. Should solid foundation perimeter walls be used to elevate a structure, openings sufficient to facilitate the unimpeded movements of floodwaters shall be provided in accordance with standards of section 7-51(4), Elevated Buildings.
- (2) *Nonresidential construction.* New construction or the substantial improvement of any nonresidential structure located in A1-30, AE, or AH zones, may be flood-proofed in lieu of elevation. The structure, together with attendant utility and sanitary facilities, must be designed to be water tight to one foot above the base flood elevation, with walls substantially impermeable to the passage of water, and structural components having the capability of resisting hydrostatic and hydrodynamic loads and the effect of buoyancy. A registered professional engineer or architect shall certify that the design and methods of construction are in accordance with accepted standards of practice for meeting the provisions above, and shall provide such certification to the official as set forth above and in section 7-33(6).
- (3) *Standards for manufactured homes and recreational vehicles.* Where base flood elevation data are available:
 - a. All manufactured homes placed or substantially improved on: (i) individual lots or parcels, (ii) in new or substantially improved manufactured home parks or subdivisions, (iii) in expansions to existing manufactured home park or subdivisions, or (iv) on a site in an existing manufactured home park or subdivision where a manufactured home has incurred substantial damage as the result of a flood, must have the lowest floor including basement elevated no lower than one foot above the base flood elevation.
 - b. Manufactured homes placed or substantially improved in an existing manufactured home park or subdivision may be elevated so that either:
 1. The lowest floor of the manufactured home is elevated no lower than one foot above the level of the base flood elevation, or
 2. Where no base flood elevation exists, the manufactured home chassis and supporting equipment is supported by reinforced piers or other foundation elements of at least equivalent strength and is elevated to a maximum of 60 inches (five feet).
 - c. All manufactured homes must be securely anchored to an adequately anchored foundation system to resist flotation, collapse and lateral movement. (Refer: section 7-51)
 - d. All recreational vehicles placed on sites must either:
 1. Be on the site for fewer than 180 consecutive days, fully licensed and ready for highway use if it is licensed, on its wheels or jacking system, attached to the site only by quick disconnect type utilities and security devices, and has no permanently attached structures or additions; or
 2. The recreational vehicle must meet all the requirements for new construction, including the anchoring and elevation requirements of subsection (3)a—c, above.

(Ord. No. 99-2, Art. 4, § B, 2-2-99; Ord. No. 2006-36, Art. 4, § B, 9-19-06)

Sec. 7-53. - Building standards for streams without established base flood elevations and/or floodway (A Zones).

Located within the areas of special flood hazard established in section 7-7, where streams exist but no base flood data have been provided (A zones), the following provisions apply:

- (1) When base flood elevation data or floodway data have not been provided in accordance with section 7-7, then the city engineer shall obtain, review, and reasonably utilize any scientific or historic base flood elevation and floodway data available from a federal, state, or other source, in order to administer the provisions of article III. Only if data are not available from these sources, then the following provisions (2) and (3) shall apply:
- (2) No encroachments, including structures or fill material, shall be located within an area equal to the width of the stream or 25 feet, whichever is greater, measured from the top of the stream bank, unless certification by a registered professional engineer is provided demonstrating that such encroachment shall not result in any increase in flood levels during the occurrence of the base flood discharge.
- (3) All development in zone A must meet the requirements of section 7-51 and section 7-52(1)—(3).
- (4) In special flood hazard areas without base flood elevation data, new construction and substantial improvements of existing structures shall have the lowest floor of the lowest enclosed area (including basement) elevated no less than three feet above the highest adjacent grade at the building site. Also, in the absence of a base flood elevation, a manufactured home must also meet the elevation requirements of section 7-52(3)b.2 in that the structure must be elevated to a maximum of 60 inches (five feet). Openings sufficient to facilitate the unimpeded movements of floodwaters shall be provided in accordance with standards of section 7-51(4), Elevated Buildings.

The city engineer shall certify the lowest floor elevation level and the record shall become a permanent part of the permit file.

(Ord. No. 99-2, Art. 4, § C, 2-2-99; Ord. No. 2006-36, Art. 4, § D, 9-19-06)

Sec. 7-54. - Standards for areas of shallow flooding (AO zones).

Areas of special flood hazard established in section 7-7, may include designated "AO" shallow flooding areas. These areas have base flood depths of one to three feet above ground, with no clearly defined channel. The following provisions apply:

- (1) All new construction and substantial improvements of residential and nonresidential structures shall have the lowest floor, including basement, elevated to the flood depth number specified on the flood insurance rate map (FIRM) above the highest adjacent grade. If no flood depth number is specified, the lowest floor, including basement, shall be elevated at least two feet above the highest adjacent grade. Openings sufficient to facilitate the unimpeded movements of floodwaters shall be provided in accordance with standards of section 7-51(4), Elevated Buildings.

The city engineer shall certify the lowest floor elevation level and the record shall become a permanent part of the permit file.

- (2) New construction or the substantial improvement of a nonresidential structure may be flood-proofed in lieu of elevation. The structure, together with attendant utility and sanitary facilities, must be designed to be water tight to the specified FIRM flood level or two feet (if no map elevation is listed), above highest adjacent grade, with walls substantially impermeable to the passage of water, and structural components having the capability of resisting hydrostatic and hydrodynamic loads and the effect of buoyancy. A registered professional engineer or architect

shall certify that the design and methods of construction are in accordance with accepted standards of practice for meeting the provisions above, and shall provide such certification to the official as set forth above and as required in subsections 7-32(1)c. and (2).

- (3) Drainage paths shall be provided to guide floodwater around and away from any proposed structure.

(Ord. No. 99-2, Art. 4, § D, 2-2-99; Ord. No. 2006-36, Art. 4, § E, 9-19-06)

Sec. 7-55. - Floodways.

Located within areas of special flood hazard established in section 7-7, are areas designated as floodway. A floodway may be an extremely hazardous area due to velocity floodwaters, debris or erosion potential. In addition, the area must remain free of encroachment in order to allow for the discharge of the base flood without increased flood heights. Therefore, the following provisions shall apply:

- (1) The community shall select and adopt a regulatory floodway based on the principle that the area chosen for the regulatory floodway must be designed to carry the waters of the base flood, without increasing the water surface elevation of that flood more than one foot at any point;
- (2) Encroachments are prohibited, including fill, new construction, substantial improvements or other development within the adopted regulatory floodway. Development may be permitted however, provided it is demonstrated through hydrologic and hydraulic analyses performed in accordance with standard engineering practice that the encroachment shall not result in any increase in flood levels or floodway widths during a base flood discharge. A registered professional engineer must provide supporting technical data and certification thereof;
- (3) Require, until a regulatory floodway is designated, that no new construction, substantial improvements, or other development (including fill) shall be permitted within zones A1-30 and AE on the community's FIRM, unless it is demonstrated that the cumulative effect of the proposed development, when combined with all other existing and anticipated development, will not increase the water surface elevation of the base flood more than one foot at any point within the community.
- (4) Only if subsection (2) or (3) above are satisfied, then any new construction or substantial improvement shall comply with all other applicable flood hazard reduction provisions of article III.

(Ord. No. 99-2, Art. 4, § E, 2-2-99; Ord. No. 2006-36, Art. 4, § C, 9-19-06)

Editor's note— Prior to the enactment of Ord. No. 2006-36, adopted Sept. 21, 2006, § 7-55 pertained to coastal high hazard areas (V zones).

Sec. 7-56. - Standards for subdivisions.

- (a) All subdivision proposals shall be consistent with the need to minimize flood damage;
- (b) All subdivision proposals shall have public utilities and facilities such as sewer, gas, electrical and water systems located and constructed to minimize flood damage;
- (c) All subdivision proposals shall have adequate drainage provided to reduce exposure to flood hazards, and;
- (d) Base flood elevation data shall be provided for subdivision proposals and all other proposed development, including manufactured home parks and subdivisions, greater than 50 lots or five acres, whichever is the lesser.

(Ord. No. 99-2, Art. 4, § F, 2-2-99; Ord. No. 2006-36, Art. 4, § F, 9-19-06)

Chapter 7.5 - GARBAGE, REFUSE AND TRASH^[1]

Footnotes:

--- (1) ---

Editor's note— Ord. No. 2004-02, §§ 1—16, adopted Jan. 6, 2004, repealed Ch. 7.5, §§ 7.5-1—7.5-16, in its entirety and enacted a new Ch. 7.5, §§ 7.5-1—7.5-16 to read as set out herein. Former Ch. 7.5 pertained to similar material and derived from Ord. No. 2000-52, §§ 1, 2, adopted Aug. 15, 2000.

Sec. 7.5-1. - Definitions.

For the purposes of this article, the following words and phrases shall have the meanings respectively ascribed to them in this chapter:

Ashes. The residue from the burning of wood, coal, coke or other combustible materials.

Customer. Shall mean the occupant and/or the owner of the premises.

Debris. Shall mean materials not categorized as trash or garbage.

Garbage. Shall mean and include all waste and discarded foods, animal and vegetable matter and all other putrescible waste matter, including food containers, drink containers, food cans and food packaging materials, but not including liquid waste or body waste.

Garbage container. Shall mean and include a receptacle or can having a capacity of not more than 32 gallons of substantial metal or weather resistant plastic construction, with cans having a tight fitting lid or cover, with not less than one handle on the lid of cover and two handles on the side of the receptacle which can be conveniently lifted or moved. The total weight of the container and contents shall not exceed 60 pounds.

Premises. Any residential unit, dwelling, flat, rooming house, apartment house, townhouse, condominium, hospital, school, hotel, club, restaurant, boarding house, eating place, shop, place of business, commercial establishment, manufacturing establishment, courthouse, jail, city hall, post office or other public building.

Posting of notice. Placing a notice of any violation on an entrance or exit of the premises.

Producers. Shall mean any occupant, owner, lessee or other party packaging or setting material in rights-of-way for pick-up.

Route. The particular streets, alleys and right of ways, scheduled by the city for garbage pick-up on particular days of each week.

Sanitation department. The sanitation department of the City of Irondale, Alabama.

Trash. Nonputrescible solid wastes consisting of both combustible and noncombustible wastes, such as paper, cardboard, tin cans, yard clippings, grass cuttings, leaves, tree limbs, wood, glass, bedding, crockery, metals and other nonputrescible solid waste substances not included in the definition of "garbage" as it appears in this chapter.

(Ord. No. 2004-02, § 1, 1-6-04; Ord. No. 2008-46, § 1, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-2. - Collection by the city (generally).

To the extent prescribed in this chapter, trash and garbage accumulated within the corporate boundaries of the city shall be collected, conveyed and disposed of by the sanitation department of the

city under the supervision of the director of public works, who is responsible for enforcement of this chapter.

(Ord. No. 2008-46, § 2, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-3. - Categories not to be collected.

The following categories of trash, debris and garbage will not be collected, conveyed or disposed of by the city. The actual producers thereof, i.e. owners, lessees, occupants and other parties entering on the premises on which such trash, debris and garbage is accumulated, shall be responsible for collecting, conveying and disposing of such trash, debris and garbage in accordance with the provisions of subsection 7.5-8(3):

- (1) Dangerous materials and substances such as poisons, acids, caustics, infected materials, hot ashes, highly inflammable materials and explosives, including but not limited to paint cans (unless empty and open or filled with sand or dirt), lead plate batteries, and any and all material considered hazardous waste by the state department of environmental management;
- (2) Rocks, dirt, earth;
- (3) Rubber, rubber products (i.e. tires), roofing and similar materials;
- (4) Any debris, trash or other materials resulting from demolition, repair, excavation or construction of buildings or structures by contractor, or from work performed by persons in landscaping, tree service, plumbing, heating and cooling and other like businesses, or from a resident performing job and serving as contractor. It shall be the responsibility of the owner to cause this waste to be removed. This subsection does not, however, prohibit a resident from performing minor landscaping work on the resident's property and disposing of the resulting debris in conformance with the terms of this chapter;
- (5) Solid wastes resulting from industrial or commercial processes;
- (6) [Intentionally omitted]
- (7) Trash, debris and garbage not prepared for collection by the city in accordance with the provisions of this chapter;
- (8) Dog and cat litter and the clean-up from animal pens;
- (9) [Intentionally omitted]
- (10) Leaves, grass and cuttings not in a plastic bag or in a container or not placed in the collection service area as defined in section 7.5-4(2) below.

The deposit of any of the foregoing categories of trash, debris and materials in containers or on the street, alley or collection service area as defined in section 7.5-4(2) below for collection shall be deemed a violation of this chapter.

(Ord. No. 2004-02, § 3, 1-6-04; Ord. No. 2005-63, 10-4-05; Ord. No. 2008-46, § 3, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-4. - Service and service requirements.

Service will be provided by the city and the trash and garbage shall be prepared for collection by the residents of the city in the following manner.

- (1) Collection of garbage will be made once weekly. The city shall strive to collect trash and debris on a routine basis. In the event the collection date is a legal holiday or the collection is delayed as a result of circumstances beyond the control of the sanitation department, the collection shall be rescheduled and residents will be notified of an alternate date. Exceptions to this section

may be made in the event of natural disasters or a state of emergency, in the discretion of the mayor.

- (2) Garbage must be stored in a garbage container as herein defined. Use of plastic liner bags or the placement of garbage in plastic trash or garbage bags in the garbage containers is required. Loose garbage placed in containers without being contained in bags will not be collected. Garbage will not be collected from containers which do not meet the city standards. Garbage cans to be emptied, as herein provided, must be outside of basements, garages and other similar enclosed areas, located no further than three feet from the street or alley of the collection route, must be visible and accessible from the public street, private street or alley constituting a part of the route of the city's garbage pickup service, and must not impede or otherwise interfere with any use of the right-of-way. The area which meets all requirements in the preceding sentence shall be referred to in this chapter as the "collection service area". No garbage or garbage container shall be left for more than 24 hours at the collection location after being serviced. It shall be a violation of this chapter for any garbage containers to remain permanently on or at the collection service area. Any owner, occupant, lessee, firm, corporation partnership or other entity who is found to have violated this section of this chapter shall, upon conviction, be punished in accordance with section 1-10 of this Code as adopted on November 10, 1990, or as it may be hereafter amended. Punishment under this section shall be in addition to all other remedies as herein set out and/or contained in any other ordinance.
- (3) No more than three garbage containers, as defined in section 7.5-1, will be removed.
- (4) Logs not exceeding six feet in length and ten inches in diameter will be collected subject to equipment limitations and section 7.5-3.
- (5) Trash, leaves, limbs, bushes, etc. should be placed in the collection service area as herein required. They shall not be placed on the street or in gutters.
- (6) Garbage should be set out by 6:30 a.m. on the morning of scheduled garbage collection service.
- (7) Leaves, grass and cuttings should be placed in a covered container or plastic bag properly secured and placed in the collection service area. Leaves or grass not in a container or plastic bag properly secured will not be picked up. In no instance shall leaves, limbs or vines be placed on the street, over stormwater drains or in gutters. Limbs and vines must be also placed in the collection service area.
- (8) Any dog which harasses city employees in any way must be leashed, chained or locked in a resident's garage or basement, fenced area or kept inside the residence or building on the scheduled days of collection service. Where dogs are kept fenced in, garbage cans must be kept outside the fenced area.
- (9) Garbage, tin cans and other receptacles which have contained food shall, after being drained free of all liquid, be deposited in garbage containers and shall, unless otherwise authorized or directed by the director of public works, be kept in an area not visible from the street until collection day.
- (10) Ashes (including fireplace ashes) shall, after all embers have expired, be deposited in appropriate closed containers, separate and apart from garbage, debris and trash and placed in the collection service area. Such containers shall be fireproof, watertight and equipped with handles adequate to facilitate collection and shall have a capacity of not more than 32 gallons. The total weight of the container and contents shall not exceed 60 pounds.
- (11) Trash (exclusive of leaves, limbs and brush, which must be handled as provided in subsection (5) or (7) above) shall be deposited in trash containers or plastic bags and apart from garbage and ashes. Such containers shall be left for collection in the collection service area. No trash shall be placed in the same container or receptacle with garbage in any amount. Any broken glass or pottery must be placed in a trash container or receptacle and placed for collection as hereinabove provided.

- (12) Trash, debris and garbage not prepared for collection in accordance with the foregoing provisions of this section shall not be collected by the city. Where the failure to comply with such provisions arises by virtue of the failure to properly bag or prepare material for pickup or the use of defective containers, such as containers which leak or which have ragged or sharp edges or other defects, which could hamper or injure city employees and/or other persons engaged in collecting the contents thereof, the owners of such containers or the persons utilizing such containers shall be given 48 hours after notice to correct such defect before such owners or other persons shall be deemed guilty of a violation of this chapter. Notice will be given by placing a tag marked "condemned" on the defective container. The placing of said tag shall be considered properly posted notice of a violation. A garbage container that has been deemed defective or condemned will no longer be serviced by the city. A defective or condemned container placed at curbside or at the collection service area will be picked up by the city only upon the owner's checking of the appropriate box and signing of the condemned tag.

(Ord. No. 2004-02, § 4, 1-6-04; Ord. No. 2005-63, 10-4-05; Ord. No. 2008-46, § 4, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-5. - Powers of public works director.

The public works director or his designated representative shall have authority to implement and enforce the provisions of this chapter.

(Ord. No. 2004-02, § 5, 1-6-04; Ord. No. 2008-46, § 5, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-6. - Dead animals.

Dead animals of less than 75 pounds in weight shall be collected without charge upon request made to the sanitation department or the police department of the city. Such animals must be deposited in appropriate closed containers or plastic bags, separate and apart from other garbage, debris and trash and placed in the collection service area.

It is hereby declared a nuisance and health hazard and in violation of this chapter for a dead animal, regardless of size, to remain undisposed of on any premises within the city for a period of longer than 24 hours duration.

(Ord. No. 2004-02, § 6, 1-6-04; Ord. No. 2008-46, § 6, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-7. - Commercial property and institutions.

Garbage generated by businesses, churches, schools and other private institutions unless excluded herein shall be collected by the city or its representative and disposed of in accordance with health department requirements. Collection shall be on a rotating schedule to provide at least once weekly service to all commercial property. Businesses generating food waste shall utilize a containerized collection system. Businesses generating garbage in excess of eight 32-gallon containers or receptacles per week on a regular basis shall utilize a containerized collection system. All other businesses and institutions shall deposit garbage in garbage containers sufficient to confine all garbage. No loose debris will be collected. Collectors are prohibited from entering any building to make collection. Collections shall be made at the front or rear of all premises or in accordance with this chapter, any other city ordinance or other regulation which takes precedence.

(Ord. No. 2004-02, § 7, 1-6-04; Ord. No. 2008-46, § 7, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-8. - Owner or occupant's duties (generally).

No owner, lessee or other occupant of any premises located within the city shall permit or suffer any trash, garbage or debris to accumulate on such premises. Such accumulation is hereby declared to be a "nuisance" and is prohibited.

Such owner, lessee or other occupant or person shall jointly and severally be responsible for each of the following:

- (1) Providing garbage and trash containers in sufficient size and number, of appropriate design and construction, except as provided in subsection 7.5-4(5) or (7), to accommodate and keep in a safe and sanitary manner all trash and garbage accumulated on such premises between times of collection. Such containers shall be durable, rust resistant, watertight, nonabsorbent construction, equipped with a close fitting cover or lid as hereinabove provided and, if used for storage of ashes, shall be fireproof.
- (2) Depositing into such containers all trash and garbage, except as provided in subsections 7.5-4(5) and (7), from such premises promptly as it accumulates; for keeping such containers in a clean, neat and sanitary condition at all times, which includes tightly securing the lids or covers thereon at all times other than when trash or garbage is being deposited therein or being removed therefrom in accordance with the terms of this chapter; and for generally maintaining the premises in a sanitary condition at all times, which included preventing the access of flies, rodents and animals to such trash and garbage and preventing the soiling of the ground or surface upon which such garbage or waste containers stand.
- (3) Having such trash and garbage not collectible by the city promptly collected, conveyed and disposed of in a manner approved by the county department of health and at the same frequency as the collection service of the city.
- (4) Having such trash and garbage as is collectible by the city prepared for collection in accordance with the provisions of this chapter.

(Ord. No. 2004-02, § 8, 1-6-04; Ord. No. 2008-46, § 8, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-9. - Multiple-family dwellings or buildings and mobile home parks.

The owners, tenants and other occupants of any premises located within the city which is used for business purposes, mobile home parks, or multiple family dwellings shall jointly and severally be responsible for providing a storage area in which shall be kept the garbage containers and trash containers required by this chapter.

It shall be unlawful for any owner, tenant or other occupant of any such property or for any employee, servant, or agent of such person or entity to place or deposit any trash or garbage from such business operation in a trash basket or waste receptacle maintained by the city on the public streets or sidewalks or in any trash or garbage container other than ones located in such storage area.

(Ord. No. 2004-02, § 9, 1-6-04; Ord. No. 2008-46, § 9, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-10. - Unlawful to litter.

It shall be unlawful for any person to throw, cast or otherwise deposit or cause to be thrown, cast or otherwise deposited any paper, garbage, trash, debris, rubbish, containers (either glass, metal or paper) or any other substance of any kind in or upon any curb, gutter, sidewalk, street, avenue, highway, tunnel, sidewalk, park, parkway or lot, vacant or occupied.

It shall be unlawful for any person to sweep or deposit in the public streets, curblines, sidewalks or gutters any solid waste, grass cuttings, limbs, leaves, bushes or any other material or article that would tend to impede the flow of water in the gutters or along the streets or sidewalks or that would tend to clog the storm drainage system or be an obstruction to traffic or pedestrians.

(Ord. No. 2004-02, § 10, 1-6-04; Ord. No. 2008-46, § 10, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-11. - Removal of garbage from garbage containers.

It shall be unlawful for any person to remove any garbage, rubbish, refuse or other like materials from any garbage container except his/her or its own, within the corporate limits of the city after it has been placed therein, except under the orders of an officer, agent or employee of the sanitation department or by some other person removing same for disposal or by any law enforcement agent or other person empowered by law.

(Ord. No. 2004-02, § 11, 1-6-04; Ord. No. 2008-46, § 11, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-12. - Illegal use of another's garbage container to avoid collection fee.

It shall be unlawful for any person or entity not subscribing to the collection service to place their garbage and or trash in a container belonging to another for the purpose of avoiding payment of collection fees. Any such action by any person or entity shall be prima facie evidence of such intent unless proven otherwise by substantial evidence.

(Ord. No. 2004-02, § 12, 1-6-04; Ord. No. 2008-46, § 12, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-13. - Removal of public trash receptacles.

It shall be unlawful for any person to remove or cause to be removed from any street, sidewalk, park or other municipal property in the city any receptacle furnished by or on behalf of the city for the deposit of trash. It shall be unlawful for any person to sit upon, deface, tamper with, mutilate or destroy any such receptacle or cause it to be used in any way which will make it inaccessible for the receipt of trash.

(Ord. No. 2004-02, § 13, 1-6-04; Ord. No. 2008-46, § 13, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-14. - Inspections by health officers; right of health officers to enter at reasonable times; resisting inspection.

Any health officer of the county, the director of public works or such other authorized inspector as may be designated by the director of public works shall, after identifying himself or herself to such persons as may then be present, have the authority to enter at reasonable times upon private property within the city for the purpose of inspecting and investigating such premises with respect to compliance with the terms of this chapter. It shall be unlawful for any person to resist or interfere with such inspection.

(Ord. No. 2004-02, § 14, 1-6-04; Ord. No. 2008-46, § 14, 8-7-08; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-15. - Fees and penalties.

(a) *Garbage.*

- (1) Garbage collection, hauling and disposal service is conducted by the city's sanitation department, a division of the department of public works, and is hereinafter referred to as the "garbage collection service" or "collection service."
- (2) For the garbage collection service rendered during each 12-month period beginning on February 1 of each year, each business, institution or residential unit receiving service or eligible to receive service shall pay to the city a fee, unless said business, institution or

residential unit is subject to and compliant with the provisions of section 7.5-16. The total of said fees should approximate the cost to the city of said service and may be periodically determined and adjusted by the city council by amendatory ordinance.

- (3) Any garbage collection service fee shall be the responsibility and liability of the business, institution or residential owner and/or occupant last listed at each premises unless and until a proper discontinuation of service form is completed and received by the city sanitation department, or until such time as the business, institution or owner/occupant becomes subject to the provisions of section 7.5-16 and complies with the requirements set out therein.
- (b) *Trash.* There is no fee for trash and debris collection as long as such trash or debris is handled in a manner consistent with the requirements of this chapter. Improperly bagged or disposed of trash or debris in violation of this chapter shall, after the posting of one 48-hour notice, result in an assessment against the customer and the collection of a fee on the city's cost of removal of said trash and debris with a minimum of a \$100.00 charge.
- (c) *Multiple-family dwellings or buildings and mobile home parks of more than five units.* For the collection service to be rendered for each 12-month period beginning February 1 of each calendar year, unless amended, any person firm, corporation, institution or other entity owning investment property, rental property or mobile home parks consisting of more than five units within the city shall be responsible for all solid waste fees on each occupied unit or rental parcel. Each person, firm, corporation, institution or other entity in charge or control of each residential unit of a multi-family dwelling or apartment or mobile home park, where the city is furnishing such collection service, shall pay to the city a fee per occupied residential unit or mobile home site as follows:
- If paid monthly \$ 20.00
 - If paid quarterly 60.00
 - If paid semi-annually 110.00
 - If paid annually 220.00
- (d) *Single-family dwelling units.* For the collection service to be rendered for each 12-month period beginning February 1 of each calendar year, unless amended, the persons occupying and in charge or control of each single-family dwelling unit and or/the owner of each single-family dwelling unit shall pay the city a fee per residential unit as follows:
- If paid monthly \$ 20.00
 - If paid quarterly 60.00
 - If paid semi-annually 110.00
 - If paid annually 220.00
- (e) *Business or institution.* For the collection service rendered for each 12-month period beginning February 1 of each calendar year, unless amended, each business or institution receiving service shall pay the city a fee per unit as follows:
- If paid monthly \$ 40.00
 - If paid quarterly 120.00
 - If paid semi-annually 220.00
 - If paid annually 440.00
- (f) *When increases apply for prepaid customers.* Any and all increases in garbage collection fees shall not apply for any period, whether that be quarterly, six-month or 12-month, which has been prepaid

by a customer. After the expiration of said quarter, six-month or 12-month prepayment period, any increase in garbage fees shall apply to the prepaying customer.

(g) *Billing procedures, late charges and delinquent accounts.*

- (1) All bills for collection service shall be rendered on behalf of the city by the city clerk and shall be due and payable in advance within ten days from the date rendered, provided that fees may be paid in installments as hereinabove provided, and provided further, that at the initiation of service, a person, firm, corporation, institution or other entity shall pay at a pro-rata rate for the 12-month period in which service for such person is begun. Upon request of a customer who no longer occupies a residential or business site where fees for collection service were paid, a pro-rata refund will be given for quarterly, semi-annual or annual fees paid in advance.
- (2)
 - a. Payments on bills where collection service is billed jointly with water service shall be first applied to outstanding collection service fees. A monthly late fee of \$7.50 shall then be applied to any outstanding charges for water service. This late fee shall be in addition to the late fee for water service charges as set out in section 18-14(b).
 - b. Where collection service only is billed, in the event payment is not made for the collection service within the time provided in paragraph (1) of this subsection, such payment shall be deemed delinquent and shall bear a late penalty of \$7.50 per month for each month until paid. Furthermore, any collection service only bill which remains unpaid for a period of 90 days or more shall bear interest at the rate of 1½ percent per month from the date of delinquency until all of the outstanding balance is paid in full.
 - c. All fees imposed by this subsection 7.5-15(g)(2) are in addition to all other penalties or remedies, civil or criminal, allowed by this chapter.
- (3) All payments for garbage collection, hauling and disposal service or any other payments made pursuant to the provisions of this chapter shall be made as directed on the bill for said service. Water and/or garbage payments may be paid online; however, said payments may only be made in full. No partial payments may be made online. The city shall have the right to proceed for the collection of delinquent garbage collection service fees, suspend services, or both, if garbage collection service fees are not paid within 30 days after the same shall come due and payable pursuant to Code of Ala. 1975, § 22-27-5. In the event delinquent charges and fees are referred to an attorney for collection, the occupant shall pay all costs of collection including a reasonable attorney's fee, special process server fee (as a part of collection) and court costs if a court action is filed.
- (4) In the event an account becomes delinquent and unpaid for a period of 90 days, any subsequent payment shall be applied in the following order: First, to the costs of collection, including, but not limited to, attorney's fees, special process server fees, and court costs; second, to any and all late charges and outstanding interest as calculated hereinabove; third, to the outstanding delinquent balance; and fourth, to the current charges due, if any.
- (5) Any person, firm, corporation, partnership or other entity, who is found to have violated any provision or section of this chapter shall, upon conviction, be punished with a fine of not less than \$50.00 nor more than \$200.00 for each day that the amount remains unpaid, in accordance with Code of Ala. § 22-27-7, as it may be hereafter amended. Punishment under this section shall be in addition to all other remedies as herein set out in section 7.5-15.
- (6) In addition to all other penalties or remedies contained in this section 7.5-15(g), the city may publish the names and account balances of delinquent garbage customers. However, personal information shall not be published.

(Ord. No. 2004-02, § 15, 1-6-04; Ord. No. 2008-46, § 15, 8-7-08; Ord. No. 2010-26, 7-6-10; Ord. No. 2010-34, §§ 1, 2, 8-17-10; Ord. No. 2010-40, 10-8-10; Ord. No. 2010-50, 11-16-10; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-16. - Mandatory service requirement exemptions.

- (a) A person, household, business, industry or any property owner may store, haul and dispose of his or her own solid wastes on his or her land or otherwise, provided such storage, haulage or disposal is accomplished pursuant to an exemption or certificate of exception granted by either the county department of health or the Alabama Department of Environmental Management, pursuant to Code of Alabama § 22-27-3(a)(3) or § 22-27-3(g).
- (b) No exception, exception fee, or any other review, approval or payment shall be required of any generator for the collection, handling or disposal of its own solid waste using facilities or equipment owned by the generator, its corporate parent, affiliate or subsidiary and duly permitted for such use by the state department of environmental management or its successor in function, in compliance with Code of Alabama § 22-27-3(g) (2).
- (c) Additionally, any household (1) whose sole source of income is social security benefits, or (2) whose head of household is 65 years of age or older and the combined income of all adult residents of said household, including applicant, shall not exceed 75 percent of the Federal Poverty Guidelines (for the year the exemption is being requested), shall be granted an exemption from the payment of any residential garbage collection fees required by this article, consistent with Code of Alabama § 22-27-3(a). Any outstanding and/or delinquent balance incurred prior to the exemption approval date shall not be exempt from the assessment and/or collection procedures described in this chapter. Applications for exemptions shall be filed in the office of the clerk on forms provided and shall be granted or denied by the clerk. The household for which the exemption is being requested must be the primary residence of the applicant and garbage collection service must be registered in the name of the applicant requesting the exemption. As proof of eligibility for exemption, applicant shall provide a certified copy of the most recent year's income tax returns for which the exemption is being requested. If applicant and/or any resident of applicant's household are exempt from filing yearly income tax returns, each shall be required to submit a sworn statement declaring such, and shall additionally provide a current statement of benefits received from social security, and current bank statement. All applications for exemptions must be filed between January 1 and January 31 each year the exemption is being requested. No applications received after January 31 shall be accepted. All exemptions shall be in place for a 12 month period. Renewal of exemption shall not be automatic. Applicant shall grant permission for the agents of the city to investigate any or all parts of the information provided on the application by means of signing said application for exemption.
- (d) It shall be unlawful for any person to willfully misrepresent any information or make any false statements for the purpose of receiving an exemption or maintaining an exemption. Pursuant to the Code of Alabama, 1975, § 22-27-7 violation of any provision of this article shall be a misdemeanor and any person firm or corporation found guilty shall upon conviction be punished by a fine of not less than \$50.00 nor more than \$200.00.

(Ord. No. 2004-02, § 16, 1-6-04; Ord. No. 2004-25, 6-15-04) ; Ord. No. 2008-46, § 16, 8-7-08; Ord. No. [2015-2](#), 1-6-15; Ord. No. [2017-57](#), 6-6-17)

Sec. 7.5-17. - Recycling.

- (a) It shall be unlawful for any person or entity to deposit, place or leave any item in a container marked for recyclable materials other than the following allowed items: junk mail, magazines, clean cardboard boxes, office paper, newspaper, aluminum cans, steel and tin cans, and #1 and #2 plastic bottles. No other items may be placed in a container marked for recyclable materials, including the following non-exhaustive list of prohibited items: plastic bags, Styrofoam, glass, phone books, trash and any item made with #3, #4, #5, #6 or #7 plastic.
- (b) A violation of this section shall carry the following penalty:
 - (1) *First offense.* A first offense shall carry a fine of \$150.00 plus court costs.

- (2) *Second offense.* A second offense shall carry a fine of \$250.00 plus court costs.
 - (3) *Third offense.* A third offense or more shall carry a fine of \$500.00 plus court costs and incarceration in the city jail for a mandatory minimum 48-hour period.
- (c) Recycling services will be provided weekly.

(Ord. No. 2010-13, 4-6-10; Ord. No. [2015-42](#), 3-3-15; Ord. No. [2017-57](#), 6-6-17)

Editor's note— Ord. No. 2010-13, adopted April 6, 2010, was codified herein as § 7.5-17 at the discretion of the editor.

Sec. 7.5-18. - Solid waste operators.

(a) *License required.*

- (1) It is unlawful for any person to operate or cause any other person to operate a motor vehicle upon a public street within the city for the purpose of removing solid waste from a commercial property or construction debris from a residential property located within the city's corporate limits for compensation unless the person that owns or controls the motor vehicle has a valid commercial waste operator's license issued by the city.
- (2) To obtain a commercial solid waste operator's license, application must be made on forms provided by the city for that purpose along with the application fee. The application requires that the applicant:
 - a. State the name under which the operator conducts business, the business address and telephone number;
 - b. State the make and body of each motor vehicle to be used in the city;
 - c. Submit proof of liability insurance for the motor vehicles in the amounts required by state law;
 - d. By submitting the application agrees to abide by and be bound by the provisions of this article and to comply will all the other state and federal laws applicable to the licensee's activities; and
 - e. Submit any other information reasonably required by the city to administer this article.
- (3) Upon proper application, a commercial solid waste operator's license will be issued in the name of the person or entity responsible for the operation of the motor vehicles used for commercial solid waste collection in the city. The license is valid for one year, unless earlier revoked.
- (4) The city clerk or his/her designee may revoke a commercial solid waste operator's license for any violation of this article giving the license prior written notice of the violation and an opportunity to respond in person as to why the license should not be revoked.

(b) *License fee.*

- (1) Each person or entity granted a license under this article must pay a license fee equal to four percent of the operator's gross revenues from the collection, hauling, or transporting of commercial or industrial solid waste collection within the city, after excluding there from the revenues licensee received from the collection, hauling, or transporting of recycled solid waste collection within the city.
- (2) Each licensee must pay the required license fee quarterly to the city within 45 days following each September 30, December 31, March 31, and June 30. Each quarterly payment must be computed on the revenues for the quarter preceding that in which payment is due. Each licensee must provide with each quarterly payment a statement of the gross revenues upon

which the payment is computed, prepared according to generally accepted accounting practices, and signed by an authorized representative of the licensee. The licensee must pay a late fee of 12 percent per annum, compounded daily, on any quarterly payment, or portions thereof, that is paid subsequent to the required payment date.

- (3) Each quarterly payment must be accompanied by a listing of the location and number of commercial containers serviced by the licensee by the licensee in the city.
 - (4) The city may inspect and audit the licensee's records upon which payments to the city are computed and paid. If the city's inspection or audit shows that the licensee has underpaid an amount required to be paid under this article, licensee must pay the deficiency within 60 days of the date the city gives licensee written notice of the deficiency. If the deficiency is more than ten percent of the amount the licensee was required to pay for the quarter, the licensee must also pay a penalty of ten percent per annum of the deficiency and the city's reasonable cost incurred for the inspection or audit.
 - (5) The city's acceptance of a payment is not deemed to be a release or an accord and satisfaction of any claim the city may have for further and additional sums made payable under this article. The city is not liable to refund to the licensee any payment licensee makes to the city that is more than amount required to be paid by the licensee under this article.
- (c) *License regulations.*
- (1) All licensees must identify each vehicle the licensee operates within the city by placing clearly legible letters identifying the name of the person or business responsible for the operation of the motor vehicle.
 - (2) A licensee must notify the city of any change in the information submitted in an application for a license, including a change in the name, address or telephone number of the licensee. The notification must be given to the city in writing within ten days of the change.
 - (3) It is unlawful for any person to operate or use a motor vehicle to unload or empty a solid waste container by means of a mechanical lifting apparatus or device attached to the motor vehicle between the hours of 10:00 p.m. and 7:00 a.m. of the following day, if the container is located within 400 feet of a residential property.
 - (4) All garbage must be transported in leak proof containers or in leak proof vehicle bodies or compartments and must be so fitted and constructed so that the garbage is kept covered at all times except when being loaded and emptied.
- (d) *Suspension or revocation of license.*
- (1) The city may suspend or revoke a license under this article for a violation of this article in accordance with the uniform permit procedures of this Code.
 - (2) A fine of \$500.00 may be imposed on any person or entity that unlawfully operates or uses a motor vehicle to unload or empty a solid waste container by means of a mechanical lifting apparatus or device attached to the motor vehicle between the hours of 10:00 p.m. and 7:00 a.m. of the following day, if the container is located within 400 feet of a residential property.

(Ord. No. [2013-65](#), 4-16-13; Ord. No. [2017-57](#), 6-6-17)

Editor's note— Ord. No. 2013-65, adopted April 16, 2013, was codified herein as § 7.5-18 at the discretion of the editor.

DIVISION 2. - JUNKED AND ABANDONED MOTOR VEHICLES³

Footnotes:

--- (3) ---

Editor's note— Ord. No. 4-0794, §§ 1—10, adopted July 5, 1994, superseded former §§ 9-51 and 9-52 which pertained to junked and abandoned motor vehicles. The provisions of said ordinance have been included herein as a new div. 2, §§ 9-51—9-61. See the Code Comparative Table.

Cross reference— Traffic and motor vehicles, ch. 17.

Sec. 9-51. - Junked, abandoned or non-operational motor vehicles—Exterior storage.

(a) *Generally.* No person in charge of or in control of premises, whether as owner, lessee, tenant, occupant, or otherwise shall allow any partially dismantled, wrecked, junked, discarded or otherwise non-operable motor vehicle to remain on such property longer than 20 days.

(b) *Exceptions:*

(1) This section shall not apply with regard to any vehicle in an enclosed building or so located upon the premises as not to be readily visible from any public place or from any surrounding private property.

(2) This section shall not apply with regard to any vehicle on the premises of a business enterprise operated in a lawful place, other than in a residential district, and operated in a lawful manner, when the keeping or maintenance of such vehicle is necessary and reasonable to the operation of such business enterprise.

(3) This section shall not apply with regard to a vehicle in an appropriate storage place or depository maintained in a lawful place and manner by the city or any other public agency or entity.

(c) *Enforcement.* This section may be enforced either by a police officer of the city or by the building inspector or other person designated by the mayor and council.

(d) *Definitions.* The following definitions shall apply:

Abandoned is defined as being parked or left on premises (not your own or not in front or near your legal residence) or that which is parked in front or on another's property.

Non-operable is defined as being unable to be legally operated on public street (to include a current license tag and/or decal).

(Ord. No. 4-0794, § 1, 7-5-94)

Sec. 9-52. - Same—Storing of abandoned vehicles on public streets.

(a) No person shall be permitted to store or engage in the storage of any vehicle, whether motorized or propelled by another vehicle, of any type, upon the public streets, alleys or rights-of-way within the city for a period not in excess of 72 hours. After the initial 72-hour period, the vehicle shall be cited for illegal parking by a police officer of the city. For such offense, there shall be imposed, upon conviction, a \$50.00 fine assessed against the (1) owner of record, (2) and/or the current owner, (3) or the last person operating the vehicle if he/she can be identified.

(b) The police officer may have the vehicle towed immediately, if in his/her opinion, the vehicle represents an immediate traffic hazard.

- (c) After a period of 72 hours from the date upon which the vehicle is cited by the police department, the police department shall have the right to order the vehicle towed by a private wrecker service and disposed of pursuant to the provisions of state law.
- (d) The terms "store" or "storage" are defined as the vehicle being parked or remaining unmoved in or from the same location for a period in excess of 72 hours.

(Ord. No. 4-0794, § 1, 7-5-94)

Sec. 9-53. - Motor homes, recreational vehicles, travel trailers, boats, or other similar vehicles with two or more axles.

- (a) No person owning, leasing, occupying, possessing and/or having charge of any premises or business within the city shall park, keep or maintain any motor home, recreational vehicle, travel trailer, boat, or any similar type vehicle upon the streets, alleys or rights-of-way within the city.
- (b) Any motor vehicle having more than two axles, including the front axle shall not operate and shall be prohibited from operating in any area which is primarily residential or any area in the city zoned as follows: R-1, R-2. The term "operate" shall include but not be limited to the parking, driving, repairing or otherwise operating of said motor vehicle in said prohibited areas.
- (c) This division shall not prohibit the parking of a legally operable motor vehicle on the street or right-of-way in front of a residence when adequate parking is not available on private property unless:
 - (1) It has been designated and posted as a "No Parking" area.
 - (2) It is on a major thoroughfare and is considered as a traffic hazard by the chief of police or his representative.
 - (3) It is deemed by the chief of police or his representative to impede the proper flow of traffic.
 - (4) It has more than two axles and is in an area zoned R-1 or R-2.

(Ord. No. 4-0794, § 2, 7-5-94)

Sec. 9-54. - Semitrailers.

No semitrailer truck or any part thereof shall be parked upon the public ways of the city, other than for the expeditious loading, delivery, pickup and/or loading of materials.

(Ord. No. 4-0794, § 3, 7-5-94)

Sec. 9-55. - Authority over traffic control devices and authority to post signs.

- (a) The chief of police shall cause to be erected and maintained all official signs, signals or devices to regulate traffic in any street or avenue in the city as he shall see fit in accordance with the exercise of reasonable police power.
- (b) No operator or owner of any motor vehicle, as defined by the Highway Code of the State of Alabama, shall drive, or allow to be driven, any such motor vehicle on any street in a manner contrary to any regulatory sign, signal or device placed by order of the chief of police.
- (c) The chief of police or any other person so designated by the mayor and city council shall post or cause to be posted suitable signs indicating a restricted or prohibited parking zone.

(Ord. No. 4-0794, § 4, 7-5-94)

Sec. 9-56. - No parking zone.

No person shall park a motor vehicle in any designated area when such area is properly marked with yellow paint and/or with an appropriate sign.

(Ord. No. 4-0794, § 5, 7-5-94)

Sec. 9-57. - Emergency vehicles.

The provisions of this division shall not apply to police, fire or other emergency vehicles while in the active discharge of their duties.

(Ord. No. 4-0794, § 6, 7-5-94)

Sec. 9-58. - Owner presumed operator.

The presence of an unattended, junked, abandoned or non-operable motor vehicle on the premises of one who is not the owner or in control of such vehicle or in a restricted or prohibited parking area shall raise a prima facie presumption of evidence that the registered owner of the automobile or other motor vehicle parked or left or caused to be parked or left the automobile or other motor vehicle on such premises, and the burden of proof shall be upon the registered owner to show otherwise.

(Ord. No. 4-0794, § 7, 7-5-94)

Sec. 9-59. - Authority to cite or tow.

Any police officer of the city is hereby authorized to place a traffic citation on a motor vehicle for parking in a designated restricted zone. Any police officer of the city is authorized to remove or cause to be removed to the nearest garage or other place of safety any motor vehicle found parked in a restricted or prohibited zone when such vehicle has been left unattended for a period of 72 hours or is determined by the police officer that such motor vehicle constitutes a hazard to traffic or to the general public of the city by being parked in the restricted parking zone.

(Ord. No. 4-0794, § 8, 7-5-94)

Sec. 9-60. - Punishment.

Except as stated above in section 9-52, the court upon conviction of any part of this division may impose a fine not to exceed \$500.00 and/or impose a jail sentence not to exceed six months. Further, that upon the conviction of the above division, the court may in its discretion impose as an additional fine or cost any expense of towing, storage or disposition of any vehicle involved in the above division by the city.

(Ord. No. 4-0794, § 9, 7-5-94)

Secs. 9-61—9-70. - Reserved.

ORDINANCE 2018-12

**STORMWATER MANAGEMENT AUTHORITY, INC.
POST-CONSTRUCTION ORDINANCE**

RECITALS

**Section 1
DEFINITIONS**

**Section 2
ADMINISTRATION**

**Section 3
POST-CONSTRUCTION BMP DESIGN**

- Section 3.1 Design Standards.
- Section 3.2 Design References.

**Section 4
APPLICATION REQUIREMENTS**

- Section 4.1 Post Construction BMP Design Description.
- Section 4.2 Post-Construction BMP Inspection Plan Description.
- Section 4.3 Post Construction BMP Operation and Maintenance Plan Description.

**Section 5
ENFORCEMENT AND ABATEMENT**

**Section 6
MISCELLANEOUS**

- Section 6.1 Notices.
- Section 6.2 References.
- Section 6.3 Severability.
- Section 6.4 Captions.
- Section 6.5 Ultimate Responsibility.
- Section 6.6 Effective Date.

**STORMWATER MANAGEMENT
POST-CONSTRUCTION
ORDINANCE**

RECITALS

WHEREAS, the City of Irondale operates under the requirements of the Alabama Department of Environmental Management (ADEM) National Pollutant Discharge Elimination System (NPDES) Permit; and

WHEREAS, this permit authorizes stormwater discharges from regulated small municipal separate storm sewer systems (MS4); and

WHEREAS, the City of Irondale must be compliant with the ADEM NPDES Permit by developing, implementing, and enforcing a program to address post-construction stormwater management; and

WHEREAS, the City of Irondale finds it necessary to enact an ordinance to address and enforce post-construction stormwater management standards on Qualifying Sites to prevent or minimize water quality impacts and ensure that the volume and velocity of pre-construction stormwater runoff is not significantly exceeded for the life of the property's use to the maximum extent practical (MEP).

NOW, THEREFORE BE IT ORDAINED by the City Council of the City of Irondale, Alabama, as follows:

Section 1 DEFINITIONS

For the purposes of this ordinance, the following words and terms shall have the meaning assigned to them in this section.

Best Management Practices - (herein abbreviated as "BMP") - activities, prohibitions of practices, maintenance procedures and management practices designed to prevent or reduce the pollution of waters to the MS4. Best Management Practices also include treatment requirements, operating procedures, and practices to control facility site runoff, spillage or leaks, sludge or waste disposal or drainage from raw material storage and construction sites.

Non-structural BMPs - Non-structural BMPs may include but not be limited to the following: preservation of open spaces and vegetation, the establishment of conservation easements, the establishment of buffers along streams and other waters, maintenance of vegetation, BMP inspection and maintenance, planning for future development or redevelopment.

Qualifying Site - Qualifying Site is any new development site or re-development site that results in a total land disturbance of one or more acres and sites that disturb less than one acre but are a part of a larger common development or sale that would disturb one or more acres.

Structural BMPs - Structural BMPs may include, but not be limited to the following: detention/ retention devices, check dams, drainage swales, lined ditches, infiltration basins, porous pavement, outlet protection, velocity dissipation devices, slope protection, constructed wetlands, rain gardens, catch basin inserts, vegetated filter strips, and rain barrels.

Section 2 ADMINISTRATION

The municipal engineer for the City, the municipal official or employee who is a qualified credentialed professional, such other municipal official or municipal employee who has had sufficient experience dealing with BMP design to enable them to enforce the provisions of this ordinance, an individual or agency contracted to provide such service, shall be responsible, on behalf of the City, to enforce the provisions of this ordinance.

Section 3 POST-CONSTRUCTION BMP DESIGN

Section 3.1 Design Standards.

The post-construction BMPs for qualifying sites, which may include a combination of structural BMPs and/or non-structural BMPs, must be designed to ensure that the volume and velocity of pre-construction stormwater runoff, to the maximum extent

practicable, is not significantly exceeded.

The current Post Construction Stormwater Management Technical Memorandum (Addendum A) details acceptable design criteria meeting the requirement of the current NPDES Permit No. _____ and shall be the basis for the design and implementation of post-construction BMPs.

Section 3.2 Design References.

By reference in this Section, the City adopts the following as design references to meet the design standards:

- a) The latest version of the "Alabama Handbook for Erosion Control, Sedimentation Control and Stormwater Management on Construction Sites and Urban Areas," Volumes 1 and 2.
- b) The latest version of the "Low Impact Development Handbook for the State of Alabama."
- c) Any stormwater design manual approved by the city that meets the design requirement of this ordinance.

Section 4 APPLICATION REQUIREMENTS

As part of the Land Disturbance Application, all Qualifying Sites shall include the following components:

Section 4.1 Post-Construction BMP Design Description.

Procedures and strategies of the structural BMPs and/or non-structural BMPs that meet the design standards for Qualifying Sites found in Section 3.1 of this ordinance. Submittal to the City of a certified as-built of the BMPs and a letter of substantial compliance from the design engineer is required within 120 days of construction completion.

Section 4.2 Post-Construction BMP Inspection Plan Description.

Procedures and strategies that will address inspections of the BMPs to confirm proper function require corrective actions to poorly functioning or inadequately maintained BMPs, and require record keeping of maintenance activities, inspections, and corrective actions. The City shall perform or require the performance of an inspection by the developer/ owner/ operator at least once per year. Records of these inspections shall be made available to ADEM upon request and copies shall be provided to the City on an annual basis. The minimum documentation requirements for inspections are as follows:

- a) Facility type

- b) Inspection date
- c) Name and signature of the inspector
- d) Site location
- e) Owner information (name, address, phone number, fax, and email)
- f) Description of the stormwater BMP condition that may include the quality of: vegetation and soils, inlet and outlet channels and structures, embankments, slopes, and safety benches; spillways, weirs, and other control structures; and sediment and debris accumulation in storage and forebay areas as well as in and around inlet and outlet structures;
- g) Photographic documentation of all critical stormwater BMP components;
- h) Specific maintenance items or violations that need to be corrected by the owner/operator of the stormwater control or BMP; and
- i) Maintenance agreements for long-term BMP operations and maintenance.

Section 4.3 Post-Construction BMP Operation and Maintenance Plan Description.

Procedures and strategies that will address adequate long-term operation and maintenance of the BMPs. One or more of the following shall be applicable (as determined by the City) to establish the responsible party for long-term operation and maintenance. The document(s) shall be provided to the City for review. Upon approval, an executed copy shall be put on file in the _____ Department:

- a) The developer's signed statement accepting responsibility for maintenance until the maintenance responsibility is legally transferred to another part.
- b) Written conditions in the sales or lease agreement that require the recipient to assume responsibility for maintenance.
- c) Written conditions in project conditions, covenants, and restrictions for residential properties assigning maintenance responsibilities to a home owner's association or another appropriate group for maintenance of structural and treatment control management practices.
- d) Any other legally enforceable agreement that assigns permanent responsibility for maintenance.

Section 5
ENFORCEMENT AND ABATEMENT

If a responsible party fails or refuses to meet the design, operation, or maintenance standards required by this ordinance, the City, after reasonable notice, may correct a violation of the design standards, operation, or maintenance needs by performing all necessary work to place the measures in proper working condition. If the BMPs become a danger to public safety or public health, the City shall notify in writing the responsible party for changes to design, operation, maintenance, and repairs of the BMP. Upon receipt of that notice, the responsible party shall have 14 calendar days or such additional time as the City shall determine to be reasonably necessary to complete the action, to make changes to design, operation, maintenance, and repairs of the measures in an approved manner. If corrective action is not undertaken within that time, the City may take necessary corrective action. The cost of any action by the City under this Section shall be billed to the responsible party. If the responsible party refuses to pay the bill, the City is entitled to bring an action against the responsible party to pay, file a lien against the property, or both. Costs shall include interest, collection fees, and reasonable attorney fees.

Section 6
MISCELLANEOUS

Section 6.1 Notices.

Whenever the City is required or permitted to:

- (a) give notice to any party; such notice must be in writing; or
- (b) deliver a document to any party; such notice or document may be delivered by personal delivery, certified mail (return receipt requested), registered mail (return receipt requested) or a generally recognized overnight carrier, to the address of such party which is in the records of the City or is otherwise known to the City.

Section 6.2 References.

Whenever a Section is referred to in this ordinance, unless the context clearly indicates the contrary, such reference shall be to a section of this ordinance.

Section 6.3 Severability.

The provisions of this ordinance are severable. If any part of this ordinance is determined by a court of law to be invalid, unenforceable or unconstitutional, such determination shall not affect any other part of this ordinance.

Section 6.4 Captions.

The captions of Sections and sections are for reference only, and such captions shall not affect the meaning of any provision of this ordinance.


Section 6.5 Ultimate Responsibility.

The standards set forth herein and promulgated under this ordinance are minimum standards; therefore, this ordinance does not intend nor imply that compliance by any person will ensure that there will be no contamination, pollution, nor unauthorized discharge of pollutants.

Section 6.6 Effective Date.

This ordinance shall be published as required by law and shall become effective June 7, 2018.

ADOPTED & APPROVED this the 7th day of June 2018.




Charles Moore, Mayor

CERTIFICATION

I, James D. Stewart Jr., City Clerk of the City of Irondale, Alabama, hereby certifies the above to be a true and correct copy of a resolution adopted by the City Council of the City of Irondale at its regular meeting held on June 7, 2018, as same appears in the minutes of record of said meeting.

ATTEST:



James D. Stewart Jr., City Clerk

ADDENDUM A



Overview

In 1990, the U.S. Environmental Protection Agency (EPA) promulgated regulations establishing Phase I of the National Pollutant Discharge Elimination Systems (NPDES) stormwater program. The Phase I program for municipal separate storm sewer systems (MS4s) require operators of “medium” and “large” MS4s that generally serve populations of 100,000 or higher to implement a stormwater management program as a means to control to the maximum extent practicable (MEP) polluted discharges from certain municipal, industrial and construction activities into the MS4.

The Alabama Department of Environmental Management (ADEM) presently has primary jurisdiction over permitting and enforcement of the Stormwater Program for Alabama. The City of _____ (City) was issued NPDES Permit Number ALS0000__ on **DATE**. This NPDES Permit became effective on **DATE** and will expire on **DATE**. The City is required to develop and implement a Stormwater Management Program (SWMP) in accordance with the NPDES Permit requirements.

In accordance with the NPDES Permit, the City is required to develop and implement a Post Construction Stormwater Program to address stormwater runoff from qualifying new development and re-development projects by **DATE**. This memorandum provides technical guidance regarding the City’s updated post-construction stormwater management requirements in accordance with the City’s NPDES Permit.

Applicable Developments

The City’s updated post-construction stormwater management requirements are only applicable to “Qualifying New Development or Redevelopment” projects as defined below:

“Qualifying New Development and Redevelopment” means any site that results from the disturbance of one acre or more of land or the disturbance of less than one acre of land if part of a larger common plan of development or sale that is greater than one acre. Qualifying new development and redevelopment does not include land disturbances conducted by entities under the jurisdiction and supervision of the Alabama Public Service Commission.

Since stormwater detention and retention facilities are the primary Best Management Practices (BMPs) that have historically been used for post-construction stormwater management, this technical memorandum has been developed to address stormwater detention and retention facilities. However, this does not preclude the use of other generally accepted engineering practices.

Implementation

Effective **DATE**, all qualifying new development, and redevelopment projects shall be designed in accordance with this technical memorandum.

Waiver Request

The City recognizes that there are existing project sites that have been constructed or previously approved, before the effective **DATE** of this technical memorandum, that may qualify for a waiver from the updated post-construction stormwater management requirements. As a result, the City has developed an Existing Development, Post Construction Stormwater Management Waiver Request Form (Figure 1) to address existing project sites. In order for an existing project site to be considered for a waiver, the waiver request form shall be completed and submitted to the City for review and approval. If a waiver has been submitted for a development that has not been completed and the density of the development is increased and/or modified, the developer shall resubmit a waiver request for this development.

Water Quality Requirements

Post-construction stormwater runoff quality is an important component of the City's SWMP. In order to meet the requirements of the City's NPDES Permit, a Water Quality Volume (WQv) must be accounted for on each project site, and BMPs must be utilized to store and treat the WQv. The required WQv is based upon the first 1.1 inches of rainfall that occurs on the project site. The WQv can be estimated as described below.

WQv = 1.1 inches / acre of additional impervious area.

For example, an existing 12.5-acre site planned for re-development contains 3 acres of existing impervious area. The proposed development will contain seven total acres of impervious area in the post-development condition. The required WQv shall be calculated as follows:

$$\begin{aligned} \text{WQv} &= 1.1 \text{ inches} * 4 \text{ acres of additional impervious area} \\ &= 1.1 \text{ inches} * (1 \text{ foot} / 12 \text{ inches}) * 4 \text{ acres} * (43,560 \text{ sq. ft.} / 1 \text{ acre}) \\ &= 15,972 \text{ cubic feet of storage required} \end{aligned}$$

The WQv that is required for each project site may be provided in multiple ways to allow greater flexibility during design. There are a number of post-construction BMPs such as detention ponds, retention ponds, bioretention swales, proprietary stormwater quality treatment devices, sand filters, etc. that may be utilized by the Owner and their Engineer-of-Record to meet the water quality requirements.

Low Impact Development (LID)


As an option for meeting the updated post-construction stormwater management requirements, the City encourages Owners and Developers to incorporate the use of low impact development (LID) practices into qualifying development and redevelopment projects. The latest version of the Alabama Low Impact Development is incorporated into this technical memorandum by reference.

Design Standards

For detention and retention ponds, the calculation methodology shall utilize the National Resource Conservation Resources (NRCS) Urban Hydrology for Small Watersheds Technical Release 55 (TR-55) or equivalent. For the determination of pre-construction and post-construction stormwater runoff hydrology, the 24-hour rainfall depths from National Oceanic and Atmospheric Administration (NOAA) Atlas14, Volume 9, Version 2 included in Table 1 shall be used:

Table 1. Design Storms

Storm Event (24 hour)	Rainfall (inches) (Bessemer)	Rainfall (inches) (Bham WSFO)	Rainfall (inches) (Bham AP ASOS)	Rainfall (inches) (Pinson)
2-year	4.09	4.1	4.12	4.11
5-year	4.97	4.99	5.02	4.99
10-Year	5.82	5.83	5.85	5.8
25-Year	7.18	7.15	7.13	7.02
100-Year	9.71	9.56	9.39	9.15



As a part of the City's requirements for post-construction stormwater runoff management, all project sites shall be responsible for ensuring, to the MEP, that post-development runoff mimics pre-development hydrology for the 2-year, 5-year, 10- year, and 25-year rainfall depths listed in Table 1. All stormwater detention or retention facilities must be able to convey the peak flow rate associated with a 100- year, 24-hour storm event. The Owner and/or Developer shall ensure, to the MEP, that installation of post-construction BMPs shall not adversely impact and/or cause flooding of properties located upstream and downstream of post-construction BMPs.

Detention and Retention Ponds

As a part of this technical memorandum, two structural BMPs (detention and retention ponds) have been highlighted as design options to assist in meeting the post-construction stormwater management requirements of the City's NPDES permit. Both detention ponds and retention ponds are fairly simple to design, construct and maintain. However, other structural BMPs may be selected by the Owner and Engineer-of-Record for review and approval by the City and are welcomed to be incorporated into the overall stormwater management plan for each project site.

A Design Form, Detention / Retention Ponds (Figure 2) has been developed by the City to aid in the design, review, and approval of detention and retention facilities. The design form provides a standard format for the Engineer-of-Record to provide information concerning pre-development conditions, post-development conditions, pond outlet configurations, pond storage, and pond peak flow discharges. For a project that contains multiple detention facilities, the Engineer-of-Record may simply provide a Design Form for each facility. While a detention pond can be utilized to meet the stormwater management requirements, some type of filtration system is needed for a detention pond to meet the stormwater quality requirements. The filtration system must allow the volume of water associated with the WQv to drain slowly out of the pond, but should drain within a forty-eight (48) hour period. Figure 3 provides some basic examples of filtering systems that may be applicable to detention ponds.

As-Built Certification

As a part of the NPDES permit, the City must insure the BMPs that have been designed and approved are constructed and operated in accordance with their original design and intent. In an effort to confirm that the constructed BMPs meet the designer's intent, an As-Built Evaluation and Certification form (Figure 4) has been developed. It shall be the Owner's responsibility to have as-built information, such as pond volume, embankment size, and elevations, invert size and elevations, and spillway elevations, field surveyed by a Professional Land Surveyor. It shall be the engineer of record's responsibility to utilize the field surveyed information to fill out the As-Built Evaluation

and Certification Form. The Owner has two options for completing the As-Built Evaluation and Certification:

Option 1 The As-Built Evaluation and Certification form shall be submitted and approved by the City before the issuance of a Certificate of Occupancy (CO) and/or before the recording of the final subdivision plat.

Option 2 If the Owner would like to obtain a CO and/or record the final subdivision plat prior to the City's approval of the As-Built Evaluation and Certification form, the Owner may post a bond or other forms of surety acceptable to the City in the amount of 100% of the construction cost associated with post-construction stormwater management BMPs and the cost associated with the effort required to complete the As-Built Evaluation and Certification. The As-Built Evaluation and Certification form shall be submitted to the City within 120 days of receipt of a CO and/or recording of the final subdivision plat.

Annual Inspections

In order for post-construction BMPs to continue to function in accordance with their original design and installation, annual inspections are required by the City's NPDES permit. The Owner of the project is required to have these annual inspections performed and must then submit the required Annual Inspection Form (Figure 5) to the City. The Annual Inspection Form shall provide documentation concerning the condition of each facility in terms of vegetative cover, erosion that may be occurring, the condition of inlets into the pond and the pond outlet, embankment conditions and any maintenance required and/or performed. The City shall evaluate the documentation submitted to confirm that the stormwater management facilities are continuing to function as designed.

The Annual Inspection Form shall be submitted to the City each year by 30 September.

Operation and Maintenance

It is the responsibility of the Owner to operate and maintain the stormwater management facility and/or BMPs in accordance with the original design intent and approval. If the original Owner or Developer has sold the project or passed ownership on to a Homeowner's Association, then it is the new Owner or HOA's responsibility to maintain the facility and provide any required inspection and maintenance.

Should maintenance be needed at a facility as a result of the Annual Inspection, the Owner shall provide the City documentation of the maintenance required and a schedule for completing all maintenance activities. Once all maintenance activities are completed, the Owner shall provide documentation to the City of the maintenance performed and that the BMP operates as it was designed.

A summary of maintenance activities shall be submitted to the City each year by 30 September. The summary shall cover the previous fiscal year beginning 1 October through 30 September.

List of Figures

Figure 1 – Existing Development Post Construction Stormwater Management Waiver Request Form

Figure 2 – Design Form, Detention / Retention Ponds

Figure 3 – Detention Pond Outlet Structure Example

Figure 4 – As-Built Evaluation and Certification Form

Figure 5 – Annual Inspection Form

Figure 1- Existing Development

Post Construction Stormwater Management Waiver Request Form

City of Irondale - Reviewed by: _____ Date: _____
Comments: Approved Incomplete Other NOTES: _____
Attachments: Master Plan Basin Maps H&H Calculations Development Plan Approval

Site Information - Facility / Site Name: _____
Facility Street Address - _____ Latitude: ____° ____' ____"
_____ Longitude: ____° ____' ____"
Facility Contact: _____ Phone Number: _____
Development Plan Approval on: _____ Total Area to be developed (acres): _____
Anticipated Date of Completion: _____ Area currently developed (acres): _____
Pond Type: Detention Retention Underground Other _____
Attachments: Master Plan Basin Maps H&H Calculations Development Plan Approval

Watershed - *Shades Creek *Cahaba River

*Indicates a Propriety watershed where streams have been included on a 303(d) list as impaired for sediment/siltation or have a Total Maximum Daily Load (TMDL) established for sediment/siltation.

Professional Engineer Certification:

By affixing my professional seal and signature on this form, I hereby certify that the design for this development has been submitted to the City of Irondale on or before July 1, 2018 for review and approval. I further certify that the drainage areas shown in the hydrology and hydraulic (H&H) calculations and/or the attached maps do in fact drain into this facility and that the post-development runoff mimics pre-development hydrology in accordance with the City's stormwater management requirements in effect at the time the project was approved by the City.

Additional Information Attached

Company: _____
Name: _____
Address: _____

Email: _____
Phone: _____
Signature: _____

Figure 2 – Design Form Detention/ Retention Ponds

City of Irondale - Reviewed by: _____ Date: _____

Comments: Approved Incomplete Other NOTES: _____

Attachments: Narrative Basin Maps H&H Calculations Development Plan Approval

LID Calculations

Site Information - Facility / Site Name: _____

Facility Street Address: _____

Facility Contact: _____ Phone Number: _____

BMP Information

Pond Type: Detention Retention Underground Other _____

LID BMP's: Bio retention Permeable Pavement Infiltration Swales Other

Notes: _____

Attachments: Narrative Basin Maps H&H Calculations

Watershed - *Shades Creek *Cahaba River

*Indicates a Propriety watershed where streams have been included on a 303(d) list as impaired for sediment/siltation or have a Total Maximum Daily Load (TMDL) established for sediment/siltation.

Pre-Development Conditions

Pre-Development Basin:	Pre-1	Pre-2	Pre-3	Pre-4	Pre-5	Pre-6
Basin Drainage Area (Acres):	_____	_____	_____	_____	_____	_____
Curve Number:	_____	_____	_____	_____	_____	_____
Time of Concentration (Min.)	_____	_____	_____	_____	_____	_____
Peak discharge (ft ³ /s):	_____	_____	_____	_____	_____	_____
1.10" WQ vol.	_____	_____	_____	_____	_____	_____
4.20" WQ vol.	_____	_____	_____	_____	_____	_____
5.40" WQ vol.	_____	_____	_____	_____	_____	_____
6.20" WQ vol.	_____	_____	_____	_____	_____	_____
7.10" WQ vol.	_____	_____	_____	_____	_____	_____
8.60" WQ vol.	_____	_____	_____	_____	_____	_____

Figure 2 – Design Form Detention/ Retention Ponds

Post-Development Conditions

Post-Development Basin:	Pre-1	Pre-2	Pre-3	Pre-4	Pre-5	Pre-6
Basin Drainage Area (Acres):	_____	_____	_____	_____	_____	_____
Curve Number:	_____	_____	_____	_____	_____	_____
Time of Concentration (Min.)	_____	_____	_____	_____	_____	_____
Peak discharge (ft ³ /s):	_____	_____	_____	_____	_____	_____
1.10" WQ vol.	_____	_____	_____	_____	_____	_____
4.20" WQ vol.	_____	_____	_____	_____	_____	_____
5.40" WQ vol.	_____	_____	_____	_____	_____	_____
6.20" WQ vol.	_____	_____	_____	_____	_____	_____
7.10" WQ vol.	_____	_____	_____	_____	_____	_____
8.60" WQ vol.	_____	_____	_____	_____	_____	_____

Riser and Principal Spillway

Material: _____
 Dimension: _____
 Bottom El. _____
 Top El. _____
 Trash Rack: _____

	Shape	Size	Inv. El.
Orifice 1:	_____	_____	_____
Orifice 2:	_____	_____	_____
Orifice 3:	_____	_____	_____
Orifice 4:	_____	_____	_____

	Shape	Width	Inv. El.
Weir 1:	_____	_____	_____
Weir 2:	_____	_____	_____
Latitude:	_____°	_____'	_____"
Longitude:	_____°	_____'	_____"

Emergency Spillway

Material: _____
 Shape: _____
 Length: _____
 Width: _____
 Crest El.: _____
 Top El.: _____
 Latitude: _____° _____' _____"
 Longitude: _____° _____' _____"

Please attach drawing/sketches or plans for detention or retention ponds to this form.

Figure 2 – Design Form Detention/ Retention Ponds

Facility/Site Name: _____

Pond No.: _____ of _____

Pond Stage area Storage Summary: (Elevations measured in 1 foot increment

Elevation (ft)	Area (ft ²)	Cumulative (ac-ft)	Elevation (ft)	Area (ft ²)	Cumulative (ac-ft)
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Pond Discharge Summary:

Rainfall	Pond In-Q (cfs)	Pond Out-Q (cfs)	Max. Storage (ft)	Outlet Velocity (ft/s)
1.10"	_____	_____	_____	_____
4.20"	_____	_____	_____	_____
5.40"	_____	_____	_____	_____
6.20"	_____	_____	_____	_____
7.10"	_____	_____	_____	_____
8.60"	_____	_____	_____	_____

Professional Engineer Certification:

By affixing my professional seal and signature on this form, I hereby certify that this stormwater management facility provides the required water quality volume (WQ_v) and is designed in accordance with the technical memorandum listed in the City of Irondale’s Post Construction Ordinance. I further certify that the drainage areas shown in the hydrology and hydraulic (H&H) calculations do in fact drain into this facility and that the post-development runoff mimics pre-development hydrology to the maximum extent practicable (MEP).

Company: _____

Seal: _____

Name: _____

Address: _____

E-mail: _____

Phone: _____

Signature: _____

Date: _____





FIGURE 3 - DETENTION POND OUTLET STRUCTURE EXAMPLE

Figure 4 As-Built Evaluation and Certification

Facility/Site Name: _____

Riser and Principal Spillway

Not Applicable

<u>Design</u>	<u>As Built</u>																																								
Material: _____	_____																																								
Dimension: _____	_____																																								
Bottom El. _____	_____																																								
Top El. _____	_____																																								
Trash Rack: _____	_____																																								
<table border="0" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;"></th> <th style="width: 33%;">Shape</th> <th style="width: 33%;">Size</th> <th style="width: 33%;">Inv. El.</th> </tr> </thead> <tbody> <tr> <td>Orifice 1:</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Orifice 2:</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Orifice 3:</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Orifice 4:</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> </tbody> </table>		Shape	Size	Inv. El.	Orifice 1:	_____	_____	_____	Orifice 2:	_____	_____	_____	Orifice 3:	_____	_____	_____	Orifice 4:	_____	_____	_____	<table border="0" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;"></th> <th style="width: 33%;">Shape</th> <th style="width: 33%;">Size</th> <th style="width: 33%;">Inv. El.</th> </tr> </thead> <tbody> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> </tbody> </table>		Shape	Size	Inv. El.	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
	Shape	Size	Inv. El.																																						
Orifice 1:	_____	_____	_____																																						
Orifice 2:	_____	_____	_____																																						
Orifice 3:	_____	_____	_____																																						
Orifice 4:	_____	_____	_____																																						
	Shape	Size	Inv. El.																																						
_____	_____	_____	_____																																						
_____	_____	_____	_____																																						
_____	_____	_____	_____																																						
_____	_____	_____	_____																																						
<table border="0" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;"></th> <th style="width: 33%;">Shape</th> <th style="width: 33%;">Width</th> <th style="width: 33%;">Inv. El.</th> </tr> </thead> <tbody> <tr> <td>Weir 1:</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Weir 2:</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Latitude:</td> <td>_____°</td> <td>_____'</td> <td>_____"</td> </tr> <tr> <td>Longitude:</td> <td>_____°</td> <td>_____'</td> <td>_____"</td> </tr> </tbody> </table>		Shape	Width	Inv. El.	Weir 1:	_____	_____	_____	Weir 2:	_____	_____	_____	Latitude:	_____°	_____'	_____"	Longitude:	_____°	_____'	_____"	<table border="0" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;"></th> <th style="width: 33%;">Shape</th> <th style="width: 33%;">Width</th> <th style="width: 33%;">Inv. El.</th> </tr> </thead> <tbody> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Latitude:</td> <td>_____°</td> <td>_____'</td> <td>_____"</td> </tr> <tr> <td>Longitude:</td> <td>_____°</td> <td>_____'</td> <td>_____"</td> </tr> </tbody> </table>		Shape	Width	Inv. El.	_____	_____	_____	_____	_____	_____	_____	_____	Latitude:	_____°	_____'	_____"	Longitude:	_____°	_____'	_____"
	Shape	Width	Inv. El.																																						
Weir 1:	_____	_____	_____																																						
Weir 2:	_____	_____	_____																																						
Latitude:	_____°	_____'	_____"																																						
Longitude:	_____°	_____'	_____"																																						
	Shape	Width	Inv. El.																																						
_____	_____	_____	_____																																						
_____	_____	_____	_____																																						
Latitude:	_____°	_____'	_____"																																						
Longitude:	_____°	_____'	_____"																																						

Emergency Spillway

Not Applicable

<u>Design</u>	<u>As Built</u>
Material: _____	_____
Shape: _____	_____
Length: _____	_____
Width: _____	_____
Crest El.: _____	_____
Top El.: _____	_____
Latitude: _____° _____' _____"	Latitude: _____° _____' _____"
Longitude: _____° _____' _____"	Longitude: _____° _____' _____"

Comments:

Figure 4 – As-Built Evaluation and Certification

Facility/Site Name: _____ Pond No.: _____ of _____

Pond Stage area Storage Summary: (Elevations measured in 1 foot increments)

<u>Design Volume</u>			<u>As-Built Volume</u>		
Elevation (ft)	Area (ft ²)	Cumulative (ac-ft)	Elevation (ft)	Area (ft ²)	Cumulative (ac-ft)
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Pond Discharge Summary:

Rainfall	<u>Design</u>			<u>As-Built</u>	
	Pond In-Q(cfs)	Pond Out-Q(cfs)	Max. Storage(ft)	Outlet Velocity(ft/s)	Max Stage(ft)
1.10"	_____	_____	_____	_____	_____
4.20"	_____	_____	_____	_____	_____
5.40"	_____	_____	_____	_____	_____
6.20"	_____	_____	_____	_____	_____
7.10"	_____	_____	_____	_____	_____
8.60"	_____	_____	_____	_____	_____

Professional Engineer Certification:

By affixing my professional seal and signature on this form, I hereby certify that this stormwater management facility provides the required water quality volume (WQ_v) and is designed in accordance with the technical memorandum listed in the City of Irondale’s Post Construction Ordinance. I further certify that the drainage areas shown in the hydrology and hydraulic (H&H) calculations do in fact drain into this facility and that the post-development runoff mimics pre-development hydrology to the maximum extent practicable (MEP).

Company: _____
 Name: _____
 Address: _____

Seal:

E-mail: _____
 Phone: _____
 Signature: _____

Date: _____

Figure 5 Annual Inspection Form

Irondale – Reviewed by: _____ Date: _____

Comments: Approved Incomplete Other Notes: _____

Required Attachments: Photographs Maintenance Summary

Owner Information:

Facility Contact: _____

Company/HOA: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Phone: _____ E-Mail: _____

Site Information:

Facility/Site Name: _____

Address/Location: _____ Latitude: ____° ____' ____"

_____ Longitude: ____° ____' ____"

Watershed - *Shades Creek *Cahaba River

*Indicates a Propriety watershed where streams have been included on a 303(d) list as impaired for sediment/siltation or have a Total Maximum Daily Load (TMDL) established for sediment/siltation.

BMP Information

Pond Type: Detention Retention Underground Other _____

LID BMP's: Bio retention Permeable Pavement Infiltration Swales Other

Notes: _____

Attachments: Narrative Basin Maps Photographs

Comments:

Figure 5 Annual Inspection Form

Inspection Observations:

Latitude: ____° ____' ____" Longitude: ____° ____' ____"

1. WQ_v orifice and filter: Obstructed or damaged? _____
2. Staged orifices: obstructed or damaged? _____
3. Condition of vegetation or ground cover? _____
4. Excessive trash accumulated? _____
5. Emergency spillway clogged or damaged? _____
6. Riser and trash rack: Obstructed or damaged? _____
7. Excessive sediment accumulation? _____
8. LID BMPs require maintenance? _____

Maintenance Needed:

Follow-up actions:

Follow-up actions required: yes No If Yes, please explain: _____

Professional Engineer Certification:

By affixing my professional seal and signature on this form, I hereby certify that this stormwater management facility provides the required water quality volume (WQ_v) and is being properly maintained in accordance with the technical memorandum listed in the City of Irondale's Post Construction Ordinance. In my professional opinion, the stormwater management facility is functioning as it was designed.

By affixing my professional seal and signature on this form, I hereby certify that this stormwater management facility requires the above described maintenance in order to provide the required water quality volume (WQ_v) and/or to function as it was designed.

Company: _____

Seal:

Name: _____

Address: _____

E-mail: _____

Phone: _____

Signature: _____

Date: _____

ORDINANCE 2018-13

**STORMWATER MANAGEMENT AUTHORITY, INC.
ILLCIT DISCHARGE ORDINANCE**

RECITALS

**Section 1
DEFINITIONS**

**Section 2
ADMINISTRATION**

**Section 3
ILLCIT DISCHARGES PROHIBITIONS**

- Section 3.1 Prohibition of Illegal Discharges.
- Section 3.2 Illegal Discharge Exemptions.
- Section 3.3 Prohibition of Illicit Connections.

**Section 4
SUSPENSION OF MS4 ACCESS**

- Section 4.1 Suspension Due to Illicit Discharges in Emergency Situations.
- Section 4.2 Suspension Due to the Detection of Illicit Discharge.
- Section 4.3 Post Construction BMP Operation and Maintenance Plan Description.

**Section 5
INDUSTRIAL OR CONSTRUCTION ACTIVITY DISCHARGES**

**Section 6
MONITORING OF DISCHARGES**

**Section 7
REQUIREMENT TO PREVENT, CONTROL, AND REDUCE STORM WATER
POLLUTANTS BY THE USE OF BEST MANAGEMENT PRACTICES**

**Section 8
WATERCOURSE PROTECTION**

**Section 9
NOTIFICATION OF SPILLS**

Section 10
ENFORCEMENT AND ABATEMENT

- Section 10.1 Notice of Violation.
- Section 10.2 Appeal of Notice of Violation.
- Section 10.3 Enforcement Measures After Appeal.
- Section 10.4 Cost of Abatement of the Violation.
- Section 10.5 Injunctive Relief.
- Section 10.6 Compensatory Action.
- Section 10.7 Violations Deemed a Public Nuisance.
- Section 10.8 Criminal Prosecution.
- Section 10.9 Remedies Not Exclusive.

Section 11
MISCELLANEOUS

- Section 11.1 Applicability.
- Section 11.2 Severability.
- Section 11.3 Ultimate Responsibility.
- Section 11.4 Effective Date.

STORM WATER MANAGEMENT ILLCIT DISCHARGE

RECITALS

WHEREAS, the purpose of this ordinance is to provide for the health, safety, and general welfare of the citizens of **IRONDALE** through the regulation of non-storm water discharges to the storm drainage system to the maximum extent practicable as required by federal and state law.

WHEREAS, this ordinance establishes methods for controlling the introduction of pollutants into the municipal separate storm sewer system (MS4) to comply with the requirements of the National Pollutant Discharge Elimination System (NPDES) permit process.

WHEREAS, this ordinance provides the minimum content for implementing and enforcing a STORMWATER management consistent with the Alabama Department of Environmental Management (ADEM) permit currently issued to the **IRONDALE**.

WHEREAS, the objectives of this ordinance are:

1. To regulate the contribution of pollutants to the municipal separate storm sewer system (MS4) by STORMWATER discharges by any user
2. To prohibit Illicit Connections and Discharges to the municipal separate storm sewer system
3. To establish legal authority to carry out all inspection, surveillance and monitoring procedures necessary to ensure compliance with this ordinance

NOW, THEREFORE BE IT ORDAINED by the City Council of the Irondale, Alabama, as follows:

Section 1 DEFINITIONS

For the purposes of this ordinance, the following words and terms shall have the meaning assigned to them in this section.

Authorized enforcement agency: employees or designees of the director of the municipal agency designated to enforce this ordinance.

Best Management Practices (BMPs): schedules of activities, prohibitions of practices, general good housekeeping practices, pollution prevention and educational practices, maintenance procedures, and other management practices to prevent or reduce the discharge of pollutants directly or indirectly to STORMWATER, receiving waters, or STORM WATER conveyance systems. BMPs also include treatment practices, operating procedures, and practices to control site runoff, spillage or leaks, sludge or water disposal, or drainage from raw materials storage.

Clean Water Act. The Federal Water Pollution Control Act (33 U.S.C. § 1251 et seq.), and any subsequent amendments thereto.

Construction Activity. Activities subject to NPDES Construction Permits. Currently, these include construction projects resulting in land disturbance of 1 acre or more. Such activities include but are not limited to clearing and grubbing, grading, excavating, and demolition.

Hazardous Materials. Any material, including any substance, waste, or combination thereof, which because of its quantity, concentration, or physical, chemical, or infectious characteristics may cause, or significantly contribute to, a substantial present or potential hazard to human health, safety, property, or the environment when improperly treated, stored, transported, disposed of, or otherwise managed.

Illegal Discharge. Any direct or indirect non-storm water discharge to the storm drain system, except as exempted in Section X of this ordinance.

Illicit Connections. An illicit connection is defined as either of the following:

1. Any drain or conveyance, whether on the surface or subsurface, which allows an illegal discharge to enter the storm drain system including but not limited to any conveyances which allow any non-storm water discharge including sewage, process wastewater, and wash water to enter the storm drain system and any connections to the storm drain system from indoor drains and sinks, regardless of whether said drain or connection had been previously allowed, permitted, or approved by the **IRONDALE** or,
2. Any drain or conveyance connected from commercial or industrial land use to the storm drain system which has not been documented in plans, maps, or equivalent records and approved by the **IRONDALE**.

Industrial Activity. Activities subject to NPDES Industrial Permits as defined in 40 CFR, Section 122.26 (b) (14).

National Pollutant Discharge Elimination System (NPDES) Storm Water Discharge Permit. Means a permit issued by EPA (or by a State under authority delegated under 33 USC § 1342(b)) that authorizes the discharge of pollutants to waters of the United States, whether the permit is applicable on an individual, group, or general area-wide basis.

Non-Storm Water Discharge. Any discharge to the storm drain system that is not composed entirely of stormwater.

Person. Any individual, association, organization, partnership, firm, corporation or other entity recognized by law and acting as either the owner or as the owner's agent.

Pollutant. Anything which causes or contributes to pollution. Pollutants may include, but are not limited to: paints, varnishes, and solvents; oil and other automotive fluids; non-hazardous liquid and solid wastes and yard wastes; refuse, rubbish, garbage, litter, or other discarded or abandoned objects, ordinances, and accumulations, so that same may cause or contribute to pollution; floatables; pesticides, herbicides, and fertilizers; hazardous substances and wastes; sewage, fecal coliform and pathogens; dissolved and particulate metals; animal wastes; wastes and residues that result from constructing a building or structure; and noxious or offensive matter of any kind.

Premises. Any building, lot, parcel of land, or a portion of land whether improved or unimproved including adjacent sidewalks and parking strips.

Storm Drainage System. Publicly-owned facilities by which stormwater is collected and/or conveyed, including but not limited to any roads with drainage systems, municipal streets, gutters, curbs, inlets, piped storm drains, pumping facilities, retention and detention basins, natural and human-made or altered drainage channels, reservoirs, and other drainage structures.

Storm Water. Any surface flow, runoff, and drainage consisting entirely of water from any form of natural precipitation, and resulting from such precipitation.

Storm Water Pollution Prevention Plan. A document which describes the Best Management Practices and activities to be implemented by a person or business to identify sources of pollution or contamination at a site and the actions to eliminate or reduce pollutant discharges to STORMWATER, STORMWATER Conveyance Systems, and/or Receiving Waters to the Maximum Extent Practicable.

Wastewater means any water or other liquid, other than uncontaminated storm water, discharged from a facility.

Section 2 ADMINISTRATION

The **IRONDALE** shall administer, implement, and enforce the provisions of this ordinance. Any powers granted or duties imposed upon the **IRONDALE** may be enforced by _____ or delegated in writing by an official of the **IRONDALE** to persons or entities acting in the beneficial interest of or in the employ of the agency.

Section 3 ILLICIT DISCHARGE PROHIBITIONS

Section 3.1 Prohibition of Illegal Discharges.

No person shall discharge or cause to be discharged into the municipal storm drain system or watercourses any materials, including but not limited to pollutants or waters containing any pollutants that cause or contribute to a violation of applicable water quality standards, other than stormwater.

Section 3.2 Illegal Discharges Exemptions.

The prohibition shall not apply to any non-storm water discharge permitted under an NPDES permit, waiver, or waste discharge order issued to the discharger and administered under the authority of the Federal Environmental Protection Agency, provided that the discharger is in full compliance with all requirements of the permit, waiver, or order and other applicable laws and regulations, and provided that written approval has been granted for any discharge to the storm drain system.

The following discharges are exempt from discharge prohibitions established by this ordinance provided that they have been determined not to be a substantial contributor of pollutants by the City or Alabama Department of Environmental Management (ADEM):

- a) Water line flushing
- b) Landscape irrigation or lawn watering (not consisting or treated, or untreated wastewater unless otherwise authorized)
- c) Diverted stream flows
- d) Uncontaminated ground water infiltration
- e) Uncontaminated pumped groundwater
- f) Discharges from potable water sources
- g) Foundation or footing drains (not including active groundwater dewatering systems)
- h) air conditioning condensation or drains
- i) Irrigation water (not consisting or treated, or untreated wastewater unless otherwise authorized)
- j) Rising groundwater
- k) Springs
- l) Water from crawl space pumps
- m) Lawn watering runoff
- n) Individual residential car washing, to include charitable carwashes
- o) Residential street wash water
- p) Discharges or flows from firefighting activities (including fire hydrant flushing)
- q) Flows from natural riparian habitat or wetlands
- r) Dechlorinated swimming pool discharges
- s) Dye testing is an allowable discharge but requires a verbal notification to the **IRONDALE** before the time of the test.

Section 3.3 Prohibition of Illicit Connections.

- a) The construction, use, maintenance or continued existence of illicit connections to the storm drain system is prohibited.
- b) This prohibition expressly includes, without limitation, illicit connections made in the past, regardless of whether the connection was permissible under law or practices applicable or prevailing at the time of connection.

- c) A person is considered to be in violation of this ordinance if the person connects a line conveying sewage to the MS4, or allows such a connection to continue.

**Section 4
SUSPENSION OF MS4 ACCESS**

Section 4.1 Suspension Due to Illicit Discharges in Emergency Situations.

The **IRONDALE** may, without prior notice, suspend MS4 discharge access to a person when such suspension is necessary to stop an actual or threatened discharge which presents or may present imminent and substantial danger to the environment, or the health or welfare of persons, or the MS4 or Waters of the United States. If the violator fails to comply with a suspension order issued in an emergency, the **IRONDALE** may take such steps as deemed necessary to prevent or minimize damage to the MS4 or Waters of the United States, or to minimize danger to persons.

Section 4.2 Suspension Due to the Detection of Illicit Discharge.

Any person discharging to the MS4 in violation of this ordinance may have their MS4 access terminated if such termination would abate or reduce an illicit discharge. The **IRONDALE** will notify a violator of the proposed termination of its MS4 access. The violator may petition the **IRONDALE** for a reconsideration and hearing.

A person commits an offense if the person reinstates MS4 access to premises terminated under this Section, without the prior approval of the **IRONDALE**.

**Section 5
INDUSTRIAL, COMMERCIAL OR CONSTRUCTION ACTIVITY
DISCHARGES**

Any person subject to an industrial, commercial or construction activity NPDES stormwater discharge permit shall comply with all provisions of such permit. Proof of compliance with a said permit may be required in a form acceptable to the **IRONDALE** before the allowing of discharges to the MS4.

**Section 6
MONITORING OF DISCHARGES**

Section 6.1 Applicability.

This section applies to all facilities that have stormwater discharges associated with industrial, commercial, and construction activity.

Section 6.2 Access to Facilities.

- a) The **IRONDALE** shall be permitted to enter and inspect facilities subject to regulation under this ordinance as often as may be necessary to determine compliance with this ordinance. If a discharger has security measures in force which require proper identification and clearance before entry into its premises, the discharger shall make the necessary arrangements to allow access to representatives of the **IRONDALE**.
- b) Facility operators shall allow the **IRONDALE** ready access to all parts of the premises for the purposes of inspection, sampling, examination, and copying of records that must be kept under the conditions of an NPDES permit to discharge stormwater, and the performance of any additional duties as defined by state and federal law.
- c) The **IRONDALE** shall have the right to set up on any permitted facility such devices as are necessary in the opinion of the **IRONDALE** to conduct monitoring and/or sampling of the facility's stormwater discharge.
- d) The **IRONDALE** has the right to require the discharger to install monitoring equipment as necessary. The facility's sampling and monitoring equipment shall be maintained at all times in a safe and proper operating condition by the discharger at its own expense. All devices used to measure **STORMWATER** flow, and quality shall be calibrated to ensure their accuracy.
- e) Any temporary or permanent obstruction to safe and easy access to the facility to be inspected and/or sampled shall be promptly removed by the operator at the written or oral request of the **IRONDALE** and shall not be replaced. The costs of clearing such access shall be borne by the operator.
- f) Unreasonable delays in allowing the **IRONDALE** access to a permitted facility is a violation of a stormwater discharge permit and of this ordinance. A person who is the operator of a facility with an NPDES permit to discharge stormwater associated with industrial activity commits an offense if the person denies the **IRONDALE** reasonable access to the permitted facility for the purpose of conducting any activity authorized or required by this ordinance.
- g) If the **IRONDALE** has been refused access to any part of the premises from which **STORMWATER** is discharged, and he/she is able to demonstrate probable cause to believe that there may be a violation of this ordinance, or that there is a need to inspect and/or sample as part of a routine inspection and sampling program designed to verify compliance with this ordinance or any order issued hereunder, or to protect the overall public health, safety, and welfare of the community, then the **IRONDALE** may seek issuance of a search warrant from any court of competent jurisdiction.

Section 7
**REQUIREMENT TO PREVENT, CONTROL, AND REDUCE STORMWATER
POLLUTANTS BY THE USE OF BEST MANAGEMENT PRACTICES**

IRONDALE will adopt requirements identifying Best Management Practices for any activity, operation, or facility which may cause or contribute to pollution or contamination of stormwater, the storm drain system, or waters of the U.S. The owner or operator of a commercial or industrial establishment shall provide, at their own expense, reasonable protection from accidental discharge of prohibited materials or other wastes into the municipal storm drain system or watercourses through the use of these structural and non-structural BMPs. Further, any person responsible for a property or premise, which is, or may be, the source of an illicit discharge, may be required to implement, at said person's expense, additional structural and non-structural BMPs to prevent the further discharge of pollutants to the municipal separate storm sewer system. Compliance with all terms and conditions of a valid NPDES permit authorizing the discharge of stormwater associated with industrial activity, to the extent practicable, shall be deemed compliance with the provisions of this section. These BMPs shall be part of a STORMWATER pollution prevention plan (SWPP) as necessary for compliance with the requirements of the NPDES permit.

Section 8
WATERCOURSE PROTECTION

Every person owning property through which a watercourse passes, or such person's lessee, shall keep and maintain that part of the watercourse within the property free of trash, debris, excessive vegetation, and other obstacles that would pollute, contaminate, or significantly retard the flow of water through the watercourse. Also, the owner or lessee shall maintain existing privately-owned structures within or adjacent to a watercourse, so that such structures will not become a hazard to the use, function, or physical integrity of the watercourse.

Section 9
NOTIFICATION OF SPILLS

Notwithstanding other requirements of law, as soon as any person responsible for a facility or operation, or responsible for emergency response for a facility or operation has information of any known or suspected release of materials which are resulting or may result in illegal discharges or pollutants discharging into storm water, the storm drain system or water of the U.S. said person should take all necessary steps to ensure the discovery, containment, and cleanup of such release. In the event of such a release of hazardous materials said person shall immediately notify emergency response agencies of the occurrence via emergency dispatch services. In the event of a release of non-hazardous materials, said person shall notify the **IRONDALE** in person or by phone or facsimile no later than the next business day. Notifications in person or by phone shall be confirmed by written notice addressed and mailed to the **IRONDALE** within three business days of the phone notice. If the discharge of prohibited materials emanates from a commercial or industrial establishment, the owner or operator of such establishment shall also retain an on-site written record of the discharge and the actions taken to prevent its recurrence. Such

records shall be retained for at least three years.

Section 10 ENFORCEMENT AND ABATEMENT

Whenever the **IRONDALE** finds that a person has violated a prohibition or failed to meet a requirement of this Ordinance, the **IRONDALE** may enforce the ordinance with escalating procedures.

Section 10.1 Notification; Enforcement Remedies.

- (a) Warning Notice: A warning notice of violation is the lowest level of formal response to a violation. It is a verbal or written response presented to the violator shortly after a violation has been identified and is intended for minor violations that would not cause significant harm to the environment.

- (b) Notification of Violation: Whenever the Official finds that any person is in violation of any provision of this ordinance, or any order issued hereunder, the Official or his agent may serve upon such person written notice of the violation requiring the removal of illicit discharges and immediate cessation improper disposal practices within ten (10) calendar days of the date of such notice. Compliance by written notice of violation to the responsible person may require without limitation:
 - 1. The performance of monitoring, analyses, and reporting;
 - 2. The abatement or remediation of stormwater pollution or contamination hazards and the restoration of any affected property; and
 - 3. Payment of a fine to cover administrative and remediation costs; and
 - 4. The implementation of source control or treatment BMPs.

- (c) Compliance Order: Whenever abatement of a violation and/or restoration of the affected property is not possible within ten (10) days, a compliance order may be issued to the violator. The order shall set forth a deadline within which such remediation or restoration must be completed. Said order shall further advise that, should the violator fail to remediate or restore within the established deadline, the work will be done by a designated governmental agency or a contractor, and the expense thereof shall be charged to the violator.

Section 10.2 Appeal of Violation.

Any person receiving a Notice of Violation or Compliance Order may appeal the determination of the **IRONDALE**. The notice of appeal must be received within ten (10) days from the date of the Notice of Violation/Compliance Order. Hearing on the appeal before the appropriate authority or his/her designee shall take place within fifteen (15) days from the date of receipt of the notice of appeal. The decision of the municipal authority or

their designee shall be final.

Section 10.3 Enforcement Measures After Appeal.

If the violation has not been corrected pursuant to the requirements set forth in the Notice of Violation, or, in the event of an appeal, within **thirty (30) days** of the decision of the municipal authority upholding the decision of the **IRONDALE**, then representatives of the **IRONDALE** shall enter upon the subject private property and are authorized to take any and all measures necessary to abate the violation and/or restore the property. It shall be unlawful for any person, owner, agent or person in possession of any premises to refuse to allow the government agency or designated contractor to enter upon the premises for the purposes set forth above.

Section 10.4 Cost of Abatement of the Violation.

Within _____ days after abatement of the violation, the owner of the property will be notified of the cost of abatement, including administrative costs. The property owner may file a written protest objecting to the amount of the assessment within _____ days. If the amount due is not paid within a timely manner as determined by the decision of the municipal authority or by the expiration of the time in which to file an appeal, the charges shall become a special assessment against the property and shall constitute a lien on the property for the amount of the assessment.

Any person violating any of the provisions of this ordinance shall become liable to the city by reason of such violation. The liability shall be paid in not more than 12 equal payments. Interest at the rate of twelve (12) percent per annum shall be assessed on the balance beginning on the 1st day following the discovery of the violation.

Section 10.5 Injunctive Relief.

It shall be unlawful for any person to violate any provision or fail to comply with any of the requirements of this Ordinance. If a person has violated or continues to violate the provisions of this ordinance, the **IRONDALE** may petition for a preliminary or permanent injunction restraining the person from activities which would create further violations or compelling the person to perform abatement or remediation of the violation.

Section 10.6 Compensatory Action.

In lieu of enforcement proceedings, penalties, and remedies authorized by this Ordinance, the **IRONDALE** may impose upon a violator alternative compensatory actions, such as storm drain stenciling, attendance at compliance workshops, creek cleanup, etc.

Section 10.7 Violations Deemed a Public Nuisance.

In addition to the enforcement processes and penalties provided, any condition caused or permitted to exist in violation of any of the provisions of this Ordinance is a threat to public health, safety, and welfare, and is declared and deemed a nuisance, and may be summarily abated or restored at the violator's expense, and/or a civil action to abate, enjoin, or otherwise compel the cessation of such nuisance may be taken.

Section 10.8 Criminal Prosecution.

Any person that has violated or continues to violate this ordinance shall be liable to criminal prosecution to the fullest extent of the law, and shall be subject to a criminal penalty of \$500 dollars per violation per day and/or imprisonment for a period of time not to exceed one hundred and eighty (180) days.

The **IRONDALE** may recover all attorney's fees court costs and other expenses associated with the enforcement of this ordinance, including sampling and monitoring expenses.

Section 10.9 Remedies Not Exclusive.

The remedies listed in this ordinance are not exclusive of any other remedies available under any applicable federal, state or local law and it is within the discretion of the **IRONDALE** to seek cumulative remedies.

Section 11 MISCELLANEOUS

Section 11.1 Applicability.

This ordinance shall apply to all water entering the storm drain system generated on any developed and undeveloped lands unless explicitly exempted by an **IRONDALE**.

Section 11.2 Severability.

The provisions of this ordinance are hereby declared to be severable. If any provision, clause, sentence, or paragraph of this Ordinance or the application thereof to any person, establishment, or circumstances shall be held invalid, such invalidity shall not affect the other provisions or application of this Ordinance.


Section 11.3 Ultimate Responsibility.

The standards set forth herein and promulgated pursuant to this ordinance are minimum standards; therefore, this ordinance does not intend nor imply that compliance by any person will ensure that there will be no contamination, pollution, nor unauthorized discharge of pollutants.

Section 11.4 Effective Date.

This ordinance shall be published as required by law and shall become effective on June 7, 2018.

ADOPTED & APPROVED this the 7th day of June 2018.



Charles Moore, Mayor

CERTIFICATION

I, James D. Stewart Jr., City Clerk of the City of Irondale, Alabama, hereby certifies the above to be a true and correct copy of a resolution adopted by the City Council of the City of Irondale at its regular meeting held on June 7, 2018, as same appears in the minutes of record of said meeting.

ATTEST:



James D. Stewart Jr., City Clerk

2011

Guidelines and Standard
Operating Procedures



Chapter 1


I. INTRODUCTION

The Introduction section describes the regulatory basis, overall organization, and intended audience of the Manual.

2.1 BASIS FOR THE MANUAL

In October 2001, The Alabama Department of Management (ADEM) in accordance with the Environmental Protection Agency (EPA) issued a National Pollutant Discharge Elimination System (NPDES) for stormwater discharges from Municipal Separate Storm Sewer Systems (MS4s). The 21 municipalities comprising the Storm Water Management Authority, Inc became subject to stormwater Phase I regulations based on their designation as high-density urbanized areas according to the 2000 US Census. See Figure 1-1 for a map of the regulated municipalities.

Figure 1-1: Storm Water Management Authority, Inc Municipalities



The regulation specifies that a new general permit be issued by ADEM on a revolving five year basis. The General permit is valid until the new permit is issued and requires each municipality to develop a five year plan to:

“(R)educe the discharge of pollutants from the MS4 to the maximum extent practicable; protect water quality, and satisfy the water quality requirements of the Clean Water Act and state water quality standards.”

The 21 municipalities decided to best meet the goals of the permit that a uniform organization, Storm Water Management Authority, Inc, Inc. (Storm Water), would need to be formed. In September 2009, the members of Storm Water contracted with the Jefferson County Department of Health to perform certain stormwater duties for each municipality. The municipalities incorporated into Storm Water before this Manual did not have written standardized procedures for carrying out municipal operations that pertain to the management of stormwater. This Manual is the creation of such a standardization that provides a commonly accepted framework, technical standards, and guidance on stormwater management measures that control the quantity and quality of stormwater produced from common municipal activities. This Manual will aid in helping a communities’ Illicit Discharge Detection and Elimination (IDDE) program and provide a basis for future employee training

This manual will not only provide assistance to municipalities to meet the Stormwater Phase I regulations, but encourages them to use targeted best management practices (BMPs) within the watershed with the long-term goal of consistent application by all regulated entities within the watershed. The Manual of Guidelines and Standard Operating Procedures will help promote improvement in the water quality of Jefferson County’s lakes, ponds, streams, and rivers.

2.2 OBJECTIVES OF THE MANUAL

The specific objectives of the Manual are to

- Provide a uniform set of technical standards and guidance on stormwater management measures that will control both the quantity and quality of stormwater produced by municipal activities, new development, redevelopment, and post-construction;
- Assist municipalities in meeting Stormwater Phase I requirements;

- Encourage the use of uniform BMP strategies with the long term goal of consistent application by all regulated entities within the watershed;
- Encourage municipal cost-savings through proper and timely maintenance of stormwater systems; and
- Promote behavior that will improve the water quality throughout Jefferson County

2.3 CONTENT OF THE MANUAL

The content of this Manual is based primarily on the select requirements of the Stormwater Phase I program. The five year plan for each community must address the following control measures:

1. Public Education and Outreach on Stormwater Impacts
2. Public Involvement and Participation
3. Illicit Discharge Detection and Elimination (IDDE)
4. Industrial Inspection Program
5. Construction Site Stormwater Runoff Control
6. Post-Construction Stormwater Management in New Development and Redevelopment
7. Pollution Prevention/Good Housekeeping for municipal operations
8. Promotion of Green Development
9. Roadway Procedures
10. Pesticide, Herbicide, and Fertilizer Application
11. Flood Control Projects
12. Spill Prevention and Response

This Manual addresses components for two of the minimum control measures, Illicit Discharge Detection and Elimination and Pollution Prevention/Good Housekeeping, as follows:

Illicit Discharge Detection and Elimination (IDDE) – This Manual describes the procedures that are used to develop the IDDE program for the MS4s in the 21 municipalities covered under the permit. The program is based on the specific needs of each municipality and the watershed it falls within. This Manual offers the outline of the steps used by JCDH to develop an overall IDDE program that is implemented by each municipality. The basic steps currently underway by JCDH are: 1) Location of priority areas likely to have illicit discharges 2) Mapping of all storm drain systems 3) implementing an illicit discharge detection program through dry screening and outfall monitoring 4) Developing uniform procedure to trace sources of illicit discharging 5) Developing

procedures to remove sources, and 6) Evaluating overall IDDE program effectiveness. This Manual provides information on each of the six steps currently being deployed by JCDH, and how they result in an effective IDDE program that fulfills the intent of the General Permit.

Pollution Prevention/Good Housekeeping for Municipal Operations –

This Manual provides the Program Manager and municipal staff with the resources and technical references to aid Jefferson County Department of Health and Storm Water Management Authority, Inc in implementing their own Pollution Prevention/Good Housekeeping program. The General Permit requires the following Pollution Prevention/Good Housekeeping components as part of the overall plan:

- a) *A program with a goal of preventing and/or reducing pollutant runoff from municipal operations. The program will include employee training through Jefferson County Department of Health in cooperation with the Storm Water Management Authority, Inc.*
- b) *Maintenance activities for the following: parks and open spaces (area such as public golf courses and athletic fields); fleet maintenance, building maintenance; new construction and land disturbance; roadway drainage system maintenance and storm sewer maintenance.*
- c) *Schedules and records for municipal maintenance activities in paragraph (b) above.*
- d) *Inspection procedures and schedules for long term structural controls.*

This approach allows for flexibility in communities that are in the Stormwater Management Authority to develop their own unique programs according to community needs and available resources.

2.4 MANUAL AUDIENCE AND ORGANIZATION

The Stormwater Phase I Program requires the development of new programs as well as training for municipal employees to implement the overall stormwater program during daily activities. For this reason the Manual addresses two distinct types of audiences (1) City Engineers; JCDH personnel; City Officials, and (2) municipal employees, such as public works personnel, who implement the programs on a day-to-day basis.

Chapter 1 will provide an introduction and overview of the Manual. Chapter 2, *Illicit Discharge Detection and Elimination*, presents procedures for City Engineers, JCDH personnel, and City Officials to use in identifying high priority areas, tracing illicit discharges, and

eliminating illicit discharges in a timely manner. Chapter 3, *Pollution Prevention and Good Housekeeping*, provides the general details on the many ways that municipal activities such as vehicle and facilities maintenance may adversely affect stormwater, and presents ways to modify municipal operations to better prevent and reduce stormwater pollution.

Chapter 3 also gives some details on how to develop procedures related to good housekeeping and pollution prevention.

The Appendices are intended for use by “in-the-field” municipal employees. Appendix A contains some guidelines and standard operating procedures (SOPs) employed by Storm Water Management Authority, Inc and JCDH for use in the detection and elimination of illicit discharges. Appendix B contains guidelines, SOPs, and forms to use in applying pollution prevention and good housekeeping techniques during regular work duties.

The guidelines will be divided into three categories to make them easier for all users. These categories are: Always, whenever possible, and Never. Facility Managers are encouraged to keep up with any changes that occur in specific regulatory compliances with any SOPs in this Manual and should contact Storm Water Management Authority, Inc accordingly. Specific training on the guidelines and SOPs will help to reinforce their importance and encourage implementation.

2.5 COMMON STORMWATER POLLUTANTS, SOURCES, AND IMPACTS

Stormwater runoff contains pollutants that can harm human health, degrade water quality and aquatic habitat, impair water recreational activities, and impair ecosystem functions. On its way into our local streams, rivers, and other receiving waterbodies, stormwater runoff accumulates pollutants such as oil, gas, and other hydrocarbons, heavy metals, deicers, pesticides, fine sediment, fertilizers and bacteria(pathogens), all of which cause impairment to water quality. Runoff from fertilized lawns, golf courses, right-of-ways, and city parks can contribute excess nutrients to waterbodies, which can lead to algal blooms and in extreme cases, fish kills events due to low dissolved oxygen levels. Elevated fecal coliform from sewage or other sources can impair water quality and can lead to restrictions on use and enjoyment of natural resources such as fishing and swimming areas. Other stormwater pollutants of concern are toxic contaminants, such as heavy metals, mercury, pesticides, which can come from vehicles, businesses, or from homeowner activities.

All of these pollutants can be dissolved in water and can wash into receiving bodies during storm events. Understanding the sources of these pollutants and the impacts each pollutant has can help identify the priority goals and objectives of your specific municipality. Table 1-1 summarizes common stormwater pollutants, their sources and potential impacts.

TABLE 1-1: COMMON STORMWATER POLLUTANTS, SOURCES AND IMPACTS		
Pollutant	Sources	Impact
Sediment	Construction sites; eroding stream banks and lakeshores; winter sand and salt application; vehicle/boat washing; agricultural sites.	Destruction of plant and fish habitat; transportation of attached oils, nutrients and other pollutants; increased maintenance costs, flooding.
Nutrients (phosphorus, nitrogen)	Fertilizers; malfunctioning septic systems; livestock, bird & pet waste; vehicle/boat washing; grey water; decaying grass and leaves; sewer overflows; leaking trash containers, leaking sewer lines.	Increased potential for nuisance or toxic algal blooms; increased potential for hypoxia/anoxia (low levels of dissolved oxygen which can kill aquatic organisms).
Hydrocarbons (petroleum compounds)	Vehicle and equipment leaks; vehicle and equipment emissions; pesticides; fuel spills; equipment cleaning; improper fuel storage & disposal.	Toxic to humans and aquatic life at low levels.
Heavy Metals	Vehicle brake and tire wear; vehicle/equipment exhaust; batteries; galvanized metal; paint and wood preservatives; batteries; fuels; pesticides; cleaners.	Toxic at low levels; drinking water contamination.
Pathogens (Bacteria)	Livestock, bird and pet wastes; malfunctioning septic systems; sewer overflows; damaged sanitary lines.	Risk to human health leading to closure of shellfish areas and swimming areas; drinking water contamination.

USEPA defines an illicit discharge as any discharge to an MS4 that is not composed entirely of stormwater or the allowable non-stormwater discharges such as water from fire fighting activities, infiltrating groundwater, etc.. (See list below).

Chapter 2

II. ILLICIT DISCHARGE DETECTION AND ELIMINATION

Allowable Non-Stormwater Discharges

1. Water line flushing
2. Landscape irrigation
3. Diverted stream flows
4. Rising ground waters
5. Uncontaminated ground water infiltration (as defined in 40 CFR 35.2005 (20))
6. Uncontaminated pumped ground water
7. Discharge from potable water source
8. Foundation drains
9. Air conditioning condensation
10. Irrigation water, springs
11. Water from crawl space pumps
12. Footing drains
13. Lawn watering
14. Individual resident car washing
15. Flows from riparian habitats and wetlands
16. Dechlorinated swimming pool discharges
17. Street wash water
18. Residential building wash waters, without detergents

In our communities, the municipal separate storm drain systems discharge to receiving waterbodies without treatment. Therefore, it is particularly important that only stormwater is discharged and to ensure that illicit discharges are eliminated from the system. The General Permit requires that an effective IDDE program be developed by the regulated municipalities. The use of SOPs by JCDH and Storm Water Management Authority, Inc will allow for a unified approach to formulating an effective IDDE program. The Center for Watershed Protection's (CWP) *Illicit Discharge Detection and Elimination- A Guidance Manual for Program Development and Technical Assessments* (2004) , the New England Interstate Water Pollution Control Commission's (NEIWPCC) *Illicit Discharge Detection and Elimination Manual- A Handbook for Municipalities* (2003) , and *Guidelines and Standard Operating Procedures- Illicit Discharge Detection and Elimination and Pollution Prevention/ Good Housekeeping* were used to develop this chapter.

This chapter provides some procedures that are being employed or deemed necessary to create an effective IDDE program in accordance with the USEPA General Permit. City officials should have a good understanding of the types of illicit discharges that may be encountered and the proper procedures and roles that are deployed by Storm Water Management Authority, Inc, JCDH, and the local municipality to address the problems. Section 2.1 describes various types of illicit discharges that may be encountered throughout Jefferson County. The next sections address additional steps that can be taken or are currently underway to create an effective IDDE program. The subsequent sections will then address additional steps that are being taken by Storm Water Management Authority, Inc, Inc. and JCDH to create an effective IDDE program such as: locating priority areas within Jefferson County (Section 2.2), storm-drain mapping (Section 2.3), detecting illicit discharges (Section 2.4), tracing illicit discharges back to its source (Section 2.5), removing illicit

discharges (Section 2.6), and tracking illicit discharges (Section 2.7). Lastly, Section 2.8 provides an approach to evaluating the overall IDDE program.

2.1 TYPES AND SOURCES OF ILLICIT DISCHARGES

The USEPA defines an illicit discharge as *“any discharge to a regulated small MS4 or to the waters of the State of Alabama that does not consist entirely of stormwater or allowable non-stormwater discharges”*. Illicit discharges are often categorized according to frequency, which provides information about the source and helps determine which tracing procedures may be useful in locating the discharge. The following three categories provide a good basis for defining illicit discharges:

1. Transitory illicit discharges are typically single occurrence events resulting from spills, breaks, dumping or accidents. Transitory illicit discharges are often reported to an authority through the JCDH Stormwater Hotline (205) 930-1999, the local municipality, or through a municipal or JCDH employee observation while performing regular duties. Because they are not recurring, they are the most difficult to identify, trace, and remove. The best methods to reduce transitory discharges is through the use of education to the general public, municipal response personnel, tracking of discharge locations, and enforcement of an illicit discharge ordinance.
2. Intermittent illicit discharges occur occasionally over a period of time (several hours per day, or a few days per year). Intermittent discharges can result from legal connections to the storm drain system, such as a legal sump pump connection that is illegally discharging anything other than groundwater. Intermittent discharges can also result from activities such as a drum washing in exterior areas. These types of discharges are more likely to be discovered, and are less difficult to trace and remove, but can still present significant challenges. These discharges can have large or small impacts on waterbodies depending on pollutant content, duration, and the size of the receiving water body.
3. Continuous illicit discharges are typically the result of direct connection from a sanitary sewer, overflow from a malfunctioning septic system, inflow from a connection from a commercial or industrial facility. Continuous illicit discharges are usually easiest to trace and can have substantial pollutant loads. (CWP 2004).

Land use should be a major contributing factor when looking for illicit discharges. Table 2-1 provides a list of conditions and activities that may produce transitory and intermittent discharge, along with associated sources and land use. Table 2-2 lists possible sources of continuous discharges and their associated land use.

TABLE 2-1: LAND USES, LIKELY SOURCE LOCATIONS AND ACTIVITIES THAT CAN PRODUCE TRANSITORY OR INTERMITTENT ILLICIT		
Land Use	Likely Source Locations	Condition or Activity that Produces Discharge
Residential	<ul style="list-style-type: none"> • Apartments • Multi-family • Single family detached 	<ul style="list-style-type: none"> • Driveway cleaning • Dumping/spills (e.g., leaf litter and RV/boat holding tank effluent) • Equipment/vehicle wash-downs • Septic system maintenance • Swimming pool discharges
Commercial	<ul style="list-style-type: none"> • Campgrounds/RV parks • Car dealers/rental car companies • Car washes • Commercial laundry/dry cleaning • Gas stations/auto repair shops • Marinas • Nurseries and garden centers 	<ul style="list-style-type: none"> • Building maintenance (power washing) • Dumping/spills • Landscaping/grounds care • Outdoor fluid storage • Parking lot maintenance (power washing) • Vehicle fueling • Vehicle maintenance/repair • Vehicle washing • Wash-down of greasy equipment and grease traps

Industrial	<ul style="list-style-type: none"> • Auto recyclers • Beverages and brewing • Construction vehicle washouts • Distribution centers • Food processing • Garbage truck washouts • Marinas, boat building and repair • Metal plating operations • Paper and wood products • Petroleum storage and refining • Printing 	<ul style="list-style-type: none"> • Industrial process water or rinse water • Loading and un-loading area wash-downs • Outdoor material storage
Municipal	<ul style="list-style-type: none"> • Airports • Landfills • Maintenance depots • Municipal fleet storage areas • Ports • Public works yards • Streets and highways • Golf courses • Schools 	<ul style="list-style-type: none"> • Building maintenance (power washing) • Dumping/spills • Landscaping/grounds care • Outdoor fluid storage • Parking lot maintenance (power washing) • Road maintenance • Emergency response • Vehicle fueling • Vehicle maintenance/repair • Vehicle washing • Aircraft deicing

TABLE 2-2: LAND USES, LIKELY SOURCE LOCATIONS AND ACTIVITIES THAT CAN PRODUCE <u>CONTINUOUS</u> ILLICIT DISCHARGES	
Land Use	Condition or Activity that Produces Discharge
Residential	<ul style="list-style-type: none"> • Failed sanitary sewer infiltrating into storm drain • Sanitary sewer connection into storm drain • Failed septic systems discharging to storm drain system
Commercial/Industrial	<ul style="list-style-type: none"> • Failed sanitary sewer infiltrating into storm drain • Process water connections into storm drain • Sanitary sewer connection into storm drain
Municipal	<ul style="list-style-type: none"> • Failed sanitary sewer infiltrating into storm drain • Sanitary sewer connection into storm drain

SOURCE (Tables 2-1 and 2-1) : Modified from Illicit Discharge Detection and Elimination: A Guidance Manual for Program Development and

Technical Assessments, Center for Watershed Protection, 2004. p.12, Table 2.

The illicit discharge detection system provided by Storm Water Management Authority, Inc, Inc and JCDH uses these criteria to provide an effective detection and elimination program to address all types of illicit discharges.

2.2 LOCATING PRIORITY AREAS

Section 2.2 provides the methodology for locating priority areas that have a high potential for illicit discharges. Storm Water Management Authority, Inc, Inc and JCDH are continually evaluating/improving this process as changes arise and illicit discharges are removed (described in Section 2.6) This allows for a continuous modeling approach on where illicit discharge detection assets should be placed.

To locate priority areas within our municipalities JCDH is:

1. Continually monitoring watersheds for any substantial changes such as local water quality classifications (303 d and various others) by using current water quality monitoring for trending data. This helps divide the watershed into discrete areas that can obtain different priority levels.
2. Gathering and evaluating available information that provide clues as to where in the community illicit discharges might be found (e.g. older neighborhoods, industrial parks, and gentrified neighborhoods). This is done by taking data from ADEM issued NPDES permits, Sanitary Sewer Overflows, Land usage, and outfall quantity and type and plotting them using Geographical Information System (GIS) mapping technology. The maps are then examined for areas where concentrations of all these components tend to occur.
3. Using existing information to assess where illicit discharges may be found and what waterbodies are particularly sensitive (e.g. , drinking water sources, areas containing unique biodiversity, and swimming areas).

The following subsections present further discussion on each of these areas. The mapping and watershed prioritization conducted by Storm Water Management Authority, Inc, Inc and JCDH will help to manage each of these areas.


Natural Resource
Conservation Service (NCRS)
HUC

Level	Name	Number
1	Region	2 digit
2	Sub-Region	4 digit
3	Basin	6 digit
4	Sub-basin	8 digit
5	Watershed	10 digit
6	Subwatershed	12 digit
7	Drainage	14 digit
8	Site	16 digit

2.2.1 Identify Watersheds and Waterbodies

In order to identify priority areas where illicit discharges may occur, a decision must be made as to how to define an “area”. The Center for Watershed Protection recommends defining watersheds for individual waterbodies. The National Hydrograph Dataset has a Hydrologic Unit Code (HUC 10) that is used throughout Jefferson County. These 10 digit HUC codes provide an overall framework for delineating the 11 watershed areas within Jefferson County.

Figure 2-1 : Jefferson County HUC 10 Watersheds



This approach is particularly useful when reviewing the 303(d) list of impaired waters. Although wetlands are not taken into the HUC coding program they are taken into account in any water resource planning.

2.2.2 Review Available Information

Priority areas for our overall IDDE program will vary from one municipality to another depending on water quality conditions, land use, etc. The following is a list of resources that is compiled on a continual basis as well as a brief description of the factors used in the prioritization process:

- GIS land use maps - industrial areas with high density development may have a high potential to contain an illicit discharge.

Some Common Impairments in Jefferson County

- Nutrients
- Siltation
- Pathogens
- Pesticides (Dieldrin)
- Turbidity
- Temperature
- pH
- Oil and grease

- Locations of previous illicit discharges- areas with historical illicit discharge reports or previous citizen complaints are considered high priority.
- Approximate density of known outfalls per stream mile - areas with a high density of outfalls are considered high priorities.
- Age of infrastructure/development – older areas of the community with known high septic tank failure rates or improper stormwater infrastructure is considered a priority.
- Location of public sanitary sewer/age of sewer/date of separation – Older areas that were put on sewer long ago or have or have areas that are susceptible to pipe erosion are considered a priority.
- Water Quality Information

Water Quality Classification for the State of Alabama applicable to Jefferson County is as follows:

- Outstanding Alabama Water (OAW)
- Public Water Supply (PWS)
- Swimming and Other Whole Body Water-Contact Sports (S)
- Fish and Wildlife (F&W)
- Limited Warmwater Fishery (LWF)
- Agricultural and Industrial Water Supply (A&I)

For specific information on the classification of specific rivers go to:

http://www.epa.gov/waterscience/standards/wqslibrary/al/al_4_11wqs.pdf

ADEM 303(d) list – ADEM and EPA evaluate water quality of Alabama surface waterbodies and generate the 303(d) list of impaired water bodies. The list includes a description of the use that is impaired, the cause of the impairment, and the source. In some cases ADEM has identified illicit discharges or wet weather discharges as the cause. If one of the municipalities has a waterbody that is impaired due to wet weather or illicit discharges it becomes a priority to JCDH and Storm Water Management Authority, Inc, Inc. Impaired waters on the 303(d) list will be subjected to Total Maximum Daily Load (TMDL) standard for the pollutant of concern. This TMDL (when available) is factored into the overall IDDE program. This list is provided to the public at

<http://adem.alabama.gov/programs/water/wquality/2010AL303dList.pdf>

- Areas that drain to public beaches or drinking water sources – These areas are designated as high priority areas for public health and economic reasons.

It should be noted that the above list is not exhaustive. There may be additional data pertinent to locating priority areas that are constantly evolving. The use of any of these will be based on the personal knowledge and experience of JCDH as well as Storm Water Management Authority, Inc, Inc officials.

2.2.3 Evaluate Illicit Discharge Potential

The understanding of the unique waterbodies spread throughout the municipalities of Jefferson County allows the officials of Storm Water Management Authority, Inc, Inc and JCDH to establish a priority ranking. This will assign values of High Priority, Medium Priority, or Low Priority to each watershed. Table 2-4 provides an example of one of the components employed where criterion is evaluated for each waterbody and assigned an illicit discharge potential (IDP) of 1 for low potential, 2 for medium potential, and 3 for high potential. The scores for each waterbody are then averaged to produce a resultant overall score for the waterbody that will range from 1 (low priority) to 3 (high priority). Figure 2-2 shows a GIS mapping detection system that is the major component along with scoring that allows for priority areas to be assigned to each watershed.

The IDDE prioritization process allows Storm Water Management Authority, Inc, Inc and JCDH to focus their efforts on:

- Areas that need further mapping
- Community-specific detection techniques
- Prioritization of storm drain system maintenance work

**TABLE 2-4:
EXAMPLE PRIORITIZATION TABLE USING AVAILABLE INFORMATION**

	Land Use	NHDES Category on 303(d) List	Stormwater Outfall Density (# of Outfalls per Stream Mile)	Average Age of Development (years)	Raw IDP Score	Normalized IDP Score**
Area A	Commercial (2)*	Impaired – Other Source (2)*	14 (2)*	40 (2)*	8	2
Area B	Residential (1)	Not Impaired (1)	10 (2)	10 (1)	5	1.25
Area C	Industrial (3)	Impaired – Illicit Discharge or Stormwater (3)	16 (2)	75 (3)	11	2.75
Area D	Residential (1)	Not Impaired (1)	9 (1)	15 (1)	4	1
Area E	Residential (1)	No data available	21 (3)	20 (1)	5	1.67

Notes:

- The number in parentheses is the Illicit Discharge Potential (IDP) “score” (with 3 defined as a high IDP) earned for that area for the category identified. Basis for assigning scores (based on benchmarks) to assess IDP is defined as follows:

Category Definitions	Land Use	JCDH Category	Stormwater Outfall Density	Average Age of Development
High (3)	Industrial	Impaired-illicit discharge or stormwater	>20	>50
Medium (2)	Commercial	Impaired- other source	10-20	25-50
Low (1)	Residential	Not impaired	<10	<25

- Normalizing the raw IDP scores (by dividing the raw score by the number of screening factors assessed) will produce scores that fall into the Standard scale of 1 to 3 for low to high IDP, respectively.

SOURCE: Modified from Illicit Discharge Detection and Elimination: A Guidance Manual for Program Development and Technical Assessments, Center for Watershed Protection, 2004, p.53, Table 15.




Figure 2-2 Shades Creek Watershed

2.3 MAPPING THE SYSTEM

This section will focus on the development of a comprehensive storm drain map using GIS technology. The strategy used to build the storm drain map by JCDH and Storm Water Management Authority, Inc, Inc is as follows:

1. Review/ Office Preparation:
 - a) Existing GIS maps were checked for data in high priority areas first, then medium priority areas, then low priority areas. The maps used came from various sources including Jefferson County, Storm Water Management Authority, Inc, and various state and local agencies. The maps obtained showed land usage, development area patterns, tax maps, as well as old Storm Water Management Authority, Inc priority areas.
 - b) A naming and numbering system was developed for outfalls as well as GIS coordinates and pictures of all outfalls were stored in a data dictionary. This will facilitate future inspections and aid in documentation of maintenance.
 - c) A system of marking outfalls is being employed to help mark outfalls in the field. Spray paint is being examined but a more permanent system would be ideal.
 - d) Equipment was obtained for mapping including all on the list and a few items that are excluded.
 - e) A preliminary schedule was developed to show the various steps need to reach completion. This schedule is subject to change based on factors such as weather, creek level, or other factors.
 - f) Canoes were put into service for areas that could not be walked. Areas that have thick undergrowth were identified as areas to be walked during the fall or winter months.
 - g) Sampling sites and results were taken into account in what areas needed to be first priority.

2. Field verification:
 - a) All major waterbodies within a given area of a municipality are being walked and outfall data collected on a weekly basis. The outfalls are identified using a global positioning system (GPS) unit capable of 3-5 m accuracy. Pathfinder® is being used to post-process the points to even greater accuracy than the GPS unit alone can provide. The outfalls are also being assigned a number in the GPS data dictionary as well as a picture taken by the Trimble Juno GPS Unit.
 - b) Spray paint is used in the field to identify outfalls.
 - c) Dry weather sampling is being conducted in regular intervals at sites designated by JCDH on the major feeder creeks. There are 29 of these sites along the feeder creeks in our municipalities. Dry weather screening on outfalls is also conducted on complaints and whenever an opportunity presents itself.
 - d) Dry weather screen is also being conducted on each tributary area twice a year to document any pollutant loadings.


3. Develop Initial GIS Maps: The storm drain systems are being mapped as a larger part of the GIS database for the Storm Water Management Authority, Inc's municipalities. The new data collected has the option to be displayed with any of the existing data sets. JCDH has the ability to display aerial photography, street maps, municipal boundaries, and various other layers as backdrops for relevant GIS maps. Aerial photographs are one of the most interesting background files to use to display information; however, their large file size (20 MB and larger) can make them impractical for all applications. An alternate way to display our mapped information consisted of downloading either United States Geological Survey (USGS) quadrangles, or a set of roads, political boundaries, waterbodies, and watershed information from various other local and governmental sources.

TIN maps are used by JCDH to formulate 3-dimensional pictures of watersheds and how data can affect the waterbodies therein. The 3-dimensional maps allow water to be traced from source to areas where it will likely be terminate into a major feeder creek.

4. Review and field check other structures (catch basins, culverts, pipes, ditches, drain manholes, etc.):
 - a. Aerial photography was first used to identify stormwater detention structures. Field Staff along with local firemen are now in the process of locating various catch basins that are undetectable using aerial photography, and taking photographs of pipe locations and sizes. The design details will then be used to get a detailed overview of all structures. A GPS unit with a data logger is being used to take photographs and pinpoint locations.
 - b. Quality Assurance/ Quality Control is performed in the office on a daily basis on all data recorded.
 - c. All data collected has a unique point type and number assigned.
5. Incorporate field data into GIS and revise as necessary: Once the GPS data files have been converted into GIS layers, and revised maps have been produced; these maps are proofed to assess their accuracy and completeness. The JCDH reviewer documents any additional data requirements, and corrects any errors in the information collected. A relational database helps JCDH and local municipalities establish the connections between pipes, outfalls, and other structures.

The mapping database should be completed in a four year period depending on resources and availability starting on August, 1, 2010. Below in Figure 2-3 is a sample GIS map generated by JCDH.

Figure 2-3: Storm and Outfall GIS map



All storm drains are marked on a GIS database with a picture assigned to each one.

2.4 DETECTION

Dry Weather Discharge Definition

The CWP defines **dry weather** as a 48 hour period with no runoff producing rain fall. JCDH and Storm Water Management Authority, Inc define dry weather as a 48-72 hour period with less than 1/10-inch rainfall.

Illicit discharges can be detected in many ways. Determining which detection methods are appropriate for a municipality can be a relatively simple process. An example of this selection process is provided in Table 2-6. Sheets such as this as well as the following information are used to generate the areas and the frequency of inspections.


2.4.1 Dry Weather Inspections During Mapping (or initial inspections)

The Dry Weather Inspection Form (see Appendix A) can be used during the mapping to detect the continuous and intermittent discharges. The form is completed whenever evidence of an illicit discharge such as significant flow during dry weather, the presence of raw sewage indicators, staining, or residue, is observed. The discharge is then filed into a complaint form like the one seen below in Figure 2-5.

2.4.2 Long-Term Dry Weather Inspections

Long-term, regular inspections of outfalls are a primary part of JCDH’s IDDE program. Regular inspections are not significantly different from inspections conducted during mapping. The major difference is that a crew or inspector will have historical data to work with to make assessments. These inspections are kept in an electronic data base that is analyzed for any higher than expected sample values by using the bench marks in the Figure 2-4 below. The database is then used to direct inspectors on follow-up visits to investigate problem samples. The database also can provide a graph that gives a good baseline above which a sample should not reach. These sites are sampled at least four times a year and can be sampled on an as needed basis.

Figure 2-4: JCDH Sampling Program



Date Range: 7/6/2009 thru 7/6/2010

Site Name	Sample Date	Test Name	Result Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
VES-CAR-076T	4/5/2010 1:15:00 PM	FECAL COLIFORMS	1	<1.00	COL/100ML	DRY	GRAB	20100 695-01	9222D
VES-CAR-078T	4/5/2010 2:15:00 PM	FECAL COLIFORMS	32	32.0	COL/100ML	DRY	GRAB	20100 696-01	9222D
VES-CAR-079T	4/6/2010 10:20:00 AM	FECAL COLIFORMS	66	66	COL/100ML	DRY	COMP	20100 704-01	9222D
VES-CAR-077T	4/7/2010 10:40:00 AM	FECAL COLIFORMS	28	28	COL/100ML	DRY	GRAB	20100 731-01	9222D

A schedule of long-term inspections for outfalls was then developed. The CWP recommends inspecting all outfalls once, at a minimum, during the first permit cycle in which JCDH is currently inspecting all outfalls and coming up with a grid system to allow for more efficient management of personnel. Further inspections are conducted to supplement the existing JCDH inspections as personnel and funds

allow. Long-term inspections are conducted during dry weather to maximize the potential to observe evidence of illicit discharges and form baseline trends. Winter and summer inspections are conducted at 29 sites to help monitor illicit discharges. The use of interns reduces cost, but to ensure quality of service each intern is trained in safety and identification techniques. If any problems are discovered a procedure is in place to allow for examination by more experienced personnel.

2.5.1 Opportunistic Inspections

Most public works crews conduct their regular duties in and around the storm drain system. A Supervisor may elect to have crews conduct outfall inspections on an informal basis while performing other work, or the supervisor may elect to have crews informally “keep a look out” for illicit discharges. If a city employee observes evidence of an illicit discharge during an informal or non-routine inspection, he/she should collect as much information about the potential illicit discharge as possible then contact his/her supervisor which will relay the information to the JCDH Stormwater hotline at (205)930-1999. A complaint form will then be generated by JCDH containing the information given and will be worked so as to alleviate the problem. A sample complaint form is shown on the next page in Figure 2-4.

Figure 2-4: Sample Complaint Form

Examples of Illicit Discharge Indicators

- Color
 - Floatables
 - Solids
 - Turbidity
 - Oil sheen
 - Grey mat
 - Odor
-

While it may not be possible for all municipal employees to be able to personally call in an illicit discharges. There should be several other ways they can help alleviate this problem such as:

- The person observing the discharge can provide the information verbally to a dispatcher or the supervisor, who can then call in the complaint to the hotline.
- Personnel can log into JCDH's website to report any complaint concerns; however this option may be a bit more time consuming and immediate needs should be called in.
- A "local" JCDH stormwater program employee can be called to come investigate the complaint on an as needed basis.

It is important to collect as much information as possible at the time of the initial observation due to the likelihood that a discharge may be transitory or intermittent. Initial identification of the likely or potential sources of the discharge is also very important.

2.5.2 Citizen Call-In Inspections

A citizen call-in program is an effective way to identify illicit discharges.

JCDH has a stormwater hotline that is accessible and publicized throughout the Storm Water Management Authority, Inc's municipalities. To maximize the effectiveness of citizen call-ins, the complaint system is filtered by an initial inspection so that each complaint is addressed and identified as valid. Upon validation the complaint is worked within 7-10 business days. The form is filled out with the citizen's information along with all relevant complaint information. There are a few ways through letters and faxes that anonymous complaints can be generated but most complaints must have an original complainant so as to be able to notify someone of the results. These are done by environmental health specialists as well as stormwater employees. The hotline is also accessible through JCDH's website at WWW.JCDH.ORG.

2.5.3 Septic System Inspections

Septic System inspections are conducted through JCDH's Community Environmental Protection Division. The older rural and low density areas that are prone to septic tank failures are identified first and any problem is reported internally to that division to handle. Any failure is then handled in a timely manner and the tank is pumped out until the failure is repaired to prevent leaking into the storm sewer system.

2.5 TRACING ILLICIT DISCHARGES

Once an illicit discharge has been reported or detected through an inspection, the next step is to locate the source. Selection of tracing techniques will depend on the type of illicit discharge detected, information collected during the initial discovery period, observation (whether through an inspection by a municipal employee, JCDH regular inspections, or through a citizen call-in), and the resources/technology available to the municipality. A single technique may be used or several techniques may be used in combination to identify the source of the discharge. Figure 2-5 presents a flow chart for selecting tracing techniques that can be applied to the two categories of potential illicit discharges: (1) transitory or intermittent discharges (where upon returning to the site, no flow is present at the location where the illicit discharge was initially reported), and (2) continuous discharges (where upon returning to the site a continuous flow is present and the flow may be more easily traced to its source). Each of these circumstances is described below:


1. Transitory or intermittent discharges: These conditions may occur as a result of an inspection or a citizen complaint. While initial information may have been collected regarding the potential illicit

discharge, a return trip may show that the discharge was either intermittent or transitory (e.g., no flow is present upon return to the site). The investigative techniques used will depend on whether or not a potential source location was identified during the initial observation:

Potential source identified - If a potential source for the illicit discharge was initially identified, steps are taken to investigate the potential source site, such as inspecting the site and storm drain system in the vicinity of the site. If floor drains, sumps, or other suspect discharge locations are observed during this inspection, dye testing, smoke testing, or continuous flow monitoring may be used. These techniques should definitively show whether the suspect site was the source of the illicit discharge.

Potential source not identified - If no source site is suspected, and only the general area of the illicit discharge is known, it may be possible to trace the evidence of the illicit discharge by visual inspection of the storm drain access points. If this catch basin/manhole inspection technique proves to be unsuccessful, some interim steps are taken attempt to capture water from an intermittent discharge. For example, sand bagging, damming or block testing of selected storm drain access points, combined with installation can help reveal the source of the discharge. If these techniques have no positive result (no water pools behind the weir or sand bag), the discharge was likely transitory (one time only), and it may not be possible to determine its origin. In this case, the location of the originally reported illicit discharge is added to the complaint database and tracked for any future incidents. If the original report of the illicit discharge was severe or gross pollution, then smoke testing or televising of the storm drain system may be warranted.

Figure 2-5
Flow Chart for Selecting Tracing Techniques



2. Continuous discharges: Tracing continuous discharges is typically easier than tracing transitory or intermittent discharges. The primary difference between tracing a transitory or intermittent discharge and tracing a continuous discharge is that sandbagging and weirs are not required for a continuous discharge. Visual observation of the system access points should reveal where the flow is coming from. Just as for tracing a transitory or intermittent discharge, if visual inspections fail in identification of the source and the original report was severe or gross pollution, then televising, smoke testing, or sample collection would be warranted. JCDH randomly collects a grab sample for bacterial analysis from any pipe with a significant flow, even if the discharge appears to be clear.

While these conditions may not cover the full extent of discharges that may be discovered, they should provide general guidance on the selection of tracing techniques. The following subsection describes in more detail each of the techniques that can be applied by JCDH, including their advantages and disadvantages.

2.5.1 Tracing Techniques

To select an effective tracing technique, one must have a good understanding of the technique and its limitations. The following is a brief summary of each of the tracing techniques that may be employed by JCDH to locate the source of an illicit discharge:

1. Visual Inspection at manholes/catch basins: This tracing technique is typically used when there is no suspected source site or in residential neighborhoods. It is the most cost effective and efficient method of tracing. Structures are inspected systematically starting at the initial detection location, gradually working upstream through the system. If the inspector is tracking a continuous discharge, the inspections may be relatively easy, and the flow can be traced back to its source. If the inspector is attempting to track a transitory or intermittent discharge, the inspector will make the following observations depending on the information provided from the initial identification: color and clarity of any discharge, staining or deposits on bottom of structure; oil sheen, scum, or foam on any standing fluids in sump of structure; odors, staining or deposits on inlet pipes

and outlet pipes. Depending on what the inspector is looking for, and what they find, they will progressively inspect additional structures until either a potential source is found, or no further evidence is found. If no further evidence is found the inspector may elect to further assess some of the structures by installing sandbags or other damming devices to determine if the discharge recurs. Inspectors are always equipped with proper safety equipment such as proper cone placement, safety vests in traffic areas, confined space entry techniques (if entry is necessary), steel-toed boots, etc.

2. Sampling flowing discharges: As shown in Figure 2-5, samples are collected only in the event a discharge is flowing through the outfall, unless a pollutant is clearly evident in stagnant pools of water or sump water. Table 2-8 lists the parameters that a sample can be analyzed for and provides a general discussion of how the results may be interpreted. This table was taken from the CWP manual (2004) which provides a more detailed discussion of sampling procedures and analysis of results. Sampling and analysis for many of the compounds should be completed by JCDH or other personnel trained in collection, handling, and preservation techniques to ensure accurate data. JCDH recommends collecting a sample when the discharge is initially found and after any source is removed. The sample collected after removing an illicit discharge can indicate if other illicit discharges are present. JCDH also holds the right to test any different chemical or pollutant at the inspector's discretion.

TABLE 2-8: INDICATOR PARAMETERS USED TO DETECT ILLICIT DISCHARGES					
Parameter	Discharge Types it can Detect				Laboratory/Analytical Challenges
	Sewage	Washwater	Tap Water	Industrial or Commercial Liquid Wastes	
Ammonia	●	☑	○	☑	Can change into other nitrogen forms as the flow travels to the outfall.
Boron	☑	☑	○	*	
Chlorine	○	○	○	☑	High chlorine demand in natural waters limits utility to flow with very
Color	☑	☑	○	☑	
Conductivity	☑	☑	○	☑	Ineffective in saline waters, generally highly variable.
Detergents - Surfactants	●	●	○	☑	Reagent is a hazardous waste.
E. coli Enterococci Total Coliform	☑	○	○	○	24-hour wait for results. Need to modify standard monitoring protocols to measure high bacteria concentrations.
Fluoride**	○	○	●	☑	Reagent is a hazardous waste. Exception for communities that do not fluoridate their tap water.
Hardness	☑	☑	☑	☑	
pH	○	☑	○	☑	
Potassium	☑	○	○	●	May need to use two separate analytical techniques, depending on the concentration.
Turbidity	☑	☑	○	☑	
<ul style="list-style-type: none"> ● Can almost always (>80% of samples) distinguish this discharge from clean flow types (e.g., tap water or natural water). For tap water, can distinguish from natural water. ☑ Can sometimes (>50% of samples) distinguish this discharge from clean flow types depending on regional characteristics, or can be helpful in combination with another parameter. ○ Poor indicator. Cannot reliably detect illicit discharges, or cannot detect tap water. * Data are not available to assess the utility as a single parameter, but when combined with additional parameters (such as detergents, ammonia and potassium), it can almost always distinguish between sewage and washwater. ** Fluoride is a poor indicator when used alone, but can distinguish between washwater and sewage when combined with analysis for detergents, ammonia and potassium. 					

SOURCE: Modified from *Illicit Discharge Detection and Elimination: A Guidance Manual for Program Development and Technical Assessments*, Center for Watershed Protection, 2004, p. 122, Table 39

3. Sandbagging or damming: Sandbagging and damming is typically only conducted when the discharge flow has ceased since initial detection. Application of this technique is sparsely used and will show whether the discharge is one time only (no water pools behind the sandbag or dam) or intermittent (water pools behind the sandbag). CWP provides the following explanation:

This technique involves placement of sandbags or similar barriers such as caulk dams within strategic manholes in the storm drain network to form a temporary dam that collects any intermittent flows that may occur. Any flow collected behind the sandbag is then assessed using visual observations or by indicator sampling. Sandbags are lowered on a rope through the manhole to form a dam along the bottom of the storm drain, taking care not to fully block the pipe (in case it rains before the sandbag is retrieved). Sandbags are typically installed at junctions in the network to eliminate contributing branches from further consideration. If no flow collects behind the sandbag, the upstream pipe network can be ruled out as a source of the intermittent discharge. Sandbags are typically left in place for no more than 48 hours, and should only be installed when dry weather is forecast. Sandbags should not be left in place during a heavy rainstorm. They may cause a blockage in the storm drain, or, they may be washed downstream and lost. The biggest downside to sandbagging and damming is that it requires at least two trips to each manhole (CWP, 2004, p.157).

4. Optical brightener monitoring traps: (JCDH is very limited in employing this specific technique because the effectiveness is yet to be determined) Optical brightener monitoring (OBM) traps can be used to trace intermittent or transitory discharges that result from washwater with detergent. Detergents usually contain optical brighteners that can be detected at high concentrations using this method. However, the traps only detect highly concentrated discharges. The detergent concentration required to be detected by the light is approximately the same as pure washwater from a washing machine. Consequently, OBM traps may be best suited as a simple indicator of the presence or absence of intermittent flow or to detect the most concentrated flows. The traps can be made using easily acquired materials.

The traps contain an absorbent, unbleached cotton pad or fabric swatch contained inside a wire mesh trap or section of small diameter (e.g., 2-inch) PVC pipe. The traps should be anchored to the inside of an outfall at the invert using wire or monofilament that is secured to the pipe itself. Rocks or bricks can be used a temporary weight to hold the trap in place.

JCDH inspectors can retrieve the OBM traps after 24 to 72 hours of dry weather. OBM traps are retrieved before coming into contact with stormwater, which will contaminate the trap or wash it away. When placed under a long wave fluorescent ultraviolet or “black” light, an OBM trap will indicate if it has been exposed to detergents. CWP reports that OBM traps have been used with some success in Massachusetts (Sergeant et al. 1998) and northern Virginia (Waye 2000).

5. Dye testing: (Green Fluorescent used by JCDH) Dye testing is typically conducted when a potential source site has been identified, and the inspector is trying to determine whether the site has floor drains or other locations that connect and discharge to the storm drain system. Permission to access the site must be obtained before dye testing can be conducted. Verbal or written requests by JCDH are both acceptable. The inspector should review available sanitary sewer and storm drain maps before conducting the dye testing. The dye testing procedure consists of two steps: (1) discharging the dye into the suspect location, and (2) opening nearby storm drain and sanitary sewer manhole covers to determine where the dye discharges to. This procedure is fairly effective for confirming direct connections into the storm drain system for short reaches. If a longer pipe network is being evaluated, charcoal packets can be left in selected structures and later collected and analyzed for the presence of the dye. If dye testing porcelain structures, tablets or charcoal should be wrapped in tissue before depositing. When dye testing, the inspector takes into account that each structure (sink, toilet, etc.) should be tested separately. Many times a single utility in a basement may be incorrectly connected to a storm drain line instead of a sanitary line.
6. Televising: (Not in use by JCDH at this time but Jefferson County Environmental Services employs this technique) Televised video inspections are a useful technique when an illicit connection or infiltration from a nearby sanitary sewer is

suspected, but little evidence of the illicit discharge remains behind. Two types of video cameras are available for use: (1) a small camera that can be manually pushed on a stiff cable through storm drains to observe the interior of the piping, or (2) a larger remote operated video camera on treads or wheels that can be guided through storm drains to view the interior of the pipe. Typically the operator of the camera has access to a keyboard or audio voice-over to record significant findings on the videotape that is produced for future review and evaluation.

7. Smoke testing: Smoke testing is a useful technique for tracing intermittent discharges or continuous discharges that have no apparent source site. Smoke is introduced into the storm drain system, and emerges at locations that are connected to the system. Smoke testing works best for short reaches of pipe, or in situations where pipe diameters are too small for video testing.

The Center for Watershed Protection provides the following discussion on planning and executing smoke testing:

JCDH must provide notice to the public in the immediate vicinity about the date and purpose of the smoke testing. The smoke used is non-toxic, but can cause respiratory irritation, which can be a problem for some residents. Residents will be notified prior to testing, and should be provided the following information (Hurco Technologies, Inc. 2003):

- Date testing will occur
- Reason for smoke testing
- Precautions they can take to prevent smoke from entering their homes or businesses
- What they need to do if smoke enters their home or business, and any health concerns associated with the smoke
- A number residents can call to relay any particular health concerns (e.g., chronic respiratory problems)

JCDH will also notify local media to get the word out if extensive smoke testing is planned (e.g., television, newspaper, and radio). On the actual day of testing, local fire departments and 911 call centers will be notified to handle any calls from the public.

The basic equipment needed for smoke testing includes manhole safety equipment, a smoke source, smoke blower, and sewer plugs. Two smoke sources can be used for smoke testing. The first is a smoke “bomb,” or “candle” that burns at a controlled rate and releases very white smoke visible at relatively low concentrations. Smoke bombs are suspended beneath a blower in a manhole. Candles are available in 30 second to three minute sizes. Once opened, smoke bombs should be kept in a dry location and should be used within one year.

The second smoke source is liquid smoke, which is a petroleum-based product that is injected into the hot exhaust of a blower where it is heated and vaporized. The length of smoke production can vary depending on the length of the pipe being tested. In general, liquid smoke is not as consistently visible and does not travel as far as smoke from bombs.

Smoke blowers provide a high volume of air that forces smoke through the storm drain pipe. Two types of blowers are commonly used: “squirrel cage” blowers and direct-drive propeller blowers. Squirrel cage blowers are large and may weigh more than 100 pounds, but allow the operator to generate more controlled smoke output. Direct-drive propeller blowers are considerably lighter and more compact, which allows for easier transport and positioning.

Three basic steps are involved in smoke testing. First, the storm drain is sealed off by plugging storm drain inlets. Next, the smoke is released and forced by the blower through the storm drain system. Lastly, the inspector looks for any escape of smoke above-ground to find potential leaks. Septic vents on rooftops are clear indicators of cross connections to the storm drain system.

One of three methods can be used to seal off the storm drain. (1) Sandbags can be lowered into place with a rope from the street surface. (2) Alternatively, beach balls that have a diameter slightly larger than the drain can be inserted into the pipe. The beach ball is then placed in a mesh bag with a rope attached to it so it can be secured and retrieved. If the beach ball gets stuck in the pipe, it can simply be punctured, deflated

and removed. (3) Finally, expandable plugs are available, and may be inserted from the ground surface.

Blowers should be set up next to the open manhole after the smoke is started. Only one manhole is tested at a time. If a smoke candle is used, the inspector simply lights the candle, places it in a bucket, and lowers it into the manhole. The inspector then watches to see where smoke escapes from the pipe. The two most common situations that indicate an illicit discharge are when smoke is seen rising from internal plumbing fixtures (typically reported by residents) or from sewer vents. Sewer vents extend upward from the sewer lateral to release gas buildup, and are not supposed to be connected to the storm drain system (CWP, 2004, p. 165-166).

2.6 REMOVING ILLICIT CONNECTIONS AND DISCHARGES

Regulated MS4 communities are required to adopt an ordinance or other regulatory mechanism to prohibit illicit discharges to their storm drain system. Storm Water Management Authority, Inc and JCDH operate off the *Erosion and Sedimentation Control Ordinance* that was instated on October 1, 1999. This ordinance allows for enforcement procedures that can be taken in the event of discovery of an illicit discharge. A new ordinance is set to be released within the 2011 calendar year and all illicit discharges should be referred to the most current ordinance. This section describes the procedures that should be taken for illicit discharge removal.

Table 2-9 summarizes the procedures that should be followed to ensure a timely and complete removal depending on the types of illicit discharges that may be discovered, and the various responsible parties. For most cases, the enforcement authority in the Ordinance will coordinate discharge removal.

**TABLE 2-9:
NOTIFICATION AND REMOVAL PROCEDURES FOR ILLICIT DISCHARGES INTO THE MUNICIPAL SEPARATE
STORM SEWER SYSTEM**

Financially Responsible Party	Source Identified	Enforcement Authority	Procedure to Follow
Private Property Owner	One-time illicit discharge (e.g., spill, dumping, etc.)	Ordinance enforcement authority (e.g., City official, JCDH official, or various other agencies)	<ul style="list-style-type: none"> • Contact Owner • Issue Notice of Violation • Issue fine for larger spills
Private Property Owner	Intermittent or continuous illicit discharge from legal connection	Ordinance enforcement authority (e.g., Code Enforcement Officer)	<ul style="list-style-type: none"> • Contact Owner • Issue Notice of Violation • Determine schedule for removal • Confirm removal
Private Property Owner	Intermittent or continuous illicit discharge from illegal connection or indirect (e.g., infiltration or failed septic)	Plumbing Inspector, JCDH Community Environmental Protection Division	<ul style="list-style-type: none"> • Notify plumbing inspector/ • Notify JCDH by complaint • Enforcement Action taken by JCDH
Municipal	Intermittent or continuous illicit discharge from illegal connection or indirect (e.g., failed sewer line)	Ordinance enforcement authority (e.g., City official, JCDH official, or various other agencies)	<ul style="list-style-type: none"> • Issue work order • Schedule removal • Remove connection • Confirm removal
Exempt 3 rd Party (see Section 2.6.4)	Any	USEPA	<ul style="list-style-type: none"> • Notify exempt third party and USEPA of illicit discharge

The following subsections address the issues of financial responsibility for removal (Section 2.6.1), forms and procedures that can be used in association with issuing a Notice of Violation (NOV) (Section 2.6.2), circumstances in which a municipality can take emergency action by referring directly to JCDH for discharges that are a threat to human health or the environment (Section 2.6.3), and procedures to follow when an illicit discharge from an exempt party is identified (Section 2.6.4).

2.6.1 Financial Responsibility

Once an illicit discharge's source has been identified, the financial responsibility of removing it is determined in the *Erosion and Sedimentation Control Ordinance* adopted by all Storm Water Management Authority, Inc municipalities on October 1, 1999. The following describes three cases that might be encountered:

- 1) The illicit discharge was a private party dumping into the storm drain system (a transient discharge). In this case, the *Erosion and Sedimentation Control Ordinance Article 7, Section 7.05* would allow for first a Notice of Violation, a Compliance Order, and/ or a Cease and Desist Order to be issued and a fine to be imposed of no less than \$100.00 and no more than \$500.00 a day or up to 180 days in jail.
- 2) The illicit discharge originated from a connection to the storm drain system (transient, intermittent, or continuous) that was once allowed. Such as an outdated overflow or anything of the nature. The overflow must be fixed on an as needed basis and appropriate action taken. A Notice of Violation could be issued and a fine could be imposed by JCDH if necessary. All washing machines, septic tanks, gray water generators, etc. are taken off through the Community Environmental Health Division of JCDH.
- 3) The illicit discharge resulted from an illegal connection (i.e., a connection that violates state plumbing codes). For intermittent or continuous discharges that are the result of an illegal direct connection into the storm drain system, the cost for disconnection will fall to either the property owner of the illegal connection or the municipality, depending on the circumstances of the connection. For example, if the connection was incorrectly applied during a separation project conducted by the municipality, the cost to correct the connection should be borne by the municipality. If the connection was the result of a private contractor working for the resident, the resident would be financially responsible for correcting the connection. Similarly, if the illicit discharge is the result of a failed sanitary sewer line, the party responsible for the failed sanitary sewer line must pay for the correction.

2.6.2 Notice of Violation

For violations of the *Erosion and Sedimentation Control Ordinance*, the Storm Water Management Authority, Inc municipalities issue a Notice of Violation. A Notice of Violation form will be generated by the municipalities and will look similar to the form shown in Appendix A. It

should be noted that the NOV describes a schedule for the removal to be completed, as well as a summary of any agreements between the parties.

2.6.3 Emergency Disconnections

The *Erosion and Sedimentation Control Ordinance* allows for a disconnection to the storm drain system for discharges that present “a threat to the environment or to the health or welfare of persons, or to the storm drain system”. Disconnections may include blocking pipes, constructing dams, or taking other measures on public ways or public property to physically block the discharge. The municipal enforcement authority for the ordinance may want to call the Jefferson County Department of Health at (205) 930-1230 or the Jefferson County Emergency Management Authority at (205) 254-2039 when making this determination for disconnection.

2.6.4 Discharges from Exempt Parties

Several categories of facilities are regulated by the USEPA for stormwater discharges under other permits. Because these facilities are already responsible to USEPA authority for stormwater discharges, the municipality can exempt them from the *Erosion and Sedimentation Control Ordinance*. If a municipality encounters an illicit discharge that is suspected or determined to be coming from an exempt party that is regulated under USEPA stormwater regulation, the municipality should notify both the suspected discharger and the enforcement authority for that discharger. The notification can be verbal or in writing. Most municipalities have prior experience working with other enforcement authorities for suspected violations of either state or federal law.

The following is a brief list of parties that are regulated under an alternate stormwater program and are present in the *Erosion and Sedimentation Control Ordinance, Article 4 Exclusions*:

TABLE 2-10: EXAMPLE EXEMPT FACILITIES		
Exempt Facility	Alternate Regulation They Are Subject To	Enforcement Authority
Alabama Department of Transportation (ALDOT) (in selected urbanized areas)	NPDES General Permit for Stormwater Discharges from Small Municipal Separate Storm Sewer Systems (MS4s), Part V	USEPA
Railroad facilities	NPDES General Permit for Stormwater Discharges from Small Municipal Separate Storm Sewer Systems (MS4s)	USEPA
Industrial Facilities with selected SIC codes (See Table 2-11 for a complete list)	Multi Sector General Permit for Industrial Activities	USEPA

As shown in Table 2-9, if a municipality identifies that an illicit discharge has come from one of these facilities, they should notify both the discharger and the enforcement authority verbally or in writing of the activity. Standard Industrial Classification (SIC) codes for NPDES Stormwater Multi-Sector General Permit (MSGP) Industrial Facilities are listed in Table 2-11.

Sector Name	SIC Code Listing
Sector A: Timber Products	2411, 2421, 2426, 2429, 2431–2439 (except 2434), 2448, 2449, 2451, 2452, 2491, 2493, 2499
Sector B: Paper and Allied Products	2611, 2621, 2631, 2652–2657, 2671–2679
Sector C: Chemical and Allied Products	2812–2819, 2821–2824, 2833–2836, 2841–2844, 2851, 2861–2869, 2873–2879, 2891–2899, 3952 (limited to list)
Sector D: Asphalt Paving and Roofing Materials and Lubricants	2951, 2952, 2992, 2999
Sector E: Glass Clay, Cement, Concrete, and Gypsum Products	3211, 3221, 3229, 3231, 3241, 3251–3259, 3261–3269, 3271–3275, 3281, 3291, 3292, 3296, 3297, 3299
Sector F: Primary Metals	3312–3317, 3321–3325, 3331–3339, 3341, 3351–3357, 3363–3369, 3398, 3399
Sector G: Metal Mining (Ore Mining and Dressing)	1011, 1021, 1031, 1041, 1044, 1061, 1081, 1094, 1099
Sector H: Coal Mines and Coal Mining Related Facilities	1221–1241
Sector I: Oil and Gas Extraction and Refining	1311, 1321, 1381–1389, 2911
Sector J: Mineral Mining and Dressing	1411, 1422–1429, 1442, 1446, 1455, 1459, 1474–1479, 1481, 1499
Sector K: Hazardous Waste Treatment, Storage, or Disposal Facilities	HZ
Sector L: Landfills and Land Application Sites	LF
Sector M: Automobile Salvage Yards	5015
Sector N: Scrap Recycling Facilities	5093
Sector O: Steam Electric Generating Facilities	SE
Sector P: Land Transportation and Warehousing	4011, 4013, 4111–4173, 4212–4231, 4311, 5171
Sector Q: Water Transportation	4412–4499
Sector R: Ship and Boat Building or Repairing Yards	3731, 3732
Sector S: Air Transportation	4512–4581
Sector T: Treatment Works	TW
Sector U: Food and Kindred Products	2011–2015, 2021–2026, 2032, 2041–2048, 2051–2053, 2061–2068, 2074–2079, 2082–2087, 2091–2099, 2111–2141
Sector V: Textile Mills, Apparel, and Other Fabric Product Manufacturing, Leather and Leather Products	2211–2299, 2311–2399, 3131–3199 (except 3111)
Sector W: Furniture and Fixtures	2434, 2511–2599
Sector X: Printing and Publishing	2711–2796
Sector Y: Rubber, Miscellaneous Plastic Products, and Miscellaneous Manufacturing Industries.	3011, 3021, 3052, 3053, 3061, 3069, 3081–3089, 3931, 3942–3949, 3951–3955 (except 3952 facilities as specified in Sector C), 3961, 3965, 3991–3999
Sector Z: Leather Tanning and Finishing	3111
Sector AA: Fabricated Metal Products	3479, 3411–3499, 3911–3915
Sector AB: Transportation Equipment, Industrial or Commercial Machinery	3511–3599 (except 3571–3579), 3711–3799 (except 3731, 3732)
Sector AC: Electronic, Electrical, Photographic, and Optical Goods	3571–3579, 3612–3699, 3812–3873
Sector AD: Non-Classified Facilities	N/A

2.7 TRACKING ILLICIT DISCHARGES

JCDH has developed a long-term stormwater complaint tracking program that can help municipalities better understand the origins of illicit discharges and identify maintenance issues for the storm drain system structures. The complaint tracking program will also facilitate evaluation of the overall IDDE program and will expedite annual reporting. The tracking program is based to address illicit discharge and maintenance issues resulting from the following:

- Citizen's Complaints
- Opportunistic Inspections (such as if an illicit discharge is found while doing outfall monitoring in which JCDH has a self complaint system in place)
- Regular Long Term Inspections (if a sample comes back with high readings any follow-up tests are logged in the complaint system)
- Removal Actions Taken

2.7.1 *Electronic Database*

A GPS data dictionary has been created that includes all the fields on the Dry Weather Outfall Inspection Form. The advantage to this type of tracking program is that the database can be easily linked into GIS. Linking to GIS has allowed mapping of illicit discharge locations, citizen complaint locations, and many other IDDE issues which have assisted greatly in the overall program. Figure 2-12 contains some of the simple attributes that are used in the database. JCDH uses a sequel server database as well for sample technique, results inventory, and an excel spreadsheet for location data.

FIGURE 2-12: STORMWATER PHASE II TRACKING COMPLAINT FORM

Bessie
Birmingham

Action Buttons

Report Detail Information

Nbr	Date	Site Name	Address	Claimant Name	Assigned To	Status	Type
22000	12/16/2009	City of Pleasant Grove	PLEASANT GROVE, AL 35127	Doug Hyché	Tew, Ronnie	Closed/Resolved	Soil Erosion
22543	2/5/2010	unknown	2045 montevallo Road LEEDS, AL 35094	Steve Callaway	Tew, Ronnie	Closed/Resolved	Soil Erosion
22592	2/10/2010	Dennis Mason	2311 21st Avenue South BIRMINGHAM, AL 35223	Jim Nolan	Tew, Ronnie	Closed/Resolved	Drainage
22614	2/11/2010	Unknown Unknown	7th Avenue MIDFIELD, AL 35228	Mark Hancock	Tew, Ronnie	Closed/Resolved	Drainage
22670	2/17/2010	Unknown Unknown	, AL 0	Anonymous	Tew, Ronnie	Closed/Resolved	Soil Erosion
22689	2/18/2010	Unknown Unknown	LEEDS, AL 35094	Barbara Reed	Tew, Ronnie	Closed/Resolved	Drainage
22936	3/9/2010	Unknown Unknown	Shady Grove Road , AL 0	Scott Hofer	Tew, Ronnie	Closed/Resolved	Water Quality
23178	3/25/2010		Brookside-Cardiff Road BROOKSIDE, AL 35036	Robert Manual	Tew, Ronnie	Under Investigation	Drainage
23315	4/6/2010		15th Street HUEYTOWN, AL 35023	Kent Bram	Tew, Ronnie	Under Investigation	Water Quality
23327	4/6/2010	Sharon Ford	2524 Carlos Avenue BIRMINGHAM, AL 35211	Sharon Ford	Tew, Ronnie	Closed/Resolved	Water Quality
23624	4/22/2010	Unknown Unknown	Joy Street & Ruffner Road IRONDALE, AL 0	Hugh Morgan, PE	Tew, Ronnie	Closed/Resolved	Drainage
24001	5/17/2010	Buddy Darby	6520 Hemlock Street TRUSSVILLE, AL 35173	Buddy Darby	Tew, Ronnie	Closed/Resolved	Soil Erosion
24611	6/25/2010	Buddy Darby	6520 Hemlock Street TRUSSVILLE, AL 0	Buddy Darby	Tew, Ronnie	Under Investigation	Drainage

City: Pleasant Grove Zip: 35127

Home Phone: (205)999-9999 Work Phone: Ext.

Additional Comments
 Comment up to 500 Characters Max.
 Road construction at 4th Street Pleasant Grove. Road is being put into new Pleasant Grove School off of 4th Street. No BMP. Complaint submitted by Ronnie Tew.

[Check Spelling](#)

Other Information
 Assign To: Ronnie Tew Status: Closed/Resolved
 N.O.V. Issued: No

2.8 EVALUATING THE PROGRAM

JCDH evaluates their IDDE program at the end of each year to assess its' effectiveness, efficiency, and to identify where improvements are needed. Table 2-13 is a worksheet that is used at the end of the fiscal cycle to evaluate the following components:

- 1) Priority Areas: Are the priority areas initially identified still appropriate? Considerations include reviewing the priority worksheet to assess if any changes have occurred since the initial evaluation was completed (such as: Have additional illicit discharges been discovered in any of the areas or is there significant development? Has a new 303(d) list come out naming new waterbodies as impaired?). JCDH also takes into account any negative sample trends in if priority area scopes need to be limited or expanded.
- 2) Detection Program: Is the detection program effective? Documenting the number of illicit discharges detected by the various detection mechanisms (inspections, citizen call-ins, opportunistic inspections) helps to decide where to allocate resources. This is becoming more extensive as the database at JCDH grows.
- 3) Tracing Techniques: What tracing techniques were generally used (site inspections, damming, etc)? What tracing techniques were generally effective? In how many instances were visual inspections of the area sufficient to identify the source of the illicit discharge (% effective)? Were there any times the equipment necessary to effectively trace an illicit discharge was not used because it was not available, was too costly to obtain, or not deemed a priority? Documenting the effectiveness of tracing techniques helps to evaluate how efficient the inspector is at the technique and if training is needed on where best to employ the technique.

Although completing an evaluation of the overall IDDE program may be time consuming and labor intensive, its benefits helps to reduce the costs for future inspection and IDDE efforts, which allows us to employ more efforts in other areas of the program. Keeping track of where illicit discharges are likely to occur and what techniques are useful can help lead to an effective identification program between JCDH and Storm Water Management Authority, Inc's municipalities

**TABLE 2-13:
IDDE PROGRAM EVALUATION WORKSHEET**

Priority Areas ⁽¹⁾	List any factors that have changed since initial priority was set ⁽²⁾				Recommended Change (Circle) ⁽³⁾			
					Leave Priority Same		Re-evaluate	
A					Leave Priority Same		Re-evaluate	
B					Leave Priority Same		Re-evaluate	
C					Leave Priority Same		Re-evaluate	
Detection Program ⁽¹⁾	# Mapping Inspections ⁽⁴⁾		# Longer Term Inspections ⁽⁴⁾		# Citizen Complaints ⁽⁴⁾		# Opportunistic Inspections ⁽⁴⁾	
Priority Areas	Identified	Resolved	Identified	Resolved	Identified	Resolved	Identified	Resolved
A								
B								
C								
Tracing Techniques Used ⁽⁵⁾	Effective	Ineffective (Comment below)	Effective	Ineffective (Comment below)	Effective	Ineffective (Comment below)	Effective	Ineffective (Comment below)
Method:								
Method:								
Method:								

Comments/Recommended Changes ⁽⁶⁾

Instructions: This worksheet is for Program Managers to evaluate their IDDE Program.

1. Fill in the names of the priority areas in your municipality.
2. List any factors that have changed since the initial prioritization (i.e. have additional illicit discharges been discovered in these areas, has a new 303(d) list come out naming new waterbodies as impaired, etc.).
3. Circle the applicable recommended change.
4. Fill in the number of illicit discharges identified and subsequently resolved for each detection mechanism used.
5. Fill in the different tracing techniques that were used (visual, sampling, sandbagging, OBM, dye/smoke testing, televising), and check whether they were effective or ineffective for each applicable detection mechanism that they were used for. If the method was ineffective, comment on why it was ineffective and how it could be improved.
6. Note any additional comments or recommended changes.

Chapter 3

III. POLLUTION PREVENTION AND GOOD HOUSEKEEPING

Many municipal activities can result in stormwater pollution if not conducted properly. Activities such as vehicle maintenance, fueling, and landscaping involve handling, storage, and use of chemicals and petroleum products that must be used properly to prevent stormwater from becoming polluted. In addition, construction activities conducted during general maintenance of infrastructure can result in sedimentation and erosion of soil that can be swept by stormwater into the storm drain system or directly into waterbodies.

- a) *Develop and implement a program with a goal of preventing and/or reducing pollutant runoff from municipal operations. The program must include an employee training component.*
- b) *Include, at a minimum, maintenance activities for the following: parks and open space (areas such as public golf courses and athletic fields); fleet maintenance, building maintenance; new construction and land disturbance; roadway drainage system maintenance, post-construction plans; and stormwater system maintenance.*
- c) *Develop schedules for municipal maintenance activities described in paragraph (b) above.*
- d) *Develop inspection procedures and schedules for long term structural controls.*

**TABLE 3-1:
GOOD HOUSEKEEPING/POLLUTION PREVENTION SOPs/ACTIVITY MATRIX**

SOP	Vehicle/ Equipment Maintenance	Facilities Maintenance (including Parks and Open Space)	Storm Drain System Maintenance	Construction Activities and Other Land Disturbances
B.1 Catch Basin Cleaning				
B.2 Storm Drain System Repair and Maintenance				
B.3 Erosion and Sediment Control				
B.4 Landscape Design and Management				
B.5 Storage and Disposal of Fertilizer and Pesticide				
B.6 Fertilizing and Turf Health Application				
B.7 Weed and Pest Control Application				
B.8 Mowing and Irrigation				
B.9 Vehicle and Equipment Storage				
B.10 Vehicle and Equipment Washing				
B.11 Vehicle and Equipment Fueling				
B.12 Spill Clean-up				
B.13 Parts Cleaning				
B.14 Spare Parts Storage				
B.15 Alternative Products Use/Storage/Disposal				
B.16 Petroleum and Chemical Disposal				
B.17 Petroleum and Chemical Handling				
B.18 Petroleum and Chemical Storage – Bulk				
B.19 Petroleum and Chemical Storage – Small Quantity				
B.20 Garbage Storage				
B.21 General Facility Housekeeping				
B.22 Floor Drains				
B.23 Painting				
B.24 Street Sweeping				
B.25 Snow Disposal				
B.26 Deicing Material Storage				
B.27 Deicing Material Application				

To address these components, this Chapter is divided into four subsections that describe four major categories of operations completed by each municipality:

- Vehicle/Equipment Maintenance (Section 3.1)
- Facilities Maintenance including parks and open space (Section 3.2)
- Storm Drain System Maintenance (Section 3.3), and
- Construction Activities (Section 3.4)

Each of these four operational areas contains a diverse set of activities, for which SOPs are appropriate. SOPs associated with each of these operational areas are contained in Appendix B. The SOPs outline the management and maintenance procedures that are used to minimize impacts on stormwater. Some of the SOPs apply to more than one operational area. For example, both vehicle maintenance and facilities maintenance require handling, storage, and disposal of petroleum products. Therefore, the SOPs for petroleum handling, storage and disposal in Appendix B address both of these operational areas. Table 3-1 shows the relationship between the SOPs that are contained in Appendix B and the operational areas that are described in this Chapter.

What is a “regulated contaminant”?

JCDH defines any regulated contaminant as “any physical, chemical, biological, radiological substance or other matter other than naturally occurring substances at naturally occurring levels, in water which adversely affects human health or the environment.” The Material Safety Data Sheets (MSDS) should be consulted for the products you use; See disposal information in the “Spills or Leaks” Section of the MSDS.

3.1 VEHICLE AND EQUIPMENT MAINTENANCE

The SOPs related to vehicle maintenance have three basic structural components:


- 1) Store chemicals, wastes, and vehicles inside whenever possible to minimize their potential to pollute stormwater.
- 2) Handle with care to avoid spills. Preventing spills is the best way to minimize stormwater contact with chemicals and petroleum products.
- 3) Recycle whenever possible. When it is not possible to recycle, Use proper disposal procedures to ensure contact with stormwater is minimized.

Seven common vehicle maintenance activities are described below. To assist each Storm Water Management Authority, Inc municipality in understanding what are the best methods to protect stormwater from becoming polluted by these activities, a worksheet-style aid is being given by JCDH to each facility that provides for stormwater pollution prevention methods for each activity immediately following the description of that activity. It is recommended that each municipal


JCDH rules prohibit any discharge to the ground of non-domestic wastewater containing any regulated chemicals.

employee become familiar with the worksheets applicable for your facility and practice filling them out as you review this section.

1. **Floor Drains:** Facility managers should be able to positively identify the discharge location of their floor drains. If the discharge location is unknown, it should be determined by visual inspections. Available methods to determine the discharge location include: televising or dye testing in which a bottle can be obtained from JCDH (see Section 2.5 for discussion of advantages and disadvantages of each method). Floor drains should either be connected to a regularly maintained septic tank or to a regularly maintained oil/water separator that discharges to the sanitary sewer. The facility should connect the floor drains to the appropriate device or close and seal the floor drains, and run a “dry shop”. Public works facilities typically store or use “regulated contaminants” in the area served by the floor drain. Therefore, these floor drains must be closed, rerouted to the sanitary sewer via an oil/water separator, or rerouted to a septic tank registered with the JCDH (205)930-1230.




2. Parts Cleaning: Most vehicle maintenance facilities use one of three methods to clean parts: chlorinated solvents, citrus-based cleaners, or aqueous base cleaners. If chlorinated solvents are used, they should be disposed of as hazardous waste by a licensed hazardous waste contractor. Citrus based cleaners can be recycled by an off-site contractor reducing overall cost of its use. Steam cleaning or use of a commercial aqueous washer allows discharge to the sanitary sewer. Using non-hazardous chemicals reduces the risk of stormwater pollution.



3. Petroleum Storage: ADEM regulates above-ground storage tanks (ASTs) when a facility is storing more than 660 gallons of used oil or fuel, or when a facility is storing more than 10,000 gallons of heating oil used for on-site heating. ADEM requires registration of ASTs and requires interstitial monitoring and double walls on all tanks. Federal regulations (40 CFR Part 112) require development of a Spill Prevention Control and Countermeasure Plan (SPCC) for facilities that store more than 1,320 gallons of any petroleum product. These regulations help protect stormwater by requiring regular inspections and development of spill prevention and clean-up procedures. Facility managers should understand and follow the regulations that apply to their facility.

To Register an AST

Call ADEM AST
Program at (334)394-
4399




4. **Petroleum Disposal:** Proper disposal of petroleum products can minimize their impact on stormwater. Used oil can be recycled with a marketer who has registered with the ADEM. Used oil can also be burned on-site by a municipality for energy recovery as long as the oil has not been mixed with any other fuels or chemicals. Municipalities must notify ADEM of their used oil management activities if they are burning used oil on-site. Other wastes generated should be managed as follows:


- Diesel fuel and gasoline, or any mixture of oil and water, must be managed as hazardous waste and should not be mixed with used oil.
- Sludge from floor drains should be analyzed for Toxicity Characteristics Leaching Procedure (TCLP) prior to disposal to determine if it is hazardous waste.
- Residual solids from oil spills may be managed as solid waste, unless the residuals are from a volatile fuel such as gasoline. Volatile fuel residuals must be managed as a hazardous waste.

Municipalities burning used oil onsite must register with ADEM

(334)271-7730



5. **Vehicle Storage:** Vehicles should be stored indoors in an area where there are no floor drains or where any floor drains have been properly connected and registered(see above). If vehicles cannot be stored indoors, they can be stored on impervious areas that are inspected on a regular basis and which can be cleaned with a street sweeper as necessary. Vehicles can be stored on pervious (unpaved) areas that are inspected on a regular basis to assess if drip pans are necessary. Drip pans should always be used to collect leaking fluids. A dedicated, convenient storage area should be provided and clearly labeled for the drip pans and for the fluids they will contain. Leaking vehicles should be repaired as soon as practical to minimize stormwater pollution.



To Register a Car Wash Facility:


Call ADEM at (334) 271-4367 or for any other questions call JCDH at (205)930-1230

6. **Vehicle Washing:** If vehicles are washed regularly onsite, they should be washed in a dedicated area. The area can be:
 - 1) Indoors, if the washwater is discharged to floor drains that are properly connected to the septic tank or the sanitary sewer (See Figure 3-1),
 - 2) Outdoors; however if you wash more than 30 vehicles per week you must obtain a NPDES Groundwater Permit from ADEM, or
 - 3) Outdoors if you wash fewer than 30 vehicles per week and discharge to the ground surface, if:

To register a vehicle washing activity (when less than 30 vehicles per week):

Contact JCDH
Stormwater Division at
(205)930-1230

- The Best Management Practice Rules are followed,
- The activity is registered with JCDH or ADEM, and
- The wastewater is not from power washing, steam cleaning, engine cleaning, or undercarriage cleaning or does not contain soaps or other products which contain regulated contaminants.
- Does not discharge to a surface water or storm inlet



7. Vehicle Fueling: Vehicle fueling areas are a significant generation point for petroleum contamination of stormwater. Vehicle fueling areas should be impervious surfaces, and should be inspected and swept with a street sweeper on a regular basis. A spill kit and covered garbage container should be located near the fueling area and should be well labeled for individuals to use when needed.

Figure 3-7 Vehicle Fueling – Available Options (Circle the options that apply for your particular facility)		
Spill Kit Location: _____	→	Street Sweep
	→	Frequency: _____

An important component of stormwater protection at vehicle and equipment maintenance facilities is general good housekeeping. Conducting regular inspections of a facility can be an effective pollution prevention technique. The following is a list of areas facility Managers should consider when developing their own inspection checklist:

- 1) Check refuse areas for trash on the ground that could contaminate stormwater.
- 2) Check exterior vehicle and equipment areas for leaks, spills, drips, or excess dirt. Consider if street sweeping is necessary and if drip pan use is acceptable.
- 3) Check fueling areas for leaks, spills, or drips.
- 4) Check exterior petroleum storage areas for leaks, spills, or drips.
- 5) Check or clean-up of tracked sand and/or salt.
- 6) Check calcium chloride tank for leaks, spills, or cracks.
- 7) Check vehicle washing area for excess sediment and wastes..
- 8) Check oil/water separator in floor drain system to ensure it is functioning, and clean if necessary.
- 9) Clean catch basin grates around facility for entering stormwater.

Table 3-2 is an example inspection checklist that should be used on a regular (monthly or quarterly) basis to identify areas of potential stormwater pollution. Table 3-3 contains a blank form that the Facility Manager should fill in for their facility and return to the governing municipal official as soon as practical. These forms will be used to track the stormwater duties performed by each facility for the Storm Water Management Authority, Inc's annual report.

**TABLE 3-2:
EXAMPLE INSPECTION CHECKLIST**

Municipality: _____ **Facility Manager:** _____
Date: _____ **Inspector:** _____

Inspection Area	Practice Followed	Comments	Date Resolved (if applicable)
Check refuse areas for trash on the ground that could contaminate stormwater or be washed away in stormwater	Acceptable/Needs Attention		
Check all exterior vehicle and equipment areas for leaks, spills, drips, or excess dirt – Street sweeping necessary?	Acceptable/Needs Attention		
Check all exterior vehicle and equipment areas for leaks, spills, drips, or excess dirt – Drip pan use acceptable?	Acceptable/Needs Attention		
Check fueling areas for leaks, spills or drips	Acceptable/Needs Attention		
Check exterior petroleum storage areas for leaks, spills, or drips	Acceptable/Needs Attention		
Clean-up of tracked sand that might allow stormwater transport of sand	Acceptable/Needs Attention		
Clean-up tracked salt that might result in stormwater transport	Acceptable/Needs Attention		
Check calcium chloride tank for leaks, spills or cracks	Acceptable/Needs Attention		
Check vehicle washing area for excess sediment or wastes	Acceptable/Needs Attention		
Other:	Acceptable/Needs Attention		
Other:	Acceptable/Needs Attention		

Instructions: This form needs to be used for regular (quarterly) inspections at vehicle/equipment maintenance facilities. Program Managers should fill in the areas to be inspected for their facilities (refer to Section 3.1 and Table 3.2 Example Inspection Checklist). When the checklist is used during an inspection, the inspector needs to fill in the date as well as his/her name, circle either “Acceptable” or “Needs Attention”, and note comments for each inspection area.

3.1 FACILITIES MAINTENANCE

Most Storm Water Management Authority, Inc municipalities own and maintain their own buildings, parks, and other green spaces while others rely on Jefferson County to provide this service. Those that have their own maintenance staff perform general maintenance activities that include mowing and trimming, painting, pest control, weed control, and all of the chemical and petroleum handling that is associated with these activities. The SOPs contained in Appendix B provide best management practices to protect stormwater from the potential hazards associated with each of these maintenance activities. Facilities maintenance personnel should be trained in each of the SOPs associated with their job by their respective cities or JCDH.

In addition to training municipal employees on the SOPs in Appendix B that affect their jobs, a formal street sweeping program can reduce pollutant loads from road salt and can reduce sand export to receiving waters. Street sweeping also reduces the amount of sediment, debris, and organic matter being washed away by stormwater. A street sweeping schedule will need to be kept similar to the one shown in Appendix B and presented to Storm Water Management Authority, Inc.

USEPA does not recommend how frequently a community should sweep, but most sweeping of municipal lots and roadways should be performed at least once per year. An appropriate schedule for street sweeping should be determined based on each municipality's specific needs. Heavy traffic areas can be swept weekly or monthly, depending on a community's available resources. Other locations, such as construction entrances, sand/salt loading areas, vehicle fueling areas, and vehicle and equipment storage areas should be swept on an as needed basis.

The State of Alabama has no formal standards that would not allow municipalities to reuse street sweepings in accordance with the Environmental Fact Sheet shown below. Street sweepings may be reused as long as they do not contain visual evidence of wastewater, animal wastes, oil or other petroleum products. Catch basin residuals must be tested to determine if they may be reused. Table 3-4 lists the compounds, the S-1 limits which allow unrestricted reuse, and the S-3 limits which allow reuse as a road base or subbase. Visually contaminated street and catch basin residuals must also be tested to determine if they contain hazardous wastes.

Table 3-4 Soil Standards Catch Basin Cleanings Reuse Guidance			
Maximum Contaminant Concentrations			
<i>Regulated Contaminant</i>	<i>S-1 Standards (mg/kg)</i>	<i>S-3 Standards (mg/kg)</i>	<i>USEPA SW-846 Test Method</i>
Metals			
Arsenic	11	11	6010B
Barium	750	3,400	6010B
Cadmium	32	230	6010B
Chromium	1000	5,000	6010B
Lead	400	400	6010B
Mercury	13	13	7471A
Selenium	260	260	6010B
Silver	45	200	6010B
VOCs			
Benzene	0.3	0.3	8260B
Dichloroethane, 1,2-	0.08	0.08	8260B
Isopropyl benzene	123	123	8260B
Methyl-t-butyl ether	0.13	0.13	8260B
Toluene	100	100	8260B
Xylene	500	1,100	8260B
Akylbenzenes Butylbenzene, n- Butylbenzene, sec- Butylbenzene, tert- Isopropyl toluene, 4- Propylbenzene, n- Trimethylbenzene, 1,2,4- Trimethylbenzene, 1,3,5-	59 (total)	59 (total)	8260B
PAHs - Carcinogenic			
Benzo(a)anthracene	0.7	40	8270C
Benzo(a)pyrene	0.7	4	8270C
Benzo(b)fluoranthene	7	400	8270C
Benzo(k)fluoranthene	7	400	8270C
Chrysene	70	4,000	8270C
Dibenzo(a,h)anthracene	0.7	4	8270C
Indeno(1,2,3-cd)pyrene	0.7	40	8270C
PAHs - Noncarcinogenic			
Acenaphthene	270	270	8270C
Acenaphthylene	300	300	8270C
Anthracene	1,000	1,700	8270C
Fluoranthene	810	5,000	8270C
Fluorene	510	510	8270C
Methylnaphthalene,2-	150	150	8270C
Napthalene	5	5	8270C
Benzo(g,h,i)perylene Phenanthrene Pyrene	480 (total)	5,000 (total)	8270C

3.2 STORM DRAIN SYSTEM MAINTENANCE

Storm drain system maintenance consists of three components: cleaning, repairing (or retrofitting), and upgrading. Historically, storm drain systems have been repaired or upgraded only when catastrophic failures have occurred, such as those causing

flooding, road failures, or severe erosion. The General Permit requires that each Storm Water Management Authority, Inc regulated municipality develop a maintenance schedule for the storm drain system, as well as inspection procedures and schedule for long term control structures. The storm drain mapping currently being performed by JCDH will be presented to each city upon completion. The estimated time frame with current resources should be able to meet the five years required from October 1, 2010. The completion date will hopefully be sooner through cooperative programs with the municipality fire departments and other agencies. This will allow for cities to make better estimates on where to expend fiscal resources to get the biggest impact on Storm Water infrastructure instead of the as-needed maintenance system in place now.

Conveyance System Maintenance

Section 2.2 of this Manual reviews how JCDH divides a municipality into distinct areas and prioritizes the areas based on their illicit discharge potential. A future component of that evaluation will be to consider the age and material of the infrastructure, which is an indicator of failure potential. This prioritization can be used in the future to aid in developing a maintenance program for the system.

Additional useful resources include the municipal capital budget and the GASB 34 accounting information. All of these items should be reviewed and evaluated to identify where and when repairs, retrofits, and upgrades should be conducted. The storm drain system maintenance program can be developed using a process that is similar to the local pavement management program. The following paragraphs provide guidance to city managers in developing an operation and maintenance program.

- 1) Vitrified clay (terracotta) storm drain pipe, asbestos cement pipe, or corrugated metal pipes in older areas should be replaced or retrofitted as part of other infrastructure work (street reconstruction, or combined sewer overflow (CSO) work). Televising and/or manual inspections should be performed to confirm the degree of repair or replacement necessary.
- 2) An inspection and replacement program should be developed for newer pipes and structures in order to conduct preventative maintenance that can affect long-term cost savings and avert catastrophic failures. The inspection and replacement program should consist of the following items:
 - Storm Drain Pipe/Outfall Cleaning and Inspections

- A cleaning and inspection prioritization should be established by all municipalities for storm drain pipes and outfalls. The City Manager should consider conducting annual inspections on storm drains and outfalls in high priority areas. Less frequent inspections (every 2 to 3 years) should be completed for medium and low priority areas. Inspections for structural conditions should be combined with the inspections for illicit discharges as described in Section 2.4.2. JCDH is helping to aid municipalities in this endeavor through the mapping of the storm drain and outfalls by providing information on the condition and sedimentation loading of each pipe.
- Catch basin Cleaning and Inspection – A prioritization plan should also be established for catch basin cleaning. The prioritization can be completed by the City Manager using the following two considerations: (1) amount of winter sand spread in different areas (this will be zero for most cities but should still be included in the plan), and (2) areas that have historically accumulated a large quantity of sediment or debris. This prioritization should be reviewed and updated frequently. The re-evaluation should use the same two criteria listed above (sand application and historical sediment accumulation). City Managers should identify a reasonable frequency of cleaning based on need, municipal budgets, and personnel availability. JCDH and Jefferson County can provide some assistance to cities without their own capabilities

The Catch Basin Cleaning Form contained in Appendix A, should be used during cleaning as a method to inspect the catch basins to evaluate the integrity of the structure and identify necessary repairs. Any repairs identified on the forms should be incorporated into the municipality's work order system. Communities that outsource catch basin cleaning should either require that the contractor use the inspection form or should consider sending a public works employee, intern, or other municipal representative along with the contractor to evaluate structures. This form will be used by Storm Water Management Authority, Inc and JCDH to estimate the effectiveness of the program so all forms should be

completed and given to the relevant agency.

- Ditches and Swales Maintenance - Many Storm Water Management Authority, Inc municipalities have rural areas, where the storm drain system consists of roadside ditches. Sediment, grass clippings, winter sand, leaves, excess vegetation and other debris periodically impedes the proper function of these ditches and should be removed approximately annually. Ditch cleaning can be conducted manually or using heavy equipment. Ditch cleaning should be conducted during low water periods, minimizing the disturbance to existing vegetation. If existing vegetation is removed during ditch cleaning, the ditch side slopes should be seeded and mulched as soon as possible after dredging. Ditch cleaning with heavy equipment should not be conducted in areas where the ditch carries a perennial stream unless specifically approved by the Army Corp of Engineers. Pesticide use should also be kept to a minimum in these sensitive areas due to their direct impact on waterways.

3.3.1 Long Term Control Structure Inspection and Maintenance

In addition to the storm drain pipes, catch basins and outfalls, long term control structures such as detention ponds, vegetated filter strips, grass swales, and constructed wetlands must be inspected and maintained.

ADEM produces a BMP Manual that tells the design features for these BMPS that must be maintained. JCDH is working on a Manual that will tell the frequency of maintenance needed for these devices and is targeted for release in August 2012. The following table 3-5 provides recommended maintenance requirements from *NHDES BMPs for Urban Stormwater Runoff* to provide some general guidance until the manual can be released.

TABLE 3-5: RECOMMENDED MAINTENANCE ON COMMON LONG-TERM STORMWATER BMPs	
Structure Type	Maintenance Requirements
Extended Detention Pond (Dry)	<p>The embankment should be inspected annually to determine if rodent burrows, wet areas, or erosion of the fill are present. Trees and shrubs should be kept off the embankment and emergency spillway areas.</p> <p>The vegetation should be mowed once per year to discourage woody growth. Vegetation should be managed without the aid of fertilizers.</p> <p>If vegetation is sparse or non-existent, test soils for proper nutrients/growing conditions and re-vegetate with drought-tolerant.</p> <p>Pipe inlets and outlets should be inspected annually and after major storm events.</p> <p>Sediment should be continually checked in the basin and removed as necessary.</p> <p>The structure should be inspected by a qualified professional on a periodic basis.</p>
Vegetated Filter Strips	<p>A properly designed and constructed filter strip should require little maintenance. It should be inspected frequently during the first year of operation and then annually thereafter. Large accumulations of sediments should be removed, and all gullies filled in and stabilized. Areas of bare soil should be immediately stabilized.</p>
Grassed Swales	<p>Swales should be mowed at least once per year to prevent the establishment of woody vegetation.</p> <p>Sediments should be removed as required and swale reseeded if necessary.</p> <p>Grass should not be mowed to less than three inches in height.</p>
Wet Ponds and Constructed Wetlands*	<p>The embankment should be inspected annually to determine if rodent burrows, wet areas, or erosion of the fill are present. Trees and shrubs should be kept off the embankment and emergency spillway areas.</p> <p>The vegetation should be mowed once per year to discourage woody growth. Vegetation should be managed without the aid of fertilizers.</p> <p>Inspect vegetation for invasive species annually and remove if present. Supplement wetland plants if <50% surface is bare. Harvest wetland plants that have been "choked out" by sediment buildup.</p> <p>Pipe inlets and outlets should be inspected annually and after major storm events.</p> <p>Sediment should be continually checked in the basin and removed as necessary.</p> <p>The structure should be inspected by a qualified professional on a periodic basis.</p>

**NOTE: Source of information for Constructed Wetlands is USEPA manual of BMPs.*

Table 3-6
Storm Water Management Authority, Inc
LONG TERM STRUCTURAL CONTROL INSPECTION FORM

PROJECT NAME:		CITY:
LOCATION:		INSPECTOR NAME:
OWNER:		DATE:
ADDRESS:		DATE OF LAST INSPECTION:
PHONE #:		
CONTACT:		
BMP ID:		
BMP TYPE:	WET RETENTION POND	
ENGINEER OR DESIGNER:		
ADDRESS:		
CONTACT:		
PHONE #:		

MAINTENANCE INFORMATION

MAINTENANCE:

COMMENTS:

--

--

Storm Water Management Authority, Inc

1400 SIXTH AVENUE SOUTH. P.O. BOX 2648. BIRMINGHAM, ALABAMA 35202. (205)930-1230

Storm Water Structural Control Form (Municipal Use)

FORM

Part 1: General Information

Stormwater Municipality: _____ Date: _____
Mayor: _____
Contact Person: _____

Part 2: Existing Storm Water Structural Controls

Estimated Miles of Storm Sewer Inspected: _____ miles
Estimated personnel time spent inspecting: _____ hrs
Structural Controls Fixed: _____ estimated # of detention ponds
_____ estimated # of retaining walls
_____ estimated # of ditches repaired
_____ estimated # of head walls repaired
_____ estimated # of retention ponds

Part 3: New Storm Water Structural Controls

Estimated Miles of New Storm Sewer Installed: _____
Estimated Personnel time during installation: _____
Structural Controls Installed: _____ estimated # of detention ponds
_____ estimated # of retaining walls
_____ estimated # of ditches repaired
_____ estimated # of head walls repaired
_____ estimated # of retention ponds

If structural controls are cleaned or maintained by an outside entity (Jefferson County, State of Alabama, etc..) then contract with outside entity should be stabled to this form when returned.

Storm Water Management Authority, Inc

1400 SIXTH AVENUE SOUTH. P.O. BOX 2648. BIRMINGHAM, ALABAMA 35202. (205)930-1230

Development Form for Storm Water Structural Controls

Submit in Triplicate

Application

Part 1: General Information

Stormwater Municipality: _____	Date: _____
Applicant's Name _____	
Applicant's email address/ Phone number: _____	
Applicator Company Name: _____	
Mailing Address: _____	City: _____
State: _____	Zip: _____
Type of Development _____	

Part 2: Engineering Information

I, _____, a _____ do hereby certify that the data stated in this report and/or attached sheets are true and accurate as presented.

Signature: _____	Date: _____	Reg. # _____	Phone: _____
Address: _____	City: _____	State: _____	zip: _____

Part 2: Storm Water Structural Controls Installed

Estimated Distance of New Storm Pipe Installed: _____ Ft.

Structural Controls Installed:

_____	estimated # of detention ponds
_____	estimated # of retaining walls
_____	estimated # of ditches repaired
_____	estimated # of head walls repaired
_____	estimated # of retention ponds

Estimated Area of Detention Ponds:	1	6
	2	7
	3	8
	4	9
	5	10
Estimated Area of Retention Ponds:	1	6
	2	7
	3	8
	4	9
	5	10

Are there any other structures used for stormwater management if so explain: _____

3.4 CONSTRUCTION ACTIVITIES AND OTHER LAND DISTURBANCES

As Storm Water Management Authority, Inc's municipalities perform construction activities and other activities which disturb soil, they take precautions to prevent erosion and runoff of sediment. Road crews and landscaping crews are being trained in erosion and sediment control methods. JCDH is creating publications and training sessions that describe a variety of methods that can be used to reduce the long term impact of sedimentation and erosion on water quality. The material for each municipality should be available by June 2011 and in video form sometime thereafter. Each municipality will then be responsible for making sure any new hires are trained using the video material as well as a refresher course is offered for each existing employee on an annual basis. Erosion and Sedimentation Control SOPs are listed in Appendix C.

4. GLOSSARY OF ACRONYMS

ADEM	Alabama Department of Environmental Management
AST	Aboveground Storage Tank
AU	Assessment Unit
BMP	Best Management Practice
CWP	Center for Watershed Protection
GASB	General Accounting Standards Board
GIS	Geographic Information System
GPS	Geographic Positioning System
HUC	Hydrologic Unit Code
JCDH	Jefferson County Department of Health
IDDE	Illicit Discharge Detection and Elimination
IDP	Illicit Discharge Potential
MEP	Maximum Extent Practical
MCM	Minimum Control Measure
MSDS	Material Safety Data Sheet
MSGP	Multi Sector General Permit
MS4	Municipal Separate Storm Sewer System
NEIWPC	New England Interstate Water Pollution Control Commission

NOV	Notice of Violation
NPDES	National Pollutant Discharge Elimination System
NRCS	National Resource Conservation Service
OBM	Optical Brightener Monitoring
PAHs	Polycyclic Aromatic Hydrocarbons
PCBs	Polychlorinated Biphenyls
SIC	Standard Industrial Classification
SOP	Standard Operating Procedure
SPCC	Spill Prevention Control and Countermeasure
TCLP	Toxicity Characteristics Leaching Procedure
TMDL	Total Maximum Daily Load
UNH	University of New Hampshire
USEPA	United States Environmental Protection Agency
USGS	United States Geological Survey

APPENDIX A

ILLICIT DISCHARGE DETECTION AND ELIMINATION SOPS AND FORMS

TYPICAL GPS SCREEN EXPLANATION

The screenshot shows the TerraSync application interface on a handheld device. The interface includes a top status bar with the time 10:11 and various icons. Below the status bar are several menu options: 'Data', 'Collect', 'Options', and 'Close'. A 'Create' button is visible next to the 'Options' menu. The main screen displays a 'File: JUNO071410A' and a 'Choose Feature:' section with a list of feature types. A 'Create' button is also present next to the 'Choose Feature:' label. The bottom of the screen shows a 'Create' button and a small logo.

Data Option allows for Mapping, Data Retrieval, Status and Setup

Number of Satellites currently reading- JCDH recommends at least 4 but optimal 6

Battery Life

Amount of Error in ft before post - processing

Normally a bullseye for number of points logged- JCDH recommends at Least 30 points taken

Data Logger Start Button

Create Dataset Button

Type of Inventory

Collection Sites of Interest each has a separate dictionary and are updated with new options

Type	Feature Name
<input checked="" type="checkbox"/>	CLOSED PIPE
<input type="checkbox"/>	OPEN CHANNEL
<input type="checkbox"/>	TRIBUTARY
<input type="checkbox"/>	SITE OF INTEREST
<input type="checkbox"/>	Point_generic
<input type="checkbox"/>	Line_generic
<input type="checkbox"/>	Area_generic

Standard Operating Procedure for:	
A.1 IDDE: Inspections During Mapping (JCDH Employees)	
Purpose of SOP:	This SOP provides a basic checklist for JCDH employees conducting illicit discharge inspections during mapping.

Always:

- 1) Characterize the outfall by recording information on the Tremble Nomad Unit data dictionary such as:
 - Side of creek
 - GPS location (at least 30 points to post process)
 - Flow present
 - Flow description
 - Material of pipe
 - Shape
 - Diameter, horizontal distance, vertical distance
 - Number of pipes
 - Submerged pipe
 - Sediment filled
 - pH
 - temperature
 - picture of all pipes
- 2) Conduct inspections during dry weather periods using the Dry Weather Outfall Inspection Form or data dictionary shown on the next page if a problem outfall is believed to be discovered
- 3) Follow procedure below if an illicit discharge is encountered (such as raw sewage, paint, etc.).
- 4) Conduct inspections with at least two JCDH employees per crew.
- 5) Carry a list of emergency phone numbers. (All JCDH inspectors are equipped with cell phones)
- 6) Have on JCDH badge at all times

Whenever Possible:

- 1) Conduct inspections during low groundwater and leaf off conditions.
- 2) Identify and label the outfall with a unique identifier if outfall is believed to be a problem.
- 3) If dry weather flow is present at the outfall, and the flow **does not** appear to be an illicit discharge attempt to identify the source of the flow (intermittent stream etc.), then document the discharge for future comparison.
- 4) Collect samples of flowing discharges before and after source removal.

Never:

- 1) Never put yourself in danger.
- 2) Never enter private property without permission



Figure 1: Tremble Nomad Unit

Dry Weather Discharge

The CWP defines **dry weather** as a 48 hour period with no runoff-producing rainfall. JCDH prefers the period to be 72 hours but if continual rain occurs that will be switched to 48 hours as needed.

Equipment list for mapping:

1. Entrance and Exit Point Map
2. GPS unit with built in camera
3. Field sheets for any illicit discharge found (can be left in truck)
4. Cell phones
5. pH meter
6. First aid kit
7. Flash light or head lamp
8. Surgical gloves
9. Tape measure
10. Temperature probe
11. Waders
12. Watch with a second hand
13. Hand sanitizer
14. Sampling pole
15. Safety vests

JCDH Procedure for illicit discharge detection

- Call supervisor and notify of location
- Take photos and record under Site of Interest in data dictionary on GPS unit as shown below
- Supervisor carries out sample bottles to be taken to lab for a rush sample
- Area is then visually inspected for the possible sources.
- If no source can be identified then wait for sample results to come back to see what possible contaminants are. At this point a further investigation will be launched. This can include but is not limited to 24 hour ISCO sampling, damming, etc.

Dry Weather Outfall Inspection Form

Location Information

Date: _____ **Inspector:** _____
Time: _____
Outfall ID: _____
Outfall Location: _____
Receiving Waterbody: _____
Photo Taken: Yes No **Photo ID:** _____

Weather: Clear Cloudy **Approximate Temp:** _____ **Wind Present:** Yes No
Precipitation in the past 3 days: No Yes _____ inches

Pipe Flow: None Trickle Steady 1/4 pipe flow or more
Seepage Flow: None Trickle Steady 1/4 pipe flow or more
Color (if flow is present): _____

Inspection Information *Select all that are applicable*

Obvious Debris/Pollution:	0	3	5	8	9	9	10	Odor:	0	5	10	10	Water Clarity:	0	5	10
None								None/Natural					Clear			
Foam								Musty					Cloudy			
Staining								Sewage/septic								
Floating Green Scum								Petroleum					Opaque			
Oil / Film																
Vegetative Mat/or Gray Mat																
Sewage Solids																
TOTAL								TOTAL					TOTAL			

GRAND TOTAL SCORE =

Additional Information

Sediment Condition: Open 1/4 Full 1/2 Full 3/4 Full Plugged
Structure Condition: Excellent Good Fair Poor
Trash/litter present: Yes No **Yard waste observed:** Yes No
General Comments: _____

Potential Sources / Actions Taken:

Sample collected? Yes No
 By whom? _____
Follow up required: Yes No

Parameters: Results:

Be sure to staple all relevant lab tests and assigned GPS points and photos to sheet during investigation.

NOTE: This information is to accompany the Dry Weather Outfall Inspection Form.

Odor – Most strong odors, especially gasoline, oils, and solvents are likely associated with high responses on the toxicity screening test.

Stale sanitary wastewater: sewage

Detergent, perfume: Laundromat or household laundry

Sulfur ("rotten eggs"): industries that discharge sulfide compounds or organics (meat packers, canneries, dairies)

Oil and gas: facilities associated with vehicle maintenance or petroleum product storage (gas stations) or petroleum refineries

Rancid-sour: food preparation facilities (restaurants, hotels)

Color – Important indicator of inappropriate industrial sources. Dark colors, such as brown, gray, or black are the most common.

Yellow: chemical plants, textile, and tanning plants

Brown: meat packers, printing plants, metal works, stone and concrete, fertilizers, and petroleum refining facilities [note: can be from natural organic acids if a wetland is upstream]

Green: chemical plants, textile facilities

Red: meat packers [note: can be from organic acids if a wetland is upstream]

Gray: dairies

Turbidity – The cloudy appearance of water caused by the presence of suspended or colloidal matter. In dry weather, high turbidity is often a characteristic of undiluted industrial discharges.

Cloudy: sanitary wastewater, concrete or stone operations, fertilizer facilities, automotive dealers

Opaque: food processors, lumber mills, metal operations, pigment plants

Floatable matter – a contaminated flow may contain floating solids or liquids directly related to industrial or sanitary wastewater pollution. Floatables of industrial origin may include animal fats, spoiled food, oils, solvents, sawdust, foams, packing materials, or fuel.

Oil sheen: petroleum refiners or storage facilities and vehicle service facilities. [note: there is a type of bacteria that looks like an oil sheen. If you take a stick and swirl around the sheen, it will break up into blocky pieces if it is the bacteria. A true oil sheen will quickly re-form and not look blocky.]

Toilet paper bits, fecal bits, food particles: sanitary wastewater

Soap suds: if white or a clear sheen, laundry discharge (check odor) [note: can also occur from natural surfactants; usually off-white or tan with an earthy-fishy odor.]

Deposits and Stains – Any type of coating near the outfall, usually a dark color. Deposits and stains will often contain fragments of floatable substances.

Lots of sediment: construction site erosion, sand and gravel pits, winter road applications

Oil stain: petroleum storage, vehicle service facilities, petroleum refineries

Rusty: precipitates from iron-rich water (natural or industrial) [note: if slimy and clumpy, it could be iron bacteria]

Grayish-black deposits and hair: leather tanneries

White crystalline powder: nitrogenous fertilizer waste

Vegetation – Vegetation surrounding an outfall may show the effects of industrial pollutants. Decaying organic materials coming from various food product wastes would cause an increase in plant life, while the discharge of chemical dyes and inorganic pigments from textile mills could noticeably decrease vegetation. It is important not to confuse the adverse effects on high Storm Water flows on vegetation with highly toxic dry-weather intermittent flows.

Excessive growth: food product facilities, fertilizer runoff (lawns, golf courses, and farms)

Inhibited growth: high Storm Water flows, beverage facilities, printing plants, metal product facilities, drug manufacturing, petroleum facilities, vehicle service facilities, and automobile dealers

Damage to Outfall Structures – Outfall damage can be caused by severely contaminated discharges that are very acidic or basic in nature. Primary metal industries have a strong potential to cause outfall structure damage because their batch dumps are highly acidic. Poor construction, hydraulic scour, and old age can also negatively affect the condition of all outfall structure.

Concrete or spalling (breaking off into chips or layers): industrial flows


Peeling paint: industrial flows

Metal corrosion: industrial flows

This sheet was courtesy of the NHDES (modified from Pitt et al., 1993 Investigation of Inappropriate Pollutant Entries into Storm Drainage Systems: a User's Guide. EPA Office of research and Development, EPA/600/R-92/238).

Data Dictionary Screen Shots Typical Example

The data dictionary is used on the GPS units to allow for easy waterproof form carrying. The options can be changed and the screen shots presented are just a sample of what JCDH is using currently. This helps to keep the paper forms like the ones above strictly for documentation purposes.



Options:

- Closed Pipe
- Open Channel
- Tributary
- Site of Interest

Opening Screen for Outfall Monitoring




Option chose (Closed Pipe)

Secondary Options:

- Side of Creek
- Flow Present
- Flow Type
- Flow Description
- Pipe Material
- Shape
- Vertical Diameter

Closed Pipe Outfall (Page 1)




Option chose (Closed Pipe)

Secondary Options:

- Horizontal Diameter
- Number of Pipes
- Submerged
- Sediment Filled
- Comments
- Temperature
- pH


Closed Pipe Outfall (Page2)



Option chose (Closed Pipe)
Photo Attachment Options:

- Photo 1
- Photo 2

Closed Pipe Outfall (Page3)



Site of Interest:

- Description
- Side of Creek
- Comments
- Photo

Site of Interest for logging Illicit or Suspicious Discharges

Standard Operating Procedure for:	
A.2 IDDE: Long-Term Inspections –Dry Weather (JCDH Employees)	
Purpose of SOP:	To provide supervisor and field crew with a punch list of things to remember during regularly scheduled inspections.

Always:

- 1) Conduct inspections during dry weather periods (48-72 hours after rain event).
- 2) Check the outfall's dimensions, shape, and component material using the GPS data dictionary with the existing site name in the data dictionary
- 3) Characterize and record observations on basic sensory and physical indicators (e.g., odor, color, oil sheen).
- 4) If an illicit discharge is encountered (such as raw sewage, paint, etc.), follow the procedure below.
- 5) Perform inspections so as to meet JCDH's goal of inspecting each outfall within the 5 year permit cycle (long term).
- 6) Take pictures in the data dictionary for later inspections and GIS maps.
- 7) Always have on JCDH badge when doing inspections

Whenever Possible:

- 1) Identify and label the outfall with a unique identifier. For example "SWO-013".
- 2) If dry weather flow is present at the outfall, and the flow does not appear to be an obvious illicit discharge (e.g., flow is clear, odorless, etc.), attempt to identify the source of the flow (intermittent stream, etc.) then document the discharge for future comparison.
- 3) Collect samples before and after source removal.

Never:

- 1) Never put yourself in danger.
- 2) Never enter private property without permission.

JCDH Procedure for illicit discharge detection

- Call supervisor and notify of location
- Take photos and record under Site of Interest in data dictionary on GPS unit as shown below
- Supervisor carry out sample bottles to be taken to lab for a rush sample
- Area is then visually inspected for the possible sources.
- If no source can be identified, wait for sample results to provide information on possible contaminants. At this point a further investigation will be launched. This can include but is not limited to 24 hour ISCO sampling, damming, etc.

Standard Operating Procedure for:	
A.2 IDDE: Long-Term Inspections –Wet Weather (JCDH Employees)	
Purpose of SOP:	To provide supervisor and field crew with a punch list of things to remember during regularly scheduled inspections.

Always:

- 8) Conduct inspections during flow events, or as close to a rain event as possible. (no longer than 6 hours)
- 9) Check the outfall's dimensions, shape, and component material using the GPS data dictionary with the existing site name in the data dictionary
- 10) Characterize and record observations on basic sensory and physical indicators (e.g., odor, color, oil sheen).
- 11) If an illicit discharge is encountered (such as raw sewage, paint, etc.), follow the procedure below.
- 12) Perform inspections so as to meet JCDH's goal of inspecting each outfall within the 5 year permit cycle (long term).
- 13) Take pictures in the data dictionary for later inspections and GIS maps.
- 14) Always have on JCDH badge when doing inspections

Whenever Possible:

- 4) Identify and label the outfall with a unique identifier. For example "SWO-013".
- 5) Collect samples before and after source removal.

Never:

- 3) Never put yourself in danger.
- 4) Never enter private property without permission.

JCDH Procedure for illicit discharge detection

- Call supervisor and notify of location
- Take photos and record under Site of Interest in data dictionary on GPS unit as shown below
- Supervisor carry out sample bottles to be taken to lab for a rush sample
- Area is then visually inspected for the possible sources.
- If no source can be identified, wait for sample results to provide information on possible contaminants. At this point a further investigation will be launched. This can include but is not limited to 24 hour ISCO sampling, damming, etc.

Standard Operating Procedure for:	
A.3 IDDE: Opportunistic Inspections (Non JCDH Employees)	
Purpose of SOP:	This SOP provides city field personnel with a quick checklist of proper procedures to follow if they observe illicit discharges while conducting their regular duties.

Always:

- 1) Call dispatcher, supervisor, or JCDH official if you see evidence of an illicit discharge. (If not a JCDH employee). If JCDH employee notify supervisor or follow illicit discharge procedure.
- 2) Assess the general area of the illicit discharge to see if you can identify its' source.

Whenever Possible:

- 1) Use the Incident Tracking Sheet to document observations.
- 2) Take photographs of the illicit discharge.
- 3) Get Supervisor to fill out Illicit Discharge Form.
- 4) Use the Catch Basin Cleaning Form to document observations during cleaning.

Never:

- 1) Never enter private property without permission.
- 2) Never put yourself in danger.

Standard Operating Procedure for:	
A.4 IDDE: Citizen Call-in Inspections (JCDH Employees and Municipal Officials)	
Purpose of SOP:	To collect appropriate information from a citizen reporting a potential illicit discharge to increase the chances of identifying and removing its source.

Always:

- 1) Use the JCDH complaint system and call in line at (205)930-1230. The Incident Tracking Sheet below can provide an additional document to collect the appropriate information that then should be entered into JCDH complaint system
- 2) Investigations should be worked with in 5-7 business days and the status should be reported on the complaint system.
- 3) All action taken should be recorded.
- 4) Follow JCDH procedures on complaints for any additional information
- 5) All municipal employees should call in the complaint to JCDH at (205)930-1230 for tracking purposes

Whenever Possible:

- 1) Provide additional training on tracking stormwater complaints
- 2) Generate GIS databases from information taken from complaints to scan for any patterns of illicit discharges

Never:

- 1) Never enter private property without permission.
- 2) Never put yourself in danger.

ILLICIT DISCHARGE HOTLINE INCIDENT TRACKING SHEET

Copied with permission from: *Illicit Discharge Detection and Elimination-A Guidance Manual for Program Development and Technical Assessments*, CWP, 2004.

Incident ID:				
Responder Information				
Call taken by:			Call date:	
Call time:			Precipitation (inches) in past 24-48 hrs:	
Reporter Information				
Incident time:			Incident date:	
Caller contact information (<i>optional</i>):				
Incident Location (<i>complete one or more below</i>)				
Latitude and longitude: Or other coordinate system				
Stream address or outfall #:				
Closest street address:				
Nearby landmark:				
Primary Location Description		Secondary Location Description:		
Stream corridor (<i>In or adjacent to stream</i>)		Outfall	In-stream flow	Along banks
Upland area (<i>Land not adjacent to stream</i>)		Near storm drain	Near other water source (storm water pond, wetland, etc.):	
Narrative description of location:				
Upland Problem Indicator Description				
Dumping		Oil/solvents/chemicals	Sewage	
Wash water, suds, etc.		Other: _____		
Stream Corridor Problem Indicator Description				
Odor	None	Sewage	Rancid/Sour	Petroleum (gas)
	Sulfide (rotten eggs); natural gas	Other: Describe in "Narrative" section		
Appearance	"Normal"	Oil sheen	Cloudy	Suds
	Other: Describe in "Narrative" section			
Floatables	None:	Sewage (toilet paper, etc)	Algae	Dead fish
	Other: Describe in "Narrative" section			
Narrative description of problem indicators:				
Suspected Violator (name, personal or vehicle description, license plate #, address, etc.):				

Standard Operating Procedure for:	
A.5 IDDE: Septic System Inspections (JCDH Employees and Municipal Employees)	
Purpose of SOP:	Failed septic systems can adversely impact water quality. This SOP provides a quick reference list to supervisors and field crews that are conducting an initial screening for failures in areas that are identified in the full IDDE program.

Always:

- 1) Refer potential septic tank issues to JCDH (205)903-1230 if a municipal employee.
- 2) JCDH refer all septic tank issues to Community Environmental Protection Division. They will follow internal procedures to have all issues resolved. Monitor to make sure work is being completed.
- 3) Inform homeowner that they have a leak and that action needs to be taken to remediate the problem such as tank pumping until problem can be resolved

Whenever Possible:

- 1) Screen high risk areas (older areas or areas near lakes or impaired waterbodies). JCDH keeps a record of all septic tank malfunctions and what areas are more likely for malfunctions
- 2) Look for indicators of failures, such as wet areas or disagreeable odors near the leach field.
- 3) JCDH documents all septic tank systems as they are installed and what repairs are issued.

Never:

- 1) Never enter private property without permission.
- 2) Never put yourself in danger.

Related References	
	Jefferson County Department of Health Community Environmental Protection Division Environmental Health Services 1400 Sixth Avenue South Birmingham, AL 35233 (205)930-1230

Standard Operating Procedure for:	
A.6 IDDE: Tracing Illicit Discharges (JCDH Employees)	
Purpose of SOP:	To provide a quick reference list of items to keep in mind during tracing activities to efficiently and systematically identify the source of an illicit discharge.

Always:

- 1) Review / consider information collected when illicit discharge was initially identified (Incident Tracking Sheet from municipality, Data Dictionary from JCDH, or Dry Weather Outfall Inspection Form can all be used for this purpose).
- 2) Survey the general area / surrounding properties to identify potential sources of the illicit discharge as a first step. If discharge is fecal or similar JCDH takes enforcement action immediately and then educates homeowner using pamphlets, flyers, or talks to communities about ways to eliminate these issues.
- 3) JCDH traces illicit discharges using visual inspections of upstream points as a secondary step.
- 4) JCDH documents tracing results for future reference.
- 5) JCDH uses analysis software to tell if there are illicit discharges between set sample points and then uses personnel to track these discharges

Whenever Possible:

- 1) JCDH can employ the use of weirs, sandbags, dams, or optical brightener monitoring traps to collect or pool intermittent discharges during dry weather for further inspection.
- 2) Although rarely used by JCDH, televising of the storm drain system can be used trace high priority, difficult to detect illicit discharges.
- 3) JCDH dye tests, with a fluorescent green dye, the individual discharge points within suspected buildings.
- 4) If the source cannot be found, it is added to the area GIS database for future inspection programs.
- 5) Samples are always taken by JCDH usually in pairs to confirm/refute illicit discharge.

Never:

- 1) Never enter private property without permission.
- 2) Never put yourself in danger.

Standard Operating Procedure for:	
A.7 IDDE: Removing Illicit Discharges (JCDH and Municipal Employees)	
Purpose of SOP:	Proper removal of an illicit discharge will ensure it does not recur. Using legal methods for the removal will minimize the municipality's liability. This SOP provides an overview of illicit discharge removal procedures.

Always:

- 1) Determine who is financially responsible; and follow associated procedures on Table 2-9.
- 2) Suspend access to storm drain if threats of death or serious physical harm to humans or the environment are possible.
- 3) If the discharge is from an exempt facility (see Table 2-9) notify the facility operator and the appropriate enforcement authority.
- 4) Repair/correct cause of discharge if municipality is responsible.
- 5) Collect a confirmatory sample after the removal. Seek technical assistance from JCDH, if needed.
- 6) Seek fining methods through the *Erosion and Sedimentation Control Ordinance* or through municipal codes. Each day of discharge will constitute a separate offense.
- 7) Work with guilty party to solve issue as much as possible.

Whenever Possible:

- 1) Issue a Notice of Violation for violations of the *Erosion and Sedimentation Control Ordinance* adopted by all Storm Water Management Authority, Inc municipalities.

Never:

- 1) Never repair/correct cause of discharge on private property until all organizations have met and decided what is the best course of action (JCDH Storm Water program, Mayor, City Official, etc.)

TABLE 2-9: NOTIFICATION AND REMOVAL PROCEDURES FOR ILLICIT DISCHARGES INTO THE MUNICIPAL SEPARATE STORM SEWER SYSTEM			
Financially Responsible Party	Source Identified	Enforcement Authority	Procedure to Follow
Private Property Owner	One-time illicit discharge (e.g., spill, dumping, etc.)	Ordinance enforcement authority (Municipal Official, JCDH)	<ul style="list-style-type: none"> • Contact Owner • Issue Notice of Violation • Issue fine
Private Property Owner	Intermittent or continuous illicit discharge from legal connection	Ordinance enforcement authority (Municipal Official, JCDH)	<ul style="list-style-type: none"> • Contact Owner • Issue Notice of Violation • Determine schedule for removal • Confirm removal
Private Property Owner	Intermittent or continuous illicit discharge from illegal connection or indirect (e.g., infiltration or failed septic)	Plumbing Inspector, Municipal Official, JCDH	<ul style="list-style-type: none"> • Notify plumbing inspector
Municipal	Intermittent or continuous illicit discharge from illegal connection or indirect (e.g., failed sewer line)	Ordinance enforcement authority (JCDH, Municipal Official, Jefferson County Environmental Services)	<ul style="list-style-type: none"> • Issue work order • Schedule removal • Remove connection • Confirm removal
Exempt 3 rd Party <ul style="list-style-type: none"> • Alabama Department of Transportation ALDOT (in selected urbanized areas) • Industrial Facilities with selected SIC codes 	Any	USEPA	<ul style="list-style-type: none"> • Notify exempt third party and USEPA of illicit discharge

Standard Operating Procedure for:	
A.8 IDDE: Removing Industrial Illicit Discharges (JCDH and Municipal Employees)	
Purpose of SOP:	Proper removal of an industrial illicit discharge will ensure it does not recur. Using legal methods for the removal will minimize the municipality's liability. This SOP provides an overview of industrial illicit discharge removal procedures.

Always:

- 1) Determine who is financially responsible; and follow associated procedures on Table 2-9.
- 2) Suspend access to storm drain if threats of death or serious physical harm to humans or the environment are possible.
- 3) If the discharge is from an exempt facility (see Table 2-9) notify the facility operator and the appropriate enforcement authority.
- 4) Repair/correct cause of discharge if industrial discharge is from a municipal source
- 5) Collect a confirmatory sample after the removal. Seek technical assistance from JCDH, if needed.
- 6) Seek fining methods through the *Erosion and Sedimentation Control Ordinance* or through municipal codes. Each day of discharge will constitute a separate offense. These offenses may be subject to escalated fees according to municipal or other ordinances.
- 7) Work with guilty party to solve issue as much as possible. Use environmental engineer for facility when possible, these have been identified from the existing Air Toxins program at JCDH

Whenever Possible:

- 1) Issue a Notice of Violation for violations of the *Erosion and Sedimentation Control Ordinance* adopted by all Storm Water Management Authority, Inc municipalities.
- 2) GIS locate all NPDES discharge sites for all industrial sources within the Storm Water Management Authority, Inc municipalities.
- 3) Work with ADEM to check all NPDES permit limits to make sure industrial sources are within allowed limits

Never:

- 1) Never repair/correct cause of discharge on private property until all organizations have met and decided what is the best course of action (JCDH Storm Water program, Mayor, City Official, etc.)

APPENDIX B

POLLUTION PREVENTION AND GOOD HOUSEKEEPING SOPS

Standard Operating Procedure for:	
B.1 Catch Basin Cleaning (Municipal or Jefferson County Public Works Employees)	
Purpose of SOP:	To protect Storm Water by maintaining the ability of catch basins to trap sediments, organic matter, and litter. This reduces clogging in the storm drain system as well as the transport of sediments and pollutants into receiving waterbodies.

Always:

- 1) Inspect catch basins for structural integrity and evidence of illicit discharges during cleaning. Use the Catch Basin Cleaning Form.
- 2) If gross contamination (sewage or oil), stop cleaning and report to supervisor for follow up. The supervisor should then report this to JCDH at (205)930-1230.
- 3) Stockpile and cover catch basin residuals on an impervious surface that discharges to a sanitary sewer or buffered area until test results are known (if reuse is planned).
- 4) Test catch basin stockpile as follows:
 - If obviously (by visual and/or olfactory examination) contaminated with sanitary wastewater, animal wastes, oil, gasoline or other petroleum products, test the solids pursuant to the hazardous waste determination dispose of as follows:
 - a) If non-hazardous – dispose at any permitted, lined solid waste landfill or other solid waste treatment facility permitted to accept this material.
 - b) If hazardous – dispose of in accordance with Alabama Hazardous Waste Rules.
 - If not obviously contaminated,
 - a) Test for metals, VOCs and PAHs.
 - b) Compare with the following charts used by New Hampshire or relevant Alabama used charts.

Whenever Possible:

- 1) Inspect each catch basin at least annually, during catch basin cleaning. These forms will need to be reported to JCDH for record keeping unless the municipality has a record keeping process in place.
- 2) Create an internal checklist for catch basins to help classify which catch basins require maintenance and how often.
- 3) Perform street sweeping on an appropriate schedule to reduce the amount of sediment, debris and organic matter entering the catch basins, which in turn reduces the frequency with which they will need to be cleaned. The street sweeping schedules should be provided to JCDH or Storm Water Management Authority, Inc and tracked on a monthly basis by each municipality
- 4) Discharge fluids collected during catch basin cleaning to a sanitary WWTP, or buffered detention area.
- 5) The forms listed below should be completed and turned into JCDH on a monthly basis. This allows for miles of street swept and number of catch basins cleaned each year.

Catch Basin Cleanings Reuse Guidance			
Maximum Contaminant Concentrations			
<i>Regulated Contaminant</i>	<i>S-1 Standards (mg/kg)</i>	<i>S-3 Standards (mg/kg)</i>	<i>USEPA SW-846 Test Method</i>
Metals			
Arsenic	11	11	6010B
Barium	750	3,400	6010B
Cadmium	32	230	6010B
Chromium	1000	5,000	6010B
Lead	400	400	6010B
Mercury	13	13	7471A
Selenium	260	260	6010B
Silver	45	200	6010B
VOCs			
Benzene	0.3	0.3	8260B
Dichloroethane, 1,2-	0.08	0.08	8260B
Isopropyl benzene	123	123	8260B
Methyl-t-butyl ether	0.13	0.13	8260B
Toluene	100	100	8260B
Xylene	500	1,100	8260B
Aklylbenzenes Butylbenzene, n- Butylbenzene, sec- Butylbenzene, tert- Isopropyl toluene, 4- Propylbenzene, n- Trimethylbenzene, 1,2,4- Trimethylbenzene, 1,3,5-	59 (total)	59 (total)	8260B
PAHs - Carcinogenic			
Benzo(a)anthracene	0.7	40	8270C
Benzo(a)pyrene	0.7	4	8270C
Benzo(b)fluoranthene	7	400	8270C
Benzo(k)fluoranthene	7	400	8270C
Chrysene	70	4,000	8270C
Dibenzo(a,h)anthracene	0.7	4	8270C
Indeno(1,2,3-cd)pyrene	0.7	40	8270C
PAHs – Noncarcinogenic			
Acenaphthene	270	270	8270C
Acenaphthylene	300	300	8270C
Anthracene	1,000	1,700	8270C
Fluoranthene	810	5,000	8270C
Fluorene	510	510	8270C
Methylnaphthalene,2-	150	150	8270C
Napthalene	5	5	8270C
Benzo(g,h,i)perylene Phenanthrene Pyrene	480 (Total)	5,000 (Total)	8270C

Standard Operating Procedure for:	
B.2 Storm Drain System Repair and Maintenance (Municipal or Jefferson County Public Works Employees)	
Purpose of SOP:	To protect Storm Water by replacing or repairing components of the storm drain system on a regular basis to prevent a failure of the storm drain system.

Always:

- 1) Practice preventive maintenance for cracks, leaks, and other conditions that could cause breakdowns in the system by identifying maintenance issues such as:
 - For catch basins during catch basin cleaning (see SOP B.1)
 - For outfalls during IDDE inspection (see SOP A.1, A.2 and A.3)
- 2) Repair defective structures or equipment identified during an inspection as soon as possible.
- 3) Test and dispose of stockpiled materials as described in SOP B.1.
- 4) Document inspections, cleanings and repairs and report them to Storm Water Management Authority, Inc or JCDH (SOP B.1 for catch basins, SOPs A.1 through A.3 for outfalls, and attached example form for pipes).
- 5) Use appropriate erosion and sediment control practices when performing repairs.

Whenever Possible:

- 1) Practice preventive maintenance for pipes by televising:
 - Prior to reconstruction of roadways, or
 - On a regular schedule beginning with high priority areas.
 - Or track all televising of sewer lines by Jefferson County Environmental Services.
- 2) Research and implement new technology that will improve the overall performance of the storm drain system.
- 3) Perform street sweeping on a regular basis to reduce the amount of sediment, debris and organic matter entering the storm drain system, which in turn reduces the frequency with which the system will need to be cleaned. This activity will need to be tracked and presented to Stormwater Management Authority or JCDH on a monthly basis.
- 4) Use documentation of repairs and maintenance to develop a capital improvement and O&M plan for future system maintenance. This should be written in an overall city document plan.

Never:

- 1) Never allow defective equipment or structures to go unrepaired.

Related References	
	-USEPA National Menu of BMPS -Alabama Soil and Conservation Committee’s <i>Alabama Handbook for Erosion Control, Sediment Control, and Stormwater Management of Construction Sites and Urban Areas</i>

B.3 Erosion and Sediment Control (All Organizations)	
Purpose of SOP:	To protect Storm Water from pollution by reducing or eliminating pollutant loading from land disturbing activities.

Always:

- 1) Use erosion control techniques or devices to stabilize disturbed areas.
- 2) Use effective site planning to avoid sensitive areas.
- 3) Keep land disturbance to a minimum.
- 4) Inspect and maintain erosion control devices after each 0.75 inches of rain
- 5) Install erosion control devices properly.
- 6) Remove sediment accumulated during construction from permanent BMPs once construction is completed.
- 7) Minimize the amount of bare soil by scheduling phases of construction and stabilization.
- 8) Minimize slope lengths.
- 9) Monitor practices and adjust, maintain, and repair them periodically and after every storm.
- 10) Reduce the velocity of Storm Water runoff.
- 11) Prevent erosion by covering bare soil with mulch or other cover.
- 12) Protect existing Storm Water structures from sediment by using temporary sediment traps, silt fence, or perforated risers.
- 13) Divert clean water around construction site.
- 14) Make sure all permitting has been done and approved through JCDH and the local Stormwater Management Authority municipality. See form on next page for electronic permit.
- 15) Allow 3-14 business days for initial review time on large commercial developments.

Whenever Possible:

- 1) Limit construction activities during months with higher runoff rates.
- 2) Install erosion control blankets when seeding drainage ways.
- 3) Protect natural vegetation, especially near waterbodies, wetlands, and steep slopes.
- 4) Establish vegetative cover with good root systems prior to freeze/thaw cycles.

Never:

- 1) Never divert runoff into a sensitive area.
- 2) Never remove temporary measures before construction is complete.
- 3) Never allow silt fences to over-run or put in flow paths.

Related References	
	-USEPA National Menu of BMPS -Alabama Soil and Conservation Committee's <i>Alabama Handbook for Erosion Control, Sediment Control, and Stormwater Management of Construction Sites and Urban Areas</i>

JCDH EROSION AND SEDIMENTATION CONTROL PERMITTING FORM

Erosion Control System Entry/Maintenance - Windows Internet Explorer
http://localhost:55285/EH/EroCUI/EHEC02.aspx

File Edit View Favorites Tools Help

Erosion Control System Entry/Maintenance

Main Menu

Muni Information
City of: [dropdown]
Year: [text] City Cd: [text] Sequence: [text] JCDH Issued:
Permit: [text] Date: [calendar]
Fee Amount: [text]

Type of Construction
Type: Single Family: Commercial:

Applicant Information
Name of Applicant: [text]
Apartment: [text] Number: [text] Name: [text] Type: [dropdown] Dir: [dropdown]
Address: [text]
City: [text] State: [text] Zip: [text]
Phone Nbr: [text] Fax: [text]
Email Address: [text]

Property Owner Information
 Same as Applicant Information:
Name of Property Owner: [text]
Apartment: [text] Number: [text] Name: [text] Type: [dropdown] Dir: [dropdown]
Address: [text]
City: [text] State: [text] Zip: [text]
Phone Nbr: [text] Fax: [text]
Email Address: [text]

Property Location Information
 Same as Applicant Information:
Apartment: [text] Number: [text] Name: [text] Type: [dropdown] Dir: [dropdown]
Address: [text]
City: [text] State: [text] Zip: [text]
Legal Description: [text area]

Contractor Information
 Same as Applicant Information:

Local intranet | Protected Mode: Off | 100% | 1:34 PM

Standard Operating Procedure for:	
B.4 Landscape Design and Management (All Organizations)	
Purpose of SOP:	To protect Storm Water by designing and managing landscaping in ways that minimize polluted runoff.

Always:

- 1) Design landscaping by taking into account soil types, light, drainage, desired maintenance level and budget. A soil map is attached on the following page of Jefferson County but for further soil information go to <http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>.
- 2) Design for ease of maintenance.

Whenever Possible:


- 1) Minimize erosion prone steep slopes by using techniques such as terracing.
- 2) Use native plants that are pest resistant. Plant the right plant in the right area.
- 3) Manage water runoff by rerouting gutters away from storm drains and maintaining groundcovers between developed areas and waterways (ditches, swales, shorelines).
- 4) Reduce or eliminate mown lawn in unused areas.
- 5) Convert excess lawn to meadow or forest.
- 6) Establish set back distances from pavement, storm drains, and waterbodies. Allow these areas to serve as buffers with disease-resistant plants and minimal mowing.
- 7) JCDH and the Stormwater Municipalities promote Low Impact Development Design on new structures and retrofits.

Never:

- 1) Never develop a landscape design without assessing its impact on water quality.
- 2) Never cause unintended consequences such as
 - Planting large variety trees beneath overhead wires.
 - Blocking site distance at intersections
 - Planting trees with a high water demand (weeping willow) near sanitary sewer pipes and storm sewer pipes.

Related References	
	-United States Department of Natural Resources Conservation Services Soil Map -Alabama Department of Agriculture -USEPA National Menu of BMPs -CWP Urban Forestry Manual

JEFFERSON COUNTY SOIL MAP



SOURCE: United States Department of Natural Resources Conservation Services Soil Map website
<http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>.

Standard Operating Procedure for:	
B.5 Storage and Disposal of Fertilizer and Pesticides (Municipal Employees, Jefferson County Employees, and Homeowners)	
Purpose of SOP:	To protect Storm Water by properly storing and disposing of fertilizers and pesticides (herbicides and fungicides). Because storm drain water is not part of a wastewater treatment system, discharge of these chemicals flows untreated into ponds, lakes, rivers, streams, estuaries, and bays.

Always:

- 1) Store fertilizers and pesticides in high, dry locations, according to manufacturer’s specifications and applicable regulations.
- 2) Fill out PHF storage form below.
- 3) Clearly label secondary containers.
- 4) Properly dispose of fertilizers and pesticides according to manufacturer’s specifications and applicable regulations.
- 5) Regularly inspect fertilizer and pesticide storage areas for leaks or spills.
- 6) Clean up spills and leaks of pesticides and fertilizers to prevent the chemicals from reaching the storm drain system. (SOPs B.12 and B.16)

Whenever Possible:

- 1) Store pesticides in enclosed areas or in covered impervious containment, preferably in a locked cabinet.
- 2) Order fertilizers and pesticides for delivery as close to time of use as possible to reduce amount stored at facility.
- 3) Order only the amount needed to minimize excess or obsolete materials requiring storage and disposal.
- 4) Use ALL herbicides or pesticides appropriately to minimize the amount of chemicals requiring disposal.
- 5) Do an annual review of storage area and dispose of old, unusable or “obsolete” fertilizer or pesticides in accordance with applicable regulations (just before your local Household Hazardous Waste Day).
- 6) Keep a eye out for local recycling centers that will be marked by a JCDH program that is targeted for October 2011.

EPA defines a pesticide as any substance intended for preventing, destroying, repelling, or mitigating any pest. Pest can include insects, animals, unwanted plants, fungi, bacteria, etc. The term applies to insecticides, herbicides, fungicides, etc.

Never:

- 1) Never dispose of fertilizers or pesticides in storm drains.
- 2) Never leave unlabeled or unstable chemicals in uncontrolled locations.

Related References	
	-USEPA National Menu of BMPs

Storm Water Management Authority, Inc

1400 SIXTH AVENUE SOUTH. P.O. BOX 2648. BIRMINGHAM, ALABAMA 35202. (205)930-1230

Pesticide, Herbicide, and Fertilizer Storage Facility

Part 1: General Information

Stormwater Municipality: _____ Date: _____
Mayor: _____
Applicator's Department _____

Part 2: Storage Information

Storage Location Address: _____ City: _____
State: _____ Zip: _____
Amount Stored _____ gallons
Brand, Purpose, and Amounts of Chemicals Stored:

Are Storage SOPs followed: Yes No (if no why not)

Stormwater Municipality: _____
 Mayor: _____

*If more than 19 chemical stored then start at 1 on another form and continue forward until completed

Pesticides, Herbicides and Fertilizer Inventory

Description	Purpose	Amount (gallons)	Category	Amount Used
1)				
2)				
3)				
4)				
5)				
6)				
7)				
8)				
9)				
10)				
11)				
12)				
13)				
14)				
15)				
16)				
17)				
18)				
19)				

Standard Operating Procedure for:	
B.6 Fertilizing and Turf Health Application (Municipal Employees, Jefferson County Employees, and Homeowners)	
Purpose of SOP:	To protect Storm Water by properly storing, applying, and disposing of fertilizers and by maintaining turf health to reduce diseases.

Always:

- 1) Store, use, and dispose of all fertilizers and contaminated wastes according to manufacturer's specifications and applicable regulations.
- 2) Choose seed based on soil types, intended use of area, latest variety research, and/or assessment of past site performance.
- 3) Check 5-day weather forecast to avoid fertilizing before heavy rain or during a drought.
- 4) Fill out appropriate form below.

Whenever Possible:

- 1) Apply fertilizers based on a soil testing program, soil type, turf function, and assessment by qualified personnel (conservation commission or municipal arborist, etc.). See Jefferson County Soil Map above.
- 2) Avoid fertilizing during a drought or when the soil is dry.
- 3) Apply fertilizers during periods of maximum plant uptake (usually fall and spring).
- 4) Avoid combined products such as weed and feed, which do not necessarily target specific problems at the appropriate time.
- 5) Calibrate application equipment to ensure proper application.
- 6) If phosphorus fertilizer is used when re-seeding, mix phosphorus into root- zone.
- 7) Use alternative or environmentally friendly products (See SOP B.15.).
- 8) Use natural compost and organic fertilizers instead of synthetic fertilizers.
- 9) Aerate grassed areas to improve drainage and bring more oxygen to the soil.

Never:

- 1) Never fertilize before a forecasted heavy rainfall.
- 2) Never apply phosphorus fertilizer on bare soil.
- 3) Never deposit fertilizer in the water, into storm drains, or onto impervious surfaces (streets and sidewalks).
- 4) Never apply fertilizer to frozen ground.
- 5) Never clean up spilled fertilizer by rinsing it with water.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:	
B.7 Weed and Pest Control Application (Municipal Employees, Jefferson County Employees, and Homeowners)	
Purpose of SOP:	To protect Storm Water by properly applying pesticides (herbicides and insecticides).

Always:

- 1) Ensure that pesticides are only applied by personnel certified by AL Department of Agriculture to do so.
- 2) Apply pesticides according to manufacturer’s specifications, the Alabama Department of Agriculture & Industrial Food & Safety Division, Pesticide Management Section, and any local requirements.
- 3) Clean up any spilled chemicals (See SOPs B.12 and B.16.).
- 4) Use pesticides only when necessary.
- 5) Rinse equipment only when necessary and use rinse water to dilute next mix as long as application rates are not exceeded.

Whenever Possible:

- 1) Use alternative methods to control weeds and pests such as Integrated Pest Management strategies, biorational insecticides (natural soaps and oils) or biological controls. (See SOP B.15.)
- 2) Mix/load pesticides in an area where spills can be contained.
- 3) Pull weeds by hand or mechanically.
- 4) Spot treat affected areas only instead of entire location.
- 5) Apply pest control at the life stage when the pest is most vulnerable.
- 6) Choose the least toxic pesticides that still achieve results.
- 7) Tolerate low levels of weeds.
- 8) Allow grass to grow 2.5 to 3 inches high, reduce thatch build up and aerate soils.
- 9) Reduce seed release of weeds by timing cutting at seed set.

Never:

- 1) Never mix or prepare pesticides near storm drains.
- 2) Never apply controlled pesticides unless certified to do so.
- 3) Never apply pesticides before a heavy rainfall.
- 4) Never discharge rinse water or excess chemicals to storm drain, sewer, or ground surface.

Related References	
	-USEPA National Menu of BMPs

<p>Jefferson County Department of Health and Storm Water Management Authority 1400 SIXTH AVENUE SOUTH. P.O. BOX 2648. BIRMINGHAM, ALABAMA 35202. (205)930-1230</p>	
<p>Pesticide, Herbicide, and Fertilizer Application (Municipal Use)</p>	
<p>FORM</p>	
<p>Part 1: General Information</p>	
Stormwater Municipality:	_____ Date: _____
Mayor:	_____
Applicator's Department	_____
Relevant Licenses Secured	Yes No License #: _____
<p>Part 2: Precipitation Amount</p>	
Time Since last rain (must be at least 24 hours)	_____ hrs
Precipitation Chance in 3-day period (estimated 3-day forecast information)	_____ % day 1
	_____ % day 2
	_____ % day 3
<p>Part 3: PHF Information</p>	
Estimated Amount Applied Total:	_____ gallons
Employee Hours Used in Application	_____ hrs
Types Commonly Applied:	
* Manufacture, Receipts of Purchase, and Purpose should be stated or stapled to document.	
Were SOPs followed during application: Yes No (if no why state below)	
Application Areas:	
<p>If PHFs are applied by an outside entity (Jefferson County, State of Alabama, etc..) then contract with outside entity should be stapled to this form when returned.</p>	

<p>Jefferson County Department of Health and Storm Water Management Authority 1400 SIXTH AVENUE SOUTH. P.O. BOX 2648. BIRMINGHAM, ALABAMA 35202. (205)930-1230</p>	
<p>Pesticide, Herbicide, and Fertilizer Application (Private Applicator)</p>	
<p>Application</p>	
<p>Part 1: General Information</p>	
Stormwater Municipality:	_____ Date: _____
Mayor:	_____
Applicant's Name	_____
Applicant's email address/ Phone number:	_____
Applicator Company Name:	_____
Mailing Address:	_____ City _____
State:	_____ Zip: _____
Relevant Licenses Secured	Yes No License #: _____
<p>Part 2: Precipitation Amount</p>	
Time Since last rain (must be at least 24 hours)	_____ hrs
3-day forecast information)	_____ % day 1
	_____ % day 2
	_____ % day 3
<p>Part 3: PHF Information</p>	
Estimated Amount Applied Total:	_____ gallons
Employee Hours Used in Application:	_____ hrs
Type Applied:	_____
<p>Were SOPs followed during application: Yes No (if no why state below)</p>	
<p>Application Area:</p>	

Standard Operating Procedure for:	
B.8 Mowing and Irrigation (Municipal Employees, Jefferson County Employees, and Homeowners)	
Purpose of SOP:	To protect Storm Water by using proper mowing and watering techniques. Proper mowing and irrigation techniques will reduce organic matter and other pollutants from entering the storm drain system and waterbodies.

Always:

- 1) Mow only as low as needed for the area’s intended use.
- 2) Vary mowing pattern to minimize ruts and promote even growth.
- 3) Base irrigation amounts on monitoring for moisture content.
- 4) Water at appropriate times (when no rain is forecasted and in cooler times of day).
- 5) Manage leaves, clippings, and compost so that runoff does not enter storm drain system or waterbodies.

Whenever Possible:

- 1) Allow areas to go to meadow or field and mow once or twice per year rather than every week.
- 2) Keep mower blades sharpened to avoid damaging grass leaf tissue.
- 3) Mow when the grass is dry to prevent spread of turf diseases.
- 4) Sweep lawn clippings and debris instead of using water.
- 5) Mulch grass clippings using a mulching mower.
- 6) Fill gas tanks in a controlled location.

Never:

- 1) Never irrigate based on timers/schedules instead of monitoring for moisture content.
- 2) Never dump gas, wastes or contaminated water down storm drains.
- 3) Never refuel or change the mower oil near storm drains.
- 4) Never leave mower running in one location (to prevent burning and over- cutting of vegetation).

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:		
B.9 Vehicle and Equipment Storage (Municipal and Jefferson County Employees)		
Purpose of SOP:	To protect Storm Water from petroleum products that may drip or leak from vehicles and equipment being stored or from dirt and sediment that accumulate in the storage	

Always:

- 1) Inspect parking areas for stains/leaks on a regular basis.
- 2) Use drip pans or adsorbents for leaking vehicles (provide a labeled location to empty and store drip pans).
- 3) Address any known leaks or drips as soon as possible.
- 4) Clean up spills.

Whenever Possible:

- 1) Store vehicles inside where floor drains have been properly connected and registered.
- 2) Store vehicles on paved areas, and street sweep on a regular basis to remove drips/leaks/dirt, and dispose of street sweepings properly.
- 3) Maintain vehicles to prevent leaks.

Never:

- 1) Never store leaking vehicles over a storm drain.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:	
B.10 Vehicle and Equipment Washing (Municipal, JCDH, and Jefferson County Employees)	
Purpose of SOP:	To protect Storm Water using proper washing techniques, proper washing locations, and proper disposal of wash water for heavy and light-duty vehicles and equipment.

Always:

- 1) Operate a closed system with wastewater recycling (like a floor drain discharge to a holding tank), or
- 2) Discharge to a municipal sanitary sewer, or
- 3) Obtain a Septic Tank permit from JCDH, or
- 4) Wash fewer than 30 vehicles per week and discharge to the ground surface, if
 - Good Best Management Practices Rules are used,
 - The discharge is registered through NPDES permitting, and
 - The washwater:
 - a) is not from power washing, steam cleaning, engine cleaning, or undercarriage cleaning,
 - b) does not contain soaps or other products which contain regulated contaminants, and
 - c) does not discharge to a surface water.

Whenever Possible:

- 1) Use a commercial car wash for light duty vehicles.
- 2) Obtain and use drain guards (filter inserts) to catch sediments, petroleum products, etc. that might enter the storm drains as a result of vehicle washing.
- 3) Minimize water and soap use when washing or rinsing vehicles.

Never:

- 1) Never perform engine or undercarriage washing outside.
- 2) Never wash vehicles over a storm drain or near drinking water wells.
- 3) Discharge washwater to a surface water.

Related References	
	-Alabama Department of Environmental Management

Standard Operating Procedure for:	
B.11 Vehicle and Equipment Fueling (Municipal, JCDH, and Jefferson County Employees)	
Purpose of SOP:	To prevent Storm Water contamination originating from vehicle and equipment fueling.

Always:

- 1) Fuel carefully to minimize drips to the ground surface.
- 2) Maintain clean fuel dispensing areas using dry cleanup methods.
- 3) Clearly label and tag all valves to reduce human error.
- 4) Train employees and subcontractors on proper fueling methods and spill cleanup techniques.
- 5) Maintain fuel storage tanks in accordance with local, state and federal laws.
- 6) Have absorbent spill cleanup kits and materials available at fueling areas.
- 7) Immediately clean up spills and properly dispose of contaminated soil and cleanup materials.
- 8) When fueling small equipment from portable containers, fuel in a designated area away from storm drains and waterbodies.

Whenever Possible:

- 1) Install a canopy or roof over aboveground storage tanks and fuel transfer areas.
- 2) Regularly inspect fueling equipment for corrosion and structural failure, cracks in foundations, and physical damage to container systems.
- 3) Use designated fueling areas built upon a level impervious surface (hard cement is best). If paved with asphalt, add a protective coating to create an impervious surface, inspect regularly, and street sweep quarterly at a minimum.
- 4) Protect storm drains from fueling areas using berms and dikes.
- 5) Use absorbent material or absorbent pads during fueling to collect leaks.

Never:

- 1) "Top off" fuel tanks (post signs to remind employees).
- 2) Hose down or bury a fuel spill.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:	
B.12 Spill Cleanup (Municipal, JCDH, and Jefferson County Employees)	
Purpose of SOP:	To protect Storm Water by educating employees on proper spill cleanup procedures, state reporting requirements and preventative actions.

Always:

- 1) Stop the source of the spill, if possible to safely do so.
- 2) Contain any liquids, if possible to safely do so.
- 3) Contact the appropriate emergency response number (see below) during normal working hours (8:00 a.m. – 4:00 p.m., Monday - Friday) to report spills.
 - **Jefferson County Emergency Management Agency– Oil and Response (205)254-2039**
 - **National Response Center – Chemical or Oil Spills that Impact Surface Water (800) 424-8802**
 - **USEPA Region 4 –(800)241-1754 or (404)562-9900**
- 4) Cover the spill with absorbent material such as kitty litter, sawdust, or oil absorbent pads. Do not use straw or water. (See SOP B.16 for adsorbent disposal.)
- 5) Petroleum spills involve, but are not limited to: crude oil, gasoline, heating oil, various fuel oils, lubricating oil, hydraulic oil, asphaltic residuals.
- 6) Report a petroleum spill if:
 - The spill is greater than 25 gallons, or
 - The spill cannot be immediately contained, or
 - The spill and/or contamination cannot be completely removed within 24 hours, or
 - There is an impact or potential impact to ground/surface water.
 - **IF IN DOUBT, REPORT THE SPILL**
- 7) Hazardous materials spills involve non-oil spills that pose a threat to human health or the environment, such as chemical releases.
- 8) Report any discharge of hazardous waste immediately, (within one hour) to local emergency officials [fire department], then contact the Jefferson County Emergency Management Agency as listed above
- 9) Contact local fire department _____(phone #).
- 10) Develop and maintain a Spill Prevention, Control, and Countermeasure (SPCC) Plan if the facility stores more than 1,320 gallons of petroleum.
- 11) Fit petroleum and chemical storage containers with secondary containment structures.
- 12) Keep a spill kit in areas where petroleum or hazardous materials are stored.
- 13) Train employees in spill response procedures and equipment annually.
- 14) Deploy containment booms if spill could potentially reach a storm drain or waterbody. JCDH is working with local fire departments to develop these maps which should be done by 2015
- 15) Position mats to contain drips from equipment or vehicles until they can be repaired.

Whenever Possible:

- 1) Seal the floor with paint to prevent absorption of fluids into concrete.
- 2) Install low-level or low-pressure alarms and/or cut-off systems on hydraulic equipment.

Never:

- 1) Never wash a spill into the storm drain or a water body.
- 2) Never leave a spill without cleaning it up.

Standard Operating Procedure for:	
B.13 Parts Cleaning (Municipal and Jefferson County Employees)	
Purpose of SOP:	To protect Storm Water by practicing proper parts cleaning techniques and disposing of waste cleaners properly.

Always:

- 1) Perform all cleaning in a designated area to minimize the potential for spills.
- 2) Store waste cleaners in properly labeled containers in accordance with regulations.
- 3) Dispose of all waste cleaners properly with a licensed contractor, on a regular basis.
- 4) Close parts-cleaner lid when it is not in use.

Whenever Possible:

- 1) The variety of cleaners should be minimized to make recycling and disposal simpler.
- 2) Use citrus-based cleaners and dispose of properly.
- 3) Use steam cleaning, pressure washing, or aqueous washers instead of solvents; however wastewater must be discharged to an oil/water separator and the wastewater treatment plant notified, or to a JCDH registered septic tank.

Never:

- 1) Never dispose of spent cleaners down the floor drains, sinks, storm drain, on the ground or into the air. Disposal by evaporation violates the Alabama Hazardous Waste Rules.
- 2) Never mix or add spent or fresh solvents to used oil.
- 3) Never use gasoline as a cleaner or solvent.
- 4) Never burn spent parts cleaning fluids in a used oil burner.
- 5) Never use a hand-held cleaner in/near the parts cleaner; never mix cleaners.

Standard Operating Procedure for:		
B.14 Spare Parts Storage		
Purpose of SOP:	To protect Storm Water by properly storing spare parts. Improper storage of materials can result in pollutants and toxic materials entering ground and surface water supplies.	

Always:

- 1) Store spare parts in a designated area.
- 2) Use drip pans for any parts that are dripping.

Whenever Possible:

- 1) Store spare parts inside or under cover.
- 2) Monitor storage areas for staining/leaks on a schedule decided on by the appropriate personnel.
- 3) Clean the majority of petroleum products from the parts that are to be stored.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:	
B.15 Alternative Products Use/Storage/Disposal (All Organizations)	
Purpose of SOP:	To protect Storm Water by using alternative products that are more environmentally friendly.

Always:

- 1) Ask product suppliers, peers, or regulatory agents if there is a more environmentally friendly alternative, when ordering any product.

Whenever Possible:

- 2) Use alternative products when deemed appropriate:
 - Instead of solvent-based parts cleaners use citrus-based cleaners or steam/pressure wash to an oil/water separator/holding tank.
 - Instead of herbicides use bark mulch.
 - Instead of fertilizer use compost or manure.
 - Instead of pesticides plant marigolds, onion, or garlic as deterrents; release or attract beneficial insects.
 - Instead of synthetic adsorbents, use corncob or cellulose products for petroleum spills that can be burned for energy recovery.
- 3) Train employees annually on the benefits of using alternative products.
- 4) Minimize waste by purchasing recyclable products that have minimal packaging.
- 5) Use less harmful deicers such as calcium magnesium acetate, potassium acetate, or organic deicers such as Magic Salt™.
- 6) Use a "pre-mix" of 4 to 1 sodium chloride and calcium chloride, which is the most cost- effective alternative to straight salt.
- 7) Substitute synthetic fertilizers with natural compost and organic fertilizers to improve soil pH, texture and fertility, and cause less leaching to groundwater.
 - Use no-phosphorus lawn fertilizer.
 - Use natural or certified organic fertilizers with low phosphorus levels (8-2-4, 6-2-4, 9-1-1, 6-1-1).
- 8) Use slow-release nitrogen fertilizers.
- 9) Reduce or eliminate mown lawn in areas that are not actively used.
- 10) Consider converting unused turf to meadow or forest.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:	
B.16 Petroleum and Chemical Disposal (Municipal and Jefferson County Employees, Homeowners)	
Purpose of SOP:	To protect Storm Water from petroleum and chemical products due to improper disposal practices.

Always:

- 1) Maintain tracking and manifest to report to JCDH or Storm Water Management Authority, Inc, where necessary, of chemicals and petroleum products being disposed or recycled off-site.
- 2) Transports used petroleum and chemical products with a licensed transporter and maintain records for three years.
- 3) Train employees annually on proper disposal practices.
- 4) Drain used oil filters for 24-hours before crushing and disposal (disposal in regular trash allowed).
- 5) Analyze floor drain solids (from sediment trap) for TCLP to determine if hazardous waste or not.
- 6) Contaminated cloth wipe may be laundered onsite or offsite, liquid free, and stored in a closed, labeled container.

Whenever Possible:

- 1) Minimize the number of solvents used to reduce the variety of waste generated and to make recycling easier.
- 2) Use safer alternatives. (see Alternative Products SOP)
- 3) If burning used oil for on-site heat, analyze for these used oil standards (Arsenic, Lead, Cadmium, Chromium, F- listed Halogens, Flashpoint, PCBs) approximately once every 1,000 gallons.

Never:

- 1) Never place hazardous waste in solid waste dumpsters.
- 2) Never pour liquid waste down floor drains, sinks or outdoor storm drain inlets.
- 3) Never mix petroleum waste and chemical waste.
- 4) Never dispose of any gasoline-contaminated waste in the regular trash. Dispose of it only as a hazardous waste.

Standard Operating Procedure for:	
B.17 Petroleum and Chemical Handling (Municipal and Jefferson County Employees)	
Purpose of SOP:	To protect Storm Water by properly managing petroleum products and chemicals used by municipalities.

Always:

- 1) Train employees in hazardous material handling, safety, spill cleanup and reporting on an annual basis.
- 2) Handle petroleum products and chemicals according to manufacturer’s specifications.
- 3) Conduct oil changes indoors for equipment that fits indoors.
- 4) Use proper protective equipment.
- 5) Maintain Material Safety Data Sheets (MSDS) for all chemicals used.
- 6) Make MSDS sheets available on materials that require special handling, storage and/or disposal.
- 7) Create a sign-off sheet for employees stating that they know the location of the MSDS(s) and provide to JCDH or Storm Water Management Authority, Inc.
- 8) Train new employees within six months of hire. A record of this should be kept and given annually to JCDH or Storm Water Management Authority, Inc

Whenever Possible:

- 1) Assess hazardous material needs to minimize the amount and variety of hazardous material in storage.
- 2) Keep an inventory of hazardous materials on hand.
- 3) Transfer materials from one container to another indoors in a well ventilated area.
- 4) Properly label containers.

Never:

- 1) Never treat or dispose of hazardous materials unless licensed to do so.
- 2) Never mix petroleum or chemicals unless directed by manufacturer’s instructions.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:	
B.18 Petroleum and Chemical Storage – Bulk (Municipal and Jefferson County Employees)	
Purpose of SOP:	To protect Storm Water by properly storing bulk petroleum products and chemicals (containers larger than 55 gallons).

Always:

- 1) Store materials away from high traffic areas, posted with appropriate signage.
- 2) Store materials according to manufacturer's specifications in approved containers and conditions.
- 3) Be prepared for possible spills by having a spill kit nearby.
- 4) Register ASTs if your facility stores more than 660 gallons of petroleum products (10,000 gallons if used for on-site heating).
- 5) Develop and use a Spill Prevention Control and Countermeasure (SPCC) plan if storing more than 1,320 gallons of petroleum (required).
- 6) Store incompatible hazardous materials in separate areas.
- 7) Inspect storage areas for leaks or drips frequently.
- 8) Store bulk items within secondary containment areas if bulk items are stored outside.
- 9) Conduct annual employee training to reinforce proper storage techniques for petroleum and chemical products. Keep record and present to JCDH or Storm Water Management Authority, Inc annually.

Whenever Possible:

- 1) Store bulk chemicals and petroleum products inside or under cover.
- 2) Provide secondary containment for interior storage.
- 3) Cover transfer areas.

Never:

- 1) Never store bulk chemicals or petroleum products near a storm drain.

Standard Operating Procedure for:	
B.19 Petroleum and Chemical Storage – Small Quantity (All organizations and Homeowners)	
Purpose of SOP:	To protect Storm Water from pollution by properly storing petroleum products or chemicals (containers 55 gallons and smaller).

Always:

- 1) Store materials away from high traffic areas.
- 2) Store materials according to manufacturer's specifications (e.g. in a flammable materials storage cabinet).
- 3) Dispose of unused or waste materials properly.
- 4) Train employees on proper storage procedures for petroleum and chemical products.
- 5) Store materials in their original containers to maintain appropriate labeling.
- 6) Be prepared for spills by having a spill kit nearby.
- 7) Frequently inspect the storage areas for leaks or spills.
- 8) Conduct annual employee training to reinforce proper storage techniques for petroleum and chemical products. A list should be provided to JCDH or Storm Water Management Authority, Inc at the end of the permit cycle.

Never:

- 1) Never store petroleum or chemical products near a floor drain or Storm Water inlet.

Standard Operating Procedure for:	
B.20 Garbage Storage (All Organizations and Homeowners)	
Purpose of SOP:	To protect Storm Water from contamination by properly storing garbage. Garbage and leachate can be transported by Storm Water and enter the storm drain system and receiving waterbodies.

Always:

- 1) Cover rubbish bins to keep rubbish and leachate in and wind and rain out.

Whenever Possible:

- 1) Store garbage containers beneath a covered structure or inside to prevent contact with Storm Water. This is done on all food establishments as well by JCDH.
- 2) Install berms, curbing or vegetation strips around storage areas to control water entering/leaving storage areas.
- 3) Locate dumpsters on a flat, concrete surface that does not slope or drain directly into the storm drain system.
- 4) Locate dumpsters and trash cans in convenient, easily observable areas.
- 5) Provide properly-labeled recycling bins to reduce the amount of garbage disposed.
- 6) Inspect garbage bins for leaks regularly, and have repairs made immediately by responsible party.
- 7) Keep bins free of improperly discarded trash.
- 8) Provide training to employees to prevent improper disposal of general trash.
- 9) Minimize waste by purchasing recyclable products that have minimal packaging.
- 10) Request/use dumpsters without drain holes.

Never:

- 1) Never place hazardous wastes in a dumpster or trash bin.
- 2) Never place gasoline-contaminated wastes in a rubbish bin (but small quantities of adsorbents from virgin oil spills are acceptable).
- 3) Never place oil-contaminated materials that release free draining oil into a rubbish bin.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:	
B.21 General Facility Housekeeping (All Organizations)	
Purpose of SOP:	To protect Storm Water by maintaining a clean, organized facility.

Always:

- 1) Keep open areas clean and orderly.
- 2) Pick up litter.
- 3) Conduct regular employee training and public education to reinforce proper housekeeping. Keep internal records to provide to Storm Water Management Authority, Inc or JCDH.
- 4) Remove unused scrap/junk materials.
- 5) Store hazardous materials as specified by the manufacturer.

Whenever Possible:

- 1) Store materials and wastes inside or under cover if outside.
- 2) Substitute less or non-toxic materials for toxic ones.
- 3) Perform a routine cleaning of the facility.
- 4) Inspect facility (interiors, exterior, parking areas, etc.) for stains.

Related References	
	-USEPA National Menu of BMPs

Standard Operating Procedure for:		
B.22 Floor Drains (Municipal and Jefferson County Employees)		
Purpose of SOP:	To protect Storm Water from pollution caused by discharges of hazardous materials to the subsurface, ground surface, waterway, or storm sewer through floor drains.	

Always:

- 1) Keep a spill kit in the vicinity of the floor drains.
- 2) Obtain and use drain mats, adsorbent booms or covers to keep larger spills out of drains.
- 3) Use floor drains that are (1) connected to a holding tank or (2) connected to the sanitary sewer via an oil/water separator.
- 4) Keep internal map of floor drains that have regulated contaminants stored or used near them.
- 5) Register septic tanks with JCDH.

Whenever Possible:

- 1) Minimize water use or run a dry shop.

Never:

- 1) Never dump hazardous materials down the floor drains.
- 2) Never use floor drains if you are unsure of their discharge location.
- 3) Never store regulated contaminants near a floor drain that discharges directly to the environment.

Standard Operating Procedure for:	
B.23 Painting (All Organizations and Homeowners)	
Purpose of SOP:	To protect Storm Water by properly storing, using and disposing of paint and preparation materials.

Always:

- 1) Store waste paints, solvent, and rags in sealed containers.
- 2) Perform abrasive blasting and spray painting in accordance with regulations.
- 3) Properly clean, store, and dispose of paint and associated waste materials.
- 4) Train employees on Best management Practices concerning painting activities, cleanup, and disposal.

Whenever Possible:

- 1) Replace solvent-based paint with less toxic paints such as latex or water-based paints.
- 2) Practice "source reduction" – buy only the paint that is needed.
- 3) Use up, donate or recycle unused paint.
- 4) Use drop cloths under any painting or preparation activity such as scraping or sandblasting.
- 5) Use techniques such as brushing and rolling to avoid overspray.
- 6) Use vacuum sanders to collect paint dust.
- 7) Perform abrasive blasting and spray painting in an enclosed or covered area that is safe for personnel.

Never:

- 1) Never dispose of paint or waste paint products into the storm drain system, a waterbody, or onto the ground.

Standard Operating Procedure for:	
B.24 Street Sweeping	
Purpose of SOP:	To remove sediment, debris and other pollutants from streets, parking areas, and paved surfaces through regular, properly timed sweeping schedules.

Always:

- 1) Sweep all publicly accepted paved streets and parking lots at least once per year as soon as possible after snowmelt.
- 2) Dispose of street sweepings properly (reuse is unrestricted if visual evidence of litter, animal waste, and petroleum contamination is absent).
- 3) Keep data logs on the mileage of street sweeping conducted in each city to provide to Storm Water Management Authority, Inc or JCDH such as the form below.

Whenever Possible:

- 1) Start at the “top” of town and work down.
- 2) Sweep downtown areas more frequently (daily).
- 3) Perform additional sweeping on a seasonal schedule and document areas swept.
- 4) Sweep in locations that generate debris, such as construction entrances, sand/salt loading areas, vehicle fueling areas, and vehicle and equipment storage areas on an as needed basis.
- 5) Street sweep before a major rain event.
- 6) Use dry vacuum assisted street sweepers (the most effective).
- 7) Maintain street sweeping equipment for maximum effectiveness.
- 8) Cover storage areas or locate storage areas where runoff discharges to a buffer.
- 9) Clean catch basins after streets are swept.

Never:

- 1) Never store street sweepings in areas where Storm Water could transport fines to the storm drain system or a waterbody.
- 2) Never purposely sweep into the storm drain system.

Standard Operating Procedure for:	
B.25 Snow Disposal (Municipal and Jefferson County Employees)	
Purpose of SOP:	To protect Storm Water by minimizing the impact of snow piles which contain sand, salt, and trash and which generate concentrated releases of pollutants during spring snowmelt conditions.

Always:

- 1) Identify sensitive ecosystems prior to disposal and avoid snow disposal in these areas.
- 2) Store snow at least 25 feet from the high water mark of a surface water.
- 3) Store snow at least 75 feet from any private water supply, at least 200 feet from any community water supply, and at least 400 feet from any municipal wells.
- 4) Install a double row of silt fence or equivalent barrier securely between the snow storage area and the high water mark, and inspect periodically throughout the winter season.
- 5) Clear debris in storage area each year prior to snow storage use.
- 6) Clear all debris in snow storage area and properly dispose of no later than April 15 or immediately after snowmelt occurs of each year the storage area is in use.

Whenever Possible:

- 1) Select storage locations that do not drain into surface waters and where environmental impacts of spring melt are minimal.
- 2) Store snow on areas that are well above the groundwater table on a flat, vegetated slope.
- 3) Avoid disposal on pavement, concrete, and other impervious surfaces.
- 4) Do not pile snow in wooded areas, around trees or in vegetative buffers.
- 5) Divert run-on of water from areas outside the snow piles.
- 6) Use less harmful deicers such as calcium magnesium acetate, potassium acetate, or organic deicers such as Magic Salt™.

Never:

- 1) Never dispose of snow in wetlands, lakes, streams, rivers, or near drinking water sources.
- 2) Never store snow in well-head protection areas (class GAA groundwater).

Standard Operating Procedure for:	
B.26 Deicing Material Storage (Municipal and Jefferson County Employees)	
Purpose of SOP:	To protect Storm Water by properly storing deicing materials. Sand, salt and other deicing materials used during winter can be transported by runoff into the storm drain system and eventually into waterbodies if not stored properly.

Always:

- 1) Locate sand/salt piles and deicing fluid tanks on flat, impervious sites that are easily protected from overland runoff and away from surface waters.
- 2) Cover sand/salt and salt piles with a tarp (polyethylene) during non-freezing spring and summer months when indoor storage facilities are not available.
- 3) Fill out form below on amounts and facility location

Whenever Possible:

- 1) Contain wash water from trucks used for salting and sanding in a holding tank for disposal or discharge into sanitary sewers.
- 2) Allow rinse water/melt water to drain into vegetated buffers (away from storm drains).
- 3) Locate deicing material stockpiles and tanks at least 100 feet from streams and flood plains.
- 4) Contain Storm Water runoff from areas where salt is stored by using buffers to diffuse runoff before entering waterbodies.
- 5) Use diversion berms to minimize run-on to storage areas.
- 6) Cleanup "truck tracks" after storm events.

Never:

- 1) Never dispose of wash water from sanding and salting trucks into the storm drain system, a waterbody, or septic system drain fields.

Stormwater Municipality: _____ Mayor: _____	
Sand or Deicing Storage Location (Municipal use)	
Storage Location Address: _____ City: _____ State: _____ Amount Stored _____ yd ³	
Are SOPs followed	Yes No (if no please explain below)

Stormwater Municipality: _____

Mayor: _____

*If more than 197 roadway projects then start at 1 on another form and continue forward until completed

Roadway Projects Inventory			
Location	Project Description	Was planned reviewed by JCDH, STORM WATER, or municipality	Permit Number
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			

* Please staple all permits, inspections, and plan review dates to form for annual report

Standard Operating Procedure for:	
B.27 Deicing Material Application	
Purpose of SOP:	To protect Storm Water by improving application techniques of salt, sand, and other deicing materials.

Always:

- 1) Apply as little sand and salt as needed, and no more than the NHDOT recommended application rates (based on level of service):

Condition	Highways carrying greater than 5,000	Highway/roads carrying less than 5,000 vehicles daily
Snow - 20°F and	250 lbs salt	250 lbs salt per lane mile
Snow – below 20° F	250 lbs salt	Abrasive chemical mix
Sleet/freezing rain	300 lbs salt	300 lbs salt per lane mile

Whenever Possible:

- 1) Inform salt applicators of sensitive areas, such as public water supplies, lakes, ponds, etc b installing permanent signs.
- 2) Use de-icing alternatives such as calcium magnesium acetate, sand, etc. in sensitive areas.
- 3) Use the minimum amount of salt and sand needed to get the job done.
- 4) Use coarse, clean “washed” sand, which is free of fine particles and dust and easier to clean in the spring.
- 5) Equip all spreaders with ground-speed controllers.
- 6) Train drivers to improve application techniques and reduce losses.
- 7) Consider applying salt in a 4-8 foot strip along centerline of a two-lane road (for less traveled roads).
- 8) Know when to plow and reapply salt. Allow maximum melting by salt before plowing.
- 9) Remove snow manually from driveways and sidewalks.
- 10) Street sweep accumulated salt and sand at the end of the season.

<p>Jefferson County Department of Health and Storm Water Management Authority</p> <p>1400 SIXTH AVENUE SOUTH. P.O. BOX 2648. BIRMINGHAM, ALABAMA 35202. (205)930-1230</p>	
<p>Roadway Form (Municipal Use)</p>	
<p>FORM</p>	
<p>Part 1: General Information</p> <p>Stormwater Municipality: _____ Date: _____</p> <p>Mayor: _____</p> <p>Contact Person: _____</p>	
<p>Part 2: Trash Collection</p> <p>Estimated Trash Collected in Permit Year: _____ lbs</p> <p>Estimated Employee Hours collecting trash: _____ hrs</p> <p>Disposal Method for Trash: _____</p> <p><small>(*What landfill was used for disposal, dump tickets should be included if present)</small></p>	
<p>Part 3: Street Sweeping</p> <p>Street Sweeping for Permit Year: _____ miles</p> <p>Street Refuse Reused: _____ lbs</p> <p>Street Refuse Disposal: _____ lbs</p> <p>Employee hours spent disposing of refuse: _____ hrs</p> <p>Disposal Method: _____</p> <p><small>(*What landfill was used for disposal, dump tickets should be included if present)</small></p>	
<p>Part 4: Sand or Deicing Material</p> <p>Sand or Salt used for Permit Year: _____ yd³</p> <p>Sand or Salt disposal for Permit Year: _____ yd³</p> <p>Estimated Employee Hours disposing of material: _____ hrs</p>	

Disposal Method for Sand or Salt: (*What landfill was used for disposal, dump tickets should be included if present)
**Sand Storage Form should be filled out with location of sand storage
If roadway functions are performed by an outside entity (Jefferson County, State of Alabama, etc..) then contract with outside entity should be stabled to this form when returned.

APPENDIX B

Storm Water Collection Systems Operations

Structural Controls Inspection

General Information

Facility Name:	Facility's ID:
Facility Address:	Inspection Date:

Inspector's Information

Name:	Organization:
Phone #:	Fax #:
Email:	

Inspection Type (Circle one)

Semi-Annual	Storm Event	Follow-up	Assessment
-------------	-------------	-----------	------------

Structure Type (Circle one)

Retention Pond (wet)	Detention Pond (dry)	Underground Detention	Other:
----------------------	----------------------	-----------------------	--------

Observations

Y	N	N/A	Floatables present?	Y	N	N/A	Illegal dumping?
Y	N	N/A	Litter present?	Y	N	N/A	Public hazards?
Y	N	N/A	Sediment accumulation?	Y	N	N/A	Outlet structure clogged?
Y	N	N/A	Debris accumulation?	Y	N	N/A	Outlet structure damaged?
Y	N	N/A	Illegal discharges?	Y	N	N/A	Poor ground cover?

Comments:

Y	N	N/A	Maintenance required?
---	---	-----	-----------------------

Maintenance Required (Put a check beside work needed)

	Remove floatables		Remove illegal dumping
	Remove litter		Remove public hazards
	Remove sediment		Unclog outlet structure
	Remove debris		Repair outlet structure
	Remove illegal discharges		Repair ground cover

Comments:

Signature:

***Please Remember to Document Totals Removed As Well as the Units
(Example:6.5 cubic feet of sediment removed)***

Structural Controls Maintenance Summary

General Information

Facility Name:	Facility ID:
Crew Leader:	Organization:
Man hours:	Maintenance date:

Maintenance

Actions			Amount Removed	Units (bags, cubic foot, etc.)
Y	N	N/A	Remove floatables?	
Y	N	N/A	Remove litter?	
Y	N	N/A	Remove sediment?	
Y	N	N/A	Remove debris?	
Y	N	N/A	Remove illegal discharges?	
Y	N	N/A	Remove illegal dumping?	
Y	N	N/A	Remove public hazards?	
Y	N	N/A	Unclog outlet structure?	
Y	N	N/A	Repair outlet structure	
Y	N	N/A	Repair ground cover?	

Comments:

Signature:

Standard Operating Procedure for:	
Structural Control Inspection	
Purpose of SOP:	To inspect and maintain structural controls of MS4
ADEM Permit Reference:	Part II.B.1.a.ii.3
Effective Date:	March 2017

Personnel Qualifications

1. Knowledge of the types of structural components associated with storm water management facilities; and,
2. Initial training in the information and data to be collected during an inspection.


Procedural Steps

1. Obtain the necessary equipment and materials needed to perform the inspection. Equipment and materials shall include the following.
 - a. Updated inventory of structural controls
 - b. Structural Controls Quarterly Inspection Form or mobile app; and
 - c. Camera
2. Facility Information
 - a. Verify name, facility ID, location and watershed of structural controls
 - b. Select inspection type
 - c. Select weather conditions
 - d. Select land use
 - e. Identify structure type
 - f. Identify outlet type
 - g. Confirm that it is a structural control
3. Inspection observations
 - a. Walk the perimeter of the structural control and inspect for the items listed;
 - b. Provide comments as necessary to describe observations; and,
 - c. Take pictures to document existing conditions of the structural control.
4. Follow-up actions
 - a. Identify if follow-up actions or maintenance activities are required at the structural control;
 - b. Check the items that require follow-up actions; and,
 - c. Provide comments as necessary to describe the follow-up actions and/or maintenance required.
5. Inspector information
 - a. Complete all items; and,
 - b. Identify if photographs were taken as part of the inspection and attached to the report.
6. Finalize Structural Controls Inspection Form and include applicable photographs
7. Submit the inspection report on the mobile app to the GIS department. The GIS department will provide reports from this data.

APPENDIX C

Illicit Discharge Detection and Elimination (IDDE)

City of Irondale Major Outfalls



Irondale Major Outfalls

Waterbody	Longitude	Latitude
Cahaba River	-86.66729072	33.504728
Cahaba River	-86.66723257	33.50522541
Cahaba River	-86.66050879	33.51371562
Cahaba River	-86.65113786	33.51014972
Cahaba River	-86.64826135	33.50856408
Cahaba River	-86.63052343	33.53435408
Cahaba River	-86.61283637	33.55160623
Cahaba River	-86.61252722	33.54624066
Shades Creek	-86.71274679	33.52003284
Shades Creek	-86.70902553	33.52643468
Shades Creek	-86.70868051	33.52614797
Shades Creek	-86.70597012	33.52862736
Shades Creek	-86.70563501	33.52841639
Shades Creek	-86.70345616	33.53183938
Shades Creek	-86.70333669	33.52806307
Shades Creek	-86.70281191	33.53195257
Shades Creek	-86.70269561	33.53205025
Shades Creek	-86.70266899	33.53205635
Shades Creek	-86.70177356	33.53246618
Shades Creek	-86.7000867	33.53489779
Shades Creek	-86.70005685	33.53391133
Shades Creek	-86.70000259	33.53490584
Shades Creek	-86.69992694	33.53362965
Shades Creek	-86.6998706	33.53504456
Shades Creek	-86.69986164	33.5351467
Shades Creek	-86.69985957	33.53512373
Shades Creek	-86.69983347	33.53512646
Shades Creek	-86.69981033	33.5335954
Shades Creek	-86.69870219	33.53564811
Shades Creek	-86.6986266	33.535689
Shades Creek	-86.6978879	33.53604035
Shades Creek	-86.6977798	33.5360224
Shades Creek	-86.69762766	33.53664542
Shades Creek	-86.69755419	33.53617752
Shades Creek	-86.6971618	33.5370788
Shades Creek	-86.69707384	33.53700013
Shades Creek	-86.69664427	33.53727043
Shades Creek	-86.69616649	33.53750652
Shades Creek	-86.69616535	33.53756136
Shades Creek	-86.69592006	33.53776392
Shades Creek	-86.69582271	33.5379961
Shades Creek	-86.69572429	33.53805429
Shades Creek	-86.69571598	33.54160483
Shades Creek	-86.69571275	33.53980417
Shades Creek	-86.69560011	33.54068472
Shades Creek	-86.69559644	33.54036991

Irondale Major Outfalls

Waterbody	Longitude	Latitude
Shades Creek	-86.69555619	33.54096398
Shades Creek	-86.69552013	33.54177682
Shades Creek	-86.69551001	33.53971665
Shades Creek	-86.69550529	33.53990985
Shades Creek	-86.69545008	33.53894407
Shades Creek	-86.6954492	33.54171638
Shades Creek	-86.69542678	33.53840335
Shades Creek	-86.69521634	33.54196747
Shades Creek	-86.69501849	33.54209953
Shades Creek	-86.69490078	33.54208775
Shades Creek	-86.69479934	33.54208339
Shades Creek	-86.69437966	33.542489
Shades Creek	-86.69393288	33.54274089
Shades Creek	-86.69389913	33.54277489
Shades Creek	-86.69289294	33.54324825
Shades Creek	-86.69263902	33.54375539
Shades Creek	-86.69243935	33.54369877
Shades Creek	-86.69160274	33.54485732
Shades Creek	-86.69140581	33.54517355
Shades Creek	-86.69138319	33.54509741
Shades Creek	-86.68919507	33.54792777
Shades Creek	-86.68915804	33.54847948
Shades Creek	-86.68898817	33.54948247
Shades Creek	-86.68886888	33.54951562
Shades Creek	-86.68852877	33.54918953
Shades Creek	-86.68849236	33.54926058
Shades Creek	-86.68778874	33.55016811
Shades Creek	-86.68727361	33.55057747
Shades Creek	-86.68724151	33.55065904
Shades Creek	-86.68652644	33.55123473
Shades Creek	-86.68534184	33.5505805
Shades Creek	-86.6846818	33.55044887
Shades Creek	-86.6796777	33.56037071
Shades Creek	-86.67874337	33.56191752
Shades Creek	-86.67761041	33.56362527
Shades Creek	-86.6773592	33.5642618
Shades Creek	-86.67713774	33.56438776
Shades Creek	-86.67403931	33.56955945
Shades Creek	-86.66986895	33.57545153

DRY SCREENING FIELD DATA SHEET

FIELD SITE DESCRIPTION			
MUNICIPALITY:		LOCATION:	
PRIMARY LOCAL LAND USES:		OUTFALL DESCRIPTION:	
COMMENTS:			
WEATHER (CIRCLE APPLICABLE)			
WEATHER CONDITIONS: CLEAR CLOUDY WINDY CALM RAINY DRY			
COMMENTS:			
RAIN INFORMATION			
TIME SINCE LAST RAINFALL (HOURS):			
COMMENTS:			
VISUAL OBSERVATIONS (CIRCLE APPLICABLE)			
ODOR PRESENT: NONE MUSTY SEWAGE ROTTEN EGGS SOUR MILK OTHER _____			
TYPE OF FLOATABLES: NONE VISIBLE NATURAL DEBRIS PLASTICS PAPER OTHER _____			
COLOR: CLEAR RED GREEN YELLOW BLUE BROWN GREY OTHER _____			
% CLARITY: 0% 25% 50% 75% 100%			
DEPOSITS: SILT VEGETATION OTHER _____			
VEGETATION CONDITION: NONE NORMAL EXCESSIVE GROWTH INHIBITED GROWTH			
BIOLOGICAL: NORMAL MOSQUITO LARVAE BACTERIA ALGAE OTHER _____			
COMMENTS:			
OUTFALL DESCRIPTION			
RIVER SIDE: DOWNSTREAM LEFT DOWNSTREAM RIGHT IN THE CREEK			
DIMENSIONS IF PIPE: VERTICAL DIAMETER _____ HORIZONTAL DIAMETER _____ UNITS _____			
DIMENSIONS IF OPEN CHANNEL: TOP WIDTH _____ BOTTOM WIDTH _____ DEPTH _____ UNITS _____			
CONDITION: NORMAL NEEDS REPAIR NEEDS CLEANOUT			
NUMBER OF OUTFALLS: _____			
MATERIAL: EARTHEN CONCRETE CORRUGATED METAL HDPE OTHER _____			
SHAPE: BOX CIRCULAR ELIPTICAL ARCH TRAPAZOIDAL			
FLOW ESTIMATION			
FLOW PRESENT: YES NO			
A) WATER SURFACE WIDTH: _____ FEET		B) DEPTH OF WATER: _____ FEET	
C) VELOCITY: _____ FT/ SEC		ESTIMATED FLOW RATE (=A*B*C): _____ FT ³ / SEC	
WATER QUALITY DATA (IF FLOWING)			
PH _____ (S.U.)		WATER TEMPERATURE _____ (C°)	
DISSOLVED OXYGEN _____ (MG/L)		SPECIFIC CONDUCTANCE _____ (μS/ CM)	
CHLORINE _____ (MG/L)		AMMONIA _____ (MG/L)	
TURBIDITY _____ (NTU)			
COMMENTS:			
I HEREBY CERTIFY THAT ALL INFORMATION ON THIS SHEET IS ACCURATE TO THE BEST OF MY KNOWLEDGE.			
INSPECTOR #1 (PRINT)		INSPECTOR #2 (PRINT)	
INSPECTOR #1 (SIGNATURE)		INSPECTOR #2 (SIGNATURE)	
DATE:		DATE:	
TIME:		TIME:	

Standard Operating Procedure for:		
IDDE: Notification of Alabama Department of Environmental Management		
Purpose of SOP:	To notify Alabama Department of Environmental Management (ADEM) of a suspect illicit discharge entering the Permittee's MS4 from an adjacent MS4	

Always:

- 1) If source of illicit discharge is not the permittee but an adjacent MS4 contact the following parties:
 - 1) The adjacent MS4 permit
 - 2) ADEM

Whenever Possible:

- 1) Turn over any water quality analysis data and notes.

APPENDIX D

Construction Site Storm Water Runoff Control

Project Name: _____ File Number _____

Inspection Date: _____ Time _____ Inspector's Name _____

Stage of Construction (Circle one)					
Pre-Construction Conference		Clearing and Grubbing		Rough Grading	
Building Construction		Finish Grading		Final Stabilization	
Erosion Prevention					
Y	N	N/A	Have all disturbed areas requiring temporary or permanent stabilization been adequately stabilized by an appropriate BMP (erosion control blankets, aggregate, seed, mulch, etc.)?		
Y	N	N/A	Are soil stock piles adequately stabilized with seeding and/or proper sediment control measures?		
Y	N	N/A	Are utility trenches properly stabilized?		
Y	N	N/A	Are perimeter sediment control measures correctly installed, maintained and effective (silt fence, etc.)?		
Y	N	N/A	Are finished cut and fill slopes adequately stabilized?		
Y	N	N/A	Are storm water conveyance channels adequately stabilized with channel lining?		
Sediment Control					
Y	N	N/A	Have sediment control BMP's been constructed as a first step in land disturbing activities (basins, etc.)?		
Y	N	N/A	Are sediment control BMP's installed where needed?		
Y	N	N/A	Have all sediment control BMP's been repaired and sediment removal been performed?		
Y	N	N/A	Do all operational storm sewer inlets have adequate inlet protection?		
In-stream Construction					
Y	N	N/A	Is the in-stream construction permitted? (Check to see if U.S.A.C.E permit is needed)		
Y	N	N/A	Are current construction practices minimizing channel damage?		
Y	N	N/A	Are temporary stream crossings of non-erodible material installed where applicable?		
Y	N	N/A	Is necessary re-stabilization of in-stream construction complete?		
General Groundskeeping					
Y	N	N/A	Are soil and mud kept off public roadways at intersections with access roads (entrance BMPs)?		
Y	N	N/A	Have all temporary BMPs that are no longer needed been removed?		
Y	N	N/A	Are trash containment units available?		
Y	N	N/A	Is the site clean and orderly?		
Y	N	N/A	Is there a concrete/contaminate washout basin in the vicinity?		
Notes					
Violations					
Violation:					
Type of Enforcement:					
Inspector's Signature:		Date:			

APPENDIX E

Spill Prevention and Response

Standard Operating Procedure for:	
Spill Prevention and Response: Spills, Illicit Discharges and Improper Disposals	
Purpose of SOP:	To notify the correct responder in the event of a spill, illicit discharge, or improper disposal

No Immediate Danger-If the event does not pose an immediate threat to life, health or safety

- Call City Hall – (205) 956-9200
- Notify the city through the Contact webpage

Immediate Danger-If the event does pose an immediate threat to life, health, or safety; or if you are uncertain if the event poses a threat:

- Call 911
- Call City Hall – (205) 956-9200

City of Irondale Fire Department Standard Operating Procedure (SOP)

If the event can be managed by Fire Department Personnel:

- If possible, shut off the source of the spill immediately
- Deploy absorbent products and/or diking materials to contain the spill.
- Spills on pervious areas may require removal of soil or other contaminated materials.
- Consult Jefferson County EMA for disposal requirements for all products and materials used to mitigate spills
- If the event requires outside personnel: The Irondale Fire Department will contact Jefferson County EMA and follow EMA protocol. Hazmat and decontamination units will be contacted as needed.

APPENDIX F

Pollution Prevention/Good Housekeeping for Municipal Operations

Quarterly Inspection Checklist

Inspection Area	Status (Please answer with Acceptable/Needs Attention/Not Applicable)	Comments	Date Resolved (if applicable)
Check refuse areas for trash on the ground that could contaminate stormwater or be washed away in stormwater			
Check all exterior vehicle and equipment areas for leaks, spills, drips, or excess dirt - Street sweeping necessary?			
Check all exterior vehicle and equipment areas for leaks, spills, drips, or excess dirt - drip pan use acceptable?			
Check fueling areas for leaks, spills, or drips			
Check exterior petroleum storage areas for leaks, spills, or drips			
Clean-up of tracked sand that might allow stormwater transport of sand			
Check calcium chloride tank for leaks, spills, or cracks			
Check vehicle washing area for excess sediment or wastes			
Other:			
Other:			

Instructions: This form needs to be used for regular (quarterly) inspections at vehicle/equipment maintenance facilities. More information on pollution prevention and good housekeeping can be found in Chapter 3 of the 2011 Guidelines and Standard Operating Procedures Manual (SOP manual)

Municipality _____ Division _____ Date _____

Standard Operating Procedure for:		
Pollution Prevention/Good Housekeeping for Municipal Operations: Special Events		
Purpose of SOP:	To identify the ways the city reduces the amount of trash entering the MS4 as well as the waters of the State.	

City Policy for Special Events

- Provide extra trash receptacles for event to reduce litter.
- Provide recycling receptacles during an event to reduce litter.
- Provide extra personnel during event to pick-up litter during and after event.
- Cleanup event area within 24 hours.

APPENDIX G

Industrial Storm Water Runoff

Irondale High Risk Sites

BUSINESS NAME	ADDRESS	CITY	STATE	ZIP	TYPE	LATITUDE	LONGITUDE
MERCEDES OF BIRMINGHAM	750 MERCEDES WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52460658	-86.66682791
PRO PM INC.	4965 HORST HILL RD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52421416	-86.65698253
Chevron Irondale	1811 Grants Mill Rd	IRONDALE	AL	35210	GASOLINE STATION	33.52162759	-86.66045096
PORSCHE BIRMINGHAM	3001 TOM WILLIAMS WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.51994827	-86.66294776
LAND ROVER OF BIRMINGHAM	3000 TOM WILLIAMS WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52073091	-86.66198753
MINI OF BIRMINGHAM	2001 TOM WILLIAMS WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52054979	-86.66372493
BMW OF BIRMINGHAM	1000 TOM WILLIAMS WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52204099	-86.66360188
LEXUS OF BIRMINGHAM	1001 TOM WILLIAMS WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52169384	-86.66478474
AUDI BIRMINGHAM	1314 GRANTS MILL WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52007966	-86.66105127
BENCHMARK CHRYSLER JEEP INC	1313 GRANTS MILL WAY	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.51935317	-86.66198585
BENCHMARK IMPORTS, LLC.	1837 GRANTS MILL RD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52132656	-86.65942535
MASERATI,ALFA ROMEO,FIAT OF BHM	1837 GRANTS MILL RD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.52106646	-86.65938838
S & G FOOD MART	1200 GRANTS MILL RD	IRONDALE	AL	35210	GASOLINE STATION	33.52135811	-86.66028026
WINDHAM & BUSH TIRE AND AUTO SERVICE	208 E VENTURA DR. 35235	IRONDALE	AL	35235	AUTOMOTIVE, GENERAL REPAIR	33.58776051	-86.65757555
CIRCLE K STORES INC	1816 CRESTWOOD BLVD,	IRONDALE	AL	35210	GASOLINE STATION	33.58780887	-86.65749785
IRONDALE CHEVRON/KRISPY CRUNCH	1804 CRESTWOOD BLVD	IRONDALE	AL	35210	GASOLINE STATION	33.53248784	-86.70573941
AAMCO TRANSMISSIONS	1730 CRESTWOOD BLVD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.53254661	-86.70601247
T.J.TIRES	1708 CRESTWOOD BLVD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.53171542	-86.70674153
PINE TREE COUNTRY CLUB	5100 PINE WHISPERS DR	IRONDALE	AL	35210	MERCHANDISE , GENERAL STORES	33.52724449	-86.65306013
READYMIX U.S.A.	2561 RUFFNER ROAD	IRONDALE	AL	35210	MISC.	33.57794100	-86.66925363
SHERWIN WILLIAMS COMPANY #2088	1905 CRESTWOOD BLVD	IRONDALE	AL	35210	MERCHANDISE , GENERAL STORES	33.53398528	-86.70133160
SUPERIOR MOWER AND POWER	2909 RUFFNER ROAD	IRONDALE	AL	35210	GENERAL REPAIR	33.58525746	-86.65995207
SUNOCO #233	2709 CRESTWOOD BLVD	IRONDALE	AL	35210	GASOLINE STATION	33.53820473	-86.69301750
SPRINGER EQUIPMENT	4263 UNDERWOOD IND. DR	IRONDALE	AL	35210	FORK LIFT GENERAL REPAIR	33.56417899	-86.68306936
INDUSTRIAL BATTERY AND CHARGER	4211 UNDERWOOD IND. DR	IRONDALE	AL	35210	MISC.	33.56518920	-86.68460257
V&W SUPPLY COMPANY	1271 OLD HWY 11	IRONDALE	AL	35210	MERCHANDISE , GENERAL STORES	33.59102969	-86.65052846
WITTICHEN SUPPLY	1266 OLD HWY 11	IRONDALE	AL	35210	MERCHANDISE , GENERAL STORES	33.59137182	-86.65110078
CITGO GAS A CHEAP	3300 CRESTWOOD BLVD	IRONDALE	AL	35210	GASOLINE STATION	33.54677372	-86.68194861
IRONDALE COLLISION	3300 CRESTWOOD BLVD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.54683050	-86.68152239
LESS DOWN TIME TRUCK EQUIPMENT REPAIR	5961 HWY 78 EAST	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.54780525	-86.62255973
SHELL MINIT MAN 108	4797 HIGHWAY 78 EAST	IRONDALE	AL	35210	GASOLINE STATION	33.54751753	-86.66359082
ROYAL PAINTS INC.	7960 CRESTWOOD BLVD	IRONDALE	AL	35210	MERCHANDISE , GENERAL STORES	33.53153356	-86.70758156
SAVE A TRIP BIRMINGHAM, INC.	511 VULCAN DRIVE STE 111	IRONDALE	AL	35210	DRY CLEANING AND LAUNDRY EXCEPT NO COIN	33.53961960	-86.69752076
CITY OF IRONDALE	101 SOUTH 20TH STREET	IRONDALE	AL	35210	GENERAL REPAIR, FUEL STATION	33.53834136	-86.70660909
IRONDALE BP	5400 BEACON DR.	IRONDALE	AL	35210	GASOLINE STATION	33.53379051	-86.70163100
STULTS TRUCK REPAIR, INC	1955 ALTON RD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.56036014	-86.65621642
TERMINIX INTERNATIONAL CO , LP.	2081 ALTON ROAD	IRONDALE	AL	35210	EXTERMINATING SERVICES	33.56403567	-86.64909113
HUNTER OIL COMPANY	2145 ALTON ROAD	IRONDALE	AL	35210	MISC.	33.56550601	-86.64659232

Irondale High Risk Sites

BUSINESS NAME	ADDRESS	CITY	STATE	ZIP	TYPE	LATITUDE	LONGITUDE
NORFOLK SOUTHERN RAILROAD	1901 RUFFNER ROAD	IRONDALE	AL	35210	RAIL YARD, FUEL STATION	33.54510790	-86.69951297
TIRE ENGINEERS	730 OLD GRANTS MILL RD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.53332886	-86.69554096
ALABAMA PROFESSIONAL SERVICES,	3340 RICHWOOD AVE	IRONDALE	AL	35210	EXTERMINATING SERVICES	33.53967856	-86.64578229
TOM WILLIAMS COLLISION	1874 GRANTSMILL ROAD	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.51967015	-86.65785458
HARRIS AUTOMOTIVE	104 22ND ST S	IRONDALE	AL	35210	AUTOMOTIVE, GENERAL REPAIR	33.53944186	-86.70442116
CROWN PEST CONTROL, LLC	4131 RIVERBROOK RD	IRONDALE	AL	35210	EXTERMINATING SERVICES	33.51012155	-86.66954298
PRO-TECH EXTERMINATING , INC.	5828 OLD LEEDS RD	IRONDALE	AL	35210	EXTERMINATING SERVICES	33.53533742	-86.67433072
JAMES M. PLEASANTS COMPANY, INC	508 25TH ST S	IRONDALE	AL	35210	MERCHANDISE , GENERAL STORES	33.53918323	-86.69944424
WEATHERTECH DISTRIBUTING COMPANY	501 28TH ST S	IRONDALE	AL	35210	MERCHANDISE , GENERAL STORES	33.54154517	-86.69294626
LILLY COMPANY	2816 5TH AVE SOUTH	IRONDALE	AL	35210	FORK LIFT GENERAL REPAIR	33.54278100	-86.69220245

Stormwater Discharge Inspection for Industrial and Commercial Facilities

Inspection Team:	Date:	Time:
Facility Name:	Facility Contact and Title:	NAICS code:
Facility Street Address:	City:	Zip:
Phone Number:	Fax Number:	
Business License #:	Facility Size (acres):	
Provide a description of facility and the nature of work performed.		
Provide a description of significant materials that are currently, or were formerly, treated, stored or disposed outside the facility or commercial establishment; materials management practices currently used to minimize contact of these materials with storm water runoff; and a description of any treatment the storm water receives prior to discharge.		
Cleanup schedule for debris, material storage areas, garbage storage or disposal areas, or other areas that have the potential to pollute storm water		

Description of plan of instruction, to employees of all levels, in ways to prevent storm water pollution. Identify specific periodic dates for such training.

Provide a site map showing existing buildings, parking, drives, type of each impervious surface, ditches, pipes, catch basins, drainage basin limits, area of facility, discharge points from the property or to Community Waters, and the name of the receiving waters.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system design to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

Printed Name of Inspection Team Member:

Title:

Signature:

Printed Name of Inspection Team Member:

Title:

Signature:

Public Education and Public Involvement

Public Education Materials

**DON'T LEAVE
YOUR
WASTE
IN MY PLACE**



Watershed Protection Program
Report Pollution Entering Streams
Stormwater Hotline Number:
930-1999

7 TIPS TO PROTECT WATERSHEDS AGAINST POLLUTION

- 1 Check your vehicle regularly for leaks. Recycle used motor oil at a participating oil change businesses.
- 2 Have your septic system inspected regularly. Clean out septic tanks every 3-5 years
- 3 Dispose of pet waste properly by picking up after your pets and flushing it down the toilet or placing it in the trash.
- 4 Wash out paint brushes in the sink. Never clean brushes in areas that lead to a storm drain or a nearby stream.
- 5 Use car wash detergents sparingly. Wash your vehicle on grassy or gravel areas to allow the water to naturally absorb into the ground.
- 6 Follow the manufacturer's instructions when applying pesticides and fertilizers. Apply these products when there is no forecasted rain event that can cause runoff.
- 7 Do not place grass clipping and other yard waste in street gutters or storm drains. Compost or bag yard waste to prevent clogged storm drains that may lead to flooding.

Construction Checklist

The process of building a home or adding to your existing residence has a few key steps that must be remembered. The following checklist will give you an aid in this process:

Evaluate the Site: Before any land disturbance has taken place on the site; mark any trees and the areas to be preserved; streams; wetlands; potential, erodible soils such as cherty soils (high rock %); and vegetation that could be useful for filter strips, especially on the perimeter areas. always call Alabama One Call at 1-800-292-8525 or 252-4444 in the Birmingham area.

Permitting: Before any land disturbance has occurred on site, make sure that all necessary permits have been secured through the proper municipality; or if more information is needed on the permitting process, call (205)-930-1230.

Install Perimeter Controls: Identify potential runoff areas where sediment could be channeled offsite. Install perimeter controls such as buffer strips, silt fences, storm drain inlet protection devices, or other BMP control measures to minimize sediment runoff.

Build House and Install Utilities

Maintain Erosion and Sedimentation

Controls: Inspect at least once per week or every 0.75 inch rain event, whichever is more frequent. Maintain until construction is complete. Clean off roadway and site of all debris and sediment.

Revegetate Site: Immediately after house construction is complete, the lot should be stabilized with seed, sod, mulch, or mats. redistribute the stockpiled soil and spread to a depth of 4-6 inches over graded areas. Mulch newly seeded areas.

Remove all Erosion Control Measures

Resources

- Erosion and Sedimentation Control Ordinance
- Alabama Handbook for Erosion Control, Sediment Control and Stormwater Management on Construction Sites and Urban Areas - includes detailed information for the following construction BMPs:

Stabilized Construction Entrance
Gradient Terraces & Surface Roughening
Topsoil & Mulch
Seeding & Sodding
Trees, Shrubs, & Vines
Erosion Control Matting & Geotextiles
Check Dams & Silt Fence
Straw Bale & Sandbag Barrier
Brush or Rock Filter Berm
Temporary Sediment Trap & Basin
Bank Stabilization & Soil Bioengineering
Diversions & Swales
Channel Linings, Gabions, & Riprap
Temporary Inlet & Outlet Protection
Level Spreader
Floating Sediment Curtain

To access the handbook online go to :
http://swcc.alabama.gov/pages/erosion_control.aspx

Please report illegal dumping or discharges in streams, ditches, catch basins, or streets to the Jefferson County Department of Health Stormwater Hotline: (205)-930-1999

Clean Water

IS

Everybody's Business

Information for this brochure was taken in part from the City of Knoxville Erosion and Sedimentation Control Brochure and the Alabama Handbook for Erosion Control, Sediment Control, and Stormwater Management on Construction Sites and Urban Areas, referred to as the Alabama Handbook in this guide.

Jefferson County
Department of Health

Watershed Protection Program

in Cooperation with the

Stormwater Management Authority

Erosion and Sedimentation Control: Individual Lot Construction



**Stormwater
Hotline
205 930-1999**



Jefferson County Department of Health
1400 Sixth Avenue South • Birmingham, AL 35233
WWW.JCDH.ORG


Erosion Control is Important

This brochure contains an abbreviated version of Best Management Practices (BMPs) for individual lot construction. These practices should be used as aids to keep sediment on the construction site. Contact Jefferson County Department of Health at (205) 930-1230 for any further regulations.

The result of improper BMP installation on single family homes and construction sites contributes greatly to the amount of sediment released into Alabama's streams and waterways. Sediment is the number one pollutant of waterways in Alabama and the surrounding states.

Sediment can adversely affect our water quality by destroying the habitat that is critical to aquatic organisms and fish. It can also lower property value by destroying the chances for recreational water activities, promoting the growth of weeds and algae, and increasing the chances of flooding.

The cities of the **Storm Water Management Authority** (Adamsville, Brighton, Brookside, Center Point, Clay, Fairfield, Gardendale, Homewood, Hueytown, Irondale, Lipscomb, Maytown, Midfield, Mulga, Mountain Brook, Pinson, Pleasant Grove, Tarrant, Trussville, and Vestavia Hills) must regulate construction sites to ensure that sediment stays on-site for all construction sites. This regulation is mandated by the Environmental Protection Agency (EPA) and is enforced in the *Erosion and Sedimentation Control Ordinance*.



Best Management Practices for Individual Lot Constructions

The use of properly installed BMPs can aid in keeping the sediment on-site. The following are a few useful BMPs for construction on individual lots.

Construction Exit Pad/ Entry

- Prevents tracking soil and debris into roadways.
- Requires 6" aggregate or more if needed.
- Install during clearing and grubbing stage- should be maintained throughout construction.
- Install geotextile under entrance.



Silt Fences

- Used as most common BMP to trap sediment and intercept runoff.
- Install filter fabric correctly by entrenching a portion of it in ground and always remember to place stakes downhill.
- Maintain until permanent vegetation is established.
- Never use on steep slopes or concentrated flow areas.
- Know the difference between Type A, Type B, and Type C silt fences and where applicable.
- Refer to Alabama Handbook, Volume 1, Page 282.



Sediment Cleanup and Good Housekeeping

- Clean up site after each work day by sweeping or scraping off soil tracked onto roads.
- Inspect all BMP measures and repair as need after each storm event.
- Don't allow sediment to build up on silt fence. Clean before the mid-point of the fence is reached.
- Refer to Alabama Handbook, Volume 2, Page 45.



Outlet Protection

- Used on concentrated flows to dissipate energy.
- Cuts down on bank erosion in streams.
- Install over-sized stone (riprap) for calculated design velocities.
- Install geotextile fabric under riprap.
- Refer to Alabama Handbook, Volume 2, Page 111.



Inlet Protection

- All inlets must have some form of protection provided
- Install before any sediment is moved on-site.
- Must be inspected and maintained regularly.
- Refer to Alabama Handbook, Volume 2, Page 127.



Stockpile Placement and Protection

- Build stockpiles away from streams, drainage ways, wetlands, and storm water inlets.
- Temporary seeding or mulching must be performed if sediment is to remain unmoved for 14 working days.
- Refer to Alabama Handbook, Volume 1, Page 69.



Re-vegetation/ Run-off Protection

- Stabilize all exposed surface from erosion.
- Seed, sod, or mat final graded surface.
- Seed all swales, rights-of-way, curb inlet areas, and buffers along streams and wetlands.
- Mulching can be used where acceptable.
- Refer to Alabama Handbook, Vol. 1, Pages 75-161.



Household Hazardous Waste (HHW) Smart Tips:

- Follow instructions on how to handle HHW products and disposal.
- Don't mix leftover HHW products, because they may act as a reacting agent, causing a chemical reaction resulting in an explosion or make HHW items become non-recyclable.
- Watch for hidden dangers: in your home HHW items may not present an immediate hazard, but improper waste disposal can make them a threat to human health and the environment.
- Recycle any HHW items: to save money and further reduce the need to generate more hazardous substances!
- Store all HHW products properly: keep HHW products out of reach of children and animals.

Call JCDH Stormwater Hotline number or visit the website to report HHW being dumped into the storm drains.

Stormwater Hotline
205.930.1999

Resources for Recycling

EPA –Resource Conservation
<http://www.epa.gov/epawaste/conserve/materials/recycling/donate.htm>

EPA-Consumer's Handbook
for Reducing Solid Waste
<http://www.epa.gov/epawaste/wycd/catbook/index.htm>

Earth 911
<http://earth911.com/>

Alabama Environmental Council
<http://www.aeonline.org/>

Technical Knock Out
<http://www.technicalko.net/>

References

Wastes

<http://www.epa.gov/wastes/index.htm>

Wastes-Hazardous Waste

<http://www.epa.gov/wastes/hazard/index.htm>

Wastes-Hazardous Waste-Waste Types

<http://www.epa.gov/wastes/hazard/wastetypes/index.htm>



Jefferson County Department of Health
1400 Sixth Avenue South • Birmingham, AL 35233
WWW.JCDH.ORG



Jefferson County Department of Health
Watershed Protection Program

in Cooperation with the

Stormwater Management Authority

Household Hazardous Waste Disposal





What are Considered Household Hazardous Wastes?

The definition of a Household Hazardous Waste is a product that contains chemicals that are corrosive, explosive, reactive, flammable, or toxic. These products can be found in most cabinets throughout your home or storage areas. They include common products such as paint thinner, spot remover, oven cleaner, furniture polish, drain opener, pool chemicals, or hair spray.

The name of a product can indicate whether or not it falls in this category. Names such as pesticide, acid, fungicide, caustic, herbicide, flammable, explosive, or solvent are direct indicators. It is a good practice, to read all product labels carefully before throwing them away.

Improper disposal practices can involve Household Hazardous Waste being discharged into the septic tank, storm drain, on the ground, or placing items on vacant property.

Read Your Products' Labels

Corrosive- a chemical or its vapors that can burn or destroy living tissues at the site of contact, and deteriorate or wear away the surface of a material.

Explosive- violently bursts when exposed to pressure or heat or other substances.

Reactive- can cause explosions, toxic fumes, gases, or vapors when heated, compressed, or mixed with water.

Flammable- can be ignited by a flame, spark, ignition source or hot surface under almost all temperature conditions.

Toxic- can cause injury or death if swallowed, absorbed, or inhaled.



Household Hazardous Waste Affects The Environment

As a precautionary method residents can take steps to reduce the spread of Household Hazardous Waste (HHW) from entering into their home or landfill.

The direct results of HHW can be observed in your local waterways and streams, because most storm drains flow into the Cahaba River, Shades Creek, Village Creek, Valley Creek, Warrior River, and the Locust Fork water bodies with NO treatment.

Some common sources of contaminants in storm water runoff include: spilled oil, fuel, and fluids from vehicles and heavy equipment, construction debris, and landscaping runoff. Sources may also include pesticides or weed killers and materials such as motor oil, antifreeze, and paint products that people pour or spill into a street or storm drain.



Green Tips around the home!

- If you choose to apply fertilizer on your property, read the label carefully and always use precautions in using fertilizer products.
- Use only the amount recommended on the product label. Any amount left over should never be mixed with other fertilizer or pesticide products.
- Avoid applying fertilizer products outside on windy or rainy days. Never apply fertilizer near storm drains or creeks.
- Maintain existing trees on your property, and plant trees and shrubs that prevent erosion and support infiltration of water into the soil.
- Disperse organic deposits such as grass, wood chips, and leaves on soil to act as a compost system to prevent erosion and runoff.
- If you select a professional lawn care service, select a company that uses practices to minimize the use of fertilizers and pesticides.
- Misuse of fertilizers can damage the soil's natural resources essential for healthy grasses and plants. Contact Alabama Cooperative Extension System (ACES) Office or a garden supply center for a soil test kit.

References

Polluted Runoff (Nonpoint Source Pollution) Do's and Don'ts Around the Home

<http://www.epa.gov/owow/nps/dosdont.html>

Wastes-Resources Conservation Reduce, Reuse, Recycle-Composting

<http://www.epa.gov/epawaste/conserve/rrrr/composting/questions.htm>

Alabama Cooperative Extension System (ACES) Soil Testing Laboratory

<http://www.aces.edu/anr/soillab/>

Stormwater Hotline 205.930.1999



Jefferson County Department of Health
1400 Sixth Avenue South • Birmingham, AL 35233
WWW.JCDH.ORG




Jefferson County Department of Health
Watershed Protection Program

in Cooperation with the

Stormwater Management Authority

Keep It Green and Simple





Fertilizer Versus Compost

Fertilizer contains large quantities of nutrients such as nitrogen and phosphorous that can potentially wash into storm drains and ultimately into a lake or stream. Nutrients from fertilizer may prompt algal blooms, causing aquatic plants to over grow and suffocate other aquatic life. As a result, algal blooms can remove the oxygen in the water that fish and other organisms need to breathe.

Compost can enhance soil structure and provide nutrients from a composition of decaying organic matter. Compost allows natural fertilizer to be applied to lawns and gardens assisting in the condition of the soil and increasing the nutrients. Compost has been discovered to suppress plant disease and pests, reduce or remove the need for chemical fertilizer, and increase agricultural crops' growth.

What are the Benefits to Compost?

Compost can prevent pollutants from entering into storm water runoff and reaching surface water resources. Another advantage of using compost is that it has been shown to prevent erosion and siltation near water banks, creeks, lakes, streams, roadways and golf courses.

Composting yard trimmings save landfill space and lowers methane production in landfills. The composting process can absorb odors and treat organic compounds. It binds heavy metals and prevents them from transferring to water resources being absorbed by plants and contaminated soils.

Compost has the ability to help restore poor soils. Composting strengthens the production of micro-organisms that break down organic matter to create humus. Humus is a rich nutrient-filled material that increases the nutrients in soils and helps maintain moisture.



Composting is Easy and It Makes Sense!

As an alternative to organic matter entering into storm drains, streams, creeks or landfills, compost can be converted into a beneficial resource which can even be reused around the household or environment.

Listed below are examples of how compost can be beneficial in your area:

- Farmers can use compost to enhance produce and grassy areas along their property.
- Landscapers can use compost as a soil modification for decorative purposes along properties, golf courses and playing fields.
- Landfill operators can use compost to cover waste areas onsite where waste material has been buried and during revitalization projects.
- Garden operators can use compost for improving plant and forest seedling crops in reforestation projects and for preventing certain plant diseases.
- Public operations can use compost for landscaping roadways, recreational parks, and other public property for remediating contaminated or weathered road sites.
- Homeowners use compost to enrich gardens and soils around trees and shrubs.

Pest Smart Tips

- If you choose to use pesticides, read the label carefully and always use precautions to apply pesticides.
- Never water your lawn after applying pesticides.
- Use only the amount recommended on the product label. Any amount left over should never be mixed with other pesticide products or chemicals.
- Always wear appropriate protective clothing. Never wash contaminated clothing with other clothing.
- Avoid planting your garden where treatments for pesticides are regularly applied.
- Avoid applying excessive amounts of pesticide products. Runoff from chemicals can spread onto concrete or paved surfaces and may enter storm drains or waterways with NO treatment.
- Avoid applying pesticide products outside on windy or rainy days. Never apply pesticides near storm drains or creeks.



References

Alabama Integrated Pest Management Information Center-
What is IPM?

<http://www.aces.edu/anr/ipm/whatisIPM.php>

Alabama Cooperative Extension System-Integrated
Pest Management

<http://www.aces.edu/anr/ipm/>

Pesticides: Topical & Chemical Fact Sheets-Integrated
Pest Management (IPM) Principles

<http://www.epa.gov/pesticides/factsheets/ipm.htm>

Pesticides: Topical & Chemical Fact Sheets-Pesticide Safety Tips

http://www.epa.gov/pesticides/factsheets/pest_ti.htm

PestWise An EPA Partnership Program-Integrated
Pest Management (IPM) Fact Sheet

http://www.epa.gov/pestwise/htmlpublications/ipm_fact_sheet.html

Pesticides

<http://www.epa.gov/pesticides/>

Pesticides: Regulating Pesticides-Safe Disposal of Pesticides

<http://www.epa.gov/pesticides/regulating/disposal.htm>

Integrated Pest Management (IPM) in Schools

<http://www.epa.gov/pesticides/ipm/>

Citizen's Guide to Pest Control and Pesticide Safety

http://www.epa.gov/oppfead1/Publications/Cit_Guide/citguide.pdf

University of Michigan Occupational Safety and Environmental
Health Storm Water-Proper Use of Pesticides, Herbicides
& Fertilizers

[http://www.oseh.umich.edu/
environmental/pesticidesandfertilizers.html](http://www.oseh.umich.edu/environmental/pesticidesandfertilizers.html)



Jefferson County Department of Health
1400 Sixth Avenue South • Birmingham, AL 35233
WWW.JCDH.ORG



Jefferson County Department of Health
Watershed Protection Program

in Cooperation with the

Stormwater Management Authority

Pesticides



Stormwater Hotline
205.930.1999

Integrated Pest Management

Pesticides should be applied only as needed. Integrated Pest Management (IPM) practices should be utilized before applying pesticide products. IPM practices can be applied in rural and urban areas such as in the home, yard, garden area and the workplace to prevent pests from becoming a threat.

Integrated Pest Management is used to incorporate the biological, physical, and least-toxic chemical pest prevention and control methods. IPM controls pests by the most cost-effective means and with the least possible hazards to people, property and the environment.

The least effective control approach is the application of chemicals alone. Using chemicals alone can result in very poor control to reduce or eliminate pests. Sanitation is the key! Remove access to food, water and shelter from pest.

Examples of Integrated Pest Management Practices Include:

- Vegetation, shrubs and wood mulch should be kept at least one foot away from structures.
- Cracks and crevices in walls, floors and pavement should be sealed or eliminated.
- Fertilizers should be sparingly applied seasonally during the year, rather than one heavy application.
- If pesticides are necessary, use spot treatments rather than area-wide applications.

Pest Control and Safety

Once you have identified the pests around your home or work area, purchase only the amount of pesticides that you are going to use. Any leftover pesticides should be used; for example, you can ask your neighbors if they have a similar pest control problem and allow them to use the pesticide.

Always keep pesticides in the original container, separate from fertilizer and herbicides products. Do not reuse the containers with remaining pesticide products. Place containers in the trash, unless the label specifies a different procedure.

Listed below are safety tips that you can follow if children visit your home or yard:

- Always store pesticide products away from children, such as; in locked cabinets or garden sheds.
- Avoid placing rodent or insect baits where small children can get to them.
- Teach children that “pesticides are poisons”- something they should not touch.
- Caution others of the potential hazard of pesticides, including care givers and grandparents.



Storm Drains

Pesticides can negatively affect the quality of water. Whatever flows into the storm drain flows untreated into the waterway. A storm drain is designed to carry excess storm (rain) and ground water from streets and parking lots to prevent flooding. Rain water soaks into the ground; however, once there is pavement blocking water from gaining access to the soil, rain water goes through the storm drains.

Never store pesticides in places where flooding is possible or in places where they might spill or leak into wells, drains, ground water, or surface water. Stormwater runoff can transport chemicals from fertilizers, herbicides, and pesticides into storm drains, streams or waterways. Surface runoff containing these chemicals may cause harmful effects in the water supply and damage a wide variety of organisms. Any debris or chemicals from household gardens, driveways, yards, and streets can be wash into the storm drains.

Pesticides can pollute the waterways. Always avoid pouring leftover pesticides down the sink, toilet, or storm drain. Pesticides may interfere with the operation of wastewater treatment systems or pollute the waterways. If pesticides reach the waterways, they may harm fish, plants, and other living things. Several organisms are harmless and even valuable to the ecosystem.

Small amounts of pesticides can be toxic to aquatic life. Aquatic plants and animals need oxygen and clean water to survive. Household wastes can enter the waterways through storm drains and negatively impact the water quality by decreasing oxygen reserves and contaminating the water.

Tips For Pet Owners

- Choose grassy areas, parks, or undeveloped areas to walk your pets. Stream banks should be avoided as the common territory of animals.
- Pick up after your pets. Pet waste left behind may be washed into storm drains, streams or waterways.
- Pet waste should not be added to backyard compost piles. Although animal manure can make useful fertilizer, parasites carried in dog and cat feces can lead to diseases.
- Regular check-ups and vaccinations by your local veterinarian are important to protect your pet against parasites and pathogens.



References

Source: Water Protection Practices Bulletin-Managing Pet and Wildlife Waste to Prevent Contamination of Drinking Water, United States Office of Water EPA 916-F-01-027 Environmental Protection (4606) July 2001 Agency.

Alabama Department of Environmental Management. No date. When Your Pet Goes on the Lawn, Remember It Doesn't Just Go on the Lawn. [<http://www.adem.state.al.us/Publications/Miscellaneous/dog2.PDF>] [PDF - 765 KB - 2 pp]. Accessed September 8, 2005.

City of Albuquerque, New Mexico. 2005. Pet Waste and Water Quality. [<http://www.cabq.gov/flood/scoopoop.html>]. Accessed September 8, 2005.

City of Oskosh, Wisconsin. 2001. Responsibilities of Pet Owners in the City of Oskosh. Accessed September 8, 2005.

City of Poway, California. No date. Poway Dog Park website History of Dog Park. Accessed September 8, 2005.

Kemper, J. 2000. Septic Systems for Dogs? Nonpoint Source News-Notes 63.

Lehner, P.H., G.P. Aponte Clarke, D.M. Cameron, and A.G. Frank. 1999. Stormwater Strategies: Community Responses to Runoff Pollution. Natural Resources Defense Council, New York, NY.

Stormwater Hotline
205.930.1999



Jefferson County Department of Health
1400 Sixth Avenue South • Birmingham, AL 35233
WWW.JCDH.ORG



Jefferson County Department of Health
Watershed Protection Program

in Cooperation with the

Stormwater Management Authority

Scoop Away The Pet Waste





What Happens To My Pet Waste?

A hidden danger to public health can be found in your very own back yard. Pet waste left on sidewalks, streets, or other paved surfaces are carried by storm water into storm drains and streams.

Storm drains may not always connect to treatment facilities for water purification. Animal feces untreated can end up in local streams and rivers causing water pollution.

Decomposing pet waste consumes oxygen and can release ammonia. Lower oxygen levels and ammonia can result in harmful health effects to fish and aquatic life. Bacteria, viruses, and parasites transmitted by pet waste may pose a danger to the health of humans and wildlife. Nutrients contained in pet waste also support weed and algae growth.


What Are The Health Effects of Pet Waste?

Another health concern associated with pet waste is pathogens. If ingested, humans can be adversely affected by pathogens found in pet feces.

E. coli is a common bacteria. Prominent strains can initiate serious illness and even fatalities. *E. coli*, which causes abdominal gas and diarrhea, has been the source of disease outbreaks in several states.

Cryptosporidium is highly resistant to disinfection with chlorine. This microorganism causes gastrointestinal illness lasting 2-10 days in healthy individuals, but can pose a fatal threat to people with weakened immune systems.

Cat feces may contain toxoplasmosis, a parasite that transmits a disease to humans and other animals. Cats are the only animals identified to release toxoplasmosis oocysts, which are resistant to most disinfectants. Toxoplasmosis is a health risk for pregnant women and individuals with weakened immune systems.



What Can I Do To Prevent Pet Waste?

Picking up your pet waste can result in a cleaner neighborhood and better water quality. Proper disposal of pet feces is important in reducing sources of water pollution.

Pet waste can be discarded by the following methods:

- Flushed down the toilet as long as it is not mixed with other material.
- Sealed in a plastic bag and put into the garbage.

These methods allow a community sewage plant or septic system to appropriately treat waste.



alabama
RAIN BARREL PROJECT

when it rains... it stores.

Rain barrels are a fun and easy way to use water wisely. Water collected in a rain barrel can be used to water the lawn, garden or indoor plants or to wash the car or dog. Using collected rain water reduces the water bill, helps protect streams and replenishes groundwater.



 saving our water, one drop at a time.

Healthy landscape practices promote environmental conservation and keep nature's water cycle flowing for our plants and animals.

A Partnership of:



www.AlabamaRainBarrelProject.com
for the next workshop in your area.

alabama
RAIN BARREL PROJECT

rain rain
come our way...



... to use again another day.



1 Rainwater – should be used by people, plants and trees and should replenish groundwater with only a small portion making its way to our streams. If it runs off quickly, it is called stormwater runoff.

2 Rain Barrel – an easy to make container that saves rainwater for use during a dry period. This saves you money on your water bill and helps protect our water resources.


3 Impervious Surface – your driveway is an impervious surface along with the street and roof. This means that rainwater cannot make its way into the ground where it would water plants and replenish groundwater. Instead it runs off quickly to streams and creeks.

4 Rain Garden – an easy to plant garden that uses native plants to help clean stormwater runoff and allows it to replenish groundwater.

5 Groundwater – water that is found underground and supplies well water for our cities, farmers and families. It also provides the year-round flow for many streams and creeks.

6 Surface Water – water that is found in streams and rivers and provides water for our cities, industries and recreation. When rain occurs, water rushes from impervious surfaces picking up pollutants that are on the ground, carrying them straight to the creek or stream.

Color each litter item being carried into the waterway by the storm drain. Help protect **Clog the Green Frog** by recycling. Remember, recycling is the key! Clean water is essential for you and me!



JEFFERSON COUNTY
DEPARTMENT OF HEALTH



Jefferson County Department of Health
Watershed Protection Division


www.jcdh.org/wpd

DON'T LEAVE YOUR WASTE IN MY PLACE

A storm drain is designed to carry excess storm (rain) and ground water from parking lots and streets to prevent flooding. Litter and waste contaminants that storm water carries from road ways can contribute to water pollution that may harm animals, drinking water and the environment.

Children play a part in protecting our streams by educating their friends on recycling and keeping litter such as soda cans, plastic bottles, plastic bags and paper out of the waterway.

Clog the Green Frog has waste at his place. Help protect Clog from litter items being carried into the waterway by the storm drain. Find each litter item listed below in the word search.



EGG CARTON
FOAM CUP
MAGAZINE

MILK JUG
PAPER
PLASTIC BOTTLE

PLASTIC BAG
SIX PACK RING
SODA CAN

G	G	N	I	R	K	C	A	P	X	I	S	B
E	L	T	T	O	B	C	I	T	S	A	L	P
A	U	E	X	K	X	N	M	A	X	N	G	X
T	M	D	N	B	E	L	G	Z	O	L	A	N
O	I	W	V	I	I	T	D	T	I	T	B	V
V	L	C	T	S	Z	O	R	A	P	O	C	T
X	K	B	Y	F	O	A	M	C	U	P	I	Y
E	J	M	A	G	C	D	G	G	C	P	T	A
I	U	G	Z	G	U	F	A	A	U	F	S	Z
P	G	D	G	A	Q	D	I	C	M	D	A	G
K	O	E	A	T	K	W	V	T	A	W	L	A
R	C	S	P	A	P	E	R	O	P	N	P	P




JEFFERSON COUNTY
DEPARTMENT OF HEALTH

STORM WATER
MANAGEMENT AUTHORITY, INC.

Jefferson County Department of Health
Watershed Protection Division

www.jcdh.org/wpd


Jefferson County Watersheds



There are six major waterways in Jefferson County. Each waterway is surrounded by a watershed. A watershed is an area where all the water collects into one location such as a pond, lake or river. You can help protect these watersheds from litter by recycling and disposing of trash properly.

Recreational Parks in Every Watershed!

- 1- Turkey Creek Preserve
- 2- Civitan Park
- 3- Chief William C. "Billy" Hewitt Park
- 4- Greenwood Park
- 5- Railroad Park
- 6- Shades Creek Greenway



Watersheds in Jefferson County

- Cahaba
- Shades Creek
- Cahaba River
- Upper Black Warrior
- Black Warrior
- Valley Creek
- Locust
- Locust Fork
- Five Mile
- Village Creek
- Turkey Creek

To view a larger map of watersheds and streams within Jefferson County, visit the website: www.jcdh.org

Jefferson County Department of Health Watershed Protection Program

1400 Sixth Avenue South
Birmingham, AL 35233

Storm Water Hotline
(205) 930-1999

www.jcdh.org



Jefferson County Department of Health

Watershed Protection Program



JEFFERSON COUNTY
DEPARTMENT OF HEALTH

Serving Jefferson County Since 1917

Storm Water Hotline

930-1999

What is the Jefferson County Department of Health Watershed Protection Program?

The Storm Water Management Authority has contracted with JCDH to perform storm water monitoring, sampling, laboratory analysis, erosion inspection, and education. Storm Water Management Authority members are required by the 1972 Clean Water Act to protect watersheds within their city limits.

JCDH Watershed Protection Program Activities

- Conduct water sampling to monitor prohibited pollutant discharges from entering a storm drain or stream
- Analyze water samples to identify 'Hot Spots'
- Map high-risk areas in order to develop long term strategies
- Monitor residential and commercial construction sites for proper erosion control
- Educate the citizens of Jefferson County on watershed protection

What is a watershed ?

A watershed is the area that drains to a common waterway such as: streams, lakes or oceans.

What can I do to protect my watershed?

- Recycle used motor oil at participating service stations or car maintenance shops

- Pick up after your pets. Leaving pet waste on the ground may cause harmful bacteria to wash into the storm drain
- Clean out septic tanks every 3-5 years
- Sparingly use fertilizers in landscaping projects
- Use caution when applying pesticides These chemicals will wash into your local stream

You can play a part in protecting our streams and rivers by eliminating and reporting pollution in surface waters.

Use Your Senses

- ... if a creek, stream, river, lake or other water body is discolored or an odor is present
- ... if untreated sewage or washing machine waste is present on the ground
- ... if mud from a construction site is entering into the storm drain or stream

Then call

...the Jefferson County Department of Health's Storm Water Hotline:

(205) 930-1999

All messages will be investigated and referred to the proper agency.

www.jcdh.org



Storm Water Management Authority Members:

Adamsville
Brookside
Brighton
Center Point
Clay
Fairfield
Gardendale
Graysville
Homewood
Hueytown
Irondale
Lipscomb
Maytown
Midfield
Mulga
Mountain Brook
Pinson
Pleasant Grove
Tarrant
Trussville
Vestavia Hills

Storm Drain Marker



Jefferson County
Department of Health
Storm Water Program



**Clean water is
everybody's business**

Report Pollution:
Hotline 205-930-1999
www.jcdh.org

Educational T-Shirt



Valley Creek Cleanup T-Shirt



Educational Drawstring Backpacks



Watershed Signs

Turkey Creek Watershed



Help Keep Our Waterways Clean

2018 Storm Water Calendar

JEFFERSON COUNTY DEPARTMENT OF HEALTH

2018



Patton Creek

Watersheds

A watershed is an area of land where all of the water drains into a specific waterway.

Watershed protection can be achieved by stopping contaminants from reaching the stormdrain system which flows directly into our waterways. Watershed protection is essential in protecting our community's drinking water supply, local aquatic plant and animal life, and our favorite fishing and canoeing spots.

Everyone lives in a watershed. Listed below are tips that YOU can do to protect your local watershed.

- ♦ Dispose of household waste properly. Never dump chemicals into a stormdrain or stream.
- ♦ Cover your garbage cans with secure lids to stop your waste from becoming litter.
- ♦ Use caution when applying fertilizer or pesticide products. These chemicals can cause harm if washed into a local stream.

Native Animal:
Alabama Hog Sucker



For additional information on watersheds
visit: cfpub.epa.gov/surf/locate/index.cfm

JANUARY 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	1 New Year's Day	2	3	4	5	6
7	8	9	10	11	12	13
14	15 Martin Luther King Jr.'s Birthday	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			



Five Mile Creek

Scoop the Poop

Scooping away your pet's waste can result in cleaner neighborhoods and a reduction in diseases associated with pet contamination.

Tips for Pet Owners

- ◆ Pick up after your pets. Pet waste left behind may be washed into stormdrains, streams or waterways.
- ◆ Pet waste should not be added to backyard compost piles. Although animal manure can make useful fertilizer, parasites carried in pet feces can lead to diseases.
- ◆ Regular check-ups and vaccinations by your local veterinarian are important to protect your pet against parasites and pathogens.

Native Animal:
Blue Heron



FEBRUARY 2018

For additional information
on proper disposal of pet waste visit:
adem.alabama.gov/MoreInfo/pubs/CWP_Pet.pdf

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
	President's Day					
25	26	27	28			



Shades Creek


Household Hazardous Waste

Household hazardous waste (HHW) products can be found in most cabinets throughout your home and storage areas. Household hazardous waste is a product that contains chemicals that are corrosive, explosive, reactive, flammable, or toxic.

Household Hazardous Waste Safety Tips:

- ♦ Follow instructions on how to handle HHW products and disposal.
- ♦ Don't mix leftover HHW products. Active ingredients within these products may react causing an explosive chemical reaction or result in HHW items becoming non-recyclable.
- ♦ Watch for hidden dangers: HHW items may not present an immediate hazard, but improper disposal can make them a threat to human health and the environment.

Native Animal:
Longear sunfish



MARCH 2018

For additional information on proper disposal of pet waste visit:
<https://www.epa.gov/hw/household-hazardous-waste-hhw>

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31



Turkey Creek

Fertilizers

Fertilizers contain large quantities of nutrients such as nitrogen and phosphorous. Nutrients from fertilizers may prompt algal blooms which can lead to low oxygen levels in the water thus endangering aquatic life.

Green Tips

- ◆ Compost can enhance soil structure and provide nutrients from decaying organic matter.
- ◆ Spreading organic deposits such as grass, wood chips, and leaves on soil can improve the soil as well as prevent erosion and runoff.
- ◆ Misuse of fertilizers can damage the soil's natural resources. Contact the Alabama Cooperative Extension System (ACES) Office or a garden supply center for a soil test kit.

Native Animal:
Redeye Bass



For additional information on Fertilizers visit:
www.adem.alabama.gov/programs/water/nps/take/fertilizing.pdf

APRIL 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1 Easter Sunday	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					



Valley Creek

Car Wash

Consider going to a commercial wash; commercial car washes are required to properly dispose of wastewater, and many recycle their water. If you select not to use a commercial car wash, try to wash your vehicle on a grassy area or a gravel surface.

Cleaning Tips

- ♦ Use biodegradable soaps or phosphate free soap to wash your vehicle, using as little water as possible.
- ♦ Shut off the water while washing your car, then rinse.
- ♦ When rinsing your vehicle use a spray nozzle to restrict water flow.

Native Animal:
Alabama Darter



For additional information on washing your vehicle visit:
www.adem.alabama.gov/MoreInfo/pubs/CWP_Wash.pdf

MAY 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28 Memorial Day	29	30	31		



Village Creek

Pesticides

There are many pests that are harmless and beneficial to our environment. Integrated Pest Management Practices (IPM) should be utilized before applying pesticide products. IPM practices work to identify, monitor and track pests to accurately incorporate the best methods to prevent them from becoming a threat. If pesticides are necessary, use spot treatments rather than area-wide applications.

Pesticide Tips

- ♦ If you choose to use a pesticide, read the label carefully and always use precautions when applying pesticides.
- ♦ Avoid applying pesticides to your lawn on windy or rainy days.
- ♦ Avoid applying pesticide products near stormdrains and gardens.

Native Animal:
Common Snapping Turtle



For additional information on pesticides visit:
www.epa.gov/pesticides

JUNE 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30



Little Shades Creek

Illicit Discharge

An illicit discharge is any discharge into the Municipal Separate Storm Sewer System (MS4) that is not stormwater. Non-stormwater discharges can occur due to illegal connections to the MS4 from homes, commercial businesses or industries. Illicit connections may be intentional or unknown to the home or business owner.

Call the Jefferson County Department of Health's Watershed Protection Program to report an illicit discharge into the MS4. (205-930-1999)

Illicit Discharge Tips

- ♦ Frequent sources of Illicit discharges are illegal floor drain connections or runoff from failing septic systems.
- ♦ Discolored water or a distinct odor can be signs of an illicit discharge.


Native Animal:
Yellow Bullhead Catfish



For additional information on IDDE visit:
www3.epa.gov/npdes/pubs/idde_chapter-1.pdf

JULY 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1	2	3	4 Independence Day	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				



Five Mile Creek

Household Cooking Grease

Jefferson County Environmental Services Household Cooking Oil and Grease Recycling Program provides a FREE recycling program to promote the health and maintenance of our sewer system. Improper disposal of oil and grease from kitchens can result in sewer blockages. Sewer blockages can lead to sewer overflows which can run into the nearest waterway causing water quality issues.

Below are tips to reduce a sanitary sewer overflows caused by grease.

- ♦ Do not pour fats, oils and grease down sink drains.
- ♦ Scrape grease and food particles remaining on pots, pans and dishes into the garbage.
- ♦ After using your cooking grease, allow it to cool and pour it into an empty container with a lid and recycle it.

Native Animal:
Bluegill Sunfish



For a listing of household cooking grease recycling stations visit:
www.jeffcoes.org/Default.asp?ID=112&pg=HOUSEHOLD+COOKING+OIL+RECYCLING

AUGUST 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	



Watkins Brook

Littering

Littering is the careless and casual disposal of trash or waste along roadways and waterways. It may include items as large as automobile tires or as small as cigarette butts. Litter can also result from improper trash disposal by motorists or uncovered truck loads whether intentional or not.

Tips on how to recycle and dispose of unwanted items properly:

- ♦ Keep trash items in your vehicle until you reach a destination that you can properly dispose of trash items.
- ♦ Reduce, reuse and recycle materials whenever possible.

Native Animal:
Gulf Fruitlary Butterfly



For additional information on litter and recycling visit: www.kab.org.

SEPTEMBER 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
						1
2	3 Labor Day	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						



Turkey Creek

Septic Tanks

Septic systems are used throughout many areas of Jefferson County where sewer is not available. When properly maintained, a septic system can be expected to have a long and trouble-free service life. A septic system consists of a septic tank and an absorption field or disposal area.

Tips to assist with the maintenance of your septic system.

- ♦ Avoid pouring harsh products down the drain.
- ♦ Have your septic tank pumped every 3-5 years by a qualified professional.
- ♦ Repair leaks and use water efficient fixtures to prevent a septic system malfunction.

Native Animal:
Blacktail Redhorse Sucker



For additional information on the Septic Tanks visit:
www.jcdh.org/programs/community-environmental-protection/onsite-sewage-disposal/

OCTOBER 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	1	2	3	4	5	6
7	8 Columbus Day	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			



Valley Creek

Carpet

Carpet and upholstery cleaning wastewater often contains harmful chemicals, cleaning products and dirt that can impact your health as well as the environment. Consider having your carpet professionally cleaned. When having your carpet cleaned, never dispose of the liquid cleaner into or near a stormdrain. Wastewater should be contained inside a holding tank and hauled off-site for proper disposal.

Carpet Cleaning Tips:

- ♦ Select nontoxic products that are environmental friendly cleaning agents.
- ♦ Place carpet in your home only where necessary and clean it properly to increase its life expectancy.
- ♦ Consider recycling your old carpet to prevent it from going into a landfill.

Native Animal:
Creek Chub Minnow



For additional information in carpet maintenance visit:
www.epa.gov/greenerproducts/identifying-greener-carpet

NOVEMBER 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
Veteran's Day						
18	19	20	21	22	23	24
				Thanksgiving Day		
25	26	27	28	29	30	



Village Creek

Automobile Fluids

Motor oil and fluids from your vehicle can contain toxic chemicals and heavy metals that are slow to degrade. Check with a local automobile maintenance facility to find out if they accept used automotive fluids.

Automobile Fluids Safety Tips:

- ◆ Conduct routine maintenance on your vehicle and check for leaks. Leaks from your automobile can be carried by stormwater runoff into the nearest waterway.
- ◆ When pouring liquids into your vehicle use a funnel and place a tray beneath your vehicle to catch spills. In the event of a spill, clean it up immediately.
- ◆ Use a leak-proof container with a lid to temporarily store fluids removed from your vehicle until proper disposal.

Native Animal:
Stoneroller Minnow



For additional information on maintenance on your vehicle visit:
www.epa.gov/nutrientpollution/what-you-can-do-your-home.

DECEMBER 2018

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
	Christmas Eve	Christmas				
30	31					
	New Year's Eve					

Municipality	Activities	Date*
Adamsville	Arbor Day	March (DTBD)**
Adamsville	Fall Festival	October 31st
Brighton	Valley Creek Cleanup	March 17th
Center Point	Arbor Day	March (DTBD)
Center Point	Spring Cleanup	April (DTBD)
Clay	Fall Festival	October (DTBD)
Fairfield	Valley Creek Cleanup	March 17th
Gardendale	Junk Week	April 2nd-6th and Oct. 1st-5th
Gardendale	Litter Pickup	April 7th and Oct. 6th
Graysville	Clean-Up Day	April 21st
Homewood	Shades Creek Cleanup	September (DTBD)
Hueytown	Valley Creek Cleanup	March 17th
Irondale	Whistle Stop	September 29th
Lipscomb	Valley Creek Cleanup	March 17th
Midfield	Valley Creek Cleanup	March 17th
Mulga	Spring Cleanup	April (DTBD)

Municipality	Activities	Date*
Mountain Brook	Free Christmas Tree Recycling	December 26th- January 1st
Mountain Brook	Arbor Day Week Festivities	March (DTBD)
Pinson	Celebrating Pinson	April (DTBD)
Pinson	Butterbean Festival	October 5th-6th
Pinson	Veteran's Day Luncheon	November (DTBD)
Pinson	Christmas Tree Lighting	December 7th
Pinson	Christmas Parade	December 8th
Pleasant Grove	Valley Creek Cleanup	March 17th
Tarrant	Annual Easter Egg Hunt	March 31st
Tarrant	Trunk or Treat	October 28th
Trussville	National Night Out	October 2nd
Vestavia Hills	Arts in the Hills at City Hall	April 7th-May 5th
Vestavia Hills	First Responders Celebration at City Hall	April 28th
Vestavia Hills	Community Night Out	October 10th

*Please note, dates listed are subject to change. For additional information please call or visit the municipality's website for upcoming announcements regarding the 2018 fiscal year community events.

** Date to be Determined (DTBD)

All of the photos taken by Jefferson County Department Health



- ◆ If a creek, stream, river, lake or other water body is discolored or an odor is present.
- ◆ If untreated sewage or washing machine waste is present on the ground.
- ◆ If mud from a construction site is entering a stormdrain or stream.

**Then Call the Jefferson
County Department of
Health's Watershed
Protection Program
Stormwater Hotline
Number:
(205) 930-1999.**



**JEFFERSON COUNTY
DEPARTMENT OF HEALTH**

Serving Jefferson County Since 1917

Outreach Activities

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
Cahaba River Society Frydown 2017	Adamsville	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
Analyze Water Quality in Turkey Creek	Adamsville	Outreach Activity	10/18/2017 9:00:00 AM	3hours	72		
National Drug Take Back Day	Adamsville	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Adamsville	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
MLK Cleanup Planning Meeting	Adamsville	Meeting	1/5/2018 8:30:00 AM	2 hours	9		
PALS Annoucement	Adamsville	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Adamsville	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Annual MLK Cleanup	Adamsville	Cleanup Activity	1/14/2018 9:00:00 AM	4hours	358	8.50	
Stormwater Activity Sheets	Adamsville	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Adamsville	Meeting	1/26/2018 10:00:00 AM	4hours	17		
City of Graysville Water Bill Insert	Adamsville	Outreach Activity	2/26/2018 8:00:00 AM	30 days	City Wide		
PALS Don't Drop It On AL Streets Cleanup Campaign	Adamsville	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Erosion and Sedmentation Control Workshop	Adamsville	Training	4/26/2018 8:30:00 AM	4hours	1		
National Prescription Drug Take Back Day- April 28th	Adamsville	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Water Festival	Adamsville	Outreach Activity	5/3/2018 9:00:00 AM	4hours	200		
SWMPP Mtg	Adamsville	Meeting	5/3/2018 10:00:00 AM	2 hours	1		
Rain Barrel Workshop	Adamsville	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Electronics Collection Day	Adamsville	Outreach Activity	7/28/2018 8:00:00 AM	4hours	3		
Trash Costs Cash-PSA	Adamsville	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Adamsville	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Adamsville	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Separator							
Cahaba River Society Frydown 2017	Brighton	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Brighton	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	1		
National Drug Take Back Day	Brighton	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Brighton	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
Valley Creek Cleanup Litter Video Presentation	Brighton	Outreach Activity	11/28/2017 10:30:00 AM	1 hour	150		
SWMA Ordinance Mtg	Brighton	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Brighton	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Brighton	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Brighton	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
VCC Plannning Mtg	Brighton	Meeting	1/25/2018 1:00:00 PM	1 hour	1		
Environmental Quality Committee Training Meeting	Brighton	Meeting	1/26/2018 10:00:00 AM	4hours	17		
S.O.A.R. Program Overview	Brighton	Meeting	2/6/2018 10:00:00 AM	1 hour	3		
Valley Creek Cleanup WJLD Radio Show	Brighton	Media Outreach	3/13/2018 7:00:00 AM	1 hour	5		
Jeff.Co.SoilandWaterConservationNewsLetter	Brighton	Media Outreach	3/15/2018 8:00:00 AM	30 days	100		
Valley Creek Cleanup	Brighton	Cleanup Activity	3/17/2018 8:30:00 AM	4hours	479	15.165 tons of trash and debris and 1.1 tons	
PALS Don't Drop It On AL Streets Cleanup Campaign	Brighton	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day- April 28th	Brighton	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
SWMPP Mtg	Brighton	Meeting	5/3/2018 10:00:00 AM	2 hours	1		
Brighton Youth Explosion Event	Brighton	Outreach Activity	5/26/2018 10:00:00 AM	4hours	55		
Rain Barrel Workshop	Brighton	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Brighton	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Brighton	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Brighton	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Brookside							
Cahaba River Society Frydown 2017	Brookside	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Brookside	Meeting	10/10/2017 10:00:00 AM	1hour	13		
Analyze Water Quality in Turkey Creek	Brookside	Outreach Activity	10/18/2017 9:00:00 AM	3hours	72		
National Drug Take Back Day	Brookside	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Brookside	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Brookside	Meeting	12/20/2017 10:00:00 AM	1hour	1		
MLK Cleanup Planning Meeting	Brookside	Meeting	1/5/2018 8:30:00 AM	2 hours	9		
PALS Annoucement	Brookside	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Brookside	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Brookside	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Brookside	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Graysville Utilities Water Bill Insert	Brookside	Outreach Activity	2/26/2018 8:00:00 AM	City Wide	City Wide		
PALS Don't Drop It On AL Streets Cleanup Campaign	Brookside	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Erosion and Sedimentation Control Workshop	Brookside	Training	4/26/2018 8:30:00 AM	4hours	1		
National Prescription Drug Take Back Day- April 28th	Brookside	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
SWMPP Mtg	Brookside	Meeting	5/3/2018 10:00:00 AM	2 hours	1		
Rain Barrel Workshop	Brookside	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Brookside	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Brookside	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Brookside	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Center Point							
Cahaba River Society Frydown 2017	Center Point	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Center Point	Meeting	10/10/2017 10:00:00 AM	1hour	13		
NPDES MS4 Training (IDDE, HHW, Construction, Good Housekeeping)	Center Point	Outreach Activity	10/17/2017 9:00:00 AM	3 hours	4		
National Drug Take Back Day	Center Point	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Center Point	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SOAR Presentation	Center Point	Outreach Activity	11/21/2017 2:00:00 PM	30 minutes	3		
SWMA Ordinance Mtg	Center Point	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Center Point	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Center Point	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Center Point	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Center Point	Meeting	1/26/2018 10:00:00 AM	4hours	17		
PALS Don't Drop It On AL Streets Cleanup Campaign	Center Point	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Center Point High School Spring Cleanup	Center Point	Cleanup Activity	4/20/2018 12:00:00 PM	2hours	120	200 bags	

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
Erosion and Sedimentation Control Workshop	Center Point	Training	4/26/2018 8:30:00 AM	4hours	1		
National Prescription Drug Take Back Day- April 28th	Center Point	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Center Point	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Center Point High School Cleanup	Center Point	Cleanup Activity	7/11/2018 12:00:00 PM	2 hours	96	200 bags	
Electronics Take Bake Day	Center Point	Outreach Activity	7/28/2018 8:00:00 AM	4hours	1		
Electronics Collection Day	Center Point	Outreach Activity	8/11/2018 8:00:00 AM	4hours	6		
Electronic Collection Day	Center Point	Outreach Activity	8/11/2018 9:00:00 AM	3hours	100		
Trash Costs Cash-PSA	Center Point	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Center Point	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Center Point	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Clay							
Cahaba River Society Frydown 2017	Clay	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Clay	Meeting	10/10/2017 10:00:00 AM	1hour	13		
National Drug Take Back Day	Clay	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Clay	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Clay	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Clay	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Clay	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Clay	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Clay	Meeting	1/26/2018 10:00:00 AM	4hours	17		
PALS Don't Drop It On AL Streets Cleanup Campaign	Clay	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Erosion and Sedimentation Control Workshop	Clay	Training	4/26/2018 8:30:00 AM	4hours	1		
National Prescription Drug Take Back Day- April 28th	Clay	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Clay	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Electronics Collection Day	Clay	Outreach Activity	8/11/2018 8:00:00 AM	4hours	2		
Trash Costs Cash-PSA	Clay	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Clay	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Clay	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Fairfield							
Cahaba River Society Frydown 2017	Fairfield	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
National Drug Take Back Day	Fairfield	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Fairfield	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
City of Fairfield Cleanup	Fairfield	Cleanup Activity	11/18/2017 8:30:00 AM	4hours		46 bags	3 community districts
PALS Annoucement	Fairfield	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Fairfield	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
VCC Litter Video Competition	Fairfield	Outreach Activity	1/25/2018 10:00:00 AM	1hour	10		
VCC Planning Mtg	Fairfield	Meeting	1/25/2018 1:00:00 PM	1 hour	1		
Environmental Quality Committee Training Meeting	Fairfield	Meeting	1/26/2018 10:00:00 AM	4hours	17		
City of Fairfield District 2 Cleanup	Fairfield	Cleanup Activity	2/24/2018 8:00:00 AM	4hours	34	100bags	Community Wide-District 2

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
FHS Watershed Protection Presentation	Fairfield	Outreach Activity	3/9/2018 2:00:00 PM	1.5hours	8		
Valley Creek Cleanup WJLD Radio Show	Fairfield	Media Outreach	3/13/2018 7:00:00 AM	1 hour	5		
Jeff.Co.SoilandWaterConservationNewsLetter	Fairfield	Media Outreach	3/15/2018 8:00:00 AM	30 days	100		
Valley Creek Cleanup	Fairfield	Cleanup Activity	3/17/2018 8:30:00 AM	4hours	479	15.165 tons of trash and debris and 1.1 tons	
PALS Don't Drop It On AL Streets Cleanup Campaign	Fairfield	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day-April 28th	Fairfield	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
SWMPP Mtg.	Fairfield	Meeting	5/8/2018 10:00:00 AM	2 hours	1		
Rain Barrel Workshop	Fairfield	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
City Council Mtg.-Storm Drain Protection	Fairfield	Media Outreach	7/30/2018 6:00:00 PM	1 hour	<100		
Trash Costs Cash-PSA	Fairfield	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
What's Bugging You; Analyzing Water Quality in Turkey Creek	Fairfield	Outreach Activity	9/12/2018 9:00:00 AM	4hours	19		
City of Fairfield Cleanup	Fairfield	Cleanup Activity	9/28/2018 10:00:00 AM	2hours	19	30bags	
LaFiesta Festival	Fairfield	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Fairfield	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Separator							
Cahaba River Society Frydown 2017	Gardendale	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Gardendale	Meeting	10/10/2017 10:00:00 AM	1hour	13		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Gardendale	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	8		
NPDES Permit Mtg	Gardendale	Outreach Activity	10/26/2017 10:00:00 AM	2hours	15		
National Drug Take Back Day	Gardendale	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Gardendale	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Gardendale	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Gardendale	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Gardendale	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Gardendale	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Gardendale	Meeting	1/26/2018 10:00:00 AM	4hours	17		
SWMPP Training	Gardendale	Meeting	4/3/2018 9:00:00 AM	2.75	8		
PALS Don't Drop It On AL Streets Cleanup Campaign	Gardendale	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day-April 28th	Gardendale	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Gardendale	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Gardendale	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Gardendale	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Gardendale	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Separator							
Cahaba River Society Frydown 2017	Graysville	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Graysville	Meeting	10/10/2017 10:00:00 AM	1hour	13		
Analyze Water Quality in Turkey Creek	Graysville	Outreach Activity	10/18/2017 9:00:00 AM	3hours	72		
National Drug Take Back Day	Graysville	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Graysville	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Graysville	Meeting	12/20/2017 10:00:00 AM	1hour	1		
MLK Cleanup Planning Meeting	Graysville	Meeting	1/5/2018 8:30:00 AM	2 hours	9		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
PALS Annoucement	Graysville	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Graysville	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Minor High School and Middle School MLK Cleanup	Graysville	Cleanup Activity	1/14/2018 8:30:00 AM	4hours	358	8.50tons	
Stormwater Activity Sheets	Graysville	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Graysville	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Graysville Utility Bill Insert	Graysville	Outreach Activity	2/26/2018 8:00:00 AM	30 days	City Wide		
Graysville NPDES Permit Mtg.	Graysville	Meeting	3/5/2018 2:00:00 PM	1hour	5		
Graysville Permit Meeting	Graysville	Meeting	3/13/2018 9:00:00 AM	2 hrs	4		
PALS Don't Drop It On AL Streets Cleanup Campaign	Graysville	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Erosion and Sedmentation Control Workshop	Graysville	Training	4/26/2018 8:30:00 AM	4hours	1		
National Prescription Drug Take Back Day- April 28th	Graysville	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Graysville	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Electronics Take Bake Day	Graysville	Outreach Activity	7/28/2018 8:00:00 AM	4hours	1		
Electronic Collection Day	Graysville	Outreach Activity	7/28/2018 9:00:00 AM	3hours	50		
Trash Costs Cash-PSA	Graysville	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
City of Graysville Fire Safety Day	Graysville	Outreach Activity	9/29/2018 10:00:00 AM	4hours	100		
LaFiesta Festival	Graysville	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Graysville	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Graysville							
Cahaba River Society Frydown 2017	Homewood	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Homewood	Outreach Activity	10/17/2017 9:00:00 AM	3 hours	1		
National Drug Take Back Day	Homewood	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Homewood	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
Green Skies Tree Planting	Homewood	Outreach Activity	11/4/2017 8:00:00 AM	4hours			
SWMA Ordinance Mtg	Homewood	Meeting	11/15/2017 10:00:00 AM	1hour	5		
MS4 Meeting	Homewood	Outreach Activity	12/6/2017 11:00:00 AM	1 hr	10		
SWMA Ordinance Mtg	Homewood	Outreach Activity	12/15/2017 10:30:00 AM	2hours	5		
SWMA Ordinance Mtg	Homewood	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Homewood	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Homewood	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Homewood	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
VCC Planning Mtg	Homewood	Meeting	1/25/2018 1:00:00 PM	1 hour	1		
Environmental Quality Committee Training Meeting	Homewood	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Homewood Star-Press Release	Homewood	Media Outreach	2/5/2018 7:00:00 AM	30 days	19,000		
Permit Review	Homewood	Meeting	2/16/2018 12:00:00 AM	2hrs	3		
Homewood SWMPP meeting	Homewood	Meeting	3/14/2018 1:45:00 PM	2 hrs	4		
SWMPP Workshop	Homewood	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		
SWMPP Workshop	Homewood	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		
PALS Don't Drop It On AL Streets Cleanup Campaign	Homewood	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Watershed Protection Program Outreach and Education Activities	Homewood	Outreach Activity	4/24/2018 11:30:00 AM	2hours	1		
Erosion and Sedmentation Control Workshop	Homewood	Training	4/26/2018 8:30:00 AM	4hours	1		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
National Prescription Drug Take Back Day- April 28th	Homewood	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Homewood	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Homewood	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
Turkey Creek Field Day Presentation	Homewood	Outreach Activity	9/19/2018 8:30:00 AM	4 hours	70		
Shades Creek Cleanup	Homewood	Cleanup Activity	9/29/2018 8:30:00 AM	3.5 hrs	65	1000 lbs	2 miles
LaFiesta Festival	Homewood	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Homewood	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
 							
Cahaba River Society Frydown 2017	Hueytown	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Hueytown	Meeting	10/10/2017 10:00:00 AM	1hour	13		
S.O.A.R. Presentation	Hueytown	Outreach Activity	10/11/2017 8:30:00 AM	30minutes	2		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Hueytown	Outreach Activity	10/17/2017 9:00:00 AM	3 hours	2		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Hueytown	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	3		
National Drug Take Back Day	Hueytown	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Hueytown	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Hueytown	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Hueytown	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Hueytown	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Environmental Quality Committee Training Meeting	Hueytown	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Litter Video Competition	Hueytown	Outreach Activity	1/31/2018 12:00:00 AM	1 hour	28		
Valley Creek Cleanup WJLD Radio Show	Hueytown	Media Outreach	3/13/2018 7:00:00 AM	1 hour	5		
Jeff.Co.SoilandWaterConservationNewsLetter	Hueytown	Media Outreach	3/15/2018 8:00:00 AM	30 days	100		
Valley Creek Cleanup	Hueytown	Cleanup Activity	3/17/2018 8:30:00 AM	4hours	479	15.165 tons of trash and debris and 1.1 tons	
SWMPP Training	Hueytown	Meeting	4/3/2018 9:00:00 AM	2.75	8		
PALS Don't Drop It On AL Streets Cleanup Campaign	Hueytown	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day- April 28th	Hueytown	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Hueytown	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Electronics Take Bake Day	Hueytown	Outreach Activity	7/28/2018 8:00:00 AM	4hours	1		
Trash Costs Cash-PSA	Hueytown	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Hueytown	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Hueytown	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
 							
Cahaba River Society Frydown 2017	Irondale	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Irondale	Outreach Activity	10/17/2017 9:00:00 AM	3 hours	8		
National Drug Take Back Day	Irondale	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Irondale	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
MS4 Staff Training	Irondale	Outreach Activity	11/15/2017 8:30:00 AM	3hours	5		
SWMA Ordinance Mtg	Irondale	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Irondale	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
2018 Watershed Protection Calendar	Irondale	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Watershed Protection Classroom Activity	Irondale	Outreach Activity	1/19/2018 10:00:00 AM	1 hour	11		
Environmental Quality Committee Training Meeting	Irondale	Meeting	1/26/2018 10:00:00 AM	4hours	17		
2-26-18Irondale Utility Water Insert	Irondale	Outreach Activity	2/26/2018 8:00:00 AM	30 days	City Wide		
SWMPP Workshop	Irondale	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		
SWMPP Workshop	Irondale	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		
Cahaba River-- Grants Mill Rd Cleanup	Irondale	Cleanup Activity	3/24/2018 12:00:00 PM	1hour	6	2bags	
SWMPP worksession	Irondale	Meeting	3/27/2018 2:00:00 PM	1 hr	2		
SWMA Mtg.	Irondale	Meeting	4/11/2018 10:00:00 AM	1hour	1		
PALS Don't Drop It On AL Streets Cleanup Campaign	Irondale	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Clean as a Whistle Cleanup Week	Irondale	Cleanup Activity	4/21/2018 9:00:00 AM	1 week	25	25 bags	City Wide
Watershed Protection Program Outreach and Education Activities	Irondale	Outreach Activity	4/24/2018 11:30:00 AM	2hours	1		
Erosion and Sedimentation Control Workshop	Irondale	Training	4/26/2018 8:30:00 AM	4hours	1		
Coke United Cleanup	Irondale	Cleanup Activity	4/28/2018 10:00:00 AM	1day	22	0.065 tons of trash; 30 pounds of recyclables	
National Prescription Drug Take Back Day- April 28th	Irondale	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Irondale	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Church of the Highlands Cleanup	Irondale	Cleanup Activity	7/14/2018 10:00:00 AM	2hours	28	4850 lbs	
Enviroscape Activity	Irondale	Outreach Activity	7/19/2018 10:30:00 AM	2	15		
Church of the Highlands Roadside Cleanup	Irondale	Cleanup Activity	9/1/2018 7:30:00 AM	4hours	3	8 bags	
Trash Costs Cash-PSA	Irondale	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
City of Irondale Toot, Toot Festival	Irondale	Outreach Activity	9/29/2018 9:00:00 AM	8hours	100		
LaFiesta Festival	Irondale	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Irondale	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Low Impact Brochures given out	Irondale	Media Outreach		All Year	25		
Stormwater Brochures given out	Irondale	Media Outreach		All Year	80		
Cahaba River Society Frydown 2017	Lipscomb	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
National Drug Take Back Day	Lipscomb	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Lipscomb	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
PALS Annoucement	Lipscomb	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Lipscomb	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
VCC Plannning Mtg	Lipscomb	Meeting	1/25/2018 1:00:00 PM	1 hour	1		
Environmental Quality Committee Training Meeting	Lipscomb	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Valley Creek Cleanup WJLD Radio Show	Lipscomb	Media Outreach	3/13/2018 7:00:00 AM	1 hour	5		
Jeff.Co.SoilandWaterConservationNewsLetter	Lipscomb	Media Outreach	3/15/2018 8:00:00 AM	30 days	100		
Valley Creek Cleanup	Lipscomb	Cleanup Activity	3/17/2018 8:30:00 AM	4hours	479	15.165 tons of trash and debris and 1.1 tons	
PALS Don't Drop It On AL Streets Cleanup Campaign	Lipscomb	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day- April 28th	Lipscomb	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
SWMPP Mtg	Lipscomb	Meeting	5/3/2018 10:00:00 AM	2 hours	1		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
Rain Barrel Workshop	Lipscomb	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
S.O.A.R. Training	Lipscomb	Training	6/25/2018 10:00:00 AM	City of Lipscomb-Town Hall Bldg	1		
Trash Costs Cash-PSA	Lipscomb	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Lipscomb	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Lipscomb	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Maytown							
Cahaba River Society Frydown 2017	Maytown	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
Analyze Water Quality in Turkey Creek	Maytown	Outreach Activity	10/18/2017 9:00:00 AM	3hours	72		
National Drug Take Back Day	Maytown	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Maytown	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Maytown	Meeting	12/20/2017 10:00:00 AM	1 hour	1		
MLK Cleanup Planning Meeting	Maytown	Meeting	1/5/2018 8:30:00 AM	2 hours	9		
PALS Annoucement	Maytown	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Maytown	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Annual MLK Cleanup	Maytown	Cleanup Activity	1/14/2018 9:00:00 AM	4hours	358	8.50	
Stormwater Activity Sheets	Maytown	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Maytown	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Mulga Loop Road Litter Cleanup Project	Maytown	Cleanup Activity	3/24/2018 9:30:00 AM	3hours	98	6.0 tons	
PALS Don't Drop It On AL Streets Cleanup Campaign	Maytown	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day-April 28th	Maytown	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Maytown	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Maytown	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Maytown	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Maytown	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Midfield							
Cahaba River Society Frydown 2017	Midfield	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Midfield	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	5		
National Drug Take Back Day	Midfield	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Midfield	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
Valley Creek Cleanup Litter Video Competition Presentation	Midfield	Outreach Activity	11/7/2017 1:00:00 AM	30minutes	2		
PALS Governor's Award Ceremony	Midfield	Outreach Activity	11/8/2017 12:00:00 PM	2 hours	75		
Valley Creek Cleanup Litter Video Presentation	Midfield	Outreach Activity	11/28/2017 10:30:00 AM	1 hour	150		
SWMA Ordinance Mtg	Midfield	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Midfield	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Midfield	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
VCC Planning Mtg	Midfield	Meeting	1/25/2018 1:00:00 PM	1 hour	1		
Environmental Quality Committee Training Meeting	Midfield	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Midfield SWMPP Meeting	Midfield	Meeting	3/11/2018 11:00:00 AM	2 hrs	2		
Valley Creek Cleanup WJLD Radio Show	Midfield	Media Outreach	3/13/2018 7:00:00 AM	1 hour	5		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
Jeff.Co.SoilandWaterConservationNewsLetter	Midfield	Media Outreach	3/15/2018 8:00:00 AM	30 days	100		
Valley Creek Cleanup	Midfield	Cleanup Activity	3/17/2018 8:30:00 AM	4hours	479	15.165 tons of trash and debris and 1.1 tons	
SWMPP Training	Midfield	Meeting	4/3/2018 9:00:00 AM	2.75	8		
PALS Don't Drop It On AL Streets Cleanup Campaign	Midfield	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day-April 28th	Midfield	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Water Festival	Midfield	Outreach Activity	5/3/2018 9:00:00 AM	4hours	200		
Rain Barrel Workshop	Midfield	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Midfield	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Midfield	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Midfield	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Mountain Brook							
Cahaba River Society Frydown 2017	Mountain Brook	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Mountain Brook	Meeting	10/10/2017 10:00:00 AM	1hour	13		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Mountain Brook	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	5		
National Drug Take Back Day	Mountain Brook	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Mountain Brook	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Mountain Brook	Meeting	11/15/2017 10:00:00 AM	1hour	5		
MS4 Meeting	Mountain Brook	Outreach Activity	12/6/2017 11:00:00 AM	1 hr	10		
Public Works Training	Mountain Brook	Outreach Activity	12/12/2017 2:00:00 PM	1.75 hrs	25		
SWMA Ordinance Mtg	Mountain Brook	Outreach Activity	12/15/2017 10:30:00 AM	2hours	5		
SWMA Ordinance Mtg	Mountain Brook	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Mountain Brook	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Mountain Brook	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Mountain Brook	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Mountain Brook	Meeting	1/26/2018 10:00:00 AM	4hours	17		
AL Stormwater Association	Mountain Brook	Meeting	3/20/2018 10:00:00 AM	4hours	1		
SWMPP Workshop	Mountain Brook	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		
SWMPP Workshop	Mountain Brook	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		
SWMA Mtg.	Mountain Brook	Meeting	4/11/2018 10:00:00 AM	1hour	1		
PALS Don't Drop It On AL Streets Cleanup Campaign	Mountain Brook	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Watershed Protection Program Outreach and Education Activities	Mountain Brook	Outreach Activity	4/24/2018 11:30:00 AM	2hours	1		
Erosion and Sedimentation Control Workshop	Mountain Brook	Training	4/26/2018 8:30:00 AM	4hours	1		
Citizens Appreciation Day	Mountain Brook	Outreach Activity	4/28/2018 10:00:00 AM	4hours	100		
National Prescription Drug Take Back Day-April 28th	Mountain Brook	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Schaeffer Eye Center Cleanup Day	Mountain Brook	Cleanup Activity	6/2/2018 4:00:00 PM	2 hours	21	1 bag	
Rain Barrel Workshop	Mountain Brook	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Electronics Collection Day	Mountain Brook	Outreach Activity	8/11/2018 8:00:00 AM	4hours	1		
Trash Costs Cash-PSA	Mountain Brook	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Mountain Brook	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Mountain Brook	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
Cahaba River Society Frydown 2017	Mulga	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
Analyze Water Quality in Turkey Creek	Mulga	Outreach Activity	10/18/2017 9:00:00 AM	3hours	72		
National Drug Take Back Day	Mulga	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Mulga	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Mulga	Meeting	12/20/2017 10:00:00 AM	1hour	1		
MLK Cleanup Planning Meeting	Mulga	Meeting	1/5/2018 8:30:00 AM	2 hours	9		
PALS Annoucement	Mulga	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Mulga	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Annual MLK Cleanup	Mulga	Cleanup Activity	1/14/2018 9:00:00 AM	4hours	358	8.50	
Stormwater Activity Sheets	Mulga	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Mulga	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Mulga Loop Road Litter Cleanup Project	Mulga	Cleanup Activity	3/24/2018 9:30:00 AM	3hours	98	6.0 tons	
PALS Don't Drop It On AL Streets Cleanup Campaign	Mulga	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day-April 28th	Mulga	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Mulga	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Mulga	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Mulga	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Mulga	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Pinson							
Cahaba River Society Frydown 2017	Pinson	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Pinson	Outreach Activity	10/17/2017 9:00:00 AM	3 hours	2		
National Drug Take Back Day	Pinson	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Pinson	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Pinson	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Pinson	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Pinson	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Pinson	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Pinson	Meeting	1/26/2018 10:00:00 AM	4hours	17		
PALS Don't Drop It On AL Streets Cleanup Campaign	Pinson	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Watershed Protection Program Outreach and Education Activities	Pinson	Outreach Activity	4/24/2018 11:30:00 AM	2hours	1		
EnviroScape Presentation	Pinson	Outreach Activity	4/26/2018 8:30:00 AM	7hours	250		
National Prescription Drug Take Back Day-April 28th	Pinson	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Pinson	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Cleanup on Main Street	Pinson	Cleanup Activity	8/4/2018 10:00:00 AM	1 hour	1	2 bags	1 mile
Electronics Collection Day	Pinson	Outreach Activity	8/11/2018 8:00:00 AM	4hours	11		
Electronic Collection Day	Pinson	Outreach Activity	8/11/2018 9:00:00 AM	3hours	100		
City of Pinson Cleanup	Pinson	Cleanup Activity	8/18/2018 10:00:00 AM	2hours	23	20bags	
Trash Costs Cash-PSA	Pinson	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Pinson	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
Cahaba River Society Frydown 2018	Pinson	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Cahaba River Society Frydown 2017	Pleasant Grove	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Pleasant Grove	Meeting	10/10/2017 10:00:00 AM	1hour	13		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Pleasant Grove	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	2		
NPDES Permit Mtg	Pleasant Grove	Outreach Activity	10/26/2017 10:00:00 AM	2hours	15		
National Drug Take Back Day	Pleasant Grove	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Pleasant Grove	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
Valley Creek Cleanup Litter Video Competition Grant	Pleasant Grove	Outreach Activity	11/13/2017 12:30:00 PM	1hour	5		
MS4 Meeting	Pleasant Grove	Outreach Activity	12/6/2017 11:00:00 AM	1 hr	10		
SWMA Ordinance Mtg	Pleasant Grove	Meeting	12/15/2017 10:00:00 AM	1 hour	5		
SWMA Ordinance Mtg	Pleasant Grove	Outreach Activity	12/15/2017 10:30:00 AM	2hours	5		
SWMA Ordinance Mtg	Pleasant Grove	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Pleasant Grove	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Pleasant Grove	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Pleasant Grove	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
VCC Planning Mtg	Pleasant Grove	Meeting	1/25/2018 1:00:00 PM	1 hour	1		
Environmental Quality Committee Training Meeting	Pleasant Grove	Meeting	1/26/2018 10:00:00 AM	4hours	17		
VCC Litter Video Competition Presentation	Pleasant Grove	Outreach Activity	2/20/2018 9:30:00 AM	1hour	70		
Jeff.Co.SoilandWaterConservationNewsLetter	Pleasant Grove	Media Outreach	3/15/2018 8:00:00 AM	30 days	100		
Valley Creek Cleanup	Pleasant Grove	Cleanup Activity	3/17/2018 8:30:00 AM	4hours	479	15.165 tons of trash and debris and 1.1 tons	
SWMPP Training	Pleasant Grove	Meeting	4/3/2018 9:00:00 AM	2.75	8		
SWMA Mtg.	Pleasant Grove	Meeting	4/11/2018 10:00:00 AM	1hour	1		
PALS Don't Drop It On AL Streets Cleanup Campaign	Pleasant Grove	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
National Prescription Drug Take Back Day-April 28th	Pleasant Grove	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Pleasant Grove	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Pleasant Grove	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Pleasant Grove	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Pleasant Grove	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Cahaba River Society Frydown 2017	Tarrant	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Tarrant	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	1		
National Drug Take Back Day	Tarrant	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Tarrant	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SWMA Ordinance Mtg	Tarrant	Meeting	12/20/2017 10:00:00 AM	1hour	1		
NPDES Stormwater Permit Training	Tarrant	Training	1/4/2018 9:30:00 AM	2hours	20		
PALS Annoucement	Tarrant	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Tarrant	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Tarrant	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Environmental Quality Committee Training Meeting	Tarrant	Meeting	1/26/2018 10:00:00 AM	4hours	17		
AL Stormwater Association	Tarrant	Meeting	3/20/2018 10:00:00 AM	4hours	1		
SWMPP Workshop	Tarrant	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
SWMP Workshop	Tarrant	Meeting	3/22/2018 1:00:00 PM	3 hrs	6		
SWMP discussion	Tarrant	Meeting	3/27/2018 10:00:00 AM	2 hrs	4		
PALS Don't Drop It On AL Streets Cleanup Campaign	Tarrant	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Erosion and Sedimentation Control Workshop	Tarrant	Training	4/26/2018 8:30:00 AM	4hours	1		
City of Tarrant Community Day	Tarrant	Outreach Activity	4/28/2018 10:00:00 AM	6hours	100		
National Prescription Drug Take Back Day- April 28th	Tarrant	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Tarrant	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Tarrant	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Tarrant	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Tarrant	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		
Cahaba River Society Frydown 2017	Trussville	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Trussville	Meeting	10/10/2017 10:00:00 AM	1hour	13		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Trussville	Outreach Activity	10/17/2017 9:00:00 AM	3 hours	2		
NPDES MS4 Training (IDDE, HHW, Construction,Good Housekeeping)	Trussville	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	4		
National Drug Take Back Day	Trussville	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Trussville	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
SOAR	Trussville	Outreach Activity	11/26/2017 8:30:00 AM	30 minutes	2		
MS4 Meeting	Trussville	Outreach Activity	12/6/2017 11:00:00 AM	1 hr	10		
SWMA Ordinance Mtg	Trussville	Meeting	12/20/2017 10:00:00 AM	1hour	1		
PALS Annoucement	Trussville	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Trussville	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Magnolia Roadside Cleanup	Trussville	Cleanup Activity	1/15/2018 10:00:00 AM	1 hour	1	1	
Neighborhood Cleanup	Trussville	Cleanup Activity	1/15/2018 5:00:00 PM	2hours	2	3bag	
Stormwater Activity Sheets	Trussville	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Watershed Protection Classroom Activity	Trussville	Outreach Activity	1/19/2018 10:00:00 AM	1 hour	11		
Environmental Quality Committee Training Meeting	Trussville	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Neighborhood Cleanup	Trussville	Cleanup Activity	3/5/2018 5:00:00 PM	2hrs	2	3bags	
AL Stormwater Association	Trussville	Meeting	3/20/2018 10:00:00 AM	4hours	1		
SWMA Mtg.	Trussville	Meeting	4/11/2018 10:00:00 AM	1hour	1		
PALS Don't Drop It On AL Streets Cleanup Campaign	Trussville	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Erosion and Sedimentation Control Workshop	Trussville	Training	4/26/2018 8:30:00 AM	4hours	1		
National Prescription Drug Take Back Day- April 28th	Trussville	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Neighborhood Cleanup	Trussville	Cleanup Activity	5/28/2018 5:00:00 PM	2hours	2	3bags	
Rain Barrel Workshop	Trussville	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Electronics Collection Day	Trussville	Outreach Activity	8/11/2018 8:00:00 AM	4hours	2		
Trash Costs Cash-PSA	Trussville	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Trussville	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Neighborhood Cleanup	Trussville	Cleanup Activity	9/30/2018 5:00:00 AM	2hours	1	3bags	
Cahaba River Society Frydown 2018	Trussville	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		

Event Name	Municipality	Activity Type	Event Date Time	Event Length	Participant Nbr	Garbage Pick Up Amount	Mileage Cleaned
Cahaba River Society Frydown 2017	Vestavia Hills	Outreach Activity	10/1/2017 12:00:00 PM	4hours	100		
SWMA Mayor's Mtg	Vestavia Hills	Meeting	10/10/2017 10:00:00 AM	1hour	13		
NPDES MS4 Training (IDDE, HHW, Construction, Good Housekeeping)	Vestavia Hills	Outreach Activity	10/17/2017 9:00:00 AM	3 hours	3		
NPDES MS4 Training (IDDE, HHW, Construction, Good Housekeeping)	Vestavia Hills	Outreach Activity	10/24/2017 9:00:00 AM	3 hours	4		
National Drug Take Back Day	Vestavia Hills	Media Outreach	10/28/2017 8:00:00 AM	1 week	City Wide		
Children's Health Week	Vestavia Hills	Outreach Activity	10/31/2017 10:00:00 AM	4 hours	60		
MS4 Meeting	Vestavia Hills	Outreach Activity	12/6/2017 11:00:00 AM	1 hr	10		
Rake of a Difference	Vestavia Hills	Cleanup Activity	12/11/2017 8:30:00 AM	6hours	38	0.40 tons	VHS Campus
SWMA Ordinance Mtg	Vestavia Hills	Meeting	12/20/2017 10:00:00 AM	1hour	3		
PALS Annoucement	Vestavia Hills	Media Outreach	1/8/2018 9:00:00 AM	30minutes	2		
2018 Watershed Protection Calendar	Vestavia Hills	Outreach Activity	1/11/2018 9:00:00 AM	1hour	3		
Stormwater Activity Sheets	Vestavia Hills	Outreach Activity	1/18/2018 9:00:00 AM	1 hour	30		
Watershed Protection Classroom Activity	Vestavia Hills	Outreach Activity	1/19/2018 10:00:00 AM	1 hour	11		
Environmental Quality Committee Training Meeting	Vestavia Hills	Meeting	1/26/2018 10:00:00 AM	4hours	17		
Permit and SWMPP Review	Vestavia Hills	Meeting	2/13/2018 1:00:00 PM	2 hrs	4		
SWMA Mtg.	Vestavia Hills	Meeting	4/11/2018 10:00:00 AM	1hour	1		
PALS Don't Drop It On AL Streets Cleanup Campaign	Vestavia Hills	Media Outreach	4/15/2018 6:00:00 AM	1 day	County-Wide		
Coke United Cleanup	Vestavia Hills	Cleanup Activity	4/28/2018 10:00:00 AM	1day	22	100 pounds of trash and 30 pounds of recycles	
National Prescription Drug Take Back Day- April 28th	Vestavia Hills	Media Outreach	4/28/2018 10:00:00 AM	4hours	State Wide		
Rain Barrel Workshop	Vestavia Hills	Outreach Activity	6/16/2018 9:30:00 AM	2.5hours	2		
Trash Costs Cash-PSA	Vestavia Hills	Media Outreach	9/4/2018 7:00:00 AM	1 day	500		
LaFiesta Festival	Vestavia Hills	Outreach Activity	9/29/2018 10:00:00 AM	4hours	50		
Cahaba River Society Frydown 2018	Vestavia Hills	Outreach Activity	9/30/2018 11:00:00 AM	5 hours	500		

Illicit Discharge Detection and Elimination

Model IDDE Ordinance

Draft Ordinance

STORM WATER MANAGEMENT AUTHORITY, INC. ILLCIT DISCHARGE ORDINANCE

RECITALS

Section 1 DEFINITIONS

Section 2 ADMINISTRATION

Section 3 ILLCIT DISCHARGES PROHIBITIONS

- Section 3.1 Prohibition of Illegal Discharges.
- Section 3.2 Illegal Discharge Exemptions.
- Section 3.3 Prohibition of Illicit Connections.

Section 4 SUSPENSION OF MS4 ACCESS

- Section 4.1 Suspension Due to Illicit Discharges in Emergency Situations.
- Section 4.2 Suspension Due to the Detection of Illicit Discharge.
- Section 4.3 Post Construction BMP Operation and Maintenance Plan Description.

Section 5 INDUSTRIAL OR CONSTRUCTION ACTIVITY DISCHARGES

Section 6 MONITORING OF DISCHARGES

Section 7 REQUIREMENT TO PREVENT, CONTROL, AND REDUCE STORM WATER POLLUTANTS BY THE USE OF BEST MANAGEMENT PRACTICES

Section 8 WATERCOURSE PROTECTION

Section 9 NOTIFICATION OF SPILLS

Draft Ordinance

Section 10 ENFORCEMENT AND ABATEMENT

- Section 10.1 Notice of Violation.
- Section 10.2 Appeal of Notice of Violation.
- Section 10.3 Enforcement Measures After Appeal.
- Section 10.4 Cost of Abatement of the Violation.
- Section 10.5 Injunctive Relief.
- Section 10.6 Compensatory Action.
- Section 10.7 Violations Deemed a Public Nuisance.
- Section 10.8 Criminal Prosecution.
- Section 10.9 Remedies Not Exclusive.

Section 11 MISCELLANEOUS

- Section 11.1 Applicability.
- Section 11.2 Severability.
- Section 11.3 Ultimate Responsibility.
- Section 11.4 Effective Date.

Draft Ordinance

STORM WATER MANAGEMENT ILLICIT DISCHARGE

RECITALS

WHEREAS, the purpose of this ordinance is to provide for the health, safety, and general welfare of the citizens of **CITY/TOWN** through the regulation of non-storm water discharges to the storm drainage system to the maximum extent practicable as required by federal and state law.

WHEREAS, this ordinance establishes methods for controlling the introduction of pollutants into the municipal separate storm sewer system (MS4) in order to comply with requirements of the National Pollutant Discharge Elimination System (NPDES) permit process.

WHEREAS, this ordinance provides the minimum content for implementing and enforcing a STORM WATER management consistent with the Alabama Department of Environmental Management (ADEM) permit currently issued to the **CITY/TOWN**.

WHEREAS, the objectives of this ordinance are:

1. To regulate the contribution of pollutants to the municipal separate storm sewer system (MS4) by STORM WATER discharges by any user
2. To prohibit Illicit Connections and Discharges to the municipal separate storm sewer system
3. To establish legal authority to carry out all inspection, surveillance and monitoring procedures necessary to ensure compliance with this ordinance

NOW, THEREFORE BE IT ORDAINED by the City Council of the **CITY/TOWN**, Alabama, as follows:

Draft Ordinance

Section 1 DEFINITIONS

For the purposes of this ordinance, the following words and terms shall have the meaning assigned to them in this section.

Authorized enforcement agency: employees or designees of the director of the municipal agency designated to enforce this ordinance.

Best Management Practices (BMPs): schedules of activities, prohibitions of practices, general good housekeeping practices, pollution prevention and educational practices, maintenance procedures, and other management practices to prevent or reduce the discharge of pollutants directly or indirectly to STORM WATER, receiving waters, or STORM WATER conveyance systems. BMPs also include treatment practices, operating procedures, and practices to control site runoff, spillage or leaks, sludge or water disposal, or drainage from raw materials storage.

Clean Water Act. The federal Water Pollution Control Act (33 U.S.C. § 1251 et seq.), and any subsequent amendments thereto.

Construction Activity. Activities subject to NPDES Construction Permits. Currently these include construction projects resulting in land disturbance of 1 acre or more. Such activities include but are not limited to clearing and grubbing, grading, excavating, and demolition.

Hazardous Materials. Any material, including any substance, waste, or combination thereof, which because of its quantity, concentration, or physical, chemical, or infectious characteristics may cause, or significantly contribute to, a substantial present or potential hazard to human health, safety, property, or the environment when improperly treated, stored, transported, disposed of, or otherwise managed.

Illegal Discharge. Any direct or indirect non-storm water discharge to the storm drain system, except as exempted in Section X of this ordinance.

Illicit Connections. An illicit connection is defined as either of the following:

1. Any drain or conveyance, whether on the surface or subsurface, which allows an illegal discharge to enter the storm drain system including but not limited to any conveyances which allow any non-storm water discharge including sewage, process wastewater, and wash water to enter the storm drain system and any connections to the storm drain system from indoor drains and sinks, regardless of whether said drain or connection had been previously allowed, permitted, or approved by the CITY/TOWN or,

Draft Ordinance

2. Any drain or conveyance connected from a commercial or industrial land use to the storm drain system which has not been documented in plans, maps, or equivalent records and approved by the **CITY/TOWN**.

Industrial Activity. Activities subject to NPDES Industrial Permits as defined in 40 CFR, Section 122.26 (b)(14).

National Pollutant Discharge Elimination System (NPDES) Storm Water Discharge Permit. means a permit issued by EPA (or by a State under authority delegated pursuant to 33 USC § 1342(b)) that authorizes the discharge of pollutants to waters of the United States, whether the permit is applicable on an individual, group, or general area-wide basis.

Non-Storm Water Discharge. Any discharge to the storm drain system that is not composed entirely of storm water.

Person. Any individual, association, organization, partnership, firm, corporation or other entity recognized by law and acting as either the owner or as the owner's agent.

Pollutant. Anything which causes or contributes to pollution. Pollutants may include, but are not limited to: paints, varnishes, and solvents; oil and other automotive fluids; non-hazardous liquid and solid wastes and yard wastes; refuse, rubbish, garbage, litter, or other discarded or abandoned objects, ordinances, and accumulations, so that same may cause or contribute to pollution; floatables; pesticides, herbicides, and fertilizers; hazardous substances and wastes; sewage, fecal coliform and pathogens; dissolved and particulate metals; animal wastes; wastes and residues that result from constructing a building or structure; and noxious or offensive matter of any kind.

Premises. Any building, lot, parcel of land, or portion of land whether improved or unimproved including adjacent sidewalks and parking strips.

Storm Drainage System. Publicly-owned facilities by which storm water is collected and/or conveyed, including but not limited to any roads with drainage systems, municipal streets, gutters, curbs, inlets, piped storm drains, pumping facilities, retention and detention basins, natural and human-made or altered drainage channels, reservoirs, and other drainage structures.

Storm Water. Any surface flow, runoff, and drainage consisting entirely of water from any form of natural precipitation, and resulting from such precipitation.

Storm Water Pollution Prevention Plan. A document which describes the Best Management Practices and activities to be implemented by a person or business to identify sources of pollution or contamination at a site and the actions to eliminate or reduce pollutant discharges to STORM WATER, STORM WATER Conveyance Systems, and/or Receiving Waters to the Maximum Extent Practicable.

Wastewater means any water or other liquid, other than uncontaminated storm water, discharged from a facility.

Draft Ordinance

Section 2 ADMINISTRATION

The **CITY/TOWN** shall administer, implement, and enforce the provisions of this ordinance. Any powers granted or duties imposed upon the **CITY/TOWN** may be enforced by _____ or delegated in writing by an official of the **CITY/TOWN** to persons or entities acting in the beneficial interest of or in the employ of the agency.

Draft Ordinance

Section 3 ILLICIT DISCHARGE PROHIBITIONS

Section 3.1 Prohibition of Illegal Discharges.

No person shall discharge or cause to be discharged into the municipal storm drain system or watercourses any materials, including but not limited to pollutants or waters containing any pollutants that cause or contribute to a violation of applicable water quality standards, other than storm water.

Section 3.2 Illegal Discharges Exemptions.

The prohibition shall not apply to any non-storm water discharge permitted under an NPDES permit, waiver, or waste discharge order issued to the discharger and administered under the authority of the Federal Environmental Protection Agency, provided that the discharger is in full compliance with all requirements of the permit, waiver, or order and other applicable laws and regulations, and provided that written approval has been granted for any discharge to the storm drain system.

The following discharges are exempt from discharge prohibitions established by this ordinance provided that they have been determined not to be substantial contributor of pollutants by the City or Alabama Department of Environmental Management (ADEM):

- a) Water line flushing
- b) Landscape irrigation or lawn watering (not consisting or treated, or untreated wastewater unless otherwise authorized)
- c) Diverted stream flows
- d) Uncontaminated ground water infiltration
- e) Uncontaminated pumped groundwater
- f) Discharges from potable water sources
- g) Foundation or footing drains (not including active groundwater dewatering systems)
- h) air conditioning condensation or drains
- i) Irrigation water (not consisting or treated, or untreated wastewater unless otherwise authorized)
- j) Rising ground water
- k) Springs
- l) Water from crawl space pumps
- m) Lawn watering runoff
- n) Individual residential car washing, to include charitable carwashes
- o) Residential street wash water
- p) Discharges or flows from firefighting activities (including fire hydrant flushing)

Draft Ordinance

- q) Flows from natural riparian habitat or wetlands
- r) Dechlorinated swimming pool discharges
- s) Dye testing is an allowable discharge, but requires a verbal notification to the **CITY/TOWN** prior to the time of the test.

Section 3.3 Prohibition of Illicit Connections.

- a) The construction, use, maintenance or continued existence of illicit connections to the storm drain system is prohibited.
- b) This prohibition expressly includes, without limitation, illicit connections made in the past, regardless of whether the connection was permissible under law or practices applicable or prevailing at the time of connection.
- c) A person is considered to be in violation of this ordinance if the person connects a line conveying sewage to the MS4, or allows such a connection to continue.

Draft Ordinance

Section 4 SUSPENSION OF MS4 ACCESS

Section 4.1 Suspension Due to Illicit Discharges in Emergency Situations.

The **CITY/TOWN** may, without prior notice, suspend MS4 discharge access to a person when such suspension is necessary to stop an actual or threatened discharge which presents or may present imminent and substantial danger to the environment, or to the health or welfare of persons, or to the MS4 or Waters of the United States. If the violator fails to comply with a suspension order issued in an emergency, the **CITY/TOWN** may take such steps as deemed necessary to prevent or minimize damage to the MS4 or Waters of the United States, or to minimize danger to persons.

Section 4.2 Suspension Due to the Detection of Illicit Discharge.

Any person discharging to the MS4 in violation of this ordinance may have their MS4 access terminated if such termination would abate or reduce an illicit discharge. The **CITY/TOWN** will notify a violator of the proposed termination of its MS4 access. The violator may petition the **CITY/TOWN** for a reconsideration and hearing.

A person commits an offense if the person reinstates MS4 access to premises terminated pursuant to this Section, without the prior approval of the **CITY/TOWN**.

Draft Ordinance

Section 5

INDUSTRIAL, COMMERCIAL OR CONSTRUCTION ACTIVITY DISCHARGES

Any person subject to an industrial, commercial or construction activity NPDES storm water discharge permit shall comply with all provisions of such permit. Proof of compliance with said permit may be required in a form acceptable to the **CITY/TOWN** prior to the allowing of discharges to the MS4.

Draft Ordinance

Section 6 MONITORING OF DISCHARGES

Section 6.1 Applicability.

This section applies to all facilities that have storm water discharges associated with industrial, commercial, and construction activity.

Section 6.2 Access to Facilities.

- a) The **CITY/TOWN** shall be permitted to enter and inspect facilities subject to regulation under this ordinance as often as may be necessary to determine compliance with this ordinance. If a discharger has security measures in force which require proper identification and clearance before entry into its premises, the discharger shall make the necessary arrangements to allow access to representatives of the **CITY/TOWN**.
- b) Facility operators shall allow the **CITY/TOWN** ready access to all parts of the premises for the purposes of inspection, sampling, examination and copying of records that must be kept under the conditions of an NPDES permit to discharge storm water, and the performance of any additional duties as defined by state and federal law.
- c) The **CITY/TOWN** shall have the right to set up on any permitted facility such devices as are necessary in the opinion of the **CITY/TOWN** to conduct monitoring and/or sampling of the facility's storm water discharge.
- d) The **CITY/TOWN** has the right to require the discharger to install monitoring equipment as necessary. The facility's sampling and monitoring equipment shall be maintained at all times in a safe and proper operating condition by the discharger at its own expense. All devices used to measure STORM WATER flow and quality shall be calibrated to ensure their accuracy.
- e) Any temporary or permanent obstruction to safe and easy access to the facility to be inspected and/or sampled shall be promptly removed by the operator at the written or oral request of the **CITY/TOWN** and shall not be replaced. The costs of clearing such access shall be borne by the operator.
- f) Unreasonable delays in allowing the **CITY/TOWN** access to a permitted facility is a violation of a storm water discharge permit and of this ordinance. A person who is the operator of a facility with a NPDES permit to discharge storm water associated with industrial activity commits an offense if the person denies the **CITY/TOWN** reasonable access to the permitted facility for the purpose of conducting any activity authorized or required by this ordinance.
- g) If the **CITY/TOWN** has been refused access to any part of the premises from which STORM WATER is discharged, and he/she is able to demonstrate probable cause to believe that there may be a violation of

Draft Ordinance

this ordinance, or that there is a need to inspect and/or sample as part of a routine inspection and sampling program designed to verify compliance with this ordinance or any order issued hereunder, or to protect the overall public health, safety, and welfare of the community, then the **CITY/TOWN** may seek issuance of a search warrant from any court of competent jurisdiction.

Section 7

REQUIREMENT TO PREVENT, CONTROL, AND REDUCE STORM WATER POLLUTANTS BY THE USE OF BEST MANAGEMENT PRACTICES

CITY/TOWN will adopt requirements identifying Best Management Practices for any activity, operation, or facility which may cause or contribute to pollution or contamination of storm water, the storm drain system, or waters of the U.S. The owner or operator of a commercial or industrial establishment shall provide, at their own expense, reasonable protection from accidental discharge of prohibited materials or other wastes into the municipal storm drain system or watercourses through the use of these structural and non-structural BMPs. Further, any person responsible for a property or premise, which is, or may be, the source of an illicit discharge, may be required to implement, at said person's expense, additional structural and non-structural BMPs to prevent the further discharge of pollutants to the municipal separate storm sewer system. Compliance with all terms and conditions of a valid NPDES permit authorizing the discharge of storm water associated with industrial activity, to the extent practicable, shall be deemed compliance with the provisions of this section. These BMPs shall be part of a STORM WATER pollution prevention plan (SWPP) as necessary for compliance with requirements of the NPDES permit.

Draft Ordinance

Section 8

WATERCOURSE PROTECTION

Every person owning property through which a watercourse passes, or such person's lessee, shall keep and maintain that part of the watercourse within the property free of trash, debris, excessive vegetation, and other obstacles that would pollute, contaminate, or significantly retard the flow of water through the watercourse. In addition, the owner or lessee shall maintain existing privately owned structures within or adjacent to a watercourse, so that such structures will not become a hazard to the use, function, or physical integrity of the watercourse.

Draft Ordinance

Section 9 NOTIFICATION OF SPILLS

Notwithstanding other requirements of law, as soon as any person responsible for a facility or operation, or responsible for emergency response for a facility or operation has information of any known or suspected release of materials which are resulting or may result in illegal discharges or pollutants discharging into storm water, the storm drain system, or water of the U.S. said person shall take all necessary steps to ensure the discovery, containment, and cleanup of such release. In the event of such a release of hazardous materials said person shall immediately notify emergency response agencies of the occurrence via emergency dispatch services. In the event of a release of non-hazardous materials, said person shall notify the **CITY/TOWN** in person or by phone or facsimile no later than the next business day. Notifications in person or by phone shall be confirmed by written notice addressed and mailed to the **CITY/TOWN** within three business days of the phone notice. If the discharge of prohibited materials emanates from a commercial or industrial establishment, the owner or operator of such establishment shall also retain an on-site written record of the discharge and the actions taken to prevent its recurrence. Such records shall be retained for at least three years.

Draft Ordinance

Section 10 ENFORCEMENT AND ABATEMENT

Whenever the **CITY/TOWN** finds that a person has violated a prohibition or failed to meet a requirement of this Ordinance, the **CITY/TOWN** may enforce the ordinance with escalating procedures.

Section 10.1 Notification; Enforcement Remedies.

- (a) Warning Notice: A warning notice of violation is the lowest level of formal response to a violation. It is a verbal or written response presented to the violator shortly after a violation has been identified and is intended for minor violations that would not cause significant harm to the environment.

- (b) Notification of Violation: Whenever the Official finds that any person is in violation of any provision of this ordinance, or any order issued hereunder, the Official or his agent may serve upon such person written notice of the violation requiring the removal of illicit discharges and immediate cessation improper disposal practices within ten (10) calendar days of the date of such notice. Compliance by written notice of violation to the responsible person may require without limitation:
 - 1. The performance of monitoring, analyses, and reporting;
 - 2. The abatement or remediation of storm water pollution or contamination hazards and the restoration of any affected property; and
 - 3. Payment of a fine to cover administrative and remediation costs; and
 - 4. The implementation of source control or treatment BMPs.

- (c) Compliance Order: Whenever abatement of a violation and/or restoration of affected property is not possible within ten (10) days, a compliance order may be issued to the violator. The order shall set forth a deadline within which such remediation or restoration must be completed. Said order shall further advise that, should the violator fail to remediate or restore within the established deadline, the work will be done by a designated governmental agency or a contractor and the expense thereof shall be charged to the violator.

Section 10.2 Appeal of Violation.

Any person receiving a Notice of Violation or Compliance Order may appeal the determination of the **CITY/TOWN**. The notice of appeal must be received within ten (10) days from the date of the Notice of Violation/Compliance Order. Hearing on the appeal before the appropriate authority or his/her designee shall take place within fifteen (15) days from the date of receipt of the notice of appeal. The decision of the municipal authority or their designee shall be final.

Draft Ordinance

Section 10.3 Enforcement Measures After Appeal.

If the violation has not been corrected pursuant to the requirements set forth in the Notice of Violation, or, in the event of an appeal, within thirty (30) days of the decision of the municipal authority upholding the decision of the **CITY/TOWN**, then representatives of the **CITY/TOWN** shall enter upon the subject private property and are authorized to take any and all measures necessary to abate the violation and/or restore the property. It shall be unlawful for any person, owner, agent or person in possession of any premises to refuse to allow the government agency or designated contractor to enter upon the premises for the purposes set forth above.

Section 10.4 Cost of Abatement of the Violation.

Within _____ days after abatement of the violation, the owner of the property will be notified of the cost of abatement, including administrative costs. The property owner may file a written protest objecting to the amount of the assessment within _____ days. If the amount due is not paid within a timely manner as determined by the decision of the municipal authority or by the expiration of the time in which to file an appeal, the charges shall become a special assessment against the property and shall constitute a lien on the property for the amount of the assessment.

Any person violating any of the provisions of this ordinance shall become liable to the city by reason of such violation. The liability shall be paid in not more than 12 equal payments. Interest at the rate of twelve (12) percent per annum shall be assessed on the balance beginning on the 1st day following discovery of the violation.

Section 10.5 Injunctive Relief.

It shall be unlawful for any person to violate any provision or fail to comply with any of the requirements of this Ordinance. If a person has violated or continues to violate the provisions of this ordinance, the **CITY/TOWN** may petition for a preliminary or permanent injunction restraining the person from activities which would create further violations or compelling the person to perform abatement or remediation of the violation.

Section 10.6 Compensatory Action.

In lieu of enforcement proceedings, penalties, and remedies authorized by this Ordinance, the **CITY/TOWN** may impose upon a violator alternative compensatory actions, such as storm drain stenciling, attendance at compliance workshops, creek cleanup, etc.

Draft Ordinance

Section 10.7 Violations Deemed a Public Nuisance.

In addition to the enforcement processes and penalties provided, any condition caused or permitted to exist in violation of any of the provisions of this Ordinance is a threat to public health, safety, and welfare, and is declared and deemed a nuisance, and may be summarily abated or restored at the violator's expense, and/or a civil action to abate, enjoin, or otherwise compel the cessation of such nuisance may be taken.

Section 10.8 Criminal Prosecution.

Any person that has violated or continues to violate this ordinance shall be liable to criminal prosecution to the fullest extent of the law, and shall be subject to a criminal penalty of \$500 dollars per violation per day and/or imprisonment for a period of time not to exceed one hundred and eighty (180) days.

The **CITY/TOWN** may recover all attorney's fees court costs and other expenses associated with enforcement of this ordinance, including sampling and monitoring expenses.

Section 10.9 Remedies Not Exclusive.

The remedies listed in this ordinance are not exclusive of any other remedies available under any applicable federal, state or local law and it is within the discretion of the **CITY/TOWN** to seek cumulative remedies.

Draft Ordinance

Section 11 MISCELLANEOUS

Section 11.1 Applicability.

This ordinance shall apply to all water entering the storm drain system generated on any developed and undeveloped lands unless explicitly exempted by a CITY/TOWN.

Section 11.2 Severability.

The provisions of this ordinance are hereby declared to be severable. If any provision, clause, sentence, or paragraph of this Ordinance or the application thereof to any person, establishment, or circumstances shall be held invalid, such invalidity shall not affect the other provisions or application of this Ordinance.

Section 11.3 Ultimate Responsibility.

The standards set forth herein and promulgated pursuant to this ordinance are minimum standards; therefore, this ordinance does not intend nor imply that compliance by any person will ensure that there will be no contamination, pollution, nor unauthorized discharge of pollutants.

Section 11.4 Effective Date.

This ordinance shall be published as required by law and shall become effective at _____ on _____.


ADOPTED: This ____ day of _____, XXXX.

APPROVED: This ____ day of _____, XXXX.


Mayor

Dry Weather Screening Maps

City of Adamsville






City of Brighton



**Brighton has 3.66 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.1 0.2 0.4
Miles



City of Brookside




**Brookside has 15.31 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

- Not Screened
- Completed 2017-2018
- Proposed 2018-2019

0 0.225 0.45 0.9 Miles






City of Fairfield



**Fairfield has 1.07 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.15 0.3 0.6
Miles






City of Gardendale




**Gardendale has 23.53 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.4 0.8 1.6 Miles






City of Homewood



**Homewood has 10.15 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.25 0.5 1 Miles






City of Hueytown



Hueytown has 24.21 miles of streams.
Each year 20% will be dry screened.


Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.4 0.8 1.6
Miles



City of Irondale




**Irondale has 22.12 miles of streams.
Each year 20% will be dry screened.**

Dry Weather Screening

- Not screened
- Complete 2017-2018
- Proposed 2018-2019




0 0.425 0.85 1.7 Miles


City of Lipscomb



**Lipscomb has 2.87 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

-  Not Completed
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.1 0.2 0.4
 Miles



City of Midfield




Midfield has 3.18 miles of streams. Each year 20% will be dry screened.


Dry Weather Screening

- Not Screened
- Completed 2017-2018
- Proposed 2018-2019

0 0.15 0.3 0.6 Miles






City of Mountain Brook




Mountain Brook has 16.30 miles of streams. Each year 20% will be dry screened.


Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.3 0.6 1.2 Miles



City of Pleasant Grove




Pleasant Grove has 12.70 miles of streams. Each year 20% will be dry screened.


Dry Weather Screening

- Not Screened
- Completed 2017-2018
- Proposed 2018-2019

0 0.225 0.45 0.9 Miles



City of Tarrant



**Tarrant has 5.31 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

- Not Screened
- Completed 2017-2018
- Proposed 2018-2019

0 0.225 0.45 0.9
Miles







City of Trussville



**Trussville has 38.27 miles of streams.
Each year 20% will be dry screened.**


Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.475 0.95 1.9
 Miles







City of Vestavia Hills



**Vestavia Hills has 27.39 miles of streams.
Each year 20% will be dry screened.**

Dry Weather Screening

-  Not Screened
-  Completed 2017-2018
-  Proposed 2018-2019

0 0.5 1 2
 Miles



Construction Site Storm Water Runoff Control

Erosion Control Permits

Permit Date	Municipality	Street Nbr	Street Name	Type	City	Zip	Location Description
12/1/2017	Gardendale	7039	PINE MOUNTAIN CIRCLE	CIR	GARDENDALE	35071	7039 Pine Mountain circle
12/5/2017	Gardendale	749	MAIN STREET	ST	GARDENDALE	35071	749 Main Street
12/13/2017	Gardendale	4536	SHADY GROVE LANE	LN	GARDENDALE	35071	4536 Shady Grove Lane
12/13/2017	Gardendale	4532	SHADY GROVE LANE	LN	GARDENDALE	35071	4532 Shady Grove Lane
1/15/2018	Gardendale	7044	PINE MOUNTAIN CIRCLE	CIR	GARDENDALE	35071	7044 Pine Mountain Circle
1/15/2018	Gardendale	7052	PINE MOUNTAIN CIRCLE	CIR	GARDENDALE	35071	7052 Pine Mountain Circle
1/29/2018	Gardendale	438	NORMAN ROAD	RD	GARDENDALE	35071	438 Norman Road
2/6/2018	Gardendale	7048	PINE MOUNTAIN CIRCLE	CIR	GARDENDALE	35071	7048 Pine Mountain Circle
2/9/2018	Gardendale	1069	PINEMEADOW DRIVE	DR	GARDENDALE	35071	1069 Pinemeadow Drive
2/12/2018	Gardendale	269	ROCK DRIVE	DR	GARDENDALE	35071	269 Rock Drive
2/14/2018	Gardendale	4540	SHADY GROVE LANE	LN	GARDENDALE	35071	4540 Shady Grove Lane
2/14/2018	Gardendale	4516	SHADY GROVE LANE	LN	GARDENDALE	35071	4516 Shady Grove Lane
2/28/2018	Gardendale	4539	SHADY GROVE LANE	LN	GARDENDALE	35071	4539 Shady Grove Lane
2/28/2018	Gardendale	4575	SHADY GROVE LANE	LN	GARDENDALE	35071	4575 Shady Grove Lane
2/28/2018	Gardendale	4559	SHADY GROVE LANE	LN	GARDENDALE	35071	4559 Shady Grove Lane
3/13/2018	Gardendale	4567	SHADY GROVE LANE	LN	GARDENDALE	35071	4567 Shady Grove Lane
3/13/2018	Gardendale	430	FIELDSTOWN ROAD	RD	GARDENDALE	35071	430 Fieldstown Road
3/25/2018	Gardendale	7483	TURNBERRY DRIVE	DR	GARDENDALE	35071	7483 Turnberry Drive
4/9/2018	Gardendale	305	ROCK DRIVE	DR	GARDENDALE	35071	305 Rock Drive
4/11/2018	Gardendale	809	ROSEWOOD CIRCLE	CIR	GARDENDALE	35071	809 Rosewood Circle
4/17/2018	Gardendale	6224	FERGUSON LANE	LN	GARDENDALE	35071	6224 Ferguson Lnae
4/19/2018	Gardendale	4503	SHADY GROVE LANE	LN	GARDENDALE	35071	4503 SHADY GROVE LANE
4/30/2018	Gardendale	4420	SHADY GROVE ROAD	RD	GARDENDALE	35071	4420 Shady Grove Road
5/17/2018	Gardendale	7043	PINE MOUNTAIN CIRCLE	CIR	GARDENDALE	35071	7043 Pine Mountain Circle
5/17/2018	Gardendale	313	ROCK DRIVE	DR	GARDENDALE	35071	313 Rock Drive
5/17/2018	Gardendale	309	ROCK DRIVE	DR	GARDENDALE	35071	309 Rock Drive
5/17/2018	Gardendale	4563	SHADY GROVE LANE	LN	GARDENDALE	35071	4563 Shady Grove Lane
5/17/2018	Gardendale	4543	SHADY GROVE	LN	GARDENDALE	35071	4543 Shady Grove Lane
5/31/2018	Gardendale	1355	WOODRIDGE PLACE	PL	GARDENDALE	35071	1355 Woodridge Place
5/31/2018	Gardendale	1361	WOODRIDGE PLACE	PL	GARDENDALE	35071	1361 Woodridge Place
5/31/2018	Gardendale	1365	WOODRIDGE PLACE	PL	GARDENDALE	35071	1365 Woodridge Place

Erosion Control Permits

Permit Date	Municipality	Street Nbr	Street Name	Type	City	Zip	Location Description
6/4/2018	Gardendale	1535	CROWN POINT DRIVE	DR	GARDENDALE	35071	1535 Crown Point Drive
6/5/2018	Gardendale	209	ROCK DRIVE	DR	GARDENDALE	35071	209 Rock Drive
6/18/2018	Gardendale	1356	WOODRIDGE PLACE	PL	GARDENDALE	35071	1356 Woodridge Place
6/18/2018	Gardendale	1364	WOODRIDGE PLAVE	PL	GARDENDALE	35071	1364 Woodridge Place
6/18/2018	Gardendale	1369	WOODRIDGE PLACE	PL	GARDENDALE	35071	1369 Woodridge Place
6/18/2018	Gardendale	1373	WOODRIDGE PLACE	PL	GARDENDALE	35071	1373 Woodridge Place
6/18/2018	Gardendale	233	ROCK DRIVE	DR	GARDENDALE	35071	233 Rock Drive
6/18/2018	Gardendale	225	ROCK DRIVE	DR	GARDENDALE	35071	225 Rock Drive
6/18/2018	Gardendale	210	ROCK DRIVE	DR	GARDENDALE	35071	210 Rock Drive
6/18/2018	Gardendale	229	ROCK DRIVE	DR	GARDENDALE	35071	229 Rock Drive
6/18/2018	Gardendale	1352	WOODRIDGE PLACE	PL	GARDENDALE	35071	1352 Woodridge Place
6/18/2018	Gardendale	1348	WOODRIDGE PLACE	PL	GARDENDALE	35071	1348 Woodridge Place
6/18/2018	Gardendale	126	ROBBE ROAD	RD	GARDENDALE	35071	126 Robbe Road
6/18/2018	Gardendale	830	CLUSTER SPRINGS ROAD	RD	GARDENDALE	35071	830 Cluster Springs Road
7/2/2018	Gardendale	4420	LONGWOOD DRIVE	DR	GARDENDALE	35071	4420 Longwood Drive
7/6/2018	Gardendale	242	ROCK DRIVE	DR	GARDENDALE	35071	242 Rock Drive
7/6/2018	Gardendale	238	ROCK DRIVE	DR	GARDENDALE	35071	238 Rock Drive
7/6/2018	Gardendale	237	ROCK DRIVE	DR	GARDENDALE	35071	237 Rock Drive
7/6/2018	Gardendale	241	ROCK DRIVE	DR	GARDENDALE	35071	241 Rock Drive
7/6/2018	Gardendale	249	ROCK DRIVE	DR	GARDENDALE	35071	249 Rock Drive
7/10/2018	Gardendale	2609	DECATUR HIGHWAY	HWY	GARDENDALE	35071	2609 Decatur Highway
7/16/2018	Gardendale	4564	SHADY GROVE LANE	LN	GARDENDALE	35071	4564 Shady Grove Lane
7/16/2018	Gardendale	4512	SHADY GROVE LANE	LN	GARDENDALE	35071	4512 Shady Grove Lane
7/27/2018	Gardendale	1304	MAIN STREET	ST	GARDENDALE	35071	1304 Main Street
7/27/2018	Gardendale	245	ROCK DRIVE	DR	GARDENDALE	35071	245 Rock Drive
7/27/2018	Gardendale	1478	WOODRIDGE PLACE	PL	GARDENDALE	35071	1478 Woodridge Place
7/27/2018	Gardendale	1470	WOODRIDGE PLACE	PL	GARDENDALE	35071	1470 Woodridge Place
7/27/2018	Gardendale	1462	WOODRIDGE PLACE	PL	GARDENDALE	35071	1462 Woodridge Place
7/27/2018	Gardendale	4492	SHADY GROVE LANE	LN	GARDENDALE	35071	4492 Shady Grove Lane
7/27/2018	Gardendale	253	ROCK DRIVE	DR	GARDENDALE	35071	253 Rock Drive
7/27/2018	Gardendale	257	ROCK DRIVE	DR	GARDENDALE	35071	257 Rock Drive
7/27/2018	Gardendale	246	ROCK DRIVE	DR	GARDENDALE	35071	246 Rock Drive
7/27/2018	Gardendale	7025	ELM CREST CIRCLE	CIR	GARDENDALE	35071	7025 Elm Crest Circle
7/27/2018	Gardendale	4512	SHADY GROVE LANE	LN	GARDENDALE	35071	4512 Shady Grove Lane
7/27/2018	Gardendale	2308	NORTH VILLAGE LANE	LN	GARDENDALE	35071	2308 North Village Lane
8/1/2018	Gardendale	7029	ELM CREST CIRCLE	CIR	GARDENDALE	35071	7029 Elm Crest Circle
8/6/2018	Gardendale	600	FOX DRIVE	DR	GARDENDALE	35071	600 Fox Drive

Erosion Control Permits

Permit Date	Municipality	Street Nbr	Street Name	Type	City	Zip	Location Description
8/16/2018	Gardendale	1458	WOODRIDGE PLACE	PL	GARDENDALE	35071	1458 Woodridge Place
9/4/2018	Gardendale	7016	ELM CREST CIRCLE	CIR	GARDENDALE	35071	7016 Elm Crest Circle
9/4/2018	Gardendale	7064	PINE MOUNTAIN CIRCLE	CIR	GARDENDALE	35071	7064 Pine Mountain Circle
9/4/2018	Gardendale	916	PARKER AVENUE	AVE	GARDENDALE	35071	916 Parker Avenue
12/22/2017	Homewood	2758	BM MONTGOMERY	ST	HOMEWOOD	35209	New Construction Residential
12/22/2017	Homewood	131	WEST GLENWOOD	DR	HOMEWOOD	35209	New Construction Residential
12/22/2017	Homewood	1721	SOUTH LAKESHORE	DR	HOMEWOOD	35216	New Construction Residential
1/4/2018	Homewood	302	GRAN	AVE	HOMEWOOD	35209	New Construction Residential
3/20/2018	Homewood	308	WOODLAND	DR	HOMEWOOD	35209	New Construction Residential
4/26/2018	Homewood	224	MECCA	AVE	HOMEWOOD	35209	New Construction Residential
5/4/2018	Homewood	1603	OXMOOR	RD	HOMEWOOD	35209	New Construction Residential
5/11/2018	Homewood	222	MECCA	AVE	HOMEWOOD	35209	New Construction Residential
5/11/2018	Homewood	220	MECCA	AVE	HOMEWOOD	35209	New Construction Residential
6/1/2018	Homewood	309	LE JEUNE	WAY	HOMEWOOD	35209	New Construction Residential
6/8/2018	Homewood	301	MECCA	AVE	HOMEWOOD	35209	New Construction Residential
6/14/2018	Homewood	1609	RIDGE	RD	HOMEWOOD	35209	New Construction Residential
6/14/2018	Homewood	1605	RIDGE	RD	HOMEWOOD	35209	New Construction Residential
6/14/2018	Homewood	1423	MELROSE	PL	HOMEWOOD	35209	New Construction Residential
6/14/2018	Homewood	128	RIDGE	RD	HOMEWOOD	35209	New Construction Residential
6/19/2018	Homewood	1030	SAULTER	RD	HOMEWOOD	35209	New Construction Residential

Erosion Control Permits

Permit Date	Municipality	Street Nbr	Street Name	Type	City	Zip	Location Description
6/20/2018	Homewood	3105	ROXBURY	RD	HOMEWOOD	35209	New Construction Residential
7/13/2018	Homewood	121	EDGEWOOD	BLVD	HOMEWOOD	35209	New Construction Residential
7/23/2018	Homewood	421	EDGEWOOD	PL	HOMEWOOD	35209	New Construction Residential
7/23/2018	Homewood	425	EDGEWOOD	PL	HOMEWOOD	35209	New Construction Residential
7/23/2018	Homewood	429	EDGEWOOD	PL	HOMEWOOD	35209	New Construction Residential
7/23/2018	Homewood	433	EDGEWOOD	PL	HOMEWOOD	35209	New Construction Residential
7/24/2018	Homewood	912	HIGHLAND	RD	HOMEWOOD	35209	New Construction Residential
8/1/2018	Homewood	169	LUCERNE	BLVD	HOMEWOOD	35209	New Construction Residential
8/15/2018	Homewood	530	BROADWAY	ST	HOMEWOOD	35209	New Construction Residential
8/22/2018	Homewood	1113	HOLLYWOOD MANOR	CIR	HOMEWOOD	35209	New Construction Residential
8/24/2018	Homewood	710	MORRIS	BLVD	HOMEWOOD	35209	New Construction Residential
9/5/2018	Homewood	206	WOODLAND	DR	HOMEWOOD	35209	New Construction Residential
9/5/2018	Homewood	137	WOODMONT	DR	HOMEWOOD	35209	New Construction Residential
9/11/2018	Homewood	221	EDGEWOOD	BLVD	HOMEWOOD	35209	New Construction Residential
9/26/2018	Homewood	515	RUMSON	RD	HOMEWOOD	35209	New Construction Residential
4/9/2018	Hueytown	6739	POST OAK	DR	HUEYTOWN	35023	VALOR COMMUNITIES
5/3/2018	Hueytown	5630	VICTORIA	DR	HUEYTOWN	35023	WILCO HOMES INC
7/18/2018	Hueytown	2711	ALLISON BONNETT MEMORIAL	DR	HUEYTOWN	35023	A T & T STORE
8/21/2018	Hueytown	4941	15TH STREET	RD	HUEYTOWN	35023	CHRIS EDWARDS
9/7/2018	Hueytown	6746	POST OAK	DR	HUEYTOWN	35023	VALOR COMMUNITIES
11/20/2017	Irondale	1330	CREEKSIDE GLEN LOT 607		IRONDALE	35210	GRANTS MILL VALLEY
11/21/2017	Irondale		1950 REX LAKE	RD	IRONDALE	35210	REX LAKE ROAD

Erosion Control Permits

Permit Date	Municipality	Street Nbr	Street Name	Type	City	Zip	Location Description
11/21/2017	Irondale	1386	CREEKSIDE GLEN LOT 59		IRONDALE	35210	GRANTS MILL VALLEY
11/21/2017	Irondale	1402	CREEKSIDE GLEN LOT 55		IRONDALE	35210	GRANTS MILL VALLEY
11/21/2017	Irondale	1390	CREEKSIDE GLEN LOT 58		IRONDALE	35210	GRANTS MILL VALLEY
11/21/2017	Irondale	1394	CREEKSIDE GLEN LOT 57		IRONDALE	35210	GRANTS MILL VALLEY
11/29/2017	Irondale	841	VILLA LANE LOT 43		IRONDALE	35210	VILLAS ON OLD LEEDS
11/29/2017	Irondale	837	VILLA LANE LOT 44		IRONDALE	35210	VILLAS ON OLD LEEDS
11/29/2017	Irondale	825	VILLA LANE LOT 45		IRONDALE	35210	VILLAS ON OLD LEEDS
11/29/2017	Irondale	1398	CREEKSIDE GLEN LOT 56		IRONDALE	35210	GRANTS MILL VALLEY
11/30/2017	Irondale	844	VILLA LANE LOT 42		IRONDALE	35210	Villas on Old Leeds
12/5/2017	Irondale	1342	CREEKSIDE GLEN LOT 604		IRONDALE	35210	Grants Mill Valley
1/4/2018	Irondale	3962	CREST LANDING LOT 44		IRONDALE	35210	Grants Mill Valley
1/4/2018	Irondale	1367	CREEKSIDE GLEN LOT 25		IRONDALE	35210	Grants Mill Valley
1/4/2018	Irondale	1359	CREEKSIDE GLEN LOT 27		IRONDALE	35210	Grants Mill Valley
1/4/2018	Irondale	1355	CREEKSIDE GLEN LOT 28		IRONDALE	35210	Grants Mill Valley
1/4/2018	Irondale	1406	CREEKSIDE GLEN LOT 54		IRONDALE	35210	Grants Mill Valley
1/4/2018	Irondale	1382	CREEKSIDE GLEN LOT 60		IRONDALE	35210	Grants Mill Valley
1/4/2018	Irondale	824	VILLA LANE LOT 37		IRONDALE	35210	Villas on Old Leeds
1/4/2018	Irondale	3744	VILLA DRIVE LOT 31		IRONDALE	35210	Villas on Old Leeds
1/10/2018	Irondale	1343	CREEKSIDE GLEN LOT 602		IRONDALE	35210	Grants Mill Valley
1/11/2018	Irondale	828	VILLA LANE LOT 38		IRONDALE	35210	Villas on Old Leeds
2/7/2018	Irondale	1326	CREEKSIDE GLEN LOT 608		IRONDALE	35210	GRANTS MILL VALLEY
2/7/2018	Irondale	1322	CREEKSIDE GLEN LOT 609		IRONDALE	35210	GRANTS MILL VALLEY
2/8/2018	Irondale	1363	CREEKSIDE GLEN LOT 26		IRONDALE	35210	GRANTS MILL VALLEY
2/8/2018	Irondale	3934	CREST LANDING LOT 37		IRONDALE	35210	GRANTS MILL VALLEY
2/8/2018	Irondale	1347	CREEKSIDE GLEN LOT 601		IRONDALE	35210	GRANTS MILL VALLEY
2/13/2018	Irondale	5320	BEACON DRIVE BLDG. 500		IRONDALE	35210	VILLAGE AT GRANTS MILL
3/6/2018	Irondale	437	EAST FOREST	DR	IRONDALE	35235	ROEBUCK PLAZA
3/6/2018	Irondale	3930	CREST LANDING LOT 36		IRONDALE	35210	GRANTS MILL VALLEY
3/6/2018	Irondale	3991	VALLEY MANOR LOT 49		IRONDALE	35210	GRANTS MILL VALLEY

Erosion Control Permits

Permit Date	Municipality	Street Nbr	Street Name	Type	City	Zip	Location Description
3/6/2018	Irondale	1246	SHADES TERRACE LOT 803		IRONDALE	35210	GRANTS MILL VALLEY
3/12/2018	Irondale	3978	VALLEY MANOR LOT 2		IRONDALE	35210	GRANTS MILL VALLEY
3/12/2018	Irondale	1314	CREEKSIDE GLEN LOT 611		IRONDALE	35210	GRANTS MILL VALLEY
3/12/2018	Irondale	3938	CREST LANDING LOT 38		IRONDALE	35210	GRANTS MILL VALLEY
3/12/2018	Irondale	1465	VALLEY TRACE LOT 84		IRONDALE	35210	GRANTS MILL VALLEY
3/12/2018	Irondale	1420	VALLEY TRACE LOT 100		IRONDALE	35210	GRANTS MILL VALLEY
3/15/2018	Irondale	2420	KELLEY	RD	IRONDALE	35210	GRANTS MILL ROAD
3/22/2018	Irondale	1461	VALLEY TRACE LOT 85		IRONDALE	35210	GRANTS MILL VALLEY
5/7/2018	Irondale	951	OLD GRANTS MILL	RD	IRONDALE	35210	ABBINGTON SUMMIT POINTE
5/7/2018	Irondale	1333	MCCOY STREET		IRONDALE	35210	WEST SIDE IRONDALE
5/15/2018	Irondale	3922	CREST LANDING LOT 34		IRONDALE	35210	GRANTS MILL VALLEY
5/31/2018	Irondale	1375	CREST LANDING LOT 23		IRONDALE	35210	GRANTS MILL VALLEY
8/6/2018	Irondale	1383	CREEKSIDE GLEN LOT 21		IRONDALE	35210	GRANTS MILL VALLEY
8/6/2018	Irondale	1391	CREEKSIDE GLEN LOT19		IRONDALE	35210	GRANTS MILL VALLEY
8/22/2018	Irondale	1379	CREEKSIDE GLEN LOT 22		IRONDALE	35210	GRANTS MILL VALLEY
8/22/2018	Irondale	1399	CREEKSIDE GLEN LOT17		IRONDALE	35210	GRANTS MILL VALLEY
8/30/2018	Irondale	1449	VALLEY TRACE LOT 88		IRONDALE	35210	GRANTS MILL VALLEY
9/4/2018	Irondale	3792	VILLA DRIVE LOT 25		IRONDALE	35210	THE VILLAS ON OLD LEEDS
9/4/2018	Irondale	3741	VILLA DRIVE LOT 15		IRONDALE	35210	THE VILLAS ON OLD LEEDS
9/5/2018	Irondale	1445	VALLEY TRACE LOT 89		IRONDALE	35210	GRANTS MILL VALLEY
9/5/2018	Irondale	1395	CREEKSIDE GLEN LOT 18		IRONDALE	35210	GRANTS MILL VALLEY
9/13/2018	Irondale	3935	CREST LANDING LOT 67		IRONDALE	35210	GRANTS MILL VALLEY
9/13/2018	Irondale	3931	CREST LANDING LOT 66		IRONDALE	35210	GRANTS MILL VALLEY
2/6/2018	Mountain Brook	1108	EUCLID AVENUE		MOUNTAIN BROOK		
2/26/2018	Mountain Brook	404	DEXTER AVENUE		MOUNTAIN BROOK		
2/28/2018	Mountain Brook	2796	PUMPHOUSE ROAD		MOUNTAIN BROOK		
2/28/2018	Mountain Brook	2603	ABINGDON ROAD				
3/5/2018	Mountain Brook	141	SPRING STREET		MOUNTAIN BROOK		
3/14/2018	Mountain Brook	46	GREENWAY ROAD		MOUNTAIN BROOK		
3/19/2018	Mountain Brook	3319	DUNBROOKE		MOUNTAIN BROOK		
3/21/2018	Mountain Brook	2530	WATKINS ROAD		MOUNTAIN BROOK		
3/29/2018	Mountain Brook	5312	OLD LEEDS ROAD		MOUNTAIN BROOK		
4/4/2018	Mountain Brook	205	MOUNTAIN AVE.		MOUNTAIN BROOK		
4/20/2018	Mountain Brook	2328	BROOK MANOR DR.		MOUNTAIN BROOK		

Erosion Control Permits

Permit Date	Municipality	Street Nbr	Street Name	Type	City	Zip	Location Description
4/26/2018	Mountain Brook	75	COUNTRY CLUB RD.		MOUNTAIN BROOK		
5/7/2018	Mountain Brook	3902	JACKSON BLVD.		MOUNTAIN BROOK		
5/25/2018	Mountain Brook	3040	WEATHERTON RD.		MOUNTAIN BROOK		
7/5/2018	Mountain Brook	2530	WATKINS ROAD		MOUNTAIN BROOK		
8/7/2018	Mountain Brook	3373	OVERBROOK ROAD		MOUNTAIN BROOK		
8/10/2018	Mountain Brook		VINE AND DEXTER		MOUNTAIN BROOK		
9/4/2018	Mountain Brook	2817	SHOOK HILL CIRCLE		MOUNTAIN BROOK		
9/14/2018	Mountain Brook	2213	STERLINGWOOD DRIVE		MOUNTAIN BROOK		
9/25/2018	Mountain Brook	3931	ROCK CREEK		MOUNTAIN BROOK		
2/22/2018	Pleasant Grove	932	12TH	AVE	PLEASANT GROVE	35127	932 12th Avenue, Pleasant Grove, AL 35127
3/8/2018	Pleasant Grove	1064	8TH	ST	PLEASANT GROVE	35127	1064 8th Street, Pleasant Grove, AL 35127
3/15/2018	Pleasant Grove	1188	17TH	ST	PLEASANT GROVE	35127	1188 17th Street, Pleasant Grove, AL 35126
5/7/2018	Pleasant Grove	913	11TH	AVE	PLEASANT GROVE	35127	913 11th Ave, Pleasant Grove, AL 35127
5/7/2018	Pleasant Grove	1021	9TH	ST	PLEASANT GROVE	35127	1021 9th Street, Pleasant Grove, AL 35127
5/7/2018	Pleasant Grove	609	10TH	AVE	PLEASANT GROVE	35127	609 10th Avenue, Pleasant Grove, AL 35127
7/5/2018	Pleasant Grove	1206	13TH	CT	PLEASANT GROVE	35127	1206 13th Court, Pleasant Grove, AL 35127
7/12/2018	Pleasant Grove	904	11TH	AVE	PLEASANT GROVE	35127	904 11th Avenue, Pleasant Grove, AL 35127
7/19/2018	Pleasant Grove	631	10TH	AVE	PLEASANT GROVE	35127	631 10th Avenue, Pleasant Grove, AL 35127
7/26/2018	Pleasant Grove	1709	12TH	CT	PLEASANT GROVE	35127	1709 12th Court, Pleasant Grove, AL 35127
8/6/2018	Pleasant Grove	1413	8TH	PL	PLEASANT GROVE	35127	1413 8th Place, Pleasant Grove, AL 35127
9/6/2018	Pleasant Grove	716	10TH	AVE	PLEASANT GROVE	35127	716 10th Avenue, Pleasant Grove, AL 35127

Trussville Permits

Site	Permit Date
2965 PRONGHORN CIR 308	10/1/2017
415 LAKERIDGF. DR 972	10/1/2017
155 LAKERIDGE DRIVE	10/2/2017
336 BRENTWOOD AVE	10/2/2017
6417 HAPPY HOLLOW RD 9	10/4/2017
2970 PRONGHORN CIRCLE 305	10/4/2017
4125 OVERLOOK CIR 392A	10/4/2017
4265 LEXIE CIRCLE	10/5/2017
7589 PAINE DR 442	10/5/2017
7756 JAYDEN DR 421	10/5/2017
145 VANN CIR 1	10/5/2017
2640 SMITH SIMS RD 4	10/12/2017
7613 PAINE DR 448	10/13/2017
4150 OVERLOOK CIR 379	10/19/2017
6559 SPRING STREET 221	10/23/2017
8568 HERRING LANE 6AA	10/27/2017
7834 CALDWELL DR 408	10/30/2017
7780 JAYDEN DR 115	10/30/2017
7747 JAYDEN DR 424	10/30/2017
7612 PAINE DRIVE 436	11/14/2017
7934 KERITH LANE 463	11/14/2017
7842 CALDWELL DR 406	11/15/2017
6064 ENCLAVE PLACE 518	11/15/2017
7772 JAYDEN DR:VE 417	11/15/2017
7601 PAINE DRIVE 445	11/15/2017
7600 PAINE DR 439	11/20/2017
255 HAYDEN CIRCLE	11/22/2017
7620 PAINE DR 434	12/1/2017
6543 SPRING STREET 217	12/1/2017
6547 SPRING ST 218	12/1/2017
4207 CAHABA BEND 71	12/4/2017
7597 PAINE DR 444	12/13/2017
5828 DEERFOOT COURT 18	12/14/2017
5059 PARK PASS 369	12/19/2017
7748 JAYDEN DRIVE 423	12/20/2017
1300 OVERLOOK DRIV 330	12/28/2017
7596 PAINE DR 440	12/28/2017
5828 LONGVIEW LN 149	1/1/2018
5716 CARRING'I'ON LAKE PKWY	1/1/2018
2123 LAKEVIEW TRACE 543	1/1/2018

Trussville Permits

Site	Permit Date
6741 RIVERCREST DRIVE 3	1/2/2018
3405 ASHFORD LN 1	1/8/2018
7608 PAINE DRIVE 37	1/12/2018
5067 PARK PASS 371	1/12/2018
6343 HUNTERS CREEK DR 203	1/17/2018
7760 JAYDEN DR 420	1/22/2018
7915 KERITH LANE 455	1/22/2018
6015 CLUBHOUSE DRIVE D57	1/24/2018
6070 ENCLAVE PLACE 519	1/24/2018
7918 KERITH LANE 459	1/25/2018
2120 OVERLOOK PLACE 428	1/26/2018
7914 KERITH LANE 458	1/29/2018
7930 KERITH LANE 462	1/29/2018
7926 KERITH LANE 461	1/29/2018
4170 OVERLOOK CIRCLE 381A	2/5/2018
7633 PAINE DRIVE 350	2/6/2018
5071 PARK PASS 372	2/8/2018
4316 CAHABA BEND 227	2/8/2018
4140 OVERLOOK CIRCLE 378	2/8/2018
6019 CLUBHOUSE DRIVE D56	2/9/2018
7787 JAYDEN DRIVE 329	2/12/2018
6714 REIVERCREST DRIVE 11	2/12/2018
6714 RIVERCREST DRIVE 11	2/12/2018
7755 JAYDEN DRIVE 426	2/13/2018
946 MOUNTAIN VIEW TRACE 835	2/15/2018
4312 CAHABA BEND 226	2/15/2018
4130 OVERLOOK CIRCLE 377	2/20/2018
4120 OVERLOOK CIRCLE 376	2/20/2018
8024 BALLARD PLACE 15	2/21/2018
7621 PAINE DRIVE 450	2/21/2018
7851 CALDWELL DRIVE 411	2/21/2018
6359 HUNTERS CREEK DRIVE	2/22/2018
6363 HUNTERS CREEK DRIVE	2/22/2018
575 LAKERIDGE DRIVE 833	2/26/2018
585 LAKERIDGE DRIVE 834	2/26/2018
7759 JAYDEN DRIVE 427	2/26/2018
8568 HERRING LANE	3/2/2018
7858 CALDWELL 402	3/8/2018
7768 JAYJEN DRIVE 418	3/8/2018
7763 JAYDEN DRIVE 428	3/9/2018

Trussville Permits

Site	Permit Date
6001 ENCLAVE PLACE 496	3/13/2018
7751 JAYDEN DRIVE 425	3/13/2018
7910 KERITH LANE 457	3/13/2018
7771 JAYDEN DRIVE 430	3/15/2018
7629 PAINE DRIVE 349	3/16/2018
7609 PAINE DRIVE 447	3/20/2018
1415 OVERLOOK DRIVE 355A	3/22/2018
1425 OVERLOOK DRIVE 354A	3/22/2018
5832 LONG VIEW LANE 148	4/9/2018
6011 CLUBHOUSE DRIVE 58	4/10/2018
7855 CALDWELL DRIVE 412	4/10/2018
7776 JAYDEN DRIVE 416	4/10/2018
5856 LONGVIEW LANE 142	4/11/2018
2010 ENCLAVE DRIVE 458	4/12/2018
2006 ENCLAVE DRIVE 457	4/16/2018
7845 CALDWELL DRIVE 410	4/16/2018
5559 CARRINGTON LAKE PARK	4/17/2018
7775 JAYDEN DRIVE 431	4/17/2018
1240 OVERLOOK DRIVE 324	4/18/2018
1310 OVERLOOK DRIVE 331	4/18/2018
1405 OVERLOOK DRIVE 357	4/19/2018
5111 MISSY LANE 6	4/20/2018
5823 DEERFOOT COURT 1	4/20/2018
7838 CALDWELL DRIVE 407	4/24/2018
7779 JAYDEN DRIVE 432	4/27/2018
6519 DEERFOOT CROSSING RO 19	4/27/2018
7270 BLACKBERRY TRAIL	5/1/2018
6497 WINSLOW DRIVE 30	5/2/2018
6482 WINSLOW DRIVE 4	5/7/2018
6486 WINSLOW DRIVE 3	5/7/2018
4055 OVERLOOK WAY 937	5/7/2018
6512 WINSLOW DRIVE 8	5/8/2018
6487 WINSLOW DRIVE 28	5/14/2018
4339 CAHABA BEND 236	5/14/2018
4335 CAHABA BEND 235	5/14/2018
4343 CAHABA BEND 237	5/14/2018
4335 CAHABA BEND 235	5/14/2018
7923 KERITH LANE 453	5/16/2018
6411 HAPPY HOLLOW ROAD 8	5/17/2018
6451 WINSLOW DRIVE 19	5/17/2018

Trussville Permits

Site	Permit Date
645 WINSLOW DRIVE 20	5/17/2018
6450 WINSLOW DRIVE 12	5/17/2018
6446 WINSLOW DRIVE 13	5/17/2018
6454 WINSLOW DRIVE 11	5/22/2018
7700 JAYDEN DRIVE 611	5/23/2018
7696 JAYDEN DRIVE 612	5/23/2018
505 LAKERIDGE DRIVE 826	5/29/2018
7727 JAYDEN DRIVE 668	5/30/2018
5022 NATALIE WAY 615	5/31/2018
7576 PAINE DRIVE 650	6/1/2018
7561 PAINE DRIVE 640	6/4/2018
535 LAKERIDGE DRIVE 829	6/4/2018
6405 HAPPY HOLLOW ROAD 7	6/7/2018
6008 CLUBHOGSE DRIVE 83	6/8/2018
6024 CLUBHOUSE 87	6/8/2018
5869 LONGVIEW LANE 110	6/8/2018
5927 MOUNTAINVIEW TRACE	6/8/2018
5934 MOUNTAINVIEW TRACE	6/8/2018
7032 SHADY OAKS LANE 31	6/11/2018
5951 MOUNTAINVIEW TRACE	6/13/2018
5950 MOUNTAINVIEW TRACE 34	6/13/2018
7564 PAINE DRIVE 653	6/14/2018
2014 ENCLAV DRIVE 459	6/14/2018
2018 ENCLAVE DRIVE 460	6/14/2018
4195 OVERLOOK CIRCLE 385	6/15/2018
7704 JAYDEN DRIVE 610	6/15/2018
4999 NATALIE WAY 634	6/15/2018
6028 CLUBHOUSE DRIVE 88	6/20/2018
6032 CLUBHOUSE DRIVE 89	6/20/2018
445 LAKERIDGE DRIVE 821	6/20/2018
7584 PAINE DRIVE 648	6/20/2018
590 LAKERIDGE DRIVE 805	6/27/2018
6258 DEER RIDGE TRAIL 310	6/27/2018
7740 JAYDEN DRIVE 601	6/28/2018
2959 PRONGHORN CIRCLE 318	6/28/2018
7743 JAYDEN DRIVE 672	6/29/2018
5555 CARRINGTON LAKES PAR	7/1/2018
5576 CARRINGTON LAKE PARK 738	7/1/2018
7735 JAYDEN DRIVE 670	7/2/2018
1409 OVERLOOK DRIVE 356	7/9/2018

Trussville Permits

Site	Permit Date
7715 JAYDEN DRIVE 664	7/9/2018
7548 PAINE DRIVE 657	7/9/2018
7692 JAYDEN DRIVE 613	7/9/2018
5026 NATALIE WAY 614	7/9/2018
6442 WINSLOW DRIVE 14	7/10/2018
6443 WINSLOW DRIVE 17	7/11/2018
109 MEADOW LANE 14	7/12/2018
7716 JAYOEN DRIVE 607	7/12/2018
6447 WINSLOW DRIVE 18	7/13/2018
6439 WINSLOW DRIVE 16	7/13/2018
6948 HAPPY HOLLOW ROAD	7/17/2018
7553 PAINE DRIVE 638	7/18/2018
7699 JAYDEN DRIVE 660	7/30/2018
2018 ENCLAVE DRIVE 460	8/1/2018
6438 WINSLOW DRIVE 15	8/1/2018
7577 PAINE DRIVE 644	8/1/2018
7739 JAYDEN DRIVE 671	8/1/2018
7573 PAINE DRIVE 643	8/1/2018
5002 NATALIE WAY 620	8/6/2018
7580 PAINE DRIVE 649	8/6/2018
7719 JAYDEN DRIVE 665	8/6/2018
7552 PAINE DRIVE 656	8/6/2018
7731 JAYDEN DRIVE 669	8/10/2018
5003 NATALIE WAY 635	8/14/2018
545 LAKERIDGE DRIVE 830	8/14/2018
1410 OVERLOOK DRIVE 341	8/14/2018
7588 PAINE DRIVE 647	8/14/2018
6478 WINSLOW DRIVE 5	8/15/2018
6474 WINSLOW DRIVE 6	8/15/2018
6475 WINSLOW DRIVE 25	8/15/2018
6479 WINSLOW DRIVE 26	8/15/2018
4990 NATALIE WAY 623	8/20/2018
4930 BRANCHVILLE ROAD	8/20/2018
7557 PAINE 639	8/20/2018
4993 NATALIE WAY 633	8/20/2018
6508 WINSLOW DRIVE 9	8/20/2018
139b OVERLOOK DRIVE 358	8/21/2018
7723 JAYDEN DRIVE 667	8/27/2018
8568 HERRING LANE 6AA	8/29/2018
8568 HERRING LANE 6AA	9/1/2018

Trussville Permits

Site	Permit Date
1250 OVERLOOK DRIVE 325	9/4/2018
5615 BARCLAY CIRCLE 26	9/4/2018
550 LAKERIDGE DRIVE 809	9/5/2018
2914 DEER RUN LANE 121	9/5/2018
6016 CLUBHOUSE DRIVE 85	9/6/2018
6020 CLUBHOUSE DRIVE 86	9/6/2018
6012 CLUBHOUSE DRIVE 84	9/6/2018
2958 PRONGHORN CIRCLE 302	9/7/2018
5865 LONGVIEW LANE 109	9/10/2018
846 VANESSA DRIVE 126	9/10/2018
7569 PAINE DRIVE 642	9/11/2018
4994 NATALIE WAY 622	9/11/2018
555 LAKERIDGE DRIVE 831	9/11/2018
565 LAKERIDGE DRIVE 832	9/12/2018
6801 IVY WAY 3	9/12/2018
4339 CAHABA BEND 236	9/17/2018
4343 CAHABA BEND 237	9/18/2018
4986 NATALIE WAY 624	9/19/2018
4985 NATALIE WAY 632	9/19/2018
5844 LONGVIEW LANE 145	9/19/2018
5840 LONGVIEW LANE 146	9/19/2018
4307 CAHABA BEND 230	9/24/2018
2204 LAKEVIEW TRACE .563	9/26/2018
120 MEADOW LANE	9/27/2018

Vestavia Hills Land Disturbing Permits

Permittee	Permit	Address	Issue Date
Scholl Construction Inc	ADEM	817 Southbend Lane 20	10/3/2017
Norris Paving and Asphalt	Land Disturbing Permit	1100 Montgomery Highway	10/10/2017
CS Beatty Construction	ADEM	Corner of Liberty Parkway	10/16/2017
Wedgeworth Construction	Land Disturbing Permit	3575 Altadena Park Lane Lot 16	11/1/2017
Duncan & Thompson Construction	Land Disturbing Permit	4401 Dolly Ridge Road	11/6/2017
Nearen Construction Company	ADEM	3029 Pumphouse Road	11/7/2017
Murphy Home Builders LLC	ADEM	875 Southbend Lane 3	11/9/2017
Murphy Home Builders LLC	ADEM	820 Southbend Lane 40	11/9/2017
Stanley Anderson	Land Disturbing Permit	2708 Vestavia Forest Terrace	11/13/2017
Ronald W. Smith	Land Disturbing Permit	4393 Kings Mountain Ridge Lot 731	11/13/2017
Kadco, LLC	ADEM	1989 Rosemont Place	12/1/2017
Vestavia Country Club/ Robert Carr	Land Disturbing Permit	2125 Vestavia Lake Drive	12/5/2017
Taylor Burton	Land Disturbing Permit	2510 Dolly Ridge Road Lot 21	1/10/2018
Dorsett Construction	Land Disturbing Permit	3525 Alta Brook Drive	1/18/2018
Arlington Construction Services	Land Disturbing Permit	1715 Vesta Wood Court	1/18/2018
Rives Construction Company	ADEM	3118 Pine Tree Drive	1/31/2018
TE Stevens	Land Disturbing Permit	2826 Columbiana Road	2/1/2018
TDG Vestavia LLC	Land Disturbing Permit	1922 Tree Top Lane	2/6/2018
TE Stevens	Land Disturbing Permit	Timberline Road	2/6/2018
Brad Bearden	Land Disturbing Permit	4245 Cahaba Drive	2/14/2018
Tanco Group	Land Disturbing Permit	7280 Kings Mountain Road	2/21/2018
Mancha Hardscapes	ADEM	929 Vestlake Cove Dr	2/21/2018
Clayton Properties Group	ADEM	2978 Altadena Ridge Drive	2/21/2018
Wedgeworth Construction	Land Disturbing Permit	3586 Altadena Park Ln	3/1/2018
Yellow Hammer, LLC, Colton Miller	Land Disturbing Permit	1729 Shades Crest Road	3/2/2018
Wedgeworth Construction	Land Disturbing Permit	3582 Altadena Park Lane	3/8/2018
Bill Slappey Communications	Land Disturbing Permit	4260 Cahaba Heights Ct.	3/14/2018
Lock General Contractors LLC	Land Disturbing Permit	3104 Timberlake Road	3/14/2018
Bradly Moncrief (612)	Land Disturbing Permit	320 Beaumont Drive	3/27/2018
Ken Underwood Inc (613)	Land Disturbing Permit	2713 Millwood Road	3/27/2018
Harris Coggin Building Co., Inc. (614)	Land Disturbing Permit	732 Montgomery Hwy	3/28/2018
Protector Building Co. (615)	Land Disturbing Permit	2508 Tyler Road Lot 14	4/11/2018
Wood Neely (616)	Land Disturbing Permit	2211 Chestnut Road	4/13/2018
A&D Construction (617)	Land Disturbing Permit	4565 Pine Tree Circle	4/17/2018
Michael Moore (618)	Land Disturbing Permit	3471 Hillway Drive	4/17/2018
Embassy Hims (Ryan McCleay)	Land Disturbing Permit	4369 Kings Mountain Ridge	4/18/2018
Vines Construction Inc (620)	Land Disturbing Permit	3428 East Street	4/26/2018
Vines Construction Inc (621)	Land Disturbing Permit	3440 East Street	4/26/2018
Fred Nelson (622)	Land Disturbing Permit	3148 WoodHaven Drive	4/30/2018
Troy Rhone Garden Design (624)	Land Disturbing Permit	7386 Ridgecrest Court	5/4/2018
Cross Homebuilders (625)	Land Disturbing Permit	2576 Dolly Ridge Road	5/8/2018
Earls Pools (623)	Land Disturbing Permit	3528 Whetstone Road	5/9/2018
Gary Levesque (626)	Land Disturbing Permit	3914 S River Circle Lot 59	5/11/2018
Wedgworth Construction (627)	Land Disturbing Permit	3587 Altadena Park Lane	5/21/2018
Overton Investments, LLC (628)	Land Disturbing Permit	Poe Drive Lot 29	5/23/2018
Overton Investments, LLC (629)	Land Disturbing Permit	Poe Drive Lot 28	5/23/2018
Overton Investments, LLC (630)	Land Disturbing Permit	3779 Poe Drive Lot 27	5/23/2018
Mancha Hardscapes (631)	Land Disturbing Permit	3439 Nowich Drive	5/31/2018
Barber Companies	Land Disturbing Permit	1069 Montgomery Hwy	6/2/2018
Sharon Ward (632)	Land Disturbing Permit	3090 Healthy Way	6/4/2018
Adam Kirkland (633)	Land Disturbing Permit	3816 Timberline Way	6/7/2018
Wedgeworth Construction	Land Disturbing Permit	3594 Altadena Park Lane Lot 13	6/18/2018
Wedgeworth Construction	Land Disturbing Permit	3590 Altadena Park Lane Lot 12	6/18/2018
Drake Homes	Land Disturbing Permit	220 Sheriden Lane	6/18/2018
Murphy Homes Builders	Land Disturbing Permit	2563 Dolly Ridge Road	6/19/2018

Vestavia Hills Land Disturbing Permits

Permittee	Permit	Address	Issue Date
Jacob Pollard	Land Disturbing Permit	Misty Lane	6/21/2018
Nikolaus Mimikakis (640)	Land Disturbing Permit	2209 Southwood Road	7/9/2018
Elite Pool & Spas (641)	Land Disturbing Permit	829 Mountain Branch Road	7/10/2018
Mancha Hardscapes (642)	Land Disturbing Permit	500 Lake Colony Way	7/13/2018
Mancha Hardscapes (643)	Land Disturbing Permit	2248 Garland Drive	7/17/2018
David Wall (644)	Land Disturbing Permit	1549 Panorama Drive	7/18/2018
Slate Barganier Building (645)	Land Disturbing Permit	2124 Vestavia Lake Drive	7/25/2018
Clearwater Construction (646)	Land Disturbing Permit	3575 Altadena Park Lane	7/30/2018
Brads Pools & Supply (648)	Land Disturbing Permit	1230 Parliament Lane	8/1/2018
Don ? (649)	Land Disturbing Permit	3317 Mountainside Road	8/1/2018
Swimming Pool Services Inc. (650)	Land Disturbing Permit	2109 Longleaf Trail	8/2/2018
KADD,LLC (651)	Land Disturbing Permit	11971 Liberty Parkway	8/3/2018
John Mancha, Mancha Hardscapes (652)	Land Disturbing Permit	1465 Panorama	8/3/2018
TE Stevens (653)	Land Disturbing Permit	Helen Ridge, Cahaba Heights Road	8/14/2018
David Brooks (654)	Land Disturbing Permit	2612 Vestavia Forest Terrace	8/16/2018
Earls Pools (655)	Land Disturbing Permit	3349 Ridgely Circle	8/20/2018
Parish Building Company,LLC	Land Disturbing Permit	2444 Tyler Road	8/28/2018
Michael W Hendrickson	Land Disturbing Permit	7106 Old Overton Club Drive 44-A	9/4/2018
Saunders Bradford	Land Disturbing Permit	1601 Chateau Crest Lane	9/5/2018
Thornton Construction Co.	Land Disturbing Permit	2500 Shades Crest Road	9/10/2018
Barry P Fincher	Land Disturbing Permit	4440 Galen	9/14/2018
Twin Construction Inc.	Land Disturbing Permit	3293 Overton Trail	9/20/2018
Stephen Brady Wilson	Land Disturbing Permit	2589 Mountain Woods Drive	9/21/2018
BC Realty (663)	Land Disturbing Permit	2005 Rosemount	9/24/2018

Post-Construction Storm Water Management

Draft Ordinance

STORM WATER MANAGEMENT AUTHORITY, INC. POST-CONSTRUCTION ORDINANCE

RECITALS

Section 1 DEFINITIONS

Section 2 ADMINISTRATION

Section 3 POST-CONSTRUCTION BMP DESIGN

- Section 3.1 Design Standards.
- Section 3.2 Design References.

Section 4 APPLICATION REQUIREMENTS

- Section 4.1 Post Construction BMP Design Description.
- Section 4.2 Post-Construction BMP Inspection Plan Description.
- Section 4.3 Post Construction BMP Operation and Maintenance Plan Description.

Section 5 ENFORCEMENT AND ABATEMENT

Section 6 MISCELLANEOUS

- Section 6.1 Notices.
- Section 6.2 References.
- Section 6.3 Severability.
- Section 6.4 Captions.
- Section 6.5 Ultimate Responsibility.
- Section 6.6 Effective Date.

Draft Ordinance

STORMWATER MANAGEMENT POST-CONSTRUCTION ORDINANCE

RECITALS

WHEREAS, the City of _____ operates under the requirements of the Alabama Department of Environmental Management (ADEM) National Pollutant Discharge Elimination System (NPDES) Permit; and

WHEREAS, this permit authorizes stormwater discharges from regulated small municipal separate storm sewer systems (MS4); and

WHEREAS, the City of _____ must be compliant with the ADEM NPDES Permit by developing, implementing, and enforcing a program to address post-construction stormwater management; and

WHEREAS, the City of _____ finds it necessary to enact an ordinance to address and enforce post-construction stormwater management standards on Qualifying Sites to prevent or minimize water quality impacts and ensure that the volume and velocity of pre-construction stormwater runoff is not significantly exceeded for the life of the property's use to the maximum extent practical (MEP).

NOW, THEREFORE BE IT ORDAINED by the City Council of the City of _____, Alabama, as follows:

Draft Ordinance

Section 1 DEFINITIONS

For the purposes of this ordinance, the following words and terms shall have the meaning assigned to them in this section.

Best Management Practices - (herein abbreviated as "BMP") - activities, prohibitions of practices, maintenance procedures and management practices designed to prevent or reduce the pollution of waters to the MS4. Best Management Practices also include treatment requirements, operating procedures and practices to control facility site runoff, spillage or leaks, sludge or waste disposal or drainage from raw material storage and construction sites.

Non-structural BMPs - Non-structural BMPs may include but not be limited to the following: preservation of open spaces and vegetation, establishment of conservation easements, establishment of buffers along streams and other waters, maintenance of vegetation, BMP inspection and maintenance, planning for future development or redevelopment.

Qualifying Site - Qualifying Site is any new development site or re-development site that results in a total land disturbance of one or more acres and sites that disturb less than one acre but are a part of a larger common development or sale that would disturb one or more acres.

Structural BMPs - Structural BMPs may include, but not be limited to the following: detention/ retention devices, check dams, drainage swales, lined ditches, infiltration basins, porous pavement, outlet protection, velocity dissipation devices, slope protection, constructed wetlands, rain gardens, catch basin inserts, vegetated filter strips, and rain barrels.

Draft Ordinance

Section 2 ADMINISTRATION

The municipal engineer for the City, the municipal official or employee who is a qualified credentialed professional, such other municipal official or municipal employee who has had sufficient experience dealing with BMP design to enable them to enforce the provisions of this ordinance, an individual or agency contracted to provide such service, shall be responsible, on behalf of the City, to enforce the provisions of this ordinance.

Draft Ordinance

Section 3 POST-CONSTRUCTION BMP DESIGN

Section 3.1 Design Standards.

The post-construction BMPs for qualifying sites, which may include a combination of structural BMPs and/or non-structural BMPs, must be designed to ensure that the volume and velocity of pre-construction stormwater runoff, to the maximum extent practicable, is not significantly exceeded.

The current Post Construction Stormwater Management Technical Memorandum (Addendum A) details acceptable design criteria meeting the requirement of the current NPDES Permit No. _____ and shall be the basis for the design and implementation of post- construction BMPs.

Section 3.2 Design References.

By reference in this Section, the City adopts the following as design references to meet the design standards:

- a) The latest version of the "Alabama Handbook for Erosion Control, Sedimentation Control and Stormwater Management on Construction Sites and Urban Areas", Volumes 1 and 2.
- b) The latest version of the "Low Impact Development Handbook for the State of Alabama".
- c) Any storm water design manual approved by the city that meets the design requirement of this ordinance.

Draft Ordinance

Section 4 APPLICATION REQUIREMENTS

As part of the Land Disturbance Application, all Qualifying Sites shall include the following components:

Section 4.1 Post-Construction BMP Design Description.

Procedures and strategies of the structural BMPs and/or non-structural BMPs that meet the design standards for Qualifying Sites found in Section 3.1 of this ordinance. Submittal to the City of a certified as-built of the BMPs and a letter of substantial compliance from the design engineer are required within 120 days of construction completion.

Section 4.2 Post-Construction BMP Inspection Plan Description.

Procedures and strategies that will address inspections of the BMPs to confirm proper function, require corrective actions to poorly functioning or inadequately maintained BMPs, and require record keeping of maintenance activities, inspections, and corrective actions. The City shall perform or require the performance of an inspection by the developer/ owner/ operator at least once per year. Records of these inspections shall be made available to ADEM upon request and copies shall be provided to the City on an annual basis. The minimum documentation requirements for inspections are as follows:

- a) Facility type
- b) Inspection date
- c) Name and signature of inspector
- d) Site location
- e) Owner information (name, address, phone number, fax, and email)
- f) Description of the storm water BMP condition that may include the quality of: vegetation and soils, inlet and outlet channels and structures, embankments, slopes, and safety benches; spillways, weirs, and other control structures; and sediment and debris accumulation in storage and forebay areas as well as in and around inlet and outlet structures;
- g) Photographic documentation of all critical storm water BMP components;
- h) Specific maintenance items or violations that need to be corrected by the owner/operator of the storm water control or BMP; and
- i) Maintenance agreements for long-term BMP operations and maintenance.

Draft Ordinance

Section 4.3 Post-Construction BMP Operation and Maintenance Plan Description.

Procedures and strategies that will address adequate long-term operation and maintenance of the BMPs. One or more of the following shall be applicable (as determined by the City) to establish the responsible party for long-term operation and maintenance. The document(s) shall be provided to the City for review. Upon approval, an executed copy shall be put on file in the _____ Department:

- a) The developer's signed statement accepting responsibility for maintenance until the maintenance responsibility is legally transferred to another part.
- b) Written conditions in the sales or lease agreement that require the recipient to assume responsibility for maintenance.
- c) Written conditions in project conditions, covenants, and restrictions for residential properties assigning maintenance responsibilities to a home owner's association or other appropriate group for maintenance of structural and treatment control management practices.
- d) Any other legally enforceable agreement that assigns permanent responsibility for maintenance.

Draft Ordinance

Section 5 ENFORCEMENT AND ABATEMENT

If a responsible party fails or refuses to meet the design, operation, or maintenance standards required by this ordinance, the City, after reasonable notice, may correct a violation of the design standards, operation, or maintenance needs by performing all necessary work to place the measures in proper working condition. In the event that the BMPs become a danger to public safety or public health, the City shall notify in writing the responsible party for changes to design, operation, maintenance, and repairs of the BMP. Upon receipt of that notice, the responsible party shall have 14 calendar days, or such additional time as the City shall determine to be reasonably necessary to complete the action, to make changes to design, operation, maintenance, and repairs of the measures in an approved manner. In the event that corrective action is not undertaken within that time, the City may take necessary corrective action. The cost of any action by the City under this Section shall be billed to the responsible party. If the responsible party refuses to pay the bill, the City is entitled to bring an action against the responsible party to pay, file a lien against the property, or both. Costs shall include interest, collection fees, and reasonable attorney fees.

Draft Ordinance

Section 6 MISCELLANEOUS

Section 6.1 Notices.

Whenever the City is required or permitted to:

- (a) give a notice to any party, such notice must be in writing; or
- (b) deliver a document to any party; such notice or document may be delivered by personal delivery, certified mail (return receipt requested), registered mail (return receipt requested) or a generally recognized overnight carrier, to the address of such party which is in the records of the City or is otherwise known to the City.

Section 6.2 References.

Whenever a Section is referred to in this ordinance, unless the context clearly indicates the contrary, such reference shall be to a section of this ordinance.

Section 6.3 Severability.

The provisions of this ordinance are severable. If any part of this ordinance is determined by a court of law to be invalid, unenforceable or unconstitutional, such determination shall not affect any other part of this ordinance.

Section 6.4 Captions.

The captions of Sections and sections are for the purpose of reference only, and such captions shall not affect the meaning of any provision of this ordinance.

Section 6.5 Ultimate Responsibility.

The standards set forth herein and promulgated pursuant to this ordinance are minimum standards; therefore, this ordinance does not intend nor imply that compliance by any person will ensure that there will be no contamination, pollution, nor unauthorized discharge of pollutants.

Draft Ordinance

Section 6.6 Effective Date.

This ordinance shall be published as required by law and shall become effective at _____ on _____.

ADOPTED: This ____ day of _____, XXXX.

APPROVED: This ____ day of _____, XXXX.

Mayor

Draft Ordinance

ADDENDUM A



SWMA MS4 Program

Post-Construction Stormwater Management Technical Memorandum

Overview

In 1990, the U.S. Environmental Protection Agency (EPA) promulgated regulations establishing Phase I of the National Pollutant Discharge Elimination Systems (NPDES) stormwater program. The Phase I program for municipal separate storm sewer systems (MS4s) require operators of “medium” and “large” MS4s that generally serve populations of 100,000 or greater to implement a stormwater management program as a means to control to the maximum extent practicable (MEP) polluted discharges from certain municipal, industrial and construction activities into the MS4.

The Alabama Department of Environmental Management (ADEM) presently has primary jurisdiction over permitting and enforcement of the Stormwater Program for Alabama. The City of _____ (City) was issued NPDES Permit Number ALS0000__ on **DATE**. This NPDES Permit became effective on **DATE** and will expire on **DATE**. The City is required to develop and implement a Stormwater Management Program (SWMP) in accordance with the NPDES Permit requirements.

In accordance with the NPDES Permit, the City is required to develop and implement a Post Construction Stormwater Program to address stormwater runoff from qualifying new development and re-development projects by **DATE**. This memorandum provides technical guidance regarding the City’s updated post construction stormwater management requirements in accordance with the City’s NPDES Permit.

Applicable Developments

The City’s updated post construction stormwater management requirements are only applicable to “Qualifying New Development or Redevelopment” projects as defined below:

Draft Ordinance

“Qualifying New Development and Redevelopment” means any site that results from the disturbance of one acre or more of land or the disturbance of less than one acre of land if part of a larger common plan of development or sale that is greater than one acre. Qualifying new development and redevelopment does not include land disturbances conducted by entities under the jurisdiction and supervision of the Alabama Public Service Commission.

Since stormwater detention and retention facilities are the primary Best Management Practices (BMPs) that have historically been used for post-construction stormwater management, this technical memorandum has been developed to address stormwater detention and retention facilities. However, this does not preclude the use of other generally accepted engineering practices.

Implementation

Effective **DATE**, all qualifying new development and redevelopment projects shall be designed in accordance with this technical memorandum.

Waiver Request

The City recognizes that there are existing project sites that have been constructed or previously approved, prior to the effective **DATE** of this technical memorandum, that may qualify for a waiver from the updated post construction stormwater management requirements. As a result, the City has developed an Existing Development, Post Construction Stormwater Management Waiver Request Form (Figure 1) to address existing project sites. In order for an existing project site to be considered for a waiver, the waiver request form shall be completed and submitted to the City for review and approval. If a waiver has been submitted for a development that has not been completed and the density of the development is increased and/or modified, the developer shall resubmit a waiver request for this development.

Water Quality Requirements

Post-construction stormwater runoff quality is an important component of the City's SWMP. In order to meet the requirements of the City's NPDES Permit, a Water Quality Volume (WQ_v) must be accounted for on each project site and BMPs must be utilized to store and treat the WQ_v. The required WQ_v is based upon the first 1.1 inches of rainfall that occurs on the project site. The WQ_v can be estimated as described below.

Draft Ordinance

$WQ_v = 1.1$ inches / acre of additional impervious area.

For example: An existing 12.5 acre site planned for re-development contains 3 acres of existing impervious area. The proposed development will contain 7 total acres of impervious area in the post-development condition. The required WQ_v shall be calculated as follows:

$$\begin{aligned} WQ_v &= 1.1 \text{ inches} * 4 \text{ acres of additional impervious area} \\ &= 1.1 \text{ inches} * (1 \text{ foot} / 12 \text{ inches}) * 4 \text{ acres} * (43,560 \text{ sq.ft.} / 1 \text{ acre}) \\ &= 15,972 \text{ cubic feet of storage required} \end{aligned}$$

The WQ_v that is required for each project site may be provided in multiple ways to allow greater flexibility during design. There are a number of post-construction BMPs such as detention ponds, retention ponds, bioretention swales, proprietary stormwater quality treatment devices, sand filters, etc. that may be utilized by the Owner and their Engineer-of-Record to meet the water quality requirements.

Low Impact Development (LID)

As an option for meeting the updated post-construction stormwater management requirements, the City encourages Owners and Developers to incorporate the use of low impact development (LID) practices into qualifying development and redevelopment projects. The latest version of the Alabama Low Impact Development is incorporated into this technical memorandum by reference.


Design Standards

For detention and retention ponds, the calculation methodology shall utilize the National Resource Conservation Resources (NRCS) Urban Hydrology for Small Watersheds Technical Release 55 (TR-55) or equivalent. For the determination of pre-construction and post-construction stormwater runoff hydrology, the 24-hour rainfall depths from National Oceanic and Atmospheric Administration (NOAA) Atlas14, Volume 9, Version 2 included in Table 1 shall be used:

Draft Ordinance

Table 1. Design Storms

Storm Event (24 hour)	Rainfall (inches) (Bessemer)	Rainfall (inches) (Bham WSFO)	Rainfall (inches) (Bham AP ASOS)	Rainfall (inches) (Pinson)
2-year	4.09	4.1	4.12	4.11
5-year	4.97	4.99	5.02	4.99
10-Year	5.82	5.83	5.85	5.8
25-Year	7.18	7.15	7.13	7.02
100-Year	9.71	9.56	9.39	9.15



Draft Ordinance

As a part of the City's requirements for post-construction stormwater runoff management, all project sites shall be responsible for ensuring, to the MEP, that post-development runoff mimics pre-development hydrology for the 2-year, 5-year, 10-year, and 25-year rainfall depths listed in Table 1. All stormwater detention or retention facilities must be able to convey the peak flow rate associated with a 100-year, 24-hour storm event. The Owner and/or Developer shall ensure, to the MEP, that installation of post-construction BMPs shall not adversely impact and/or cause flooding of properties located upstream and downstream of post-construction BMPs.

Detention and Retention Ponds

As a part of this technical memorandum, two structural BMPs (detention and retention ponds) have been highlighted as design options to assist in meeting the post-construction stormwater management requirements of the City's NPDES permit. Both detention ponds and retention ponds are fairly simple to design, construct and maintain. However, other structural BMPs may be selected by the Owner and Engineer-of-Record for review and approval by the City and are welcomed to be incorporated into the overall stormwater management plan for each project site.

A Design Form, Detention / Retention Ponds (Figure 2) has been developed by the City to aid in the design, review, and approval of detention and retention facilities. The design form provides a standard format for the Engineer-of-Record to provide information concerning pre-development conditions, post-development conditions, pond outlet configurations, pond storage, and pond peak flow discharges. For a project that contains multiple detention facilities, the Engineer-of-Record may simply provide a Design Form for each facility. While a detention pond can be utilized to meet the stormwater management requirements, some type of filtration system is needed for a detention pond to meet the stormwater quality requirements. The filtration system must allow the volume of water associated with the WQ_v to drain slowly out of the pond, but should drain within a forty-eight (48) hour period. Figure 3 provides some basic examples of filtering systems that may be applicable to detention ponds.

As-Built Certification

As a part of the NPDES permit, the City must insure the BMPs that have been designed and approved are constructed and operated in accordance with their original design and intent. In an effort to confirm that the constructed BMPs meet the designer's intent, an As-Built Evaluation and Certification form (Figure 4) has been developed. It shall be the Owner's responsibility to have as-built information, such as pond volume, embankment size and elevations, invert size and elevations, and spillway elevations, field surveyed by a Professional Land

Draft Ordinance

Surveyor. It shall be the Engineer-of-Record's responsibility to utilize the field surveyed information to fill out the As-Built Evaluation and Certification Form. The Owner has two options for completing the As-Built Evaluation and Certification:

Option 1 The As-Built Evaluation and Certification form shall be submitted and approved by the City prior to the issuance of a Certificate of Occupancy (CO) and/or prior to the recording of the final subdivision plat.

Option 2 If the Owner would like to obtain a CO and/or record the final subdivision plat prior to the City's approval of the As-Built Evaluation and Certification form, the Owner may post a bond or other forms of surety acceptable to the City in the amount of 100% of the construction cost associated with post-construction stormwater management BMPs and the cost associated with the effort required to complete the As-Built Evaluation and Certification. The As-Built Evaluation and Certification form shall be submitted to the City within 120 days of receipt of a CO and/or recording of the final subdivision plat.

Annual Inspections

In order for post-construction BMPs to continue to function in accordance with their original design and installation, annual inspections are required by the City's NPDES permit. The Owner of the project is required to have these annual inspections performed and must then submit the required Annual Inspection Form (Figure 5) to the City. The Annual Inspection Form shall provide documentation concerning the condition of each facility in terms of vegetative cover, erosion that may be occurring, the condition of inlets into the pond and the pond outlet, embankment conditions and any maintenance required and/or performed. The City shall evaluate the documentation submitted to confirm that the stormwater management facilities are continuing to function as designed.

The Annual Inspection Form shall be submitted to the City each year by 30 September.

Draft Ordinance

Operation and Maintenance

It is the responsibility of the Owner to operate and maintain the stormwater management facility and/or BMPs in accordance with the original design intent and approval. If the original Owner or Developer has sold the project or passed ownership on to a Homeowner's Association, then it is the new Owner or HOA's responsibility to maintain the facility and provide any required inspection and maintenance.

Should maintenance be needed at a facility as a result of the Annual Inspection, the Owner shall provide the City documentation of the maintenance required and a schedule for completing all maintenance activities. Once all maintenance activities are completed, the Owner shall provide documentation to the City of the maintenance performed and that the BMP operates as it was designed.

A summary of maintenance activities shall be submitted to the City each year by 30 September. The summary shall cover the previous fiscal year beginning 1 October through 30 September.

List of Figures

Figure 1 – Existing Development Post Construction Stormwater Management Waiver Request Form

Figure 2 – Design Form, Detention / Retention Ponds

Figure 3 – Detention Pond Outlet Structure Example

Figure 4 – As-Built Evaluation and Certification Form

Figure 5 – Annual Inspection Form

Oils, Toxics, and Household Hazardous Waste Control



Jefferson County Department of Health
Watershed Protection Program

Sign-In-Sheet
10/17/2017

Please Print

Municipality	Name	Department
John Springer	John Springer	Irondale
GARLAND JONES	CITY OF IRONDALE	PARKS
Irondale	Sean Littleton	Parks
Westanna Hills	Mike Swann	Public Services
Center Point	Mark Self	Public Works
Irondale	Tim Pewee	Public Works
Hueytown	Barry Humphries	B & Z
JCDH	Chaz Douglas	WPP
City Pinson	Eric Winfrey	Public Works
Trussville	Rheanna Poe	City of Trussville Inspections
Homewood	Vanessa McGrath	BEZ
Birmingham	James Jacobi	Ala. Coop. Ext.
TCDH	Barbara Newman	Env Health



Jefferson County Department of Health
Watershed Protection Program



Sign-In-Sheet
10/17/2017

Please Print

Municipality	Name	Department
Cig Rom	Anthony Bode	Geell
Trussdale	Wayne Miller	Public Works
Trussdale Pw	Ben Milan	Public Works
Trussdale	Franco Perwinger	P.W.
Bobbie Huggins	City of Center Point	P.W.
Trussdale	Michael Wallace	Public Works
Hueytown	Kent Byram	Building Inspections
Center Point	Karen Jaynes	Inspections
Center Point	Ricky Hinkle	Inspections
JCDM	Jarika Smith	WSP
JCDM	Scott Hater	"
JCDM	Drew Hubbard	"
Pinson	BB Jones	GIS zoning
Vestavia Hills	Yvonne Kearley	Public Services
Vestavia Hills	BRIAN DAVIS	Public Services
Trussville	Randall Molchan	E+I



Jefferson County Department of Health
Watershed Protection Program



Sign-In-Sheet
10/24/2017

Please Print

Municipality/Organization	Name	Department
Gardendale	Melissa Honeycott	Admin
Gardendale	Jeff Hollyaw	Public Works
C-deal-	Clint Jacke	
Mountain Brook	James Gray	Public works
Mt Brook	Sam Harris	Park & Rec
City of Vestavia	Brandon Bonds	Public Services
City of Tusculum	Fred Jones	Public Works
City of Aueytown	William Salter	William Salter Public Works
City of Huxton	Dewey Goz	Public Works
City of Midfield	Tyrone Lloyd	
City of Midfield	Enrica Hamilton	
City of Midfield	Greg. Spauld	Public Works
City Grayville	M. John Dan	Mayor
City Gardendale	Dale Hych	Park's Rec.
Grayville	Tim Skelton	Gas & Water
City of Grayville	Tracy Hartley	street
Eugene Henry	Vestavia Mills	Public works



Jefferson County Department of Health

Watershed Protection Program

Sign-In-Sheet

10/24/2017



Please Print

Municipality / Organization	Name	Department
JCDH	Jonika Smith	Watershed Protection
Trussville	Scott Mann	Building Inspections
Trussville	Erin Hamilton	Building Inspections
JCDH	Scott Hofer	
Gardendale	Chris Loring	Park & Rec
Gardendale	JASON MURRELL	Fire
Gardendale	Jessica Barron	PW
Gardendale	Bob Perkins	inspection
Mt. Brook	Ronnie Vaughn	PW
Mt. Brook	Johnny Harris	P.W.
Vestavia Hills	Barry Bertlett	Public works
Vestavia Hills	Ronald Loggers	PW
Trussville	Tai Wint	PW
Midfield	Jeff Zissette	PW
Janice PL Crow City of Midfield	Jimmy Cannon	PW
Darryl Roberts	Darryl Roberts	PW
City of P.E. Doug Hyche	Doug Hyche	Bldg Insp

MS4 TRAINING PROGRAM

GENERAL INFORMATION		START TIME: 8:10 AM
Welcome and facility information	Jonika Smith	5 Minutes
JCDH and SWMA overview	Scott Hofer	15 Minutes
Total		20 minutes

IDDE		START TIME: 8:30 AM
Introduction	Scott Hofer	2 minutes
Video		15 minutes
Q/A	Scott Hofer	3 minutes
Quiz (15 Questions)	Scott and Jonika	5 minutes
Correcting the Quiz	Scott Hofer	10 minutes
Total		35 minutes

BREAK		START TIME: 9:05 AM
-------	--	---------------------

MUNICIPAL STORM WATER POLLUTION PREVENTION		START TIME: 9:10 AM
Introduction	Scott Hofer	2 minutes
Video		20 minutes
Q/A	Scott Hofer	10 minutes
Quiz	Scott Hofer	5 minutes
Quiz Answers	Scott Hofer	10 minutes
Total		47 minutes

BREAK		START TIME: 10:00 AM
-------	--	----------------------

PESTICIDES, HERBICIDES, AND FERTILIZERS		START TIME: 10:10 AM
Introduction	Scott Hofer	2 minutes
Presentation	Dr. Jim Jacobi	20 minutes
Q/A	Dr. Jim Jacobi	10 minutes
Total		32 minutes

OTHER TOPICS		START TIME: 10:45 AM
Construction Presentation	Scott Hofer	15 minutes
Proper Disposal of Chemicals (HHW)	Scott Hofer	5 minutes
SOAR Discussion		5 minutes

HEALTH IMPACT ASSESSMENT (HIA)		START TIME: 11:10 AM
Introduction	Barbara Newman	20 minutes
Streets Discussion	Barbara Newman	10 minutes
Total		30 minutes

CLOSING REMARKS		START TIME: 11:40 AM
Signs	Jonika Smith	5 minutes
Tokens, etc.	Jonika Smith	2 minutes
Total		7 minutes

LEAVE		START TIME: 11:50
-------	--	-------------------

Industrial Storm Water Runoff Control

High Risk Inspections by City

Adamsville

Cantley & Company, 2018-09-20

Created	2018-09-20 19:17:44 UTC by Drew Hubbard
Updated	2018-09-20 19:18:34 UTC by Drew Hubbard
Location	33.6029181504705, -86.9572320207953
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-20
Time	14:17
Facility Type	Retail
Facility Name	Cantley & Company
Facility Street Address	5127 Main St Adamsville, AL 35005
Reason For Not Inspecting	No fluids over 5-gal

Hydradyne Hydraulics , 2018-08-13

Created	2018-08-13 19:12:29 UTC by Drew Hubbard
Updated	2018-08-13 19:14:07 UTC by Drew Hubbard
Location	33.5883444464943, -86.9368884648917
Inspector	Drew Hubbard
Date	2018-08-13
Time	14:12
Facility Type	Manufacturing Processing
Facility Name	Hydradyne Hydraulics
Facility Street Address	3616 Veterans Memorial HWY Adamsville, AL 35005
Reason For Not Inspecting	No longer open

Js Automotive , 2018-09-20

Created	2018-09-20 16:29:43 UTC by Erick Gilkey
Updated	2018-09-20 16:30:17 UTC by Erick Gilkey
Location	33.5957380764801, -86.9471147283912
Inspector	Erick Gilkey
Date	2018-09-20
Time	11:29
Facility Type	Mechanic
Facility Name	Js Automotive
Facility Street Address	4300 Main St Adamsville, AL 35005
Reason For Not Inspecting	No chemicals being stored/used over 5 gallons

Pinkerton Construction , 2018-09-20

Created	2018-09-20 17:51:58 UTC by Erick Gilkey
Updated	2018-09-20 17:52:34 UTC by Erick Gilkey
Location	33.591158445961, -87.0005956292152
Inspector	Erick Gilkey
Date	2018-09-20
Time	12:51
Facility Type	Construction
Facility Name	Pinkerton Construction
Facility Street Address	1624 Union Grove Rd Adamsville, AL 35005
Reason For Not Inspecting	Closed/out of business

Norris Paving and Excavating , 2018-09-28

Created	2018-09-28 15:17:03 UTC by Drew Hubbard
Updated	2018-09-28 15:42:01 UTC by Drew Hubbard
Location	33.6062339203332, -86.9165031259457

General Info

Inspector	Drew Hubbard
Date	2018-09-28
Time	10:17
Facility Name	Norris Paving and Excavating
Does this facility have an NPDES permit?	No
Facility Type	Asphalt paving and
Municipal Business License #	12435
Facility Street Address	3448 Forest dale Bend Road Adamsville
Facility Phone Number	2056745947
Facility Contact Name	Lucas Norris
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	4,500 metal gallon on road diesel 1,800 metal gallon off road diesel, 5-55 gallon metal buckets of new oil, 2- 5 gallon plastic buckets of hydraulic fluid. 1 - 240 gallon plastic tank of old used oil that is pickup as needed

Photos



Google Map image of facility

N/A

M & K ONE STOP, 2018-07-12

Created	2018-07-12 17:13:09 UTC by Drew Hubbard
Updated	2018-07-12 17:38:44 UTC by Drew Hubbard
Location	33.6064582823798, -86.9573191990779

General Info

Inspector	Drew Hubbard
Date	2018-07-12
Time	12:13
Facility Name	M & K ONE STOP
Facility Type	Gas Station
Municipal Business License #	18-9161
Facility Street Address	5317 Veterans Memorial Dr Adamsville, AL 35005
Facility Phone Number	2056749003
Facility Contact Name	Rajan Patel
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	5 total gas tanks.... One-20,000 and Three-4,000 gallon gas tanks. One-8,000 gallon Diesel tank.
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Marlon dollar, 2018-09-18

Created	2018-09-18 19:38:36 UTC by Scott Hofer
Updated	2018-09-20 16:46:06 UTC by Erick Gilkey
Location	33.5732972958881, -86.94619204849
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-18
Time	14:38
Facility Type	Mechanic
Facility Name	Marlon dollar
Facility Street Address	3025 Poplar Ln Adamsville, AL 35005
Reason For Not Inspecting	No hazardous stored above 5-gal

Southeastern Sealcoating Inc, 2018-09-25

Created	2018-09-25 18:19:20 UTC by Drew Hubbard
Updated	2018-09-25 18:21:36 UTC by Drew Hubbard
Location	33.5492349627119, -86.9288306209199
Inspector	Drew Hubbard
Date	2018-09-25
Time	13:19
Facility Type	Seal coating
Facility Name	Southeastern Sealcoating Inc
Facility Street Address	1331 Adamsville Industrial Pkwy Adamsville, AL 35224
Reason For Not Inspecting	Nothing over 5 gallons onsite

Dans Printing Co, 2018-09-20

Created	2018-09-20 16:12:13 UTC by Erick Gilkey
Updated	2018-09-20 16:12:49 UTC by Erick Gilkey
Location	33.6000630598193, -86.9534055143595
Inspector	Erick Gilkey
Date	2018-09-20
Time	11:12
Facility Type	Print shop
Facility Name	Dans Printing Co
Facility Street Address	4807 Main St Adamsville, AL 35005
Reason For Not Inspecting	No chemicals being stored/used over 5 gallons

Rich's Collision , 2018-07-12

Created	2018-07-12 18:41:58 UTC by Drew Hubbard
Updated	2018-07-12 18:44:05 UTC by Drew Hubbard
Location	33.5908795070584, -86.9370987129492
Inspector	Drew Hubbard
Date	2018-07-12
Time	13:41
Facility Type	Not even a building on site yet.
Facility Name	Rich's Collision
Facility Street Address	3708 Veterans Memorial Dr Adamsville, AL 35005
Reason For Not Inspecting	Not even a building onsite yet.

Sam Jacks Automotive , 2018-09-20

Created	2018-09-20 18:20:01 UTC by Erick Gilkey
Updated	2018-09-20 18:26:47 UTC by Erick Gilkey
Location	33.5974505578853, -86.9426766782999

General Info

Inspector	Erick Gilkey
Date	2018-09-20
Time	13:20
Facility Name	Sam Jacks Automotive
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	18-0088
Facility Street Address	4100 Veterans Memorial Dr Adamsville, AL 35005
Facility Phone Number	2056746448
Facility Contact Name	Sammy Jacks
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Brake Fluid
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	Yes

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Cast Urethane , 2018-08-13

Created	2018-08-13 19:08:04 UTC by Drew Hubbard
Updated	2018-08-13 19:12:03 UTC by Drew Hubbard
Location	33.588185474831, -86.9368670120688
Inspector	Drew Hubbard
Date	2018-08-13
Time	14:08
Facility Type	Manufacturing processing
Facility Name	Cast Urethane
Facility Street Address	1326 Industrial Parkway Adamsville, AL 35005
Reason For Not Inspecting	No longer open

CCI CONSTRUCTION , 2018-09-28

Created	2018-09-28 16:07:18 UTC by Drew Hubbard
Updated	2018-09-28 16:18:29 UTC by Drew Hubbard
Location	33.5523495443119, -86.9301529927536

General Info

Inspector	Drew Hubbard
Date	2018-09-28
Time	11:07
Facility Name	CCI CONSTRUCTION
Does this facility have an NPDES permit?	No
Facility Type	Construction Company
Municipal Business License #	18-0569
Facility Street Address	2843 Old Mine Rd Adamsville, AL 35224
Facility Phone Number	2567375445
Facility Contact Name	Mitch Ezell
Facility Contact Title	Service Manager


Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, By mop
If a LARGE spill occurs	Berms are placed around it

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Gooch Paint and Body, 2018-07-12

Created	2018-07-12 19:31:10 UTC by Drew Hubbard
Updated	2018-07-12 19:33:03 UTC by Drew Hubbard
Location	33.605795702054, -86.9570178816416
Inspector	Drew Hubbard
Date	2018-07-12
Time	14:31
Facility Type	Auto Body Shop
Facility Name	Gooch Paint and Body
Facility Street Address	5501 Veterans Memorial Dr Adamsville, AL 35005
Reason For Not Inspecting	Business and Building are no longer at this Address.

Prestidge Machine, 2018-09-18

Created	2018-09-18 19:53:40 UTC by Scott Hofer
Updated	2018-09-20 18:19:51 UTC by Erick Gilkey
Location	33.5978186308254, -86.9511092081666
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-18
Time	14:53
Facility Type	Retail
Facility Name	Prestidge Machine
Facility Street Address	4605 Main St Adamsville, AL 35005
Reason For Not Inspecting	No hazardous stored above 5-gal

Cemwall, 2018-08-13

Created	2018-08-13 19:09:27 UTC by Drew Hubbard
Updated	2018-08-13 19:11:23 UTC by Drew Hubbard
Location	33.588343116278, -86.9369369420486
Inspector	Drew Hubbard
Date	2018-08-13
Time	14:09
Facility Type	Manufacturing Process
Facility Name	Cemwall
Facility Street Address	4136 Old Jasper HWY Adamsville, AL 35005
Reason For Not Inspecting	No chemicals on site

Circle K, 2018-07-10

Created	2018-07-10 16:52:21 UTC by Drew Hubbard
Updated	2018-07-10 17:08:46 UTC by Drew Hubbard
Location	33.5741533662861, -86.9059866931828

General Info

Inspector	Drew Hubbard
Date	2018-07-10
Time	11:52
Facility Name	Circle K
Facility Type	Gas Station
Municipal Business License #	2018-0003
Facility Street Address	1955 Veterans Memorial Drive Adamsville , Al 35214
Facility Phone Number	2057912939
Facility Contact Name	Michael Holloway
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-10,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Numeric Machine , 2018-09-21

Created	2018-09-21 19:08:57 UTC by Drew Hubbard
Updated	2018-09-21 19:10:06 UTC by Drew Hubbard
Location	33.5485603626618, -86.9286265485877
Inspector	Drew Hubbard
Date	2018-09-21
Time	14:08
Facility Type	Machine shop
Facility Name	Numeric Machine
Facility Street Address	1320 Adamsville Industrial Pkwy Adamsville, AL 35224
Reason For Not Inspecting	Welding and metal machine shop

Jet-Pep, 2018-07-10

Created	2018-07-10 18:03:55 UTC by Drew Hubbard
Updated	2018-07-10 18:12:54 UTC by Drew Hubbard
Location	33.5882965464753, -86.9368125414728

General Info

Inspector	Drew Hubbard
Date	2018-07-10
Time	13:03
Facility Name	Jet-Pep
Facility Type	Gas Station
Municipal Business License #	16-0144
Facility Street Address	3616 Main St Adamsville, AL 35005
Facility Phone Number	2056741390
Facility Contact Name	Paul Patel
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	One-16,000 and one-8,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Little Warrior Hydraulics, 2018-09-27

Created	2018-09-27 15:17:03 UTC by Drew Hubbard
Updated	2018-09-27 15:44:49 UTC by Drew Hubbard
Location	33.6601379145413, -87.0253054715093

General Info

Inspector	Drew Hubbard
Date	2018-09-27
Time	10:17
Facility Name	Little Warrior Hydraulics
Does this facility have an NPDES permit?	No
Facility Type	Machine Shop
Municipal Business License #	18-0433
Facility Street Address	5595 Flat Top Road Adamsville
Facility Phone Number	205
Facility Contact Name	Chris Chance
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, By mop
If a LARGE spill occurs	Berms are placed around it

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	4-5 gallon new oil and 250 gallon old oil in metal container-dumped when needed

Photos



Google Map image of facility

N/A

Wallace Honeycutt, 2018-09-20

Created	2018-09-20 18:33:49 UTC by Erick Gilkey
Updated	2018-09-20 18:42:18 UTC by Erick Gilkey
Location	33.6093062967886, -86.9527577608824
Inspector	Erick Gilkey
Date	2018-09-20
Time	13:33
Facility Type	Automotive Dealer
Facility Name	Wallace Honeycutt
Facility Street Address	3515 Honeycutt Rd Adamsville, AL 35005
Reason For Not Inspecting	No fluids over 5 gallons being used/stored

Big Sky Environmental , 2018-09-21

Created	2018-09-21 15:32:13 UTC by Drew Hubbard
Updated	2018-09-21 15:38:03 UTC by Drew Hubbard
Location	33.6441426340525, -87.0127601581021

General Info

Inspector	Drew Hubbard
Date	2018-09-21
Time	10:32
Facility Name	Big Sky Environmental
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Landfill
NPDES Permit	ALG160168
Facility Street Address	5100 Flat Top Road Adamsville, AL 35073
Facility Phone Number	2057430080
Facility Contact Name	John Click
Facility Contact Title	General Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Mosley Mart, 2018-07-10

Created	2018-07-10 17:24:13 UTC by Drew Hubbard
Updated	2018-07-10 17:30:56 UTC by Drew Hubbard
Location	33.5973112623449, -86.9837499490202

General Info

Inspector	Drew Hubbard
Date	2018-07-10
Time	12:24
Facility Name	Mosley Mart
Facility Type	Gas Station
Municipal Business License #	2018-0133
Facility Street Address	1234 Union Grove Rd Adamsville, AL 35005
Facility Phone Number	2056442717
Facility Contact Name	Joy
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	1-8,000 and 1-6,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Willie C Williams, 2018-09-20

Created	2018-09-20 18:49:23 UTC by Erick Gilkey
Updated	2018-09-20 18:50:09 UTC by Erick Gilkey
Location	33.5941336415735, -86.9474714621902
Inspector	Erick Gilkey, Drew Hubbard
Date	2018-09-20
Time	13:49
Facility Type	Mechanic
Facility Name	Willie C Williams
Facility Street Address	4229 School St Adamsville, AL 35005
Reason For Not Inspecting	No chemicals over 5 gallons being used/stored

Parkwest Radiator/ Parkway Auto A/C Repair, 2018-09-20

Created	2018-09-20 17:36:45 UTC by Erick Gilkey
Updated	2018-09-20 17:38:18 UTC by Erick Gilkey
Location	33.5984391569145, -86.9463073834777
Inspector	Erick Gilkey
Date	2018-09-20
Time	12:36
Facility Type	Mechanic
Facility Name	Parkwest Radiator/ Parkway Auto A/C Repair
Facility Street Address	404 Johnson St Adamsville, AL 35005
Reason For Not Inspecting	No chemicals being stored/used over 5 gallons

Southeastern Sealcoatiing, 2018-09-27

Created	2018-09-27 16:18:31 UTC by Drew Hubbard
Updated	2018-09-27 16:21:48 UTC by Drew Hubbard
Location	33.5493389538764, -86.9287956695589

General Info

Inspector	Drew Hubbard
Date	2018-09-27
Time	11:18
Facility Name	Southeastern Sealcoatiing
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Sealcoating
NPDES Permit	ALR10AU68
Facility Street Address	1330 Adamsville Industrial Pkwy Adamsville, AL 35224
Facility Phone Number	2057989560
Facility Contact Name	Grace Miller
Facility Contact Title	Employee

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Watkins Metal, 2018-09-21

Created	2018-09-21 18:54:08 UTC by Drew Hubbard
Updated	2018-09-21 19:00:33 UTC by Drew Hubbard
Location	33.5490937373658, -86.9316727997951

General Info

Inspector	Drew Hubbard
Date	2018-09-21
Time	13:54
Facility Name	Watkins Metal
Does this facility have an NPDES permit?	No
Facility Type	Scrap yard
Municipal Business License #	18-0095
Facility Street Address	1356 Adamsville Industrial Pkwy Adamsville, AL 35224
Facility Phone Number	2057953088
Facility Contact Name	Will
Facility Contact Title	Assistant Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	By mop, Cat litter
If a LARGE spill occurs	Berms are placed around it

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	500 gallon diesel fuel tank

Photos



Google Map image of facility

N/A

Hardin's One Stop, 2018-07-10

Created	2018-07-10 15:39:19 UTC by Drew Hubbard
Updated	2018-07-10 15:46:24 UTC by Drew Hubbard
Location	33.58952762372, -86.9373204591511

General Info

Inspector	Drew Hubbard
Date	2018-07-10
Time	10:39
Facility Name	Hardin's One Stop
Facility Type	Gas Station
Municipal Business License #	2018-0231
Facility Street Address	3645 Gray Ave Adamsville, AL 35005
Facility Phone Number	2056747932
Facility Contact Name	Harry Patel
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	Two 8,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Precision Tune Auto Care, 2018-09-20

Created	2018-09-20 18:08:44 UTC by Erick Gilkey
Updated	2018-09-20 18:11:28 UTC by Erick Gilkey
Location	33.5743853379919, -86.9083645194769
Inspector	Erick Gilkey, Drew Hubbard
Date	2018-09-20
Time	13:08
Facility Type	Mechanic
Facility Name	Precision Tune Auto Care
Facility Street Address	2014 Veterans Memorial Dr Adamsville, AL 35214
Reason For Not Inspecting	No chemicals being stored/used over 5 gallons

Holland Family Auto, 2018-07-12

Created	2018-07-12 18:03:46 UTC by Drew Hubbard
Updated	2018-07-24 13:59:03 UTC by Drew Hubbard
Location	33.5879706536752, -86.9357503087235
Inspector	Drew Hubbard
Date	2018-07-12
Time	13:03
Facility Type	Automotive Dealer
Facility Name	Holland Family Auto
Facility Street Address	33521 Gray Ave Adamsville, AL 35005
Reason For Not Inspecting	They take their vehicles to Walmart to get oil change and rest of mechanics chemicals are all in small quart containers.

Michaels Towing, 2018-09-20

Created	2018-09-20 17:08:24 UTC by Erick Gilkey
Updated	2018-09-20 17:22:41 UTC by Erick Gilkey
Location	33.6094224557529, -86.9595538079739

General Info

Inspector	Erick Gilkey
Date	2018-09-20
Time	12:08
Facility Name	Michaels Towing
Does this facility have an NPDES permit?	Yes
Facility Type	Mechanic
NPDES Permit	ALG180751
Facility Street Address	5520 Sanders Ave Adamsville, AL 35005
Facility Phone Number	2056747786
Facility Contact Name	Michael Buxton
Facility Contact Title	Owner

Maintenance Center

What fluids are being used/stored?	.
------------------------------------	---

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Cast Urethane, 2018-09-25

Created	2018-09-25 18:08:31 UTC by Drew Hubbard
Updated	2018-09-25 18:14:39 UTC by Drew Hubbard
Location	33.548893502843, -86.9284966144788
Inspector	Drew Hubbard
Date	2018-09-25
Time	13:08
Facility Type	Cast builders
Facility Name	Cast Urethane
Facility Street Address	1320 Adamsville Industrial Pkwy Adamsville, AL 35224
Reason For Not Inspecting	Castings only

E&J Carwash Auto Detail, 2018-07-12

Created	2018-07-12 17:53:48 UTC by Drew Hubbard
Updated	2018-07-12 17:56:32 UTC by Drew Hubbard
Location	33.5876683041749, -86.9353012854667
Inspector	Drew Hubbard
Date	2018-07-12
Time	12:53
Facility Type	Car Wash
Facility Name	E&J Carwash Auto Detail
Facility Street Address	3505 Gray Ave Adamsville, AL 35005
Reason For Not Inspecting	Hand car wash and all of their cleaning chemicals are smaller than 5 gallons

Marathon , 2018-07-10

Created	2018-07-10 16:29:51 UTC by Drew Hubbard
Updated	2018-07-10 16:39:34 UTC by Drew Hubbard
Location	33.6065782998078, -86.9578511963947

General Info

Inspector	Drew Hubbard
Date	2018-07-10
Time	11:29
Facility Name	Marathon
Facility Type	Gas Station
Municipal Business License #	2017-0103
Facility Street Address	5401 Veterans Memorial Dr Adamsville, AL 35005
Facility Phone Number	2056749753
Facility Contact Name	Patle
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	One-12,000 and Two-4,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Prestridge Machine, 2018-09-20

Created	2018-09-20 19:28:15 UTC by Drew Hubbard
Updated	2018-09-20 19:28:51 UTC by Drew Hubbard
Location	33.5980176526585, -86.9510596060099
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-20
Time	14:28
Facility Type	Manufacturing
Facility Name	Prestridge Machine
Facility Street Address	4613 Main St Adamsville, AL 35005
Reason For Not Inspecting	No fluids over 5-gal

Brighton

My Store , 2018-07-09

Created	2018-07-09 18:21:13 UTC by Drew Hubbard
Updated	2018-07-09 18:53:18 UTC by Drew Hubbard
Location	33.4265596353521, -86.9521646980126

General Info

Inspector	Drew Hubbard
Date	2018-07-09
Time	13:21
Facility Name	My Store
Facility Type	Gas Station
Municipal Business License #	9474001844
Facility Street Address	450 Bessemer Super Brighton, AL 35020
Facility Phone Number	2054343811
Facility Contact Name	Kevin Njoroge
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks are there?	2
What size fuel tanks are they (in gallons)?	15000
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Chevron Gas Station , 2018-07-09

Created	2018-07-09 17:50:27 UTC by Drew Hubbard
Updated	2018-07-09 18:20:26 UTC by Drew Hubbard
Location	33.4267485942915, -86.9523492258419

General Info

Inspector	Drew Hubbard
Date	2018-07-09
Time	13:50
Facility Name	Chevron Gas Station
Facility Type	Gas Station
Municipal Business License #	9474001682
Facility Street Address	3577 Jaybird Al
Facility Phone Number	2054288079
Facility Contact Name	Amin Ali
Facility Contact Title	Assistant manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks are there?	3
What size fuel tanks are they (in gallons)?	20000
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Brookside

Town and Country , 2018-07-09

Created	2018-07-09 19:57:30 UTC by Drew Hubbard
Updated	2018-07-09 20:17:34 UTC by Drew Hubbard
Location	33.5729794126605, -86.8770326825459

General Info

Inspector	Drew Hubbard
Date	2018-07-09
Time	14:57
Facility Name	Town and Country
Facility Type	Gas Station
Municipal Business License #	25188073007743-25188
Facility Street Address	2800 Cherry ave Brookside , Al 35952
Facility Phone Number	2056744784
Facility Contact Name	Julie Cato
Facility Contact Title	Assistant Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks are there?	3
What size fuel tanks are they (in gallons)?	8000
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Vestavia Hills



FAIRFIELD FIRE DEPARTMENT

5231 COURT B
FAIRFIELD, AL 35064



Attention: Fire Department or District Administrator

A requirement of the National Pollution Discharge Elimination System (NPDES) Stormwater permit is for the inspection of businesses that either discharge a liquid into the nearest waterbody or have the potential to discharge liquids into the municipal separate storm sewer systems (MS4). A discharge into the MS4 can potentially have adverse effect on nearby waterbodies if a leak occurs. In accordance with ADEM, one model of inspection that would comply with this requirement is the Pre-Fire Inspection, or similar inspections, completed by fire departments to document important fire/spill hazards and building layouts.

Pre-Fire Inspections or similar inspections have been completed on existing business properties and will be performed on future business properties.

By completing the information below you acknowledge the above statement is true and accurate to the best of your knowledge:

Name of
Municipality/District: City of Fairfield

William J. Ross (Fire Chief)
Title and Signature

1-3-2019
Date

Gardendale

Quality Cleaners, 2018-08-02

Created	2018-08-02 15:04:30 EDT by Scott Hofer
Updated	2018-08-02 15:05:16 EDT by Scott Hofer
Location	33.6513940005301, -86.8183558619576
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	14:04
Facility Type	Dry Cleaners
Facility Name	Quality Cleaners
Facility Street Address	439 Fieldstown Rd Gardendale, AL 35071
Reason For Not Inspecting	No chemicals stored on site. Pickup only

RLS, 2018-08-01

Created	2018-08-01 19:52:57 UTC by Drew Hubbard
Updated	2018-08-01 19:55:01 UTC by Drew Hubbard
Location	33.6738357008902, -86.8183160406537
Inspector	Drew Hubbard
Date	2018-08-01
Time	14:52
Facility Type	Landscape Services
Facility Name	RLS
Facility Street Address	119 North Village Drive Gardendale, AL 35071
Reason For Not Inspecting	No maintenance on equipment

Files Discount Tire Company LLC, 2018-08-02

Created	2018-08-02 19:29:27 UTC by Drew Hubbard
Updated	2018-08-02 19:30:47 UTC by Drew Hubbard
Location	33.6406337597097, -86.809974152614
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	14:29
Facility Type	Tire Company
Facility Name	Files Discount Tire Company LLC
Facility Street Address	701 Main St Gardendale, AL 35071
Reason For Not Inspecting	They just do tires.

Deluxe Car Wash LLC, 2018-08-02

Created	2018-08-02 15:20:24 EDT by Scott Hofer
Updated	2018-08-02 15:21:42 EDT by Scott Hofer
Location	33.6517991686714, -86.8109658530789
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	14:20
Facility Type	Car Wash
Facility Name	Deluxe Car Wash LLC
Facility Street Address	110 Fieldstown Rd Gardendale, AL 35071
Reason For Not Inspecting	Out of business

Crane Fast Lube Tire & Repair, 2018-08-02

Created	2018-08-02 17:58:06 UTC by Drew Hubbard
Updated	2018-08-02 18:10:47 UTC by Drew Hubbard
Location	33.6819585857053, -86.8208411292342

General Info

Inspector	Drew Hubbard, Juwan Murphy, Erick Gilkey
Date	2018-08-02
Time	12:58
Facility Name	Crane Fast Lube Tire & Repair
Facility Type	Mechanic
Municipal Business License #	2018-973
Facility Street Address	2428 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056310000
Facility Contact Name	Jeff
Facility Contact Title	Assistant Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	250
How many containers?	6

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250

How many containers?	2
Is there a berm around it?	Yes
Is it covered?	Yes

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

ICON Motor Group llc , 2018-08-02

Created	2018-08-02 15:55:38 UTC by Drew Hubbard
Updated	2018-08-02 15:56:35 UTC by Drew Hubbard
Location	33.6380346527918, -86.8070002640523
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	10:55
Facility Type	Automotive Dealer
Facility Name	ICON Motor Group llc
Facility Street Address	532 Decatur Hwy Gardendale, AL 35071
Reason For Not Inspecting	Only used car sales

D&C Alabama Landscape Inc, 2018-08-01

Created	2018-08-01 19:56:59 UTC by Drew Hubbard
Updated	2018-08-01 19:58:37 UTC by Drew Hubbard
Location	33.67389708521, -86.8183073365285
Inspector	Drew Hubbard
Date	2018-08-01
Time	14:56
Facility Type	Landscape Services
Facility Name	D&C Alabama Landscape Inc
Facility Street Address	2101 Decatur Hwy Gardendale, AL 35071
Reason For Not Inspecting	No maintenance on equipment

McGrady Landscaping & Lawn, inc, 2018-08-10

Created	2018-08-10 17:50:21 UTC by Drew Hubbard
Updated	2018-08-10 17:52:01 UTC by Drew Hubbard
Location	33.6389784995481, -86.7884400172675
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-10
Time	12:50
Facility Type	Landscape Services
Facility Name	McGrady Landscaping & Lawn, inc
Facility Street Address	3316 Carol Drive Gardendale, AL 35217
Reason For Not Inspecting	Small lawn mowing business, no chemicals

Best Western , 2018-08-08

Created	2018-08-08 18:17:24 UTC by Drew Hubbard
Updated	2018-08-08 18:19:38 UTC by Drew Hubbard
Location	33.6490619879226, -86.8107830954313
Inspector	Drew Hubbard
Date	2018-08-08
Time	13:17
Facility Type	Hotel
Facility Name	Best Western
Facility Street Address	842 Thompson Street Gardendale, AL 35071
Reason For Not Inspecting	We don't inspect Hotels

Gardendale Funeral Home Inc, 2018-08-02

Created	2018-08-02 17:04:28 UTC by Drew Hubbard
Updated	2018-08-02 17:32:20 UTC by Drew Hubbard
Location	33.6761141979555, -86.8204588162785

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	12:04
Facility Name	Gardendale Funeral Home Inc
Facility Type	Funeral Home
Municipal Business License #	2017-2409
Facility Street Address	2214 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056318810
Facility Contact Name	Michelle Beasley
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	By mop
If a LARGE spill occurs	The fire department is contacted

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	6 cases of new Formaldehyde stored in 16oz plastic bottles.
General comments/items of concern not mentioned	They have to wash all blood and formaldehyde down 1 drain that runs to a 1,000 gallon septic tank that gets pumped out every 2 weeks by a hazardous waste company and EVERY EMPTY 16oz plastic Formaldehyde bottle has to go in a special red plastic container and then it is picked up by Stericycle, every 2 weeks.

Photos



Google Map image of facility

N/A

Gardendale Wholesale Transmissions , 2018-08-02

Created	2018-08-02 15:25:48 UTC by Drew Hubbard
Updated	2018-08-02 15:55:19 UTC by Drew Hubbard
Location	33.6377051930187, -86.8069404663025

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	10:25
Facility Name	Gardendale Wholesale Transmissions
Facility Type	Mechanic
Municipal Business License #	2018-1173
Facility Street Address	532 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056319820
Facility Contact Name	Braydon
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Transmission fluid 250 gallon metal drum
------------------------------------	--

MISCELLANEOUS

Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
General comments/items of concern not mentioned	2-200 gallons old trans fluid

Photos



Google Map image of facility

N/A

World Class Motors llc, 2018-08-02

Created	2018-08-02 16:41:13 UTC by Drew Hubbard
Updated	2018-08-02 16:50:45 UTC by Drew Hubbard
Location	33.6695126602789, -86.8176689061866

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	11:41
Facility Name	World Class Motors llc
Facility Type	Automotive Dealer
Municipal Business License #	2018-2318
Facility Street Address	1920 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	205
Facility Contact Name	Donald
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	No
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	5


Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Express Oil Change, 2018-08-07

Created	2018-08-07 17:18:58 UTC by Drew Hubbard
Updated	2018-08-07 18:07:20 UTC by Drew Hubbard
Location	33.6519582452848, -86.8144633982012

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-07
Time	12:18
Facility Name	Express Oil Change
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	000
Facility Street Address	316 Fieldstown Road Gardendale, AL 35071
Facility Phone Number	2056312054
Facility Contact Name	Jeff Sloan
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze, Automatic Transmission Fluid
------------------------------------	--

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1,200 and 1,500
How many containers?	3

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1,000
How many containers?	4

Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drum
How many containers?	2
Is used transmission oil mixed in with used oil?	Yes

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

FOY Landscaping , 2018-08-09

Created	2018-08-09 20:16:38 UTC by Drew Hubbard
Updated	2018-08-09 20:19:24 UTC by Drew Hubbard
Location	33.6478442220157, -86.829826740473
Inspector	Drew Hubbard
Date	2018-08-09
Time	15:16
Facility Type	Landscape Services
Facility Name	FOY Landscaping
Facility Street Address	708 Cluster Springs Road Gardendale, AL 35071
Reason For Not Inspecting	Just mows yards

Bradberry Auto Glass and Upholstery , 2018-07-31

Created	2018-07-31 19:27:56 UTC by Drew Hubbard
Updated	2018-07-31 19:31:15 UTC by Drew Hubbard
Location	33.6560905313912, -86.811804309785
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-07-31
Time	14:27
Facility Type	Auto Body Shop
Facility Name	Bradberry Auto Glass and Upholstery
Facility Street Address	1220 Decatur Hwy Gardendale, AL 35071
Reason For Not Inspecting	Nothing on site that is High Risk material

Ridout's Gardendale Chapel #1895, 2018-08-10

Created	2018-08-10 12:57:24 EDT by Scott Hofer
Updated	2018-08-10 13:00:38 EDT by Scott Hofer
Location	33.6720524318505, -86.8182178977254
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-10
Time	11:57
Facility Type	Funeral Home
Facility Name	Ridout's Gardendale Chapel #1895
Facility Street Address	2029 Decatur Hwy Gardendale, AL 35071
Reason For Not Inspecting	Embalming done at other sites

Crump Pest Control , 2018-08-08

Created	2018-08-08 20:01:36 UTC by Drew Hubbard
Updated	2018-08-08 20:17:59 UTC by Drew Hubbard
Location	33.6387979909752, -86.809842032182

General Info

Inspector	Drew Hubbard
Date	2018-08-08
Time	15:01
Facility Name	Crump Pest Control
Does this facility have an NPDES permit?	No
Facility Type	Pest Control
Municipal Business License #	00000-Mr. Crump said he didn't have his 2018 License for the city of Gardendale, yet.
Facility Street Address	600 Main St Gardendale, AL 35071
Facility Phone Number	2056316508
Facility Contact Name	Larry Crump
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	In Vehicle
---	------------

Chemicals

What chemical is used/stored?	Pesticides
-------------------------------	------------

Pesticides

What kind of container is the pesticide being stored in?	Plastic drum
What size container is the pesticide being stored in (gallons)?	20 oz bottle that he mixes with water
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	No
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Doss Tractor Service, 2018-08-08

Created	2018-08-08 17:46:51 UTC by Drew Hubbard
Updated	2018-08-08 17:50:41 UTC by Drew Hubbard
Location	33.6448173690106, -86.8620498952797
Inspector	Drew Hubbard
Date	2018-08-08
Time	12:46
Facility Type	Landscape Services
Facility Name	Doss Tractor Service
Facility Street Address	4429 Longwood Dr Gardendale, AL 35071
Reason For Not Inspecting	No longer a business

Quick Mart Shell , 2018-07-18

Created	2018-07-18 19:43:10 UTC by Drew Hubbard
Updated	2018-07-18 19:58:39 UTC by Drew Hubbard
Location	33.6738864424404, -86.8182120474016

General Info

Inspector	Drew Hubbard
Date	2018-07-18
Time	14:43
Facility Name	Quick Mart Shell
Facility Type	Gas Station
Municipal Business License #	2018-1367
Facility Street Address	2101 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056318365
Facility Contact Name	Erick Jessani
Facility Contact Title	Assistant Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted


Gas Station

Is there a car wash on-site?	No
------------------------------	----

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Mountainview Aquatic Club, 2018-08-08

Created	2018-08-08 19:50:51 UTC by Drew Hubbard
Updated	2018-08-08 19:52:53 UTC by Drew Hubbard
Location	33.642495083842, -86.810626578595
Inspector	Drew Hubbard
Date	2018-08-08
Time	14:50
Facility Type	Pool
Facility Name	Mountainview Aquatic Club
Facility Street Address	4633 Oak Drive Gardendale, AL 35071
Reason For Not Inspecting	We don't inspect pools

Decatur Hwy Transmission, 2018-08-02

Created	2018-08-02 17:44:51 UTC by Drew Hubbard
Updated	2018-08-02 17:56:53 UTC by Drew Hubbard
Location	33.6822591133337, -86.8210646603517

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	12:44
Facility Name	Decatur Hwy Transmission
Facility Type	Mechanic
Municipal Business License #	2018-2423
Facility Street Address	2430 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056312767
Facility Contact Name	Donna Rayburn
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Transmission fluid
------------------------------------	--------------------

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	New Transmission fluid comes in plastic quart bottles
General comments/items of concern not mentioned	250 gallon plastic container ofused transmission fluid, that gets pumped as needed

Photos



Google Map image of facility

N/A

Murphy USA #6891, 2018-07-24

Created	2018-07-24 18:05:40 UTC by Drew Hubbard
Updated	2018-07-24 18:33:54 UTC by Drew Hubbard
Location	33.6486254895368, -86.8242912651656

General Info

Inspector	Drew Hubbard
Date	2018-07-24
Time	13:05
Facility Name	Murphy USA #6891
Facility Type	Gas Station
Municipal Business License #	2018-1205
Facility Street Address	916 Odum Rd Gardendale, AL 35071
Facility Phone Number	2056083699
Facility Contact Name	Alicia Mauldin
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	2-20,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Tidewell Lawn Care, 2018-08-08

Created	2018-08-08 17:52:07 UTC by Drew Hubbard
Updated	2018-08-08 17:54:18 UTC by Drew Hubbard
Location	33.6422649145153, -86.8589460272857
Inspector	Drew Hubbard
Date	2018-08-08
Time	12:52
Facility Type	Landscape Services
Facility Name	Tidewell Lawn Care
Facility Street Address	695 Longwood Way Gardendale, AL 35071
Reason For Not Inspecting	Just mowing Company out of home

Advanced Lawn, 2018-08-01

Created	2018-08-01 19:51:06 UTC by Drew Hubbard
Updated	2018-08-01 19:52:52 UTC by Drew Hubbard
Location	33.6739576417363, -86.8182841828586
Inspector	Drew Hubbard
Date	2018-08-01
Time	14:51
Facility Type	Landscape Services
Facility Name	Advanced Lawn
Facility Street Address	163 Gamble Circle Gardendale, AL 35071
Reason For Not Inspecting	Nothing but lawn mowers, no maintenance on them

Fieldstown Chevron , 2018-07-18

Created	2018-07-18 16:22:01 UTC by Drew Hubbard
Updated	2018-07-18 16:32:29 UTC by Drew Hubbard
Location	33.6520117787662, -86.8217067746786

General Info

Inspector	Drew Hubbard
Date	2018-07-18
Time	11:22
Facility Name	Fieldstown Chevron
Facility Type	Gas Station
Municipal Business License #	2018-1248
Facility Street Address	565 Fieldstown Rd Gardendale, AL 35071
Facility Phone Number	2056083619
Facility Contact Name	Meg Shrestha
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	Three- 12,018 and One-2,005 gallons
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Mt. Olive Chevron , 2018-08-02

Created	2018-08-02 19:53:29 UTC by Drew Hubbard
Updated	2018-08-02 20:03:18 UTC by Drew Hubbard
Location	33.6734842654117, -86.8360507110507

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	14:53
Facility Name	Mt. Olive Chevron
Facility Type	Gas Station
Municipal Business License #	2018-1356
Facility Street Address	2251 Mount Olive Rd Gardendale, AL 35117
Facility Phone Number	2056319132
Facility Contact Name	Cheryl Little
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	One 12,000 and Two 8,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Crenshaw's lawn care services , 2018-08-01

Created	2018-08-01 19:55:13 UTC by Drew Hubbard
Updated	2018-08-01 19:56:44 UTC by Drew Hubbard
Location	33.6738742215389, -86.8182125430845
Inspector	Drew Hubbard
Date	2018-08-01
Time	14:55
Facility Type	Landscape Services
Facility Name	Crenshaw's lawn care services
Facility Street Address	4711 Long wood Circle Gardendale, AL 35071
Reason For Not Inspecting	Just mowers, no maintenance

Gardendale Fuel Depot, 2018-07-24

Created	2018-07-24 19:02:56 UTC by Drew Hubbard
Updated	2018-07-24 19:09:44 UTC by Drew Hubbard
Location	33.6802029476534, -86.8227193102265

General Info

Inspector	Drew Hubbard
Date	2018-07-24
Time	14:02
Facility Name	Gardendale Fuel Depot
Facility Type	Gas Station
Municipal Business License #	2018-1207
Facility Street Address	2408 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056083824
Facility Contact Name	Sam
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	4-4,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Mr. B's \$5 Express, 2018-08-10

Created	2018-08-10 17:02:49 UTC by Drew Hubbard
Updated	2018-08-10 17:13:49 UTC by Drew Hubbard
Location	33.6510113125823, -86.8201024910923

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-10
Time	12:02
Facility Name	Mr. B's \$5 Express
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	2018-1345
Facility Street Address	2320 Caufield Dr Gardendale, AL 35071
Facility Phone Number	2052859600
Facility Contact Name	Shane Blackwell
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	Berms are placed around it

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Storm drain
What fluids are being used/stored?	Soap, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	16

Degreaser

Where is the degreaser being stored?	Inside
--------------------------------------	--------

Wax

Where is the wax being stored?	Inside
--------------------------------	--------

What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	30
How many containers?	3

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	30
How many containers?	4

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Mike's Handy Food Mart, 2018-07-31

Created	2018-07-31 17:18:25 UTC by Drew Hubbard
Updated	2018-07-31 17:26:08 UTC by Drew Hubbard
Location	33.6362981371318, -86.8063649668407

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-07-31
Time	12:18
Facility Name	Mike's Handy Food Mart
Facility Type	Gas Station
Municipal Business License #	2018-1210
Facility Street Address	439 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056312954
Facility Contact Name	Kathy and Dennis Robinson
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	Three 8,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Fieldstown Shell, 2018-07-18

Created	2018-07-18 18:08:25 UTC by Drew Hubbard
Updated	2018-07-18 18:34:03 UTC by Drew Hubbard
Location	33.6471061212754, -86.83323069085

General Info

Inspector	Drew Hubbard
Date	2018-07-18
Time	13:08
Facility Name	Fieldstown Shell
Facility Type	Gas Station
Municipal Business License #	2018-826
Facility Street Address	930 Fieldstown Rd Gardendale, AL 35071
Facility Phone Number	2052855400
Facility Contact Name	Raj Kothari
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	Two-12,000 Gallardo ns
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Wesley Design & Landscape Inc., 2018-07-31

Created	2018-07-31 17:16:44 UTC by Drew Hubbard
Updated	2018-07-31 17:17:59 UTC by Drew Hubbard
Location	33.6363615934347, -86.8063495762827
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-07-31
Time	12:16
Facility Type	Landscape Services
Facility Name	Wesley Design & Landscape Inc.
Facility Street Address	435 Decatur Hwy Gardendale, AL 35071
Reason For Not Inspecting	Closed and no longer there

Gardendale Exxon, 2018-07-17

Created	2018-07-17 19:37:36 UTC by Drew Hubbard
Updated	2018-07-17 19:57:02 UTC by Drew Hubbard
Location	33.6523594131191, -86.8105417238617

General Info

Inspector	Drew Hubbard
Date	2018-07-17
Time	14:37
Facility Name	Gardendale Exxon
Facility Type	Gas Station
Municipal Business License #	2018-1915
Facility Street Address	1008 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056081910
Facility Contact Name	Brenda Keith
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	Two-12,000 gallon
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Gardendale Cleaners, 2018-08-03

Created	2018-08-03 16:58:11 UTC by Drew Hubbard
Updated	2018-08-03 17:11:50 UTC by Drew Hubbard
Location	33.6422740159054, -86.8106860794542

General Info

Inspector	Drew Hubbard
Date	2018-08-03
Time	11:58
Facility Name	Gardendale Cleaners
Facility Type	Dry Cleaners
Municipal Business License #	2018-141
Facility Street Address	732 Main St Gardendale, AL 35071
Facility Phone Number	2056319261
Facility Contact Name	Brad Lichtenstein
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	By mop
If a LARGE spill occurs	Berms are placed around it

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Hydrocarbon
-------------------------------	-------------

Chemicals

Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Plastic drum
What size container is the chemical being stored in (gallons)?	5
How many containers?	4

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
---------------------	---

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Hoss Auto, 2018-08-07

Created	2018-08-07 17:03:24 UTC by Drew Hubbard
Updated	2018-08-07 17:16:18 UTC by Drew Hubbard
Location	33.6517528857779, -86.8141197154207

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-07
Time	12:03
Facility Name	Hoss Auto
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-1022
Facility Street Address	309 Fieldstown Rd Gardendale, AL 35071
Facility Phone Number	2056314672
Facility Contact Name	Phillip Holcombe
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Hand Landscaping , 2018-08-09

Created	2018-08-09 20:19:35 UTC by Drew Hubbard
Updated	2018-08-09 20:21:23 UTC by Drew Hubbard
Location	33.6478594228125, -86.829851868954
Inspector	Drew Hubbard
Date	2018-08-09
Time	15:19
Facility Type	Landscape Services
Facility Name	Hand Landscaping
Facility Street Address	2239 Franklin Drive Gardendale, AL 35071
Reason For Not Inspecting	No chemicals being used

A-1 Pest Control Services, 2018-08-08

Created	2018-08-08 18:53:11 UTC by Drew Hubbard
Updated	2018-08-08 18:54:46 UTC by Drew Hubbard
Location	33.6588895556211, -86.8120532778895
Inspector	Drew Hubbard
Date	2018-08-08
Time	13:53
Facility Type	Pest Control
Facility Name	A-1 Pest Control Services
Facility Street Address	345 Donna Drive Gardendale, AL 35071
Reason For Not Inspecting	A-1 is no longer at this address

J AND R AUTOMOTIVE AND TIRE SVC, 2018-08-02

Created	2018-08-02 16:11:46 UTC by Drew Hubbard
Updated	2018-08-02 16:27:51 UTC by Drew Hubbard
Location	33.6640842833904, -86.8139664989144

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	11:11
Facility Name	J AND R AUTOMOTIVE AND TIRE SVC
Facility Type	Mechanic
Municipal Business License #	00000
Facility Street Address	1609 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	205631882
Facility Contact Name	Bobby Hale
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil, Used antifreeze
------------------------------------	---------------------------

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	2

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	250

How many containers?

1

MISCELLANEOUS

Overall cleanliness

Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity

A LOT OF OLD TIRES STACKED UP AROUND BUILDING

Photos



Google Map image of facility

N/A

Microtel Inn & Suites, 2018-08-08

Created	2018-08-08 18:19:57 UTC by Drew Hubbard
Updated	2018-08-08 18:21:37 UTC by Drew Hubbard
Location	33.6490540352983, -86.8107860385298
Inspector	Drew Hubbard
Date	2018-08-08
Time	13:19
Facility Type	Hotel
Facility Name	Microtel Inn & Suites
Facility Street Address	925 Main St Gardendale, AL 35071
Reason For Not Inspecting	We don't inspect Hotels

Gardendale Coin Car Wash, 2018-07-31

Created	2018-07-31 17:04:36 UTC by Drew Hubbard
Updated	2018-07-31 17:11:28 UTC by Drew Hubbard
Location	33.6342541305075, -86.8059856867974

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-07-31
Time	12:04
Facility Name	Gardendale Coin Car Wash
Facility Type	Car Wash
Municipal Business License #	???
Facility Street Address	337 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	0
Facility Contact Name	??????
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Tri-weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	No
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Car Wash

Car wash type?	Do-it-yourself
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Degreaser, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum

What size container is the degreaser being stored in (gallons)?	55
How many containers?	1

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	55
How many containers?	1


Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility N/A

Adair Tire LLC, 2018-08-02

Created	2018-08-02 19:39:25 UTC by Drew Hubbard
Updated	2018-08-02 19:46:43 UTC by Drew Hubbard
Location	33.6779769765909, -86.8193928713955

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-02
Time	14:39
Facility Name	Adair Tire LLC
Facility Type	Mechanic
Municipal Business License #	2018-2511
Facility Street Address	2253 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056310042
Facility Contact Name	Adam Adair
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	250
How many containers?	1

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500

How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Soaps and Suds, 2018-08-09

Created	2018-08-09 19:51:42 UTC by Drew Hubbard
Updated	2018-08-09 19:59:01 UTC by Drew Hubbard
Location	33.6418022559948, -86.7979882876468

General Info

Inspector	Drew Hubbard
Date	2018-08-09
Time	14:51
Facility Name	Soaps and Suds
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	0000
Facility Street Address	442 Tarrant Rd Gardendale, AL 35071
Facility Phone Number	2056088200
Facility Contact Name	Val Jackson
Facility Contact Title	Assistant Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	Berms are placed around it

Car Wash

Car wash type?	Hand Wash
Is the used water processed through a filtration system?	No
Used water drains to where?	Storm drain
What fluids are being used/stored?	Soap, Degreaser

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum

What size container is the degreaser being stored in (gallons)? 55

How many containers? 1

MISCELLANEOUS

Waste containers provided and used? Yes

What kind of container? Dumpster(s)

How often is it/are they emptied? Weekly

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Pep Boys Auto Service and Tires #1586, 2018-08-10

Created	2018-08-10 17:27:27 UTC by Drew Hubbard
Updated	2018-08-10 17:40:42 UTC by Drew Hubbard
Location	33.6550006620479, -86.8115423002514

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-10
Time	12:27
Facility Name	Pep Boys Auto Service and Tires #1586
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-1537
Facility Street Address	1210 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056312344
Facility Contact Name	Jason Heacox
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	250
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1


Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Gardendale Chevron , 2018-07-24

Created	2018-07-24 19:16:59 UTC by Drew Hubbard
Updated	2018-07-24 19:29:20 UTC by Drew Hubbard
Location	33.6547560311704, -86.8117595989603

General Info

Inspector	Drew Hubbard
Date	2018-07-24
Time	14:16
Facility Name	Gardendale Chevron
Facility Type	Gas Station
Municipal Business License #	2018-1663
Facility Street Address	1130 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056313711
Facility Contact Name	Sim
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-8,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

S&K Services , 2018-07-31

Created	2018-07-31 16:42:35 UTC by Drew Hubbard
Updated	2018-07-31 16:51:04 UTC by Drew Hubbard
Location	33.6338687285992, -86.8063672438188

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-07-31
Time	11:42
Facility Name	S&K Services
Facility Type	Mechanic
Municipal Business License #	2018-762
Facility Street Address	332 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056080061
Facility Contact Name	Scott
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil, New oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	5
How many containers?	8

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250

How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Jaz and Jen , 2018-07-31

Created	2018-07-31 19:13:54 UTC by Drew Hubbard
Updated	2018-07-31 19:20:47 UTC by Drew Hubbard
Location	33.6411439199029, -86.8069189395636

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-07-31
Time	14:13
Facility Name	Jaz and Jen
Facility Type	Gas Station
Municipal Business License #	2018-1341
Facility Street Address	701 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056084469
Facility Contact Name	Sing
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	Three-8,000 gallon tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

DC Scientific Pest Control , 2018-07-31

Created	2018-07-31 16:54:53 UTC by Drew Hubbard
Updated	2018-07-31 17:02:32 UTC by Drew Hubbard
Location	33.6345365655312, -86.8066512830446

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-07-31
Time	11:54
Facility Name	DC Scientific Pest Control
Facility Type	Pest Control
Municipal Business License #	2018-1100
Facility Street Address	416 Decatur Hwy Gardendale, AL 35071
Facility Phone Number	2056632260
Facility Contact Name	Kami Wise
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	Onsite
---	--------

Chemicals

What chemical is used/stored?	Pesticides
-------------------------------	------------

Pesticides

Where is the pesticide being stored	Inside
What kind of container is the pesticide being stored in?	Plastic drum
What size container is the pesticide being stored in (gallons)?	1 gallon
How many containers?	20

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
---------------------	--

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Homewood

Conveyco Manufacturing Co, 2018-08-10

Created	2018-08-10 19:20:47 UTC by Jonika Smith
Updated	2018-08-10 19:36:57 UTC by Jonika Smith
Location	33.4439809575425, -86.8444226601382
Inspector	Jonika Smith
Date	2018-08-10
Time	14:20
Facility Type	Transfer station
Facility Name	Conveyco Manufacturing Co
Facility Street Address	167 Distribution Drive Homewood, AL 35209
Reason For Not Inspecting	Steel chains for lumber Co.

Chevron , 2018-08-30

Created	2018-08-30 16:40:33 UTC by Jonika Smith
Updated	2018-08-30 16:52:06 UTC by Jonika Smith
Location	33.4741359301055, -86.8077831390665

General Info

Inspector	Jonika Smith
Date	2018-08-30
Time	11:40
Facility Name	Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	8248
Facility Street Address	100 Evergreen Ave Homewood, AL 35209
Facility Phone Number	2058793836
Facility Contact Name	AL
Facility Contact Title	Employee

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Spill prevention kit
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	2-6,000gal
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Mills Distribution of Bham, 2018-08-10

Created	2018-08-10 19:50:18 UTC by Jonika Smith
Updated	2018-08-10 19:51:42 UTC by Jonika Smith
Location	33.4443108287574, -86.843473735625
Inspector	Jonika Smith
Date	2018-08-10
Time	14:50
Facility Type	Distribution Ctr for Glass
Facility Name	Mills Distribution of Bham
Facility Street Address	141 Distribution Dr Homewood, AL 35209
Reason For Not Inspecting	Distributes glass products for shipping

Monarch Cleaners, 2018-07-17

Created	2018-07-17 17:45:25 EDT by Scott Hofer
Updated	2018-08-31 12:07:40 EDT by Scott Hofer
Location	33.46176, -86.812651

General Info

Inspector	Scott Hofer
Date	2018-07-17
Time	16:45
Facility Name	Monarch Cleaners
Facility Type	Dry Cleaners
Municipal Business License #	1287
Facility Street Address	903 Broadway Street Homewood , Alabama 35209
Facility Phone Number	2058797882
Facility Contact Name	Mark Diciara
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Don't have own garbage. Share garbage with next door business
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Unknown. The machine is sealed
If a LARGE spill occurs	Unknown. Never had a large spill

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Kwik Dri 66 (unknown chemical makeup)
-------------------------------	---------------------------------------

Chemicals

Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Inside machine
What size container is the chemical being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
---------------------	---

Are there any other potentially hazardous items not already addressed?

No

General comments/items of concern not mentioned

Doesn't store product on site. Has a company that comes and refills the machine when needed.

Photos



Google Map image of facility

N/A

Hunter's Cleaners , 2018-08-02

Created	2018-08-02 20:13:31 UTC by Jonika Smith
Updated	2018-08-02 20:21:51 UTC by Jonika Smith
Location	33.4781439967897, -86.7883754973898

General Info

Inspector	Jonika Smith
Date	2018-08-02
Time	15:13
Facility Name	Hunter's Cleaners
Facility Type	Dry Cleaners
Facility Street Address	1915 Oxmoor Rd Homewood, AL 35209
Facility Phone Number	2058716131
Facility Contact Name	Winston
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	Berms are placed around it

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Petroleum based
-------------------------------	-----------------


Chemicals

Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Plastic drum
What size container is the chemical being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Turnbull Automotive, 2018-09-17

Created	2018-09-17 20:48:24 UTC by Drew Hubbard
Updated	2018-09-17 20:49:32 UTC by Drew Hubbard
Location	33.4650970267855, -86.8369364893921
Inspector	Drew Hubbard
Date	2018-09-17
Time	15:48
Facility Type	Automotive Dealer
Facility Name	Turnbull Automotive
Facility Street Address	195 W Valley Ave Homewood, AL 35209
Reason For Not Inspecting	Out of Business

Digital Concrete , 2018-08-30

Created	2018-08-30 17:05:56 UTC by Jonika Smith
Updated	2018-08-30 17:06:32 UTC by Jonika Smith
Location	33.4658346775909, -86.8325156343782
Inspector	Jonika Smith
Date	2018-08-30
Time	12:05
Facility Type	Retail
Facility Name	Digital Concrete
Facility Street Address	200 Summit Pkwy Homewood, AL 35209
Reason For Not Inspecting	Retail

Applied machine and tooling, 2018-08-17

Created	2018-08-17 17:41:24 UTC by Jonika Smith
Updated	2018-08-17 17:45:33 UTC by Jonika Smith
Location	33.4827144290687, -86.7904664223467
Inspector	Jonika Smith
Date	2018-08-17
Time	12:41
Facility Type	Company sells tools for various mech. vendors
Facility Name	Applied machine and tooling
Facility Street Address	2707 Mamie L Fosters 18th Pl S Homewood, AL 35209
Reason For Not Inspecting	Company sells tools for various mech. vendors

Central Auto Care Inc., 2018-08-08

Created	2018-08-08 15:53:36 EDT by Scott Hofer
Updated	2018-08-08 16:26:56 EDT by Scott Hofer
Location	33.4793236647042, -86.7948925993121

General Info

Inspector	Scott Hofer
Date	2018-08-08
Time	14:53
Facility Name	Central Auto Care Inc.
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	2813 Central Ave Homewood, AL 35209
Facility Phone Number	2058703146
Facility Contact Name	Bob Parker, Jim Parker
Facility Contact Title	And service manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze, Automatic Transmission Fluid, Brake cleaner, Brake Fluid, Wiper fluid
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	1
Comments	Also quarts and cases

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	385
How many containers?	1

New Antifreeze

Where is the new antifreeze being stored?	Inside
What kind of container is the new antifreeze being stored in?	Plastic drum
What size container is the new antifreeze being stored in (gallons)?	1 gallon
How many containers?	6

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	55
How many containers?	2

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Plastic drum
What size container is the new transmission fluid being stored in (gallons)?	1 quart
How many containers?	6
Is used transmission oil mixed in with used oil?	Yes

Brake Cleaner

Where is the new brake cleaner being stored?	Inside
What kind of container is the brake cleaner being stored in?	Aerosol
What size container is the brake cleaner being stored in (gallons)?	10 ounces

Brake Fluid

Where is the new brake fluid being stored?	Inside
What kind of container is the brake fluid being stored in?	Metal drum
What size container is the brake fluid being stored in (gallons)?	1 liter
How many containers?	10
Is used brake fluid mixed in with used oil?	Yes


Wiper Fluid

Where is the new wiper fluid stored?	Inside
What kind of container is the new wiper fluid being stored in?	Plastic drum
How many containers?	6
Comments	1 gallon containers

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Use ZEP but mostly Dawn dish detergent

Photos



Google Map image of facility

N/A

Independent Auto clinic , 2018-09-17

Created	2018-09-17 20:40:36 UTC by Drew Hubbard
Updated	2018-09-17 20:45:28 UTC by Drew Hubbard
Location	33.4636509304054, -86.8391107537919

General Info

Inspector	Drew Hubbard
Date	2018-09-17
Time	15:40
Facility Name	Independent Auto clinic
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	1027
Facility Street Address	170 West Valley Ave Homewood, AL 35209
Facility Phone Number	2059426699
Facility Contact Name	Jimmy
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Debarker Hydraulics Inc., 2018-08-30

Created	2018-08-30 16:30:14 UTC by Jonika Smith
Updated	2018-08-30 16:31:32 UTC by Jonika Smith
Location	33.4789070671115, -86.8013670897651
Inspector	Jonika Smith
Date	2018-08-30
Time	11:30
Facility Type	Retail
Facility Name	Debarker Hydraulics Inc.
Facility Street Address	1422 Clermont Drive Homewood, AL 35209
Reason For Not Inspecting	Retail

Harvard Pest Control, 2018-08-30

Created	2018-08-30 17:20:03 UTC by Jonika Smith
Updated	2018-08-30 21:07:27 UTC by Jonika Smith
Location	33.4857509883237, -86.8218914626008

General Info

Inspector	Jonika Smith
Date	2018-08-30
Time	12:20
Facility Name	Harvard Pest Control
Does this facility have an NPDES permit?	No
Facility Type	Pest Control
Facility Street Address	237 Oxmore circle Homewood , AL 35208
Facility Phone Number	2566891577
Facility Contact Name	Brandon
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	6 months
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Spill prevention kit
If a LARGE spill occurs	The fire department is contacted

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	In Vehicle
---	------------

Chemicals

What chemical is used/stored?	Pesticides
-------------------------------	------------


Pesticides

What kind of container is the pesticide being stored in?	Plastic drum
What size container is the pesticide being stored in (gallons)?	1gal
How many containers?	5

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Auto Chlor Services LLC, 2018-08-29

Created	2018-08-29 16:01:33 EDT by Jonika Smith
Updated	2018-08-31 17:34:51 EDT by Scott Hofer
Location	33.4436024549, -86.8384518776
Inspector	Jonika Smith
Date	2018-08-29
Time	15:01
Facility Type	Retail
Facility Name	Auto Chlor Services LLC
Facility Street Address	317 Snow Dr Homewood, AL 35209
Reason For Not Inspecting	Retail

Krystal Kleen Car Wash, 2018-09-07

Created	2018-09-07 17:22:00 UTC by Drew Hubbard
Updated	2018-09-07 17:27:49 UTC by Drew Hubbard
Location	33.4663857253531, -86.8349902477354

General Info

Inspector	Drew Hubbard
Date	2018-09-07
Time	12:22
Facility Name	Krystal Kleen Car Wash
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	000??? No one on site
Facility Street Address	249 W Valley Ave Homewood, AL 35209
Facility Phone Number	205
Facility Contact Name	???
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	No
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	By mop
If a LARGE spill occurs	Berms are placed around it

Car Wash

Car wash type?	Do-it-yourself
Is the used water processed through a filtration system?	No
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Degreaser, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Metal drum
What size container is the degreaser being stored in (gallons)?	55
How many containers?	1

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	55
How many containers?	1

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Lowe's Home Centers LLC, 2018-08-24

Created	2018-08-24 13:22:13 EDT by Jonika Smith
Updated	2018-08-31 17:37:52 EDT by Scott Hofer
Location	33.445163, -86.831102
Inspector	Jonika Smith
Date	2018-08-24
Time	12:22
Facility Type	Retail
Facility Name	Lowe's Home Centers LLC
Facility Street Address	375 State Farm Pkwy Homewood, AL 35209
Reason For Not Inspecting	Retail Supply Store

Barber's Dairy, 2018-08-21

Created	2018-08-21 19:06:54 UTC by Jonika Smith
Updated	2018-08-21 19:10:51 UTC by Jonika Smith
Location	33.459056683895, -86.8372554006576

General Info

Inspector	Jonika Smith
Date	2018-08-21
Time	14:06
Facility Name	Barber's Dairy
Does this facility have an NPDES permit?	Yes
Facility Type	Dairy
NPDES Permit	ALG150072
Facility Street Address	36 Barber Ct Homewood, AL 35209
Facility Phone Number	2059430333
Facility Contact Name	Doug Hampton
Facility Contact Title	Environmental Health & Safety Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Cummins-Allison Corporation, 2018-08-29

Created	2018-08-29 19:38:00 UTC by Jonika Smith
Updated	2018-08-30 16:32:13 UTC by Jonika Smith
Location	33.4528140497514, -86.8385505097263
Inspector	Jonika Smith
Date	2018-08-29
Time	14:38
Facility Type	Retail
Facility Name	Cummins-Allison Corporation
Facility Street Address	232 Oxmoor Cir Homewood, AL 35209
Reason For Not Inspecting	Retail

Batteries Plus, 2018-08-31

Created	2018-08-31 19:31:12 UTC by Jonika Smith
Updated	2018-08-31 19:32:23 UTC by Jonika Smith
Location	33.4632414349651, -86.8279875265751
Inspector	Jonika Smith
Date	2018-08-31
Time	14:31
Facility Type	Retail
Facility Name	Batteries Plus
Facility Street Address	224 Oxmoor Blvd Homewood, AL 35209
Reason For Not Inspecting	Retail

American Pool Service Co., 2018-08-17

Created	2018-08-17 17:03:50 UTC by Jonika Smith
Updated	2018-08-17 17:04:59 UTC by Jonika Smith
Location	33.4841689399467, -86.7925001084396
Inspector	Jonika Smith
Date	2018-08-17
Time	12:03
Facility Type	Retail, Pool Service Co.
Facility Name	American Pool Service Co.
Facility Street Address	2552 18th St S Homewood, AL 35209
Reason For Not Inspecting	Vendor sales product & does no work onsite

Oxmoor Automotive , 2018-07-20

Created	2018-07-20 16:17:00 EDT by Scott Hofer
Updated	2018-07-24 17:20:59 EDT by Scott Hofer
Location	33.4614615767542, -86.8287142564022

General Info

Inspector	Juwan Murphy, Scott Hofer
Date	2018-07-20
Time	15:17
Facility Name	Oxmoor Automotive
Facility Type	Mechanic
Municipal Business License #	0593
Facility Street Address	184 Oxmoor Rd Homewood, AL 35209
Facility Phone Number	2059424141
Facility Contact Name	Russ Hepp
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze
------------------------------------	--

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1-55 gal synthetic and 1-55 gal blend
How many containers?	2

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	275

How many containers?	1
Is there a berm around it?	No
Is it covered?	No

New Antifreeze

Where is the new antifreeze being stored?	Inside
What kind of container is the new antifreeze being stored in?	Gallon plastic jugs
What size container is the new antifreeze being stored in (gallons)?	1
How many containers?	100


Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Big #1 Motorsports, 2018-09-06

Created	2018-09-06 17:33:22 UTC by Drew Hubbard
Updated	2018-09-06 17:48:36 UTC by Drew Hubbard
Location	33.4617885371671, -86.8263571972804

General Info

Inspector	Drew Hubbard
Date	2018-09-06
Time	12:33
Facility Name	Big #1 Motorsports
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	1410
Facility Street Address	505 Cobb St Homewood, AL 35209
Facility Phone Number	2059423313
Facility Contact Name	Jeff
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	7

Used Oil


Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	1

Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

American Merchandising Inc., 2018-08-17

Created	2018-08-17 16:40:46 UTC by Jonika Smith
Updated	2018-08-17 17:05:05 UTC by Jonika Smith
Location	33.444722657304, -86.8456707521228
Inspector	Jonika Smith
Date	2018-08-17
Time	11:40
Facility Type	Retail
Facility Name	American Merchandising Inc.
Facility Street Address	224-282 Distribution Dr Homewood, AL 35209
Reason For Not Inspecting	Vendor sales package items: chips & soda cans

Biscuit Leather Company, 2018-08-28

Created	2018-08-28 19:27:51 UTC by Jonika Smith
Updated	2018-08-28 19:28:49 UTC by Jonika Smith
Location	33.480971361868, -86.7955690380826
Inspector	Jonika Smith
Date	2018-08-28
Time	14:27
Facility Type	Retail
Facility Name	Biscuit Leather Company
Facility Street Address	2757 B.M. Montgomery St Homewood, AL 35209
Reason For Not Inspecting	Retail shop

Stewart Lubricant and Service , 2018-09-14

Created	2018-09-14 18:09:02 UTC by Drew Hubbard
Updated	2018-09-14 18:22:30 UTC by Drew Hubbard
Location	33.4468683870789, -86.8445387288525

General Info

Inspector	Drew Hubbard
Date	2018-09-14
Time	13:09
Facility Name	Stewart Lubricant and Service
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-2903
Facility Street Address	144 Citation Ct Homewood, AL 35209
Facility Phone Number	2059454991
Facility Contact Name	Butch
Facility Contact Title	Service Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri, By mop
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, EP-Greases
------------------------------------	-------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	7

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Transmission Oil
What size container is the used oil being stored in (gallons)?	240
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Inside and I put all the sizes in the comments below
General comments/items of concern not mentioned	Stewart's also has used GREASE that they store onsite and sale. They have 16-500 gallon metal containers, 72- 5 gallon plastic buckets, and 28- 3 gallon plastic buckets of grease.

Photos



Google Map image of facility

N/A

Valley Cleaners , 2018-08-02

Created	2018-08-02 19:44:25 UTC by Jonika Smith
Updated	2018-08-02 20:04:07 UTC by Jonika Smith
Location	33.4751495007004, -86.7981051926599

General Info

Inspector	Jonika Smith
Date	2018-08-02
Time	14:44
Facility Name	Valley Cleaners
Facility Type	Dry Cleaners
Municipal Business License #	18018672
Facility Street Address	1625 Oxmoor Rd Homewood, AL 35209
Facility Phone Number	2058711576
Facility Contact Name	Taylor
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	The fire department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Petroleum based products 1gal & 50gal drum
-------------------------------	--

Chemicals


Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Metal drum
What size container is the chemical being stored in (gallons)?	50gal
How many containers?	20

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
---------------------	---

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Tire Engineers, 2018-07-20

Created	2018-07-20 15:40:25 EDT by Scott Hofer
Updated	2018-07-20 16:08:08 EDT by Scott Hofer
Location	33.4666394295214, -86.8219588725623

General Info

Inspector	Scott Hofer, Jonika Smith
Date	2018-07-20
Time	14:40
Facility Name	Tire Engineers
Facility Type	Mechanic
Municipal Business License #	N/A
Facility Street Address	215 Green Springs Hwy Homewood, AL 35209
Facility Phone Number	2059426684
Facility Contact Name	Ethan
Facility Contact Title	Store Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Soak pads & abortant
If a LARGE spill occurs	Will call corporate office first on retainer

Maintenance Center

What fluids are being used/stored?	Used oil, New oil, Wiper fluid
------------------------------------	--------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	500
How many containers?	2

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1000

How many containers?	2
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

\$10 Wash & Vacuum Unlimited Time, 2018-09-17

Created	2018-09-17 20:12:51 UTC by Drew Hubbard
Updated	2018-09-17 20:22:14 UTC by Drew Hubbard
Location	33.4837525593961, -86.7905169487981

General Info

Inspector	Drew Hubbard
Date	2018-09-17
Time	15:12
Facility Name	\$10 Wash & Vacuum Unlimited Time
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	0000000
Facility Street Address	1812 27th Ave South Homewood, AL 35209
Facility Phone Number	205000000
Facility Contact Name	\$10 Wash & Vacuum Unlimited Time
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	No
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Car Wash

Car wash type?	Do-it-yourself
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Degreaser, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	2

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	55
How many containers?	2

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	55
How many containers?	2

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	55
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Jim & Jim Motors, 2018-07-31

Created	2018-07-31 19:43:13 UTC by Jonika Smith
Updated	2018-07-31 20:02:23 UTC by Jonika Smith
Location	33.4814947035635, -86.792294601483

General Info

Inspector	Jonika Smith, Scott Hofer
Date	2018-07-31
Time	14:43
Facility Name	Jim & Jim Motors
Facility Type	Mechanic
Municipal Business License #	6222
Facility Street Address	1724 27th Ct S Homewood, AL 35209
Facility Phone Number	2058795151
Facility Contact Name	Richard Harsh
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil dry
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Brake cleaner, Wiper fluid
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
------------------------------------	--------

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1000
How many containers?	1

New Antifreeze

Where is the new antifreeze being stored?	Inside
---	--------

What kind of container is the new antifreeze being stored in? Plastic drum

How many containers? 12


MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? No

General comments/items of concern not mentioned Wiper fluid 55gal stored onsite and transmission fluid

Photos



Google Map image of facility

N/A

Rob'e mans, 2018-07-30

Created	2018-07-30 14:12:18 EDT by Scott Hofer
Updated	2018-08-02 19:10:29 EDT by Scott Hofer
Location	33.4833060193625, -86.7915931455545

General Info

Inspector	Scott Hofer, Juwan Murphy
Date	2018-07-30
Time	13:12
Facility Name	Rob'e mans
Facility Type	Mechanic
Municipal Business License #	1632
Facility Street Address	2600 18th Street South Homewood, AL 35209
Facility Phone Number	2058701909
Facility Contact Name	Eddie Cleveland
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire, Monthly
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	Call EPA

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze, Brake cleaner, Wiper fluid
------------------------------------	--

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	275
How many containers?	1
Is there a berm around it?	No
Is it covered?	Yes

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum

What size container is the used oil being stored in (gallons)? 275

How many containers? 1

New Antifreeze

Where is the new antifreeze being stored? Inside

What kind of container is the new antifreeze being stored in? Plastic drum

What size container is the new antifreeze being stored in (gallons)? 1

How many containers? 30

Used Antifreeze

Where is the used antifreeze being stored? Inside

What kind of container is the used antifreeze being stored in? Metal drum

What size container is the used antifreeze being stored in (gallons)? 55

How many containers? 3


MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity Brake cleaner 55gal metal inside; old antifreeze 55gal metal inside;gear oil-55gal metal inside; new transmission oil 55gal metal inside. 55

Photos



Google Map image of facility

N/A

Express Oil Change , 2018-09-10

Created	2018-09-10 15:48:35 EDT by Drew Hubbard
Updated	2018-09-18 09:58:06 EDT by Scott Hofer
Location	33.4830174483, -86.7767317188

General Info

Inspector	Drew Hubbard
Date	2018-09-10
Time	14:48
Facility Name	Express Oil Change
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2357
Facility Street Address	407 Hollywood Blvd Homewood, AL 35209
Facility Phone Number	2058793887
Facility Contact Name	Roy
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1-1500 1-1000 2-500
How many containers?	4

Used Oil


Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	500
How many containers?	2

Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Southland International Trucks, 2018-09-14

Created	2018-09-14 17:20:59 UTC by Drew Hubbard
Updated	2018-09-14 17:50:26 UTC by Drew Hubbard
Location	33.463349343871, -86.8291184533636

General Info

Inspector	Drew Hubbard
Date	2018-09-14
Time	12:20
Facility Name	Southland International Trucks
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-6705
Facility Street Address	200 Oxmoor Blvd Homewood, AL 35209
Facility Phone Number	2059426226
Facility Contact Name	Drew Linn
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Used oil, Degreaser, New oil
------------------------------------	------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	3 gallon plastic containers
How many containers?	70

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	2


Degreaser

Where is the new degreaser being stored?	Inside
What kind of container is the new degreaser being stored in?	Metal drum
What size container is the new degreaser being stored in (gallons)?	55
How many containers?	9

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Watkins cleaners, 2018-07-31

Created	2018-07-31 20:05:28 UTC by Jonika Smith
Updated	2018-07-31 20:27:28 UTC by Jonika Smith
Location	33.4803073651984, -86.7940871809864

General Info

Inspector	Jonika Smith, Scott Hofer
Date	2018-07-31
Time	15:05
Facility Name	Watkins cleaners
Facility Type	Dry Cleaners
Municipal Business License #	9425
Facility Street Address	1715 28th Ave S Homewood, AL 35209
Facility Phone Number	2058797951
Facility Contact Name	Johnny Watkins
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	The fire department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Petroleum based
-------------------------------	-----------------

Chemicals

Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Plastic drum
What size container is the chemical being stored in (gallons)?	100 gal
How many containers?	2


MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes

General comments/items of concern not mentioned

Inside mineral spirits 5gals

Photos



Google Map image of facility

N/A

SiteOne Landscaping Supply , 2018-08-10

Created	2018-08-10 20:01:48 UTC by Jonika Smith
Updated	2018-08-10 21:00:26 UTC by Jonika Smith
Location	33.4444057755274, -86.8426403532421

General Info

Inspector	Jonika Smith
Date	2018-08-10
Time	15:01
Facility Name	SiteOne Landscaping Supply
Does this facility have an NPDES permit?	No
Facility Type	Landscape Services
Municipal Business License #	8713
Facility Street Address	121 Distribution Dr Homewood, AL 35209
Facility Phone Number	2052900100
Facility Contact Name	Anthony Freeman
Facility Contact Title	Customer Service Rep

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Written instructions, Video instructions
If trained, how often?	Annually
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	Call Environmental Co & Management

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	Onsite
---	--------

Chemicals

What chemical is used/stored?	Fertilizers, Chemicals, irrigation, outdoor lighting
-------------------------------	--

Fertilizers


Where is the fertilizer being stored	Inside
What kind of container is the fertilizer being stored in?	Bags & containers
What size container is the fertilizer being stored in (gallons)?	25-50 lbs bags fertilizer, 6ounce bottle-55gal drum plastic containers
How many containers?	10

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Mayfield Dairy Farms Inc., 2018-08-21

Created	2018-08-21 19:10:54 UTC by Jonika Smith
Updated	2018-08-21 19:14:30 UTC by Jonika Smith
Location	33.4590594388083, -86.8372541282442

General Info

Inspector	Jonika Smith
Date	2018-08-21
Time	14:10
Facility Name	Mayfield Dairy Farms Inc.
Does this facility have an NPDES permit?	Yes
Facility Type	Dairy
NPDES Permit	ALG150072
Facility Street Address	126 Barber Court Homewood , Alabama 35209
Facility Phone Number	2059430333
Facility Contact Name	Doug Hampton
Facility Contact Title	Environmental Health & Safety Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Firestone Complete Autocare, 2018-07-13

Created	2018-07-13 15:25:42 EDT by Scott Hofer
Updated	2018-07-13 17:25:13 EDT by Scott Hofer
Location	33.4624526234549, -86.8198320538833

General Info

Inspector	Scott Hofer
Date	2018-07-13
Time	14:25
Facility Name	Firestone Complete Autocare
Facility Type	Mechanic
Municipal Business License #	1429
Facility Street Address	460 Green Springs Hwy Homewood, AL 35209
Facility Phone Number	2059422370
Facility Contact Name	Adrian Rice
Facility Contact Title	Store manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Quarterly
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Toolbox absorbent pads and absorbing socks
If a LARGE spill occurs	Call a local environmental service to clean it up

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze, Brake cleaner, Wiper fluid
------------------------------------	--

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	4-110gal and 1-500gal
How many containers?	5

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	300

How many containers? 1

New Antifreeze

Where is the new antifreeze being stored? Inside

What kind of container is the new antifreeze being stored in? Plastic drum

What size container is the new antifreeze being stored in (gallons)? 1

How many containers? 100

Used Antifreeze

Where is the used antifreeze being stored? Inside

What kind of container is the used antifreeze being stored in? Metal drum

What size container is the used antifreeze being stored in (gallons)? 300

How many containers? 1

MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity
Used brake fluid is held in 55 gallon drum and called when filled

Photos



Google Map image of facility N/A

Omega Tires, 2018-08-24

Created	2018-08-24 19:17:23 UTC by Jonika Smith
Updated	2018-08-24 19:18:19 UTC by Jonika Smith
Location	33.4589740594573, -86.8163731613005
Inspector	Jonika Smith
Date	2018-08-24
Time	14:17
Facility Type	Tire changing shop
Facility Name	Omega Tires
Facility Street Address	833 Green Springs Hwy Homewood, AL 35209
Reason For Not Inspecting	Tire vendor no chemicals onsite

Express oil , 2018-07-30

Created	2018-07-30 14:49:31 EDT by Scott Hofer
Updated	2018-08-02 17:02:57 EDT by Scott Hofer
Location	33.481560683566, -86.7929170039276

General Info

Inspector	Scott Hofer, Juwan Murphy
Date	2018-07-30
Time	13:49
Facility Name	Express oil
Facility Type	Mechanic
Municipal Business License #	2255
Facility Street Address	1717 27th Ct S Homewood, AL 35209
Facility Phone Number	2058794499
Facility Contact Name	Tim Jasper
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire, Every two years
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri, Sausage mats
If a LARGE spill occurs	Berms are placed around it, Call EPA

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze, Brake cleaner
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	Multiple sizes (1.25gal,55gal, quarts,5 gallon)
How many containers?	99

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1000

How many containers?	2
----------------------	---

New Antifreeze

Where is the new antifreeze being stored?	Inside
---	--------

What kind of container is the new antifreeze being stored in?	Plastic drum
---	--------------

What size container is the new antifreeze being stored in (gallons)?	1
--	---

How many containers?	25
----------------------	----

Used Antifreeze

Where is the used antifreeze being stored?	Outside
--	---------

What kind of container is the used antifreeze being stored in?	Plastic drum
--	--------------

What size container is the used antifreeze being stored in (gallons)?	100
---	-----

How many containers?	1
----------------------	---

Is there a berm around it?	No
----------------------------	----

Is it covered?	No
----------------	----


MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
---------------------	---

Are there any other potentially hazardous items not already adressed?	Yes
---	-----

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Transmission fluid 2-55gal inside;wiper fluid 1-55gal inside; brake fluid multiple 35 ounce plastic inside ; degreaser 30 gallon plastic inside; all oils and fluid except antifreeze goes in used oil.
---	---

Photos



Google Map image of facility

N/A

Pep Boys, 2018-07-13

Created	2018-07-13 14:39:02 EDT by Scott Hofer
Updated	2018-07-13 15:23:30 EDT by Scott Hofer
Location	33.4616248974216, -86.8193331488029

General Info

Inspector	Scott Hofer
Date	2018-07-13
Time	13:39
Facility Name	Pep Boys
Facility Type	Mechanic
Municipal Business License #	10231
Facility Street Address	804 Green Springs Hwy Homewood, AL 35209
Facility Phone Number	2059481233
Facility Contact Name	Joey Smith
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Monthly
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze, Brake cleaner, Wiper fluid
------------------------------------	--

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	250
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	150

How many containers? 2

New Antifreeze

Where is the new antifreeze being stored? Inside

What kind of container is the new antifreeze being stored in? From retail floor

What size container is the new antifreeze being stored in (gallons)? Inside

Used Antifreeze

Where is the used antifreeze being stored? Inside

What kind of container is the used antifreeze being stored in? Metal drum

What size container is the used antifreeze being stored in (gallons)? 150


How many containers? 1

MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? No

Photos



Google Map image of facility N/A

Express Oil Change INC, 2018-09-07

Created	2018-09-07 18:59:53 UTC by Drew Hubbard
Updated	2018-09-07 19:13:41 UTC by Drew Hubbard
Location	33.4654596624479, -86.8376608700769

General Info

Inspector	Drew Hubbard
Date	2018-09-07
Time	13:59
Facility Name	Express Oil Change INC
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2256
Facility Street Address	196 West Valley Ave Homewood, AL 35209
Facility Phone Number	2059458845
Facility Contact Name	Chris Carter
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	4-700 1-250
How many containers?	5

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	3-400
How many containers?	3

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Hatfield Auto Parts & Service, 2018-07-27

Created	2018-07-27 15:54:18 UTC by Jonika Smith
Updated	2018-07-30 15:42:58 UTC by Jonika Smith
Location	33.461933272758, -86.8280040142786

General Info

Inspector	Jonika Smith, Barbara Newman
Date	2018-07-27
Time	10:54
Facility Name	Hatfield Auto Parts & Service
Facility Type	Mechanic
Municipal Business License #	1718
Facility Street Address	190 Oxmoor Road Homewood , Alabama 35209
Facility Phone Number	2058719685
Facility Contact Name	Trent Owner
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Pending the outcome of spill call EMA
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos

AT&T LTE 3:42 PM 69%
Done Hatfield Auto Parts_Service.jpg



Google Map image of facility

N/A

Angus Racing Products, 2018-08-29

Created	2018-08-29 19:53:24 UTC by Jonika Smith
Updated	2018-08-29 19:53:59 UTC by Jonika Smith
Location	33.4531966532422, -86.8394767377173
Inspector	Jonika Smith
Date	2018-08-29
Time	14:53
Facility Type	Retail
Facility Name	Angus Racing Products
Facility Street Address	240 Oxmoor Cir Homewood, AL 35209
Reason For Not Inspecting	Retail

Sherman Williams , 2018-08-22

Created	2018-08-22 12:56:17 EDT by Jonika Smith
Updated	2018-08-31 17:41:39 EDT by Scott Hofer
Location	33.482499, -86.788863
Inspector	Jonika Smith
Date	2018-08-22
Time	11:56
Facility Type	Retail
Facility Name	Sherman Williams
Facility Street Address	2714 19th Steet S Homewood, AL 35209
Reason For Not Inspecting	Retail paint store

Cowboys Jr. (Jack Rabbit), 2018-08-21

Created	2018-08-21 19:52:23 UTC by Jonika Smith
Updated	2018-08-21 20:09:10 UTC by Jonika Smith
Location	33.483787845185, -86.7911151149368

General Info

Inspector	Jonika Smith
Date	2018-08-21
Time	14:52
Facility Name	Cowboys Jr. (Jack Rabbit)
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	1029
Facility Street Address	2614 18th Pl S Homewood, AL 35209
Facility Phone Number	2058703928
Facility Contact Name	Teresa Iabin
Facility Contact Title	Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-10,000ea.
Is there a car wash on-site?	Not used

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

American Imports, 2018-08-28

Created	2018-08-28 19:36:22 UTC by Jonika Smith
Updated	2018-08-28 19:48:43 UTC by Jonika Smith
Location	33.4803294730833, -86.7949623146923

General Info

Inspector	Jonika Smith
Date	2018-08-28
Time	14:36
Facility Name	American Imports
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	3050
Facility Street Address	2726 Central Ave Homewood, AL 35209
Facility Phone Number	2058712044
Facility Contact Name	Steve
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	5
Comments	Antifreeze 5 one gal plastic containers

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	55
How many containers?	5

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Antifreeze inside plastic containers
General comments/items of concern not mentioned	5 55gal metal drums of motor oil onsite

Photos



Google Map image of facility

N/A

Tire Depot, 2018-08-17

Created	2018-08-17 17:20:44 UTC by Jonika Smith
Updated	2018-08-17 17:21:27 UTC by Jonika Smith
Location	33.4834775006766, -86.7909559633278
Inspector	Jonika Smith
Date	2018-08-17
Time	12:20
Facility Type	Tire Shop
Facility Name	Tire Depot
Facility Street Address	2614 Mamie L Fosters 18th Pl S Homewood, AL 35209
Reason For Not Inspecting	Tire changing vendor only

Astral industries inc., 2018-08-10

Created	2018-08-10 19:34:58 UTC by Jonika Smith
Updated	2018-08-10 19:37:01 UTC by Jonika Smith
Location	33.4443701067437, -86.8463000543938
Inspector	Jonika Smith
Date	2018-08-10
Time	14:34
Facility Type	Funeral Service
Facility Name	Astral industries inc.
Facility Street Address	227 Distribution Dr Homewood, AL 35209
Reason For Not Inspecting	Caskets onsite

Crothall laundry services , 2018-08-31

Created	2018-08-31 20:01:37 UTC by Jonika Smith
Updated	2018-08-31 20:32:53 UTC by Jonika Smith
Location	33.4673645700978, -86.775986537377
Inspector	Jonika Smith
Date	2018-08-31
Time	15:01
Facility Type	Retail
Facility Name	Crothall laundry services
Facility Street Address	2010 Brookwood Medical Cry Drive Homewood , Alabama 35209
Reason For Not Inspecting	Office Bldg. Hosp

Continental Carbonic Products, 2018-08-28

Created	2018-08-28 20:04:37 UTC by Jonika Smith
Updated	2018-08-28 20:05:29 UTC by Jonika Smith
Location	33.4478060090319, -86.8464822360314
Inspector	Jonika Smith
Date	2018-08-28
Time	15:04
Facility Type	Retail
Facility Name	Continental Carbonic Products
Facility Street Address	128 Citation Ct Homewood, AL 35209
Reason For Not Inspecting	Retail

National Tire & Battery (NTB), 2018-08-02

Created	2018-08-02 15:54:34 EDT by Scott Hofer
Updated	2018-08-02 16:26:54 EDT by Scott Hofer
Location	33.448200392654, -86.841517935672

General Info

Inspector	Scott Hofer
Date	2018-08-02
Time	14:54
Facility Name	National Tire & Battery (NTB)
Facility Type	Mechanic
Municipal Business License #	2787
Facility Street Address	130 W Oxmoor Rd Homewood, AL 35209
Facility Phone Number	2059422180
Facility Contact Name	Adam Szalankiewicz
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire, Annually
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	Call safety clean company

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze, Brake cleaner, Wiper fluid, Other
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	275
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	275

How many containers? 1

New Antifreeze

Where is the new antifreeze being stored? Inside

What kind of container is the new antifreeze being stored in? Metal drum

What size container is the new antifreeze being stored in (gallons)? 55

How many containers? 1

Used Antifreeze

Where is the used antifreeze being stored? Inside

What kind of container is the used antifreeze being stored in? Metal drum

What size container is the used antifreeze being stored in (gallons)? 55

How many containers? 1


MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? No

General comments/items of concern not mentioned Other new oil in 5 gallon containers in side (25) transmission fluid is in metal 55 gallon (2) and 5 gallon jugs (7). Washer fluid in plastic 55 gallon. 1 metal 55 gallon diesel oil. Brake fluid in plastic quart (35). 5 gallon degreaser.

Photos



Google Map image of facility N/A

Jim & Jim Body Shop, 2018-07-31

Created	2018-07-31 19:02:39 UTC by Jonika Smith
Updated	2018-07-31 19:41:01 UTC by Jonika Smith
Location	33.481563093983, -86.7927049794772

General Info

Inspector	Jonika Smith, Scott Hofer
Date	2018-07-31
Time	14:02
Facility Name	Jim & Jim Body Shop
Facility Type	Auto Body Shop
Municipal Business License #	1422
Facility Street Address	1722 27th Ct S Homewood, AL 35209
Facility Phone Number	2058708926
Facility Contact Name	Dian Perryman
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions
If trained, how often?	Monthly
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Absorbent material quick dry
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	Yes
Is there a maintenance center?	No
Is there a car wash?	No
Are there any gas pumps onsite?	No

Paint Center

Where is the paint being stored?	Inside
What size container is the paint being stored in (gallons)?	55gal & 50 gal
What kind of container is the paint being stored in?	Metal bucket
How many containers?	5

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes


If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity

Paint thinner new 53gal & 1 paint thinner gal that is empty

General comments/items of concern not mentioned

Water based paint & Solvent paint & Slime-water soap 25gal plastic container; 30 liters & a hand full that is a gallon of paints

Photos



Google Map image of facility

N/A

Southern Natural Gas Co., 2018-08-24

Created	2018-08-24 19:37:24 UTC by Jonika Smith
Updated	2018-08-24 19:39:34 UTC by Jonika Smith
Location	33.4685193378394, -86.7729659177882
Inspector	Jonika Smith
Date	2018-08-24
Time	14:37
Facility Type	Office Bldg
Facility Name	Southern Natural Gas Co.
Facility Street Address	569 Brookwood Vlg Homewood, AL 35209
Reason For Not Inspecting	Corp. office

EnviroCare, 2018-08-23

Created	2018-08-23 19:12:58 UTC by Jonika Smith
Updated	2018-08-23 19:31:41 UTC by Jonika Smith
Location	33.4442572606435, -86.8446101931132

General Info

Inspector	Jonika Smith
Date	2018-08-23
Time	14:12
Facility Name	EnviroCare
Does this facility have an NPDES permit?	No
Facility Type	Landscape Services
Municipal Business License #	4465
Facility Street Address	173 Distribution drive Homewood, AL 35209
Facility Phone Number	2059406360
Facility Contact Name	Ken Wedgwrth
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions, Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Spill kits
If a LARGE spill occurs	Lg Spill Kit-Haz Mat

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	Chemicals are stored on the trucks the day of order & placed afterwards inside of the warehouse.
---	--

Chemicals

What chemical is used/stored?	Pesticides, Herbicides, Fertilizers
-------------------------------	-------------------------------------

Pesticides

What kind of container is the pesticide being stored in?	Plastic drum
What size container is the pesticide being stored in (gallons)?	250 gal fertilizer/ 30 insecticide gal
How many containers?	2

Herbicides

What kind of container is the herbicide being stored in?	Plastic drum
What size container is the chemical being stored in (gallons)?	1gal
How many containers?	1

Fertilizers

What kind of container is the fertilizer being stored in? Plastic drum

What size container is the fertilizer being stored in (gallons)? 250gal

How many containers? 1

MISCELLANEOUS

Waste containers provided and used? Yes

What kind of container? Dumpster(s)


How often is it/are they emptied? Weekly

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? No

General comments/items of concern not mentioned 10-15 garinal fertilizer/ deet system for terminate

Photos



Google Map image of facility

N/A

Rainoldi's Auto service, 2018-07-24

Created	2018-07-24 16:35:31 EDT by Scott Hofer
Updated	2018-07-24 17:16:59 EDT by Scott Hofer
Location	33.4615287799939, -86.8288874665354

General Info

Inspector	Scott Hofer, Juwan Murphy
Date	2018-07-24
Time	15:35
Facility Name	Rainoldi's Auto service
Facility Type	Mechanic
Municipal Business License #	2109
Facility Street Address	184-b Oxmoor Rd Homewood, AL 35209
Facility Phone Number	2059426893
Facility Contact Name	David Rainoldi
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze
------------------------------------	--

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	Plastic quarts
How many containers?	100

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	275

How many containers? 1

New Antifreeze

Where is the new antifreeze being stored? Inside

What kind of container is the new antifreeze being stored in? Individual gallon plastic containers

What size container is the new antifreeze being stored in (gallons)? 1

How many containers? 100

Used Antifreeze

Where is the used antifreeze being stored? Inside

What kind of container is the used antifreeze being stored in? Plastic gallon containers

What size container is the used antifreeze being stored in (gallons)? 1

How many containers? 100


MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? No

General comments/items of concern not mentioned In same building as Oxmoor automotive. Share trash

Photos



Google Map image of facility N/A

Hueytown

Stinnett Collision Center, 2018-08-17

Created	2018-08-17 14:49:52 EDT by Drew Hubbard
Updated	2018-08-31 15:55:53 EDT by Scott Hofer
Location	33.4503026551, -86.9977379415
Inspector	Drew Hubbard
Date	2018-08-17
Time	13:49
Facility Type	Mechanic
Facility Name	Stinnett Collision Center
Facility Street Address	1394 Hueytown Rd Hueytown, AL 35023
Reason For Not Inspecting	No chemicals on-site

Ranco One Day Cleaners , 2018-08-23

Created	2018-08-23 14:12:44 EDT by Scott Hofer
Updated	2018-08-23 14:13:25 EDT by Scott Hofer
Location	33.4517594223242, -86.9823363328742
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	13:12
Facility Type	Dry Cleaners
Facility Name	Ranco One Day Cleaners
Facility Street Address	270 Forest Rd Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

The Tire shop , 2018-08-31

Created	2018-08-31 17:58:08 UTC by Drew Hubbard
Updated	2018-08-31 20:06:29 UTC by Drew Hubbard
Location	33.4519346246802, -86.9825710534153
Inspector	Drew Hubbard
Date	2018-08-31
Time	12:58
Facility Type	Mechanic
Facility Name	The Tire shop
Facility Street Address	1750 Larkin St Hueytown, AL 35023
Reason For Not Inspecting	Tires only

Safety Kleen, 2018-09-26

Created	2018-09-26 18:50:58 UTC by Erick Gilkey
Updated	2018-10-05 17:44:05 UTC by Erick Gilkey
Location	33.459905246083, -86.9587105885148

General Info

Inspector	Erick Gilkey
Date	2018-09-26
Time	13:50
Facility Name	Safety Kleen
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Other
NPDES Permit	NEC000447
Facility Street Address	4180 Hoke Ave Hueytown, AL 35061
Facility Phone Number	2055726716
Facility Contact Name	Brad Parker
Facility Contact Title	General Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Saved by Grace Auto and Upholstery , 2018-08-17

Created	2018-08-17 19:34:07 UTC by Drew Hubbard
Updated	2018-08-17 19:35:32 UTC by Drew Hubbard
Location	33.445566228208, -86.9960869212867
Inspector	Drew Hubbard
Date	2018-08-17
Time	14:34
Facility Type	Auto Body Shop
Facility Name	Saved by Grace Auto and Upholstery
Facility Street Address	1500 Hueytown Rd Hueytown, AL 35023
Reason For Not Inspecting	No chemicals

The Mercedes Man, 2018-08-23

Created	2018-08-23 17:54:57 UTC by Drew Hubbard
Updated	2018-08-23 18:06:24 UTC by Drew Hubbard
Location	33.4492613107776, -86.9791755509381

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	12:54
Facility Name	The Mercedes Man
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	3407
Facility Street Address	116 Baker Ave Hueytown, AL 35023
Facility Phone Number	2059148177
Facility Contact Name	April
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	2

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

City Properties, 2018-08-21

Created	2018-08-21 13:13:43 EDT by Scott Hofer
Updated	2018-08-21 13:14:45 EDT by Scott Hofer
Location	33.4504494971772, -86.9836436407085
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-21
Time	12:13
Facility Type	Retail
Facility Name	City Properties
Facility Street Address	3075 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	No hazardous fluids above 5-gal

Smith One Day Cleaners, 2018-08-17

Created	2018-08-17 18:22:02 UTC by Drew Hubbard
Updated	2018-08-17 18:37:47 UTC by Drew Hubbard
Location	33.4480974197477, -86.9973504109599

General Info

Inspector	Drew Hubbard
Date	2018-08-17
Time	13:22
Facility Name	Smith One Day Cleaners
Does this facility have an NPDES permit?	No
Facility Type	Dry Cleaners
Municipal Business License #	0147
Facility Street Address	1371 Hueytown Rd Hueytown, AL 35023
Facility Phone Number	2054915040
Facility Contact Name	Smith
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	Berms are placed around it

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Perchloroethylene/tetrachloroethylene
-------------------------------	---------------------------------------

Chemicals


Is the main dry cleaning chemical stored on premises?	Yes
Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Metal drum
What size container is the chemical being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)

How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Robbie D Wood Trucking, 2018-08-31

Created	2018-08-31 17:54:10 UTC by Drew Hubbard
Updated	2018-08-31 20:08:06 UTC by Drew Hubbard
Location	33.4519213490094, -86.9825695947825
Inspector	Drew Hubbard
Date	2018-08-31
Time	12:54
Facility Type	Trucking
Facility Name	Robbie D Wood Trucking
Facility Street Address	1051 Old Warrior River Road Hueytown, AL 35023
Reason For Not Inspecting	No chemicals

Hueytown Automotive SVC, 2018-09-04

Created	2018-09-04 15:59:18 EDT by Scott Hofer
Updated	2018-09-04 16:00:36 EDT by Scott Hofer
Location	33.4584208324692, -86.9490218611609
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-04
Time	14:59
Facility Type	Automotive Dealer
Facility Name	Hueytown Automotive SVC
Facility Street Address	3712 Edwards St Hueytown, AL 35228
Reason For Not Inspecting	No hazardous stored above 5-gal

Murphy's Oil, 2018-08-14

Created	2018-08-14 17:16:44 UTC by Drew Hubbard
Updated	2018-08-14 17:24:54 UTC by Drew Hubbard
Location	33.4633046263145, -86.9809261165492

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	12:16
Facility Name	Murphy's Oil
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	5642
Facility Street Address	918 Allison/Bonnett Drive Hueytown, AL 35023
Facility Phone Number	2057448748
Facility Contact Name	Samatha
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	1-25,000 and 1-26,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Liberty Cycles, 2018-08-17

Created	2018-08-17 18:57:47 UTC by Drew Hubbard
Updated	2018-08-17 19:01:53 UTC by Drew Hubbard
Location	33.4511962329713, -87.0057915230207

General Info

Inspector	Drew Hubbard
Date	2018-08-17
Time	13:57
Facility Name	Liberty Cycles
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	1993
Facility Street Address	1476 Hueytown Road Hueytown, AL 35023
Facility Phone Number	2054975511
Facility Contact Name	Bobby
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Marathon , 2018-08-23

Created	2018-08-23 16:59:11 UTC by Drew Hubbard
Updated	2018-08-23 17:06:43 UTC by Drew Hubbard
Location	33.396237461375, -87.0402754971537

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:59
Facility Name	Marathon
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	1207
Facility Street Address	5973 Johns Rd Hueytown, AL 35023
Facility Phone Number	2054246510
Facility Contact Name	Aslam
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-6,000
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Hueytown Auto Clean, 2018-09-17

Created	2018-09-17 17:23:01 UTC by Erick Gilkey
Updated	2018-09-17 17:33:41 UTC by Erick Gilkey
Location	33.4503220824185, -86.97838190943

General Info

Inspector	Erick Gilkey
Date	2018-09-17
Time	12:23
Facility Name	Hueytown Auto Clean
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Facility Street Address	112 Azalea Ave Hueytown, AL 35023
Facility Phone Number	2054911812
Facility Contact Name	Mark Elmore
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Car Wash

Car wash type?	Full Service
Is the used water processed through a filtration system?	No
Used water drains to where?	Unknown
What fluids are being used/stored?	Degreaser, Soap, Kerosene 1-55 gallon, metal, inside

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	55

How many containers? 1

MISCELLANEOUS

Waste containers provided and used? Yes

What kind of container? Dumpster(s)

How often is it/are they emptied? Bi-monthly

Overall cleanliness Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility N/A

Venus Universe LLC, 2018-08-16

Created	2018-08-16 15:03:36 EDT by Scott Hofer
Updated	2018-08-16 15:04:22 EDT by Scott Hofer
Location	33.456257904743, -86.9969809183363
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	14:03
Facility Type	Gas Station
Facility Name	Venus Universe LLC
Facility Street Address	3162 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	No longer open

Your Express Car Wash, 2018-08-14

Created	2018-08-14 17:29:57 UTC by Drew Hubbard
Updated	2018-08-14 17:41:42 UTC by Drew Hubbard
Location	33.4534765015933, -86.9701150489573

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	12:29
Facility Name	Your Express Car Wash
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	1636
Facility Street Address	2899 Allison/Bonnett Memorial Drive Hueytown, AL 35023
Facility Phone Number	2052228316
Facility Contact Name	Miles
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	Berms are placed around it

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Sewer
What fluids are being used/stored?	Soap

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	6

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum

What size container is the degreaser being stored in (gallons)?	2
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
General comments/items of concern not mentioned	6-30 gallons 8-5 gallons soaps

Photos



Google Map image of facility

N/A

Chevron, 2018-08-14

Created	2018-08-14 17:44:24 UTC by Drew Hubbard
Updated	2018-08-14 17:56:34 UTC by Drew Hubbard
Location	33.4513185832766, -86.9801395247507

General Info

Inspector	Juwan Murphy, Drew Hubbard
Date	2018-08-14
Time	12:44
Facility Name	Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	2426
Facility Street Address	3030 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2052905788
Facility Contact Name	Kelly
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	2-5 gallon
How many containers?	2

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum

What size container is the degreaser being stored in (gallons)? 3

How many containers? 1

Gas Station

How many fuel tanks and their size? 1-10,000 and 1-8,000

Is there a car wash on-site? Yes

MISCELLANEOUS

Waste containers provided and used? Yes

What kind of container? Dumpster(s)

How often is it/are they emptied? Weekly

Overall cleanliness Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Precoat Metals, 2018-09-26

Created	2018-09-26 19:22:22 UTC by Erick Gilkey
Updated	2018-10-02 13:14:41 UTC by Erick Gilkey
Location	33.4417156617634, -86.9728096202016

General Info

Inspector	Erick Gilkey
Date	2018-09-26
Time	14:22
Facility Name	Precoat Metals
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Manufacturers
Municipal Business License #	2371
NPDES Permit	IU393700957
Facility Street Address	3399 Davey Allison Blvd Hueytown, AL 35023
Facility Phone Number	2055108247
Facility Contact Name	Matt Butler
Facility Contact Title	EHS Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

First Oil Change Inc, 2018-08-23

Created	2018-08-23 16:09:13 UTC by Drew Hubbard
Updated	2018-08-23 16:17:12 UTC by Drew Hubbard
Location	33.4202013627771, -86.9843208888761

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:09
Facility Name	First Oil Change Inc
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	0672
Facility Street Address	2530 19th St N Hueytown, AL 35023
Facility Phone Number	2054241181
Facility Contact Name	Pat
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	580
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

City Auto Garage, 2018-09-17

Created	2018-09-17 18:53:01 UTC by Erick Gilkey
Updated	2018-09-17 19:10:03 UTC by Erick Gilkey
Location	33.4554311462195, -86.9623788446188

General Info

Inspector	Erick Gilkey
Date	2018-09-17
Time	13:53
Facility Name	City Auto Garage
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	125 Meadland Cir Hueytown, AL 35023
Facility Phone Number	2057449223
Facility Contact Name	Ray Holmes
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	6


Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Raceway, 2018-09-17

Created	2018-09-14 18:33:00 UTC by Erick Gilkey
Updated	2018-09-17 16:26:28 UTC by Erick Gilkey
Location	33.4581648640575, -86.9609599560499

General Info

Inspector	Erick Gilkey
Date	2018-09-17
Time	10:59
Facility Name	Raceway
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	3285
Facility Street Address	1748 Edwards St Hueytown, AL 35023
Facility Phone Number	2057441151
Facility Contact Name	Rohit Patel
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-12000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Hales Automotive , 2018-08-17

Created	2018-08-17 19:02:54 UTC by Drew Hubbard
Updated	2018-08-17 19:03:23 UTC by Drew Hubbard
Location	33.4520263599522, -87.0055421087639
Inspector	Drew Hubbard
Date	2018-08-17
Time	14:02
Facility Type	Automotive Dealer
Facility Name	Hales Automotive
Facility Street Address	1474 Hueytown Rd Hueytown, AL 35023
Reason For Not Inspecting	Just sales used cars

Barnett's Auto Body, 2018-09-17

Created	2018-09-17 17:57:51 UTC by Erick Gilkey
Updated	2018-09-17 18:14:57 UTC by Erick Gilkey
Location	33.452640556033, -87.0098442211747

General Info

Inspector	Erick Gilkey
Date	2018-09-17
Time	12:57
Facility Name	Barnett's Auto Body
Does this facility have an NPDES permit?	No
Facility Type	Auto Body Shop
Facility Street Address	3299 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2054974090
Facility Contact Name	Jana Barnett
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	By mop, Rags
If a LARGE spill occurs	The police department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	Yes
Is there a maintenance center?	No
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Paint Center

Where is the paint being stored?	Inside
What size container is the paint being stored in (gallons)?	1 quart
What kind of container is the paint being stored in?	Plastic bucket
How many containers?	100

Car Wash

Car wash type?	Hand Wash
Is the used water processed through a filtration system?	No
Used water drains to where?	Unknown
What fluids are being used/stored?	All under 5 gallon

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Exxon/Mikey's , 2018-08-15

Created	2018-08-15 19:02:02 UTC by Drew Hubbard
Updated	2018-08-15 19:26:42 UTC by Drew Hubbard
Location	33.4555416419971, -86.9904924591218

General Info

Inspector	Drew Hubbard
Date	2018-08-15
Time	14:02
Facility Name	Exxon/Mikey's
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	5683
Facility Street Address	3111 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2059665232
Facility Contact Name	Mike
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	1-10,000 and 1-8,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Whitlow's Automotive, 2018-09-04

Created	2018-09-04 16:00:46 EDT by Scott Hofer
Updated	2018-09-04 16:01:39 EDT by Scott Hofer
Location	33.4705537578447, -86.9327464228963
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-04
Time	15:00
Facility Type	Automotive Dealer
Facility Name	Whitlow's Automotive
Facility Street Address	105 Vulcan Park Dr Hueytown , AL 35064
Reason For Not Inspecting	No hazardous stored above 5-gal

Pep Boys, 2018-08-16

Created	2018-08-16 17:42:07 UTC by Drew Hubbard
Updated	2018-08-16 17:52:15 UTC by Drew Hubbard
Location	33.4512506910024, -86.9785702325534

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	12:42
Facility Name	Pep Boys
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	1409
Facility Street Address	3019 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2057448473
Facility Contact Name	Joel
Facility Contact Title	Assistant Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Used oil, Used antifreeze
------------------------------------	---------------------------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	No
Is it covered?	Yes

Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Plastic drum

What size container is the used antifreeze being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	No
Is it covered?	Yes

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Elaaser and Company Sales, 2018-08-31

Created	2018-08-31 17:55:40 UTC by Drew Hubbard
Updated	2018-08-31 20:09:47 UTC by Drew Hubbard
Location	33.451949479108, -86.9825982031661
Inspector	Drew Hubbard
Date	2018-08-31
Time	12:55
Facility Type	Retail
Facility Name	Elaaser and Company Sales
Facility Street Address	121 Meadland Cir Hueytown, AL 35023
Reason For Not Inspecting	No chemicals

A & S Car Wash, 2018-08-23

Created	2018-08-23 14:13:45 EDT by Scott Hofer
Updated	2018-08-23 14:14:39 EDT by Scott Hofer
Location	33.4528886417685, -86.9818528931803
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	13:13
Facility Type	Car Wash
Facility Name	A & S Car Wash
Facility Street Address	271 Forest Rd Hueytown, AL 35023
Reason For Not Inspecting	Closed

Premiere Motors LLC, 2018-08-28

Created	2018-08-28 13:55:59 EDT by Scott Hofer
Updated	2018-08-28 13:57:41 EDT by Scott Hofer
Location	33.4560194077298, -86.9626474007964
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-28
Time	12:55
Facility Type	Automotive Dealer
Facility Name	Premiere Motors LLC
Facility Street Address	121 Meadland Cir Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

Bonos Wholesale, 2018-09-13

Created	2018-09-13 17:33:45 UTC by Erick Gilkey
Updated	2018-09-13 17:34:39 UTC by Erick Gilkey
Location	33.4566445885552, -86.9661429896951
Inspector	Erick Gilkey
Date	2018-09-13
Time	12:33
Facility Type	Mechanic
Facility Name	Bonos Wholesale
Facility Street Address	2710 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	No chemicals used/stored in containers over 5 gallons

Import Auto Works INC, 2018-09-04

Created	2018-09-04 16:01:41 EDT by Scott Hofer
Updated	2018-09-04 16:02:34 EDT by Scott Hofer
Location	33.4801363700194, -86.9211111825715
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-04
Time	15:01
Facility Type	Automotive Dealer
Facility Name	Import Auto Works INC
Facility Street Address	3301 Warrior River Rd Hueytown , AL 35064
Reason For Not Inspecting	No hazardous stored above 5-gal

HPH Mechanical LLC, 2018-08-23

Created	2018-08-23 12:49:14 EDT by Scott Hofer
Updated	2018-08-23 12:50:00 EDT by Scott Hofer
Location	33.419621387258, -86.9849150634766
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:49
Facility Type	Mechanic
Facility Name	HPH Mechanical LLC
Facility Street Address	1821 26th Ave N Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

City Auto Sales, 2018-08-16

Created	2018-08-16 17:26:19 UTC by Drew Hubbard
Updated	2018-08-16 17:27:09 UTC by Drew Hubbard
Location	33.4515899483617, -86.9861056648262
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	12:26
Facility Type	Automotive Dealer
Facility Name	City Auto Sales
Facility Street Address	828 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	They just sale cars

Metro Wash #3, 2018-08-14

Created	2018-08-14 11:16:25 EDT by Scott Hofer
Updated	2018-08-14 11:35:54 EDT by Scott Hofer
Location	33.4577537783591, -86.957580527455

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	10:16
Facility Name	Metro Wash #3
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	000
Facility Street Address	614 Allison Bonnett Memorial Dr Hueytown, AL 35061
Facility Phone Number	0
Facility Contact Name	N/A
Facility Contact Title	N/A

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	No
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Not sure
If a LARGE spill occurs	Not sure

Car Wash

Car wash type?	Do-it-yourself, Drive-through
Is the used water processed through a filtration system?	No
Used water drains to where?	Sewer
What fluids are being used/stored?	Soap, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Not sure, locked away inside building
What size container is the soap being stored in (gallons)?	Not sure
How many containers?	0

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	None
What size container is the degreaser being stored in (gallons)?	None
How many containers?	0

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Not sure
What size container is the wax being stored in (gallons)?	Not sure
How many containers?	0

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Not sure
What size container is the protectant being stored in (gallons)?	Not sure
How many containers?	0

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s), Garbage can(s)
How often is it/are they emptied?	Not sure
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Walmart, 2018-09-13

Created	2018-09-13 18:29:13 UTC by Erick Gilkey
Updated	2018-09-13 19:25:32 UTC by Erick Gilkey
Location	33.4606621419258, -86.9675132632256

General Info

Inspector	Erick Gilkey
Date	2018-09-13
Time	13:29
Facility Name	Walmart
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	1001 Red Farmer Dr Hueytown, AL 35023
Facility Phone Number	2057449997
Facility Contact Name	Robert
Facility Contact Title	ACC Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	400
How many containers?	1


Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	800
How many containers?	1
Comments	Also. 200 gallons metal container outside with used oil, covered, no berm

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Valley Creek Waste Water Treatment Plant, 2018-09-21

Created	2018-09-21 15:44:12 UTC by Erick Gilkey
Updated	2018-09-21 15:54:44 UTC by Erick Gilkey
Location	33.3989131534525, -87.0037368312478

General Info

Inspector	Erick Gilkey
Date	2018-09-21
Time	10:44
Facility Name	Valley Creek Waste Water Treatment Plant
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Water treatment plant
NPDES Permit	AL0023655
Facility Street Address	3923 Clearwater Dr Hueytown, AL 35023
Facility Phone Number	2057913082
Facility Contact Name	David Humphries
Facility Contact Title	General Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Auto Tech, 2018-08-23

Created	2018-08-23 12:37:16 EDT by Scott Hofer
Updated	2018-08-23 12:37:33 EDT by Scott Hofer
Location	33.421761746345, -86.9851424221658
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:37
Facility Type	Retail
Facility Name	Auto Tech
Facility Street Address	2704 19th St N Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

Gary's Automotive , 2018-08-23

Created	2018-08-23 12:36:40 EDT by Scott Hofer
Updated	2018-08-23 12:37:14 EDT by Scott Hofer
Location	33.4218557087633, -86.985263260775
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:36
Facility Type	Mechanic
Facility Name	Gary's Automotive
Facility Street Address	2600 19th St N Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

J W Motor Cars, 2018-08-14

Created	2018-08-14 11:46:33 EDT by Scott Hofer
Updated	2018-08-14 11:47:23 EDT by Scott Hofer
Location	33.4575379951102, -86.9570444449767
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	10:46
Facility Type	Automotive Dealer
Facility Name	J W Motor Cars
Facility Street Address	590 Allison Bonnett Memorial Dr Hueytown, AL 35061
Reason For Not Inspecting	No oil changing facility on site

Marathon , 2018-08-16

Created	2018-08-16 15:57:30 UTC by Drew Hubbard
Updated	2018-08-16 16:04:16 UTC by Drew Hubbard
Location	33.4563115543784, -86.9970319143749

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	10:57
Facility Name	Marathon
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	3390
Facility Street Address	3162 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2054914399
Facility Contact Name	Malik
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-10,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Charlie's Transmissions , 2018-09-13

Created	2018-09-13 19:39:04 UTC by Erick Gilkey
Updated	2018-09-13 19:51:56 UTC by Erick Gilkey
Location	33.4534003126186, -87.0073608309031

General Info

Inspector	Erick Gilkey
Date	2018-09-13
Time	14:39
Facility Name	Charlie's Transmissions
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	131 Louis Ave Hueytown, AL 35023
Facility Phone Number	2054970383
Facility Contact Name	Chuck Johnson
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Automatic Transmission Fluid
------------------------------------	------------------------------

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drum
What size container is the new transmission fluid being stored in (gallons)?	55
How many containers?	2
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly
Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Spills throughout
Are there any other potentially hazardous items not already addressed?	Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity

Used transmission fluid
1-250, plastic, outside, no cover, no berm
1-400, metal, outside, no cover, no berm

Photos



Google Map image of facility

N/A

Exxon, 2018-08-22

Created	2018-08-22 19:03:26 UTC by Drew Hubbard
Updated	2018-08-23 17:04:03 UTC by Drew Hubbard
Location	33.4197480336555, -86.9840776523666

General Info

Inspector	Drew Hubbard
Date	2018-08-22
Time	14:03
Facility Name	Exxon
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	1189
Facility Street Address	2516 19th St N Hueytown, AL 35023
Facility Phone Number	2054248484
Facility Contact Name	Sherry
Facility Contact Title	Assistant Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	1-10,000 1-12,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Exxon, 2018-08-17

Created	2018-08-17 17:55:38 UTC by Drew Hubbard
Updated	2018-08-17 18:02:43 UTC by Drew Hubbard
Location	33.4422414835299, -86.994042349576

General Info

Inspector	Drew Hubbard
Date	2018-08-17
Time	12:55
Facility Name	Exxon
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	4159
Facility Street Address	1300 Hueytown Rd Hueytown, AL 35023
Facility Phone Number	2054971736
Facility Contact Name	Gulzar Nilgiriwala
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	2-10,000 and 1-6,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Ken's Tire and Wheels, 2018-08-22

Created	2018-08-22 18:50:31 UTC by Drew Hubbard
Updated	2018-08-22 18:51:09 UTC by Drew Hubbard
Location	33.4452677188818, -86.9792078848632
Inspector	Drew Hubbard
Date	2018-08-22
Time	13:50
Facility Type	Retail
Facility Name	Ken's Tire and Wheels
Facility Street Address	220 Brooklane Dr Hueytown, AL 35023
Reason For Not Inspecting	Only Tire changing

Just us girls Auto Sales , 2018-08-31

Created	2018-08-31 16:08:21 EDT by Drew Hubbard
Updated	2018-08-31 18:43:07 EDT by Scott Hofer
Location	33.439295, -86.976908
Inspector	Drew Hubbard
Date	2018-08-31
Time	15:08
Facility Type	Automotive Dealer
Facility Name	Just us girls Auto Sales
Facility Street Address	3417 Davey Allison Blvd Hueytown , AL 35064
Reason For Not Inspecting	Just car sales

C-Store, 2018-08-22

Created	2018-08-22 18:54:09 UTC by Drew Hubbard
Updated	2018-08-22 18:55:08 UTC by Drew Hubbard
Location	33.4405543674364, -86.9785796573406
Inspector	Drew Hubbard
Date	2018-08-22
Time	13:54
Facility Type	Gas Station
Facility Name	C-Store
Facility Street Address	615 Brooklane Dr Hueytown, AL 35023
Reason For Not Inspecting	CLOSED

Riderz Connection LLC, 2018-08-17

Created	2018-08-17 19:05:58 UTC by Drew Hubbard
Updated	2018-08-17 19:07:29 UTC by Drew Hubbard
Location	33.4486100113008, -86.9972919486482
Inspector	Drew Hubbard
Date	2018-08-17
Time	14:05
Facility Type	Mechanic
Facility Name	Riderz Connection LLC
Facility Street Address	1384 Hueytown Rd Hueytown, AL 35023
Reason For Not Inspecting	ATV retail and small engine

Birmingham Recon Center, 2018-08-21

Created	2018-08-21 13:24:11 EDT by Scott Hofer
Updated	2018-08-21 13:25:00 EDT by Scott Hofer
Location	33.453714074675, -86.9675993296179
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-21
Time	12:24
Facility Type	Other
Facility Name	Birmingham Recon Center
Facility Street Address	2890 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	No hazardous fluids above 5-gal

Classic Towing and Recovery , 2018-08-31

Created	2018-08-31 17:56:42 UTC by Drew Hubbard
Updated	2018-08-31 20:05:54 UTC by Drew Hubbard
Location	33.4518625369181, -86.9825749240157
Inspector	Drew Hubbard
Date	2018-08-31
Time	12:56
Facility Type	Towing company only
Facility Name	Classic Towing and Recovery
Facility Street Address	1185 Love St Hueytown, AL 35023
Reason For Not Inspecting	No chemicals

Jerry's, 2018-08-16

Created	2018-08-16 17:29:28 UTC by Drew Hubbard
Updated	2018-08-16 17:36:40 UTC by Drew Hubbard
Location	33.4552418801844, -86.9896311180112

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	12:29
Facility Name	Jerry's
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	1065
Facility Street Address	3108 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2054971405
Facility Contact Name	Jerry Guyton
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Automatic Transmission Fluid
------------------------------------	------------------------------

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drum
What size container is the new transmission fluid being stored in (gallons)?	55
How many containers?	2
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Express Oil Change, 2018-08-22

Created	2018-08-22 17:29:28 UTC by Drew Hubbard
Updated	2018-08-22 17:44:34 UTC by Drew Hubbard
Location	33.4578126237209, -86.9571451272397

General Info

Inspector	Drew Hubbard
Date	2018-08-22
Time	12:29
Facility Name	Express Oil Change
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	1300
Facility Street Address	600 Allison Bonnett Memorial Dr Hueytown, AL 35061
Facility Phone Number	2057444141
Facility Contact Name	James
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze, Manual Transmission Fluid
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	3-250 gal 2-500gal
How many containers?	5

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	2-500 gallon
How many containers?	2

Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	No
Is it covered?	No


Manual Transmission Fluid

Where is the new gear oil being stored?	Inside
What kind of container is the gear oil being stored in?	Metal drum
What size container is the gear oil being stored in (gallons)?	55
How many containers?	9
Is used gear oil mixed in with used oil?	Yes

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Discount Auto Parts, 2018-08-17

Created	2018-08-17 18:16:34 UTC by Drew Hubbard
Updated	2018-08-17 18:17:51 UTC by Drew Hubbard
Location	33.4406357337203, -86.9941197535673
Inspector	Drew Hubbard
Date	2018-08-17
Time	13:16
Facility Type	Retail
Facility Name	Discount Auto Parts
Facility Street Address	1279 Hueytown Rd Hueytown, AL 35023
Reason For Not Inspecting	Just a Auto Parts store

Barry's Wholesale Transmission , 2018-08-23

Created	2018-08-23 16:23:47 UTC by Drew Hubbard
Updated	2018-08-23 16:30:56 UTC by Drew Hubbard
Location	33.4154333863471, -86.9875736701975

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:23
Facility Name	Barry's Wholesale Transmission
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	0293
Facility Street Address	2594 15th Street Rd Hueytown, AL 35023
Facility Phone Number	205428100
Facility Contact Name	Barry
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Automatic Transmission Fluid
------------------------------------	------------------------------


Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drum
What size container is the new transmission fluid being stored in (gallons)?	275
How many containers?	1
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Bruce's Body Shop, 2018-08-23

Created	2018-08-23 14:04:16 EDT by Scott Hofer
Updated	2018-08-23 14:04:47 EDT by Scott Hofer
Location	33.4487767511139, -86.9786604905437
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	13:04
Facility Type	Mechanic
Facility Name	Bruce's Body Shop
Facility Street Address	130 Brooklane Dr Hueytown, AL 35023
Reason For Not Inspecting	Closed

Douglas Automotive , 2018-09-14

Created	2018-09-14 17:30:31 UTC by Erick Gilkey
Updated	2018-09-14 17:45:49 UTC by Erick Gilkey
Location	33.458111158367, -86.9571140035987

General Info

Inspector	Erick Gilkey
Date	2018-09-14
Time	12:30
Facility Name	Douglas Automotive
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	5292
Facility Street Address	1705 2nd Ave S Hueytown, AL 35061
Facility Phone Number	2058488324
Facility Contact Name	Richard Douglas
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	No
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat, Cat litter
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------


Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Fuel Stop/Donz , 2018-08-14

Created	2018-08-14 16:00:51 UTC by Drew Hubbard
Updated	2018-09-17 15:57:30 UTC by Erick Gilkey
Location	33.4572549397148, -86.9610608741641

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	11:00
Facility Name	Fuel Stop/Donz
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	5248
Facility Street Address	817 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2057301227
Facility Contact Name	Sharmilla
Facility Contact Title	Employee

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	1-6,000 and 2-12,000
Is there a car wash on-site?	Not used

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Citgo, 2018-08-14

Created	2018-08-14 14:47:46 UTC by Drew Hubbard
Updated	2018-08-14 15:51:25 UTC by Drew Hubbard
Location	33.4575952487118, -86.9558196851088

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	09:47
Facility Name	Citgo
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	5357
Facility Street Address	486 Allison Bonnett Memorial Dr Hueytown, AL 35061
Facility Phone Number	2057444300
Facility Contact Name	Pamela
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	2-6,000 1-8,000 and 1-2,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

J P Sales LLC, 2018-08-23

Created	2018-08-23 12:46:22 EDT by Scott Hofer
Updated	2018-08-23 12:47:00 EDT by Scott Hofer
Location	33.4222773775698, -86.98534083923
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:46
Facility Type	Automotive Dealer
Facility Name	J P Sales LLC
Facility Street Address	2529 19th St N Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

Autonet INC, 2018-08-21

Created	2018-08-21 13:25:52 EDT by Scott Hofer
Updated	2018-08-21 13:26:26 EDT by Scott Hofer
Location	33.4572238364532, -86.9642118028717
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-21
Time	12:25
Facility Type	Automotive Dealer
Facility Name	Autonet INC
Facility Street Address	904 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	Used car lot only

Hanks , 2018-08-16

Created	2018-08-16 16:28:05 UTC by Drew Hubbard
Updated	2018-08-16 16:28:58 UTC by Drew Hubbard
Location	33.4531256475778, -87.0096819846072
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	11:28
Facility Type	Automotive Dealer
Facility Name	Hanks
Facility Street Address	3299 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	No oil changes

Flawless Car Wash & Detail, 2018-08-23

Created	2018-08-23 12:41:14 EDT by Scott Hofer
Updated	2018-08-23 12:41:56 EDT by Scott Hofer
Location	33.4211054526817, -86.9850418723705
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	11:41
Facility Type	Car Wash
Facility Name	Flawless Car Wash & Detail
Facility Street Address	1906 27th Ave N Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

New Metro Auto Service , 2018-08-14

Created	2018-08-14 15:51:49 UTC by Drew Hubbard
Updated	2018-08-14 15:56:01 UTC by Drew Hubbard
Location	33.4583343436994, -86.956247561224

General Info

Inspector	Juwan Murphy, Drew Hubbard
Date	2018-08-14
Time	10:51
Facility Name	New Metro Auto Service
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	4556
Facility Street Address	590 Allison Bonnett Memorial Dr Hueytown, AL 35061
Facility Phone Number	2053693397
Facility Contact Name	Tavares Ward
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No
Google Map image of facility	N/A

Helms Auto Clinic, 2018-08-17

Created	2018-08-17 18:42:09 UTC by Drew Hubbard
Updated	2018-08-17 18:43:04 UTC by Drew Hubbard
Location	33.4489573247498, -86.9974607342609
Inspector	Drew Hubbard
Date	2018-08-17
Time	13:42
Facility Type	Mechanic
Facility Name	Helms Auto Clinic
Facility Street Address	1388 Hueytown Rd Hueytown, AL 35023
Reason For Not Inspecting	Only parts and small motors

Shell-Spencer Company , 2018-08-14

Created	2018-08-14 14:34:02 UTC by Drew Hubbard
Updated	2018-08-14 14:46:00 UTC by Drew Hubbard
Location	33.4573812399519, -86.9576575670792

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	09:34
Facility Name	Shell-Spencer Company
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	0158
Facility Street Address	609 Allison Bonnett Memori Pkw Hueytown, AL 35061
Facility Phone Number	2057446098
Facility Contact Name	Janice Jernigan
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	2-6,000 2-8,000 and 1-1,000 gallon
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Hueytown Hardware , 2018-08-16

Created	2018-08-16 16:17:24 UTC by Drew Hubbard
Updated	2018-08-16 16:18:25 UTC by Drew Hubbard
Location	33.4542595624042, -87.0081803120861
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	11:17
Facility Type	Retail
Facility Name	Hueytown Hardware
Facility Street Address	3260 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	Just a Hardware store

Autozone #390, 2018-08-14

Created	2018-08-14 11:40:46 EDT by Scott Hofer
Updated	2018-08-14 11:41:28 EDT by Scott Hofer
Location	33.4581292703437, -86.9611490016486
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	10:40
Facility Type	Retail
Facility Name	Autozone #390
Facility Street Address	3010 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	Shouldn't be on the list

Pop-N-Snack, 2018-08-14

Created	2018-08-14 19:56:56 UTC by Drew Hubbard
Updated	2018-08-14 20:04:34 UTC by Drew Hubbard
Location	33.4499816099954, -86.9824955459979

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	14:56
Facility Name	Pop-N-Snack
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	5679
Facility Street Address	3057 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	205744
Facility Contact Name	Alex
Facility Contact Title	Employee

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	2-8,000 and 1-4,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Chevron has , 2018-08-17

Created	2018-08-17 18:04:25 UTC by Drew Hubbard
Updated	2018-08-17 18:12:15 UTC by Drew Hubbard
Location	33.4400023560707, -86.9942107449803

General Info

Inspector	Drew Hubbard
Date	2018-08-17
Time	13:04
Facility Name	Chevron has
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	1186
Facility Street Address	1282 Hueytown Rd Hueytown, AL 35023
Facility Phone Number	2054979975
Facility Contact Name	Sherly
Facility Contact Title	Employee

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	1-4,000 1-6,000 and 1-10,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

R&M Automotive INC., 2018-08-21

Created	2018-08-21 17:28:20 UTC by Drew Hubbard
Updated	2018-08-22 17:44:48 UTC by Drew Hubbard
Location	33.4575859195677, -86.9620916156535

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-21
Time	12:28
Facility Name	R&M Automotive INC.
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	0935
Facility Street Address	825 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2057440431
Facility Contact Name	David
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze, Used antifreeze
------------------------------------	--

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	2

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	1

New Antifreeze

Where is the new antifreeze being stored?	Inside
What kind of container is the new antifreeze being stored in?	Metal drum
What size container is the new antifreeze being stored in (gallons)?	55
How many containers?	1

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Campbell's Grocery , 2018-08-22

Created	2018-08-22 18:49:20 UTC by Drew Hubbard
Updated	2018-08-22 18:49:55 UTC by Drew Hubbard
Location	33.4452261590179, -86.979190023056
Inspector	Drew Hubbard
Date	2018-08-22
Time	13:49
Facility Type	Retail
Facility Name	Campbell's Grocery
Facility Street Address	220 Brooklane Dr Hueytown, AL 35023
Reason For Not Inspecting	No chemicals

Citgo/Virginia Mines Grocery, 2018-09-13

Created	2018-09-13 19:20:33 UTC by Erick Gilkey
Updated	2018-09-13 19:38:11 UTC by Erick Gilkey
Location	33.4235930596013, -87.0287128910422

General Info

Inspector	Erick Gilkey
Date	2018-09-13
Time	14:20
Facility Name	Citgo/Virginia Mines Grocery
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	1205
Facility Street Address	2717 Virginia Dr Hueytown, AL 35023
Facility Phone Number	2054912111
Facility Contact Name	Mike Wood
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	2-6000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Goolsby Custom Inc, 2018-09-04

Created	2018-09-04 15:58:07 EDT by Scott Hofer
Updated	2018-09-04 16:00:40 EDT by Scott Hofer
Location	33.4572578252563, -86.9607687823957
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-09-04
Time	14:58
Facility Type	Auto Body Shop
Facility Name	Goolsby Custom Inc
Facility Street Address	16 Commerce Ave Hueytown, AL 35023
Reason For Not Inspecting	No hazardous stored above 5-gal

O'Reilly Auto Parts #1491, 2018-08-14

Created	2018-08-14 15:37:35 UTC by Scott Hofer
Updated	2018-09-13 17:26:51 UTC by Erick Gilkey
Location	33.4579598312164, -86.9589037075639
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	10:37
Facility Type	Retail
Facility Name	O'Reilly Auto Parts #1491
Facility Street Address	770 Allison Bonnett Memorial Dr Dolomite, AL 35061
Reason For Not Inspecting	Shouldn't be on the list

ES Car Wash, 2018-08-23

Created	2018-08-23 14:16:18 EDT by Scott Hofer
Updated	2018-08-23 14:16:51 EDT by Scott Hofer
Location	33.4583603876311, -86.9686260945038
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	13:16
Facility Type	Car Wash
Facility Name	ES Car Wash
Facility Street Address	273 Forest Rd Hueytown, AL 35023
Reason For Not Inspecting	Closed

City Auto Spa LLC, 2018-08-28

Created	2018-08-28 13:57:43 EDT by Scott Hofer
Updated	2018-08-28 13:58:23 EDT by Scott Hofer
Location	33.4564750768842, -86.9635224714875
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-28
Time	12:57
Facility Type	Car Wash
Facility Name	City Auto Spa LLC
Facility Street Address	129 Meadland Cir Hueytown, AL 35023
Reason For Not Inspecting	Closed

KB Performance , 2018-08-16

Created	2018-08-16 16:21:53 UTC by Drew Hubbard
Updated	2018-08-16 16:22:38 UTC by Drew Hubbard
Location	33.4539694120944, -87.0094186900468
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-16
Time	11:21
Facility Type	Retail
Facility Name	KB Performance
Facility Street Address	3292 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	No longer in business

Express Partners/ Express Lube, 2018-08-14

Created	2018-08-14 17:58:15 UTC by Drew Hubbard
Updated	2018-08-14 18:08:53 UTC by Drew Hubbard
Location	33.4501752221821, -86.981556854958

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	12:58
Facility Name	Express Partners/ Express Lube
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	1570
Facility Street Address	3045 Allison Bonnett Memorial Dr Hueytown, AL 35023
Facility Phone Number	2054918880
Facility Contact Name	Bryan Smith
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	250
How many containers?	5


Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Advance Auto Parts #6342, 2018-08-14

Created	2018-08-14 11:39:25 EDT by Scott Hofer
Updated	2018-08-14 11:40:16 EDT by Scott Hofer
Location	33.4581226648901, -86.9611459150356
Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-14
Time	10:39
Facility Type	Retail
Facility Name	Advance Auto Parts #6342
Facility Street Address	933 Allison Bonnett Memorial Dr Hueytown, AL 35023
Reason For Not Inspecting	Shouldn't be on the list

Mac Auto and Collision , 2018-08-23

Created	2018-08-23 17:40:03 UTC by Drew Hubbard
Updated	2018-08-23 17:50:47 UTC by Drew Hubbard
Location	33.4401121062575, -86.9783339886019

General Info

Inspector	Drew Hubbard, Juwan Murphy
Date	2018-08-23
Time	12:40
Facility Name	Mac Auto and Collision
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	0007
Facility Street Address	715 Brooklane Dr Hueytown, AL 35023
Facility Phone Number	2054917231
Facility Contact Name	Alan
Facility Contact Title	Assistant Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No


MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Irondale

Anaheim Auto Auction, 2018-08-08

Created	2018-08-08 18:09:56 UTC by Erick Gilkey
Updated	2018-08-08 18:20:13 UTC by Erick Gilkey
Location	33.5475467824788, -86.6221107915044

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-08
Time	13:09
Facility Name	Anaheim Auto Auction
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	5961 Highway 78 E Irondale, AL 35173
Facility Phone Number	2059562233
Facility Contact Name	Mohammed Mekdad
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------


Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	55
How many containers?	3

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Spills throughout, some with litter on them, most without
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Irondale Chevron , 2018-06-22

Created	2018-06-22 19:09:44 UTC by Drew Hubbard
Updated	2018-06-22 19:27:27 UTC by Drew Hubbard
Location	33.5328096146171, -86.7054975347494

General Info

Inspector	Drew Hubbard
Date	2018-06-22
Time	14:09
Facility Name	Irondale Chevron
Facility Type	Gas Station
Municipal Business License #	2018-982
Facility Street Address	1804 Crestwood Blvd Irondale, AL 35210
Facility Phone Number	2059567000
Facility Contact Name	Rahim Lalani
Facility Contact Title	Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	None now it is CLOSED

Gas Station

How many fuel tanks are there?	3
What size fuel tanks are they (in gallons)?	5000
Is there a car wash on-site?	Yes

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

City of Irondale, 2018-08-09

Created	2018-08-08 19:32:28 UTC by Erick Gilkey
Updated	2018-08-09 19:14:08 UTC by Erick Gilkey
Location	33.5384919913621, -86.7063140496612

General Info

Inspector	Erick Gilkey
Date	2018-08-09
Time	14:00
Facility Name	City of Irondale
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	101 20th S St Irondale, AL 35210
Facility Phone Number	2059511420
Facility Contact Name	Frank Pennington
Facility Contact Title	Public Works head

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, New antifreeze, Used oil
------------------------------------	-----------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	6

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	No

New Antifreeze

Where is the new antifreeze being stored?	Inside
What kind of container is the new antifreeze being stored in?	Plastic drum
What size container is the new antifreeze being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	1-55 gallon drum DEF, metal, inside 1-8000 gasoline 1-4000 diesel

Photos



Google Map image of facility	N/A
------------------------------	-----

Harris Automotive , 2018-08-06

Created	2018-08-06 19:14:09 UTC by Erick Gilkey
Updated	2018-08-06 19:29:22 UTC by Erick Gilkey
Location	33.5376396414007, -86.6950159147382

General Info

Inspector	Erick Gilkey
Date	2018-08-06
Time	14:14
Facility Name	Harris Automotive
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-620
Facility Street Address	2522 Crestwood Blvd Irondale, AL 35210
Facility Phone Number	2059560170
Facility Contact Name	Jeff Harris
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	2-50 gallon, 1-250 gallon
How many containers?	3
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Sunoco #233, 2018-08-02

Created	2018-08-02 16:38:58 UTC by Erick Gilkey
Updated	2018-08-02 16:39:34 UTC by Erick Gilkey
Location	33.5384665607144, -86.692324988544
Inspector	Erick Gilkey
Date	2018-08-02
Time	11:38
Facility Type	Gas Station
Facility Name	Sunoco #233
Facility Street Address	2612 Crestwood Blvd Irondale, AL 35210
Reason For Not Inspecting	Out of business

Benchmark Chrysler-Dodge-Jeep, 2018-07-06

Created	2018-07-06 17:59:21 UTC by Drew Hubbard
Updated	2018-07-06 18:44:34 UTC by Drew Hubbard
Location	33.5192761160424, -86.6619289059954

General Info

Inspector	Drew Hubbard, Erick Gilkey
Date	2018-07-06
Time	12:59
Facility Name	Benchmark Chrysler-Dodge-Jeep
Facility Type	Automotive Dealer
Municipal Business License #	2018-576
Facility Street Address	1313 Grants Mill Way Irondale, AL 35210
Facility Phone Number	205
Facility Contact Name	Cliff Smith
Facility Contact Title	Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Tri-weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	No
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Transmission fluid, Used antifreeze
------------------------------------	--

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1-500 & 1-250
How many containers?	2
Is there a berm around it?	Yes

Is it covered?	Yes
----------------	-----

Used Oil

Where is the used oil being stored?	Outside
-------------------------------------	---------

What kind of container is the used oil being stored in?	Metal drum
---	------------

What size container is the used oil being stored in (gallons)?	500
--	-----

How many containers?	1
----------------------	---

Is there a berm around it?	Yes
----------------------------	-----

Is it covered?	Yes
----------------	-----

Used Antifreeze

Where is the used antifreeze being stored?	Outside
--	---------

What kind of container is the used antifreeze being stored in?	Plastic drum
--	--------------

What size container is the used antifreeze being stored in (gallons)?	250
---	-----

How many containers?	1
----------------------	---

Is there a berm around it?	No
----------------------------	----

Is it covered?	No
----------------	----

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
---------------------	--

Are there any other potentially hazardous items not already addressed?	No
--	----

Google Map image of facility	N/A
------------------------------	-----

Land Rover of Birmingham , 2018-06-29

Created	2018-06-29 19:13:27 UTC by Drew Hubbard
Updated	2018-06-29 20:00:19 UTC by Drew Hubbard
Location	33.5204929142948, -86.6616575748609

General Info

Inspector	Drew Hubbard, Erick Gilkey, Juwan Murphy
Date	2018-06-29
Time	14:17
Facility Name	Land Rover of Birmingham
Facility Type	Automotive Dealer
Municipal Business License #	2018-564
Facility Street Address	3000 Tom Williams Way Irondale, AL 35210
Facility Phone Number	205
Facility Contact Name	Dan Germand
Facility Contact Title	Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	No
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Antifreeze
------------------------------------	-------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1-480 1-240
How many containers?	2


Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1-480 1-240
How many containers?	2

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Antifreeze used 240 gallon metal container

Photos




3000 Tom Williams Way



3000 Tom Williams Way
Birmingham, AL 35210

DIRECTIONS



3000 Tom Williams Way
Birmingham, AL 35210

Google Map image of facility

N/A

BMW of Birmingham , 2018-07-03

Created	2018-07-03 16:14:32 UTC by Erick Gilkey
Updated	2018-07-06 17:00:31 UTC by Erick Gilkey
Location	33.5221477645867, -86.6635076701641

General Info

Inspector	Erick Gilkey, Drew Hubbard
Date	2018-07-03
Time	11:14
Facility Name	BMW of Birmingham
Facility Type	Automotive Dealer
Municipal Business License #	2018-558
Facility Street Address	1000 Tom Williams Way Irondale, AL 35210
Facility Phone Number	8006435712
Facility Contact Name	David Dovenbarger
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Transmission fluid
------------------------------------	---------------------------------------

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	480
How many containers?	2

Is there a berm around it?	Yes
Is it covered?	Yes

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	Other
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	No
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	2

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	55
How many containers?	2
Is there a berm around it?	No
Is it covered?	No

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	55
How many containers?	2


MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

General comments/items of concern not mentioned

Two 55 gallon metal drums of brake cleaner

Photos



Google Map image of facility

N/A

Less Down Time Truck & Equipment Repair, 2018-08-08

Created	2018-08-08 17:55:07 UTC by Erick Gilkey
Updated	2018-08-08 18:07:35 UTC by Erick Gilkey
Location	33.5478021796114, -86.6225691139698

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-08
Time	12:55
Facility Name	Less Down Time Truck & Equipment Repair
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	5961 Highway 78 E Irondale, AL 35173
Facility Phone Number	2058379120
Facility Contact Name	Cindy Hunt
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Other
------------------------------------	--------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	2-55 gallon, 2-5 gallon
How many containers?	4

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	300
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
-------------------------------------	-----

What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	2-5 gallon DEF fluid stored inside

Photos



Google Map image of facility

N/A

Benchmark Imports, 2018-06-28

Created	2018-06-28 19:45:18 UTC by Drew Hubbard
Updated	2018-08-02 16:49:14 UTC by Erick Gilkey
Location	33.5212496928293, -86.6591034829617

General Info

Inspector	Drew Hubbard, Erick Gilkey
Date	2018-06-28
Time	14:45
Facility Name	Benchmark Imports
Facility Type	Automotive Dealer
Facility Street Address	1837 Grants Mill Rd Irondale, AL 35210
Facility Phone Number	2059499200
Facility Contact Name	James Phelps
Facility Contact Title	Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	2-280 1-500
How many containers?	3

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	160
How many containers?	1

Car Wash

Car wash type?	Hand Wash
Is the used water processed through a filtration system?	No
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	5 gallon plastic buckets
What size container is the soap being stored in (gallons)?	5
How many containers?	3

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	5
How many containers?	2

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	3
How many containers?	6

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	3
How many containers?	6

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
Google Map image of facility	N/A

Stults Truck Repair Inc, 2018-08-06

Created	2018-08-06 19:45:10 UTC by Erick Gilkey
Updated	2018-08-06 19:46:02 UTC by Erick Gilkey
Location	33.5603947808247, -86.6562636941671
Inspector	Erick Gilkey
Date	2018-08-06
Time	14:45
Facility Type	Mechanic
Facility Name	Stults Truck Repair Inc
Facility Street Address	1955 Alton Rd Irondale, AL 35210
Reason For Not Inspecting	Out of business

Shell Minit Man 108, 2018-05-24

Created	2018-05-24 16:00:40 UTC by Drew Hubbard
Updated	2018-05-24 16:18:00 UTC by Drew Hubbard
Location	33.5480543709692, -86.6636787584892

General Info

Inspector	Drew Hubbard
Date	2018-05-24
Time	11:00
Facility Name	Shell Minit Man 108
Facility Type	Fuel Station
Municipal Business License #	8129
Facility Street Address	4797 Highway 78 E Irondale, AL 35210
Facility Phone Number	2059510263
Facility Contact Name	Phillip Paulin
Facility Contact Title	Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes

Spills are cleaned up how?

If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Housekeeping and Sanitation

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall Cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Fuel Station

How many fuel tanks are there?	3
What size fuel tanks are they (in gallons)?	3- 8,000 gallon tanks
Is there a car wash?	No
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Lexus of Birmingham , 2018-07-06

Created	2018-07-06 16:06:57 UTC by Erick Gilkey
Updated	2018-07-06 17:04:49 UTC by Erick Gilkey
Location	33.5216966335343, -86.6647968068719

General Info

Inspector	Erick Gilkey, Drew Hubbard
Date	2018-07-06
Time	11:06
Facility Name	Lexus of Birmingham
Facility Type	Automotive Dealer
Municipal Business License #	2018-562
Facility Street Address	1001 Tom Williams Way Irondale, AL 35210
Facility Phone Number	2052671173
Facility Contact Name	Larry Chandler
Facility Contact Title	Service manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Tri-weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	Berms are placed around it, The police department is contacted, The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	One 1000, one 500
How many containers?	2

Is there a berm around it?	Yes
Is it covered?	Yes

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1000
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes

Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	500
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Septic tank
What fluids are being used/stored?	Soap, Degreaser

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	55
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
---------------------	--

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Pine Tree Country Club, 2018-09-11

Created	2018-09-11 19:38:23 UTC by Erick Gilkey
Updated	2018-09-12 12:17:20 UTC by Erick Gilkey
Location	33.5269264228315, -86.6504557058215

General Info

Inspector	Erick Gilkey
Date	2018-09-11
Time	14:38
Facility Name	Pine Tree Country Club
Does this facility have an NPDES permit?	No
Facility Type	Golf Course
Municipal Business License #	2018-367
Facility Street Address	4950 Pine Whispers Dr Irondale, AL 35210
Facility Phone Number	2055329136
Facility Contact Name	Neal Wisdom
Facility Contact Title	Superintendent

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Cat litter, By mop
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Golf Course

Is there a maintenance shed?	Yes
If yes, where does the runoff water drain too?	Ground in surrounding area
Is there a separate shed for PHFs, etc?	Yes
Where does the runoff water drain too?	Ground in surrounding area

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No


General comments/items of concern not mentioned

4-5 gallon hydraulic fluid, metal, inside
1-500, 1-1000 gasoline, concrete, outside, no berm, uncovered
1-30 gallon, roundup, plastic, outside, covered, no berm
3-30 gallon, urea, plastic, outside, covered, no berm

All equipment stored inside

20-50lb bags, inside

Photos



Google Map image of facility

N/A

Superior Mower and Power, 2018-08-02

Created	2018-08-02 18:30:16 UTC by Erick Gilkey
Updated	2018-08-02 18:36:41 UTC by Erick Gilkey
Location	33.5852423808975, -86.6599745303392

General Info

Inspector	Erick Gilkey
Date	2018-08-02
Time	13:30
Facility Name	Superior Mower and Power
Facility Type	Mechanic
Municipal Business License #	2018-1089
Facility Street Address	2911 Ruffner Rd Irondale, AL 35235
Facility Phone Number	2057039789
Facility Contact Name	Donald Beard
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------


Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	55
How many containers?	3
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Pro Tech Exterminating, 2018-08-08

Created	2018-08-08 17:00:58 UTC by Erick Gilkey
Updated	2018-08-08 17:13:28 UTC by Erick Gilkey
Location	33.5352294888683, -86.6743946054294

General Info

Inspector	Erick Gilkey
Date	2018-08-08
Time	12:00
Facility Name	Pro Tech Exterminating
Does this facility have an NPDES permit?	No
Facility Type	Pest Control
Municipal Business License #	2018-1329
Facility Street Address	5828 Old Leeds Rd Irondale, AL 35210
Facility Phone Number	2059566785
Facility Contact Name	Sue Kimbrell
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	In Vehicle
---	------------

Chemicals

What chemical is used/stored?	Pesticides
-------------------------------	------------

Pesticides

What kind of container is the pesticide being stored in?	Plastic drum
What size container is the pesticide being stored in (gallons)?	60
How many containers?	2


MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

General comments/items of concern not mentioned One 60 gallon tank of pesticide on each truck, two trucks total

Photos



Google Map image of facility

N/A

Tire Engineers , 2018-08-08

Created	2018-08-08 17:17:03 UTC by Erick Gilkey
Updated	2018-08-08 21:29:23 UTC by Erick Gilkey
Location	33.533342831249, -86.6955503448844

General Info

Inspector	Erick Gilkey
Date	2018-08-08
Time	12:17
Facility Name	Tire Engineers
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-179
Facility Street Address	730 Old Grants Mill Rd Irondale, AL 35210
Facility Phone Number	2059562611
Facility Contact Name	Reed Rybka
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1-250, 1-100
How many containers?	2

Used Oil


Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	350?
How many containers?	1
Is there a berm around it?	Yes

Is it covered?	Yes
Comments	Spilled oil in berm several inches deep

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly
Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Irondale Shell Gas Station, 2018-09-07

Created	2018-09-07 16:10:52 UTC by Erick Gilkey
Updated	2018-09-07 17:13:46 UTC by Erick Gilkey
Location	33.5318487488803, -86.6952006518841

General Info

Inspector	Erick Gilkey
Date	2018-09-07
Time	11:10
Facility Name	Irondale Shell Gas Station
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	2018-983
Facility Street Address	5400 Beacon Dr Irondale, AL 35210
Facility Phone Number	4144771897
Facility Contact Name	Rahim Lalani
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-8000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Chevron Irondale, 2018-09-07

Created	2018-09-07 17:12:10 UTC by Erick Gilkey
Updated	2018-09-07 17:26:45 UTC by Erick Gilkey
Location	33.521743591523, -86.6602705791593

General Info

Inspector	Erick Gilkey
Date	2018-09-07
Time	12:12
Facility Name	Chevron Irondale
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	2018-809
Facility Street Address	1811 Grants Mill Rd Irondale, AL 35210
Facility Phone Number	2059562400
Facility Contact Name	John Watkins
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted


Gas Station

How many fuel tanks and their size?	2-12000 1-8000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Save A Trip Birmingham, AL, 2018-08-06

Created	2018-08-06 18:37:22 UTC by Erick Gilkey
Updated	2018-08-06 18:52:30 UTC by Erick Gilkey
Location	33.5396190366196, -86.6975053399801

General Info

Inspector	Erick Gilkey
Date	2018-08-06
Time	13:37
Facility Name	Save A Trip Birmingham, AL
Does this facility have an NPDES permit?	No
Facility Type	Dry Cleaners
Municipal Business License #	Unknown
Facility Street Address	511 Vulcan Dr Irondale, AL 35210
Facility Phone Number	2059517771
Facility Contact Name	Mike Graves
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Other
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Hydrocarbon
-------------------------------	-------------

Chemicals

Is the main dry cleaning chemical stored on premises?	Yes
Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	In machine only
What size container is the chemical being stored in (gallons)?	200 gallon
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)

Overall cleanliness

Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Sherwin Williams Paint, 2018-08-02

Created	2018-08-02 16:03:42 UTC by Erick Gilkey
Updated	2018-08-02 16:06:13 UTC by Erick Gilkey
Location	33.5335650130099, -86.7012453451753
Inspector	Erick Gilkey
Date	2018-08-02
Time	11:03
Facility Type	Retail store
Facility Name	Sherwin Williams Paint
Facility Street Address	1905 Crestwood Blvd Irondale, AL 35210
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Mercedes of Birmingham , 2018-06-20

Created	2018-06-20 18:52:39 UTC by Drew Hubbard
Updated	2018-06-20 20:01:21 UTC by Drew Hubbard
Location	33.5252218812778, -86.6672786361276

General Info

Inspector	Drew Hubbard, Erick Gilkey
Date	2018-06-20
Time	13:52
Facility Name	Mercedes of Birmingham
Facility Type	Automotive Dealer
Municipal Business License #	2018-650
Facility Street Address	750 Mercedes Way Irondale, AL 35210
Facility Phone Number	2058487000
Facility Contact Name	Deon Grant
Facility Contact Title	Facility Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s), Garbage can(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	2-1000 gallon

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1 -500 and 1-1,000

Car Wash

Car wash type?	Drive-through, Hand Wash
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Sewer
What fluids are being used/stored?	Soap, Wax, Protectant, Degreaser

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	55

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	55

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Inside, 55 gallon drums DFE FLUID

Photos



Google Map image of facility

N/A

Springer Equipment, 2018-07-17

Created	2018-07-24 14:23:49 EDT by Scott Hofer
Updated	2018-08-31 12:13:09 EDT by Scott Hofer
Location	33.564429, -86.683591

General Info

Inspector	Scott Hofer
Date	2018-07-17
Time	14:30
Facility Name	Springer Equipment
Facility Type	Mechanic
Municipal Business License #	2018-1686
Facility Street Address	4263 Underwood Industrial Drive Birmingham , Alabama 35210
Facility Phone Number	2059513675
Facility Contact Name	Ted Springer
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire, And monthly meeting on safety
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	Call universal environmental

Maintenance Center

What fluids are being used/stored?	Used oil, New oil, New antifreeze, Used antifreeze, Hydraulic fluid
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Small containers
What size container is the new oil being stored in (gallons)?	Up to 5 gallon. Small amounts easier to take in field.
How many containers?	100

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500

How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes

New Antifreeze

Where is the new antifreeze being stored?	Inside
What kind of container is the new antifreeze being stored in?	Individual containers
What size container is the new antifreeze being stored in (gallons)?	Up to 1 gal.
How many containers?	100

Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Antifreeze and oil go in same container
What size container is the used antifreeze being stored in (gallons)?	500
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Used oil filters are kept in a sealed container and picked up by universal environmental.
General comments/items of concern not mentioned	All new fluids are in small quantities due to ease of transporting them into the field.

Photos



Google Map image of facility

N/A

Terminix International Co, LP , 2018-08-06

Created	2018-08-06 16:06:17 EDT by Erick Gilkey
Updated	2018-09-07 10:12:20 EDT by Scott Hofer
Location	33.5640490828, -86.6488644853

General Info

Inspector	Erick Gilkey
Date	2018-08-06
Time	15:06
Facility Name	Terminix International Co, LP
Does this facility have an NPDES permit?	No
Facility Type	Pest Control
Municipal Business License #	2017-1317
Facility Street Address	2081 Alton Rd Irondale, AL 35210
Facility Phone Number	2053528242
Facility Contact Name	Heath Holmes
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions, Video instructions, Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	In Vehicle
---	------------

Chemicals

What chemical is used/stored?	Pesticides
-------------------------------	------------

Pesticides

What kind of container is the pesticide being stored in?	Plastic drum
What size container is the pesticide being stored in (gallons)?	50
How many containers?	7

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

General comments/items of concern not mentioned There are seven vehicles total. Each vehicle carries one 50 gallon tank of pesticide.

Photos



Google Map image of facility

N/A

Pro Pm Inc / NAPA Truck Service Center, 2018-08-08

Created	2018-08-08 16:29:28 UTC by Erick Gilkey
Updated	2018-08-08 16:31:25 UTC by Erick Gilkey
Location	33.5241154958124, -86.6569543629885
Inspector	Erick Gilkey
Date	2018-08-08
Time	11:29
Facility Type	Mechanic
Facility Name	Pro Pm Inc / NAPA Truck Service Center
Facility Street Address	4965 Horst Hill Rd Irondale, AL 35210
Reason For Not Inspecting	Out of business

Citgo Gas A Cheap, 2018-05-24

Created	2018-05-24 16:33:38 UTC by Drew Hubbard
Updated	2018-05-24 16:45:42 UTC by Drew Hubbard
Location	33.5465648893809, -86.681588619111

General Info

Inspector	Drew Hubbard
Date	2018-05-24
Time	11:33
Facility Name	Citgo Gas A Cheap
Facility Type	Fuel Station
Municipal Business License #	2018-574
Facility Street Address	3300 Crestwood Blvd Irondale, AL 35210
Facility Phone Number	2059566801
Facility Contact Name	Mansoor Ali
Facility Contact Title	Employee

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes

Spills are cleaned up how?

If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted


Housekeeping and Sanitation

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall Cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Fuel Station

How many fuel tanks are there?	4
What size fuel tanks are they (in gallons)?	4-8,000 gallon tanks
Is there a car wash?	No
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Windham & Bush Tire and Auto Service, 2018-05-23

Created	2018-05-23 13:57:22 EDT by Drew Hubbard
Updated	2018-09-04 15:29:21 EDT by Scott Hofer
Location	33.587938608, -86.6574640861

General Info

Inspector	Drew Hubbard
Date	2018-05-23
Time	12:57
Facility Name	Windham & Bush Tire and Auto Service
Facility Type	Mechanic
Municipal Business License #	2017-2408
Facility Street Address	208 East Ventura Drive Irondale, AL 35235
Facility Phone Number	2058331011
Facility Contact Name	Billy Bush
Facility Contact Title	Assistant manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown

Spills are cleaned up how?

If a SMALL spill occurs, it is cleaned up with	Pig mats
If a LARGE spill occurs	The fire department is contacted

Housekeeping and Sanitation

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall Cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Mechanic

Mechanic Type	Oil change only
What fluids are being used/stored?	New oil, Used oil
Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic bags
What size container is the new oil being stored in (gallons)?	220 gallon metal tank, 24 quart bags,
Where is the used oil being stored?	Outside
Is there a berm around it?	No
Is it covered?	No

What kind of container is the used oil being stored in? 2-275 gallon

What size container is the used oil being stored in (gallons)? 275 gallon and 300 gallon

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Audi of Birmingham , 2018-06-29

Created	2018-06-29 20:03:39 UTC by Drew Hubbard
Updated	2018-06-29 20:21:26 UTC by Drew Hubbard
Location	33.5197422537586, -86.6606876746547

General Info

Inspector	Drew Hubbard, Erick Gilkey, Juwan Murphy
Date	2018-06-29
Time	15:03
Facility Name	Audi of Birmingham
Facility Type	Automotive Dealer
Municipal Business License #	2018-
Facility Street Address	1314 Grants Mill Way Irondale, AL 35210
Facility Phone Number	205
Facility Contact Name	Chad Wilson
Facility Contact Title	Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Antifreeze used
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	500
How many containers?	2

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	750
How many containers?	1

Car Wash

Car wash type?	Drive-through
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	300 and 55
How many containers?	4

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	55
How many containers?	1


Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Antifreeze used 500 gallon

Photos



1314 Grants Mill Way

Irondale, AL 35210



Google Map image of facility

N/A

MINI of Birmingham , 2018-07-03

Created	2018-07-03 16:50:20 UTC by Erick Gilkey
Updated	2018-07-03 17:48:50 UTC by Erick Gilkey
Location	33.5206481323936, -86.6638913029517

General Info

Inspector	Drew Hubbard, Erick Gilkey
Date	2018-07-03
Time	11:50
Facility Name	MINI of Birmingham
Facility Type	Automotive Dealer
Municipal Business License #	2018-559
Facility Street Address	2001 Tom Williams Way Irondale, AL 35210
Facility Phone Number	2057454700
Facility Contact Name	David Dovenbarger
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The police department is contacted, The fire department is contacted, Berms are placed around it

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Antifreeze
------------------------------------	-------------------------------

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	480
How many containers?	1

Is there a berm around it?	Yes
Is it covered?	Yes

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	240
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes


Car Wash

Car wash type?	Hand Wash
Is the used water processed through a filtration system?	No
Used water drains to where?	Unknown
What fluids are being used/stored?	Degreaser

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Degreaser, inside, three 55 gallon plastic drums

Photos



Google Map image of facility

N/A

Crown Pest Control LLC, 2018-08-08

Created	2018-08-08 16:47:41 UTC by Erick Gilkey
Updated	2018-08-08 19:55:15 UTC by Erick Gilkey
Location	33.5101277004015, -86.6695942729712

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-08
Time	11:47
Facility Name	Crown Pest Control LLC
Does this facility have an NPDES permit?	No
Facility Type	Pest Control
Facility Street Address	4131 Riverbrook Rd Irondale, AL 35210
Facility Phone Number	2055678098
Facility Contact Name	Don Greene
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Pesticides/Herbicides/Fertilizers

Are the chemicals stored on-site or in a vehicle?	Both
---	------

Chemicals

What chemical is used/stored?	Termiticide
-------------------------------	-------------

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No
General comments/items of concern not mentioned	1-100 gallon termiticide, stored in a plastic barrel, on a trailer in driveway, uncovered with no berm around

Photos



Google Map image of facility

N/A

Royal Paints - Benjamin Moore, 2018-08-02

Created	2018-08-02 16:21:11 UTC by Erick Gilkey
Updated	2018-08-02 16:21:55 UTC by Erick Gilkey
Location	33.5316983889927, -86.70973084867
Inspector	Erick Gilkey
Date	2018-08-02
Time	11:21
Facility Type	Retail store
Facility Name	Royal Paints - Benjamin Moore
Facility Street Address	7960 Crestwood Blvd Irondale, AL 35210
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Aamco Transmissions , 2018-08-08

Created	2018-08-08 20:02:25 UTC by Erick Gilkey
Updated	2018-08-08 20:18:03 UTC by Erick Gilkey
Location	33.532479251435, -86.706141717732

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-08
Time	15:02
Facility Name	Aamco Transmissions
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-237
Facility Street Address	1730 Crestwood Blvd Irondale, AL 35210
Facility Phone Number	2059565440
Facility Contact Name	Robert Bewleu
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Automatic Transmission Fluid, New oil, Used oil
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	100
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drum
What size container is the new transmission fluid being stored in (gallons)?	200
How many containers?	1
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No
General comments/items of concern not mentioned	1-15 gallon mineral spirits stored in parts washer

Photos



Google Map image of facility

N/A

Porsche of Birmingham , 2018-07-06

Created	2018-07-06 17:09:16 UTC by Erick Gilkey
Updated	2018-07-06 17:51:34 UTC by Erick Gilkey
Location	33.5198890110994, -86.6629229485989

General Info

Inspector	Drew Hubbard, Erick Gilkey
Date	2018-07-06
Time	12:09
Facility Name	Porsche of Birmingham
Facility Type	Automotive Dealer
Municipal Business License #	2018-561
Facility Street Address	3001 Tom Williams Way Irondale, AL 35210
Facility Phone Number	8005713213
Facility Contact Name	Sam Fuller
Facility Contact Title	Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The police department is contacted, The fire department is contacted, Berms are placed around it

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	One 500, one 250
How many containers?	2

Is there a berm around it?	Yes
Is it covered?	Yes

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes

Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	500
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	Yes

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Unknown
What fluids are being used/stored?	Degreaser, Wax

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	55
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	55
How many containers?	1


MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
---------------------	--

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Irondale Collision, 2018-08-02

Created	2018-08-02 20:13:18 UTC by Erick Gilkey
Updated	2018-08-02 20:13:58 UTC by Erick Gilkey
Location	33.5471533464691, -86.6813902929425
Inspector	Erick Gilkey
Date	2018-08-02
Time	15:13
Facility Type	Auto Body Shop
Facility Name	Irondale Collision
Facility Street Address	3300 Crestwood Blvd Irondale, AL 35210
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

V & W Supply Company, 2018-08-06

Created	2018-08-06 17:52:42 UTC by Erick Gilkey
Updated	2018-08-06 18:03:02 UTC by Erick Gilkey
Location	33.5910252258468, -86.6504124552011
Inspector	Erick Gilkey
Date	2018-08-06
Time	12:52
Facility Type	Retail store
Facility Name	V & W Supply Company
Facility Street Address	1270 Old Highway 11 Irondale, AL 35235
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Wittichen Supply , 2018-08-06

Created	2018-08-06 18:03:04 UTC by Erick Gilkey
Updated	2018-08-06 18:04:25 UTC by Erick Gilkey
Location	33.5913209909789, -86.6511198878288
Inspector	Erick Gilkey
Date	2018-08-06
Time	13:03
Facility Type	Retail store
Facility Name	Wittichen Supply
Facility Street Address	1270 Old Highway 11 Irondale, AL 35235
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

TJ Tires, 2018-08-02

Created	2018-08-02 16:18:45 UTC by Erick Gilkey
Updated	2018-08-02 16:19:31 UTC by Erick Gilkey
Location	33.5321718261184, -86.7069953307509
Inspector	Erick Gilkey
Date	2018-08-02
Time	11:18
Facility Type	Mechanic
Facility Name	TJ Tires
Facility Street Address	1708 Crestwood Blvd Irondale, AL 35210
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises (tires only)

Circle K Stores, Inc, 2018-09-07

Created	2018-09-07 15:40:48 UTC by Erick Gilkey
Updated	2018-09-07 15:58:39 UTC by Erick Gilkey
Location	33.5331329458159, -86.7046812549233

General Info

Inspector	Erick Gilkey
Date	2018-09-07
Time	10:40
Facility Name	Circle K Stores, Inc
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	2017-73
Facility Street Address	1816 Crestwood Blvd Irondale, AL 35210
Facility Phone Number	2059510244
Facility Contact Name	Marshall Jowers
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	3-10000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

WeatherTech Distributing Company, 2018-08-02

Created	2018-08-02 19:16:20 UTC by Erick Gilkey
Updated	2018-08-02 19:17:13 UTC by Erick Gilkey
Location	33.5418035007925, -86.6922656446695
Inspector	Erick Gilkey
Date	2018-08-02
Time	14:16
Facility Type	Retail store
Facility Name	WeatherTech Distributing Company
Facility Street Address	501 28th St S Irondale, AL 35210
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

James M Pleasants, Inc, 2018-08-06

Created	2018-08-06 18:33:45 UTC by Erick Gilkey
Updated	2018-08-06 18:34:27 UTC by Erick Gilkey
Location	33.5390246359559, -86.6996266320348
Inspector	Erick Gilkey
Date	2018-08-06
Time	13:33
Facility Type	Retail store
Facility Name	James M Pleasants, Inc
Facility Street Address	508 25th St S Irondale, AL 35210
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Alabama Professional Services, 2018-08-09

Created	2018-08-09 18:42:54 UTC by Erick Gilkey
Updated	2018-08-09 18:44:12 UTC by Erick Gilkey
Location	33.5396819137427, -86.6458376124501
Inspector	Erick Gilkey
Date	2018-08-09
Time	13:42
Facility Type	Pest Control
Facility Name	Alabama Professional Services
Facility Street Address	3340 Richwood Ave Irondale, AL 35210
Reason For Not Inspecting	No chemicals over 5 gallons stored/used on trucks or in the warehouse

S & G Foodmart, 2018-09-10

Created	2018-09-10 18:07:44 UTC by Erick Gilkey
Updated	2018-09-10 18:39:50 UTC by Erick Gilkey
Location	33.5326888589788, -86.6816893592477

General Info

Inspector	Erick Gilkey
Date	2018-09-10
Time	13:07
Facility Name	S & G Foodmart
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	2018-589
Facility Street Address	1200 Grants Mill Rd Irondale, AL 35210
Facility Phone Number	2059572055
Facility Contact Name	Jim Benton
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	The police department is contacted

Gas Station

How many fuel tanks and their size?	2-8000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Industrial Battery and Charger, 2018-08-02

Created	2018-08-02 18:20:28 UTC by Erick Gilkey
Updated	2018-08-02 18:21:21 UTC by Erick Gilkey
Location	33.5652171416186, -86.6846297308803
Inspector	Erick Gilkey
Date	2018-08-02
Time	13:20
Facility Type	Other
Facility Name	Industrial Battery and Charger
Facility Street Address	4211 Underwood Industrial Dr Irondale, AL 35210
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Hunter Oil Company, 2018-08-09

Created	2018-08-09 17:35:03 UTC by Erick Gilkey
Updated	2018-08-09 18:18:56 UTC by Erick Gilkey
Location	33.5655406528532, -86.6465705260634

General Info

Inspector	Erick Gilkey
Date	2018-08-09
Time	12:35
Facility Name	Hunter Oil Company
Does this facility have an NPDES permit?	No
Facility Type	Retail
Municipal Business License #	2018-622
Facility Street Address	2145 Alton Rd Irondale, AL 35210
Facility Phone Number	2055157088
Facility Contact Name	Keith Johnson
Facility Contact Title	General Manager


Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	All oil, stored inside, some metal, some plastic: 60-550 gal bulk tanks 50-275 gal bulk tanks 275-55 gal drums 200-5 gal buckets 8-55 gal antifreeze

Photos



Google Map image of facility

N/A

Lipscomb

Mana Junk, 2018-09-27

Created	2018-09-27 17:33:56 UTC by Erick Gilkey
Updated	2018-09-27 17:35:38 UTC by Erick Gilkey
Location	33.4220553881807, -86.925112567842
Inspector	Erick Gilkey
Date	2018-09-27
Time	12:33
Facility Type	Retail
Facility Name	Mana Junk
Facility Street Address	6002 4th St S Lipscomb, AL 35020
Reason For Not Inspecting	Residential address, no sign of fluids in yard/buildings in yard

Taylor Made Cabinets, 2018-08-15

Created	2018-08-16 16:36:12 EDT by Scott Hofer
Updated	2018-08-31 18:17:34 EDT by Scott Hofer
Location	33.423136, -86.925594
Inspector	Scott Hofer
Date	2018-08-15
Time	13:30
Facility Type	Furniture maker
Facility Name	Taylor Made Cabinets
Facility Street Address	5901 5th Street South Lipscomb, AL 35020
Reason For Not Inspecting	Cabinets are made here. Use 1 gallon of glue, 1 gallon of lacquer, and 1 gallon of paint thinner. Buys in small amounts. Saw dusk is taken home or given away for composting.

Wendell Motors, 2018-08-15

Created	2018-08-15 12:00:21 EDT by Scott Hofer
Updated	2018-08-31 18:16:41 EDT by Scott Hofer
Location	33.423679, -86.927068
Inspector	Scott Hofer
Date	2018-08-15
Time	11:00
Facility Type	Vehicle wholesale
Facility Name	Wendell Motors
Facility Street Address	5606 5th Street South Lipscomb, AL 35020
Reason For Not Inspecting	Buys cars from wholesale and sells them. Sells 1-2 a quarter. Stopped by house and no additional vehicle present than normal (2). Talked to Alfred Moseley 422-8714

Kens Auto Salvage, 2018-09-28

Created	2018-09-28 14:16:28 UTC by Erick Gilkey
Updated	2018-09-28 14:17:48 UTC by Erick Gilkey
Location	33.4279781418297, -86.9371442869306
Inspector	Erick Gilkey
Date	2018-09-28
Time	09:16
Facility Type	Junkyard
Facility Name	Kens Auto Salvage
Facility Street Address	5600 5th St N Lipscomb, AL 35020
Reason For Not Inspecting	Site is still in business, but "closed for remodeling."

Midfield

Midfield Paint and Body Shop/Perfect Stroke Paint and Body, 2018-08-31

Created	2018-08-31 18:20:43 UTC by Erick Gilkey
Updated	2018-08-31 18:28:32 UTC by Erick Gilkey
Location	33.4535415773765, -86.9210916012526

General Info

Inspector	Erick Gilkey
Date	2018-08-31
Time	13:20
Facility Name	Midfield Paint and Body Shop/Perfect Stroke Paint and Body
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	574 Bessemer Super Hwy Midfield, AL 35228
Facility Phone Number	2059034730
Facility Contact Name	Roberto
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

C Ray Tire and Auto, 2018-09-04

Created	2018-09-04 18:18:25 UTC by Erick Gilkey
Updated	2018-09-04 18:29:50 UTC by Erick Gilkey
Location	33.4632004638883, -86.9086129590869

General Info

Inspector	Erick Gilkey
Date	2018-09-04
Time	13:18
Facility Name	C Ray Tire and Auto
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9375009265
Facility Street Address	34 Phillips Dr Midfield, AL 35228
Facility Phone Number	2059234747
Facility Contact Name	C Ray Holley
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	500
How many containers?	1

Used Oil


Where is the used oil being stored?	Inside
How many containers?	4
Comments	1-250, metal 1-175, plastic 3-55, metal

MISCELLANEOUS

Waste containers provided and used?	Yes
-------------------------------------	-----

What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly
Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Oil spilled throughout, some treated, some not
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Diamond Rubber 4000 50th St SW, 2018-09-21

Created	2018-09-21 15:10:36 UTC by Erick Gilkey
Updated	2018-09-21 15:20:03 UTC by Erick Gilkey
Location	33.4475615409666, -86.9115224853158

General Info

Inspector	Erick Gilkey
Date	2018-09-21
Time	10:10
Facility Name	Diamond Rubber 4000 50th St SW
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Other
NPDES Permit	ALG200008
Facility Street Address	4000 50th St SW Midfield, AL 35221
Facility Phone Number	2059253791
Facility Contact Name	Catherine Kato
Facility Contact Title	Owner

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Cool Cars, 2018-08-31

Created	2018-08-31 16:40:41 UTC by Erick Gilkey
Updated	2018-08-31 16:41:27 UTC by Erick Gilkey
Location	33.4573480864204, -86.9171604886651
Inspector	Erick Gilkey
Date	2018-08-31
Time	11:40
Facility Type	Automotive Dealer
Facility Name	Cool Cars
Facility Street Address	500 Bessemer Super Hwy Midfield, AL 35228
Reason For Not Inspecting	No fluids used/stored in containers over 5 gallons

Pop-In-and-Out, 2018-09-04

Created	2018-09-04 13:39:17 EDT by Erick Gilkey
Updated	2018-09-18 09:57:17 EDT by Scott Hofer
Location	33.4468906949, -86.9278165698

General Info

Inspector	Erick Gilkey
Date	2018-09-04
Time	12:39
Facility Name	Pop-In-and-Out
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9375008655
Facility Street Address	5301 Bessemer Super Hwy Midfield, AL 35228
Facility Phone Number	2054362838
Facility Contact Name	Punkaj Gadiah
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	2-8000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

International Auto, 2018-08-31

Created	2018-08-31 18:51:02 UTC by Erick Gilkey
Updated	2018-08-31 18:51:27 UTC by Erick Gilkey
Location	33.4505206992603, -86.9241841882467
Inspector	Erick Gilkey
Date	2018-08-31
Time	13:51
Facility Type	Automotive Dealer
Facility Name	International Auto
Facility Street Address	650 Bessemer Super Hwy Midfield, AL 35228
Reason For Not Inspecting	No fluids used/stored in containers over 5 gallons

Drive Time Auto, 2018-08-31

Created	2018-08-31 17:39:24 UTC by Erick Gilkey
Updated	2018-08-31 18:17:18 UTC by Erick Gilkey
Location	33.4568840302188, -86.9194658473134

General Info

Inspector	Erick Gilkey
Date	2018-08-31
Time	12:39
Facility Name	Drive Time Auto
Does this facility have an NPDES permit?	No
Facility Type	Automotive Dealer
Municipal Business License #	9375008330
Facility Street Address	549 Bessemer Super Hwy Midfield, AL 35228
Facility Phone Number	2059090001
Facility Contact Name	Rich Coon
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	Yes
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	Yes

Paint Center

Where is the paint being stored?	Inside
What size container is the paint being stored in (gallons)?	Quart
What kind of container is the paint being stored in?	Plastic bucket
How many containers?	30

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Inside
------------------------------------	--------

What kind of container is the new oil being stored in? Metal drum

What size container is the new oil being stored in (gallons)? 250

How many containers? 1

Used Oil

Where is the used oil being stored? Inside

What kind of container is the used oil being stored in? Metal drum

What size container is the used oil being stored in (gallons)? 250

How many containers? 1

Used Antifreeze

Where is the used antifreeze being stored? Inside

What kind of container is the used antifreeze being stored in? Metal drum

What size container is the used antifreeze being stored in (gallons)? 250

How many containers? 1

Car Wash

Car wash type? Drive-through

Is the used water processed through a filtration system? Unknown

Used water drains to where? Unknown

What fluids are being used/stored? Soap, Degreaser, Protectant

Soap

Where is the soap being stored? Inside

What kind of container is the soap being stored in? Plastic drum

What size container is the soap being stored in (gallons)? Other

How many containers? 1

Degreaser

Where is the degreaser being stored? Inside

What kind of container is the degreaser being stored in? Plastic drum

How many containers? 1

Protectant

Where is the protectant being stored? Inside

What kind of container is the protectant being stored in? Plastic drum

How many containers? 1


Gas Station

How many fuel tanks and their size?	1-1000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	2-55 gallon, mineral spirits, metal containers, inside

Photos



Google Map image of facility	N/A
------------------------------	-----

Adamson West, 2018-08-31

Created	2018-08-31 16:44:24 UTC by Erick Gilkey
Updated	2018-08-31 17:14:20 UTC by Erick Gilkey
Location	33.4569897647617, -86.9175812602043

General Info

Inspector	Erick Gilkey
Date	2018-08-31
Time	11:44
Facility Name	Adamson West
Does this facility have an NPDES permit?	No
Facility Type	Automotive Dealer
Municipal Business License #	01-05146-18
Facility Street Address	506 Bessemer Super Hwy Midfield, AL 35228
Facility Phone Number	2057693160
Facility Contact Name	Chris Charles
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	Yes
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	2

Used Oil

Where is the used oil being stored?	Inside
-------------------------------------	--------

What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	2
Comments	Also, 1-250, plastic, outside, no berm, uncovered

Car Wash

Car wash type?	Do-it-yourself
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	2

Degreaser

Where is the degreaser being stored?	Inside
--------------------------------------	--------

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

United food mart , 2018-08-15

Created	2018-08-15 15:43:21 EDT by Scott Hofer
Updated	2018-08-15 16:17:41 EDT by Scott Hofer
Location	33.4472475986926, -86.928437372941

General Info

Inspector	Scott Hofer
Date	2018-08-15
Time	14:43
Facility Name	United food mart
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9375009066
Facility Street Address	5300 Bessemer Super Hwy Midfield, AL 35228
Facility Phone Number	2055670399
Facility Contact Name	Yaseen saalah
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Sand
If a LARGE spill occurs	The fire department is contacted, Call owner


Gas Station

How many fuel tanks and their size?	3-10000 gal
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Citgo, 2018-08-31

Created	2018-08-31 15:53:46 UTC by Erick Gilkey
Updated	2018-08-31 16:05:38 UTC by Erick Gilkey
Location	33.4619004048006, -86.9087282940745

General Info

Inspector	Erick Gilkey
Date	2018-08-31
Time	10:53
Facility Name	Citgo
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	370303
Facility Street Address	399 Midfield, AL 35228
Facility Phone Number	2058617920
Facility Contact Name	Sam
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	1-4000, 1-5000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Birmingham Hot Metal Coatings Inc, 2018-09-26

Created	2018-09-26 15:50:05 EDT by Scott Hofer
Updated	2018-09-26 15:54:40 EDT by Scott Hofer
Location	33.4534419336481, -86.902474677395

General Info

Inspector	Scott Hofer
Date	2018-09-26
Time	14:50
Facility Name	Birmingham Hot Metal Coatings Inc
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Refractory coating for molten metal contact
Municipal Business License #	9375008550
NPDES Permit	ALG230059
Facility Street Address	1513 Industrial Blvd Midfield, AL 35221
Facility Phone Number	2059250429
Facility Contact Name	Tim Powell
Facility Contact Title	Vice-President

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Discount Car Wash, 2019-05-18

Created	2018-05-18 17:15:22 UTC by Erick Gilkey
Updated	2018-05-18 17:57:38 UTC by Erick Gilkey
Location	33.4625781351386, -86.9142692203437

General Info

Inspector	Drew Hubbard, Erick Gilkey
Date	2019-05-18
Time	12:15
Facility Name	Discount Car Wash
Facility Type	Car Wash
Facility Street Address	201 Bessemer Super Hwy Midfield, AL 35228

Housekeeping and Sanitation

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
Overall Cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Car Wash

Car wash type?	DIY, Drive-through, 6 DIY bays and one drive through
What fluids are being used/stored?	Soap, Wax, Protectant
Where is the soap being stored?	Inside
Where is the wax being stored?	Inside
Where is the protectant being stored?	Inside

Photos



Google Map image of facility

N/A

Jeff's Service Repair, 2018-08-31

Created	2018-08-31 18:39:51 UTC by Erick Gilkey
Updated	2018-08-31 18:46:45 UTC by Erick Gilkey
Location	33.4542783882448, -86.9223354756832

General Info

Inspector	Erick Gilkey
Date	2018-08-31
Time	13:39
Facility Name	Jeff's Service Repair
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	6142
Facility Street Address	587 Bessemer Super Hwy Midfield, AL 35228
Facility Phone Number	2055047750
Facility Contact Name	Jeff Trussell
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	1-55, metal, inside. 1-150, plastic, inside. 1-55, metal, outside, uncovered, no berm
How many containers?	3

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
Google Map image of facility	N/A

BFI Waste Services, LLC, 2018-09-26

Created	2018-09-26 16:11:52 EDT by Scott Hofer
Updated	2018-09-26 16:18:08 EDT by Scott Hofer
Location	33.4446634031739, -86.9114849516638

General Info

Inspector	Scott Hofer
Date	2018-09-26
Time	15:11
Facility Name	BFI Waste Services, LLC
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Garbage truck storage facility
Municipal Business License #	9375009103
NPDES Permit	ALG140372
Facility Street Address	3950 50th St SW Midfield, AL 35221
Facility Phone Number	2054011737
Facility Contact Name	Amber Hoffman
Facility Contact Title	Environmental Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Fuel Stop, 2018-09-04

Created	2018-09-04 18:49:03 UTC by Erick Gilkey
Updated	2018-09-04 18:59:16 UTC by Erick Gilkey
Location	33.449773226189, -86.9331276789308

General Info

Inspector	Erick Gilkey
Date	2018-09-04
Time	13:49
Facility Name	Fuel Stop
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9375008249
Facility Street Address	5430 Woodward Rd Midfield, AL 35228
Facility Phone Number	2054289393
Facility Contact Name	Abraham Sabbah
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Gas Station

How many fuel tanks and their size?	2-10000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No
Google Map image of facility	N/A

Pruitt's Auto Repair, 2018-08-31

Created	2018-08-31 16:39:29 UTC by Erick Gilkey
Updated	2018-08-31 16:40:39 UTC by Erick Gilkey
Location	33.4575559178983, -86.9169455766678
Inspector	Erick Gilkey
Date	2018-08-31
Time	11:39
Facility Type	Mechanic
Facility Name	Pruitt's Auto Repair
Facility Street Address	500 Bessemer Super Hwy Midfield, AL 35228
Reason For Not Inspecting	No fluids used/stored in containers over 5 gallons

Woodfield Square Car Wash, 2018-08-31

Created	2018-08-31 18:32:07 UTC by Erick Gilkey
Updated	2018-08-31 18:34:11 UTC by Erick Gilkey
Location	33.452315223766, -86.9241050630808
Inspector	Erick Gilkey
Date	2018-08-31
Time	13:32
Facility Type	Car Wash
Facility Name	Woodfield Square Car Wash
Facility Street Address	625 Bessemer Super Hwy Midfield, AL 35228
Reason For Not Inspecting	Closed/out of business

Circle K, 2018-09-04

Created	2018-09-04 16:56:31 UTC by Erick Gilkey
Updated	2018-09-04 17:22:40 UTC by Erick Gilkey
Location	33.4634493972468, -86.9108777493238

General Info

Inspector	Erick Gilkey
Date	2018-09-04
Time	11:56
Facility Name	Circle K
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9375008340
Facility Street Address	603 Bessemer Super Hwy Midfield, AL 35228
Facility Phone Number	2059238738
Facility Contact Name	Tameka Scroggins
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted


Gas Station

How many fuel tanks and their size?	3-12000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Mountain Brook

Shell Gas Station, 2018-07-10

Created	2018-07-10 19:36:25 UTC by Erick Gilkey
Updated	2018-07-10 19:45:52 UTC by Erick Gilkey
Location	33.484520272646, -86.7742044478655

General Info

Inspector	Erick Gilkey
Date	2018-07-10
Time	14:36
Facility Name	Shell Gas Station
Facility Type	Gas Station
Municipal Business License #	201801382
Facility Street Address	2702 Cahaba Rd Mountain Brook, AL 35223
Facility Phone Number	2054230986
Facility Contact Name	RJ Sanderson
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions, Written instructions
If trained, how often?	Annually
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	Three tanks, unsure of size
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Overton Shell, 2018-07-13

Created	2018-07-13 17:29:36 UTC by Erick Gilkey
Updated	2018-07-13 17:42:40 UTC by Erick Gilkey
Location	33.467275608815, -86.7320508509874

General Info

Inspector	Erick Gilkey
Date	2018-07-13
Time	12:29
Facility Name	Overton Shell
Facility Type	Gas Station
Municipal Business License #	201801970
Facility Street Address	3170 Overton Rd Mountain Brook, AL 35223
Facility Phone Number	2059675377
Facility Contact Name	Bert Snax
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	3 - 10,000 gal ea
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Crestline Shell, 2018-07-10

Created	2018-07-10 16:38:05 UTC by Erick Gilkey
Updated	2018-07-10 17:19:49 UTC by Erick Gilkey
Location	33.5027210044463, -86.7566641420126

General Info

Inspector	Erick Gilkey
Date	2018-07-10
Time	11:38
Facility Name	Crestline Shell
Facility Type	Gas Station
Municipal Business License #	201800036
Facility Street Address	80 Church St Mountain Brook, AL 35213
Facility Phone Number	2058705472
Facility Contact Name	Kelly Jackson
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	3-10,000 gallon each
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
General comments/items of concern not mentioned	Mechanic shop on site, all fluids used/stored are quart sized

Photos



Google Map image of facility

N/A

Vogue Cleaners , 2018-07-10

Created	2018-07-10 17:23:08 UTC by Erick Gilkey
Updated	2018-07-10 17:23:36 UTC by Erick Gilkey
Location	33.5024682698862, -86.7555889114738
Inspector	Erick Gilkey
Date	2018-07-10
Time	12:23
Facility Name	Vogue Cleaners
Facility Street Address	71 Church St Mountain Brook, AL 35213
Reason For Not Inspecting	No dry cleaning done on site, drop off only

Vogue Cleaners, 2018-07-10

Created	2018-07-10 19:14:26 UTC by Erick Gilkey
Updated	2018-07-10 19:14:57 UTC by Erick Gilkey
Location	33.4831039250155, -86.7737330496311
Inspector	Erick Gilkey
Date	2018-07-10
Time	14:14
Facility Name	Vogue Cleaners
Facility Street Address	2816 Cahaba Rd Mountain Brook, AL 35223
Reason For Not Inspecting	Drop off only, no chemicals stored/used

Billy Angel's Oak Street Garden, 2018-07-10

Created	2018-07-10 17:38:02 UTC by Erick Gilkey
Updated	2018-07-10 17:39:46 UTC by Erick Gilkey
Location	33.5019572070388, -86.756511926651
Inspector	Erick Gilkey
Date	2018-07-10
Time	12:38
Facility Name	Billy Angel's Oak Street Garden
Facility Street Address	115 Oak st Mountain Brook, AL 35213
Reason For Not Inspecting	No hazardous fluids over 32oz stored/used

Leaf and Petal, 2018-07-10

Created	2018-07-10 19:22:11 UTC by Erick Gilkey
Updated	2018-07-10 19:24:21 UTC by Erick Gilkey
Location	33.4829101366581, -86.7731624096632
Inspector	Erick Gilkey
Date	2018-07-10
Time	14:22
Facility Name	Leaf and Petal
Facility Street Address	2817 Cahaba Rd Mountain Brook, AL 35223
Reason For Not Inspecting	No large volume sales of/storage of hazardous chemicals on site

Utopia Cleaners, 2018-07-09

Created	2018-07-09 19:35:39 UTC by Erick Gilkey
Updated	2018-07-09 19:54:25 UTC by Erick Gilkey
Location	33.5019927131438, -86.7571321874857

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-07-09
Time	14:35
Facility Name	Utopia Cleaners
Facility Type	Dry Cleaners
Municipal Business License #	201701655
Facility Street Address	248 Country Club Park Mountain Brook, AL 35213
Facility Phone Number	2058709862
Facility Contact Name	Jean Kim
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Other
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Hydrocarbon, Intense
-------------------------------	----------------------

Chemicals


Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	None stored on site, whatever is needed is only added to the machine that needs it, then the rest is removed by the supplier
What size container is the chemical being stored in (gallons)?	None
How many containers?	0

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
---------------------	--

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Kay Cleaner, 2018-07-10

Created	2018-07-10 19:49:43 UTC by Erick Gilkey
Updated	2018-07-10 20:00:19 UTC by Erick Gilkey
Location	33.4837722538316, -86.7741102352738

General Info

Inspector	Erick Gilkey
Date	2018-07-10
Time	14:49
Facility Name	Kay Cleaner
Facility Type	Dry Cleaners
Municipal Business License #	201800978
Facility Street Address	2738 Cahaba Rd Mountain Brook, AL 35223
Facility Phone Number	2058713456
Facility Contact Name	Gary Son
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Other
If a LARGE spill occurs	The police department is contacted, The fire department is contacted, Berms are placed around it

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Hydrocarbon
-------------------------------	-------------

Chemicals

Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Metal drum
What size container is the chemical being stored in (gallons)?	5
How many containers?	1


MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

General comments/items of concern not mentioned

Hydrocarbon added roughly every 6 months

Photos



Google Map image of facility

N/A

Crestline Chevron - CC Foodmart, 2018-07-09

Created	2018-07-09 19:58:37 UTC by Erick Gilkey
Updated	2018-07-09 20:18:19 UTC by Erick Gilkey
Location	33.5038745158662, -86.7566302791238

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-07-09
Time	14:58
Facility Name	Crestline Chevron - CC Foodmart
Facility Type	Gas Station
Municipal Business License #	201802268
Facility Street Address	104 Euclid Ave Mountain Brook, AL 35213
Facility Phone Number	2058711676
Facility Contact Name	Brent Compton
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted, Berms are placed around it

Gas Station

How many fuel tanks are there?	6
What size fuel tanks are they (in gallons)?	5000
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Berthons Cleaners, 2018-07-13

Created	2018-07-13 17:08:02 UTC by Erick Gilkey
Updated	2018-07-13 17:09:15 UTC by Erick Gilkey
Location	33.4846175845253, -86.7734852805734
Inspector	Erick Gilkey
Date	2018-07-13
Time	12:08
Facility Type	Dry Cleaners
Facility Name	Berthons Cleaners
Facility Street Address	2712 Culver Rd Mountain Brook, AL 35223
Reason For Not Inspecting	Drop off facility only, no chemicals used/stored onsite

Park Place Cleaners, 2018-07-13

Created	2018-07-13 17:25:50 UTC by Erick Gilkey
Updated	2018-07-13 17:26:56 UTC by Erick Gilkey
Location	33.4674017478555, -86.7332132533193
Inspector	Erick Gilkey
Date	2018-07-13
Time	12:25
Facility Type	Dry Cleaners
Facility Name	Park Place Cleaners
Facility Street Address	3150 Overton Rd Mountain Brook, AL 35223
Reason For Not Inspecting	Drop off location only, no chemicals stored/used on site

Mountain Brook Cleaners, 2018-07-10

Created	2018-07-10 17:26:58 UTC by Erick Gilkey
Updated	2018-07-10 17:27:32 UTC by Erick Gilkey
Location	33.5016015860341, -86.7552134022117
Inspector	Erick Gilkey
Date	2018-07-10
Time	12:26
Facility Name	Mountain Brook Cleaners
Facility Street Address	42 Church St Mountain Brook, AL 35213
Reason For Not Inspecting	Drop off only, no chemicals on site

Aladdin Cleaners , 2018-07-10

Created	2018-07-10 19:18:29 UTC by Erick Gilkey
Updated	2018-07-10 19:24:03 UTC by Erick Gilkey
Location	33.4827803849037, -86.7730132117867
Inspector	Erick Gilkey
Date	2018-07-10
Time	14:18
Facility Name	Aladdin Cleaners
Facility Street Address	2819 Cahaba Rd Mountain Brook, AL 35223
Reason For Not Inspecting	Drop off only, no chemicals stored/used onsite

Pleasant Grove

Spartan Car Wash, 2018-08-27

Created	2018-08-27 16:21:03 UTC by Erick Gilkey
Updated	2018-08-27 16:26:21 UTC by Erick Gilkey
Location	33.4936623581579, -86.9587199762464

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-27
Time	11:21
Facility Name	Spartan Car Wash
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Facility Street Address	541 Pleasant Grove Rd Pleasant Grove, AL 35127
Facility Phone Number	0
Facility Contact Name	Unknown
Facility Contact Title	Other

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	No
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Other
If a LARGE spill occurs	Other

Car Wash

Car wash type?	Drive-through, Do-it-yourself
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Degreaser, Wax

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	In the machine itself
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	In the machine itself
How many containers?	1


Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	In the machine itself
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Other
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Powder to the People Custom Coatings, 2018-08-24

Created	2018-08-24 18:14:18 UTC by Erick Gilkey
Updated	2018-08-24 18:15:15 UTC by Erick Gilkey
Location	33.4895431565051, -86.9792653620243
Inspector	Erick Gilkey
Date	2018-08-24
Time	13:14
Facility Type	Mechanic
Facility Name	Powder to the People Custom Coatings
Facility Street Address	720 9th Ave Pleasant Grove, AL 35127
Reason For Not Inspecting	Closed/out of business

Pleasant Grove Auto Service, 2018-08-27

Created	2018-08-27 16:44:15 UTC by Erick Gilkey
Updated	2018-08-27 16:51:23 UTC by Erick Gilkey
Location	33.490308701413, -86.9573492165012

General Info

Inspector	Erick Gilkey
Date	2018-08-27
Time	11:44
Facility Name	Pleasant Grove Auto Service
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-233
Facility Street Address	36 Park Rd Pleasant Grove, AL 35127
Facility Phone Number	2057440846
Facility Contact Name	Scott Fulton
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	By mop, Oil-Dri
If a LARGE spill occurs	The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil


Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

H&H Service/Precision Services, 2018-09-17

Created	2018-09-17 17:03:44 UTC by Erick Gilkey
Updated	2018-09-17 17:05:36 UTC by Erick Gilkey
Location	33.4997787258712, -86.980292648077
Inspector	Erick Gilkey
Date	2018-09-17
Time	12:03
Facility Type	Mechanic
Facility Name	H&H Service/Precision Services
Facility Street Address	915 4th St Pleasant Grove, AL 35127
Reason For Not Inspecting	Spoke to City of PG regarding this business, they stated property is being developed and turned into a Dollar General

K N A Auto Repair, 2018-08-27

Created	2018-08-24 17:46:50 UTC by Erick Gilkey
Updated	2018-08-27 17:11:48 UTC by Erick Gilkey
Location	33.4901200019319, -86.9790283218026

General Info

Inspector	Erick Gilkey
Date	2018-08-27
Time	12:05
Facility Name	K N A Auto Repair
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-278
Facility Street Address	716 9th Ave Pleasant Grove, AL 35127
Facility Phone Number	2055274105
Facility Contact Name	Shay Campbell
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Rags, By mop
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No


MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	When full
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Marvins Automotive , 2018-08-27

Created	2018-08-27 16:36:36 UTC by Erick Gilkey
Updated	2018-08-27 16:43:25 UTC by Erick Gilkey
Location	33.4906037326528, -86.9573808833957

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-27
Time	11:36
Facility Name	Marvins Automotive
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	2018-170
Facility Street Address	42 Park Rd Pleasant Grove, AL 35127
Facility Phone Number	2057443089
Facility Contact Name	Marvin Godwin
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------


Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Southern Red Rock, LLC, 2018-08-27

Created	2018-08-27 18:09:44 UTC by Erick Gilkey
Updated	2018-08-27 18:15:22 UTC by Erick Gilkey
Location	33.5019706266707, -86.9862508401275
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-27
Time	13:09
Facility Type	Quarry
Facility Name	Southern Red Rock, LLC
Facility Street Address	1080 3rd CRT Pleasant Grove, AL 35127
Reason For Not Inspecting	No chemicals used/stored over 5 gallons

Park Road Service Station, 2018-09-06

Created	2018-09-06 15:07:53 UTC by Erick Gilkey
Updated	2018-09-06 15:09:28 UTC by Erick Gilkey
Location	33.4923968681039, -86.972879357636
Inspector	Erick Gilkey
Date	2018-09-06
Time	10:07
Facility Type	Mechanic
Facility Name	Park Road Service Station
Facility Street Address	604 Park Rd Pleasant Grove, AL 35127
Reason For Not Inspecting	No chemicals used/stored over 5 gallons

Perfect Ten Investments LLC, 2018-08-24

Created	2018-08-24 18:36:50 UTC by Erick Gilkey
Updated	2018-08-24 18:37:20 UTC by Erick Gilkey
Location	33.4901331437848, -86.9585033878684
Inspector	Erick Gilkey
Date	2018-08-24
Time	13:36
Facility Type	Automotive Dealer
Facility Name	Perfect Ten Investments LLC
Facility Street Address	700 Pleasant Grove Rd Pleasant Grove, AL 35127
Reason For Not Inspecting	No chemicals over 5 gallons being used/stored

Pleasant Grove Chevron, 2018-08-24

Created	2018-08-24 18:39:03 UTC by Erick Gilkey
Updated	2018-08-24 18:53:35 UTC by Erick Gilkey
Location	33.490592548158, -86.9577325880527

General Info

Inspector	Erick Gilkey
Date	2018-08-24
Time	13:39
Facility Name	Pleasant Grove Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	2018-169
Facility Street Address	44 Park Rd Pleasant Grove, AL 35127
Facility Phone Number	2056161043
Facility Contact Name	Michael Inman
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Gas Station

How many fuel tanks and their size?	3-10000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Kwik Mart, 2018-08-24

Created	2018-08-24 18:54:39 UTC by Erick Gilkey
Updated	2018-08-24 19:03:38 UTC by Erick Gilkey
Location	33.4906185521063, -86.9583920761943

General Info

Inspector	Erick Gilkey
Date	2018-08-24
Time	13:54
Facility Name	Kwik Mart
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	2018-171
Facility Street Address	100 Park Rd Pleasant Grove, AL 35127
Facility Phone Number	20565936
Facility Contact Name	Frank patel
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil Absorbant Sock, Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Gas Station

How many fuel tanks and their size?	2-8000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

B&C Warehouse, 2018-08-24

Created	2018-08-24 16:32:23 UTC by Erick Gilkey
Updated	2018-08-24 16:34:57 UTC by Erick Gilkey
Location	33.4905176120054, -86.9509197771549
Inspector	Erick Gilkey
Date	2018-08-24
Time	11:32
Facility Type	Storage
Facility Name	B&C Warehouse
Facility Street Address	3490 Park Rd E Pleasant Grove, AL 35127
Reason For Not Inspecting	No chemicals over 5 gallons being used/stored

Automotive Excellence, 2018-08-24

Created	2018-08-24 16:09:40 UTC by Erick Gilkey
Updated	2018-08-24 16:10:26 UTC by Erick Gilkey
Location	33.4853530127215, -86.9593637064099
Inspector	Erick Gilkey
Date	2018-08-24
Time	11:09
Facility Type	Automotive Dealer
Facility Name	Automotive Excellence
Facility Street Address	1003 Pleasant Grove Rd Pleasant Grove, AL 35127
Reason For Not Inspecting	No chemicals used/stored over 5 gallons

TMP Funeral Homes Inc, 2018-08-27

Created	2018-08-27 17:29:47 UTC by Erick Gilkey
Updated	2018-08-27 17:31:18 UTC by Erick Gilkey
Location	33.4715214430992, -86.9770035892725
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-27
Time	12:29
Facility Type	Funeral home
Facility Name	TMP Funeral Homes Inc
Facility Street Address	1498 5th Ave Pleasant Grove, AL 35127
Reason For Not Inspecting	No chemicals used/stored over 5 gallons.

Pleasant Grove Collision , 2018-08-24

Created	2018-08-24 17:41:41 UTC by Erick Gilkey
Updated	2018-08-24 17:42:32 UTC by Erick Gilkey
Location	33.500514304891, -86.9799637421966
Inspector	Erick Gilkey
Date	2018-08-24
Time	12:41
Facility Type	Auto Body Shop
Facility Name	Pleasant Grove Collision
Facility Street Address	908 4th St Pleasant Grove, AL 35127
Reason For Not Inspecting	No chemicals over 5 gallons being used/stored

Knight Automotive , 2018-08-24

Created	2018-08-24 17:32:08 UTC by Erick Gilkey
Updated	2018-08-24 17:38:28 UTC by Erick Gilkey
Location	33.4997745321302, -86.9798614829779

General Info

Inspector	Erick Gilkey
Date	2018-08-24
Time	12:32
Facility Name	Knight Automotive
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	909 4th St Pleasant Grove, AL 35127
Facility Phone Number	2057447388
Facility Contact Name	Richard Knight
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	2
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

City Cleaners, 2018-08-24

Created	2018-08-24 16:47:43 UTC by Erick Gilkey
Updated	2018-08-24 17:39:23 UTC by Erick Gilkey
Location	33.4904630875253, -86.9588819146156

General Info

Inspector	Erick Gilkey
Date	2018-08-24
Time	11:47
Facility Name	City Cleaners
Does this facility have an NPDES permit?	No
Facility Type	Dry Cleaners
Municipal Business License #	2013-577
Facility Street Address	107 Park Rd Pleasant Grove, AL 35127
Facility Phone Number	2057440921
Facility Contact Name	Katie Lowery
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Other
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Perchloroethylene/tetrachloroethylene
-------------------------------	---------------------------------------

Chemicals

Is the main dry cleaning chemical stored on premises?	No
Where is the chemical being stored?	Not Applicable
What kind of container is the chemical being stored in?	In machine only
What size container is the chemical being stored in (gallons)?	200
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)

How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Tarrant

GBM Services Inc, 2018-07-31

Created	2018-07-31 17:43:50 UTC by Erick Gilkey
Updated	2018-07-31 17:57:03 UTC by Erick Gilkey
Location	33.584348875138, -86.7691930755973

General Info

Inspector	Erick Gilkey
Date	2018-07-31
Time	12:43
Facility Name	GBM Services Inc
Facility Type	Mechanic
Municipal Business License #	9625015899
Facility Street Address	1122 Elizabeth Ave Tarrant, AL 35217
Facility Phone Number	2055934574
Facility Contact Name	David Russell
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------


Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	150
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Classic Car Motoring, 2018-07-24

Created	2018-07-24 18:26:30 UTC by Erick Gilkey
Updated	2018-07-24 18:43:10 UTC by Erick Gilkey
Location	33.607753772529, -86.7704533785582

General Info

Inspector	Erick Gilkey
Date	2018-07-24
Time	13:26
Facility Name	Classic Car Motoring
Facility Type	Auto Body Shop
Facility Street Address	102 Black creek rd Tarrant, AL 35217
Facility Phone Number	2058412153
Facility Contact Name	Chris Baggett
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted, Berms are placed around it

Automotive Dealer/Auto Body Shop

Is there a paint center?	Yes
Is there a maintenance center?	Yes
Is there a car wash?	No
Are there any gas pumps onsite?	No

Paint Center

Where is the paint being stored?	Inside
What size container is the paint being stored in (gallons)?	Quart
What kind of container is the paint being stored in?	Can

Maintenance Center

What fluids are being used/stored?	Used oil, Used antifreeze
------------------------------------	---------------------------

Used Oil

Where is the used oil being stored?	Inside
-------------------------------------	--------

What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	1000
How many containers?	1

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	1000
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Comfleet Services/Poor Boys Recovery, 2018-08-03

Created	2018-08-03 16:00:45 UTC by Erick Gilkey
Updated	2018-08-03 16:05:22 UTC by Erick Gilkey
Location	33.5947706714334, -86.7703910171986
Inspector	Erick Gilkey
Date	2018-08-03
Time	11:00
Facility Type	Towing service
Facility Name	Comfleet Services/Poor Boys Recovery
Facility Street Address	623 Springdale Rd Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored on site

Richardson Hardware, 2018-07-17

Created	2018-07-17 19:13:25 UTC by Erick Gilkey
Updated	2018-07-17 19:14:44 UTC by Erick Gilkey
Location	33.5857314449958, -86.7686626687646
Inspector	Erick Gilkey
Date	2018-07-17
Time	14:13
Facility Type	Retail store
Facility Name	Richardson Hardware
Facility Street Address	1840 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals in containers over five gallons in use

Classic Auto Mechanic, 2018-08-03

Created	2018-08-03 18:19:11 UTC by Erick Gilkey
Updated	2018-08-03 18:20:06 UTC by Erick Gilkey
Location	33.607754889463, -86.7485625296831
Inspector	Erick Gilkey
Date	2018-08-03
Time	13:19
Facility Type	Automotive Dealer
Facility Name	Classic Auto Mechanic
Facility Street Address	2539 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No mechanic, only used car lot

Ottawa Truck Center of AL, 2018-08-15

Created	2018-08-15 16:19:52 UTC by Erick Gilkey
Updated	2018-08-15 16:32:33 UTC by Erick Gilkey
Location	33.5977002220995, -86.7559899017215

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	11:19
Facility Name	Ottawa Truck Center of AL
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9625016422
Facility Street Address	2265 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2059681971
Facility Contact Name	Frances Lollar
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	The fire department is contacted, Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	1


Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	500
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s), Dumpster(s)
How often is it/are they emptied?	Bi-monthly, Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

City Tire & Auto LLC, 2018-07-17

Created	2018-07-17 18:17:38 UTC by Erick Gilkey
Updated	2018-07-17 18:28:50 UTC by Erick Gilkey
Location	33.5828763440514, -86.7718494683504

General Info

Inspector	Erick Gilkey
Date	2018-07-17
Time	13:17
Facility Name	City Tire & Auto LLC
Facility Type	Mechanic
Municipal Business License #	9625015426
Facility Street Address	1115 East Lake Blvd Tarrant, AL 35217
Facility Phone Number	2058499914
Facility Contact Name	Jason Harris
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	As needed into neighbors dumpster

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------


Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	300
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Multiple spills in area that had not been cleaned up
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

AWB Inc, 2018-08-01

Created	2018-08-01 20:00:40 UTC by Erick Gilkey
Updated	2018-08-01 20:12:23 UTC by Erick Gilkey
Location	33.5992403606387, -86.7559228464961

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	15:00
Facility Name	AWB Inc
Facility Type	Mechanic
Municipal Business License #	9625016714
Facility Street Address	2281 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2052233945
Facility Contact Name	Mark Lundberg
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Take to dump

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Large volume of oil on ground around used oil container outside

Are there any other potentially hazardous items not already addressed?	No
Google Map image of facility	N/A

Copier Solutions Corp, 2018-07-24

Created	2018-07-24 19:40:07 UTC by Erick Gilkey
Updated	2018-07-24 19:49:33 UTC by Erick Gilkey
Location	33.5834352496476, -86.7776007950306
Inspector	Erick Gilkey
Date	2018-07-24
Time	14:40
Facility Type	Print shop
Facility Name	Copier Solutions Corp
Facility Street Address	800 Thomason Ave Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored on site

B&G Automotive LLC, 2018-07-17

Created	2018-07-17 18:54:46 UTC by Erick Gilkey
Updated	2018-07-17 19:07:31 UTC by Erick Gilkey
Location	33.5847910205949, -86.7695229873061

General Info

Inspector	Erick Gilkey
Date	2018-07-17
Time	13:54
Facility Name	B&G Automotive LLC
Facility Type	Mechanic
Municipal Business License #	9625016636
Facility Street Address	1805 Pinson St Tarrant, AL 35217
Facility Phone Number	2058411453
Facility Contact Name	Glenn Barr
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	300
How many containers?	1
Is there a berm around it?	No
Is it covered?	No


MISCELLANEOUS

Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Lots of spills throughout area, though all had been treated with Oil Dri

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Center Point Auto Service and Wrecker Inc, 2018-08-01

Created	2018-08-01 15:32:04 UTC by Erick Gilkey
Updated	2018-08-01 15:33:02 UTC by Erick Gilkey
Location	33.5778370922204, -86.7797401919961
Inspector	Erick Gilkey
Date	2018-08-01
Time	10:32
Facility Type	Automotive Dealer
Facility Name	Center Point Auto Service and Wrecker Inc
Facility Street Address	1021 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No chemicals stored/used on site

Flanagan Contracting LLC, 2018-07-18

Created	2018-07-18 18:49:06 UTC by Erick Gilkey
Updated	2018-07-18 19:14:12 UTC by Erick Gilkey
Location	33.5995461509655, -86.7758895456791

General Info

Inspector	Erick Gilkey
Date	2018-07-18
Time	13:49
Facility Name	Flanagan Contracting LLC
Facility Type	Mechanic
Municipal Business License #	9625015568
Facility Street Address	245 Clow Ln Tarrant, AL 35217
Facility Phone Number	2058348774
Facility Contact Name	Gill Bentley
Facility Contact Title	Vice President
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	5
How many containers?	10

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1000

How many containers?

1

MISCELLANEOUS

Overall cleanliness

Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity

10 - 5 gallon buckets of hydraulic fluid stored inside

Photos



Google Map image of facility

N/A

Pinnacle Towers Acquisition LLC, 2018-07-24

Created	2018-07-24 19:09:47 UTC by Erick Gilkey
Updated	2018-07-24 19:10:54 UTC by Erick Gilkey
Location	33.5920398719733, -86.7683139815927
Inspector	Erick Gilkey
Date	2018-07-24
Time	14:09
Facility Type	Radio antennae in vacant lot
Facility Name	Pinnacle Towers Acquisition LLC
Facility Street Address	666 Springdale Rd Tarrant, AL 35217
Reason For Not Inspecting	No chemicals stored/used

JRs Automotive , 2018-07-17

Created	2018-07-17 18:37:06 UTC by Erick Gilkey
Updated	2018-07-17 18:38:57 UTC by Erick Gilkey
Location	33.5837288063093, -86.7725877463818
Inspector	Erick Gilkey
Date	2018-07-17
Time	13:37
Facility Type	Mechanic
Facility Name	JRs Automotive
Facility Street Address	1600 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals in containers over five gallons in use

ABC Auto Parts Inc, 2018-07-13

Created	2018-07-13 20:37:59 UTC by Erick Gilkey
Updated	2018-07-13 20:39:20 UTC by Erick Gilkey
Location	33.5809085541614, -86.7771213501692
Inspector	Erick Gilkey
Date	2018-07-13
Time	15:37
Facility Type	Mechanic
Facility Name	ABC Auto Parts Inc
Facility Street Address	1140 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	Only sells parts, no mechanic garage on site

Tomlin Excavating Company Inc, 2018-07-18

Created	2018-07-18 20:03:54 UTC by Erick Gilkey
Updated	2018-07-18 20:24:57 UTC by Erick Gilkey
Location	33.5933066966273, -86.7707249522209

General Info

Inspector	Erick Gilkey
Date	2018-07-18
Time	15:03
Facility Name	Tomlin Excavating Company Inc
Facility Type	Mechanic
Municipal Business License #	9625016963
Facility Street Address	625 Springdale Rd Tarrant, AL 35217
Facility Phone Number	2058411148
Facility Contact Name	Bobby Tomlin
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil
------------------------------------	---------



New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	Approximately 1000
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	1 - 1000 gallon metal tank of hydraulic oil inside, 1 -7000 gallon diesel tank outside with a berm, 1 -3500 gallon used oil tank outside with a berm around it

Photos



Google Map image of facility

N/A

Big Wills Car Detail and Lawn Care, 2018-07-31

Created	2018-07-31 17:21:53 UTC by Erick Gilkey
Updated	2018-07-31 17:22:37 UTC by Erick Gilkey
Location	33.5681440639923, -86.784179918468
Inspector	Erick Gilkey
Date	2018-07-31
Time	12:21
Facility Type	Landscape Services, Car Wash
Facility Name	Big Wills Car Detail and Lawn Care
Facility Street Address	1316 Depot St Tarrant, AL 35217
Reason For Not Inspecting	Residential address, unsure of what kind of business, no obvious chemicals used/stored

Kingz of Tirez, 2018-07-13

Created	2018-07-13 19:25:13 UTC by Erick Gilkey
Updated	2018-07-13 21:03:18 UTC by Erick Gilkey
Location	33.5688583889615, -86.7842536792159
Inspector	Erick Gilkey
Date	2018-07-13
Time	14:25
Facility Type	Tires
Facility Name	Kingz of Tirez
Facility Street Address	424 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	Tirez only

Express Oil Change LLC, 2018-08-15

Created	2018-08-15 15:54:21 UTC by Erick Gilkey
Updated	2018-08-15 16:13:09 UTC by Erick Gilkey
Location	33.5834707222944, -86.7746275663376

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	10:54
Facility Name	Express Oil Change LLC
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9625015276
Facility Street Address	1412 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058418555
Facility Contact Name	Bucky Horton
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1-1500, 1-1200, 2-400
How many containers?	4

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Transmission Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	3-400
How many containers?	3


Used Antifreeze

Where is the used antifreeze being stored?	Outside
What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Econo Printing Svc Inc, 2018-07-24

Created	2018-07-24 17:48:02 UTC by Erick Gilkey
Updated	2018-07-24 17:49:09 UTC by Erick Gilkey
Location	33.5683839063802, -86.783335226622
Inspector	Erick Gilkey
Date	2018-07-24
Time	12:48
Facility Type	Print shop
Facility Name	Econo Printing Svc Inc
Facility Street Address	1315 Water St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

Shop N Go, 2018-07-24

Created	2018-07-24 17:41:06 UTC by Erick Gilkey
Updated	2018-07-24 17:42:08 UTC by Erick Gilkey
Location	33.5685941145541, -86.7831787839532
Inspector	Erick Gilkey
Date	2018-07-24
Time	12:41
Facility Type	Convenience Store
Facility Name	Shop N Go
Facility Street Address	504 Jefferson Blvd Tarrant, AL 35217
Reason For Not Inspecting	Only convenience store, no gas pumps

Angela Whitaker Enterprise, 2018-07-24

Created	2018-07-24 17:19:29 UTC by Erick Gilkey
Updated	2018-07-24 17:20:40 UTC by Erick Gilkey
Location	33.5787493803418, -86.771073974669
Inspector	Erick Gilkey
Date	2018-07-24
Time	12:19
Facility Type	Unknown
Facility Name	Angela Whitaker Enterprise
Facility Street Address	1320 Thomason Ave Tarrant, AL 35217
Reason For Not Inspecting	Residential address, unsure of what kind of business, no obvious chemicals used/stored

Knapheide Truck Equipment Co Mid South, 2018-08-03

Created	2018-08-03 18:28:53 UTC by Erick Gilkey
Updated	2018-08-03 18:29:42 UTC by Erick Gilkey
Location	33.6079087469802, -86.7514921724796
Inspector	Erick Gilkey
Date	2018-08-03
Time	13:28
Facility Type	Retail Store
Facility Name	Knapheide Truck Equipment Co Mid South
Facility Street Address	2490 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Equity Trust Co FBO Carolyn Gail Horvath, 2018-07-24

Created	2018-07-24 19:24:17 UTC by Erick Gilkey
Updated	2018-07-24 19:25:21 UTC by Erick Gilkey
Location	33.5797786956857, -86.7705703899264
Inspector	Erick Gilkey
Date	2018-07-24
Time	14:24
Facility Type	Unknown
Facility Name	Equity Trust Co FBO Carolyn Gail Horvath
Facility Street Address	1317 Sloan Ave Tarrant, AL 35217
Reason For Not Inspecting	Residential address, unsure of what kind of business, no obvious chemicals used/stored

QP # 288 Pacific Pride , 2018-08-28

Created	2018-08-29 16:48:35 UTC by Scott Hofer
Updated	2018-08-30 15:39:29 UTC by Erick Gilkey
Location	33.5861476081505, -86.7680504545569

General Info

Inspector	Scott Hofer
Date	2018-08-28
Time	16:00
Facility Name	QP # 288 Pacific Pride
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9625016654
Facility Street Address	1098 Bethel Avenue Tarrant , Alabama 35217
Facility Phone Number	2052237656
Facility Contact Name	David Melton
Facility Contact Title	Vice-president

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	No staff on premises
If trained, how often?	No staff. Has a maintenance employee that cleans up each day and applies oil-dri if needed
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	Call PPM environmental services

Gas Station

How many fuel tanks and their size?	3-10,000 gallon
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	No
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
General comments/items of concern not mentioned	Has a 750 gallon diesel exhaust urea product on premises, but is considered not toxic. The site has a 1-800 number advertised that will respond to spills 24-7

Photos



Google Map image of facility

N/A

Miller Truck Lines, 2018-07-26

Created	2018-07-26 17:56:44 UTC by Erick Gilkey
Updated	2018-07-26 17:57:41 UTC by Erick Gilkey
Location	33.586532487456, -86.7726484313607
Inspector	Erick Gilkey
Date	2018-07-26
Time	12:56
Facility Type	Transportation
Facility Name	Miller Truck Lines
Facility Street Address	2523 Commerce Cir Tarrant, AL 35217
Reason For Not Inspecting	No chemicals stored/used on site

Allen Iron Works and Supply Inc, 2018-07-16

Created	2018-07-16 19:35:14 UTC by Erick Gilkey
Updated	2018-07-16 19:55:20 UTC by Erick Gilkey
Location	33.5776672591968, -86.7808838188648
Inspector	Erick Gilkey
Date	2018-07-16
Time	14:35
Facility Type	Iron works
Facility Name	Allen Iron Works and Supply Inc
Facility Street Address	1113 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored on site over 5 gallons

K & D Stop and Shop, 2018-07-13

Created	2018-07-13 19:52:17 UTC by Erick Gilkey
Updated	2018-07-13 19:59:50 UTC by Erick Gilkey
Location	33.5750792195554, -86.7819999530911

General Info

Inspector	Erick Gilkey
Date	2018-07-13
Time	14:52
Facility Name	K & D Stop and Shop
Facility Type	Gas Station
Municipal Business License #	9625014721
Facility Street Address	820 Overton Ave Tarrant, AL 35217
Facility Phone Number	3162265251
Facility Contact Name	Duc Diep
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Cat litter
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	2 - 8000 gal ea
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Sergio's Shop, 2018-07-24

Created	2018-07-24 18:48:55 UTC by Erick Gilkey
Updated	2018-07-24 18:57:50 UTC by Erick Gilkey
Location	33.5933421652156, -86.769284941256

General Info

Inspector	Erick Gilkey
Date	2018-07-24
Time	13:48
Facility Name	Sergio's Shop
Facility Type	Mechanic
Municipal Business License #	9625015923
Facility Street Address	640 Springdale Rd Tarrant, AL 35217
Facility Phone Number	2055638529
Facility Contact Name	Sergio Gress
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Cat litter, Rags
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No


MISCELLANEOUS

Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Uncleaned spills throughout area

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Allworth llc (stericycle), 2018-09-25

Created	2018-09-25 15:45:52 EDT by Scott Hofer
Updated	2018-09-25 15:50:51 EDT by Scott Hofer
Location	33.5944576941574, -86.771632003251

General Info

Inspector	Scott Hofer
Date	2018-09-25
Time	14:45
Facility Name	Allworth llc (stericycle)
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Hazardous waste treatment, storage and disposal
Municipal Business License #	04195 for Birmingham
NPDES Permit	AI0032298
Facility Street Address	500 Medco Rd Tarrant, AL 35217
Facility Phone Number	2058411707
Facility Contact Name	Todd Williamson
Facility Contact Title	Facility manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

RSV Automotive and Collision , 2018-07-13

Created	2018-07-13 19:26:29 UTC by Erick Gilkey
Updated	2018-07-13 19:27:09 UTC by Erick Gilkey
Location	33.5688276594208, -86.7842503264546
Inspector	Erick Gilkey
Date	2018-07-13
Time	14:26
Facility Type	Auto Body Shop
Facility Name	RSV Automotive and Collision
Facility Street Address	424 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	Out of business

Thompson Fabricating LLC, 2018-07-26

Created	2018-07-26 18:31:22 UTC by Erick Gilkey
Updated	2018-07-26 19:08:40 UTC by Erick Gilkey
Location	33.5840555642431, -86.7756598201712

General Info

Inspector	Erick Gilkey
Date	2018-07-26
Time	13:31
Facility Name	Thompson Fabricating LLC
Facility Type	Fabrication shop
Municipal Business License #	9625016668
Facility Street Address	1411 Commerce Pl Tarrant, AL 35217
Facility Phone Number	2058410441
Facility Contact Name	Spencer Turner
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Written instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted, Berms are placed around it

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	70-5 gallon metal paint buckets stored inside a shed and used in multiple areas, 10-55 gallon metal barrels of paint thinner, 1-250 gallon diesel fuel stored inside metal container enclosed in a shed

Photos



Google Map image of facility

N/A

Ley Auto Ventures , 2018-07-17

Created	2018-07-17 18:29:59 UTC by Erick Gilkey
Updated	2018-07-17 18:44:45 UTC by Erick Gilkey
Location	33.582670489354, -86.7717757076025
Inspector	Erick Gilkey
Date	2018-07-17
Time	13:29
Facility Type	Automotive Dealer
Facility Name	Ley Auto Ventures
Facility Street Address	1117 East Lake Blvd Tarrant, AL 35217
Reason For Not Inspecting	No chemicals over five gallons in use/stored

All Pro Transmission , 2018-07-17

Created	2018-07-17 18:09:18 UTC by Erick Gilkey
Updated	2018-07-17 18:43:57 UTC by Erick Gilkey
Location	33.5832536965026, -86.7724838107824
Inspector	Erick Gilkey
Date	2018-07-17
Time	13:09
Facility Type	Mechanic
Facility Name	All Pro Transmission
Facility Street Address	1521 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	All new transmission fluid comes in containers less than 5 gallons. All used fluid is drained into 55 gallon drums, though all were currently empty upon visit.

Allstar Services LLC, 2018-07-17

Created	2018-07-17 17:57:08 UTC by Erick Gilkey
Updated	2018-07-17 18:16:01 UTC by Erick Gilkey
Location	33.5823707841471, -86.7735362425447
Inspector	Erick Gilkey
Date	2018-07-17
Time	12:57
Facility Type	Contractors
Facility Name	Allstar Services LLC
Facility Street Address	1413 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals over five gallons in use/stored

Kips LLC, 2018-08-01

Created	2018-08-01 16:00:11 UTC by Erick Gilkey
Updated	2018-08-01 16:12:00 UTC by Erick Gilkey
Location	33.5865598590684, -86.7680132389069

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	11:00
Facility Name	Kips LLC
Facility Type	Gas Station
Municipal Business License #	9625016764
Facility Street Address	1911 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058415443
Facility Contact Name	Festus Kiptoo
Facility Contact Title	General Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	1-8000 gal, 1-12000 gal
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Collateral Assoc Recovery Services, 2018-07-24

Created	2018-07-24 18:03:05 UTC by Erick Gilkey
Updated	2018-07-24 18:04:07 UTC by Erick Gilkey
Location	33.5737800027809, -86.7838966101408
Inspector	Erick Gilkey
Date	2018-07-24
Time	13:03
Facility Type	Repo/Towing
Facility Name	Collateral Assoc Recovery Services
Facility Street Address	1001 Cedar St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored

Atkins & Goolsby Inc, 2018-07-31

Created	2018-07-31 17:30:39 UTC by Erick Gilkey
Updated	2018-07-31 17:31:52 UTC by Erick Gilkey
Location	33.5830729809158, -86.77121412009
Inspector	Erick Gilkey
Date	2018-07-31
Time	12:30
Facility Type	Janitorial service
Facility Name	Atkins & Goolsby Inc
Facility Street Address	1128 E Lake Blvd Tarrant, AL 35217
Reason For Not Inspecting	No large volume chemicals stored/used on site

Finney Equipment , 2018-08-15

Created	2018-08-15 16:49:07 UTC by Erick Gilkey
Updated	2018-08-15 17:04:36 UTC by Erick Gilkey
Location	33.5997567128067, -86.7574795335531

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	11:49
Facility Name	Finney Equipment
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9625016585
Facility Street Address	2280 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058495555
Facility Contact Name	Hal Finney
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?	No
Google Map image of facility	N/A

Stein Steel Mill Services/Dunn, 2018-09-27

Created	2018-09-27 19:40:58 UTC by Erick Gilkey
Updated	2018-09-27 20:02:40 UTC by Erick Gilkey
Location	33.5905230651602, -86.7632043734193

General Info

Inspector	Erick Gilkey
Date	2018-09-27
Time	14:40
Facility Name	Stein Steel Mill Services/Dunn
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Quarry
NPDES Permit	ALG020033
Facility Street Address	2201 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2055923866
Facility Contact Name	Harry Thomas
Facility Contact Title	VP of Operations

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Waste Away Group of Birmingham , 2018-07-18

Created	2018-07-18 19:19:24 UTC by Erick Gilkey
Updated	2018-07-19 13:15:58 UTC by Erick Gilkey
Location	33.596935867521, -86.7710193246603

General Info

Inspector	Erick Gilkey
Date	2018-07-18
Time	14:19
Facility Name	Waste Away Group of Birmingham
Facility Type	Mechanic
Municipal Business License #	9625016723
Facility Street Address	700 Clow Rd Tarrant, AL 35217
Facility Phone Number	2055738223
Facility Contact Name	Jay Hunt
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s), Garbage can(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, New antifreeze
------------------------------------	-----------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	1 - 500 gallon, 10 - 55 gallons
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250

How many containers? 1

New Antifreeze

Where is the new antifreeze being stored? Inside

What kind of container is the new antifreeze being stored in? Metal drum

What size container is the new antifreeze being stored in (gallons)? 250

How many containers? 1

MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity 1000 gallon diesel tank for gas pump, 1 - 500 and 1 -55 gallon hydraulic fluid, 2 - 1000 gallon degreaser stored inside in a plastic drum

Photos



Google Map image of facility N/A

Gilco Manufacturing and Welding, 2018-08-01

Created	2018-08-01 15:11:42 UTC by Erick Gilkey
Updated	2018-08-21 21:24:10 UTC by Erick Gilkey
Location	33.5728817185374, -86.7843446559343

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	10:11
Facility Name	Gilco Manufacturing and Welding
Facility Type	Mechanic
Municipal Business License #	9625017389
Facility Street Address	608 Railroad Ave Tarrant, AL 35217
Facility Phone Number	2058411347
Facility Contact Name	Debra Cole
Facility Contact Title	Secretary
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Sawdust
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	4

Used Oil


Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	750

How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Guitierres Joes, 2018-08-03

Created	2018-08-03 20:05:31 UTC by Erick Gilkey
Updated	2018-08-03 20:06:41 UTC by Erick Gilkey
Location	33.5716248408869, -86.7631805688143
Inspector	Erick Gilkey
Date	2018-08-03
Time	15:05
Facility Type	Contractors
Facility Name	Guitierres Joes
Facility Street Address	936 Green St Tarrant, AL 35217
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Raga Auto Repair, 2018-07-13

Created	2018-07-13 20:16:27 UTC by Erick Gilkey
Updated	2018-07-13 21:01:56 UTC by Erick Gilkey
Location	33.5802110882662, -86.7778710275888

General Info

Inspector	Erick Gilkey
Date	2018-07-13
Time	15:16
Facility Name	Raga Auto Repair
Facility Type	Mechanic
Municipal Business License #	9625016759
Facility Street Address	1100 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2057041399
Facility Contact Name	Gabrielle Mendez
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil, Used antifreeze
------------------------------------	---------------------------

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	55
How many containers?	3

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	55

How many containers?

1

MISCELLANEOUS


Overall cleanliness

Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed?

No

Photos



Google Map image of facility

N/A

Raceway Tarrant, 2018-08-01

Created	2018-08-01 20:16:47 UTC by Erick Gilkey
Updated	2018-08-01 20:24:46 UTC by Erick Gilkey
Location	33.605680159649, -86.7539601400495

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	15:16
Facility Name	Raceway Tarrant
Facility Type	Gas Station
Municipal Business License #	9625016546
Facility Street Address	2460 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058417171
Facility Contact Name	Bobby Patel
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	1-12000, 1-12000, 1-20000
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Ricks Quick Stop, 2018-08-01

Created	2018-08-01 15:47:36 UTC by Erick Gilkey
Updated	2018-08-01 18:46:18 UTC by Erick Gilkey
Location	33.5840511309322, -86.7728620022535

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	13:37
Facility Name	Ricks Quick Stop
Facility Type	Gas Station
Municipal Business License #	9625016879
Facility Street Address	1601 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058415090
Facility Contact Name	Nasser Hasson
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	1-10000 1-8000 1-8000
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Robinwood Chevron, 2018-08-03

Created	2018-08-03 18:01:47 UTC by Erick Gilkey
Updated	2018-08-03 18:17:09 UTC by Erick Gilkey
Location	33.60758288146, -86.748995706439

General Info

Inspector	Drew Hubbard
Date	2018-08-03
Time	13:01
Facility Name	Robinwood Chevron
Facility Type	Gas Station
Municipal Business License #	9625017218
Facility Street Address	2525 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058492232
Facility Contact Name	George Wanyoike
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Car Wash

Car wash type?	Hand Wash
Is the used water processed through a filtration system?	No
Used water drains to where?	Storm drain
What fluids are being used/stored?	All in 1 gallon containers

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	1
How many containers?	3

Gas Station

How many fuel tanks and their size?	1-8000, 1-8000, 1-12000
-------------------------------------	-------------------------

Is there a car wash on-site?	Yes
------------------------------	-----

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
---------------------	--

Are there any other potentially hazardous items not already addressed?	No
--	----

Google Map image of facility	N/A
------------------------------	-----

Po Folks/ Prospect Motors LLC, 2018-08-01

Created	2018-08-01 15:55:40 UTC by Erick Gilkey
Updated	2018-08-01 15:56:41 UTC by Erick Gilkey
Location	33.5866159290159, -86.7692981388359
Inspector	Erick Gilkey
Date	2018-08-01
Time	10:55
Facility Type	Automotive Dealer
Facility Name	Po Folks/ Prospect Motors LLC
Facility Street Address	1840 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No chemicals stored/used on site

Thompson Tractor Co Inc, 2018-08-13

Created	2018-08-13 17:25:02 UTC by Erick Gilkey
Updated	2018-08-15 15:08:12 UTC by Erick Gilkey
Location	33.5931050560292, -86.7608624696732

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-13
Time	12:25
Facility Name	Thompson Tractor Co Inc
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9625017145
Facility Street Address	2401 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058493637
Facility Contact Name	David Kirkland
Facility Contact Title	EHS Director

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	See notes under miscellaneous
------------------------------------	-------------------------------

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity

Thompson Hydraulics

(All in metal)

Mineral spirits 1 - 275, outside, uncovered no berm

New oil 2-500, outside, uncovered, no berm

Diesel fuel 1-1000, outside, uncovered, no berm

Hydraulic fluid stored in machine, 1-500, 1-160, inside

Two waste oil tanks inground, inside, no known sizes, 1000s of gallons each

1-250 DEF, outside, no berm, uncovered

Degreaser 3-55 gallon drums, inside (in plastic)

Thompson Equipment Shop

6-2000, metal, outside, berm, covered

1-1000, metal, diesel fuel hooked up to fuel pump

1-500, metal, antifreeze, no berm, covered

1-500, metal, mineral spirits, no berm, covered

Thompson Parts

55-55 new oil, metal, inside

4-55, DEF, plastic, inside

13-5, new oil, plastic, inside

Thompson Weld Shop

1-500, used oil, metal, outside, no berm, uncovered

Thompson Power Systems

1-1000 used oil, metal, outside, no berm, uncovered

1-1000 used coolant, metal, outside, no berm, uncovered

8-250, used oil, plastic, outside, no berm, uncovered

1-280, environ solvent, metal, no berm, outside

1-1000 diesel fuel, metal, outside, no berm, uncovered

1-500 diesel fuel, metal, outside, no berm, uncovered

Thompson Used Parts

4-250 used oil, plastic, no berm, covered

1-500 used oil, metal, no berm, covered

Thompson Lift Truck

1-500, diesel fuel, metal, outside, berm, uncovered

2-250, diesel fuel, metal, outside, berm, uncovered

9-55, new oil, metal, outside, no berm, uncovered

Photos



Google Map image of facility

N/A

Iron City Welding and Fabrication LLC, 2018-08-13

Created	2018-08-13 19:32:04 UTC by Erick Gilkey
Updated	2018-08-13 19:33:42 UTC by Erick Gilkey
Location	33.5870869005641, -86.7703943699598
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-13
Time	14:32
Facility Type	Welding
Facility Name	Iron City Welding and Fabrication LLC
Facility Street Address	1824 Georgia St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

Kimbrough Bonnie, 2018-08-03

Created	2018-08-03 19:46:34 UTC by Erick Gilkey
Updated	2018-08-03 19:48:00 UTC by Erick Gilkey
Location	33.5756348235977, -86.7791340127587
Inspector	Erick Gilkey
Date	2018-08-03
Time	14:46
Facility Type	Unknown
Facility Name	Kimbrough Bonnie
Facility Street Address	933 Jackson Blvd Tarrant, AL 35217
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Rons Auto Repair, 2018-07-13

Created	2018-07-13 20:30:26 UTC by Erick Gilkey
Updated	2018-07-13 20:31:15 UTC by Erick Gilkey
Location	33.5809443071672, -86.778035312891
Inspector	Erick Gilkey
Date	2018-07-13
Time	15:30
Facility Type	Mechanic
Facility Name	Rons Auto Repair
Facility Street Address	1140 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	Out of business

Season After Season , 2018-07-13

Created	2018-07-13 19:23:40 UTC by Erick Gilkey
Updated	2018-07-13 19:27:29 UTC by Erick Gilkey
Location	33.5691427335057, -86.7844215192523
Inspector	Erick Gilkey
Date	2018-07-13
Time	14:23
Facility Type	Landscape Services
Facility Name	Season After Season
Facility Street Address	428 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No chemicals stored/used over 2 gallons in size

Goffs Radiator Electric Service Inc, 2018-07-16

Created	2018-07-16 19:39:48 UTC by Erick Gilkey
Updated	2018-07-16 19:53:06 UTC by Erick Gilkey
Location	33.5806742040148, -86.7753430455923

General Info

Inspector	Erick Gilkey
Date	2018-07-16
Time	14:39
Facility Name	Goffs Radiator Electric Service Inc
Facility Type	Mechanic
Municipal Business License #	9625016769
Facility Street Address	1205 Pinson St Tarrant, AL 35217
Facility Phone Number	2058411751
Facility Contact Name	Allen Goff
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted, Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Used oil, Used antifreeze
------------------------------------	---------------------------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	55
How many containers?	3
Is there a berm around it?	No
Is it covered?	Yes

Used Antifreeze

Where is the used antifreeze being stored?	Outside
--	---------

What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	55
How many containers?	3
Is there a berm around it?	No
Is it covered?	Yes

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Truck Worx, 2018-07-31

Created	2018-07-31 15:53:08 UTC by Erick Gilkey
Updated	2018-07-31 17:54:06 UTC by Erick Gilkey
Location	33.5859138308402, -86.7759488895535

General Info

Inspector	Erick Gilkey
Date	2018-07-31
Time	10:53
Facility Name	Truck Worx
Facility Type	Mechanic
Facility Street Address	2563 Commerce Cir Tarrant, AL 35217
Facility Phone Number	2053266170
Facility Contact Name	Lane Bearden
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	500
How many containers?	1

Used Oil


Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	2

MISCELLANEOUS

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? No

Photos



Google Map image of facility

N/A

Marrs Electric Motor Repair Inc, 2018-07-16

Created	2018-07-16 19:33:44 UTC by Erick Gilkey
Updated	2018-07-16 19:54:51 UTC by Erick Gilkey
Location	33.5802317581415, -86.7765899375081
Inspector	Erick Gilkey
Date	2018-07-16
Time	14:33
Facility Type	Electric Repairs
Facility Name	Marrs Electric Motor Repair Inc
Facility Street Address	1129 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored on site over 5 gallons

Brown Mechanical Contractors, 2018-08-15

Created	2018-08-15 15:43:04 UTC by Erick Gilkey
Updated	2018-08-15 15:43:45 UTC by Erick Gilkey
Location	33.5746423318139, -86.7842372506857
Inspector	Erick Gilkey
Date	2018-08-15
Time	10:43
Facility Type	Mechanic, Other
Facility Name	Brown Mechanical Contractors
Facility Street Address	712 Huntsville Ave Tarrant, AL 35217
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

La Tuerca, 2018-08-13

Created	2018-08-13 16:18:51 UTC by Erick Gilkey
Updated	2018-08-13 16:21:04 UTC by Erick Gilkey
Location	33.576121148786, -86.7813991382718
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-13
Time	11:18
Facility Type	Mechanic
Facility Name	La Tuerca
Facility Street Address	849 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

AAA Environmental Services, 2018-07-16

Created	2018-07-16 20:16:10 UTC by Erick Gilkey
Updated	2018-07-17 14:37:15 UTC by Erick Gilkey
Location	33.5809370448391, -86.7749611660838

General Info

Inspector	Erick Gilkey
Date	2018-07-16
Time	15:16
Facility Name	AAA Environmental Services
Facility Type	Retail store
Municipal Business License #	9625016678
Facility Street Address	1221 Pinson St Tarrant, AL 35217
Facility Phone Number	2058410510
Facility Contact Name	JW Allwin
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, Berms are placed around it

MISCELLANEOUS

Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	12-55 gallon plastic drums of muriatic acid, 24-55 gallon plastic drums of automotive degreaser, all stored inside

Photos



Google Map image of facility

N/A

Fastenal Company, 2018-07-26

Created	2018-07-26 17:49:14 UTC by Erick Gilkey
Updated	2018-07-26 17:50:04 UTC by Erick Gilkey
Location	33.5869978036852, -86.7734494060278
Inspector	Erick Gilkey
Date	2018-07-26
Time	12:49
Facility Type	Retail store
Facility Name	Fastenal Company
Facility Street Address	2535 Commerce Cir Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored on site

Cummins Inc, 2018-08-01

Created	2018-08-01 17:06:27 UTC by Erick Gilkey
Updated	2018-08-01 17:43:05 UTC by Erick Gilkey
Location	33.5909900355936, -86.7650443688035

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	12:06
Facility Name	Cummins Inc
Facility Type	Mechanic
Municipal Business License #	9625016116
Facility Street Address	2200 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058410421
Facility Contact Name	Kelly Nease
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Written instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New antifreeze, Used antifreeze, Used oil, New oil
------------------------------------	--

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	500
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	No

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum

What size container is the used oil being stored in (gallons)?	500
How many containers?	2
Is there a berm around it?	Yes
Is it covered?	No

New Antifreeze

Where is the new antifreeze being stored?	Inside
What kind of container is the new antifreeze being stored in?	Metal drum
What size container is the new antifreeze being stored in (gallons)?	55
How many containers?	1

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Plastic drum
What size container is the used antifreeze being stored in (gallons)?	250
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Diesel fuel, 1-500 gal, berm around it, no covered

Photos



Google Map image of facility	N/A
------------------------------	-----

Engine Specialists , 2018-07-18

Created	2018-07-18 17:00:47 UTC by Erick Gilkey
Updated	2018-07-18 17:31:54 UTC by Erick Gilkey
Location	33.581970244529, -86.7737286910415

General Info

Inspector	Erick Gilkey
Date	2018-07-18
Time	12:00
Facility Name	Engine Specialists
Facility Type	Mechanic
Municipal Business License #	9625014643
Facility Street Address	1403 Pinson St Tarrant, AL 35217
Facility Phone Number	2058416511
Facility Contact Name	George Partian
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	55
How many containers?	2

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No
Google Map image of facility	N/A

Leo's Shop, 2018-07-13

Created	2018-07-13 20:29:27 UTC by Erick Gilkey
Updated	2018-07-13 20:30:23 UTC by Erick Gilkey
Location	33.580706884586, -86.7779964208603
Inspector	Erick Gilkey
Date	2018-07-13
Time	15:29
Facility Type	Auto Body Shop
Facility Name	Leo's Shop
Facility Street Address	1100-A Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used or stored

Genesis Tire and Service Incorporated, 2018-08-15

Created	2018-08-15 16:35:06 UTC by Erick Gilkey
Updated	2018-08-15 16:48:48 UTC by Erick Gilkey
Location	33.598393078398, -86.7590851709247

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	11:35
Facility Name	Genesis Tire and Service Incorporated
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9625017647
Facility Street Address	2282 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2056021885
Facility Contact Name	Wes Fuller
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Pig Mat, Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Automatic Transmission Fluid
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	275
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	2

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Plastic drum
What size container is the new transmission fluid being stored in (gallons)?	5
How many containers?	8
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	2-55, metal, hydraulic fluid, inside 1-250, Tire bead lubricant, plastic, inside

Photos



Google Map image of facility	N/A
------------------------------	-----

Hughes Printing LLC, 2018-07-17

Created	2018-07-17 18:46:14 UTC by Erick Gilkey
Updated	2018-07-17 18:47:16 UTC by Erick Gilkey
Location	33.584570646421, -86.7708295583725
Inspector	Erick Gilkey
Date	2018-07-17
Time	13:46
Facility Type	Printer
Facility Name	Hughes Printing LLC
Facility Street Address	1714 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	Out of business

Action Tire Co, 2018-07-26

Created	2018-07-26 18:01:04 UTC by Erick Gilkey
Updated	2018-07-26 18:02:46 UTC by Erick Gilkey
Location	33.5851326134174, -86.775392331183
Inspector	Erick Gilkey
Date	2018-07-26
Time	13:01
Facility Type	Tire store
Facility Name	Action Tire Co
Facility Street Address	2675 Commerce Cir Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored on site

ME Miller Construction , 2018-07-24

Created	2018-07-24 17:22:08 UTC by Erick Gilkey
Updated	2018-07-24 17:23:10 UTC by Erick Gilkey
Location	33.5776513373337, -86.7697965726256
Inspector	Erick Gilkey
Date	2018-07-24
Time	12:22
Facility Type	Unknown
Facility Name	ME Miller Construction
Facility Street Address	1244 Waverly St Tarrant, AL 35217
Reason For Not Inspecting	Residential address, unsure of what kind of business, no obvious chemicals used/stored

Christo Victor, 2018-08-03

Created	2018-08-03 19:51:18 UTC by Erick Gilkey
Updated	2018-08-03 19:52:13 UTC by Erick Gilkey
Location	33.5754602374941, -86.7726413905621
Inspector	Erick Gilkey
Date	2018-08-03
Time	14:51
Facility Type	Contractor
Facility Name	Christo Victor
Facility Street Address	1353 Park Ave Tarrant, AL 35217
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Nolan Building Properties, 2018-07-24

Created	2018-07-24 17:43:11 UTC by Erick Gilkey
Updated	2018-07-24 17:44:23 UTC by Erick Gilkey
Location	33.5702090811489, -86.7810598388314
Inspector	Erick Gilkey
Date	2018-07-24
Time	12:43
Facility Type	Unknown
Facility Name	Nolan Building Properties
Facility Street Address	624 Jefferson Blvd Tarrant, AL 35217
Reason For Not Inspecting	Residential address, unsure of what kind of business, no obvious chemicals used/stored

Green and Dry Tree Service, 2018-08-03

Created	2018-08-03 19:59:31 UTC by Erick Gilkey
Updated	2018-08-03 20:01:03 UTC by Erick Gilkey
Location	33.5739140875499, -86.7609224840999
Inspector	Erick Gilkey
Date	2018-08-03
Time	14:59
Facility Type	Tree Service
Facility Name	Green and Dry Tree Service
Facility Street Address	1835 Ligon Ave Tarrant, AL 35217
Reason For Not Inspecting	No potentially hazardous fluids greater than 5 gallons stored/used on premises

Tarrant Marathon , 2018-07-19

Created	2018-07-19 16:15:21 UTC by Erick Gilkey
Updated	2018-07-19 16:32:33 UTC by Erick Gilkey
Location	33.5860964956027, -86.7705516144633

General Info

Inspector	Erick Gilkey
Date	2018-07-19
Time	11:15
Facility Name	Tarrant Marathon
Facility Type	Gas Station
Facility Street Address	1800 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058497760
Facility Contact Name	Jawee Ali
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	1-1753 gallons, 1-1817 gallons, 1-5133 gallons
Is there a car wash on-site?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Tarrant Car Wash, 2018-07-13

Created	2018-07-13 20:46:43 UTC by Erick Gilkey
Updated	2018-07-13 20:59:08 UTC by Erick Gilkey
Location	33.5815152359708, -86.7756632342935

General Info

Inspector	Erick Gilkey
Date	2018-07-13
Time	15:46
Facility Name	Tarrant Car Wash
Facility Type	Car Wash
Municipal Business License #	9625014625
Facility Street Address	1224 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058495668
Facility Contact Name	Chung kao
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	By mop, Cat litter
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	No
Used water drains to where?	Sewer
What fluids are being used/stored?	Soap, Degreaser, Wax, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
--------------------------------------	--------

What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	30
How many containers?	2

Wax

Where is the wax being stored?	Inside
What kind of container is the wax being stored in?	Plastic drum
What size container is the wax being stored in (gallons)?	30
How many containers?	2

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	30
How many containers?	1

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Jordan Machine Company, 2018-07-18

Created	2018-07-18 18:08:15 UTC by Erick Gilkey
Updated	2018-07-18 18:31:56 UTC by Erick Gilkey
Location	33.5967440098277, -86.773867495358

General Info

Inspector	Erick Gilkey
Date	2018-07-18
Time	13:08
Facility Name	Jordan Machine Company
Facility Type	Mechanic
Municipal Business License #	9625016677
Facility Street Address	355 Clow Ln Tarrant, AL 35217
Facility Phone Number	2058495050
Facility Contact Name	Matt Slay
Facility Contact Title	President
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s), Garbage can(s), Roll off dumpsters for scrap metal shavings
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions, Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted, Berms are placed around it

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	4

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	300

How many containers?

1

MISCELLANEOUS

Overall cleanliness

Clean (vey little un-cleaned spills and/or un-cleaned surfaces)


Are there any other potentially hazardous items not already addressed?

Yes

If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity

2-55 gallon metal drums of coolant/inside, 100 gallons of solvent cleaner used in machine, 30 gallons of solvent cleaner in machine, sixteen CNC machines filled with cutting coolant (various amounts)

Photos



Google Map image of facility

N/A

Joys Automotive Repair, 2018-07-26

Created	2018-07-26 20:10:28 UTC by Erick Gilkey
Updated	2018-07-26 20:11:24 UTC by Erick Gilkey
Location	33.5832760415256, -86.7730500921607
Inspector	Erick Gilkey
Date	2018-07-26
Time	15:10
Facility Type	Mechanic
Facility Name	Joys Automotive Repair
Facility Street Address	1514 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	Out of business

Iron Unlimited Inc, 2018-07-16

Created	2018-07-16 19:31:52 UTC by Erick Gilkey
Updated	2018-07-16 19:55:07 UTC by Erick Gilkey
Location	33.5812596592091, -86.7780621349812
Inspector	Erick Gilkey
Date	2018-07-16
Time	14:31
Facility Type	Iron works
Facility Name	Iron Unlimited Inc
Facility Street Address	1100 Pinson St Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored on site over 5 gallons

Cowin Equipment Co Inc, 2018-08-01

Created	2018-08-01 17:44:51 UTC by Erick Gilkey
Updated	2018-08-01 18:08:46 UTC by Erick Gilkey
Location	33.5931044974673, -86.7636103928089

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	12:44
Facility Name	Cowin Equipment Co Inc
Facility Type	Mechanic
Municipal Business License #	9625016750
Facility Street Address	2238 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2052962369
Facility Contact Name	Joe DeHrado
Facility Contact Title	Product Support Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Written instructions, Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil, New oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Outside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	225
How many containers?	5
Is there a berm around it?	Yes
Is it covered?	No

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum

What size container is the used oil being stored in (gallons)?	225
How many containers?	1
Is there a berm around it?	Yes
Is it covered?	No

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Diesel fluid, in ground outside, unsure of size. 230-5gal oil inside in plastic buckets
Google Map image of facility	N/A

Needle Mark, 2018-07-24

Created	2018-07-24 17:13:40 UTC by Erick Gilkey
Updated	2018-07-24 17:19:27 UTC by Erick Gilkey
Location	33.58074403428, -86.7739613726735
Inspector	Erick Gilkey
Date	2018-07-24
Time	12:13
Facility Type	Unknown
Facility Name	Needle Mark
Facility Street Address	1124 Thomason Ave Tarrant, AL 35217
Reason For Not Inspecting	Residential address, unsure of what kind of business, no obvious chemicals used/stored

Clements , 2018-07-13

Created	2018-07-13 19:31:07 UTC by Erick Gilkey
Updated	2018-07-13 19:47:39 UTC by Erick Gilkey
Location	33.5702199759948, -86.7845990136266

General Info

Inspector	Erick Gilkey
Date	2018-07-13
Time	14:31
Facility Name	Clements
Facility Type	Mechanic
Municipal Business License #	9625017227
Facility Street Address	520 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058413789
Facility Contact Name	Larry Clements
Facility Contact Title	Owner
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Cat litter
If a LARGE spill occurs	Berms are placed around it, The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No


MISCELLANEOUS

Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Multiple spills of various fluids throughout

Are there any other potentially hazardous items not already addressed? No

General comments/items of concern not mentioned Business is a salvage yard

Photos



Google Map image of facility

N/A

Dunn Construction Co, 2018-08-13

Created	2018-08-13 16:50:34 UTC by Erick Gilkey
Updated	2018-09-27 19:35:23 UTC by Erick Gilkey
Location	33.58787368625, -86.7651020362973

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-13
Time	11:50
Facility Name	Dunn Construction Co
Does this facility have an NPDES permit?	Yes
Facility Type	Mine
Municipal Business License #	9625016687
NPDES Permit	ALG0023892
Facility Street Address	2201 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	208497451
Facility Contact Name	Alan Lawson
Facility Contact Title	Plant Manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Air Solutions Heating & Air Inc, 2018-07-31

Created	2018-07-31 15:30:55 UTC by Erick Gilkey
Updated	2018-07-31 15:32:06 UTC by Erick Gilkey
Location	33.6132136253123, -86.7806198454445
Inspector	Erick Gilkey
Date	2018-07-31
Time	10:30
Facility Type	HVAC
Facility Name	Air Solutions Heating & Air Inc
Facility Street Address	406 Black Creek Rd Tarrant, AL 35217
Reason For Not Inspecting	No chemicals used/stored onsite

Fitzgerald Peterbilt of Birmingham , 2018-08-03

Created	2018-08-03 16:13:34 UTC by Erick Gilkey
Updated	2018-08-03 16:53:00 UTC by Erick Gilkey
Location	33.585163057847, -86.7742668092251

General Info

Inspector	Erick Gilkey
Date	2018-08-03
Time	11:13
Facility Name	Fitzgerald Peterbilt of Birmingham
Facility Type	Mechanic
Municipal Business License #	9625017656
Facility Street Address	2535 Commerce Cir Tarrant, AL 35217
Facility Phone Number	2053708300
Facility Contact Name	Michael Keener
Facility Contact Title	Service Manager
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	5
How many containers?	55

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1-500, 1-250, 1-700

How many containers?

3

MISCELLANEOUS


Overall cleanliness

Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Crown Castle Gt Co LLC, 2018-07-26

Created	2018-07-26 19:49:17 UTC by Erick Gilkey
Updated	2018-07-26 19:50:10 UTC by Erick Gilkey
Location	33.5905722200617, -86.7871383950114
Inspector	Erick Gilkey
Date	2018-07-26
Time	14:49
Facility Type	Radio tower
Facility Name	Crown Castle Gt Co LLC
Facility Street Address	700 Sky Line Dr Tarrant, AL 35217
Reason For Not Inspecting	Radio tower

Drummond Company Inc/ABC Coke, 2018-09-21

Created	2018-09-21 16:50:07 UTC by Erick Gilkey
Updated	2018-09-21 17:14:09 UTC by Erick Gilkey
Location	33.5814188710512, -86.780041269958

General Info

Inspector	Erick Gilkey
Date	2018-09-21
Time	11:50
Facility Name	Drummond Company Inc/ABC Coke
Does this facility have an NPDES permit?	Yes
NPDES Facility Type	Other
NPDES Permit	AL0003417
Facility Street Address	900 Huntsville Ave Tarrant, AL 35217
Facility Phone Number	2058491338
Facility Contact Name	William Osborne
Facility Contact Title	Environmental Coordinator

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Tarrant Appliance Wholesalers, 2018-07-18

Created	2018-07-18 17:58:22 UTC by Erick Gilkey
Updated	2018-07-18 17:59:37 UTC by Erick Gilkey
Location	33.5960022677735, -86.7699162662029
Inspector	Erick Gilkey
Date	2018-07-18
Time	12:58
Facility Type	Retail store
Facility Name	Tarrant Appliance Wholesalers
Facility Street Address	529 Springdale Rd Tarrant, AL 35217
Reason For Not Inspecting	No chemicals in containers over five gallons in use

DND Auto, 2018-09-24

Created	2018-09-24 20:08:25 UTC by Erick Gilkey
Updated	2018-09-25 20:13:54 UTC by Erick Gilkey
Location	33.5740018012236, -86.7823647335172

General Info

Inspector	Erick Gilkey
Date	2018-09-24
Time	15:08
Facility Name	DND Auto
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	737 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2053061770
Facility Contact Name	Able Gomez
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Cat litter, Oil-Dri
If a LARGE spill occurs	The police department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	8
Is there a berm around it?	No
Is it covered?	No
Comments	8-250 gallon outside, though majority were empty

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Monthly
Overall cleanliness	Not very clean (several un-cleaned spills and/or multiple un-cleaned surfaces)
If "not very clean," describe issues	Garbage/little throughout

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Springaire Cleaners, 2018-08-01

Created	2018-08-01 15:43:01 UTC by Erick Gilkey
Updated	2018-08-01 15:44:41 UTC by Erick Gilkey
Location	33.5831140399772, -86.773486956954
Inspector	Erick Gilkey
Date	2018-08-01
Time	10:43
Facility Type	Dry Cleaners
Facility Name	Springaire Cleaners
Facility Street Address	1501 Pinson Valley Pkwy Tarrant, AL 35217
Reason For Not Inspecting	No chemicals stored/used on site

National Mill Maintenance, LLC, 2018-07-16

Created	2018-07-16 20:28:11 UTC by Erick Gilkey
Updated	2018-07-17 14:40:16 UTC by Erick Gilkey
Location	33.5816655091669, -86.7741672322154

General Info

Inspector	Erick Gilkey
Date	2018-07-16
Time	15:28
Facility Name	National Mill Maintenance, LLC
Facility Type	Mechanic
Municipal Business License #	9625016673
Facility Street Address	1315 Pinson St Tarrant, AL 35217
Facility Phone Number	2057835114
Facility Contact Name	Paul Debalsi
Facility Contact Title	President
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Written instructions, Video instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted


Maintenance Center

What fluids are being used/stored?	Hydraulic Fluid
------------------------------------	-----------------

MISCELLANEOUS

Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	200 gallons hydraulic fluid stored in metal basin inside

Photos



Google Map image of facility

N/A

Dixie Drilling and Apache Construction Corp, 2018-08-01

Created	2018-08-01 16:39:15 UTC by Erick Gilkey
Updated	2018-08-01 16:54:51 UTC by Erick Gilkey
Location	33.5875969016173, -86.7687075957656

General Info

Inspector	Erick Gilkey
Date	2018-08-01
Time	11:39
Facility Name	Dixie Drilling and Apache Construction Corp
Facility Type	Mechanic
Municipal Business License #	9625016272
Facility Street Address	1940 Pinson Valley Pkwy Tarrant, AL 35217
Facility Phone Number	2058495411
Facility Contact Name	Clipper Crawford
Facility Contact Title	Operation Supervisor
Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Plastic drum
What size container is the new oil being stored in (gallons)?	5
How many containers?	45

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1-500, 1-200

How many containers?

2

MISCELLANEOUS

Overall cleanliness

Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed?

No

Photos



Google Map image of facility

N/A

Trussville

H&E equipment inc , 2018-08-24

Created	2018-08-24 15:36:19 EDT by Scott Hofer
Updated	2018-08-24 15:43:22 EDT by Scott Hofer
Location	33.6452169709407, -86.567430586166

General Info

Inspector	Scott Hofer
Date	2018-08-24
Time	14:36
Facility Name	H&E equipment inc
Does this facility have an NPDES permit?	Yes
Facility Type	Crane sales service and manufacturing
Municipal Business License #	08163
NPDES Permit	Alg160116
Facility Street Address	4871 Commerce Dr Trussville, AL 35173
Facility Phone Number	2056611323
Facility Contact Name	Neil Brown
Facility Contact Title	Service Administrative Assistant

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Complete Cleaners, 2018-09-18

Created	2018-09-18 18:35:33 UTC by Erick Gilkey
Updated	2018-09-18 18:36:50 UTC by Erick Gilkey
Location	33.666690130506, -86.5403114631772
Inspector	Erick Gilkey
Date	2018-09-18
Time	13:35
Facility Type	Dry Cleaners
Facility Name	Complete Cleaners
Facility Street Address	8323 Gadsden Hwy Trussville, AL 35173
Reason For Not Inspecting	No dry cleaning performed on site

Brown Automotive & Fleet, 2018-09-19

Created	2018-09-19 18:41:34 UTC by Erick Gilkey
Updated	2018-09-19 18:42:14 UTC by Erick Gilkey
Location	33.618082559185, -86.6094950214028
Inspector	Erick Gilkey
Date	2018-09-19
Time	13:41
Facility Type	Mechanic
Facility Name	Brown Automotive & Fleet
Facility Street Address	84 Cedar Ln Trussville, AL 35173
Reason For Not Inspecting	Closed/out of business

Fontaine International , 2018-09-18

Created	2018-09-18 18:50:35 UTC by Erick Gilkey
Updated	2018-09-18 18:51:17 UTC by Erick Gilkey
Location	33.6391919629374, -86.5678540617228
Inspector	Erick Gilkey
Date	2018-09-18
Time	13:50
Facility Type	Mechanic
Facility Name	Fontaine International
Facility Street Address	7574 Commerce Cir Trussville, AL 35173
Reason For Not Inspecting	No chemicals being stored/used over 5 gallons

A+ Tire & Auto Repair, 2018-09-19

Created	2018-09-19 18:40:21 UTC by Erick Gilkey
Updated	2018-09-19 18:41:32 UTC by Erick Gilkey
Location	33.6180236479569, -86.6094658523798
Inspector	Erick Gilkey
Date	2018-09-19
Time	13:40
Facility Type	Mechanic
Facility Name	A+ Tire & Auto Repair
Facility Street Address	84 Cedar Ln Trussville, AL 35173
Reason For Not Inspecting	Closed/out of business

Marksman Professional Pest, 2018-09-18

Created	2018-09-18 17:39:52 UTC by Erick Gilkey
Updated	2018-09-18 17:40:53 UTC by Erick Gilkey
Location	33.6161299867201, -86.6179540059229
Inspector	Erick Gilkey
Date	2018-09-18
Time	12:39
Facility Type	Pest Control
Facility Name	Marksman Professional Pest
Facility Street Address	459 Main St Trussville, AL 35173
Reason For Not Inspecting	Unable to locate business, multiple businesses at address given, though none were Marksman. Unable to locate address online either.

Dead on Garage, 2018-09-18

Created	2018-09-18 17:26:13 UTC by Erick Gilkey
Updated	2018-09-18 17:27:04 UTC by Erick Gilkey
Location	33.6182581758296, -86.6137211769819
Inspector	Erick Gilkey
Date	2018-09-18
Time	12:26
Facility Type	Mechanic
Facility Name	Dead on Garage
Facility Street Address	404 Main St Trussville, AL 35173
Reason For Not Inspecting	Closed/out of business

Express oil change LLC distribution center, 2018-08-24

Created	2018-08-24 14:08:10 EDT by Scott Hofer
Updated	2018-08-24 14:12:30 EDT by Scott Hofer
Location	33.653844545717, -86.5570988835706

General Info

Inspector	Scott Hofer
Date	2018-08-24
Time	13:08
Facility Name	Express oil change LLC distribution center
Does this facility have an NPDES permit?	Yes
Facility Type	Distribution center
NPDES Permit	Alg340357
Facility Street Address	7809 Gadsden Hwy Trussville, AL 35173
Facility Phone Number	2056616654
Facility Contact Name	Rick Owen
Facility Contact Title	Vice President of purchasing and distribution

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Pivotal LNG Inc., 2018-08-27

Created	2018-08-27 16:01:29 EDT by Scott Hofer
Updated	2018-08-30 13:24:25 EDT by Scott Hofer
Location	33.5866564547302, -86.5763585625576

General Info

Inspector	Scott Hofer
Date	2018-08-27
Time	15:01
Facility Name	Pivotal LNG Inc.
Does this facility have an NPDES permit?	No
Facility Type	Gas storage
Municipal Business License #	20794
Facility Street Address	7389 Gasline Rd Trussville, AL 35173
Facility Phone Number	6618140
Facility Contact Name	Michael cornegay
Facility Contact Title	Plant manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Video instructions, Written instructions
If trained, how often?	Upon hire, Annually
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Gas detection and spill kit
If a LARGE spill occurs	The fire department is contacted, The police department is contacted, They are the experts. They would respond

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Natural gas- 4.9 million gal 2-55 gallons of oil - on spill pallets
Google Map image of facility	N/A

Radical Customize, 2018-09-18

Created	2018-09-18 17:18:43 UTC by Erick Gilkey
Updated	2018-09-18 17:26:10 UTC by Erick Gilkey
Location	33.618324066879, -86.6137701272964
Inspector	Erick Gilkey
Date	2018-09-18
Time	12:18
Facility Type	Mechanic
Facility Name	Radical Customize
Facility Street Address	404 Main St Trussville, AL 35173
Reason For Not Inspecting	No chemicals being stored/used over 5 gallons

Plaza Downs Chevron, 2018-09-18

Created	2018-09-18 16:38:40 UTC by Erick Gilkey
Updated	2018-09-18 16:51:56 UTC by Erick Gilkey
Location	33.5957802466034, -86.645480543375

General Info

Inspector	Erick Gilkey
Date	2018-09-18
Time	11:38
Facility Name	Plaza Downs Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	01103
Facility Street Address	1405 Gadsden Hwy Trussville, AL 35235
Facility Phone Number	2056557878
Facility Contact Name	Bill Eason
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Written instructions
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	4-12000
Is there a car wash on-site?	Not used

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Amerex corporation, 2018-08-24

Created	2018-08-24 15:10:00 EDT by Scott Hofer
Updated	2018-08-24 15:29:03 EDT by Scott Hofer
Location	33.6505365257036, -86.5628432755389

General Info

Inspector	Scott Hofer
Date	2018-08-24
Time	14:10
Facility Name	Amerex corporation
Does this facility have an NPDES permit?	Yes
Facility Type	Other
Municipal Business License #	01655
NPDES Permit	Alg1200187
Facility Street Address	7595 Gadsden Hwy Trussville, AL 35173
Facility Phone Number	2056553271
Facility Contact Name	Chuck Friend
Facility Contact Title	Environmental manager

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

McPherson oil, 2018-08-24

Created	2018-08-24 14:32:58 EDT by Scott Hofer
Updated	2018-08-24 14:56:58 EDT by Scott Hofer
Location	33.6488325017355, -86.5622257845792

General Info

Inspector	Scott Hofer
Date	2018-08-24
Time	13:32
Facility Name	McPherson oil
Does this facility have an NPDES permit?	Yes
Facility Type	Distribution center
Municipal Business License #	08658
NPDES Permit	Alg340339
Facility Street Address	5051 Cardinal St Trussville, AL 35173
Facility Phone Number	2052887282
Facility Contact Name	David Tidwell
Facility Contact Title	Environmental and safety compliance officer

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Robinson Fans & Service , 2018-09-18

Created	2018-09-18 18:45:29 UTC by Erick Gilkey
Updated	2018-09-18 18:46:16 UTC by Erick Gilkey
Location	33.6437048448366, -86.565901748836
Inspector	Erick Gilkey
Date	2018-09-18
Time	13:45
Facility Type	Mechanic
Facility Name	Robinson Fans & Service
Facility Street Address	4801 Commerce Dr Trussville, AL 35173
Reason For Not Inspecting	No chemicals being stored/used over 5 gallons

Chevron, 2018-09-18

Created	2018-09-18 16:16:28 UTC by Erick Gilkey
Updated	2018-09-18 16:17:49 UTC by Erick Gilkey
Location	33.5984670832762, -86.6442443802953
Inspector	Erick Gilkey
Date	2018-09-18
Time	11:16
Facility Type	Gas Station
Facility Name	Chevron
Facility Street Address	3211 Edwards Lake Pkwy Trussville, AL 35235
Reason For Not Inspecting	Closed/out of business

Liberty/Haney Automotive , 2018-09-18

Created	2018-09-18 17:50:02 UTC by Erick Gilkey
Updated	2018-09-18 17:51:52 UTC by Erick Gilkey
Location	33.6179172726043, -86.6085368022323
Inspector	Erick Gilkey
Date	2018-09-18
Time	12:50
Facility Type	Mechanic
Facility Name	Liberty/Haney Automotive
Facility Street Address	114 S Chalkville Rd Trussville, AL 35173
Reason For Not Inspecting	Closed/out of business

Southeast Crane & Hoist, 2018-09-18

Created	2018-09-18 18:10:57 UTC by Erick Gilkey
Updated	2018-09-18 18:11:46 UTC by Erick Gilkey
Location	33.6435996176639, -86.5733777359128
Inspector	Erick Gilkey
Date	2018-09-18
Time	13:10
Facility Type	Mechanic
Facility Name	Southeast Crane & Hoist
Facility Street Address	7355 Gadsden Hwy Trussville, AL 35173
Reason For Not Inspecting	Closed/out of business

Vestavia Hills

Shell, 2018-08-21

Created	2018-08-21 17:57:39 UTC by Erick Gilkey
Updated	2018-08-21 18:12:08 UTC by Erick Gilkey
Location	33.4106533836629, -86.7625814303756

General Info

Inspector	Erick Gilkey
Date	2018-08-21
Time	12:57
Facility Name	Shell
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	93333040235
Facility Street Address	2423 Acton Rd Vestavia Hills, AL 35243
Facility Phone Number	2053267532
Facility Contact Name	Sharmin Hasham
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Unknown
What fluids are being used/stored?	Soap

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	350
How many containers?	1

Degreaser

Where is the degreaser being stored?	Inside
--------------------------------------	--------


Gas Station

How many fuel tanks and their size?	2-15000, 1-10000
Is there a car wash on-site?	Yes

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Watkins Cleaners, 2018-08-17

Created	2018-08-17 18:39:02 UTC by Erick Gilkey
Updated	2018-08-17 18:46:01 UTC by Erick Gilkey
Location	33.4156161564142, -86.8048074341523

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	13:39
Facility Name	Watkins Cleaners
Does this facility have an NPDES permit?	No
Facility Type	Dry Cleaners
Municipal Business License #	9333044319
Facility Street Address	1486 McGuire Rd Vestavia Hills, AL 35216
Facility Phone Number	2058230874
Facility Contact Name	Danny Watkins
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Rags, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Hydrocarbon
-------------------------------	-------------

Chemicals

Is the main dry cleaning chemical stored on premises?	Yes
Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Inside machines
What size container is the chemical being stored in (gallons)?	1 110-gal machine, 1 80-gal machine
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)

How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

Liberty Cleaners, 2018-08-21

Created	2018-08-21 19:01:49 UTC by Erick Gilkey
Updated	2018-08-21 19:10:07 UTC by Erick Gilkey
Location	33.479841343752, -86.7019705474377

General Info

Inspector	Erick Gilkey
Date	2018-08-21
Time	14:01
Facility Name	Liberty Cleaners
Does this facility have an NPDES permit?	No
Facility Type	Dry Cleaners
Municipal Business License #	9333041662
Facility Street Address	8000 Liberty Pkwy Vestavia Hills, AL 35242
Facility Phone Number	2059035645
Facility Contact Name	Steve Kim
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Other
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Hydrocarbon
-------------------------------	-------------

Chemicals

Is the main dry cleaning chemical stored on premises?	No
Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Not Applicable
What size container is the chemical being stored in (gallons)?	60 lbs
How many containers?	0

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)

How often is it/are they emptied?

Weekly

Overall cleanliness

Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

AAMCO Transmissions , 2018-08-17

Created	2018-08-17 16:13:47 UTC by Erick Gilkey
Updated	2018-08-17 17:35:36 UTC by Erick Gilkey
Location	33.4192108829583, -86.8014252072068

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	11:13
Facility Name	AAMCO Transmissions
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9333041694
Facility Street Address	1452 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058221180
Facility Contact Name	Robert Bewley
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Automatic Transmission Fluid, New antifreeze
------------------------------------	--

New Antifreeze

Where is the new antifreeze being stored?	Inside
What kind of container is the new antifreeze being stored in?	Metal drum
What size container is the new antifreeze being stored in (gallons)?	55
How many containers?	1

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drums and large tanks
What size container is the new transmission fluid being stored in (gallons)?	55-gal drums and 200-gal tanks
How many containers?	4
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	1 200-gal tank of used motor oil stored inside

Photos



Google Map image of facility

N/A

Hollywood Pools, 2018-08-17

Created	2018-08-17 16:51:16 UTC by Erick Gilkey
Updated	2018-08-17 16:53:22 UTC by Erick Gilkey
Location	33.419502989385, -86.7995265126228
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	11:51
Facility Type	Retail
Facility Name	Hollywood Pools
Facility Street Address	1441 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

Vestavia Hills Automotive, 2018-08-17

Created	2018-08-17 18:22:37 UTC by Erick Gilkey
Updated	2018-08-17 18:23:12 UTC by Erick Gilkey
Location	33.4176902809569, -86.8018651089867
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	13:22
Facility Type	Automotive Dealer
Facility Name	Vestavia Hills Automotive
Facility Street Address	1467 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No potentially hazardous fluids stored/used over 5-gal

Express Oil, 2018-08-23

Created	2018-08-23 16:27:28 UTC by Erick Gilkey
Updated	2018-08-23 17:01:39 UTC by Erick Gilkey
Location	33.4283561702618, -86.7726725712419

General Info

Inspector	Erick Gilkey
Date	2018-08-23
Time	11:27
Facility Name	Express Oil
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9333038745
Facility Street Address	2566 Rocky Ridge Rd Vestavia Hills, AL 35243
Facility Phone Number	2058238175
Facility Contact Name	Mike Richards
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	By mop, Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Automatic Transmission Fluid
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Other
What size container is the new oil being stored in (gallons)?	Other
Comments	5-55 gal plastic drums, 2-1000 metal, 1-300 metal, 2-600 metal

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	1000
How many containers?	2

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drum
What size container is the new transmission fluid being stored in (gallons)?	1000
How many containers?	1
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Armstrong Body, 2018-08-23

Created	2018-08-23 16:02:53 UTC by Erick Gilkey
Updated	2018-08-23 16:03:27 UTC by Erick Gilkey
Location	33.4563933978749, -86.737406887114
Inspector	Erick Gilkey
Date	2018-08-23
Time	11:02
Facility Type	Auto Body Shop
Facility Name	Armstrong Body
Facility Street Address	3029 Pump House Rd Vestavia Hills, AL 35243
Reason For Not Inspecting	Closed/out of business

Texaco, 2018-08-20

Created	2018-08-20 17:24:52 UTC by Erick Gilkey
Updated	2018-08-20 17:32:41 UTC by Erick Gilkey
Location	33.4561892015572, -86.7368000365418

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	12:24
Facility Name	Texaco
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333042523
Facility Street Address	3101 Cahaba Heights Rd Vestavia Hills, AL 35243
Facility Phone Number	2054016403
Facility Contact Name	Abid Ghani
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	1-16000-gal 1-8000-gal
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Goodyear Tires, 2018-08-15

Created	2018-08-15 19:02:49 UTC by Erick Gilkey
Updated	2018-08-15 19:27:47 UTC by Erick Gilkey
Location	33.4455666118272, -86.7902286350727

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	14:02
Facility Name	Goodyear Tires
Does this facility have an NPDES permit?	Yes
Facility Type	Mechanic
Municipal Business License #	9333043535
Facility Street Address	721 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058228262
Facility Contact Name	Rick Hayes
Facility Contact Title	General Manager

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	6-55, 1-500,
How many containers?	7

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

U-Haul , 2018-08-16

Created	2018-08-16 17:00:16 UTC by Erick Gilkey
Updated	2018-08-16 17:34:45 UTC by Erick Gilkey
Location	33.4391971346956, -86.7902759090066

General Info

Inspector	Erick Gilkey
Date	2018-08-16
Time	12:00
Facility Name	U-Haul
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	1024 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058236946
Facility Contact Name	Mike Taylor
Facility Contact Title	Shop Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Video instructions, Written instructions
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Pig Mat
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Automatic Transmission Fluid, Used oil, New antifreeze
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	250
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

New Antifreeze

Where is the new antifreeze being stored?	Inside
---	--------

What kind of container is the new antifreeze being stored in?	Metal drum
What size container is the new antifreeze being stored in (gallons)?	55
How many containers?	3

Automatic Transmission Fluid

Where is the new transmission fluid being stored?	Inside
What kind of container is the new transmission oil being stored in?	Metal drum
What size container is the new transmission fluid being stored in (gallons)?	250
How many containers?	1
Is used transmission oil mixed in with used oil?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	1-100, used oil, used for heater, inside 1-300, mixed fluids(oil, antifreeze), metal, inside 2-55, antifreeze, metal, outside, no berm, uncovered

Photos



Google Map image of facility	N/A
------------------------------	-----

Hollywood Imports, 2018-08-17

Created	2018-08-17 18:10:39 UTC by Erick Gilkey
Updated	2018-08-17 18:11:11 UTC by Erick Gilkey
Location	33.4172751408864, -86.8032179027796
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	13:10
Facility Type	Automotive Dealer
Facility Name	Hollywood Imports
Facility Street Address	1472 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	Closed

Champion Cleaners , 2018-08-23

Created	2018-08-23 17:02:48 UTC by Erick Gilkey
Updated	2018-08-23 17:10:49 UTC by Erick Gilkey
Location	33.4276969279015, -86.7732321470976

General Info

Inspector	Erick Gilkey
Date	2018-08-23
Time	12:02
Facility Name	Champion Cleaners
Does this facility have an NPDES permit?	No
Facility Type	Dry Cleaners
Municipal Business License #	9333037654
Facility Street Address	2548 Rocky Ridge Rd Vestavia Hills, AL 35243
Facility Phone Number	2052835372
Facility Contact Name	Terry Hall
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Hydrocarbon
-------------------------------	-------------

Chemicals


Is the main dry cleaning chemical stored on premises?	Yes
Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	In machine only
What size container is the chemical being stored in (gallons)?	180
How many containers?	0

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)

How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility	N/A
------------------------------	-----

RAM Environmental , 2018-08-20

Created	2018-08-20 19:48:53 UTC by Erick Gilkey
Updated	2018-08-20 19:49:38 UTC by Erick Gilkey
Location	33.4541800281072, -86.7302713576236
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	14:48
Facility Type	Retail
Facility Name	RAM Environmental
Facility Street Address	3216 Cahaba Heights Rd Vestavia Hills, AL 35243
Reason For Not Inspecting	No potentially hazardous fluids stored/used over 5-gal

Mister Car Wash , 2018-08-15

Created	2018-08-15 18:05:59 UTC by Erick Gilkey
Updated	2018-08-15 18:21:12 UTC by Erick Gilkey
Location	33.4485784308171, -86.7888818308711

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	13:05
Facility Name	Mister Car Wash
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	9333043904
Facility Street Address	611 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2052839254
Facility Contact Name	Aaron Williams
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Rags
If a LARGE spill occurs	The fire department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Unknown
What fluids are being used/stored?	35 various soaps, foams, shines, etc in 15 gal plastic drums and 4 thirty gallons of tire shine

Degreaser

Where is the degreaser being stored?	Inside
--------------------------------------	--------

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Andy's Creekside Nursery, 2018-08-22

Created	2018-08-22 16:01:59 EDT by Scott Hofer
Updated	2018-08-22 16:02:54 EDT by Scott Hofer
Location	33.4254408686485, -86.7751964130381
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-22
Time	15:01
Facility Type	Retail
Facility Name	Andy's Creekside Nursery
Facility Street Address	3351 Morgan Rd Vestavia Hills, AL 35216
Reason For Not Inspecting	No hazardous stored above 5-gal

Carl's Care Clinic, 2018-08-20

Created	2018-08-20 18:01:38 UTC by Erick Gilkey
Updated	2018-08-20 18:15:58 UTC by Erick Gilkey
Location	33.4542375388072, -86.7271107057589

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	13:01
Facility Name	Carl's Care Clinic
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9333041207
Facility Street Address	3266 Cahaba Heights Rd Vestavia Hills, AL 35243
Facility Phone Number	2052159788
Facility Contact Name	Jody Franklin
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Rags, By mop, Degreaser
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Hydraulic fluid
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal tanks and drums
Comments	2-55-gal drums 3-300-gal tanks

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic tank
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Mac and Sons, 2018-08-22

Created	2018-08-22 15:15:22 EDT by Scott Hofer
Updated	2018-08-22 15:24:02 EDT by Scott Hofer
Location	33.4605313087733, -86.7313741194995

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-22
Time	14:15
Facility Name	Mac and Sons
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	93333042152
Facility Street Address	3160 Green Valley Dr Vestavia Hills, AL 35243
Facility Phone Number	2055185858
Facility Contact Name	Mac Dabrowski
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	Used oil
------------------------------------	----------

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Plastic tank
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Shell, 2018-08-23

Created	2018-08-23 18:11:37 UTC by Erick Gilkey
Updated	2018-08-23 18:25:54 UTC by Erick Gilkey
Location	33.4233034365838, -86.7720445990562

General Info

Inspector	Erick Gilkey
Date	2018-08-23
Time	13:11
Facility Name	Shell
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333041956
Facility Street Address	2485 Rocky Ridge Rd Vestavia Hills, AL 35243
Facility Phone Number	2055185440
Facility Contact Name	Jasmine Kashawani
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	1-20000, 1-10000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Plaza Cleaners , 2018-08-22

Created	2018-08-22 14:39:01 EDT by Scott Hofer
Updated	2018-08-22 14:39:45 EDT by Scott Hofer
Location	33.4623368240457, -86.7309245474653
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-22
Time	13:39
Facility Type	Dry Cleaners
Facility Name	Plaza Cleaners
Facility Street Address	3937 Crosshaven Pl Vestavia Hills, AL 35243
Reason For Not Inspecting	No hazardous stored above 5-gal

Pep Boys, 2018-08-17

Created	2018-08-17 17:37:30 UTC by Erick Gilkey
Updated	2018-08-17 17:55:03 UTC by Erick Gilkey
Location	33.4191461118963, -86.8008818451597

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	12:37
Facility Name	Pep Boys
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	1453 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058231453
Facility Contact Name	George Adair
Facility Contact Title	Service Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	Other
Comments	55 6-gal new oil, 3 30-gal used oil tanks, 1 275-gal new oil tank, 1 275-gal used oil tank

Used Oil

Where is the used oil being stored?	Inside
What fluids are also stored in container?	Used Gear Oil
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	5

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Lawn Mower Shop, 2018-09-10

Created	2018-09-10 17:41:08 UTC by Erick Gilkey
Updated	2018-09-10 17:42:51 UTC by Erick Gilkey
Location	33.4537131588826, -86.7312286035594
Inspector	Erick Gilkey
Date	2018-09-10
Time	12:41
Facility Type	Mechanic
Facility Name	Lawn Mower Shop
Facility Street Address	3274 Summit Blvd Vestavia Hills, AL 35243
Reason For Not Inspecting	Cannot find shop/its address. Believe it to be out of business.

United Towing, 2018-09-06

Created	2018-09-06 17:52:25 UTC by Erick Gilkey
Updated	2018-09-06 17:53:35 UTC by Erick Gilkey
Location	33.4544120988853, -86.7271957173944
Inspector	Erick Gilkey
Date	2018-09-06
Time	12:52
Facility Type	Mechanic
Facility Name	United Towing
Facility Street Address	3268 Cahaba Heights Rd Vestavia Hills, AL 35243
Reason For Not Inspecting	Duplicate address, is also Carl's Car Clinic

Sunoco/Vestavia Tire, 2018-08-17

Created	2018-08-17 16:22:42 UTC by Erick Gilkey
Updated	2018-08-17 16:45:58 UTC by Erick Gilkey
Location	33.418860641194, -86.8017522359033

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	11:22
Facility Name	Sunoco/Vestavia Tire
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Facility Street Address	1456 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058231213
Facility Contact Name	Christina Jones
Facility Contact Title	Employee

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	1 20,000-gal and 1 10,000-gal
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	1 300-gal used oil tank 1 500-gal new oil tank 1 250-gal new oil tank 1 55-gal kerosene (All outside and covered)

Photos



Google Map image of facility

N/A

Chevron, 2018-08-20

Created	2018-08-20 18:20:28 UTC by Erick Gilkey
Updated	2018-08-20 18:30:27 UTC by Erick Gilkey
Location	33.4564619474634, -86.7370646265348

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	13:20
Facility Name	Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333042554
Facility Street Address	3100 Cahaba Heights Rd Vestavia Hills, AL 35243
Facility Phone Number	2059022929
Facility Contact Name	Lawrence Angelo
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	15
How many containers?	4

Degreaser

Where is the degreaser being stored?	Inside
--------------------------------------	--------

Gas Station

How many fuel tanks and their size?	3-10000-gal
-------------------------------------	-------------

Is there a car wash on-site? Yes

MISCELLANEOUS

Waste containers provided and used? Yes

What kind of container? Dumpster(s)

How often is it/are they emptied? Weekly

Overall cleanliness Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed? No

Photos



Google Map image of facility

N/A

Preserve Paints, 2018-08-17

Created	2018-08-17 16:48:56 UTC by Erick Gilkey
Updated	2018-08-17 16:50:00 UTC by Erick Gilkey
Location	33.4188019815262, -86.8011546619477
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	11:48
Facility Type	Retail
Facility Name	Preserve Paints
Facility Street Address	1457 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

Utopia Cleaners , 2018-08-20

Created	2018-08-20 17:38:12 UTC by Erick Gilkey
Updated	2018-08-20 17:38:47 UTC by Erick Gilkey
Location	33.4559541606838, -86.7365781252561
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	12:38
Facility Type	Dry Cleaners
Facility Name	Utopia Cleaners
Facility Street Address	3129 Cahaba Heights Rd Vestavia Hills, AL 35243
Reason For Not Inspecting	No potentially hazardous fluids stored/used over 5-gal

Liberty Park Waste Treatment, 2018-09-06

Created	2018-09-06 09:28:27 EDT by Scott Hofer
Updated	2018-09-06 09:29:19 EDT by Scott Hofer
Location	33.474493, -86.68861

General Info

Inspector	Erick Gilkey
Date	2018-09-06
Time	08:23
Facility Name	Liberty Park Waste Treatment
Does this facility have an NPDES permit?	Yes
Facility Type	Waste Treatment Plant
NPDES Permit	AL0067814
Facility Street Address	13059 Liberty Parkway Vestavia Hills, AL 35242
Facility Phone Number	2059878352
Facility Contact Name	Robert Adams
Facility Contact Title	Unknown

MISCELLANEOUS

Google Map image of facility	N/A
------------------------------	-----

Hollywood Imports, 2018-08-17

Created	2018-08-17 17:56:32 UTC by Erick Gilkey
Updated	2018-08-17 18:10:31 UTC by Erick Gilkey
Location	33.4166088181035, -86.8024165928364
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	12:56
Facility Type	Automotive Dealer
Facility Name	Hollywood Imports
Facility Street Address	1475 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No potentially hazardous fluids stored/used over 5-gal

Bobs Power Equipment , 2018-08-15

Created	2018-08-15 18:31:21 UTC by Erick Gilkey
Updated	2018-08-15 18:44:11 UTC by Erick Gilkey
Location	33.4474826510768, -86.7893954738975

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	13:31
Facility Name	Bobs Power Equipment
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9333042607
Facility Street Address	637 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2056572748
Facility Contact Name	Daryl Cart
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Berm
If a LARGE spill occurs	Berms are placed around it

Maintenance Center

What fluids are being used/stored?	Used oil, Gasoline, 20 gallon, metal, inside
------------------------------------	--

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

AT&T, 2018-08-22

Created	2018-08-22 16:21:11 EDT by Scott Hofer
Updated	2018-08-22 16:22:04 EDT by Scott Hofer
Location	33.4567451886764, -86.7387603305023
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-22
Time	15:21
Facility Type	AT&T
Facility Name	AT&T
Facility Street Address	3201 Ridgely Dr Vestavia Hills, AL 35243
Reason For Not Inspecting	No hazardous stored above 5-gal

Spin Cleaners, 2018-09-06

Created	2018-09-06 17:08:51 UTC by Erick Gilkey
Updated	2018-09-06 17:10:08 UTC by Erick Gilkey
Location	33.4147164447155, -86.8050166592002
Inspector	Erick Gilkey
Date	2018-09-06
Time	12:08
Facility Type	Dry Cleaners
Facility Name	Spin Cleaners
Facility Street Address	1492 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No chemicals being used/stored on site

Watkins Cleaners, 2018-08-22

Created	2018-08-22 15:12:46 EDT by Scott Hofer
Updated	2018-08-22 15:13:11 EDT by Scott Hofer
Location	33.460648578977, -86.7319769980074
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-22
Time	14:12
Facility Type	Dry Cleaners
Facility Name	Watkins Cleaners
Facility Street Address	3156 Green Valley Rd Vestavia Hills, AL 35243
Reason For Not Inspecting	No hazardous stored above 5-gal

AT&T, 2018-08-17

Created	2018-08-17 18:27:10 UTC by Erick Gilkey
Updated	2018-08-17 18:27:44 UTC by Erick Gilkey
Location	33.4154668235333, -86.8040217889849
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	13:27
Facility Type	Retail
Facility Name	AT&T
Facility Street Address	1480 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No potentially hazardous fluids stored/used over 5-gal

Chevron, 2018-08-17

Created	2018-08-17 18:51:41 UTC by Erick Gilkey
Updated	2018-08-17 18:58:39 UTC by Erick Gilkey
Location	33.4143708781422, -86.8051908682387

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	13:51
Facility Name	Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333042142
Facility Street Address	1496 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2059793490
Facility Contact Name	Sudhir Madan
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil Absorbant Sock, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Gas Station

How many fuel tanks and their size?	4 10,000-gal tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Anthony's Car Wash, 2018-08-28

Created	2018-08-28 19:01:44 UTC by Erick Gilkey
Updated	2018-08-28 19:22:11 UTC by Erick Gilkey
Location	33.4187767970895, -86.8000441789627

General Info

Inspector	Erick Gilkey
Date	2018-08-28
Time	14:01
Facility Name	Anthony's Car Wash
Does this facility have an NPDES permit?	No
Facility Type	Car Wash
Municipal Business License #	9333041476
Facility Street Address	1009 Vestavia Pkwy Vestavia Hills, AL 35216
Facility Phone Number	2058229274
Facility Contact Name	Lawrence Serio
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	By mop
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Yes
Used water drains to where?	Sewer
What fluids are being used/stored?	Soap, Degreaser, Protectant

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	3

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum

What size container is the degreaser being stored in (gallons)?	55
How many containers?	2

Protectant

Where is the protectant being stored?	Inside
What kind of container is the protectant being stored in?	Plastic drum
What size container is the protectant being stored in (gallons)?	55
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	2-180, used oil, metal, outside, no cover, no berm 1-150 kerosene, metal, outside, no berm, uncovered
General comments/items of concern not mentioned	Car wash with an attached service center

Photos



Google Map image of facility N/A

Citgo, 2018-08-20

Created	2018-08-20 16:34:18 UTC by Erick Gilkey
Updated	2018-08-20 16:49:40 UTC by Erick Gilkey
Location	33.414948790528, -86.8033174576082

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	11:34
Facility Name	Citgo
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Facility Street Address	1487 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2056373244
Facility Contact Name	Max
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	3-10000 gal
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No
General comments/items of concern not mentioned	Manager refused to give last name and business license number

Photos



Google Map image of facility

N/A

Royal Automotive , 2018-08-22

Created	2018-08-22 16:01:31 UTC by Scott Hofer
Updated	2018-08-22 17:23:22 UTC by Erick Gilkey
Location	33.4139837456311, -86.8059843045644

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-22
Time	11:01
Facility Name	Royal Automotive
Does this facility have an NPDES permit?	No
Facility Type	Automotive Dealer
Municipal Business License #	9333040769
Facility Street Address	3010 Columbiana Rd Vestavia Hills, AL 35216
Facility Phone Number	2059784176
Facility Contact Name	Elise Welliver
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted

Automotive Dealer/Auto Body Shop

Is there a paint center?	No
Is there a maintenance center?	No
Is there a car wash?	Yes
Are there any gas pumps onsite?	No

Car Wash

Car wash type?	Hand Wash
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Soap, Degreaser

Soap

Where is the soap being stored?	Inside
What kind of container is the soap being stored in?	Plastic drum
What size container is the soap being stored in (gallons)?	55
How many containers?	2

Degreaser

Where is the degreaser being stored?	Inside
What kind of container is the degreaser being stored in?	Plastic drum
What size container is the degreaser being stored in (gallons)?	55
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Compactor
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
General comments/items of concern not mentioned	Used car center: - 1-250-gal used oil -1-55-gal wheel cleaner VW: -1-250-gal new oil tank -1-275-gal new oil -1-300-gal used oil tank GMC: -2-250-gal new oil tank -2-350-gal new oil tank -1-250-gal transmission fluid 1-500-gal used oil (outside-uncovered-burmed)

Photos



Google Map image of facility

N/A

NAPA Auto Parts, 2018-08-17

Created	2018-08-17 16:57:23 UTC by Erick Gilkey
Updated	2018-08-17 16:58:09 UTC by Erick Gilkey
Location	33.4164120825957, -86.8024813011289
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	11:57
Facility Type	Retail
Facility Name	NAPA Auto Parts
Facility Street Address	1477 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

Bennette's Motor World , 2018-08-20

Created	2018-08-20 17:44:44 UTC by Erick Gilkey
Updated	2018-09-10 17:39:57 UTC by Erick Gilkey
Location	33.4540045325445, -86.7314825579524

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	12:44
Facility Name	Bennette's Motor World
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Facility Street Address	3193 Cahaba Heights Rd Vestavia Hills, AL 35243
Facility Phone Number	2053248844
Facility Contact Name	Bennette Poole
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze, Brake cleaner
------------------------------------	---

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal tank
What size container is the new oil being stored in (gallons)?	150
How many containers?	1

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal tank
What size container is the used oil being stored in (gallons)?	250
How many containers?	1

Used Antifreeze

Where is the used antifreeze being stored?	Inside
--	--------

What kind of container is the used antifreeze being stored in? Plastic drum

What size container is the used antifreeze being stored in (gallons)? 55

How many containers? 1

Brake Cleaner

Where is the new brake cleaner being stored? Inside

What kind of container is the brake cleaner being stored in? Metal drum

What size container is the brake cleaner being stored in (gallons)? 55

How many containers? 1

MISCELLANEOUS

Waste containers provided and used? Yes

What kind of container? Dumpster(s)

How often is it/are they emptied? Weekly

Overall cleanliness Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already adressed? No

Photos



Google Map image of facility

N/A

Chevron, 2018-08-23

Created	2018-08-23 16:50:52 UTC by Erick Gilkey
Updated	2018-08-23 17:01:25 UTC by Erick Gilkey
Location	33.4273477176958, -86.7731379345059

General Info

Inspector	Erick Gilkey
Date	2018-08-23
Time	11:50
Facility Name	Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333041001
Facility Street Address	2544 Rocky Ridge Rd Vestavia Hills, AL 35243
Facility Phone Number	2059793030
Facility Contact Name	Sonia charania
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally, Written instructions
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The police department is contacted, The fire department is contacted

Car Wash

Car wash type?	Drive-through
Is the used water processed through a filtration system?	Unknown
Used water drains to where?	Unknown
What fluids are being used/stored?	Unknown - on roof

Degreaser

Where is the degreaser being stored?	Outside
--------------------------------------	---------

Gas Station

How many fuel tanks and their size?	1-12000, 1-8000, 1-4000
Is there a car wash on-site?	Yes


MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Meineke, 2018-08-23

Created	2018-08-23 17:22:53 UTC by Erick Gilkey
Updated	2018-08-23 20:47:44 UTC by Erick Gilkey
Location	33.4246961366808, -86.7718551680446

General Info

Inspector	Erick Gilkey
Date	2018-08-23
Time	12:22
Facility Name	Meineke
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9333042054
Facility Street Address	2505 Rocky Ridge Rd Vestavia Hills, AL 35243
Facility Phone Number	2058223208
Facility Contact Name	Mario Marr
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri, By mop
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil, Used antifreeze
------------------------------------	------------------------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Other
Comments	15-5 gallons, cardboard box, inside 1-250 gallons, metal, inside

Used Oil

Where is the used oil being stored?	Outside
What kind of container is the used oil being stored in?	Metal drum
What size container is the used oil being stored in (gallons)?	250
How many containers?	1
Is there a berm around it?	No
Is it covered?	No

Used Antifreeze

Where is the used antifreeze being stored?	Inside
What kind of container is the used antifreeze being stored in?	Metal drum
What size container is the used antifreeze being stored in (gallons)?	55
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	No

Photos



Google Map image of facility

N/A

Express Oil, 2018-08-22

Created	2018-08-22 14:56:10 EDT by Scott Hofer
Updated	2018-08-22 15:10:00 EDT by Scott Hofer
Location	33.4616942796455, -86.7314194954382

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-22
Time	13:56
Facility Name	Express Oil
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9333038747
Facility Street Address	3940 Crosshaven Dr Vestavia Hills, AL 35243
Facility Phone Number	2059695596
Facility Contact Name	Mike Roberts
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	By mop, Oil-Dri, Pig Mat, Degreaser
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	30-5-gal, box 940-gal tank

Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	4-250-gal tanks

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?	No
Google Map image of facility	N/A

Shell, 2018-08-16

Created	2018-08-16 16:23:27 UTC by Erick Gilkey
Updated	2018-08-16 16:41:21 UTC by Erick Gilkey
Location	33.4456715208971, -86.7914912849665

General Info

Inspector	Erick Gilkey
Date	2018-08-16
Time	11:23
Facility Name	Shell
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333043781
Facility Street Address	728 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058229999
Facility Contact Name	Ravi singh
Facility Contact Title	Sales Person

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Unknown
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	3-10000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-monthly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	Mechanic in building as well: 1-55 solvent, metal, inside 1-500 used oil, metal, no berm, uncovered
Google Map image of facility	N/A

Swim-Rite Pools, 2018-08-23

Created	2018-08-23 18:10:12 UTC by Erick Gilkey
Updated	2018-08-23 18:11:16 UTC by Erick Gilkey
Location	33.4245623802373, -86.7735533416271
Inspector	Erick Gilkey
Date	2018-08-23
Time	13:10
Facility Type	Retail
Facility Name	Swim-Rite Pools
Facility Street Address	2502 Rocky Ridge Rd Vestavia Hills, AL 35216
Reason For Not Inspecting	No chemicals used/stored over 5 gallons

Cahaba Heights Hardware, 2018-08-20

Created	2018-08-20 17:57:11 UTC by Erick Gilkey
Updated	2018-08-20 17:58:39 UTC by Erick Gilkey
Location	33.4538901227057, -86.7301722988486
Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	12:57
Facility Type	Retail
Facility Name	Cahaba Heights Hardware
Facility Street Address	3209 Cahaba Heights Rd Vestavia Hills, AL 35243
Reason For Not Inspecting	No potentially hazardous fluids stored/used over 5-gal

Bare Wood, 2018-08-21

Created	2018-08-21 17:18:34 UTC by Erick Gilkey
Updated	2018-08-21 17:30:10 UTC by Erick Gilkey
Location	33.4545821740465, -86.726835295558

General Info

Inspector	Erick Gilkey
Date	2018-08-21
Time	12:18
Facility Name	Bare Wood
Does this facility have an NPDES permit?	No
Facility Type	Furniture repair
Facility Street Address	4136 White Oak Dr Vestavia Hills, AL 35243
Facility Phone Number	2059675380
Facility Contact Name	Bob Tremble
Facility Contact Title	Owner


Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Rags, Cat litter
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Clean (vey little un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already adressed?	Yes
If yes, describe: what/where they are stored (including if bermed around and covered if outside)/what they are stored in/quantity	2-55 gallon, furniture stripper, metal, inside 10-5 gallon, lacquer, plastic, inside

Photos



Google Map image of facility

N/A

Express Oil , 2018-08-20

Created	2018-08-20 15:44:10 UTC by Erick Gilkey
Updated	2018-08-20 16:27:42 UTC by Erick Gilkey
Location	33.4164093729025, -86.8027549861654

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-20
Time	10:44
Facility Name	Express Oil
Does this facility have an NPDES permit?	No
Facility Type	Mechanic
Municipal Business License #	9333038744
Facility Street Address	1479 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058230466
Facility Contact Name	Wyatt Young
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	By mop, Degreaser
If a LARGE spill occurs	The fire department is contacted

Maintenance Center

What fluids are being used/stored?	New oil, Used oil
------------------------------------	-------------------

New Oil

Where is the new oil being stored?	Inside
What kind of container is the new oil being stored in?	Metal drum
What size container is the new oil being stored in (gallons)?	55
How many containers?	4
Comments	4 new oil tanks: 2-515-gal, 935-gal, 450-gal


Used Oil

Where is the used oil being stored?	Inside
What kind of container is the used oil being stored in?	Metal tank
What size container is the used oil being stored in (gallons)?	1000
How many containers?	2

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Circle K, 2018-08-22

Created	2018-08-22 18:39:03 UTC by Erick Gilkey
Updated	2018-08-22 19:25:31 UTC by Erick Gilkey
Location	33.4623128802379, -86.7309609719417

General Info

Inspector	Erick Gilkey
Date	2018-08-22
Time	13:39
Facility Name	Circle K
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333041907
Facility Street Address	3935 Crosshaven Dr Vestavia Hills, AL 35243
Facility Phone Number	2059672233
Facility Contact Name	Marquita Lawson
Facility Contact Title	General Manager

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Gas Station

How many fuel tanks and their size?	1-10000, 1-20000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Bi-Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No
Google Map image of facility	N/A

City Shop (City of Vestavia's mechanic), 2018-08-16

Created	2018-08-16 17:39:36 UTC by Erick Gilkey
Updated	2018-08-16 17:41:08 UTC by Erick Gilkey
Location	33.43822881684, -86.7910611256957
Inspector	Erick Gilkey
Date	2018-08-16
Time	12:39
Facility Type	Mechanic
Facility Name	City Shop (City of Vestavia's mechanic)
Facility Street Address	1032 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	All mechanical needs are now contracted out

Chevron, 2018-08-15

Created	2018-08-15 18:43:24 UTC by Erick Gilkey
Updated	2018-08-15 18:59:45 UTC by Erick Gilkey
Location	33.4464181900522, -86.7904304713011

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	13:43
Facility Name	Chevron
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333036535
Facility Street Address	705 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058223550
Facility Contact Name	Parvez
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Oil-Dri
If a LARGE spill occurs	The fire department is contacted, The police department is contacted


Gas Station

How many fuel tanks and their size?	1-10,000 1-20,000
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

Rainbow Paint, 2018-08-16

Created	2018-08-16 17:46:03 UTC by Erick Gilkey
Updated	2018-08-16 17:46:36 UTC by Erick Gilkey
Location	33.4194861988803, -86.801331974566
Inspector	Erick Gilkey
Date	2018-08-16
Time	12:46
Facility Type	Retail
Facility Name	Rainbow Paint
Facility Street Address	1450 Montgomery Hwy Vestavia Hills, AL 35216
Reason For Not Inspecting	No chemicals over 5 gallons used/stored

Sharp Cleaners, 2018-08-15

Created	2018-08-15 17:58:57 UTC by Erick Gilkey
Updated	2018-08-15 18:05:48 UTC by Erick Gilkey
Location	33.4487941162377, -86.788767836988

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-15
Time	12:58
Facility Name	Sharp Cleaners
Does this facility have an NPDES permit?	No
Facility Type	Dry Cleaners
Municipal Business License #	110635
Facility Street Address	605 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2058224686
Facility Contact Name	Jim Sharp
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	Yes
Employees trained on cleanup measures?	Yes
If trained, how?	Other
MSDS's on file and available?	Yes
If a SMALL spill occurs, it is cleaned up with	Other
If a LARGE spill occurs	The fire department is contacted, The police department is contacted

Dry Cleaner

Is cleaning done onsite or is this a drop off location only?	Cleaning performed onsite
--	---------------------------

Onsite

What chemical is used/stored?	Petroleum
-------------------------------	-----------

Chemicals

Is the main dry cleaning chemical stored on premises?	Yes
Where is the chemical being stored?	Inside
What kind of container is the chemical being stored in?	Machine hold 30 gallons
What size container is the chemical being stored in (gallons)?	None, all in machine
How many containers?	1

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Garbage can(s)
How often is it/are they emptied?	Bi-Weekly

Overall cleanliness

Very clean (no un-cleaned spills and/or un-cleaned surfaces)

Are there any other potentially hazardous items not already addressed?

No

Photos



Google Map image of facility

N/A

Shell, 2018-08-17

Created	2018-08-17 18:28:10 UTC by Erick Gilkey
Updated	2018-08-17 18:51:27 UTC by Erick Gilkey
Location	33.415301387791, -86.8046883843232

General Info

Inspector	Erick Gilkey, Juwan Murphy
Date	2018-08-17
Time	13:28
Facility Name	Shell
Does this facility have an NPDES permit?	No
Facility Type	Gas Station
Municipal Business License #	9333038835
Facility Street Address	1488 Montgomery Hwy Vestavia Hills, AL 35216
Facility Phone Number	2056371365
Facility Contact Name	Rick Patel
Facility Contact Title	Owner

Spill Training and Emergency Information

Written Spill SOP program?	No
Employees trained on cleanup measures?	Yes
If trained, how?	Verbally
If trained, how often?	Upon hire
MSDS's on file and available?	No
If a SMALL spill occurs, it is cleaned up with	Oil Absorbant Sock, Oil-Dri, Pig Mat
If a LARGE spill occurs	The fire department is contacted


Gas Station

How many fuel tanks and their size?	4 10,000-gal tanks
Is there a car wash on-site?	No

MISCELLANEOUS

Waste containers provided and used?	Yes
What kind of container?	Dumpster(s)
How often is it/are they emptied?	Weekly
Overall cleanliness	Very clean (no un-cleaned spills and/or un-cleaned surfaces)
Are there any other potentially hazardous items not already addressed?	No

Photos



Google Map image of facility

N/A

NPDES Permitted High Risk Inspections

ABC Coke

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.3	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.7	*****	7.7		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	3.8	7.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.7	2.4		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.0 monthly average	49.5 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	4.6	9.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	66 monthly average	99 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.9	0.9		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	11/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	2.2	2.2	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****		*****	0	Monthly
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.4	0.4	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****		*****	0	Monthly
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****		*****	0	Weekly
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****		*****	0	Monthly
PHENOLS	Sample Measurement	0.020	0.030	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****		*****	0	2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	.25199	.31463	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	0.02	0.02	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****		*****	0	2X Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	11/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR
 Jefferson
COUNTY:
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	3203	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	5.8	7.0	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	56 monthly average	84 maximum daily		*****	*****	*****		*****	Weekly	Composite
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	11/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.62	*****	7.68		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	19.5	40.6		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	2.4	3.3		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.30	0.37		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.20	0.32		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	11/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.511	1.777	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	11/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2017-10-01 To: 2017-10-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.3	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				Weekly
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.7	*****	7.7	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				Daily
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	3.8	7.0		*****	*****	*****	26 lbs/day	0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				Weekly
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B		*****	*****	*****	26 lbs/day	0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.7	2.4		*****	*****	*****	26 lbs/day	0	Weekly	Composite
	Permit Requirement	33.0 Monthly Average	49.5 Maximum Daily		*****	*****	*****				Weekly
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	4.6	9.0		*****	*****	*****	26 lbs/day	0	Weekly	Composite
	Permit Requirement	66 Monthly Average	99 Maximum Daily		*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.9	0.9		*****	*****	*****	26 lbs/day	0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				2X Monthly

Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period: 2017-10-01 To: 2017-10-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	2.2	2.2	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.4	0.4	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	0.020	0.030	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	25199	31463	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.02	0.02	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2017-10-01 To: 2017-10-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****				
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****				
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	3203	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	5.8	7.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	56 Monthly Average	84 Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period : 2017-10-01 To: 2017-10-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.62	*****	7.68		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	19.5	40.6		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	2.4	3.3		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.30	0.37		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.20	0.32		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246

MONITORING POINT: 0021

COUNTY: Jefferson

Jefferson

Birmingham, AL35202-0246

FACILITY: Abc Coke Dry Drummond Co Inc

Monitoring Period : 2017-10-01 To: 2017-10-31

NO DISCHARGE FROM SITE: ()

LOCATION: 900 Huntsville Avenue
Tarrant, AL 35217

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1.511	1.777	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

002 STORM WATER MONITORING

SAMPLE DATE:	10/4/2017
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	11:05 AM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLEAR
INITIAL STAFF LEVEL: 78" DATE:	10/4/2017
VOLUME:	15,940,897 GALLONS
FINAL STAFF LEVEL: 44" DATE:	10/9/2017
VOLUME:	8,220,490 GALLONS
TOTAL DISCHARGE VOLUME:	7,720,407 GALLONS
DAILY AVERAGE FLOW:	1.544 MGD

pH:	7.68 SU
TSS(mg/L):	9
NH3-N(ppd):	2.19
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE,T (mg/L):	0.083
IRON, T (mg/L):	0.223
O & G (mg/L)	BMDL

SAMPLE DATE:	10/16/2017
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	11:15 AM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLEAR
INITIAL STAFF LEVEL: 84" DATE:	10/16/2017
VOLUME:	17,372,016 GALLONS
FINAL STAFF LEVEL: 46" DATE:	10/21/2017
VOLUME:	8,487,870 GALLONS
TOTAL DISCHARGE VOLUME:	8,884,146 GALLONS
DAILY AVERAGE FLOW:	1.777 MGD

pH:	6.62 SU
TSS(mg/L):	8.8
NH3-N(ppd):	3.26
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE,T (mg/L):	0.323
IRON, T (mg/L):	0.367
O & G (mg/L)	BMDL

002 STORM WATER MONITORING

SAMPLE DATE:	10/27/2017
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	9:45 AM
WEATHER CONDITIONS:	CLOUDY
CREEK CONDITIONS:	CLEAR
INITIAL STAFF LEVEL: 74" DATE:	10/27/2017
VOLUME:	15,088,910 GALLONS
FINAL STAFF LEVEL: 48" DATE:	11/1/2017
VOLUME:	9,024,672 GALLONS
TOTAL DISCHARGE VOLUME:	6,064,238 GALLONS
DAILY AVERAGE FLOW:	1.213 MGD

pH:	6.70 SU
TSS(mg/L):	40.6
NH3-N(ppd):	1.72
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE, T (mg/L):	
IRON, T (mg/L):	
O & G (mg/L)	

SAMPLE DATE:	
SAMPLE LOCATION:	
SAMPLER:	
SAMPLE TIME:	
WEATHER CONDITIONS:	
CREEK CONDITIONS:	
INITIAL STAFF LEVEL: DATE:	
VOLUME:	
FINAL STAFF LEVEL: DATE:	
VOLUME:	
TOTAL DISCHARGE VOLUME:	
DAILY AVERAGE FLOW:	

pH:	
TSS(mg/L):	
NH3-N(ppd):	
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE, T (mg/L):	
IRON, T (mg/L):	
O & G (mg/L)	

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		9.3	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		7.0	*****	7.5		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	4.8	13.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.1	1.2		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.0 monthly average	49.5 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	6.8	7.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	66 monthly average	99 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.7	1.2		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	12/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	1.5	1.5	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****		*****	0	Monthly
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.2	0.2	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****		*****	0	Monthly
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****		*****	0	Weekly
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****		*****	0	Monthly
PHENOLS	Sample Measurement	0.010	0.020	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****		*****	0	2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.30531	0.34542	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	0.02	0.02	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****		*****	0	2X Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	12/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	5040.0	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	8.3	10.0	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	56 monthly average	84 maximum daily		*****	*****	*****		*****	Weekly	Composite
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	12/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.77	*****	7.11		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	16.2	23.6		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.79	2.49		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.82	0.95		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.08	0.09		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	12/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.339	1.491	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	12/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246
Birmingham, AL 35202-0246

MONITORING POINT: 0011

COUNTY: Jefferson

FACILITY: Abc Coke Div Drummond Co Inc

LOCATION: 900 Huntsville Avenue
Tarrant, AL 35217

Monitoring Period : 2017-11-01 To: 2017-11-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****	26 lbs/day	9.3	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****	26 lbs/day	7.0	*****	7.5	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	4.8	13.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.1	1.2	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.0 Monthly Average	49.5 Maximum Daily		*****	*****	*****				
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	6.8	7.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	66 Monthly Average	99 Maximum Daily		*****	*****	*****				
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.7	1.2	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246
Birmingham, AL35202-0246

MONITORING POINT: 0011

COUNTY: Jefferson

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue
Tarrant, AL 35217

Monitoring Period : 2017-11-01 To: 2017-11-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	1.5	1.5	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.2	0.2	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	0.010	0.020	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.30531	0.34542	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.02	0.02	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246
Birmingham, AL35202-0246

MONITORING POINT: 0011

COUNTY:

Jefferson

FACILITY: Abc Coke Div Drummond Co Inc

LOCATION: 900 Huntsville Avenue

Tarrant, AL 35217

Monitoring Period : 2017-11-01 To: 2017-11-30

NO DISCHARGE FROM SITE:

()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		*****	0		*****	*****	*****				
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	5040.0	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	8.3	10.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	56 Monthly Average	84 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246
Birmingham, AL35202-0246

MONITORING POINT: 0021

COUNTY: Jefferson

FACILITY: Abe Coke Div Drummond Co Inc

LOCATION: 900 Huntsville Avenue

Tarrant, AL 35217

Monitoring Period : 2017-11-01 To: 2017-11-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.77	*****	7.11	12 S.U.	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily			Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	16.2	23.6	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily			Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	*B	*B	19 mg/l	0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily			2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.79	2.49	26 lbs/day	*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.82	0.95	19 mg/l	0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily			2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.08	0.09	19 mg/l	0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily			2X Monthly	Grab
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319 (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246
Birmingham, AL35202-0246

MONITORING POINT: 0021

COUNTY: Jefferson

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue
Tarrant, AL 35217

Monitoring Period : 2017-11-01 To: 2017-11-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1.339	1.491	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)						Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)



LRS, Inc.

Laboratory Resources & Solutions, Inc.

205 6th Avenue
Ashville, AL 35953
(205) 594-1445

www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
PO Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project Name: **001 Chronic Toxicity – November 2017**

Date: December 13, 2017

Primary Data Review by:

Courtney Snow
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
csnow@lab-resource.com

- * Unless otherwise noted, all analyses on this report performed at ERA, 2975 Brown Court, Auburn, AL 36830.
- * These results relate only to the items tested. This report may only be reproduced in full.
- * Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
TOXICITY TEST REPORT SUMMARY

1. GENERAL:

NPDES PERMIT NO.: AL0003417 DSN: 001 COUNTY: Jefferson
 Permittee: ABC Coke, Inc.
 Facility Name: ABC Coke WWTP
 Agent Submitting Report: Mr. Jeff McCord
 Lab Conducting Toxicity Test(s): ERA, 2975 Brown Ct., Auburn, AL 36830
 Months To Test: Monthly
 This Report for Toxicity Test(s) Required for the Month of: Nov
 Scheduled Test(s): Yes No Accelerated Test(s): Yes No
 Accelerated Test Number of For Failed Scheduled Test Date:
 Test Type Required: -Hr Acute Screening: -Hr Acute Definitive:
 Short-term Chronic Screening: Short-term Chronic Definitive:

Test Organism: Ceriodaphnia dubiaTest Organism: Pimephales promelas

Sam No.	Date/Time Start MM/DD/YY HH:MM	Date/Time Ended MM/DD/YY HH:MM	Control Valid	Date/Time Start MM/DD/YY HH:MM	Date/Time Ended MM/DD/YY HH:MM	Control Valid
1	11/07/17 14:00	11/14/17 13:00	Yes	11/07/17 14:30	11/14/17 16:30	Yes

2.A. SUMMARY OF RESULTS FOR SCREENING TESTS:

Test Org.	Eff. Conc	Test Number											
		(1)			(2)			(3)			(4)		
		Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow
P.p.	16%	PASS	N/A	PASS									
C.d.	16%	PASS	PASS	N/A									

3. LABORATORY ANALYSES OF UNDILUTED SAMPLE(S):

SAMPLE Id.	BOD5 mg/l	TSS mg/l	NH3 mg/l	pH su	Alk mg/l	Hard mg/l	TRC mg/l	Conductivity µS
1	---	---	0.105	7.74	255	20	---	3570
2	---	---	0.103	7.92	238	33	---	3330
3	---	---	0.237	7.54	211	29	---	3840

Chemical Analyses Performed By (Lab): ERATotal 24-Hour Flow: (1) 0.310 MGD (2) 0.339 MGD (3) 0.306 MGD

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF RESPONSIBLE OFFICIAL: _____ DATE: _____

FACILITY NAME: ABC CokeNPDES #: AL0003417 DSN:001 DATE: 11/07/17**4. SAMPLE COLLECTION:**Split Samples: N/A Yes (Explain) _____Samples Collected as Specified in the NPDES Permit: Yes No (Explain)Receiving Water: Five Mile CreekDesign Flow: 0.406 (MGD)

Sample Id.	Sample(s) Collected MM/DD/YY HHMM - MM/DD/YY HHMM	Arrival Temp. °C.	Used in Test(s) MM/DD/YY - MM/DD/YY
1	11/05/17 0730 - 11/06/17 0730	2.6	11/07/17 - 11/08/17
2	11/07/17 0730 - 11/08/17 0730	2.5	11/09/17 - 11/10/17
3	11/09/17 0730 - 11/10/17 0730	2.4	11/11/17 - 11/13/17

5. CONTROL/DILUTION WATER:

Type	Prepared MM/DD/YY	Begin Use MM/DD/YY	Initial Water Chemistries			
			Hard.	Alk.	pH	Cond. @ °C.
MHRW	11/06/17	11/07/17	100	58	7.85	290 @ 25
MHRW	11/06/17	11/09/17	86	60	7.65	296 @ 25
MHRW	11/06/17	11/10/17	94	60	7.59	303 @ 25
MHRW	11/09/17	11/11/17	96	58	7.66	302 @ 25
MHRW	11/09/17	11/13/17	94	58	7.49	299 @ 25

6. TOXICITY TEST INFORMATION:

Test	Organism	Organism	Test Solution Concentrations (%)				
Species	Age	Source					
P.p.	24 -48hr	Florida Bioassay Supply	16%				
C.d.	6-14 hr	ERA	16%				

Test	Test Vessel	Vessel	Solution	Org./Test	Replicates
Species	Type	Vol. (mL)	Vol. (mL)	Vessel	Per Conc.
P.p.	plastic beaker	500	250	10	4
C.d.	plastic beaker	25	20	1	10

Test	Temp. Range	D.O. Range	pH Range	Light Intensity
Species	(°C.)	(mg/L)	(su)	Average (ft.-c.)
P.p.	24.6 - 26.0	6.6 - 9.2	7.06 -7.76	75
C.d.	24.6 - 25.5	8.2 - 9.2	7.30 -7.73	75

7. FEEDING:Not Fed: Fed Daily: Fed Irregular: (Explain in Comments Below)Brine Shrimp: Fed 0.15 g Suspension of Newly Hatched Larvae 2 Times Daily.YCT: Fed 0.130 mL Suspension Containing 1.87 g/L TS Daily.Algae: Fed 0.130 mL Suspension Containing 3.0 x 10⁷ Algal Cells/mL Daily.COMMENTS:

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 11/07/17

8. REFERENCE TOXICANT TESTS:

TOXICANT: Sodium Chloride SOURCE: Fisher Scientific CAS#: 7647-14-5
 Solution Concentration Unit: mg/L g/L X % Other (specify)

Chronic:

Test Org.	Test Date MM/DD - MM/DD	Control Water	Reference Test Solution Concentrations (Control to Highest Conc.)					
			0	2.0	4.0	6.0	8.0	10.0
P.p.	11/28/17-12/05/17	MHRW	0	2.0	4.0	6.0	8.0	10.0
C.d.	11/28/17-12/05/17	MHRW	0	0.5	1.0	1.5	2.0	2.5

Test Org.	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit	NUMBER (N)
P.p.	Survival	4.0	2.0 - 4.0	20
P.p.	Growth	2.0	2.0 - 4.0	20
C.d.	Survival	1.5	0.5 - 1.5	20
C.d.	Reproduction	0.5	0.25 - 1.0	20

Data on File with ADEM Toxic Unit

9. TEST CONDITION VARIABILITY:

9.A. Deviations From Standard Test Conditions:

None

11.C CHRONIC SCREENING TOXICITY TESTS RESULTS (Freshwater):

TEST ORGANISM: Ceriodaphnia dubia

Were Neonates Used to Begin the Test Within 8 hours of the same age?: Yes

Did 60% of the CONTROL Females Produce Their Third Brood? YES: X NO:

SURVIVAL

CHRONIC TOXICITY INDICATED: YES NO X

NO SURVIVAL STATISTICAL ANALYSIS NECESSARY: X

CONTROL(%) 24h 100 48h 100 End 100 EFFLUENT(%): 24h 100 48h 100 End 100

Fishers Exact Test: A = , B = , a = , b =

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN:001 DATE: 11/07/17

REPRODUCTION (Average Neonates/Female)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 22.8 EFFLUENT(%): 25.0

NO REPRODUCTION STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F: _____

/ Test Statistic: _____ / Test Critical Value: _____

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

TEST ORGANISM: Pimephales promelas

MORTALITY

CHRONIC TOXICITY INDICATED: YES NO

CONTROL(%) 24h 100 48h 100 7day 100 EFFLUENT(%): 24h 100 48h 100 7day 98

NO MORTALITY STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F: _____

/ Test Statistic: _____ / Test Critical Value: _____

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

GROWTH - Mean Dry Weight (mg)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 0.336 mg EFFLUENT: 0.413 mg

NO GROWTH STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F: _____

/ Test Statistic: _____ / Test Critical Value: _____

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

ing Information:

RS, Inc.

3 5th Street
hville, Alabama 35953
(5) 683-6731
aston@lab-resource.com



LRS Client Information:

ABC Coke

P.O. Box 10246
Birmingham, AL 35202

"Report to" Contact:

Mr. David Vance

Analysis/Container/Preservative

**Laboratory Resources
& Solutions, Inc. (LRS)**
A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

ject Name: 001 Chronic Toxicity

lected by: *Divorce*

Permit #: AL0003417

City/State collected:
Birmingham, Alabama
P.O. #

lected by (Signature): *D.V.*

Project Turnaround (Begins on Lab Login Date)

- RUSH?** Please Notify LRS
- Same Day (200%)
 - Next Day (100%)
 - Two Day (50%)
 - Three Day (25%)

Date Results Needed:

STO

Number of Containers

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserv)

ected on Ice? N Y

Sample Remarks

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative	Sample Remarks
001 Discharge	Comp.	11-5-17	0730	11-6-17	0730	1 X		<i>174091015</i>

ix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT-Other (Describe) _____

pH _____ Temp _____

eg! Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler*

Rainfall in Inches _____ Flow _____ Other _____

Dispatched by:(Signature) <i>D.V.</i>	Date: 11-6-17	Time: 0804	Received by:(Signature) <i>SW</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)
Dispatched by:(Signature) <i>SW</i>	Date: 11-6-17	Time: 10:20	Received by:(Signature) <i>AO</i>	Temp: 2.6°C	Bottles Received:
Dispatched by:(Signature)	Date:	Time:	Received for lab by: (Signature) <i>AO</i>	Date: 11/06/17 15:05	Time: 15:05
				pH Checked:	NCF:

Print signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

Information:

, Inc.
 h Street
 e, Alabama 35953
 883-6731
 on@lab-resource.com



LRS Client Information:

ABC Coke
 P.O. Box 10246
 Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

Analysis/Container/Preservative

Chain of Custody
 Page 1 of 1

**Laboratory Resources
 & Solutions, Inc. (LRS)**
 A Laboratory Service Provider



Laboratory:
 Environmental Resource Analysts, Inc.
 2975 Brown Court
 Auburn, AL 36830

Name: 001 Chronic Toxicity

City/State collected:
 Birmingham, Alabama
 P.O. #

A Bourgeois
 Permit #: **AL0003417**

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

Date Results Needed:

- Same Day (200%)
- Next Day (100%)
- Two Day (50%)
- Three Day (25%)

ce? N Y

Number of Containers

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserv)

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative
001 Discharge	Comp.	11/7/17	0730	11/8/17	0730	1	X

Sample Remarks

17411906

S-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT-Other (Describe) _____ pH _____ Temp _____

Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

by:(Signature) <i>Bourgeois</i>	Date: 11/8/17	Time: 0730	Received by:(Signature) <i>Walter Blake</i>	Samples returned via: FedEx__UPS__Other__	Condition (lab use only)
by:(Signature) <i>Walter Blake</i>	Date: 11-8-17	Time: 0900	Received by: (Signature) BG	Temp: 2.5°C	Bottles Received: 1
by:(Signature)	Date:	Time:	Received for lab by: (Signature) BG	Date: 11-08-17	Time: 1545

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

Information:

Resources, Inc.
 2875 Brown Court
 Auburn, Alabama 36830
 334-833-6731
 info@lab-resource.com



LRS Client Information:

ABC Coke
 P.O. Box 10246
 Birmingham, AL 35202
 359-1117

"Report to" Contact:

Mr. Jeff McCord

Analysis/Container/Preservative

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preservative)

Laboratory Resources & Solutions, Inc. (LRS)
 A Laboratory Service Provider



Laboratory:
 Environmental Resource Analysts, Inc.
 2875 Brown Court
 Auburn, AL 36830

Name: 001 Chronic Toxicity

City/State collected:

Birmingham, Alabama

P.O. #

A Bourgeois

Perm#: AL0003417

Signature:

Bourgeois

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

Date Results Needed:

- Same Day (200%)
- Next Day (100%)
- Two Day (50%)
- Three Day (25%)

Number of Containers

Case? N Y

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative
001 Discharge	Comp.	11/11/17	0730	11/10/17	0730	1	X

Sample Remarks
 174205-01g

Sample Type: S-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____

pH _____ Temp _____

Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler*

Rainfall in Inches _____ Flow _____ Other _____

Date: 11/10/17 Time: 0730 Received by: <i>Stine</i> (0955)	Samples returned via: FedEx__UPS__Other__	Condition: _____ (lab use only)
Date: 11-10-17 Time: 1030 Received by: <i>BG</i>	Temp: 2.4°C Bottles Received: 1	
Date: _____ Time: _____ Received for lab by: <i>BG</i>	Date: 11-10-17 Time: 1430	pH Checked: _____ NCF: _____

7 DAY FATHEAD MINNOW TOXICITY TEST - EPA METHOD 1000.0

Client: ABC coke

t #: 74-151

Age of Test Organisms: 24-48 hrs

Ambient Laboratory Illumination

Water Volume: 250mL

Source: ABS Lot #: 801

Start Date: 11.07.17

Time: 1430

Brine Shrimp Lot #: 29

End Date: 11.14.17

Time: 11030

Photoperiod: 16hrs. L; 8hrs. D

CONTROL

for DO, pH, and temp. readings: old water/ new water

Number Alive
Replicate Number

Day	1	2	3	4	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/Time/Initials	DO Meter/Probe	pH Meter/Probe	MHRW Lot #	Thermometer ID	Obs
1	10	10	10	10	40	7.32	8.6	24.6	1600	N/A	11.07.17 1430 ZM	YS12 #2	AB153 #12	3468	T13 237 #1	N
2	10	10	10	10	40	7.26	6.8	25.1	1000	AF	11.08.17 1345 AF			3468		N
3	10	10	10	10	40	7.35	6.98	25.3	800	JA	11.09.17 1430 JA	YS12 #2	AB153 #12	3469	T23 237 #1	N
4	10	10	10	10	40	7.31	7.58	25.0	1632	JA	11.10.17 1230 JA			3470		N
5	10	10	10	10	40	7.40	7.7	25.0	1300	SH	11.11.17 11030 SH			3471		N
6	10	10	10	10	40	7.31	7.6	25.2	800	AE	11.12.17 1400 AE			3471		N
7	10	10	10	10	40	7.44	8.7	24.8	1700	AF	11.13.17 1500 AF			3472		N
8	10	10	10	10	40	7.21	6.8	25.3	1000	AF	11.14.17 1630 AF			N/A		

Observations Key

- = On Surface
- = On Bottom
- = Precipitate

- LETH = Lethargic
- ERR = Erratic Swimming
- UM = Undissolved Material

- N = Normal
- FC = Flared Carapace

- CO = Caught On
- F = Film
- PM = Particulate Matter

- N/A = Not Applicable
- CLDY = Cloudy

ENVIRONMENTAL RESOURCE ANALYSTS, INC.

2975 BROWN CT.

AUBURN, AL 36830

(334) 502-3444

7 DAY FATHEAD MINNOW TOXICITY TEST - EPA METHOD 1000.0

Test #: 74-151

Client: ABC COLE

10 % Effluent

Sample #: 1) 174091 2) 174119 3) 174205

Number Alive
Replicate Number

Test Day	1	2	3	4	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/Time/Initials	Obs.	pH of 100% effluent
Start	10	10	10	10	40	7.40	8.8	24.6	1600	N/A	11-07-17 1435 ZM	N	7.82
1	10	10	10	10	40	7.34 7.33	6.5 8.8	25.3 24.10	1000 1700	AF	11-08-17 1350 AF	N	7.92
2	10	10	10	10	40	7.06 7.45	6.64 9.04	26.0 24.8	930 1632	JA	11-09-17 1430 JA	N	2.25
3	10	10	10	10	40	2.27 7.84	2.1 9.2	26.0 25.4	0930 1400	JA	11-10-17 1235 JA	N	2.54
4	10	10	10	10	40	7.30 7.58	7.3 9.2	25.4 24.8	1300 1800	SH	11-11-17 1125 SH	N	7.51
5	9	10	10	10	39	7.29 7.53	7.1 9.0	25.1 25.3	0800 1700	AE	11-12-17 1405 AE	N	7.59
6	9	10	10	10	39	7.10 7.55	7.2 9.1	25.4 25.4	1000 1700	AF	11-13-17 1505 AF	N	7.80
7	9	10	10	10	39	7.76	7.3	25.4	N/A	N/A	11-14-17 1635 AF	N	7.75

Observations Key

OS = On Surface
ON = On Bottom
PRE = Precipitate

LETH = Lethargic
ERR = Erratic Swimming
UM = Undissolved Material

N = Normal
FC = Flared Carapace

CO = Caught On
F = Film
PM = Particulate Matter

N/A = Not Applicable
CLDY = Cloudy

DRY WEIGHT DETERMINATION FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Test #: 74-15 Analyst: JA/ZM Balance #: AND#2

Date/Time in Oven: 11-14-17 1750 Date/Time Out of Oven: 11-15-17 17 Oven Temp: 60 °C

Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
Blank	1	0.95439	0.95438	N/A	N/A	N/A
Control	1	0.99834	1.00203	10	0.369	0.336
	2	1.00746	1.01062	10	0.316	
	3	1.00823	1.01153	10	0.330	
	4	0.99118	0.99446	10	0.328	
<u>10</u> % Effluent	1	0.99111	0.99480	9	0.369	0.413
	2	0.98472	0.98916	10	0.444	
	3	0.98216	0.98650	10	0.434	
	4	0.97425	0.97831	10	0.406	

Environmental Resource Analysts, Inc.

3 BROOD CERIODAPHNIA TOXICITY TEST - EPA METHOD 1002.0

Client: ABC coke

#: 74-151

Age of Test Organisms: 6-14 hrs

Ambient Laboratory Illumination

Test Volume: 20mL

Source: ERA

Photoperiod: 16hrs. L; 8hrs. D

Lot #: 267 1.810g/L solids

0.13 mL fed per cup

Test Start Date: 11-07-17

Time: 1400

Lot #: 265 3x10⁷ cells/mL

0.13 mL algae fed/cup

Test End Date: 11-14-17

Time: 1300

CONTROL

for DO, pH, and temp. readings: old water/ new water

1 = Alive, 0 = Dead, M = Male, /# = # neonates

Replicate Number (# Adults/# Neonates)

1	2	3	4	5	6	7	8	9	10	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Chan	Date/Time/Initials	DO Meter/Probe	pH Meter/Probe	MHR W Lot #	Thermo meter ID	Obs	
1	1	1	1	1	1	1	1	1	1	10	7.32	8.6	24.6	AF	N/A	11-07-17 1400 AF	NS12 #12	AB153 #12	3468	TB 237 #1	N	
1	1	1	1	1	1	1	1	1	1	10	7.39	8.3	25.5	AF	AF	11-08-17 1500 AF			3468		N	
1	1	1	1	1	1	1	1	1	1	10	7.41	8.5	25.3	AF	AF	11-09-17 1430 AF			3469		N	
1	1	1	1	1	1	1	1	1	1	10	7.37	8.2	25.4	SH	SH	11-10-17 1200 SH			3470		N	
1/2	1/5	1/1	1/2	1/3	1/3	1/2	1/4	1/3	1/3	10	7.46	8.3	25.4	SH	SH	11-11-17 1400 SH			3471		N	
1	1	1/2	1/3	1/9	1	1	1	1	1/4	10	7.45	8.4	25.5	SH	SH	11-12-17 1400 SH			3471		N	
1/6	1/8	1	1	1	1/8	1/3	1/6	1/4	1	10	7.44	8.7	24.8	SH	SH	11-13-17 1500 SH			3472		N	
1/16	1/4	1/18	1/19	1/11	1/12	1/18	1/10	1/12	1/17	10	7.41	8.2	25.4	N/A	N/A	11-14-17 1300 AF			N/A		N	
24	27	21	24	23	23	23	20	19	24						N/A	N/A						

Observations Key

On Surface LETH = Lethargic

On Bottom ERR = Erratic Swimming

Precipitate UM = Undissolved Material

N = Normal

FC = Flared Carapace

CO = Caught On

F = Film

PM = Particulate Matter

N/A = Not Applicable

CLDY = Cloudy

Average # neonates/female:

22.8

ENVIRONMENTAL RESOURCE ANALYSTS, INC.

2975 BROWN CT.

AUBURN, AL 36830

(334) 502-3444

3 BROOD CERIODAPHNIA TOXICITY TEST - EPA METHOD 1002.0

Test #: 74-151

Client: ABC COKE

10 % Effluent

Sample #: 1) 174091 2) 174119 3) 174205

1 = Alive, 0 = Dead, M = Male, / # = # neonates
Replicate Number (# Adults / # Neonates)

Test Day	1	2	3	4	5	6	7	8	9	10	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/ Time/ Initials	Obs
Start	1	1	1	1	1	1	1	1	1	1	10	7.40	8.8	24.0	AF	NA	11-07-17 1405 AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.59	8.3	25.4	AF	AF	11-08-17 1505 AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.33	8.8	24.0	AF	AF	11-09-17 1505 AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.71	8.2	25.4	AF	AF	11-09-17 1435 AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.45	9.0	24.8	AF	AF	11-09-17 1435 AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.00	8.1	25.3	SH	SH	11-10-17 1245 SH	N
	1/3	1/4	1/2	1/2	1/6	1/5	1/3	1/2	1/5	1/4	10	7.54	9.2	25.4	SH	SH	11-11-17 1405 SH	N
	1/5	1	1/8	1	1	1	1	1	1	1/6	10	7.78	8.2	25.4	SH	SH	11-12-17 1405 SH	N
	1	1/6	1	1/7	1/9	1/10	1/11	1/7	1/11	1	10	7.53	9.0	25.3	SH	SH	11-13-17 1505 SH	N
	1/16	1/13	1/13	1/15	1/14	1/14	1/11	1/16	1/10	1/12	10	7.55	9.1	25.4	SH	SH	11-14-17 1305 AF	N
												N/A	N/A	N/A	N/A	N/A		
Neonates	24	23	23	24	29	29	25	25	26	22					N/A	N/A		

S = On Surface LETH = Lethargic N = Normal CO = Caught On N/A = Not Applicable
 N = On Bottom ERR = Erratic Swimming FC = Flared Carapac F = Film CLDY = Cloudy
 RE = Precipitate UM = Undissolved Material PM = Particulate Matter

Average # neonates per female
25.0

ENVIRONMENTAL RESOURCE ANALYSTS, INC.

2975 BROWN CT.

AUBURN, AL 36830

(334) 502-3444

Toxicity Bench Sheet

Client: ABC COKE

Sample Collection Lab#/ Date/Time	Sample	pH Analysis Date/ Time	Analyst	pH Meter/ Probe	pH Result	TRC Analysis Date/ Time	TRC Result (mg/L)
11-06-17 0730	#1	11-06-17 1710	AF	AB153 #12	7.74	N/A	N/A
11-08-17 0730	#2	11-08-17 1700	AF		7.92		
11-10-17 0630	#3	11-10-17 1700	SH		7.54		

002 STORM WATER MONITORING

SAMPLE DATE:	11/2/2017
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	10:45 AM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLOUDY
INITIAL STAFF LEVEL: 75" DATE: 11/2/2017	
VOLUME: 15,230,708 GALLONS	
FINAL STAFF LEVEL: 49" DATE: 11/7/2017	
VOLUME: 9,293,885 GALLONS	
TOTAL DISCHARGE VOLUME: 5,936,823 GALLONS	
DAILY AVERAGE FLOW: 1.187 MGD	

pH:	6.77 SU
TSS(mg/L):	23.6
NH3-N(ppd):	1.09
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE, T (mg/L):	0.067
IRON, T (mg/L):	0.949
O & G (mg/L)	BMDL

SAMPLE DATE:	11/13/2017
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	9:40 AM
WEATHER CONDITIONS:	CLOUDY
CREEK CONDITIONS:	CLEAR
INITIAL STAFF LEVEL: 78" DATE: 11/13/2017	
VOLUME: 15,940,897 GALLONS	
FINAL STAFF LEVEL: 46" DATE: 11/18/2017	
VOLUME: 8,487,870 GALLONS	
TOTAL DISCHARGE VOLUME: 7,453,027 GALLONS	
DAILY AVERAGE FLOW: 1.491 MGD	

pH:	7.11 SU
TSS(mg/L):	8.8
NH3-N(ppd):	2.49
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE, T (mg/L):	0.089
IRON, T (mg/L):	0.695
O & G (mg/L)	BMDL

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	0.4	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	12/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.0	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.8	*****	7.5		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	6.0	10.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	7.9	11.3		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.1 monthly average	52.4 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	10.3	13.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	232 monthly average	348 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.4	0.8		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****				
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.5	0.5	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****				
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****				
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****				
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.27198	0.32719	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CYANIDE, FREE AVAILABLE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	4696.0	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	0	Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	6.5	7.9	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	213 monthly average	320 maximum daily		*****	*****	*****		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	0.4	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	12/22/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.57	*****	6.84	12 S.U.	0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	23.6	27.5	19 mg/l	0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily				Weekly
OIL & GREASE	Sample Measurement	*****	*****		*****	12.35	24.70	19 mg/l	1	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	5.3	7.41		*****	*****	*****	*****	0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****				Monthly
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.99	1.01	19 mg/l	0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily				2X Monthly
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.07	0.08	19 mg/l	0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily				2X Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.828	1.879	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2017-12-01 To: 2017-12-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		8.0	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				Weekly
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.8	*****	7.5	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				Daily
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	6.0	10.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				Weekly
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	7.9	11.3	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.1 Monthly Average	52.4 Maximum Daily		*****	*****	*****				Weekly
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	10.3	13.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	232 Monthly Average	348 Maximum Daily		*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.4	0.8	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				2X Monthly
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 23 U.S.C. §1319. <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period: 2017-12-01 To: 2017-12-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.5	0.5	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.27198	0.32719	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C § 1001 AND 33 U.S.C § 1319 <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2017-12-01 To 2017-12-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		*****	0		*****	*****	*****				
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	0	0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	0	0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	4696.0	26 lbs/day	*****	*****	*****	0	0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	6.5	7.9	26 lbs/day	*****	*****	*****	0	0	Weekly	Composite
	Permit Requirement	213 Monthly Average	320 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period : 2017-12-01 To: 2017-12-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: (-)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.57	*****	6.84		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	23.6	27.5		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	12.35	24.70		1	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	5.3	7.41		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.99	1.01		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.07	0.08		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021
Monitoring Period : 2017-12-01 To: 2017-12-31

COUNTY: Jefferson
NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1.828	1.879	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	<small>CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319 (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months to 5 years.)</small>						Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

002 STORM WATER MONITORING

SAMPLE DATE:	12/5/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	11:45 AM
WEATHER CONDITIONS:	RAIN
CREEK CONDITIONS:	CLEAR
INITIAL STAFF LEVEL: 83" DATE: 12/5/2018	
VOLUME: 17,084,425 GALLONS	
FINAL STAFF LEVEL: 42" DATE: 12/10/2018	
VOLUME: 7,688,183 GALLONS	
TOTAL DISCHARGE VOLUME: 9,396,242 GALLONS	
DAILY AVERAGE FLOW: 1.879 MGD	

pH:	6.57 SU
TSS(mg/L):	27.5
NH3-N(ppd):	3.13
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE,T (mg/L):	0.055
IRON, T (mg/L):	1.01
O & G (mg/L)	BMDL

SAMPLE DATE:	12/18/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	10:50 AM
WEATHER CONDITIONS:	RAIN
CREEK CONDITIONS:	CLOUDY
INITIAL STAFF LEVEL: 84" DATE: 12/18/2018	
VOLUME: 17,372,019 GALLONS	
FINAL STAFF LEVEL: 46" DATE: 12/23/2018	
VOLUME: 8,487,870 GALLONS	
TOTAL DISCHARGE VOLUME: 8,884,146 GALLONS	
DAILY AVERAGE FLOW: 1.777 MGD	

pH:	6.84
TSS(mg/L):	19.6
NH3-N(ppd):	7.41
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE,T (mg/L):	0.081
IRON, T (mg/L):	0.971
O & G (mg/L)	24.7



LRS, Inc.

Laboratory Resources & Solutions, Inc.

205 6th Avenue

Ashville, AL 35953

(205) 594-1445

www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
PO Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project Name: **001 Chronic Toxicity – December 2017**

Date: January 08, 2018

Primary Data Review by:

Courtney Snow

Courtney Snow
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
csnow@lab-resource.com

- * Unless otherwise noted, all analyses on this report performed at ERA, 2975 Brown Court, Auburn, AL 36830.
- * These results relate only to the items tested. This report may only be reproduced in full.
- * Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.0	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.9	*****	7.2		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	7	13		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.5	0.7		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.1 monthly average	52.4 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	2	6		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	232 monthly average	348 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	1.11	1.33		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	02/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	0.7	0.7	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****		*****	0	Monthly
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.2	0.2	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****		*****	0	Monthly
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****		*****	0	Weekly
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****		*****	0	Monthly
PHENOLS	Sample Measurement	0.01	0.02	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****		*****	0	2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.27916	0.36623	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	0.012	0.014	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****		*****	0	2X Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	02/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	4756	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	0	Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	6	8	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	213 monthly average	320 maximum daily		*****	*****	*****		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	02/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.78	*****	7.05		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	8.2	13.2		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	0.90	1.80		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	6.9	7.41		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.89	1.200		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.12	0.153		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	02/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.534	1.777	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	02/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Dry Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING 0011
 POINT:

COUNTY: Jefferson

Monitoring Period : 2018-01-01 To: 2018-01-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		7.0	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				Weekly
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.9	*****	7.2	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				Daily
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	7	13		*****	*****	*****	26 lbs/day	0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				Weekly
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B		*****	*****	*****	26 lbs/day	0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	0.5	0.7		*****	*****	*****	26 lbs/day	0	Weekly	Composite
	Permit Requirement	33.1 Monthly Average	52.4 Maximum Daily		*****	*****	*****				Weekly
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	2	6		*****	*****	*****	26 lbs/day	0	Weekly	Composite
	Permit Requirement	232 Monthly Average	348 Maximum Daily		*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	1.11	1.33		*****	*****	*****	26 lbs/day	0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				2X Monthly
Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.						Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-01-01To: 2018-01-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	0.7	0.7	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.2	0.2	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	0.01	0.02	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.27916	0.36623	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.012	0.014	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period: 2018-01-01 To: 2018-01-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	4756	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	6	8	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	213 Monthly Average	320 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period : 2018-01-01 To: 2018-01-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.78	*****	7.05		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	8.2	13.2		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.90	1.80		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	6.9	7.41		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.89	1.200		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.12	0.153		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319 (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period : 2018-01-01To: 2018-01-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1,534	1,777	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319 [Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.]					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		



LRS, Inc.
Laboratory Resources & Solutions, Inc.
205 6th Avenue
Ashville, AL 35953
(205) 594-1445
www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
PO Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project Name: **001 Chronic Toxicity – January 2018**

Date: February 05, 2018

Primary Data Review by:

Courtney Snow

Courtney Snow
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
csnow@lab-resource.com

* Unless otherwise noted, all analyses on this report performed at ERA, 2975 Brown Court, Auburn, AL 36830.

* These results relate only to the items tested. This report may only be reproduced in full.

* Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
TOXICITY TEST REPORT SUMMARY

1. GENERAL:

NPDES PERMIT NO.: AL0003417 DSN: 001 COUNTY: Jefferson
 Permittee: ABC Coke, Inc.
 Facility Name: ABC Coke WWTP
 Agent Submitting Report: Mr. Jeff McCord
 Lab Conducting Toxicity Test(s): ERA, 2975 Brown Ct., Auburn, AL 36830
 Months To Test: Monthly
 This Report for Toxicity Test(s) Required for the Month of: Jan
 Scheduled Test(s): Yes No Accelerated Test(s): Yes No
 Accelerated Test Number of For Failed Scheduled Test Date:
 Test Type Required: -Hr Acute Screening: -Hr Acute Definitive:
 Short-term Chronic Screening: Short-term Chronic Definitive:

Test Organism: Ceriodaphnia dubia Test Organism: Pimephales promelas

Sam No.	Date/Time Start	Date/Time Ended	Control	Date/Time Start	Date/Time Ended	Control
	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid
1	1/23/18 15:00	1/30/18 17:00	Yes	1/23/18 13:00	1/30/18 15:00	Yes

2.A. SUMMARY OF RESULTS FOR SCREENING TESTS:

Test	Eff.	Test Number											
		(1)			(2)			(3)			(4)		
Org.	Conc	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow
P.p.	16%	PASS	N/A	PASS									
C.d.	16%	PASS	PASS	N/A									

3. LABORATORY ANALYSES OF UNDILUTED SAMPLE(S):

SAMPLE Id.	BOD5 mg/l	TSS mg/l	NH3 mg/l	pH su	Alk mg/l	Hard mg/l	TRC mg/l	Conductivity μS
1	---	---	<0.100	7.39	196	18	---	3690
2	---	---	0.152	7.45	200	39	---	3710
3	---	---	0.334	7.56	200	18	---	3780

Chemical Analyses Performed By (Lab): ERA

Total 24-Hour Flow: (1) 0.241 MGD (2) 0.222 MGD (3) 0.338 MGD

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF RESPONSIBLE OFFICIAL: _____ DATE: _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 1/23/18

4. SAMPLE COLLECTION:

Split Samples: N/A Yes (Explain) _____
 Samples Collected as Specified in the NPDES Permit: Yes No (Explain) _____
 Receiving Water: Five Mile Creek
 Design Flow: 0.406 (MGD)

Sample Id.	Sample(s) Collected MM/DD/YY HHMM - MM/DD/YY HHMM	Arrival Temp. °C.	Used in Test(s)	
			MM/DD/YY - MM/DD/YY	
1	1/21/18 0730 - 1/22/18 0730	2.7	1/23/18 - 1/24/18	
2	1/23/18 0730 - 1/24/18 0730	3.0	1/25/18 - 1/26/18	
3	1/25/18 0730 - 1/26/18 0730	2.6	1/27/18 - 1/29/18	

5. CONTROL/DILUTION WATER:

Type	Prepared MM/DD/YY	Begin Use MM/DD/YY	Initial Water Chemistries				
			Hard.	Alk.	pH	Cond.	@ °C.
MHRW	1/13/18	1/23/18	86	58	7.69	316	@ 25
MHRW	1/22/18	1/24/18	88	62	7.77	312	@ 25
MHRW	1/22/18	1/25/18	84	57	7.72	318	@ 25
MHRW	1/24/18	1/27/18	88	60	7.73	311	@ 25

6. TOXICITY TEST INFORMATION:

Test	Organism	Organism	Test Solution Concentrations (%)				
Species	Age	Source					
P.p.	24 -48hr	Florida Bioassay Supply	16%				
C.d.	0- 6 hr	ERA	16%				

Test Species	Test Vessel Type	Vessel Vol. (mL)	Solution Vol. (mL)	Org./Test Vessel	Replicates Per Conc.
P.p.	plastic beaker	500	250	10	4
C.d.	plastic beaker	25	20	1	10

Test Species	Temp. Range (°C.)	D.O. Range (mg/L)	pH Range (su)	Light Intensity Average (ft.-c.)
P.p.	24.1 - 26.0	5.3 -10.0	7.16 -7.89	75
C.d.	24.8 - 26.0	8.0 -10.0	7.30 -7.89	75

7. FEEDING:

Not Fed: Fed Daily: Fed Irregular: (Explain in Comments Below)
 Brine Shrimp: Fed 0.15 g Suspension of Newly Hatched Larvae 2 Times Daily.
 YCT: Fed 0.130 mL Suspension Containing 1.70 g/L TS Daily.
 Algae: Fed 0.130 mL Suspension Containing 3.0 x 10⁷ Algal Cells/mL Daily.

COMMENTS:

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 1/23/18

8. REFERENCE TOXICANT TESTS:

TOXICANT: Sodium Chloride SOURCE: Fisher Scientific CAS#: 7647-14-5
 Solution Concentration Unit: mg/L g/L X % Other(specify)

Chronic:

Test Org.	Test Date MM/DD - MM/DD	Control Water	Reference Test Solution Concentrations (Control to Highest Conc.)						
P.p.	1/23/18- 1/30/18	MHRW	0	2.0	4.0	6.0	8.0	10.0	
C.d.	1/23/18- 1/30/18	MHRW	0	0.5	1.0	1.5	2.0	2.5	
Test Org.	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit				NUMBER (N)		
P.p.	Survival	2.0	2.0 - 4.0				20		
P.p.	Growth	2.0	2.0 - 4.0				20		
C.d.	Survival	1.5	0.5 - 1.5				20		
C.d.	Reproduction	1.0	0.25- 1.0				20		

Data on File with ADEM Toxic Unit

9. TEST CONDITION VARIABILITY:

9.A. Deviations From Standard Test Conditions:

None

11.C CHRONIC SCREENING TOXICITY TESTS RESULTS (Freshwater):

TEST ORGANISM: Ceriodaphnia dubia

Were Neonates Used to Begin the Test Within 8 hours of the same age?: Yes

Did 60% of the CONTROL Females Produce Their Third Brood? YES: X NO:

SURVIVAL

CHRONIC TOXICITY INDICATED: YES NO X

NO SURVIVAL STATISTICAL ANALYSIS NECESSARY: X

CONTROL(%) 24h 100 48h 100 End 100 EFFLUENT(%): 24h 100 48h 100 End 100

Fishers Exact Test: A = , B = , a = , b =

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 1/23/18

REPRODUCTION (Average Neonates/Female)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 20.5 EFFLUENT(%): 22.7

NO REPRODUCTION STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F:

/ Test Statistic: _____ / Test Critical Value:

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

TEST ORGANISM: Pimephales promelas

MORTALITY

CHRONIC TOXICITY INDICATED: YES NO

CONTROL(%) 24h 100 48h 100 7day 100 EFFLUENT(%): 24h 100 48h 100 7day 98

NO MORTALITY STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F:

/ Test Statistic: _____ / Test Critical Value:

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

GROWTH - Mean Dry Weight (mg)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 0.343 mg EFFLUENT: 0.351 mg

NO GROWTH STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F:

/ Test Statistic: _____ / Test Critical Value:

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

Information:

, Inc.

Address:

Street

il Address:

Avenue

Alabama 35953

94-1445

n@lab-resource.com

Name: 001 Chronic Toxicity

Permit #: AL0003417

(signature):

Boyd

20? N Y V

LRS Client Information:

ABC Coke

P.O. Box 10246

Birmingham, AL 35202

354-0118

"Report to" Contact:

Mr. David Vance

City/State collected:

Birmingham, Alabama

P.O. #

Analysis/Container/Preservative

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserve

Number of Containers

1

X

Chain of Custody Page 1 of 1

Laboratory Resources & Solutions, Inc. (LRS) A Laboratory Service Provider



Laboratory: Environmental Resource Analysts, Inc. 2975 Brown Court Auburn, AL 36830

Sample Remarks

1760137-8a

pH Temp Flow Other (lab use only)

Rainfall in Inches

SW-Surface Water DW-Drinking Water OT-Other (Describe)

End Date and Time Indicates When Samples Were Removed from Composite Sampler

Received by: (Signature)	Date:	Time:	Received by: (Signature)	Date:	Time:	Received by: (Signature)	Date:	Time:	Received by: (Signature)	Date:	Time:
<i>Boyd</i>	1-22-18	0730	<i>Boyd</i>	1-22-18	0730	<i>Boyd</i>	1-22-18	0730	<i>Boyd</i>	1-22-18	0730
<i>Boyd</i>	1-22-18	0947	<i>Boyd</i>	1-22-18	0947	<i>Boyd</i>	1-22-18	0947	<i>Boyd</i>	1-22-18	0947
<i>Boyd</i>	1-22-18	13:30	<i>Boyd</i>	1-22-18	13:30	<i>Boyd</i>	1-22-18	13:30	<i>Boyd</i>	1-22-18	13:30

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

Information:

ABC Coke

Address:

Street

il Address:

Avenue

, Alabama 35953

94-1445

@lab-resource.com

Name: 001 Chronic Toxicity

Permit #: AL0003417

(signature):

Beard

20? N Y ✓

LRS Client Information:

ABC Coke

P.O. Box 10246

Birmingham, AL 35202

359-0118

"Report to" Contact:

Mr. David Vance

City/State collected:

Birmingham, Alabama

P.O. #

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

Same Day (200%)

Next Day (100%)

Two Day (50%)

Three Day (25%)

Date Results Needed:

Start Time

End Date*

End Time*

Number of Containers

1

Analysis/Container/Preservative

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserve

Chain of Custody
Page 1 of 1

Laboratory Resources & Solutions, Inc. (LRS)
A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Sample Remarks

17611320a

pH _____ Temp _____

Flow _____ Other _____

Condition (lab use only)

Rainfall in Inches _____

Samples returned via: FedEx _____ UPS _____ Other _____

Received by: (Signature)

Received by: (Signature)

Received for lab by: (Signature)

Received for lab by: (Signature)

Received for lab by: (Signature)

Date:

Time:

Date:

Time:

Date:

Time:

Temp: 3.0°C

Bottles Received: 1

Date: 01-24-18

Time: 1530

pH Checked:

NCF:

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

0231

S-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT-Other (Describe) _____

End Date and Time Indicates When Samples Were Removed from Composite Sampler*

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

Information:

, Inc.

Address:

Street

il Address:

Avenue

, Alabama 35953

94-1445

@lab-resource.com



LRS Client Information:

ABC Coke

P.O. Box 10246

Birmingham, AL 35202

251-0118

Report to Contact:

Mr. David Vance

City/State collected:

Birmingham, Alabama.

P.O. #

Permit #: AL0003417

Name: 001 Chronic Toxicity

A Bourque

(signature):

Project Turnaround (Begins on Lab Login Date)

[RUSH?] Please Notify LRS

Same Day (200%)

Next Day (100%)

Two Day (50%)

Three Day (25%)

Date Results Needed:

Start Time

End Date*

End Time*

Number of Containers

Sample ID

001 Discharge

Comp. 1-25-18 0730

1-26-18 0730

1

Sample Remarks

Never

Laboratory: Environmental Resource Analysts, Inc. 2975 Brown Court Auburn, AL 36830

Analysis/Container/Preservative

Chronic Toxicity #1000.0 (One 1-gallon HDPE, non-preserve

Chain of Custody Page 1 of 1

Laboratory Resources & Solutions, Inc. (LRS) A Laboratory Service Provider



pH Temp

Flow Other

Condition (lab use only)

S-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT-Other (Describe)

samples: *End Date and Time Indicates When Samples Were Removed from Composite Sampler*

Samples returned via: FedEx UPS Other

Received by: (Signature)

Time: 0730

Date: 1-26-18

Received by: (Signature)

Time: 1000

Date: 1-26-18

Bottles Recooled:

Temp: 2.6°C

Date: 01-26-18

Time: 1250

Received for lab by: (Signature)

Time: 0730

Date: 1-26-18

Date: 1-26-18

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

7 DAY FATHEAD MINNOW TOXICITY TEST - EPA METHOD 1000.0

Client: APL coke
 Age of Test Organisms: 24-48 hrs Ambient Laboratory Illumination
 Source: ABS Lot #: 808
 Time: 1300 Brine Shrimp Lot #: 29
 Time: 1500 Photoperiod: 16hrs. L; 8hrs. D
 for DO, pH, and temp. readings: old water/ new water

CONTROL

Number Alive
 Replicate Number

Test Day	1	2	3	4	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/Time/Initials	DO Meter/Probe	pH Meter/Probe	MHRW Lot #	Thermometer ID	Obs
1	10	10	10	10	40	7.82	8.4	25.4	1400	N/A	01-23-18 1300 AE	YSI 2 #2	AB153 #12	3490	11327 #1	N
2	10	10	10	10	40	7.31 7.44	7.7 9.0	25.6 24.6	1000 1450	JA	01-24-18 1430 JA			3498		N
3	10	10	10	10	40	7.73	8.1	25.5	1000	ZM	01-25-18 1300 ZM			3499		N
4	10	10	10	10	40	7.50	8.6	24.5	1400	JA	01-25-18 1330			3499		N
5	10	10	10	10	40	7.55	8.8	24.5	1400	AF	01-27-18 1500 AF			3500		N
6	10	10	10	10	40	7.54	7.0	25.9	1000	BU	1-28-18 1300 BU			3500		N
7	10	10	10	10	40	7.61	7.95	24.6	1500	JA	1-28-18 1300 JA			3500		N
8	10	10	10	10	40	7.89	6.3	25.3	1400	JA	01-30-18 1500 JA			3500		N
9	10	10	10	10	40	7.23	8.5	26.0	1400	N/A	01-30-18 1500 AF			N/A		N
10	10	10	10	10	40	7.21	6.2	25.2	N/A	N/A				N/A		N

BUA
1-28-18

Observations Key

- = On Surface
- = On Bottom
- E = Precipitate
- LETH = Lethargic
- ERR = Erratic Swimming
- UM = Undissolved Material
- N = Normal
- FC = Flared Carapace
- CO = Caught On
- F = Film
- PM = Particulate Matter
- N/A = Not Applicable
- CLDY = Cloudy

ENVIRONMENTAL RESOURCE ANALYSTS, INC. 2975 BROWN CT. AUBURN, AL 36830 (334) 502-3444

7 DAY FATHEAD MINNOW TOXICITY TEST - EPA METHOD 1000.0

est #: 74-153

Client: LRS-ABG Coke

16 % Effluent Sample #s: 1) 2) 3)

Number Alive
Replicate Number

Test Day	1	2	3	4	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/Time/Initials	Obs.	pH of 100% effluent
Start	10	10	10	10	40	7.51	8.7	25.0	1400	N/A	01-23-18 1305 AE	N	7.77
	10	10	10	10	40	7.50	7.4	25.10	10:00	JA	01-24-18 14:05 JA	N	7.99
	10	10	10	10	40	7.42	9.2	26.0	14:50		01-25-18	N	
	10	10	10	10	40	7.76	7.4	25.6	1000	ZM	1305 ZM	N	7.71
	10	10	10	10	40	7.37	10.0	26.0	1400	JA	01-26-18 13:35 JA	N	7.52
	10	10	10	10	40	7.56	8.1	24.12	0900		01-27-18 1505 AF	N	7.75
	10	10	10	10	40	7.43	10.0	25.5	1400	AF	1-28-18 1305 BU	N	7.73
	10	10	10	10	40	7.08	6.9	25.3	1200	BU	1-28-18 1305 BU	N	7.53
	10	10	10	10	40	7.54	9.8	25.0	1700	JA	01-30-18 1505 AF	N	7.84
	10	10	10	10	40	7.16	6.60	25.6	900	N/A	1505 AF	N	7.69
	10	10	10	10	40	6.61	8.2	25.8	1500		1505 AF	N	
	10	10	9	10	39	7.56	6.0	26.0	0900		1505 AF	N	
	10	10	9	10	39	7.39	8.5	26.0	1400		1505 AF	N	
	10	10	9	10	39	7.34	5.3	25.4	N/A		1505 AF	N	

AF013018A

Observations Key

- OS = On Surface
- ON = On Bottom
- PRE = Precipitate
- LETH = Lethargic
- ERR = Erratic Swimming
- UM = Undissolved Material
- N = Normal
- FC = Flared Carapace
- CO = Caught On
- F = Film
- PM = Particulate Matter
- N/A = Not Applicable
- CLDY = Cloudy

DRY WEIGHT DETERMINATION FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Test #: 74-153 Analyst: AF Balance #: AND #2
 Date/Time in Oven: 1/30/18 1540 Date/Time Out of Oven: 1/31/18 1540 Oven Temp: 60 °C

Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
Blank	1	2.56354	2.56359	N/A	N/A	N/A
	1	2.58812	2.59139	10	0.327	0.343
	2	2.57215	2.57565	10	0.350	
	3	2.57991	2.58343	10	0.352	
4	2.59316	2.59659	10	0.343		
% Effluent	1	2.58061	2.58423	10	0.362	0.351
	2	2.59445	2.59803	10	0.358	
	3	2.58314	2.58619	9	0.305	
	4	2.57757	2.58136	10	0.379	

Environmental Resource Analysts, Inc.

3 BROOD CERIODAPHNIA TOXICITY TEST - EPA METHOD 1002.0

Client: ABC coke

#: 74-153

Age of Test Organisms: 0-6 hrs

Ambient Laboratory Illumination

Volume: 20mL

Photoperiod: 16hrs. L; 8hrs. D

Lot #: 269 1.700 g/L solids

Test Start Date: 01-23-18 Time: 1500

Lot #: 267 3 x 10⁷ cells/mL

Test End Date: 01-30-18 Time: 1700

CONTROL

for DO, pH, and temp. readings: old water/new water

1 = Alive, 0 = Dead, M = Male, / # = # neonates
 Replicate Number (# Adults / # Neonates)

1	2	3	4	5	6	7	8	9	10	# Alive	pH	DO (mg/L)	Temp (°C)	Water	Feed	Chan	Date/Time/Initials	DO Meter/Probe	pH Meter/Probe	MHR W Lot #	Thermo meter ID	Obs
1	1	1	1	1	1	1	1	1	1	10	7.82	8.4	25.4	AF	N/A	N/A	01-23-18 1500 AF	YSI 2	AB 153	3496	773257 #1	N
1	1	1	1	1	1	1	1	1	1	10	7.52	8.1	25.5	AF	AF	AF	01-24-18 1500 AF			3498		N
1	1	1	1	1	1	1	1	1	1	10	7.44	9.0	24.6	AF	AF	AF	01-25-18 1700 AF			3499		N
1	1	1	1	1	1	1	1	1	1	10	7.50	8.3	25.3	AF	AF	AF	01-26-18 1600 AF			3499		N
1	1	1	1	1	1	1	1	1	1	10	7.43	8.0	25.5	AF	AF	AF	01-27-18 1500 AF			3500		N
1	1	1	1	1	1	1	1	1	1	10	7.55	8.8	26.0	AF	AF	AF	01-28-18 1400 AF			3500		N
1	1	1	1	1	1	1	1	1	1	10	7.46	8.1	25.4	AF	AF	AF	01-29-18 1500 AF			3500		N
1	1	1	1	1	1	1	1	1	1	10	7.49	8.3	25.0	AF	AF	AF	01-28-18 1400 AF			3500		N
1	1	1	1	1	1	1	1	1	1	10	7.39	8.3	24.8	AE	AE	AE	01-29-18 1500 AF			3500		N
1	1	1	1	1	1	1	1	1	1	10	7.51	8.5	26.0	AF	AF	AF	01-30-18 1700 AF			N/A		N
1	1	1	1	1	1	1	1	1	1	10	7.40	8.0	25.3	N/A	N/A	N/A						
2	1	1	1	1	1	1	1	1	1	10	7.40	8.0	25.3	N/A	N/A	N/A						
2	1	1	1	1	1	1	1	1	1	10	7.40	8.0	25.3	N/A	N/A	N/A						
2	1	1	1	1	1	1	1	1	1	10	7.40	8.0	25.3	N/A	N/A	N/A						
2	1	1	1	1	1	1	1	1	1	10	7.40	8.0	25.3	N/A	N/A	N/A						
2	1	1	1	1	1	1	1	1	1	10	7.40	8.0	25.3	N/A	N/A	N/A						

Average # neonates/female:
20.5

Observations Key:
 On Surface LETH = Lethargic
 On Bottom ERR = Erratic Swimming
 Precipitate UM = Undissolved Material
 N = Normal
 FC = Flared Carapace
 CO = Caught On
 F = Film
 PM = Particulate Matter
 N/A = Not Applicable
 CLDY = Cloudy
 AUBURN, AL 36830
 2975 BROWN CT. (334) 502-3444
 IRONMENTAL RESOURCE ANALYSTS, INC.

3 BROOD CERIODAPHNIA TOXICITY TEST - EPA METHOD 1002.0

Test #: 74-153

Client: LRS-ABC Coke

160 % Effluent Sample #: 1) 2) 3)

1 = Alive, 0 = Dead, M = Male, / # = # neonates
 Replicate Number (# Adults / # Neonates)

Test Day	1	2	3	4	5	6	7	8	9	10	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/ Time/ Initials	Obs
1	1	1	1	1	1	1	1	1	1	1	10	7.51	8.7	25.0	AF	NA	01-23-18	N
	1	1	1	1	1	1	1	1	1	1	10	7.33	8.3	25.0	AF	AF	01-24-18	N
	1	1	1	1	1	1	1	1	1	1	10	7.42	9.2	26.0	AF	AF	01-25-18	N
	1	1	1	1	1	1	1	1	1	1	10	7.30	8.2	25.0	AF	AF	01-25-18	N
	1	1	1	1	1	1	1	1	1	1	10	7.37	10.5	26.0	AF	AF	01-25-18	N
	1	1	1	1	1	1	1	1	1	1	10	7.40	8.3	25.4	AF	AF	01-26-18	N
	1	1	1	1	1	1	1	1	1	1	10	7.43	10.0	25.5	AF	AF	01-26-18	N
1/1	1/2	1/1	1/3	1/4	1/4	1/4	1/5	1/3	1/6	1/3	10	7.37	8.1	26.3	AF	AF	01-27-18	N
	1	1	1	1	1	1	1	1	1	1	10	7.52	9.8	25.0	AF	AF	01-27-18	N
	1	1	1	1	1	1	1	1	1	1	10	7.50	8.3	25.3	AF	AF	01-28-18	N
1/4	1/3	1/2	1/1	1/2	1/3	1/3	1/4	1/7	1/3	1/8	10	6.91	8.2	25.8	AF	AF	01-28-18	N
	1/7	1/5	1/8	1/20	1/7	1/14	1/16	1/14	1/13	1/14	10	7.39	8.2	25.0	AF	AF	01-29-18	N
												N/A	N/A	N/A	N/A	N/A	01-30-18	N
2/2	2/0	2/1	2/4	2/3	2/1	2/1	2/5	2/4	2/2	2/5							01-30-18	N
Neonates															N/A	N/A	AF 01-30-18	

On Surface	LETH = Lethargic	N = Normal	CO = Caught On	N/A = Not Applicable
On Bottom	ERR = Erratic Swimming	FC = Flared Carapac F = Film	CLDY = Cloudy	
Precipitate	UM = Undissolved Material	PM = Particulate Matter		
Average # neonates per female				22.7

VIRONMENTAL RESOURCE ANALYSTS, INC. 2975 BROWN CT. AUBURN, AL 36830 (334) 502-3444

Toxicity Bench Sheet

Client: LRS-ABC Coke

Sample Collection Lab#/Date/Time	Sample	pH Analysis Date/Time	Analyst	pH Meter/Probe	pH Result	TRC Analysis Date/Time	TRC Result (mg/L)
01-22-18 0730	#1	01-22-18 11030	AF	AB153 #12	7.39	N/A	N/A
1/24/18	#2	1/24/18	AF		7.45		
1/26/18	#3	1/26/18	AF		7.56		

002 STORM WATER MONITORING

SAMPLE DATE:	1/5/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	3:40 PM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLEAR
INITIAL STAFF LEVEL: 84" DATE: 1/5/2018	
VOLUME: 17,372,016 GALLONS	
FINAL STAFF LEVEL: 46" DATE: 1/10/2018	
VOLUME: 8,487,870 GALLONS	
TOTAL DISCHARGE VOLUME: 8,884,146 GALLONS	
DAILY AVERAGE FLOW: 1.777 MGD	

pH:	6.78 SU
TSS(mg/L):	13.2
NH3-N(ppd):	7.41
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE, T (mg/L):	0.08
IRON, T (mg/L):	1.2
O & G (mg/L)	BMDL

SAMPLE DATE:	1/22/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	3:20 P.M.
WEATHER CONDITIONS:	RAIN
CREEK CONDITIONS:	CLEAR
INITIAL STAFF LEVEL: 84" DATE: 1/22/2018	
VOLUME: 17,372,016 GALLONS	
FINAL STAFF LEVEL: 56" DATE: 1/27/2018	
VOLUME: 10,922,610 GALLONS	
TOTAL DISCHARGE VOLUME: 6,449,406 GALLONS	
DAILY AVERAGE FLOW: 1.290 MGD	

pH:	7.05 SU
TSS(mg/L):	3.2
NH3-N(ppd):	6.35
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE, T (mg/L):	0.153
IRON, T (mg/L):	0.581
O & G (mg/L)	1.8

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.1	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.9	*****	7.3		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2.3	6.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.6	2.9		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.1 monthly average	52.4 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	5.6	13.9		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	232 monthly average	348 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	1.32	1.60		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	03/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	1.0	1.0	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****				
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.3	0.3	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****				
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****				
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****				
PHENOLS	Sample Measurement	0.01	0.01	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.33010	0.38095	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CYANIDE, FREE AVAILABLE	Sample Measurement	0.021	0.024	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	03/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****				
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****				
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	6151.0	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	8.9	11.9	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	213 monthly average	320 maximum daily		*****	*****	*****				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	03/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.82	*****	7.10		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	28.0	42.0		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	6.35	9.18		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	1.32	1.60		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.16	0.23		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	03/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR
 Jefferson
COUNTY:
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.584	1.658	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	03/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-03-01 To: 2018-03-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.3	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		Minimum Daily	*****	*****			Weekly	Grab
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.9	*****	7.2	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		Minimum Daily	*****	Maximum Daily		9.0	Daily	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	2.8	4.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****			Weekly	Composite
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****			2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	2.9	5.1	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.1 Monthly Average	52.4 Maximum Daily		*****	*****	*****			Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	8.3	15.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	232 Monthly Average	348 Maximum Daily		*****	*****	*****			Weekly	Composite
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	1.07	1.35	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2018-03-01 To: 2018-03-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	1.4	1.4	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.2	0.2	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	0.003	0.005	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.32477	0.36945	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.021	0.025	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2018-03-01 To: 2018-03-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	4915.0	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	8.8	11.0	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	213 Monthly Average	320 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>				Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)			

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period : 2018-03-01 To: 2018-03-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.81	*****	7.19		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	17.4	20.0		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.30	2.58		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	1.00	1.01		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.12	0.13		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No.	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period : 2018-03-01 To: 2018-03-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1.586	1.822	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)



LRS, Inc.

Laboratory Resources & Solutions, Inc.

205 6th Avenue
Ashville, AL 35953
(205) 594-1445

www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
PO Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project Name: **001 Chronic Toxicity – March 2018**

Date: April 10, 2018

Primary Data Review by:

Courtney Snow

Courtney Snow
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
csnow@lab-resource.com

* Unless otherwise noted, all analyses on this report performed at ERA, 2975 Brown Court, Auburn, AL 36830.

* These results relate only to the items tested. This report may only be reproduced in full.

* Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

**ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
TOXICITY TEST REPORT SUMMARY**

1. GENERAL:

NPDES PERMIT NO.: AL0003417 DSN: 001 COUNTY: Jefferson
 Permittee: ABC Coke, Inc.
 Facility Name: ABC Coke, Inc.
 Agent Submitting Report: : Mr. Jeff McCord
 Lab Conducting Toxicity Test(s): ERA, 2975 Brown Court, Auburn, AL 36830
 Months To Test: Monthly
 This Report for Toxicity Test(s) Required for the Month of: March
 Scheduled Test(s): Yes X No Accelerated Test(s): Yes No X
 Accelerated Test Number of For Failed Scheduled Test Date:
 Test Type Required: 48 -Hr Acute Screening: -Hr Acute Definitive:
 Short-term Chronic Screening: X Short-term Chronic Definitive:

Test Organism: Ceriodaphnia dubia Test Organism: Pimephales promelas

Sam	Date/Time Start	Date/Time Ended	Control	Date/Time Start	Date/Time Ended	Control
No.	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid
1	03/06/18 16:00	03/13/18 15:00	Yes	03/06/18 16:00	03/13/18 12:10	Yes

2.A. SUMMARY OF RESULTS FOR SCREENING TESTS:

Test	Eff.	Test Number											
		(1)			(2)			(3)			(4)		
Org.	Conc	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow
P.p.	16%	PASS	N/A	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
C.d.	16%	PASS	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

3. LABORATORY ANALYSES OF UNDILUTED SAMPLE(S):

SAMPLE	BOD5	TSS	NH3	pH	Alk	Hard-EFF	TRC	Conductivity
Id.	mg/l	mg/l	mg/l	su	mg/l	mg/l	mg/l	uS
1	----	-----	0.959	7.78	243	20.4	NA	2,800
2	----	-----	0.403	8.00	235	18.3	NA	2,980
3	----	-----	0.618	7.51	246	26.5	NA	2,910

Chemical Analyses Performed By (Lab): ERA

Total 24 Hour Flow: (1) 0.337 MGD (2) 0.329 MGD (3) 0.323 MGD

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF RESPONSIBLE OFFICIAL: _____ DATE: _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 03/06/18

4. SAMPLE COLLECTION:

Split Samples: N/A X Yes (Explain) _____
Samples Collected as Specified in the NPDES Permit: Yes X No (Explain)
Receiving Water: Five Mile Creek
Design Flow: 0.406 (MGD)

Sample Id.	Sample(s) Collected MM/DD/YY HHMM - MM/DD/YY HHMM	Arrival Temp. °C.	Used in Test(s) MM/DD/YY - MM/DD/YY
1	3/04/18 0730 - 3/05/18 0730	2.6	3/06/18 - 3/07/18
2	3/06/18 0730 - 3/07/18 0730	3.6	3/08/18 - 3/09/18
3	3/08/18 0730 - 3/09/18 0730	3.8	3/10/18 - 3/12/18

5. CONTROL/DILUTION WATER:

Type	Prepared MM/DD/YY	Begin Use MM/DD/YY	Initial Water Chemistries				
			Hard.	Alk.	pH	Cond.	@ °C.
MHRW	02/27/18	03/06/18	82	64	7.68	313	@ 25
MHRW	03/04/18	03/07/18	86	58	7.43	297	@ 25
MHRW	03/04/18	03/08/18	84	58	7.49	286	@ 25
MHRW	03/08/18	03/10/18	90	60	7.48	292	@ 25
MHRW	03/08/18	03/11/18	88	60	7.47	310	@ 25
MHRW	03/08/18	03/12/18	88	58	7.44	317	@ 25

6. TOXICITY TEST INFORMATION:

Test Species	Organism Age	Organism Source	Test Solution Concentrations (%)				
P.p.	1-2 days	Florida Bioassay Supply	16%				
C.d.	10-8 hrs	ERA	16%				

Test Species	Test Vessel Type	Vessel Vol. (mL)	Solution Vol. (mL)	Org./Test Vessel	Replicates Per Conc.
P.p.	plastic beaker	500	250	10	2
C.d.	plastic beaker	25	20	5	4

Test Species	Temp. Range (°C.)	D.O. Range (mg/L)	pH Range (su)	Light Intensity Average (ft.-c.)
P.p.	24.1 - 26.0	5.9 - 8.8	7.08 - 7.63	75
C.d.	24.3 - 25.8	7.2 - 8.8	6.93 - 7.63	75

7. FEEDING:

Not Fed: Fed Daily: X Fed Irregular: (Explain in Comments Below)
Brine Shrimp: Fed 0.15 g Suspension of Newly Hatched Larvae 2 Times Daily.
YCT: Fed 0.130 mL Suspension Containing 1.86 g/L TS Daily.
Algae: Fed 0.130 mL Suspension Containing 3.0 x 10⁷ Algal Cells/mL Daily.

COMMENTS:

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 03/06/18

8. REFERENCE TOXICANT TESTS:

TOXICANT: Sodium Chloride SOURCE: Fisher Scientific CAS#: 7647-14-5
Solution Concentration Unit: mg/L _____ g/L X % _____ Other(specify)

Chronic:

Test Org.	Test Date	Control Water	Reference Test Solution Concentrations (Control to Highest Conc.)						
P.p.	3/20/18- 3/27/18	MHRW	0	2.0	4.0	6.0	8.0	10.0	
C.d.	3/20/18- 3/27/18	MHRW	0	0.5	1.0	1.5	2.0	2.5	
Test Org.	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit				NUMBER (N)		
P.p.	Survival	4.0	2.0 - 4.0				20		
P.p.	Growth	4.0	2.0 - 4.0				20		
C.d.	Survival	1.5	0.5 - 1.5				20		
C.d.	Reproduction	0.5	0.25- 1.0				20		

Raw Data on File With ADEM Toxics Unit

9. TEST CONDITION VARIABILITY:

9.A. Deviations From Standard Test Conditions:

None

9.B. Test Solution Manipulations or Test Modifications:

None

10. REQUIRED REPORT ATTACHMENTS:

Attach Copies Of Chain-of-Custody Forms, Reference Toxicant Tests, And Raw Data (Bench Sheets) Pertaining To Physical, Chemical, And Biological Measurements For All Tests. Include Suspended, Interrupted, or Discontinued Toxicity Tests Data.

11.C CHRONIC SCREENING TOXICITY TESTS RESULTS (Freshwater):

TEST ORGANISM: Ceriodaphnia dubia

Were Neonates Used to Begin the Test Within 8 hours of the same age?: Yes

Did 60% of the CONTROL Females Produce Their Third Brood? YES: X NO:

SURVIVAL

CHRONIC TOXICITY INDICATED: YES _____ NO X

NO SURVIVAL STATISTICAL ANALYSIS NECESSARY: X

CONTROL(%) 24h 100 48h 100 End 100 EFFLUENT(%): 24h 100 48h 100 End 100

Fishers Exact Test: A = _____, B = _____, a = _____, b = _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 03/06/18

REPRODUCTION (Average Neonates/Female)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 21.0 EFFLUENT(%): 21.7

NO REPRODUCTION STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F:

/ Test Statistic: _____ / Test Critical Value:

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

TEST ORGANISM: Pimephales promelas

MORTALITY

CHRONIC TOXICITY INDICATED: YES NO

CONTROL(%) 24h 100 48h 100 7day 95 EFFLUENT(%): 24h 95 48h 95 7day 93

NO MORTALITY STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.827 Critical Value: 0.749 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 1.33 Critical F: 47.5

/ Test Statistic: 0.655 / Test Critical Value: 1.94

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

GROWTH - Mean Dry Weight (mg)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 0.295 mg EFFLUENT: 0.290 mg

NO GROWTH STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.885 Critical Value: 0.749 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 13.35 Critical F: 47.5

/ Test Statistic: 0.227 / Test Critical Value: 1.943

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

Information:

LRS, Inc.
 Box 1260
 7th Avenue
 Auburn, Alabama 35953
 256-836-5945
info@lab-resource.com



LRS Client Information:

ABC Coke
 P.O. Box 10246
 Birmingham, AL 35202
 359-0318
 "Report to" Contact:
Mr. David Vance

Analysis/Container/Preservative

Chain of Custody
 Page 1 of 1

**Laboratory Resources
 & Solutions, Inc. (LRS)**
 A Laboratory Service Provider



Laboratory:
 Environmental Resource Analysts, Inc.
 2975 Brown Court
 Auburn, AL 36830

Name: 001 Chronic Toxicity

City/State collected:
 Birmingham, Alabama
 P.O. #

Permit #: **AL0003417**

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

Date Results Needed:

- ____ Same Day (200%)
- ____ Next Day (100%)
- ____ Two Day (50%)
- ____ Three Day (25%)

Number of Containers

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preservative)

Sample Remarks

177 255-016

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis
001 Discharge	Comp.	3/4/18	0730	3/5/18	0730	1	X

SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____

Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Received by: (Signature) <i>David Vance</i>	Date: 3/5/18	Time: 0730	Received by: (Signature) <i>[Signature]</i>	Samples returned via: FedEx UPS Other US Courier	Condition (lab use only)
Received by: (Signature) <i>[Signature]</i>	Date: 3/5/18	Time: 0730	Received by: (Signature) <i>[Signature]</i>	Temp: 2.6	Bottles Received: 1
Received by: (Signature) <i>[Signature]</i>	Date: 3/5/18	Time: 0730	Received for lab by: (Signature) <i>[Signature]</i>	Date: 03/05/18	Time: 9:30
pH Checked:		NCF:			

Information:

, Inc.
 ox 1260
 h Avenue
 e, Alabama 35953
 594-1445
 on@lab-resource.com



LRS Client Information:

ABC Coke
 P.O. Box 10246
 Birmingham, AL 35202

"Report to" Contact:

Mr. David Vance

Analysis/Container/Preservative

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preservative)

Laboratory Resources & Solutions, Inc. (LRS)
 A Laboratory Service Provider



Name: 001 Chronic Toxicity

City/State collected:
 Birmingham, Alabama
 P.C. #

Permit #: **AL0003417**
359-0318

Signature:

Project Turnaround (Begins on Lab Login Date)

Bourgeois

RUSH? Please Notify LRS

Date Results Needed:

- Same Day (200%)
- Next Day (100%)
- Two Day (50%)
- Three Day (25%)

Ice? N Y

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative	Sample Remarks
001 Discharge	Comp.	3/6/18	0730	3/7/18	0730	1	X	177294-01a

SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____
 Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Received by: (Signature) <i>Bourgeois</i>	Date: 3/7/18	Time: 0730	Received by: (Signature) <i>Wise</i>	Samples returned via: FedEx_ UPS_ Other_	Condition (lab use only)
Received by: (Signature) <i>Wise</i>	Date: 3-8-18	Time: 0913	Received by: (Signature) <i>Wise</i>	Temp:	Bottles Received:
Received by: (Signature) <i>Al Out</i>	Date:	Time:	Received by lab by: (Signature)	Date: 3/8/18	Time: 9:13
				pH Checked:	NCF:

signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

Information:

, Inc.
Box 1260
1 Avenue
Birmingham, Alabama 35953
94-1445
in@lab-resource.com



LRS Client Information:

ABC Coke
P.O. Box 10246
Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

Name: 001 Chronic Toxicity

City/State collected:
Birmingham, Alabama
P.O. #

A Bourgeois Permit #: **AL0003417**
359-0318

(signature):

Project Turnaround (Begins on Lab Login Date)

Bourgeois

RUSH? Please Notify LRS

Date Results Needed:

- Same Day (200%)
- Next Day (100%)
- Two Day (50%)
- Three Day (25%)

Number of Containers

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserved)

Analysis/Container/Preservative

Chain of Custody
Page 1 of 1

Laboratory Resources & Solutions, Inc. (LRS)
A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Sample Remarks

177279-01a-jb

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative	Sample Remarks
001 Discharge	Comp.	3/8/18	0730	3/9/18	0730	1	X	177279-01a-jb

SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____

Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Collected by: (Signature) <i>Bourgeois</i>	Date: 3/9/18	Time: 0730	Received by: (Signature) <i>J. Wise</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition	(lab use only)
Collected by: (Signature) <i>J. Wise</i>	Date: 3-9-18	Time: 1625	Received by: (Signature) <i>ah</i>	Temp: 3.80C	Bottles Received:	
Collected by: (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 030918	Time: 1625	pH Checked: NCF:

signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

7 DAY FATHEAD MINNOW TOXICITY TEST - EPA METHOD 1000.0

Client: ABC coke

Test #: 74-756

Age of Test Organisms: 24-48 hrs

Ambient Laboratory Illumination

Water Volume: 250mL

Source: ABS Lot #: 813

Test Start Date: 3-6-18

Time: 1600

Brine Shrimp Lot #: 29

Test End Date: 3-13-18

Time: 1200

Photoperiod: 16hrs. L; 8hrs. D

CONTROL

for DO, pH, and temp. readings: old water/ new water

Number Alive
Replicate Number

Test Day	1	2	3	4	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/Time/Initials	DO Meter/Probe	pH Meter/Probe	MHRW Lot #	Thermometer ID	Obs
Start	10	10	10	10	40	7.52	8.7	24.4	1830	N/A	03-06-18 1600 ABCE	YSI 2/2	AB153 1/2	3513	773231 11	N
1	10	10	10	10	40	7.03 7.32	6.8 8.7	25.5 24.7	900 16:00	JA	03-08-18 14:25 JA			3514		N
2	9	10	10	10	39	7.27 7.52	7.0 8.6	25.1 24.9	1030 17:30	JA	03-08-18 17:00 JA			3515		N
3	9	10	10	10	39	7.20 7.39	7.1 8.7	25.8 24.6	11:00 17:00	JA	03-09-18 13:00 JA			3515		N
4	9	10	10	10	39	7.27 7.55	6.5 8.8	25.3 24.9	1100 1750	BU	3-10-18 1300 BU			3516		N
5	9	10	10	10	39	7.44 7.49	5.7 8.6	24.6 25.3	1430 2030	BU	3-11-18 1730 BU			3517		N
6	9	10	10	9	38	7.18 7.63	6.8 8.5	25.6 25.4	1230 2230	BU	3-12-18 1500 BU			3518		N
7	9	10	10	9	38	7.54	7.3	25.1	N/A	N/A	3-13-18 1100 BU			N/A		N

Observations Key

OS = On Surface
ON = On Bottom
PRE = Precipitate

LETH = Lethargic
ERR = Erratic Swimming
UM = Undissolved Material

N = Normal
FC = Flared Carapace

CO = Caught On
F = Film
PM = Particulate Matter

N/A = Not Applicable
CLDY = Cloudy

ENVIRONMENTAL RESOURCE ANALYSTS, INC.

2975 BROWN CT. AUBURN, AL 36830

(334) 502-3444

L:\Analytical Data\Toxicity\Fathead Minnow Test

7 DAY FATHEAD MINNOW TOXICITY TEST - EPA METHOD 1000.0

Test #: 74 -156

Client: ABC Coke - Monthly

10 % Effluent

Sample #: 1) 177255 2) 177294 3) 177279

Number Alive
Replicate Number

Test Day	1	2	3	4	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/Time/Initials	Obs.	pH of 100% effluent
Start	10	10	10	10	40	7.37	8.2	25.4	1830	N/A	03-06-18 1605 AF CF	N	7.78
	10	10	10	10	40	7.19 7.45	7.1 8.4	25.3 24.1	0900 16:00	JA	03-07-18 1430 AF AP 03-07-18 JA	N	7.53
	10	10	9	10	39	7.31 7.53	6.2 8.5	25.6 24.9	1030 19:30	JA	03-08-18 JA 17:25 JA	N	8.00
	10	10	9	10	39	7.26 7.49	6.8 8.7	26.0 24.7	11:00 17:00	JA	03-09-18 13:05 JA	N	7.60
	9	10	9	9	37	7.29 7.37	6.6 8.8	25.2 25.3	1100 1750	BU	3-10-18 1305 BU	N	7.74
	9	10	9	9	37	7.54 7.41	5.9 8.3	24.8 25.8	1430 2030	BU	3-11-18 1735 BU	N	7.52
	9	10	9	9	37	7.27 7.18	6.6 9.4	25.6 25.4	1030 2230	BU	3-12-18 1505 BU	N	7.61
	9	10	9	9	37	7.53	6.7	25.1	N/A	N/A	3-13-18 1105 BU	N	7.43

Observations Key

OS = On Surface
ON = On Bottom
PRE = Precipitate

LETH = Lethargic
ERR = Erratic Swimming
UM = Undissolved Material

N = Normal
FC = Flared Carapace

CO = Caught On
F = Film
PM = Particulate Matter

N/A = Not Applicable
CLDY = Cloudy

DRY WEIGHT DETERMINATION FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Test #: 74-156 Analyst: BU Balance #: AND #2
 Date/Time in Oven: 3-13-18 / 1400 Date/Time Out of Oven: 3-14-18 14:00 Oven Temp: 60° C

Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
Blank	1	1.00034	1.00029	N/A	N/A	N/A
Control	1	0.98763	0.99061	9	0.298	0.295
	2	1.04025	1.04334	10	0.309	
	3	1.01616	1.01909	10	0.293	
	4	1.00823	1.01104	9	0.281	
<u>16</u> % Effluent	1	0.99438	0.99789	9	0.351	0.290
	2	1.02436	1.02715	10	0.279	
	3	0.99509	0.99788	9	0.279	
	4	1.00314	1.00566	9	0.252	

Environmental Resource Analysts, Inc.

3 BROOD CERIODAPHNIA TOXICITY TEST - EPA METHOD 1002.0

Client: ABC coke Monthly

74-156

Age of Test Organisms: 0-8 hrs Ambient Laboratory Illumination

Volume: 20mL

Source: ERA

Photoperiod: 16hrs. L; 8hrs. D

Lot #: 271 1.800 g/L solids 0.13 mL fed per cup Test Start Date: 03.06.18 Time: 1600

Lot #: 208 3x10⁷ cells/mL 0.13 mL algae fed/cup Test End Date: 03.13.18 Time: 1500

TROL for DO, pH, and temp. readings: old water/ new water

1 = Alive, 0 = Dead, M = Male, / # = # neonates

Replicate Number (# Adults/ # Neonates)

1	2	3	4	5	6	7	8	9	10	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Chan	Date/Time/Initials	DO Meter/Probe	pH Meter/Probe	MHR W Lot #	Thermometer ID	Obs
1	1	1	1	1	1	1	1	1	1	10	7.52	8.7	24.7	AF	AF	03.06.18 1600 AF	YSI2 #2	AB153 #12	3513	TT3257 #1	N
1	1	1	1	1	1	1	1	1	1	10	7.39	8.1	25.3	AF	AF	03.07.18 1700 AF			3514		N
1	1	1	1	1	1	1	1	1	1	10	7.48	8.3	25.4	CF	CF	03.08.18 1600 AF			3515		N
1	1	1	1	1	1	1	1	1	1	10	7.52	8.6	24.9	AF	AF	03.09.18 1500 AF			3515		N
1	1	1	1	1	1	1	1	1	1	10	7.36	8.2	25.4	AF	AF	03.10.18 1530 AF			3516		N
1/2	1/5	1/2	1/2	1/3	1/3	1/3	1/4	1/2	1/3	10	7.39	8.2	25.3	AF	AF	03.10.18 1730 AF			3517		N
1	1	1	1	1	1	1	1	1	1	10	7.47	7.9	25.5	AF	AF	03.11.18 1400 AE			3518		N
1/6	1/11	1/6	1/6	1/5	1/4	1/3	1/2	1/6	1/7	10	7.03	7.7	25.1	AF	AF	03.12.18 1500 AF			N/A		N
1/3	1/11	1/10	1/11	1/14	1/12	1/14	1/13	1/15	1/12	10	7.31	8.0	24.9	N/A	N/A	03.13.18 1500 AF			N/A		N
																AF031318A					
21	27	18	19	22	19	20	19	23	22						N/A	N/A					

Observations Key

On Surface LETH = Lethargic

On Bottom ERR = Erratic Swimming

Precipitate UM = Undissolved Material

N = Normal

FC = Flared Carapace

CO = Caught On

F = Film

PM = Particulate Matter

N/A = Not Applicable

CLDY = Cloudy

Average # neonates/female

21.0

ENVIRONMENTAL RESOURCE ANALYSTS, INC.

2975 BROWN CT.

AUBURN, AL 36830

(334) 502-3444

3 BROOD CERIODAPHNIA TOXICITY TEST - EPA METHOD 1002.0

Test #: 74 - 156

Client: LRS ABC Coke - Monthly

16 % Effluent

Sample #s: 1) 177255 2) 177294 3) 177279

I = Alive, 0 = Dead, M = Male, / # = # neonates

Replicate Number (# Adults/# Neonates)

Test Day	1	2	3	4	5	6	7	8	9	10	# Alive	pH	DO (mg/L)	Temp (°C)	Feed	Water Change	Date/ Time/ Initials	Obs
Start	1	1	1	1	1	1	1	1	1	1	10	7.37	8.2	25.4	AF	NA	03-06-18 1605 AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.32 7.45	7.8 8.4	25.0 24.1	AF	AF	03-07-18 1705 AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.35 7.53	8.1 8.5	25.4 24.9	CF AF	CF AF	03-08-18 1605 CF AF	N
	1	1	1	1	1	1	1	1	1	1	10	7.30 7.49	8.1 8.7	25.4 24.7	AF	AF	03-09-18 1505 AF	N
	1/3	1/3	1/2	1/4	1/3	1/2	1/3	1/4	1/2	1/3	10	7.38 7.37	8.0 8.8	25.1 25.3	AF	AF	03-10-18 1535 AF	N
	1	1	1	1/5	1	1	1/6	1	1	1	10	7.48 7.41	7.7 8.3	25.0 25.8	AF	AF	03-11-18 1735 AF	N
	1/8	1/8	1/6	1	1/5	1/9	1	1/8	1/11	1/9	10	7.23 7.18	7.2 8.5	25.1 25.4	AE AE	AE AE	03-12-18 1405 AE	N
	1/11	1/11	1/10	1/12	1/9	1/11	1/14	1/8	1/12	1/15	10	7.40 N/A	8.3 N/A	25.1 N/A	N/A	N/A	03-13-18 1505 AF	N
Neonates	22	22	18	21	17	22	23	20	25	27					N/A	N/A		

OS = On Surface
ON = On Bottom
RE = Precipitate

LETH = Lethargic
ERR = Erratic Swimming
UM = Undissolved Material

N = Normal
FC = Flared Carapace
F = Film
PM = Particulate Matter

CO = Caught On
N/A = Not Applicable
CLDY = Cloudy

Average # neonates per female

21.7

ENVIRONMENTAL RESOURCE ANALYSTS, INC.

2975 BROWN CT.

AUBURN, AL 36830

(334) 502-3444

Larval Fish Growth and Survival Test-7 Day Survival

Start Date: 3/6/2018	Test ID: 74-156fh	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: PP-Pimephales promelas
Comments:		

Conc-%	1	2	3	4
Control	0.9000	1.0000	1.0000	0.9000
eff	0.9000	1.0000	0.9000	0.9000

Conc-%	Mean	N-Mean	Transform: ArcsIn Square Root				N	t-Stat	1-Tailed Critical	MSD
			Mean	Min	Max	CV%				
Control	0.9500	1.0000	1.3305	1.2490	1.4120	7.072	4	0.655	1.943	0.1209
eff	0.9250	0.9737	1.2898	1.2490	1.4120	6.318	4			

Auxiliary Tests	Statistic	Critical	Skew	Kurt		
Shapiro-Wilk's Test indicates normal distribution (p > 0.01)	0.82784	0.749	0.57143	-1.7286		
F-Test indicates equal variances (p = 0.82)	1.33333	47.4672				
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs Control	0.06826	0.07236	0.00332	0.00775	0.53696	1, 6

Larval Fish Growth and Survival Test-7 Day Growth

Start Date: 3/6/2018	Test ID: 74-156fh	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: PP-Pimephales promelas
Comments:		

Conc-%	1	2	3	4
Control	0.2980	0.3090	0.2930	0.2810
eff	0.3510	0.2790	0.2790	0.2520

Conc-%	Mean	N-Mean	Transform: Untransformed				N	t-Stat	1-Tailed Critical	MSD
			Mean	Min	Max	CV%				
Control	0.2953	1.0000	0.2953	0.2810	0.3090	3.934	4	0.227	1.943	0.0428
eff	0.2903	0.9831	0.2903	0.2520	0.3510	14.626	4			

Auxiliary Tests	Statistic	Critical	Skew	Kurt		
Shapiro-Wilk's Test indicates normal distribution (p > 0.01)	0.88508	0.749	1.31468	2.99418		
F-Test indicates equal variances (p = 0.06)	13.3582	47.4672				
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs Control	0.04276	0.14484	5E-05	0.00097	0.82781	1, 8

Toxicity Bench Sheet

Client: LRS-ABC coke-

Sample Collection Lab#/ Date/Time	Sample	pH Analysis Date/ Time	Analyst	pH Meter/ Probe	pH Result	TRC Analysis Date/ Time	TRC Result (mg/L)
03-05-18 0730 177255	#1	03-06-18 1530	AF	AB153 #12	7.78	N/A	N/A
03-07-18 0730 177294	#2	03-08-18 1500 0913 AF030818A	AF		8.00		
03-09-18 0730 177279	#3	03-09-18 1635	AF		7.51		

002 STORM WATER MONITORING

SAMPLE DATE:	3/7/2018	
SAMPLE LOCATION:	002 DISCHARGE	
SAMPLER:	NORMAN LOEBLER	
SAMPLE TIME:	9:45 AM	
WEATHER CONDITIONS:	CLEAR	
CREEK CONDITIONS:	CLEAR	
INIT STAFF LEVEL:	82"	DATE: 3/7/2018
	VOLUME: 16,797,724 GALLONS	
FINAL STAFF LEVEL:	42"	DATE: 3/12/2018
	VOLUME: 7,688,183 GALLONS	
TOTAL DISCHARGE VOLUME:	9,109,541 GALLONS	
DAILY AVERAGE FLOW:	1.822 MGD	

pH:	7.19 SU
TSS(mg/L):	20
NH3-N(ppd):	2.58
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE, T (mg/L):	0.128
IRON, T (mg/L):	1.01
O & G (mg/L)	BMDL

SAMPLE DATE:	3/20/2018	
SAMPLE LOCATION:	002 DISCHARGE	
SAMPLER:	NORMAN LOEBLER	
SAMPLE TIME:	10:20 AM	
WEATHER CONDITIONS:	CLOUDY	
CREEK CONDITIONS:	CLEAR	
INIT STAFF LEVEL:	75"	DATE: 3/20/2018
	VOLUME: 15,230,709 GALLONS	
FINAL STAFF LEVEL:	46"	DATE: 3/25/2018
	VOLUME: 8,487,870 GALLONS	
TOTAL DISCHARGE VOLUME:	6,742,839 GALLONS	
DAILY AVERAGE FLOW:	1.349 MGD	

pH:	6.81 SU
TSS(mg/L):	14.8
NH3-N(ppd):	BMDL
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE, T (mg/L):	0.11
IRON, T (mg/L):	0.98
O & G (mg/L)	BMDL

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	0.38	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	02/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.3	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.9	*****	7.2		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2.8	4.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	2.9	5.1		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.1 monthly average	52.4 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	8.3	15.0		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	232 monthly average	348 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	1.07	1.35		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****
 NOTE: Read instructions before completing this form.

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	1.4	1.4	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****		*****	Monthly	Composite
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.2	0.2	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****		*****	Monthly	Composite
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****		*****	Weekly	Composite
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	0.003	0.005	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****		*****	2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.32477	0.36945	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
CYANIDE, FREE AVAILABLE	Sample Measurement	0.021	0.025	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****		*****	2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	4915.0	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	0	Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	8.8	11.0	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	213 monthly average	320 maximum daily		*****	*****	*****		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	0.38	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	02/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.81	*****	7.19		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	17.4	20.0		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.30	2.58		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	1.00	1.01		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.12	0.13		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.586	1.822	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.60	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.70	*****	7.50		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	5.25	9.84		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	4.76	12.31		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.1 monthly average	52.4 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	10.01	25.59		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	232 monthly average	348 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.926	0.943		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	0.91	0.91	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****				
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.26	0.26	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****				
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****				
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****				
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.33111	0.39356	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CYANIDE, FREE AVAILABLE	Sample Measurement	0.051	0.076	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
			Average	Maximum	Minimum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	****	0	****	****	****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	0 maximum daily	****	****	****		Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	****	0	****	****	****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	0 maximum daily	****	****	****		Monthly	Grab
SOLIDS, TOTAL DISSOLVED	Sample Measurement	****	5335	****	****	****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	report maximum daily	****	****	****		Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	9.43	10.52	****	****	****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	213 monthly average	320 maximum daily	****	****	****		Weekly	Composite
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.85	*****	7.31		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	21.50	38.10		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	3.16	3.82		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.94	1.47		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.10	0.11		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.654	2.038	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-04-01 To: 2018-04-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.60	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				Weekly
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.70	*****	7.50	12 S.U	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				Daily
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	5.25	9.84	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				Weekly
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	4.76	12.31	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.1 Monthly Average	52.4 Maximum Daily		*****	*****	*****				Weekly
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	10.01	25.59	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	232 Monthly Average	348 Maximum Daily		*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.926	0.943	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				2X Monthly
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-04-01 To: 2018-04-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE)	Sample Measurement	0.91	0.91	26 lbs/day	*****	*****	*****		0	Monthly	Composite
PARAM CODE: 01045 Stage Code: 1 Final Effluent	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****				Monthly
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.26	0.26	26 lbs/day	*****	*****	*****		0	Monthly	Composite
PARAM CODE: 01055 Stage Code: 1 Final Effluent	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****				Monthly
BENZO(A)PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
PARAM CODE: 34247 Stage Code: 1 Final Effluent	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****				Weekly
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
PARAM CODE: 34696 Stage Code: 1 Final Effluent	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****				Monthly
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
PARAM CODE: 46000 Stage Code: 1 Final Effluent	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****				2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	Sample Measurement	0.33111	0.39356	03 MGD	*****	*****	*****		0	Daily	Calculated
PARAM CODE: 50050 Stage Code: 1 Final Effluent	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	0.051	0.076	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
PARAM CODE: 51173 Stage Code: 1 Final Effluent	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****				2X Monthly

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2018-04-01 To: 2018-04-30

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****				
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****				
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	5335	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	9.43	10.52	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	213 Monthly Average	320 Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period : 2018-04-01 To: 2018-04-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH	Sample Measurement	*****	*****		6.85	*****	7.31		0	Weekly	Grab
PARAM CODE: 00400 Stage Code: 1 Final Effluent	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	21.50	38.10		0	Weekly	Grab
PARAM CODE: 00530 Stage Code: 1 Final Effluent	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
PARAM CODE: 00556 Stage Code: 1 Final Effluent	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	3.16	3.82		*****	*****	*****		0	Weekly	Grab
PARAM CODE: 00610 Stage Code: 1 Final Effluent	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
PARAM CODE: 00720 Stage Code: 1 Final Effluent	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.94	1.47		0	2X Monthly	Grab
PARAM CODE: 01045 Stage Code: 1 Final Effluent	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.10	0.11		0	2X Monthly	Grab
PARAM CODE: 01055 Stage Code: 1 Final Effluent	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)						Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)		
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)											

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period : 2018-04-01 To: 2018-04-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1.654	2.038	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No.	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

DSN001 (AL0003417) MAJOR Apr 2018 DMR Results

FREQ	WKLY	DAILY	WKLY	2XMNTHLY	WKLY	WKLY	2XMNTHLY	MONTHLY	MONTHLY	WKLY	MONTHLY	2XMNTHLY	DAILY	2XMNTLY	MONTHLY	MONTHLY	WKLY	Qtrly	Qtrly
UNITS	mg/l	S.U.	ppd	ppd	ppd	ppd	ppd	ppd	ppd	ppd	ppd	ppd	MGD	ppd	pass/fail	ppd	ppd	ppd	ppd
	D O	pH	TSS	O&G	NH3-N	TKN	CN,T	Fe,T	Mn,T	B(A)P	NAPH	Phenols	FLOW	CN,a	TOX	TDS	CBOD5	N3 & N2	P,T
MIN	6.60	6.70																	
AVG			5.25	BMDL	4.76	10.01	0.926	0.91	0.26	BMDL	BMDL	BMDL	0.33111	0.051	PASS		9.43		
MAX		7.50	9.84	BMDL	12.31	25.59	0.943	0.91	0.26	BMDL	BMDL	BMDL	0.39356	0.076		5335	10.52	1.61	BMDL

001 Limits December - April

MIN	6.0	6.0																	
AVG			342	25.0	33.1	232	18.27	7.5	5	0.0012	0.15	0.17	MONITOR	0.145	PASS		213		
MAX		9.0	513	37.5	52.4	348	26.11	15	10	0.0024	0.15	0.30	MONITOR	0.475		Monitor	320	Monitor	Monitor

001 Limits May - November

MIN	6.0	6.0																	
AVG			342	25.0	33.0	66	18.27	7.5	5	0.0012	0.15	0.17	MONITOR	0.145	PASS		56		
MAX		9.0	513	37.5	49.5	99	26.11	15	10	0.0024	0.15	0.30	MONITOR	0.475		Monitor	84	Monitor	Monitor

DSN002 (AL0003417) MAJOR Apr 2018 DMR Results

FREQ	1/Week	1/Week	2/MONTH	1/Week	1/Month	2/Month	2/Month	1/Month	1/Month	1/Month	1/Month	DAILY
UNITS	s.u.	mg/l	mg/l	ppd	ppd	mg/l	mg/l	ppd	ppd	ppd	ppd	MGD
	pH	TSS	O&G	NH3-N	Cn,t	Fe,T	Mn,T	BENZENE	B(a)P	NAPH	Phenol	FLOW
MIN	6.85											
AVG		21.50	BMDL	3.16		0.94	0.10					1.654
MAX	7.31	38.10	BMDL	3.82	BMDL	1.47	0.11	BMDL	BMDL	BMDL	BMDL	2.038

002 Limits

MIN	6											
AVG		35	10	Monitor		3	2					Monitor
MAX	8.5	70	15	Monitor	Monitor	6	4	Monitor	Monitor	Monitor	Monitor	Monitor

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.25	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.54	*****	7.54		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	4.24	9.34		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.52	1.81		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.0 monthly average	49.5 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	4.95	6.02		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	66 monthly average	99 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.790	0.931		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	06/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	0.37	0.37	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****				
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.32	0.32	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****				
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****				
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****				
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.29420	0.33845	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CYANIDE, FREE AVAILABLE	Sample Measurement	0.027	0.029	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	06/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	4800	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	8.10	10.73	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	56 monthly average	84 maximum daily		*****	*****	*****		*****	Weekly	Composite
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	06/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.10	*****	7.27		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	12.35	16.00		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	12.39	18.99		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.53	0.75		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	2.37	2.60		1	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	06/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.670	1.777	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	06/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-05-01 To: 2018-05-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.25	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				Weekly
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.54	*****	7.54	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				Daily
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	4.24	9.34	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				Weekly
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.52	1.81	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.0 Monthly Average	49.5 Maximum Daily		*****	*****	*****				Weekly
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	4.95	6.02	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	66 Monthly Average	99 Maximum Daily		*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.790	0.931	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				2X Monthly
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 23 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2018-05-01To: 2018-05-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE)	Sample Measurement	0.37	0.37	26 lbs/day	*****	*****	*****		0	Monthly	Composite
PARAM CODE: 01045 Stage Code: 1 Final Effluent	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****				Monthly
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.32	0.32	26 lbs/day	*****	*****	*****		0	Monthly	Composite
PARAM CODE: 01055 Stage Code: 1 Final Effluent	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****				Monthly
BENZO(A)PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
PARAM CODE: 34247 Stage Code: 1 Final Effluent	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****				Weekly
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
PARAM CODE: 34696 Stage Code: 1 Final Effluent	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****				Monthly
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
PARAM CODE: 46000 Stage Code: 1 Final Effluent	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****				2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	Sample Measurement	0.29420	0.33845	03 MGD	*****	*****	*****		0	Daily	Calculated
PARAM CODE: 50050 Stage Code: 1 Final Effluent	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	0.027	0.029	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
PARAM CODE: 51173 Stage Code: 1 Final Effluent	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****				2X Monthly

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319 (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-05-01 To: 2018-05-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	4800	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	8.10	10.73	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	56 Monthly Average	84 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319 <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period : 2018-05-01 To: 2018-05-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		7.10	*****	7.27		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	12.35	16.00		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	12.39	18.99		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.53	0.75		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	2.37	2.60		1	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING 0021
 POINT:
 Monitoring Period : 2018-05-01 To: 2018-05-31

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1,670	1,777	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
Name/Title of Principal Executive Officer Or Authorized Agent		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)



LRS, Inc.

Laboratory Resources & Solutions, Inc.

205 6th Avenue
Ashville, AL 35953
(205) 594-1445

www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
PO Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project Name: **001 Chronic Toxicity – May 2018**

Date: June 13, 2018

Primary Data Review by:

Courtney Snow
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
csnow@lab-resource.com

- * Unless otherwise noted, all analyses on this report performed at ERA, 2975 Brown Court, Auburn, AL 36830.
- * These results relate only to the items tested. This report may only be reproduced in full.
- * Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
TOXICITY TEST REPORT SUMMARY

1. GENERAL:

NPDES PERMIT NO.: AL0003417 DSN: 001 COUNTY: Jefferson
 Permittee: ABC Coke, Inc.
 Facility Name: ABC Coke, Inc.
 Agent Submitting Report: : Mr. Jeff McCord
 Lab Conducting Toxicity Test(s): ERA, 2975 Brown Court, Auburn, AL 36830
 Months To Test: Monthly
 This Report for Toxicity Test(s) Required for the Month of: May
 Scheduled Test(s): Yes X No _____ Accelerated Test(s): Yes _____ No X
 Accelerated Test Number _____ of _____ For Failed Scheduled Test Date:
 Test Type Required: 48 -Hr Acute Screening: _____ -Hr Acute Definitive:
 Short-term Chronic Screening: X Short-term Chronic Definitive:

Test Organism: Ceriodaphnia dubia Test Organism: Pimephales promelas

Sam No.	Date/Time Start	Date/Time Ended	Control Valid	Date/Time Start	Date/Time Ended	Control Valid
	MM/DD/YY HH:MM	MM/DD/YY HH:MM		MM/DD/YY HH:MM	MM/DD/YY HH:MM	
1	05/15/18 14:30	05/22/18 14:00	Yes	05/15/18 15:00	05/22/18 13:00	Yes

2.A. SUMMARY OF RESULTS FOR SCREENING TESTS:

Test	Eff.	Test Number											
		(1)			(2)			(3)			(4)		
Org.	Conc	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow
P.p.	16%	PASS	N/A	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
C.d.	16%	PASS	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

3. LABORATORY ANALYSES OF UNDILUTED SAMPLE(S):

SAMPLE Id.	BOD5 mg/l	TSS mg/l	NH3 mg/l	pH su	Alk mg/l	Hard-EFF mg/l	TRC mg/l	Conductivity uS
1	-----	-----	0.637	7.45	120	22	NA	3,640
2	-----	-----	0.530	7.14	144	26	NA	3,960
3	-----	-----	0.641	7.28	150	18	NA	3,540

Chemical Analyses Performed By (Lab): ERA

Total 24 Hour Flow: (1) 0.270 MGD (2) 0.316 MGD (3) 0.320 MGD

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF RESPONSIBLE OFFICIAL: _____ DATE: _____

4. SAMPLE COLLECTION:

Split Samples: N/A X Yes ___ (Explain) _____
 Samples Collected as Specified in the NPDES Permit: Yes X No(Explain) _____
 Receiving Water: Five Mile Creek
 Design Flow: 0.406 (MGD)

Sample Id.	Sample(s) Collected MM/DD/YY HHMM - MM/DD/YY HHMM	Arrival Temp. °C.	Used in Test(s) MM/DD/YY - MM/DD/YY
1	5/13/18 0730 - 5/14/18 0730	2.6	5/15/18 - 5/16/18
2	5/15/18 0730 - 5/16/18 0730	2.4	5/17/18 - 5/18/18
3	5/17/18 0730 - 5/18/18 0730	2.6	5/19/18 - 5/21/18

5. CONTROL/DILUTION WATER:

Type	Prepared MM/DD/YY	Begin Use MM/DD/YY	Initial Water Chemistries				
			Hard.	Alk.	pH	Cond.	@ °C.
MHRW	05/14/18	05/15/18	94	59	7.58	302	@ 25
MHRW	05/15/18	05/16/18	100	59	7.43	305	@ 25
MHRW	05/16/18	05/17/18	88	61	7.51	312	@ 25
MHRW	05/16/18	05/18/18	94	61	7.40	305	@ 25
MHRW	05/16/18	05/19/18	96	59	7.48	304	@ 25
MHRW	05/20/18	05/21/18	92	59	7.46	306	@ 25

6. TOXICITY TEST INFORMATION:

Test Species	Organism Age	Organism Source	Test Solution Concentrations (%)				
P.p.	1-2 days	Florida Bioassay Supply	16%				
C.d.	0-5 hrs	ERA	16%				

Test Species	Test Vessel Type	Vessel Vol. (mL)	Solution Vol. (mL)	Org./Test Vessel	Replicates Per Conc.
P.p.	plastic beaker	500	250	10	2
C.d.	plastic beaker	25	20	5	4

Test Species	Temp. Range (°C.)	D.O. Range (mg/L)	pH Range (su)	Light Intensity Average (ft.-c.)
P.p.	24.3 - 25.8	6.0 - 9.7	6.74 - 7.46	75
C.d.	24.3 - 25.8	7.5 - 9.7	7.01 - 7.59	75

7. FEEDING:

Not Fed: ___ Fed Daily: X Fed Irregular: ___ (Explain in Comments Below)
 Brine Shrimp: Fed 0.15 g Suspension of Newly Hatched Larvae 2 Times Daily.
 YCT: Fed 0.130 mL Suspension Containing 1.86 g/L TS Daily.
 Algae: Fed 0.130 mL Suspension Containing 3.0 x 10⁷ Algal Cells/mL Daily.
COMMENTS:

8. REFERENCE TOXICANT TESTS:

TOXICANT: Sodium Chloride SOURCE: Fisher Scientific CAS#: 7647-14-5
 Solution Concentration Unit: mg/L g/L % Other (specify)

Chronic:

Test Org.	Test Date	Control Water	Reference Test Solution Concentrations (Control to Highest Conc.)					
P.p.	5/01/18- 5/08/18	MHRW	0	2.0	4.0	6.0	8.0	10.0
C.d.	5/01/18- 5/08/18	MHRW	0	0.5	1.0	1.5	2.0	2.5

Test Org.	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit	NUMBER (N)
P.p.	Survival	4.0	2.0 - 4.0	20
P.p.	Growth	4.0	2.0 - 4.0	20
C.d.	Survival	1.5	0.5 - 1.5	20
C.d.	Reproduction	0.5	0.25- 1.0	20

Raw Data on File With ADEM Toxics Unit

9. TEST CONDITION VARIABILITY:

9.A. Deviations From Standard Test Conditions:

None

9.B. Test Solution Manipulations or Test Modifications:

None

10. REQUIRED REPORT ATTACHMENTS:

Attach Copies Of Chain-of-Custody Forms, Reference Toxicant Tests, And Raw Data (Bench Sheets) Pertaining To Physical, Chemical, And Biological Measurements For All Tests. Include Suspended, Interrupted, or Discontinued Toxicity Tests Data.

11.C CHRONIC SCREENING TOXICITY TESTS RESULTS (Freshwater):

TEST ORGANISM: Ceriodaphnia dubia

Were Neonates Used to Begin the Test Within 8 hours of the same age?: Yes

Did 60% of the CONTROL Females Produce Their Third Brood? YES: NO:

SURVIVAL

CHRONIC TOXICITY INDICATED: YES NO

NO SURVIVAL STATISTICAL ANALYSIS NECESSARY:

CONTROL(%) 24h 100 48h 100 End 100 EFFLUENT(%): 24h 100 48h 100 End 100

Fishers Exact Test: A = , B = , a = , b =

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 05/08/18

REPRODUCTION (Average Neonates/Female)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 20.7 EFFLUENT(%): 19.4

NO REPRODUCTION STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.931 Critical Value: 0.868 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 7.15 Critical F: 6.54

/ Test Statistic: _____ / Test Critical Value:

Sample Rank Sum: 105 #Reps.: 10 Critical Rank Sum: 82 (Non-Parametric)

COMMENTS:

TEST ORGANISM: Pimephales promelas

MORTALITY

CHRONIC TOXICITY INDICATED: YES NO

CONTROL(%) 24h 100 48h 100 7day 93 EFFLUENT(%): 24h 100 48h 100 7day 98

NO MORTALITY STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F:

/ Test Statistic: _____ / Test Critical Value:

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

GROWTH - Mean Dry Weight (mg)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 0.351 mg EFFLUENT: 0.355 mg

NO GROWTH STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F:

/ Test Statistic: _____ / Test Critical Value:

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

g Information:

S, Inc.

Box 1260
3th Avenue
ille, Alabama 35953
594-1445
:ton@lab-resource.com



LRS Client Information:

ABC Coke

P.O. Box 10246
Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

359-0510

Analysis/Container/Preservative

Chain of Custody

Page 1 of 1

**Laboratory Resources
& Solutions, Inc. (LRS)**

A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Project Name: 001 Chronic Toxicity

City/State collected:
Birmingham, Alabama
P.O. #

by: *D. Vance*
Permit #: **AL0003417**

by (signature):

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

- ___ Same Day (200%)
- ___ Next Day (100%)
- ___ Two Day (50%)
- ___ Three Day (25%)

Date Results Needed:

STD

Number of Containers

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserve

in lco? N Y

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative	Sample Remarks
001 Discharge	Comp.	5-13-18	0730	5-14-18	0730	1	X	179341-01g

SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____

Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Shipped by (Signature): <i>[Signature]</i>	Date: 5-14-18	Time: 2260	Received by (Signature): <i>[Signature]</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition: (lab use only)
Shipped by (Signature): <i>[Signature]</i>	Date: 5-14-18	Time: 1700	Received by (Signature): <i>[Signature]</i>	Temp: 2.6°C	Bottles Received: 1
Shipped by (Signature): <i>[Signature]</i>	Date: 5-15-18	Time: 1054	Received for lab by (Signature): <i>[Signature]</i>	Date: 5/15/18	Time: 1054

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

Lab Information:

S, Inc.

Box 1260
6th Avenue
Birmingham, Alabama 35202
(205) 994-1445
lab@lab-resource.com



LRS Client Information:

ABC Coke

P.O. Box 10246
Birmingham, AL 35202

35510518

"Report to" Contact:

Mr. David Vance

Project Name: 001 Chronic Toxicity

City/State collected:

Birmingham, Alabama

P.O. #

Requested by: *A Bourgeois*

Permit #: AL0003417

Requested by (signature):

Bourgeois

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

- Same Day (200%)
- Next Day (100%)
- Two Day (50%)
- Three Day (25%)

Date Results Needed:

On Ice? N Y

Number of Containers

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserved)

Analysis/Container/Preservative

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers												
001 Discharge	Comp.	5-15-18	0730	5-16-18	0730	1	X											

Chain of Custody
Page 1 of 1

Laboratory Resources & Solutions, Inc. (LRS)
A Laboratory Service Provider

Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Sample Remarks

174367019

SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT-Other (Describe) _____ pH _____ Temp _____

Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Requested by (Signature): <i>A Bourgeois</i>	Date: 5-16-18	Time: 0730	Received by (Signature): <i>Severy Smith</i>	Samples returned via: FedEx <input checked="" type="checkbox"/> UPS <input checked="" type="checkbox"/> Other <input type="checkbox"/>	Condition (lab use only)
Requested by (Signature): <i>Severy Smith</i>	Date: 5/17/18	Time: 10:45	Received by (Signature): <i>Severy Smith</i>	Temp: 2.4°C	Bottles Received:
Requested by (Signature): <i>Severy Smith</i>	Date: 5/17/18	Time: 10:45	Received for lab by (Signature): <i>Severy Smith</i>	Date: 5/17/18	Time: 10:45

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

g Information:

S, Inc.

Box 1260
 5th Avenue
 Mobile, Alabama 35953
 256-594-1445
 info@lab-resource.com



LRS Client Information:

ABC Coke

P.O. Box 10246
 Birmingham, AL 35202

359-0510

"Report to" Contact:
Mr. David Vance

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserved)

Analysis/Container/Preservative

**Laboratory Resources
 & Solutions, Inc. (LRS)**
 A Laboratory Service Provider



Laboratory:
 Environmental Resource Analysts, Inc.
 2975 Brown Court
 Auburn, AL 36830

Project Name: 001 Chronic Toxicity

by: *A Beard* Permit #: **AL0003417**

City/State collected:
 Birmingham, Alabama
 P.O. #

by (signature):

Beard

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

- Same Day (200%)
- Next Day (100%)
- Two Day (50%)
- Three Day (25%)

Date Results Needed:

Number of Containers

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*
001 Discharge	Comp.	5-17-18	0730	5-18-18	0730

1 X

Sample Remarks

RA 4/1/18

SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____

pH _____ Temp _____

Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler*

Rainfall in Inches _____ Flow _____ Other _____

Shipped by: (Signature) <i>Beard</i>	Date: 5-18-18	Time: 12:34	Received by: (Signature) <i>Seery Smith</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)
Shipped by: (Signature) <i>Seery Smith</i>	Date: 5-18-18	Time: 3:29	Received by: (Signature) <i>Seery Smith</i>	Temp: 2.6°C	Bottles Received: 1
Shipped by: (Signature) <i>Seery Smith</i>	Date: 5-18-18	Time: 15:29	Received for lab by: (Signature) <i>Seery Smith</i>	Date: 5-18-18	Time: 15:29

Signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com

SOP 610.4

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Date/Time Start	5/15/18 15:00	Randomization Board #	051418BU	Age Of Organisms	24-48 Hrs
Date/Time Finish	5/22/18 13:00	pH Meter/Probe	AB15-3/12		
Test #:	74-16P15 ²	DO Meter/Probe	YSI 2/2	CONTROL for Test	
Source: ABS	Lot: 825	Thermometer ID	773237-1		
Shrimp Lot #	29	Photoperiod:	16 hrs Light / 8 Hrs Dark		
		Water Volume:	250 mLs		

Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp °C OLD	MHRW Dilution Lot	Feed AM	Analysis & Water Change Date/Time/Analyst	Obs.
						pH NEW	DO NEW	Temp °C NEW		Feed PM		
	10	10	10	10	40	N/A	N/A	N/A	3575	N/A	5/15/18 15:00 HA/AF	N
	10	10	10	10	40	7.08	6.6	25.5	3577	9:30	5/16/18 13:00 OR	N
	10	10	10	10	40	7.05	7.1	25.9	3578	15:00	5/17/18 13:00 HA/AF	N
	10	10	8	10	38	7.25	8.1	25.2	3579	10:00	05/18/18 13:00 RR/BU	N
	10	10	8	10	38	6.78	6.0	24.7	3580	15:15	05/19/18 13:00 HA/EC	N
	9	10	8	10	37	6.88	6.8	25.1	3580	8:00	05/20/18 13:00 RR/EC	N
	9	10	8	10	37	6.96	7.1	25.0	3582	13:45	05/21/18 13:00 RR/BU	N
	9	10	8	10	37	6.74	6.5	25.2	N/A	N/A	No Water Change	N
						N/A	N/A	N/A	N/A	N/A	05/22/18 13:00 HA/BU	N

Observations Key:

- N = Normal
- ON = On Bottom
- OS = On Surface
- LETH = Lethargic
- SM = Small
- N/A = Not Applicable
- 1 = Living
- 0 = Dead
- PRE = Precipitate
- FC = Flared Carapace
- CO = Caught On
- CLDY = Cloudy
- F = Film
- UM = Undissolved Material
- CL = Clear/Colorless
- ERR = Erratic Swimming

Comments:

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

Rev'd By J

SOP 610.4

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Test #: 74 - 16p15

Client: ABC Coke

24-48 Hrs

Sample Type: eif
% Dilution: 16

Test Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp 'C OLD	Feed AM	Sample # Used	Analysis & Water Change	pH 100%	Obs.
						PH NEW	DO NEW	Temp 'C NEW	Feed PM		Date/Time/Analyst		
Start	10	10	10	10	40	N/A	N/A	N/A	N/A	179341-01b	5/15/18 15:05 HA/AF	7.45	N
1	10	10	10	10	40	7.09	6.4	25.1	9:30	179341-01b	5/16/18 13:05 OR	7.50	N
2	10	10	10	10	40	6.9	6.8	25.8	9:00	179367-01b	5/17/18 13:05 HA/AF	7.14	N
3	10	10	10	10	40	7.05	7.1	24.3	10:00	179367-01b	05/18/18 13:05 RR/BU	7.71	N
4	10	10	10	10	40	7.15	8.3	25.1	8:00		05/19/18 13:05 HA/EC	7.16	N
5	10	10	10	10	40	7.21	8.5	25.1	10:00		05/20/18 13:05 RR/BU	7.39	N
6	10	10	10	9	39	7.03	7.1	25.1	9:30		05/21/18 13:05 RR/BU	7.22	N
7	10	10	10	9	39	6.94	6.5	25	N/A	N/A	No Water Change		
						N/A	N/A	N/A	N/A		05/22/18 13:05 HA/BU	7.35	N

Observations Key:

Comments:

- N/A = Not Applicable
- 1 = Living
- 0 = Dead
- N = Normal
- ON = On Bottom
- OS = On Surface
- LETH = Lethargic
- SM = Small
- PRE = Precipitate
- FC = Flared Carapace
- CO = Caught On
- CLDY = Cloudy
- F = Film
- UM = Undissolved Material
- CL = Clear/Colorless
- ERR = Erratic Swimming

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

Rev'd By

DRY WEIGHT DETERMINATION FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Test #	<u>74-1615^o</u>	Balance#:	<u>2</u>
Date/Time/Analyst In Oven:	<u>5/22/2018 14:30 HA/BU</u>	Date/Time/Analyst Out Oven:	<u>5/23/18 14:30 HA/BU</u>
Temp C In:	<u>60.0</u>	Temp C Out:	<u>60.0</u>

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
Blank	1	0.9922	0.9923	N/A	N/A	N/A
Control	1	1.02550	1.02899	9	0.349	0.351
	2	1.05130	1.05473	10	0.343	
	3	1.03780	1.04138	8	0.358	
	4	1.02120	1.02476	10	0.356	

QA'd by J

Test Number: 74 -160 Client: LRS- ABC Coke

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
% Dilution: 16 Sample Type: Effluent	1	0.99270	0.99589	10	0.319	0.355
	2	1.02220	1.02602	10	0.382	
	3	0.99300	0.99623	10	0.323	
	4	1.03670	1.04067	9	0.397	
% Dilution: Sample Type:	1					
	2					
	3					
	4					
% Dilution: Sample Type:	1					
	2					
	3					
	4					
% Dilution: Sample Type:	1					
	2					
	3					
	4					
% Dilution: Sample Type:	1					
	2					
	3					
	4					

QA'd By _____

SOP 609.4

3 BROOD CERIODAPHNIA TOXICITY TEST

EPA METHOD 1002.0

Date/Time Start	5/15/2018 14:30	Test #	74-1601	Randomization Board #:	051418BU	Age Of Test Organisms	0-5 Hrs
Date/Time Finish	5/22/18 14:00			pH Meter/Probe	AB15-3/12/AB15-1/21		
				DO Meter/Probe	YSI 2/2/YSI 3/3		
Algae Lot	270	cells/mL	3*10 ⁷	Thermometer ID	773237-1		
Yeast Lot	273	g/L Solids	1.860	Photoperiod:	16 hrs Light / 8 Hrs Dark		
Vol Fed Per Cup (µL)	130			Water Volume:	20 mLs		

Day	Replicates										TOTAL	pH OLD	DO OLD	Temp °C OLD	MERW Dilution Lot	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.	
	1	2	3	4	5	6	7	8	9	10		pH NEW	DO NEW	Temp °C NEW					
1	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	3575	05/15/18 14:30 JL/AF	17:00	N	
											7.46	8.7	24.7						
2	1	1	1	1	1	1	1	1	1	1	10	7.33	7.7	24.7	3577	5/16/2018 14:30 RR/BU	20:00	N	
											7.38	8.6	24.5						
3	1	1	1	1	1	1	1	1	1	1	10	7.26	8.1	24.7	3578	5/17/2018 14:30 HA/AF	17:45	N	
											7.40	8.4	25.6						
4	1	1	1	1	1	1	1	1	1	1	10	7.06	8.2	25.9	3579	5/18/18 13:00 BU	17:00	N	
											7.41	8.5	24.3						
5	1	1	1	1	1	1	1	1	1	1	10	7.41	8.4	24.7	3580	5/19/18 14:30 EJC/HA	13:45	N	
	3	1 End	6	1 End	2	1 End	5	1 End	4	1 End	6	1 End	4	1 End					1
6	1	1	1	1	1	1	1	1	1	1	10	7.36	7.9	25.6	3580	05/20/2018 14:30 EJC/AF	15:00	N	
	10	2 End	9	2 End	9	2 End	6	1 End	6	2 End	5	2 End	7	2 End					8
7	1	1	1	1	1	1	1	1	1	1	10	7.20	8.1	25.2	3582	05/21/18 13:15 AF	15:00	N	
	3	3		7	3	5	2 End	6	2 End	8	3	6	3						5
8	1	1	1	1	1	1	1	1	1	1	10	7.43	8.3	24.3	N/A	05/22/18 14:00 RR	N/A	N	
	6	3 End	8	3 End	3	3 End	6	3 End	6	3 End	2	3 End	7	3 End					11

Days: 22, 23, 21, 16, 18, 20, 24, 22, 20, 21. Comments:

<p>Abbreviations Key:</p> <p>N = Normal ON = On Bottom OS = On Surface LETH = Lethargic SM = Small</p>	<p>PM = Particulate Matter ERR = Erratic Swimming UM = Undissolved Material PRE = Precipitate FC = Flared Carapace</p>	<p>CL = Clear/Colorless F = Film CLDY = Cloudy CO = Caught ON</p>	<p>N/A = Not Applicable End = End of Brood</p>	<p>AVERAGE # Neonates per Female 20.7</p>
---	--	---	--	---

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

SOP 609.4

3 BROOD CERIODAPHNIA TOXICITY TEST

EPA METHOD 1002.0

Client: ABC Coke

Age of Test organisms: 0-5 Hrs

Test # 74 - 10/15
Sample Type: eff
% Dilution: 16

Day											TOTAL	pH OLD	DO OLD	Temp °C OLD	Sample # Used	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.	
	1	2	3	4	5	6	7	8	9	10		pH NEW	DO NEW	Temp °C NEW					
rt	1	1	1	1	1		1	1	1	1	10	N/A	N/A	N/A	179341-01b	05/15/18 14:35 JL/AF	17:00	N	
											7.01	9.7	25.3						
	1	1	1	1	1	1	1	1	1	1	10	7.05	9.5	25.3	179341-01b	05/16/18 14:35 RR/BU	20:00	N	
											7.40	8.5	24.8						
	1	1	1	1	1	1	1	1	1	1	10	7.22	8.1	24.6	179367-01b	5/17/2018 14:35 HA/AF	17:45	N	
											7.14	8.4	25.4						
	1	1	1	1	1	1	1	1	1	1	10	7.16	8.0	24.7	179367-01b	5/18/18 13:05 BU	17:00	N	
											7.71	8.8	25.3						
	1	1	1	1	1	1	1	1	1	1	10	7.31	8.1	25.1	179447-01b	5/19/18 14:35 EJC/HA	13:45	N	
	3	1 End	3	1 End	1	1 End	6	1 End	5	1		5	1 End	6					1 End
	1	1	1	1	1	1	1	1	1	1	10	7.23	8.0	25.8	179447-01b	05/20/2018 14:35 EJC/AF	15:00	N	
	9	2 End	8	2 End	6	2 End	11	2 End	1	1 End		6	1 End	8					2 End
	1	1	1	1	1	1	1	1	1	1	10	7.21	7.9	25.4	179447-01b	05/21/18 13:20 AF	15:00	N	
			5	3	7	3	5	3	10	2 End				2					3
	1	1	1	1	1	1	1	1	1	1	10	7.59	8.2	24.3	N/A	05/22/18 14:05 RR	N/A	N	
	10	3 End	6	3 End	3	3 End	2	3 End	8	3 End		4	2 End	6					3 End
tes	22	22	17	24	24	10	21	18	28	8	Comments:								

Observations Key:

- N = Normal
- PM = Particulate Matter
- ON = On Bottom
- ERR = Erratic Swimming
- OS = On Surface
- UM = Undissolved Material
- LETH = Lethargic
- PRE = Precipitate
- SM = Small
- FC = Flared Carapace
- CL = Clear/Colorless
- F = Film
- CLDY = Cloudy
- CO = Caught ON
- N/A = Not Applicable
- End = End of Brood

AVERAGE # Nconates per Female
19.4

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

Reviewed By: [Signature]

Ceriodaphnia Survival and Reproduction Test-Reproduction										
Start Date:	5/15/2018	Test ID:	74-160c	Sample ID:	EFF					
End Date:		Lab ID:	ERA	Sample Type:	EFF2-Industrial					
Sample Date:		Protocol:	EPAF 94-EPA/600/4-91/002	Test Species:	CD-Ceriodaphnia dubia					
Comments:	stat analysis conducted by JF									
Conc-%	1	2	3	4	5	6	7	8	9	10
Control	22.000	23.000	21.000	16.000	18.000	20.000	24.000	22.000	20.000	21.000
Eff	22.000	22.000	17.000	24.000	24.000	10.000	21.000	18.000	28.000	8.000

Conc-%	Mean	N-Mean	Transform: Untransformed					N	Rank Sum	1-Tailed Critical
			Mean	Min	Max	CV%				
Control	20.700	1.0000	20.700	16.000	24.000	11.398	10			
Eff	19.400	0.9372	19.400	8.000	28.000	32.528	10	105.50	82.00 3.69437	

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution ($p > 0.01$)	0.93085	0.868	-0.8977	1.44472
F-Test indicates unequal variances ($p = 7.26E-03$)	7.15369	6.54109		
Hypothesis Test (1-tail, 0.05)				
Wilcoxon Two-Sample Test indicates no significant differences				
Treatments vs Control				

Toxicity Benchsheet

Client: 74 - ABC Coke

Sample	Sample #	Collection Date/Time	pH 100%	TRC mg/L	Analysis Date/Time/ Analyst	pH Meter/Probe	TRC Meter
#1	179341-01b	5/14/18 19:30	7.45	N/A	5-15-18/ 15:00/AF	AB15-3/12	N/A
#2	179367-01b	5/16/18 19:30	7.14	N/A	5-17-18/ 15:00/HA	AB15-3/12	N/A
#3	179447-01b	5/18/18 7:30	7.28	N/A	5-18-18 17:00 BU	AB15-3/12	N/A



002 STORM WATER MONITORING

SAMPLE DATE:	5/10/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	11:00 AM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLEAR
INIT STAFF LEVEL:	84" DATE: 5/10/2018
	VOLUME: 17,372,016 GALLONS
FINAL STAFF LEVEL:	46" DATE: 5/15/2018
	VOLUME: 8,487,870 GALLONS
TOTAL DISCHARGE VOLUME:	8,884,146 GALLONS
DAILY AVERAGE FLOW:	1.777 MGD

pH:	7.10 SU
TSS(mg/L):	8.7
NH3-N(ppd):	5.78
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE,T (mg/L):	2.13
IRON, T (mg/L):	0.308
O & G (mg/L)	BMDL

SAMPLE DATE:	5/21/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	10:30 AM
WEATHER CONDITIONS:	CLOUDY
CREEK CONDITIONS:	CLEAR
INIT STAFF LEVEL:	84" DATE: 5/21/2018
	VOLUME: 17,372,016 GALLONS
FINAL STAFF LEVEL:	50" DATE: 5/26/2018
	VOLUME: 9,563,853 GALLONS
TOTAL DISCHARGE VOLUME:	7,808,163 GALLONS
DAILY AVERAGE FLOW:	1.562 MGD

pH:	7.27 SU
TSS(mg/L):	16
NH3-N(ppd):	18.99
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE,T (mg/L):	2.6
IRON, T (mg/L):	0.753
O & G (mg/L)	BMDL

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-06-01 To: 2018-06-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.33	*****	*****		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****	19 mg/l		Weekly	Grab
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.72	*****	7.58		0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	13.97	25.47		*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Composite
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily	26 lbs/day	*****	*****	*****			2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.36	1.97		*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.0 Monthly Average	49.5 Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	3.65	9.09		*****	*****	*****		0	Weekly	Composite
	Permit Requirement	66 Monthly Average	99 Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Composite
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.711	0.779		*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily	26 lbs/day	*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-06-01 To: 2018-06-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	0.99	0.99	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.18	0.18	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.30285	0.34229	03 MGD	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.022	0.034	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-06-01 To: 2018-06-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		*****	0		*****	*****	*****				
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	0	0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	0	0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	5220	26 lbs/day	*****	*****	*****	0	0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	10.07	12.06	26 lbs/day	*****	*****	*****	0	0	Weekly	Composite
	Permit Requirement	56 Monthly Average	84 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period: 2018-06-01 To: 2018-06-30

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH	Sample Measurement	*****	*****		6.70	*****	6.80		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	9.20	14.00		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	7.90	9.80		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.32	0.36		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*****		*****	0.35	0.41		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab
PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	*****	*****		0	2X Monthly	Grab
PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.32	0.36		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.35	0.41		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab
Name/Title of Principal Executive Officer Or Authorized Agent		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months to 5 years.					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Dry Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417

MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period : 2018-06-01 To: 2018-06-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	0	Monthly	Grab	
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				Monthly
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	0	Monthly	Grab	
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				Monthly
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	0	Monthly	Grab	
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				Monthly
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	0	Monthly	Grab	
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1.884	1.937	03 MGD	*****	*****	*****	0	Daily	Calculated	
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				Daily
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)						Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	1.61	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.33	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.72	*****	7.58		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	13.97	25.47		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.36	1.97		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.0 monthly average	49.5 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	3.65	9.09		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	66 monthly average	99 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.711	0.779		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	0.99	0.99	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****		*****	Monthly	Composite
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.18	0.18	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****		*****	Monthly	Composite
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****		*****	Weekly	Composite
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****		*****	2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.30285	0.34229	03 MGD	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Grab
CYANIDE, FREE AVAILABLE	Sample Measurement	0.022	0.034	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****		*****	2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR
 COUNTY: Jefferson
 PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	5220	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	0	Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	10.07	12.06	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	56 monthly average	84 maximum daily		*****	*****	*****		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	1.61	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.70	*****	6.80		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	9.20	14.00		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	7.90	9.80		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.32	0.36		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.35	0.41		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.884	1.937	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.08	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.83	*****	7.38		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	6.33	12.38		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.96	3.18		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.0 monthly average	49.5 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	1.08	5.42		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	66 monthly average	99 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.488	0.542		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	08/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	0.00	0.00	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****				
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.13	0.13	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****				
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****				
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****				
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.29771	0.32564	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CYANIDE, FREE AVAILABLE	Sample Measurement	0.011	0.013	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	08/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	Monthly	Grab
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	6704	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	5.92	8.42	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	56 monthly average	84 maximum daily		*****	*****	*****		*****	Weekly	Composite
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	08/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.75	*****	7.12		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	8.40	10.40		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	12.65	14.95		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.83	0.89		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	1.27	1.35		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	08/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.884	1.937	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	08/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 COUNTY: Jefferson

Monitoring Period: 2018-07-01 To 2018-07-31
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.08	*****	*****		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****	19 mg/l		Weekly	Grab
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.83	*****	7.38		0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	6.33	12.38		*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Composite
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily	26 lbs/day	*****	*****	*****			2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.96	3.18		*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.0 Monthly Average	49.5 Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	1.08	5.42		*****	*****	*****		0	Weekly	Composite
	Permit Requirement	66 Monthly Average	99 Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Composite
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.488	0.542		*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily	26 lbs/day	*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY DUTY OF CARE AND FAITHFULNESS I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE: 19-3-5-C-1 (10/1)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc.
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period: 2018-07-01 To 2018-07-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	0.00	0.00	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.13	0.13	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.29771	0.32564	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.011	0.013	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE DATA WHICH ARE IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1919. <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.)</small>	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc PERMIT NUMBER: AL0003417
 MAILING ADDRESS: P O Box 10246 MONITORING POINT: 0011 COUNTY: Jefferson
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue Monitoring Period: 2018-07-01 To: 2018-07-31 NO DISCHARGE FROM SITE: ()
 Tarrant, AL 35217

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail(1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail(1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	6704	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	5.92	8.42	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	56 Monthly Average	84 Maximum Daily		*****	*****	*****			Weekly	Composite

Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.</small>	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period: 2018-07-01 To 2018-07-31

NO DISCHARGE FROM SITE: ()

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
			Minimum Daily	Monthly Average	Maximum Daily				
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	****	****	6.75	****	7.12	0	Weekly	Grab
	Permit Requirement	****	****	6.0	****	8.5	12 S.U.	Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	****	****	****	8.40	10.40	0	Weekly	Grab
	Permit Requirement	****	****	****	35	70	19 mg/l	Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	****	****	****	*B	*B	0	2X Monthly	Grab
	Permit Requirement	****	****	****	10.0	15.0	19 mg/l	2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	12.65	14.95	****	****	****	0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	****	****	****	Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	****	*B	****	****	****	0	Monthly	Grab
	Permit Requirement	****	REPORT Maximum Daily	26 lbs/day	****	****	****	Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	****	****	****	0.83	0.89	0	2X Monthly	Grab
	Permit Requirement	****	****	****	3.0	6.0	19 mg/l	2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	****	****	****	1.27	1.35	0	2X Monthly	Grab
	Permit Requirement	****	****	****	2.0	4.0	19 mg/l	2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREBY AND BASED ON MY KNOWLEDGE OF THESE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 23 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or correction imprisonment of between 6 months to 3 years.	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period: 2018-07-01 To: 2018-07-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		*****	*B		*****	*****	*****				
BENZENE	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
PARAM CODE: 34030 Stage Code: 1 Final Effluent	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
BENZO(A)PYRENE	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
PARAM CODE: 34247 Stage Code: 1 Final Effluent	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
PARAM CODE: 34696 Stage Code: 1 Final Effluent	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
PHENOLS	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
PARAM CODE: 46000 Stage Code: 1 Final Effluent	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	Sample Measurement	1.884	1.937		*****	*****	*****		0	Daily	Calculated
PARAM CODE: 50050 Stage Code: 1 Final Effluent	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	03 MGD	*****	*****	*****			Daily	Calculated

Name/Title of Principal Executive Officer Or Authorized Agent	CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 23 U.S.C. § 3319. Penalties under these statutes may include: Fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

002 STORM WATER MONITORING

SAMPLE DATE:	7/5/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	10:20 AM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLEAR
INIT STAFF LEVEL:	84" DATE: 7/5/2018
	VOLUME: 17,372,016 GALLONS
FINAL STAFF LEVEL:	44" DATE: 7/10/2018
	VOLUME: 8,220,490 GALLONS
TOTAL DISCHARGE VOLUME:	9,151,526 GALLONS
DAILY AVERAGE FLOW:	1.830 MGD

pH:	6.75
TSS(mg/L):	6.4
NH3-N(ppd):	14.95
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE,T (mg/L):	1.18
IRON, T (mg/L):	0.885
O & G (mg/L)	BMDL

SAMPLE DATE:	7/17/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	10:30 AM
WEATHER CONDITIONS:	CLOUDY
CREEK CONDITIONS:	CLEAR
INIT STAFF LEVEL:	84" DATE: 7/17/2018
	VOLUME: 17,372,016 GALLONS
FINAL STAFF LEVEL:	42" DATE: 7/22/2018
	VOLUME: 7,688,183 GALLONS
TOTAL DISCHARGE VOLUME:	9,683,833 GALLONS
DAILY AVERAGE FLOW:	1.937 MGD

pH:	7.12 SU
TSS(mg/L):	10.4
NH3-N(ppd):	10.34
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE,T (mg/L):	1.35
IRON, T (mg/L):	0.768
O & G (mg/L)	BMDL



LRS, Inc.

Laboratory Resources & Solutions, Inc.

205 6th Avenue
Ashville, AL 35953
(205) 594-1445

www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
 PO Box 10246
 Birmingham, AL 35202

Attention: Mr. David Vance

Project Name: **001 Chronic Toxicity – July 2018**

Date: August 14, 2018

Primary Data Review by:

Courtney Snow
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
csnow@lab-resource.com

* Unless otherwise noted, all analyses on this report performed at ERA, 2975 Brown Court, Auburn, AL 36830.

* These results relate only to the items tested. This report may only be reproduced in full.

* Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
TOXICITY TEST REPORT SUMMARY

1. GENERAL:

NPDES PERMIT NO.: AL0003417 DSN: 001 COUNTY: Jefferson
 Permittee: ABC Coke, Inc.
 Facility Name: ABC Coke, Inc.
 Agent Submitting Report: : Mr. Jeff McCord Lab
 Conducting Toxicity Test(s): ERA, 2975 Brown Court, Auburn, AL 36830
 Months To Test: Monthly
 This Report for Toxicity Test(s) Required for the Month of: July
 Scheduled Test(s): Yes X No Accelerated Test(s): Yes No X
 Accelerated Test Number of For Failed Scheduled Test Date:
 Test Type Required: 48 -Hr Acute Screening: -Hr Acute Definitive:
 Short-term Chronic Screening: X Short-term Chronic Definitive:

Test Organism: Ceriodaphnia dubia Test Organism: Pimephales promelas

Sam No.	Date/Time Start	Date/Time Ended	Control Valid	Date/Time Start	Date/Time Ended	Control Valid
1	7/17/18 12:30	7/25/18 11:55	Yes	7/17/18 13:00	7/25/18 14:15	Yes

2.A. SUMMARY OF RESULTS FOR SCREENING TESTS:

Test	Eff.	Test Number											
		(1)			(2)			(3)			(4)		
Org.	Conc	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow
P.p.	16%	PASS	N/A	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
C.d.	16%	PASS	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

3. LABORATORY ANALYSES OF UNDILUTED SAMPLE(S):

SAMPLE Id.	BOD5 mg/l	TSS mg/l	NH3 mg/l	pH su	Alk mg/l	Hard-EFF mg/l	TRC mg/l	Conductivity uS
1	----	-----	0.440	7.77	203	18.3	NA	4,300
2	----	-----	0.255	7.76	225	22.4	NA	4,210
3	----	-----	<0.200	7.79	268	30.5	NA	4,260

Chemical Analyses Performed By (Lab): ERA
 Total 24 Hour Flow: (1) 0.323 MGD (2) 0.286 MGD (3) 0.301 MGD

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF RESPONSIBLE OFFICIAL: _____ DATE: _____

4. SAMPLE COLLECTION:

Split Samples: N/A X Yes ___ (Explain) _____
 Samples Collected as Specified in the NPDES Permit: Yes X No(Explain) _____
 Receiving Water: Five Mile Creek
 Design Flow: 0.406 (MGD)

Sample Id.	Sample(s) Collected	Arrival Temp. °C.	Used in Test(s)
1	7/15/18 0730 - 7/16/18 0730	1.9	7/17/18 - 7/18/18
2	7/17/18 0730 - 7/18/18 0730	4.2	7/19/18 - 7/20/18
3	7/19/18 0730 - 7/20/18 0730	2.1	7/21/18 - 7/23/18

5. CONTROL/DILUTION WATER:

Type	Prepared	Begin Use	Initial Water Chemistries				
			MM/DD/YY	MM/DD/YY	Hard.	Alk.	pH
MHRW	7/03/18	7/17/18	98	63	7.7	302	@ 25
MHRW	7/13/18	7/18/18	92	61	7.7	312	@ 25
MHRW	7/13/18	7/19/18	94	59	7.8	314	@ 25
MHRW	7/17/18	7/20/18	100	59	7.5	303	@ 25
MHRW	7/17/18	7/22/18	98	59	7.7	298	@ 25
MHRW	7/17/18	7/23/18	98	59	7.8	297	@ 25
MHRW	7/19/18	7/24/18	98	61	7.8	316	@ 25

6. TOXICITY TEST INFORMATION:

Test	Organism	Organism	Test Solution Concentrations (%)				
Species	Age	Source					
P.p.	1-2 days	Florida Bioassay Supply	16%				
C.d.	10-4 hrs	ERA	16%				

Test	Test Vessel	Vessel	Solution	Org./Test	Replicates
Species	Type	Vol. (mL)	Vol. (mL)	Vessel	Per Conc.
P.p.	plastic beaker	500	250	10	2
C.d.	plastic beaker	25	20	5	4

Test	Temp. Range	D.O. Range	pH Range	Light Intensity
Species	(°C.)	(mg/L)	(su)	Average (ft.-c.)
P.p.	24.1 - 25.9	4.9 - 9.7	7.18 - 7.64	75
C.d.	24.1 - 25.8	7.7 - 9.7	7.37 - 7.86	75

7. FEEDING:

Not Fed: ___ Fed Daily: X Fed Irregular: ___ (Explain in Comments Below)
 Brine Shrimp: Fed 0.15 g Suspension of Newly Hatched Larvae 2 Times Daily.
 YCT: Fed 0.130 mL Suspension Containing 1.86 g/L TS Daily.
 Algae: Fed 0.130 mL Suspension Containing 3.0 x 10⁷ Algal Cells/mL Daily.

COMMENTS:

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 07/17/18

8. REFERENCE TOXICANT TESTS:

TOXICANT: Sodium Chloride SOURCE: Fisher Scientific CAS#: 7647-14-5
Solution Concentration Unit: mg/L g/L X % Other (specify)

Chronic:

Test Org.	Test Date	Control Water	Reference Test Solution Concentrations (Control to Highest Conc.)					NUMBER	
P.p.	7/24/18-7/31/18	MHRW	0	2.0	4.0	6.0	8.0	10.0	
C.d.	7/24/18-7/31/18	MHRW	0	0.5	1.0	1.5	2.0	2.5	
Test Org.	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit					(N)	
P.p.	Survival	4.0	2.0 - 4.0					20	
P.p.	Growth	4.0	2.0 - 4.0					20	
C.d.	Survival	1.5	0.5 - 1.5					20	
C.d.	Reproduction	0.5	0.25- 1.0					20	

Raw Data on File With ADEM Toxics Unit

9. TEST CONDITION VARIABILITY:

9.A. Deviations From Standard Test Conditions:

None

9.B. Test Solution Manipulations or Test Modifications:

None

10. REQUIRED REPORT ATTACHMENTS:

Attach Copies Of Chain-of-Custody Forms, Reference Toxicant Tests, And Raw Data (Bench Sheets) Pertaining To Physical, Chemical, And Biological Measurements For All Tests. Include Suspended, Interrupted, or Discontinued Toxicity Tests Data.

11.C CHRONIC SCREENING TOXICITY TESTS RESULTS (Freshwater):

TEST ORGANISM: Ceriodaphnia dubia

Were Neonates Used to Begin the Test Within 8 hours of the same age?: Yes

Did 60% of the CONTROL Females Produce Their Third Brood? YES: X NO:

SURVIVAL

CHRONIC TOXICITY INDICATED: YES NO X

NO SURVIVAL STATISTICAL ANALYSIS NECESSARY:

CONTROL(%) 24h 100 48h 100 End 100 EFFLUENT(%): 24h 100 48h 100 End 90

Fishers Exact Test: A = 10, B = 10, a = 10, b = 9

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 07/17/18

REPRODUCTION (Average Neonates/Female)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 23.5 EFFLUENT(%): 20.2

NO REPRODUCTION STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.631 Critical Value: 0.868 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 9.2 Critical F: 6.5

/ Test Statistic: / Test Critical Value:

Sample Rank Sum: 85 #Reps.: 4 Critical Rank Sum: 82 (Non-Parametric)

COMMENTS:

TEST ORGANISM: Pimephales promelas

MORTALITY

CHRONIC TOXICITY INDICATED: YES NO

CONTROL(%) 24h 100 48h 98 7day 98 EFFLUENT(%): 24h 98 48h 98 7day 98

NO MORTALITY STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: Critical Value: (Parametric)

Equal Variance: Unequal Variance:

F Statistic: Critical F:

/ Test Statistic: / Test Critical Value:

Sample Rank Sum: #Reps.: Critical Rank Sum: (Non-Parametric)

GROWTH - Mean Dry Weight (mg)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 0.783 mg EFFLUENT: 0.748 mg

NO GROWTH STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.958 Critical Value: 0.749 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 1.15 Critical F: 47.5

/ Test Statistic: 1.933 / Test Critical Value: 1.94

Sample Rank Sum: #Reps.: Critical Rank Sum: (Non-Parametric)

COMMENTS:

Billing Information:

LRS, Inc.
P.O. Box 1260
205 6th Avenue
Ashville, Alabama 35953
(205) 594-1445
wgaston@lab-resource.com



LRS Client Information:

ABC Coke
P.O. Box 10246
Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

Project Name: 001 Chronic Toxicity

City/State collected:
Birmingham, Alabama
P.O. #

Collected by: *A. Buechel* Permit #: **AL0003417**

Collected by (signature): *A. Buechel*

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS
 Same Day (200%)
 Next Day (100%)
 Two Day (50%)
 Three Day (25%)
 Date Results Needed:
STP
Rem. Rep.

Packed on Ice? N Y

Number of Containers
Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserved)

Analysis/Container/Preservative

Laboratory Resources & Solutions, Inc. (LRS)
A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Sample Remarks

181558-01a

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative
001 Discharge	Comp.	7-15-18	0730	07-16-18	0730	1	X

*Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____
 Rainfall in Inches _____ Flow _____ Other _____

Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler*

Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)
<i>A. Buechel</i>	7-16-18	1007	<i>[Signature]</i>		
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: <i>1.9°C</i>	Bottles Received:
<i>[Signature]</i>	7-17-18	0915	<i>[Signature]</i>		
Relinquished by: (Signature)	Date:	Time:	Received for Lab by: (Signature)	Date: <i>7/19/18</i>	pH Checked: NCF:
<i>[Signature]</i>	7-17-18	1147	<i>[Signature]</i>		

Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com



Client URS

Sample # 181558-01

ERA Cooler Receipt Form

1. Condition of Cooler Upon Unpacking

A. Date & Time of Cooler Unpacking 7/17 1150 Receiving Analyst: AE

B. Method of Delivery:

Fed Ex UPS USPS ERA Driver Client Drop Off Other _____
Tracking Number _____

C. Condition of Custody Seal upon arrival: Absent by ERA Driver Present & Broken Present & sealed Present & broken

2. Condition of Cooler Contents

A. Chain Of Custody Information: Completed Incomplete, _____

B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____

C. Packaging Materials: Bubble Wrap None Other: _____

D. Broken Bottles? No Yes If yes, which? _____

E. Temperature °C 1.9 Thermometer ID: Utah Time: 1150 Initials: AE

Reason for incorrect temp: (>6.0°C) Frozen Beginning of Cooling process Ice melted Other _____

3. Sample Information and Verification

A. Sample Numbers match Chain of Custody? Yes No, _____

Correct bottle types used for each sample? Yes No, _____

All samples arrived within holding time? Yes No, _____

B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, _____

C. Samples with preservative have been checked and are in the correct pH range? Yes, no preservatives needed No, see preservative info Not applicable

D. Trip Blanks Absent Present N/A

Additional Preservative information	
1 Preservative Type:	_____
2 Preservative Lot #	_____
3 pH Strip Lot #	_____
4 Date/Time/Initials	_____

4. Comments and Resolutions

A. Was a non-conformance form needed for any samples received in the cooler? Yes No
If yes, Date Started: _____ Analyst: _____

B. Additional Comments: It's assigned @ receipt. to lab

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 7/17/18 1150 Initial: AE QA/QC Review By: [Signature]

Billing Information:

LRS, Inc.

P.O. Box 1260
205 6th Avenue
Ashville, Alabama 35953
(205) 594-1445
wqaston@lab-resource.com



LRS Client Information:

ABC Coke
P.O. Box 10246
Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

352-0718

Project Name: 001 Chronic Toxicity

Collected by: **A Bourquad** Permit #: **AL0003417**

City/State collected:
Birmingham, Alabama
P.O. #

Collected by (signature):

A Bourquad

Project Turnaround (Begins on Lab Login Date)

- RUSH? Please Notify LRS**
- Same Day (200%)
 - Next Day (100%)
 - Two Day (50%)
 - Three Day (25%)

Date Results Needed:

Packed on Ice? N Y

Number of Containers

Chronic Toxicity E1000.0 / E1002.0

(One 1-gallon HDPE, non-preserved)

Analysis/Container/Preservative

Chain of Custody
Page 1 of 1

**Laboratory Resources
& Solutions, Inc. (LRS)**

A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Sample Remarks

181561-01a

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative
001 Discharge	Comp.	7-18-18	0730	7-18-18	0730	1	X

*Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT-Other (Describe) _____ pH _____ Temp _____

Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Relinquished by: (Signature) <i>A Bourquad</i>	Date: 7-18-18	Time: 1:57	Received by: (Signature) <i>Seamus Smith</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)
Relinquished by: (Signature) <i>Seamus Smith</i>	Date: 7-18-18	Time: 17:00	Received by: (Signature) <i>Lahak MIT</i>	Temp: 4.2-1.5	Bottles Received:
Relinquished by: (Signature) <i>Lahak MIT</i>	Date: 7-24-18	Time: 1654	Received for lab by: (Signature) <i>D. D. [Signature]</i>	Date: 07/24/18	Time: 10:57
Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com				pH Checked:	NCF:



Client LRS Justice Coal
ABC COKE ACPCO Sample # 181561-01

ERA Cooler Receipt Form

1. Condition of Cooler Upon Unpacking

- A. Date & Time of Cooler Unpacking 7/19/18 / 1057 Receiving Analyst: DD/AF
- B. Method of Delivery:
 Fed Ex UPS USPS ERA Driver Client Drop Off Other _____
 Tracking Number N/A Present & Broken by ERA Driver Present & sealed Present & broken
- C. Condition of Custody Seal upon arrival: Absent by ERA Driver sealed broken

2. Condition of Cooler Contents

- A. Chain Of Custody Information: Completed Incomplete, _____
- B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____
- C. Packaging Materials: Bubble Wrap None Other: _____
- D. Broken Bottles? No Yes If yes, which? _____
- E. Temperature °C 4.2 Thermometer ID: Utah Time: 1115 Initials: AF
 Reason for incorrect temp: ($>6.0^{\circ}\text{C}$) Frozen Beginning of Cooling process Ice melted Other _____

3. Sample Information and Verification

- A. Sample Numbers match Chain of Custody? Yes No, Labels to be made
 Correct bottle types used for each sample? Yes No, _____
 All samples arrived within holding time? Yes No, _____
- B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, _____
- C. Samples with preservative Yes, no preservatives needed
 have been checked and are in No, see preservative info
 the correct pH range? Not applicable
- D. Trip Blanks Absent Present N/A
- | Additional Preservative information | |
|-------------------------------------|-------|
| 1 Preservative Type: | _____ |
| 2 Preservative Lot # | _____ |
| 3 pH Strip Lot # | _____ |
| 4 Date/Time/Initials | _____ |

4. Comments and Resolutions

- A. Was a non-conformance form needed for any samples received in the cooler? Yes No
 If yes, Date Started: _____ Analyst: _____
- B. Additional Comments: #5 assigned @ receipt

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 07.19.18/1120 Initial: AF QA/QC Review By: Se

Billing Information:

LRS, Inc.
P.O. Box 1260
205 6th Avenue
Ashville, Alabama 35953
(205) 594-1445
wgaston@lab-resource.com



LRS Client Information:

ABC Coke
P.O. Box 10246
Birmingham, AL 35202

"Report to" Contact:

Mr. David Vance

Project Name: 001 Chronic Toxicity

City/State collected:

Birmingham, Alabama

Collected by:

A Bourquad

Permit #: **AL0003417**

P.O. #

Collected by (signature):

a Bourquad

Project Turnaround (Begins on Lab Login Date)

- RUSH?** Please Notify LRS
- Same Day (200%)
 - Next Day (100%)
 - Two Day (50%)
 - Three Day (25%)

Date Results Needed:

Packed on ice? N Y

Number of Containers

Chronic Toxicity E1000.0 / E1002.0

(One 1-gallon HDPE, non-preserved)

Analysis/Container/Preservative

Chain of Custody
Page 1 of 1

Laboratory Resources & Solutions, Inc. (LRS)

A Laboratory Service Provider



Laboratory:

Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Sample Remarks

1E1720da

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative	Sample Remarks
001 Discharge	Comp.	7-19-18	6730	7-20-18	0730	1	X	<i>1E1720da</i>

*Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT-Other (Describe) _____ pH _____ Temp _____

Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Relinquished by: (Signature) <i>a Bourquad</i>	Date: 7-20-18	Time: 10:34	Received by: (Signature) <i>Jason Smith</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)
Relinquished by: (Signature) <i>Jason Smith</i>	Date: 7/20/18	Time: 1130	Received by: (Signature) <i>[Signature]</i>	Temp: 2.1°C	Bottles Received: 1
Relinquished by: (Signature) <i>[Signature]</i>	Date: 7/20/18	Time: 1420	Received for lab by: (Signature) <i>[Signature]</i>	Date: 07/20/18	Time: 1420
pH Checked: _____					NCF: _____

Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com



Client ABC Coke Sample # _____

ERA Cooler Receipt Form

1. Condition of Cooler Upon Unpacking

A. Date & Time of Cooler Unpacking 07/20/18 1425 Receiving Analyst: DD

B. Method of Delivery:
 Fed Ex UPS USPS ERA Driver Client Drop Off Other _____
Tracking Number _____ Present & Broken Present & Present &

C. Condition of Custody Seal upon arrival: Absent by ERA Driver sealed broken

2. Condition of Cooler Contents

A. Chain Of Custody Information: Completed Incomplete, _____

B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____

C. Packaging Materials: Bubble Wrap None Other: _____

D. Broken Bottles? No Yes If yes, which? _____

E. Temperature °C 21 Thermometer ID: Jawa Time: 1425 Initials: DD
Reason for incorrect Frozen Beginning of Cooling process Ice melted
temp: (>6.0°C) Other _____

3. Sample Information and Verification

A. Sample Numbers match Chain of Custody? Yes No, NA

Correct bottle types used for each sample? Yes No, _____

All samples arrived within holding time? Yes No, _____

B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, NA

C. Samples with preservative have been checked and are in the correct pH range? Yes, no preservatives needed No, see preservative info Not applicable

D. Trip Blanks Absent Present N/A

Additional Preservative information	
1 Preservative Type:	_____
2 Preservative Lot #	_____
3 pH Strip Lot #	_____
4 Date/Time/Initials	_____

4. Comments and Resolutions

A. Was a non-conformance form needed for any samples received in the cooler? Yes No
If yes, Date Started: _____ Analyst: _____

B. Additional Comments: _____

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 07/20/18 1425 Initial: DD QA/QC Review By: [Signature]

SOP 610.4

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Date/Time Start	7/17/18 13:00	Randomization Board #	071618BU	Age Of Organisms	24-48 hrs
Date/Time Finish	7/24/18 14:15	pH Meter/Probe	AB15-3/12		
Test #:	74 -164	DO Meter/Probe	YSI 2/2		
Source: ABS Lot: 835	CONTROL for Test	Thermometer ID	773237-1		
Brine Shrimp Lot # 30		Photoperiod:	16 hrs Light / 8 Hrs Dark		
		Water Volume:	250 mLs		

Test Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp °C OLD	MHRW Dilution Lot	Feed AM	Analysis & Water Change Date/Time/Analyst	Obs.
						pH NEW	DO NEW	Temp °C NEW		Feed PM		
Start	10	10	10	10	40	N/A	N/A	N/A	3616	N/A	07/17/2018 13:00 HA	N
1	10	10	10	10	40	7.54	8.6	24.6	3617	15:15	7-18-18 12:30 BU	N
2	10	10	10	10	40	7.42	8.6	25.4	3618	8:30	7-19-18 13:00 RR	N
3	10	10	10	10	40	7.41	5.5	24.9	3619	13:00	7-20-18 11:00 BU	N
4	10	10	10	10	40	7.64	9.0	24.5	3619	8:35	07/21/2018 13:30 HA	N
5	10	10	10	10	40	7.18	5.8	25.9	3620	13:00	07/22/2018 12:30 HA	N
6	9	10	10	10	39	7.61	8.6	24.2	3621	8:00	7-23-18 11:45 BU	N
7	9	10	10	10	39	7.26	5.8	25.4	N/A	14:30	No Water Change	N
						7.24	4.9	25.2		9:00		
						7.37	6.2	24.2		14:00		
						7.56	8.3	24.9		9:15		
						7.47	9.7	24.8		14:30		
						7.25	4.9	25.6		N/A		
						N/A	N/A	N/A		N/A	7/24/18 14:15 AF	N
						Test Min	7.18	4.9	24.1			
						Test Max	7.64	9.7	25.9			

Observations Key:

N/A = Not Applicable
1 = Living
0 = Dead

N = Normal
ON = On Bottom
OS = On Surface
LETH = Lethargic
SM = Small

PRE = Precipitate
FC = Flared Carapace
CO = Caught On

CLDY = Cloudy
F = Film
UM = Undissolved Material

CL = Clear/Colorless
ERR = Erratic Swimming

Comments:

Environmental Resource Analysts, Inc.
2975 Brown Ct
Auburn, AL 36830
(334) 502-3444

SOP 610.4

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Test #: 74-164

Client: ABC Coke

Sample Type: eff

% Dilution: 16

Test Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp °C OLD	Feed AM	Sample # Used	Analysis & Water Change Date/Time/Analyst	pH 100%	Obs.
						pH NEW	DO NEW	Temp °C NEW	Feed PM				
Start	10	10	10	10	40	N/A	N/A	N/A	N/A	181558-01b	07/17/2018 13:05 HA	7.77	N
						7.58	8.8	24.5	15:15				
1	10	10	10	10	40	7.49	6.6	25.9	8:30	181558-01b	7-18-18 12:35 BU	7.78	N
						7.27	8.5	24.9	13:00				
2	10	10	10	10	40	7.66	5.9	24.9	8:35	181561-01b	7-19-18 13:05 RR	7.76	N
						7.62	9.8	25.2	13:30				
3	10	10	10	10	40	7.47	6.2	25.7	8:00	181561-01b	7-20-18 11:05 BU	7.61	N
						7.55	9.0	24.6	13:00				
4	10	10	10	10	40	7.40	5.3	25.4	8:00	181726-01b	07/21/2018 13:35 HA	7.76	N
						7.65	8.5	26.1	14:30				
5	10	10	10	10	40	7.33	4.8	25.1	9:00	181726-01b	07/22/2018 12:35 HA	7.78	N
						7.61	8.9	24.5	14:00				
6	10	10	10	9	39	7.52	6.0	24.4	9:15	181726-01b	7-23-18 11:50 BU	7.86	N
						7.58	9.0	24.6	14:30				
7	10	10	10	9	39	7.50	5.6	25.4	N/A	N/A	No Water Change	8.05	N
						N/A	N/A	N/A	N/A		7/24/18 14:20 AF		
						Test Min	7.27	4.8	24.1				
						Test Max	7.66	9.3	25.9				

Observations Key:

N/A = Not Applicable
1 = Living
0 = Dead

N = Normal
ON = On Bottom
OS = On Surface
LETH = Lethargic
SM = Small

PRE = Precipitate
FC = Flared Carapace
CO = Caught On

CLDY = Cloudy
F = Film
UM = Undissolved Material

CL = Clear/Colorless
ERR = Erratic Swimming

Comments:

Environmental Resource Analysis, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

Q/A Rev'd By J

DRY WEIGHT DETERMINATION FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Test # 74 -164 Balance#: 2
 Date/Time/Analyst In Oven: 7/24/18 15:00 AF Date/Time/Analyst Out Oven: 7/25/18 15:00 RR
 Temp C In: 60.0 Temp C Out: 60.0

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
Blank	1	0.9919	0.9919	N/A	N/A	N/A
Control	1	1.00680	1.01430	9	0.750	0.783
	2	1.01103	1.01900	10	0.797	
	3	1.02920	1.03699	10	0.779	
	4	1.07204	1.08010	10	0.806	

QA'd by Jc

Test Number: 74 -164 Client: ABC Coke

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
% Dilution: 16 Sample Type: effluent	1	1.00966	1.01709	10	0.743	0.748
	2	1.02528	1.03270	10	0.742	
	3	0.98914	0.99699	10	0.785	
	4	1.04967	1.05689	9	0.722	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	

QA'd By 

3 BROOD CERIODAPHNIA TOXICITY TEST

Date/Time Start 7/17/2018 12:30 Test # 74-164 Randomization Board #: 071618BU Age Of Test Organisms 0 - 4 Hrs
 Date/Time Finish 7/25/2018 11:55
 pH Meter/Probe AB15-3/12
 DO Meter/Probe YSI 2/2
 Thermometer ID 773237-1
 Photoperiod: 16 hrs Light / 8 Hrs Dark
 Water Volume: 20 mLs
 Algae Lot 272 cells/mL 3*10⁷
 Yeast Lot 276 g/L Solids 1.860
 Vol Fed Per Cup (µL) 130

Test Day											TOTAL	pH OLD	DO OLD	Temp °C OLD	MHRW Dilution Lot	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.
	1	2	3	4	5	6	7	8	9	10		pH NEW	DO NEW	Temp °C NEW				
Start	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	3614	7-17-18 12:30 BU	16:00	N
1	1	1	1	1	1	1	1	1	1	1	10	7.58	7.8	25.8	3617	7-18-18 12:30 RR	16:30	N
											7.42	8.6	25.4					
2											0	7.79	8.0	24.9	3618	7/19/2018 13:00 AF	16:30	N
											7.64	9.0	24.5					
3	1	1	1	1	1	1	1	1	1	1	10	7.37	7.9	25.6	3619	07/20/2018 11:15 HA	16:30	N
	5 1 ^{end}				4 1 ^{end}	3 1 ^{end}	1 1 ^{end}	3 1 ^{end}	3 1 ^{end}	4 1 ^{end}		7.61	8.6	24.2				
4	1	1	1	1	1	1	1	1	1	1	10	7.49	7.9	25.1	3619	7/21/18 12:30 RR	15:00	N
		4 1 ^{end}	3 1 ^{end}	4 1 ^{end}	6 2 ^{end}							7.61	8.5	24.1				
5	1	1	1	1	1	1	1	1	1	1	10	7.51	8.1	25.2	3620	7/22/18 13:00 RR	16:00	N
	7 2 ^{end}	7 2 ^{end}	2 2 ^{end}	7 2 ^{end}		6 2 ^{end}	8 2 ^{end}	3 2 ^{end}		6 2 ^{end}		7.56	8.3	24.9				
6	1	1	1	1	1	1	1	1	1	1	10	7.75	8.3	24.7	3621	7/23/18 14:30 AF	17:00	N
	13 3 ^{end}							1 2 ^{end}	11 2 ^{end}	3 2 ^{end}		7.47	9.7	24.8				
7	1	1	1	1	1	1	1	1	1	1	10	7.58	7.7	24.2	3622	7/24/18 14:00 HA	17:30	N
	1 3 ^{end}	13 3 ^{end}	16 3 ^{end}	15 3 ^{end}	8 3 ^{end}	14 3 ^{end}	15 3 ^{end}	14 3 ^{end}		14 3 ^{end}		7.86	8.5	24.8				
8	1	1	1	1	1	1	1	1	1	1	10	7.79	7.9	25.1	N/A	7/25/18 11:55 RR	N/A	N
			4 3 ^{end}		2 3 ^{end}					7 3 ^{end}		N/A	N/A	N/A				
Neonates	24	24	25	26	20	23	24	21	21	27		7.37	7.7	24.1	Test Minimum			
Observations Key:												7.86	9.7	25.8	Test Maximum			
Comments:																		

N = Normal
 ON = On Bottom
 OS = On Surface
 LETH = Lethargic
 SM = Small
 PM = Particulate Matter
 ERR = Erratic Swimming
 UM = Undissolved Material
 PRE = Precipitate
 FC = Flared Carapace
 CL = Clear/Colorless
 F = Film
 CLDY = Cloudy
 CO = Caught ON
 N/A = Not Applicable
 End = End of Brood

AVERAGE # Neonates per Female
23.5

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

SOP 609.4

3 BROOD CERIODAPHNIA TOXICITY TEST

EPA METHOD 1002.0

Client: ABC Coke

Age of Test organisms: 0-4 Hrs

Test # 74-164
Sample Type: eff
% Dilution: 16

Test Day											TOTAL	pH OLD	DO OLD	Temp °C OLD	Sample # Used	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.
	1	2	3	4	5	6	7	8	9	10		pH NEW	DO NEW	Temp °C NEW				
Start	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	181558-01b	7-17-18 12:35 BU	15:15	N
1	1	1	1	1	1	1	1	1	1	1	10	7.58	8.8	24.5	181558-01b	7-18-18 12:35 RR	16:00	N
2	1	1	1	1	1	1	1	1	1	1	10	7.59	8.7	25.8	181558-01b	7-18-18 12:35 RR	16:00	N
3	1	1	1	1	1	1	1	1	1	1	10	7.27	8.5	24.9	181561-01b	7/19/2018 13:05 AF	16:30	N
4	1	1	1	1	1	1	1	1	1	1	10	7.90	7.8	24.9	181561-01b	7/19/2018 13:05 AF	16:30	N
5	1	1	1	1	1	1	1	1	1	1	10	7.62	9.3	25.2	181561-01b	07/20/2018 11:20 HA	16:30	N
6	1	1	1	1	1	1	1	1	1	1	10	7.56	7.8	25.6	181561-01b	07/20/2018 11:20 HA	16:30	N
7	1	1	1	1	1	1	1	1	1	1	10	7.55	9.0	24.6	181561-01b	07/20/2018 11:20 HA	16:30	N
8	1	1	1	1	1	1	1	1	1	1	10	7.55	9.0	24.6	181561-01b	07/20/2018 11:20 HA	16:30	N
9	1	1	1	1	1	1	1	1	0	1	9	7.50	8.1	25.1	181726-01b	7/21/18 12:35 RR	15:00	N
10	1	1	1	1	1	1	1	1	1	1	9	7.65	8.5	24.1	181726-01b	7/21/18 12:35 RR	15:00	N
11	1	1	1	1	1	1	1	1	1	1	9	7.59	8.3	25.2	181726-01b	7/22/18 13:05 RR	16:00	N
12	1	1	1	1	1	1	1	1	1	1	9	7.61	8.9	24.5	181726-01b	7/22/18 13:05 RR	16:00	N
13	1	1	1	1	1	1	1	1	1	1	9	7.96	8.1	24.6	181726-01b	7/23/18 14:35 AF	17:00	N
14	1	1	1	1	1	1	1	1	1	1	9	7.58	9.0	24.6	181726-01b	7/23/18 14:35 AF	17:00	N
15	1	1	1	1	1	1	1	1	1	1	9	7.64	7.7	24.4	181726-01b	7/24/18 14:05 HA	17:30	N
16	1	1	1	1	1	1	1	1	1	1	9	7.65	8.8	25.0	181726-01b	7/24/18 14:05 HA	17:30	N
17	1	1	1	1	1	1	1	1	1	1	9	7.87	7.0	24.2	N/A	7/25/18 12:00 RR	N/A	N
18	1	1	1	1	1	1	1	1	1	1	9	N/A	N/A	N/A	N/A	7/25/18 12:00 RR	N/A	N
Neonates	24	24	21	23	20	21	21	23	1	24		7.27	7.7	24.1	Test Minimum			
Observations Key:												7.96	9.3	25.8	Test Maximum			
													Comments:					
													AVERAGE # Neonates per Female					
													20.2					
N = Normal ON = On Bottom OS = On Surface LETH = Lethargic SM = Small PM = Particulate Matter ERR = Erratic Swimming UM = Undissolved Material PRE = Precipitate FC = Flared Carapace CL = Clear/Colorless F = Film CLDY = Cloudy CO = Caught ON N/A = Not Applicable End = End of Brood																		
Environmental Resource Analysts, Inc. 2975 Brown Ct. Auburn, AL 36830 (334) 502-3444																		

Larval Fish Growth and Survival Test-7 Day Growth

Start Date: 7/17/2018	Test ID: 74-164fh	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: PP-Pimephales promelas
Comments:		

Conc-%	1	2	3	4
Control	0.7500	0.7970	0.7790	0.8060
eff	0.7430	0.7420	0.7850	0.7220

Conc-%	Mean	N-Mean	Transform: Untransformed					N	t-Stat	1-Tailed	
			Mean	Min	Max	CV%	Critical			MSD	
Control	0.7830	1.0000	0.7830	0.7500	0.8060	3.154	4	1.933	1.943	0.0352	
eff	0.7480	0.9553	0.7480	0.7220	0.7850	3.542	4				

Auxiliary Tests	Statistic	Critical	Skew	Kurt		
Shapiro-Wilk's Test indicates normal distribution (p > 0.01)	0.95812	0.749	0.16637	-0.7385		
F-Test indicates equal variances (p = 0.91)	1.15082	47.4672				
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs Control	0.03619	0.04495	0.00245	0.00066	0.10148	1, 6

Ceriodaphnia Survival and Reproduction Test-7 Day Survival

Start Date: 7/17/2018	Test ID: 74-164c	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: CD-Ceriodaphnia dubia
Comments: stat analysis conducted by JF		

Conc-%	1	2	3	4	5	6	7	8	9	10
Control	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Eff	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.0000	1.0000

Conc-%	Mean	N-Mean	Resp	Not Resp	Total	N	Fisher's Exact P	1-Tailed Critical
Control	1.0000	1.0000	0	10	10	10		
Eff	0.9000	0.9000	1	9	10	10	0.5000	0.0500

Hypothesis Test (1-tail, 0.05)

Fisher's Exact Test indicates no significant differences
Treatments vs Control

Ceriodaphnia Survival and Reproduction Test-Reproduction

Start Date: 7/17/2018 Test ID: 74-164c Sample ID: EFF
 End Date: Lab ID: ERA Sample Type: EFF2-Industrial
 Sample Date: Protocol: EPAF 94-EPA/600/4-91/002 Test Species: CD-Ceriodaphnia dubia
 Comments: stat analysis conducted by JF

Conc-%	1	2	3	4	5	6	7	8	9	10
Control	24.000	24.000	25.000	26.000	20.000	23.000	24.000	21.000	21.000	27.000
Eff	24.000	24.000	21.000	23.000	20.000	21.000	21.000	23.000	1.000	24.000

Conc-%	Mean	N-Mean	Transform: Untransformed					N	Rank Sum	1-Tailed Critical
			Mean	Min	Max	CV%				
Control	23.500	1.0000	23.500	20.000	27.000	9.672	10			
Eff	20.200	0.8596	20.200	1.000	24.000	34.203	10	85.00	82.00	

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates non-normal distribution (p <= 0.01)	0.63169	0.868	-3.2075	12.2304
F-Test indicates unequal variances (p = 2.82E-03)	9.23871	6.54109		
Hypothesis Test (1-tail, 0.05)				
Wilcoxon Two-Sample Test indicates no significant differences Treatments vs Control				

Toxicity Benchsheet

Client: 74 - ABC Coke

Sample	Sample #	Collection Date/Time	pH 100%/ Temperature(°C)	TRC mg/L	Analysis Date/Time/ Analyst	pH Meter/Probe	TRC Meter
#1	181558-01b	7/16/18 7:30	7.77/ 24.2	N/A	7/17/2018 12:00 BU	AB15-3/24	N/A
#2	181561-01b	7/18/18 7:30	7.76/24.6	N/A	7/19/18 12:37 AF	AB15-3/24	N/A
#3	181726-01b	7/20/18 7:30	7.79/ 24.9	N/A	7-20-18 14:57 BU	AB15-3/24	N/A

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.51	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.78	*****	7.06		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	7.27	22.56		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.01	1.34		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.0 monthly average	49.5 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	7.17	21.93		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	66 monthly average	99 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.926	1.175		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	09/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	0.59	0.59	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****		*****	Monthly	Composite
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.31	0.31	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****		*****	Monthly	Composite
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****		*****	Weekly	Composite
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****		*****	2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.28940	0.32673	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
CYANIDE, FREE AVAILABLE	Sample Measurement	0.016	0.020	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****		*****	2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	09/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	5300	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	0	Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	5.92	6.60	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	56 monthly average	84 maximum daily		*****	*****	*****		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	09/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.80	*****	6.87		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	10.67	18.00		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	7.63	9.77		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.68	0.69		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.44	0.52		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	09/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.455	1.830	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	09/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-08-01 To: 2018-08-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.51	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				Weekly
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.78	*****	7.06	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				Daily
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	7.27	22.56	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				Weekly
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.01	1.34	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.0 Monthly Average	49.5 Maximum Daily		*****	*****	*****				Weekly
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	7.17	21.93	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	66 Monthly Average	99 Maximum Daily		*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.926	1.175	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				2X Monthly

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246
Birmingham, AL 35202-0246

MONITORING 0011

COUNTY:

Jefferson

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue
Tarrant, AL 35217

POINT:

Monitoring Period : 2018-08-01 To: 2018-08-31

NO DISCHARGE FROM SITE:

()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	0.59	0.59	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****			Monthly	Composite
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.31	0.31	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****			Monthly	Composite
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****			Weekly	Composite
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.28940	0.32673	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.016	0.020	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****			2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417

MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period : 2018-08-01 To: 2018-08-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
TOXICITY, PIMEPHALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****			Monthly	Grab
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	5300	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Composite
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	5.92	6.60	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	56 Monthly Average	84 Maximum Daily		*****	*****	*****			Weekly	Composite
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021

COUNTY: Jefferson

Monitoring Period : 2018-08-01 To 2018-08-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.80	*****	6.87		0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	10.67	18.00		0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily	19 mg/l		Weekly	Grab
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	7.63	9.77		*****	*****	*****		0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Weekly	Grab
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily	26 lbs/day	*****	*****	*****			Monthly	Grab
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.68	0.69		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.44	0.52		0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily	19 mg/l		2X Monthly	Grab

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246

MONITORING POINT: 0021

COUNTY: Jefferson

Jefferson

Birmingham, AL 35202-0246

FACILITY: Abc Coke Div Drummond Co Inc

POINT:

LOCATION: 900 Huntsville Avenue
Tarrant, AL 35217

Monitoring Period : 2018-08-01 To: 2018-08-31

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1.455	1.830	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated
Name/Title of Principal Executive Officer Or Authorized Agent		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)



LRS, Inc.

Laboratory Resources & Solutions, Inc.

P.O. Box 1260
205 6th Avenue
Ashville, AL 35953
(205) 594-1445
www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
P.O. Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project ID: **001 Chronic Toxicity – August 2018**

Date: September 13, 2018

Data Reviewed by:

Wayne J. Gaston

Wayne Gaston
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
wgaston@lab-resource.com

- * Unless otherwise noted, all analyses on this report performed at Environmental Resource Analysts, Inc. (ERA), 2975 Brown Court, Auburn, AL 36830.
- * These results relate only to the items tested. This report may only be reproduced in full.
- * Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

**ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
TOXICITY TEST REPORT SUMMARY**

1. GENERAL:

NPDES PERMIT NO.: AL0003417 DSN: 001 COUNTY: Jefferson
 Permittee: ABC Coke, Inc.
 Facility Name: ABC Coke, Inc.
 Agent Submitting Report: : Mr. Jeff McCord Lab
 Conducting Toxicity Test(s): ERA, 2975 Brown Court, Auburn, AL 36830
 Months To Test: Monthly
 This Report for Toxicity Test(s) Required for the Month of: Aug
 Scheduled Test(s): Yes X No Accelerated Test(s): Yes No X
 Accelerated Test Number of For Failed Scheduled Test Date:
 Test Type Required: 48 -Hr Acute Screening: -Hr Acute Definitive:
 Short-term Chronic Screening: X Short-term Chronic Definitive:

Test Organism: Ceriodaphnia dubia Test Organism: Pimephales promelas

Sam	Date/Time Start	Date/Time Ended	Control	Date/Time Start	Date/Time Ended	Control
No.	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid
1	8/07/18 13:30	8/15/18 11:30	Yes	8/07/18 13:45	8/14/18 11:45	Yes

2.A. SUMMARY OF RESULTS FOR SCREENING TESTS:

Test	Eff.	Test Number											
		(1)			(2)			(3)			(4)		
Org.	Conc	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow
P.p.	16%	PASS	N/A	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
C.d.	16%	PASS	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

3. LABORATORY ANALYSES OF UNDILUTED SAMPLES(S):

SAMPLE	BOD5	TSS	NH3	pH	Alk	Hard-EFF	TRC	Conductivity
Id.	mg/l	mg/l	mg/l	su	mg/l	mg/l	mg/l	uS
1	----	-----	<0.200	7.6	205	24.4	NA	3,850
2	----	-----	<0.200	7.7	197	14.3	NA	3,750
3	----	-----	<0.200	7.6	221	20.4	NA	3,430

Chemical Analyses Performed By (Lab): ERA

Total 24 Hour Flow: (1) 0.312 MGD (2) 0.318 MGD (3) 0.299 MGD

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF RESPONSIBLE OFFICIAL: _____ DATE: _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 08/07/18

4. SAMPLE COLLECTION:

Split Samples: N/A X Yes (Explain) _____
 Samples Collected as Specified in the NPDES Permit: Yes X No (Explain) _____
 Receiving Water: Five Mile Creek
 Design Flow: 0.406 (MGD)

Sample Id.	Sample(s) Collected	Arrival Temp. °C.	Used in Test(s)
1	8/05/18 0730 - 8/06/18 0730	3.5	8/07/18 - 8/08/18
2	8/07/18 0730 - 8/08/18 0730	6.0	8/09/18 - 8/10/18
3	8/09/18 0730 - 8/10/18 0730	3.3	8/11/18 - 8/13/18

5. CONTROL/DILUTION WATER:

Type	Prepared	Begin Use	Initial Water Chemistries			
			MM/DD/YY	MM/DD/YY	Hard.	Alk.
MHRW	7/30/18	8/07/18	88	59	7.6	302 @ 25
MHRW	7/30/18	8/09/18	100	59	7.5	299 @ 25
MHRW	8/07/18	8/11/18	92	61	7.6	289 @ 25
MHRW	8/07/18	8/13/18	100	59	7.6	301 @ 25

6. TOXICITY TEST INFORMATION:

Test	Organism	Organism	Test Solution Concentrations (%)			
Species	Age	Source				
P.p.	1-2 days	Florida Bioassay Supply	16%			
C.d.	10-5 hrs	ERA	16%			

Test	Test Vessel	Vessel	Solution	Org./Test	Replicates
Species	Type	Vol. (mL)	Vol. (mL)	Vessel	Per Conc.
P.p.	plastic beaker	500	250	10	2
C.d.	plastic beaker	25	20	5	4

Test	Temp. Range	D.O. Range	pH Range	Light Intensity
Species	(°C.)	(mg/L)	(su)	Average (ft.-c.)
P.p.	24.0 - 25.9	6.4 - 9.3	7.2 - 8.0	75
C.d.	24.0 - 25.9	7.8 - 9.3	7.0 - 8.0	75

7. FEEDING:

Not Fed: Fed Daily: X Fed Irregular: (Explain in Comments Below)
 Brine Shrimp: Fed 0.15 g Suspension of Newly Hatched Larvae 2 Times Daily.
 YCT: Fed 0.130 mL Suspension Containing 1.83 g/L TS Daily.
 Algae: Fed 0.130 mL Suspension Containing 3.0 x 10⁷ Algal Cells/mL Daily.

COMMENTS:

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 08/07/18

8. REFERENCE TOXICANT TESTS:

TOXICANT: Sodium Chloride SOURCE: Fisher Scientific CAS#: 7647-14-5
Solution Concentration Unit: mg/L _____ g/L X % _____ Other (specify)

Chronic:

Test	Test Date	Control	Reference Test Solution Concentrations						
Org.	MM/DD - MM/DD	Water	(Control to Highest Conc.)						
P.p.	8/21/18-8/28/18	MHRW	0	2.0	4.0	6.0	8.0	10.0	
C.d.	8/21/18-8/28/18	MHRW	0	0.5	1.0	1.5	2.0	2.5	
Test	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit				NUMBER		
Org.	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit				(N)		
P.p.	Survival	4.0	2.0 - 4.0				20		
P.p.	Growth	2.0	2.0 - 4.0				20		
C.d.	Survival	1.5	0.5 - 1.5				20		
C.d.	Reproduction	1.0	0.25- 1.0				20		

Raw Data on File With ADEM Toxics Unit

9. TEST CONDITION VARIABILITY:

9.A. Deviations From Standard Test Conditions:

None

9.B. Test Solution Manipulations or Test Modifications:

None

10. REQUIRED REPORT ATTACHMENTS:

Attach Copies Of Chain-of-Custody Forms, Reference Toxicant Tests, And Raw Data (Bench Sheets) Pertaining To Physical, Chemical, And Biological Measurements For All Tests. Include Suspended, Interrupted, or Discontinued Toxicity Tests Data.

11.C CHRONIC SCREENING TOXICITY TESTS RESULTS (Freshwater):

TEST ORGANISM: Ceriodaphnia dubia

Were Neonates Used to Begin the Test Within 8 hours of the same age?: Yes
Did 60% of the CONTROL Females Produce Their Third Brood? YES: X NO:

SURVIVAL

CHRONIC TOXICITY INDICATED: YES _____ NO X

NO SURVIVAL STATISTICAL ANALYSIS NECESSARY: X

CONTROL(%) 24h 100 48h 100 End 80 EFFLUENT(%): 24h 100 48h 100 End 100

Fishers Exact Test: A = _____, B = _____, a = _____, b = _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 08/07/18

REPRODUCTION (Average Neonates/Female)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 17.0 EFFLUENT(%): 19.1

NO REPRODUCTION STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F: _____

/ Test Statistic: _____ / Test Critical Value: _____

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

TEST ORGANISM: Pimephales promelas

MORTALITY

CHRONIC TOXICITY INDICATED: YES NO

CONTROL(%) 24h 100 48h 100 7day 95 EFFLUENT(%): 24h 100 48h 100 7day 83

NO MORTALITY STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.903 Critical Value: 0.749 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 3.67 Critical F: 47.5

/ Test Statistic: 1.733 / Test Critical Value: 1.943

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

GROWTH - Mean Dry Weight (mg)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 0.631 mg EFFLUENT: 0.676 mg

NO GROWTH STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: _____ Critical Value: _____ (Parametric)

Equal Variance: Unequal Variance:

F Statistic: _____ Critical F: _____

/ Test Statistic: _____ / Test Critical Value: _____

Sample Rank Sum: _____ #Reps.: _____ Critical Rank Sum: _____ (Non-Parametric)

COMMENTS:

Billing Information:

LRS, Inc.
 P.O. Box 1260
 205 6th Avenue
 Ashville, Alabama 35953
 (205) 594-1445
 wgaston@lab-resource.com



LRS Client Information:

ABC Coke
 P.O. Box 10246
 Birmingham, AL 35202

3540010

"Report to" Contact:

Mr. David Vance

Analysis/Container/Preservative

Chain of Custody
 Page 1 of 1

Laboratory Resources & Solutions, Inc. (LRS)
 A Laboratory Service Provider



Laboratory:
 Environmental Resource Analysts, Inc.
 2975 Brown Court
 Auburn, AL 36830

Project Name: 001 Chronic Toxicity

City/State collected:
 Birmingham, Alabama
 P.O. #

Collected by: *A. B. Bagel*

Permit #: **AL0003417**

Collected by (signature):

A. Bagel

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS
 Same Day (200%)
 Next Day (100%)
 Two Day (50%)
 Three Day (25%)

Date Results Needed:

Packed on Ice? N Y

Number of Containers

Chronic Toxicity E1000.0 / E1002.0
 (One 1-gallon HDPE, non-preserved)

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative	Sample Remarks
001 Discharge	Comp.	8-5-18	0730	8-6-18	0730	1	X	<i>Residuals</i>

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____
 Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall In Inches _____ Flow _____ Other _____

Relinquished by: (Signature) <i>A. Bagel</i>	Date: 8-6-18	Time: 11:09	Received by: (Signature) <i>Scott Smith</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)
Relinquished by: (Signature) <i>Scott Smith</i>	Date: 8-7-18	Time: 1:00	Received by: (Signature) <i>B. Bailey</i>	Temp: <i>3.5</i>	Bottles Received:
Relinquished by: (Signature) <i>B. Bailey</i>	Date: 8-7-18	Time: 11:04	Received for lab by: (Signature) <i>D. ...</i>	Date: <i>08/07/18</i>	Time: <i>11:04</i>

Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com



Client LRS

Sample # 10229-27

ERA Cooler Receipt Form

06/18
BU
PP

1. Condition of Cooler Upon Unpacking

A. Date & Time of Cooler Unpacking 8-7-18/11:04 Receiving Analyst: BU/BS

B. Method of Delivery:

Fed Ex UPS USPS ERA Driver Client Drop Off Other
Tracking Number _____

C. Condition of Custody Seal upon arrival: Absent Present & Broken by ERA Driver Present & sealed Present & broken

2. Condition of Cooler Contents

A. Chain Of Custody Information: Completed Incomplete,

B. Cooling Process Solid Ice Ice pack Dry Ice None Other

C. Packaging Materials: Bubble Wrap None Other: _____

D. Broken Bottles? No Yes If yes, which? _____

E. Temperature °C 3.5 Thermometer ID: Iowa Time: 11:04 Initials: BU

Reason for incorrect temp: ($>6.0^{\circ}\text{C}$) Frozen Beginning of Cooling process Ice melted Other

3. Sample Information and Verification

A. Sample Numbers match Chain of Custody? Yes No, Labels to be made.

Correct bottle types used for each sample? Yes No, _____

All samples arrived within holding time? Yes No, _____

B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, _____

C. Samples with preservative have been checked and are in the correct pH range? Yes, no preservatives needed No, see preservative info Not applicable

D. Hexane Lot for O&G N/A

E. Trip Blanks Absent Present N/A

Additional Preservative information	
1	Preservative Type: _____
2	Preservative Lot # _____
3	pH Strip Lot # _____
4	Date/Time/Initials _____

4. Comments and Resolutions

A. Was a non-conformance form needed for any samples received in the cooler? Yes No
If yes, Date Started: _____ Analyst: _____

B. Additional Comments: _____

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 8-7-18/11:04 Initial: BU QA/QC Review By: _____

Billing Information:

LRS, Inc.
P.O. Box 1260
205 6th Avenue
Ashville, Alabama 35953
(205) 594-1445
wgaston@lab-resource.com



LRS Client Information:

ABC Coke
P.O. Box 10246
Birmingham, AL 35202

354-0819
"Report to" Contact:
Mr. David Vance

Analysis/Container/Preservative

Chronic Toxicity E1000.0 / E1002.0 (One 1-gallon HDPE, non-preserved)																				
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Chain of Custody
Page 1 of 1

**Laboratory Resources
& Solutions, Inc. (LRS)**
A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Project Name: 001 Chronic Toxicity

City/State collected:

Birmingham, Alabama

P.O. #

Collected by: *A Bourgeois*

Permit #: AL0003417

Collected by (signature): *A Bourgeois*

Project Turnaround (Begins on Lab Login Date)

- RUSH?** Please Notify LRS
- Same Day (200%)
 - Next Day (100%)
 - Two Day (50%)
 - Three Day (25%)

Date Results Needed:

Packed on ice? N Y

Number of Containers

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*
001 Discharge	Comp.	8-7-18	0730	8-8-18	0730

Sample Remarks

102 2580g

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____

Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Relinquished by: (Signature) <i>A Bourgeois</i>	Date: 8/8/18	Time: 1:00p	Received by: (Signature) <i>Joseph Smith</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)
Relinquished by: (Signature) <i>Joseph Smith</i>	Date: 8/8/18	Time: 1:00p	Received by: (Signature) <i>B. Bailey</i>	Temp: 6.0°C	Bottles Received: <i>on ice</i>
Relinquished by: (Signature) <i>B. Bailey</i>	Date: 8/9/18	Time: 10:45	Received for lab by: (Signature) <i>Alex Edwards</i>	Date: 08/09/18	Time: 1045

Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com



Client LRS

Sample # 182851-29

ERA Cooler Receipt Form

1. Condition of Cooler Upon Unpacking

A. Date & Time of Cooler Unpacking 8-9-18/10:45 Receiving Analyst: BU

B. Method of Delivery:

Fed Ex UPS USPS ERA Driver Client Drop Off Other _____
Tracking Number _____

C. Condition of Custody Seal upon arrival: Absent Present & Broken by ERA Driver Present & sealed Present & broken

2. Condition of Cooler Contents

A. Chain Of Custody Information: Completed Incomplete, _____

B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____

C. Packaging Materials: Bubble Wrap None Other: _____

D. Broken Bottles? No Yes If yes, which? _____

E. Temperature °C 3.6 Thermometer ID: Iowa Time: 10:45 Initials: BU

Reason for incorrect temp: (>6.0°C) Frozen Beginning of Cooling process Ice melted Other _____

3. Sample Information and Verification

A. Sample Numbers match Chain of Custody? Yes No, _____

Correct bottle types used for each sample? Yes No, _____

All samples arrived within holding time? Yes No, _____

B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, _____

C. Samples with preservative have been checked and are in the correct pH range? Yes, no preservatives needed No, see preservative info Not applicable

D. Hexane Lot for O&G N/A

E. Trip Blanks Absent Present N/A

Additional Preservative information	
1	Preservative Type: _____
2	Preservative Lot # _____
3	pH Strip Lot # _____
4	Date/Time/Initials _____

4. Comments and Resolutions

A. Was a non-conformance form needed for any samples received in the cooler? Yes No
If yes, Date Started: _____ Analyst: _____

B. Additional Comments: _____

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 8-9-18 Initial: BU/10:45 QA/QC Review By: [Signature]

Billing Information:

LRS, Inc.
P.O. Box 1260
205 6th Avenue
Ashville, Alabama 35953
(205) 594-1445
wgaston@lab-resource.com



LRS Client Information:

ABC Coke
P.O. Box 10246
Birmingham, AL 35202

359-0018

"Report to" Contact:
Mr. David Vance

Project Name: 001 Chronic Toxicity

Collected by: A Bourgeois
Permit #: AL0003417

City/State collected:
Birmingham, Alabama
P.O. #

Collected by (signature):
A Bourgeois
Packed on Ice? N Y

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS

Same Day (200%)
 Next Day (100%)
 Two Day (50%)
 Three Day (25%)

Date Results Needed:

Number of Containers

Chronic Toxicity E1000.0 / E1002.0
(One 1-gallon HDPE, non-preserved)

Analysis/Container/Preservative

Laboratory Resources
& Solutions, Inc. (LRS)
A Laboratory Service Provider



Laboratory:
Environmental Resource Analysts, Inc.
2975 Brown Court
Auburn, AL 36830

Sample Remarks

102 313 da

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative
001 Discharge	Comp.	8-9-18	0730	8-10-18	0730	1	X

*Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____

pH _____ Temp _____
Rainfall in Inches _____ Flow _____ Other _____

Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler*

Relinquished by: (Signature) A Bourgeois	Date: 8/10/18	Time: 9:34	Received by: (Signature) B. Bauler	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)
Relinquished by: (Signature) B. Bauler	Date: 8/10/18	Time: 2:00	Received by: (Signature) B. Bauler	Temp: 3.3°C	Bottles Received:
Relinquished by: (Signature) B. Bauler	Date: 8/10/18	Time: 2:30	Received for lab by: (Signature) [Signature]	Date: 09/18/18	pH Checked: NCF:

Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com



Client LRS Sample # _____

ERA Cooler Receipt Form

1. Condition of Cooler Upon Unpacking

A. Date & Time of Cooler Unpacking 08/10/18 / 1430 Receiving Analyst: AF

B. Method of Delivery:

Fed Ex UPS USPS ERA Driver Client Drop Off Other _____
Tracking Number NIA Present & Broken Present & Present &

C. Condition of Custody Seal upon arrival: Absent by ERA Driver sealed broken

2. Condition of Cooler Contents

A. Chain Of Custody Information: Completed Incomplete, _____

B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____

C. Packaging Materials: Bubble Wrap None Other: _____

D. Broken Bottles? No Yes If yes, which? _____

E. Temperature °C 3.3 Thermometer ID: H201 Time: 1435 Initials: DD
Reason for incorrect Frozen Beginning of Cooling process Ice melted
temp: (>6.0°C) Other _____

3. Sample Information and Verification

A. Sample Numbers match Chain of Custody? Yes No, Labels to be made

Correct bottle types used for each sample? Yes No, _____

All samples arrived within holding time? Yes No, _____

B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, _____

C. Samples with preservative Yes, no preservatives needed
have been checked and are in No, see preservative info
the correct pH range? Not applicable

D. Hexane Lot for O&G N/A

E. Trip Blanks Absent Present N/A

Additional Preservative information	
1	Preservative Type: _____
2	Preservative Lot # _____
3	pH Strip Lot # _____
4	Date/Time/Initials _____

4. Comments and Resolutions

A. Was a non-conformance form needed for any samples received in the cooler? Yes No
If yes, Date Started: _____ Analyst: _____

B. Additional Comments: _____

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 08/10/18 / 1556 Initial: AF QA/QC Review By: _____

SOP 610.4

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Date/Time Start	8/7/18 13:45	Randomization Board #	080618BU	Age Of Organisms	24-48 hrs
Date/Time Finish	8/14/18 11:45	pH Meter/Probe	AB15-3/12		
Test #:	74 - 165	DO Meter/Probe	YSI 2/2		
Source: ABS Lot: 838	CONTROL for Test	Thermometer ID	Indiana		
Brine Shrimp Lot # 30		Photoperiod:	16 hrs Light / 8 Hrs Dark		
		Water Volume:	250 mLs		

Test Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp °C OLD	MHRW Dilution Lot	Feed AM	Analysis & Water Change Date/Time/Analyst	Obs.
						pH NEW	DO NEW	Temp °C NEW		Feed PM		
Start	10	10	10	10	40	N/A	N/A	N/A	3632	N/A	08/07/18 13:45 HA	N
1	10	10	10	10	40	7.7	7.2	25.0	3632	8:20	8/8/18 12:00 RR	N
2	10	10	10	10	40	7.5	7.3	24.8	3633	8:15	8/9/18 14:00 AF	N
3	10	10	10	10	40	7.8	8.6	24.6	3633	15:00	8/10/18 11:45 HA	N
4	10	10	10	9	39	7.5	7.0	25.7	3636	8:02	8/11/18 13:10 HA	N
5	10	10	10	9	39	7.8	8.6	24.7	3636	12:15	8/12/18 12:00 RR	N
6	10	10	9	9	38	7.4	8.1	25.9	3637	9:20	8/13/18 14:45 AF	N
7	10	10	9	9	38	7.7	8.7	24.9	N/A	14:00	No Water Change	N
						7.3	6.6	24.0		9:00	8-14-18 11:45 BU	N
						7.8	8.8	25.9		17:00		

Observations Key:

N/A = Not Applicable
1 = Living
0 = Dead

N = Normal
ON = On Bottom
OS = On Surface
LETH = Lethargic
SM = Small

PRE = Precipitate
FC = Flared Carapace
CO = Caught On

CLDY = Cloudy
F = Film
UM = Undissolved Material

CL = Clear/Colorless
ERR = Erratic Swimming

Comments:

Environmental Resource Analysts, Inc.
2975 Browne Ct.
Auburn, AL 36830
(334) 502-3444

Q/A Rev'd By J

SOP 610.4

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Test #: 74-165

Client: ABC Coke

Sample Type: effluent

% Dilution: 16

Test Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp °C OLD	Feed AM	Sample # Used	Analysis & Water Change Date/Time/Analyst	pH 100%	Obs.
						pH NEW	DO NEW	Temp °C NEW	Feed PM				
Start	10	10	10	10	40	N/A	N/A	N/A	N/A	182247-01b	08/07/18 13:50 HA	7.7	N
1	10	10	10	10	40	7.6	9.2	24.1	14:35	182247-01b	8/8/18 12:05 RR	7.7	N
						7.7	7.7	25.0	8:20				
2	10	10	10	10	40	7.6	6.9	24.8	8:15	182258-01b	8/9/18 14:05 AF	7.7	N
						7.7	9.2	25.3	15:00				
3	10	10	10	10	40	7.6	6.7	25.7	8:02	182258-01b	8/10/18 11:50 HA	7.7	N
						7.7	9.3	24.7	12:15				
4	10	10	9	10	39	7.5	7.3	25.9	9:20	182393-01b	8/11/18 13:15 HA	7.7	N
						7.8	9.3	24.0	14:00				
5	10	10	8	7	35	7.6	7.4	25.1	9:00	182393-01b	8/12/18 12:05 RR	7.7	N
						7.9	8.2	24.3	17:00				
6	10	9	8	7	34	7.5	6.4	25.6	9:10	182393-01b	8/13/18 14:50 AF	7.8	N
						8.0	9.0	25.1	15:45				
7	10	8	8	7	33	7.2	6.6	24.4	N/A	N/A	No Water Change	7.9	N
						N/A	N/A	N/A	N/A		8-14-18 11:50 BU		
Test Min						7.2	6.4	24.0					
Test Max						8.0	9.3	25.9					

Observations Key:

N/A = Not Applicable
1 = Living
0 = Dead

N = Normal
ON = On Bottom
OS = On Surface
LETH = Lethargic
SM = Small

PRE = Precipitate
FC = Flared Carapace
CO = Caught On

CLDY = Cloudy
F = Film
UM = Undissolved Material

CL = Clear/Colorless
ERR = Erratic Swimming

Comments:

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

Q/A Rev'd By J

DRY WEIGHT DETERMINATION FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Test #	74 -165	Balance#:	2
Date/Time/Analyst In Oven:	8-14-18/ 12:30 / BU	Date/Time/Analyst Out Oven:	8-15-18 13:00 HA
Temp C In:	59.2	Temp C Out:	60.1

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
Blank	1	1.01970	1.01969	N/A	N/A	N/A
Control	1	1.03515	1.04194	10	0.679	0.631
	2	1.04223	1.04888	10	0.665	
	3	1.02572	1.03161	9	0.589	
	4	1.02096	1.02688	9	0.592	

QA'd by F

Test Number: 74 - 165 Client: ABC Coke

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
% Dilution: 16 Sample Type: effluent	1	1.00537	1.01307	10	0.770	0.676
	2	1.05042	1.05693	8	0.651	
	3	1.05415	1.06089	8	0.674	
	4	1.04421	1.05029	7	0.608	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	
% Dilution: Sample Type:	1				0.000	0.000
	2				0.000	
	3				0.000	
	4				0.000	

QA'd By J

3 BROOD CERIODAPHNIA TOXICITY TEST

Date/Time Start 8/7/2018 13:30 Test # 74 -165 Randomization Board #: 080618BU Age Of Test Organisms 0-5 Hrs
 Date/Time Finish 8/15/2018 11:30
 pH Meter/Probe AB15-3/12
 DO Meter/Probe YSI 2/2
 Thermometer ID Indiana
 Photoperiod: 16 hrs Light / 8 Hrs Dark
 Water Volume: 20 mLs
 Algae Lot 272 cells/mL 3*10⁷
 Yeast Lot 277 g/L Solids 1.83
 Vol Fed Per Cup (µL) 130

Test Day											TOTAL	pH OLD	DO OLD	Temp °C OLD	MHRW Dilution Lot	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.
	1	2	3	4	5	6	7	8	9	10		pH NEW	DO NEW	Temp °C NEW				
Start	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	3632	8-7-18 13:30 BU	14:15	N
1	1	1	1	1	1	1	1	1	1	1	10	7.6	8.2	25.9	3632	8-8-18 11:30 BU	15:00	N
2	1	1	1	1	1	1	1	1	1	1	10	7.7	7.9	24.8	3633	8-9-18 12:00 BU	13:00	N
3	1	1	1	1	1	1	1	1	1	1	10	7.8	8.6	24.6	3633	8-10-18 11:30 BU	13:00	N
4	1	1	1	1	1	1	1	1	1	1	10	7.7	8.0	25.2	3636	8/11/18 12:00 RR	13:00	N
5	1	1	1	1	1	1	1	1	1	1	10	7.7	8.1	24.7	3636	8/12/18 15:00 HA	16:00	N
6	0	1	1	1	1	1	1	1	0	1	8	7.5	8.0	25.3	3637	8/13/18 12:00 RR	14:00	N
7	0	1	1	1	1	1	1	1	0	1	8	7.0	8.8	25.2	3637	8/14/18 11:30 AF	16:00	N
8	0	1	1	1	1	1	1	1	0	1	8	7.7	7.8	25.2	N/A	8/15/18 11:30 AF	N/A	N
Neonates	20	19	22	20	21	21	23	20	0	24		7.00	7.8	24.0		Test Minimum		
												7.78	8.8	25.9		Test Maximum		

Observations Key:

Comments:

AVERAGE # Neonates per Female
17

- N = Normal
- ON = On Bottom
- OS = On Surface
- LETH = Lethargic
- SM = Small
- PM = Particulate Matter
- ERR = Erratic Swimming
- UM = Undissolved Material
- PRE = Precipitate
- FC = Flared Carapace
- CL = Clear/Colorless
- F = Film
- CLDY = Cloudy
- CO = Caught ON
- N/A = Not Applicable
- End = End of Brood

Environmental Resource Analysts, Inc.
2975 Brown Ct.
Auburn, AL 36830
(334) 502-3444

SOP 609.4

3 BROOD CERIODAPHNIA TOXICITY TEST

EPA METHOD 1002.0

Client: ABC Coke

Age of Test organisms: 0-5 Hrs

Test # 74 -165
Sample Type: effluent
% Dilution: 16

Test Day											TOTAL	pH OLD	DO OLD	Temp °C OLD	Sample # Used	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.
	1	2	3	4	5	6	7	8	9	10		pH NEW	DO NEW	Temp °C NEW				
Start	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	182247-01b	8-7-18 13:35 BU	14:15	N
1	1	1	1	1	1	1	1	1	1	1	10	7.8	7.9	25.7	182247-01b	8-8-18 11:35 BU	15:00	N
2	1	1	1	1	1	1	1	1	1	1	10	7.7	7.8	24.8	182258-01b	8-9-18 12:05 BU	13:00	N
3	1	1	1	1	1	1	1	1	1	1	10	7.9	7.9	25.3	182258-01b	8-10-18 11:35 BU	13:00	N
4	1	1	1	1	1	1	1	1	1	1	10	7.9	7.8	25.2	182393-01b	8/11/18 12:05 RR	13:00	N
5	1	1	1	1	1	1	1	1	1	1	10	7.7	8.6	24.7	182393-01b	8/12/18 15:05 HA	16:00	N
6	1	1	1	1	1	1	1	1	1	1	10	7.6	8.5	25.3	182393-01b	8/13/18 12:05 RR	14:00	N
7	1	1	1	1	1	1	1	1	1	1	10	7.5	8.8	25.1	182393-01b	8/14/18 11:35 AF	16:00	N
8	1	1	1	1	1	1	1	1	1	1	10	7.8	8.1	25.5	N/A	8/15/18 11:35 AF	N/A	N
Neonates	15	16	19	18	19	18	25	26	19	16		7.53	7.8	24.0	Test Minimum			
Observations Key:												8.00	9.3	25.7	Test Maximum			
Comments:																		
N = Normal ON = On Bottom OS = On Surface LETH = Lethargic SM = Small PM = Particulate Matter ERR = Erratic Swimming UM = Undissolved Material PRE = Precipitate FC = Flared Carapace CL = Clear/Colorless F = Film CLDY = Cloudy CO = Caught ON N/A = Not Applicable End = End of Brood													AVERAGE # Neonates per Female					
													19.1					
Environmental Resource Analysts, Inc. 2975 Brown CL Auburn, AL 36830 (334) 502-3444																		

Larval Fish Growth and Survival Test-7 Day Survival

Start Date: 8/7/2018	Test ID: 74-165fh	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: PP-Pimephales promelas
Comments:		

Conc-%	1	2	3	4
Control	1.0000	1.0000	0.9000	0.9000
eff	1.0000	0.8000	0.8000	0.7000

Conc-%	Mean	N-Mean	Transform: Arcsin Square Root					N	t-Stat	1-Tailed	
			Mean	Min	Max	CV%	Critical			MSD	
Control	0.9500	1.0000	1.3305	1.2490	1.4120	7.072	4	1.733	1.943	0.1976	
eff	0.8250	0.8684	1.1544	0.9912	1.4120	15.615	4				

Auxiliary Tests	Statistic	Critical	Skew	Kurt		
Shapiro-Wilk's Test indicates normal distribution (p > 0.01)	0.90299	0.749	1.01305	0.88996		
F-Test indicates equal variances (p = 0.31)	3.67027	47.4672				
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs Control	0.12313	0.13052	0.06207	0.02067	0.13386	1, 6

Toxicity Benchsheet

Client: 74 - ABC Coke

Sample	Sample #	Collection Date/Time	pH 100%/ Temperature(°C)	TRC mg/L	Analysis Date/Time/ Analyst	pH Meter/Probe	TRC Meter
#1	182247-01b	8/6/18 7:30	7.6/20.9	N/A	08/07/18 12:25 HA	AB15-3/24	N/A
#2	182258-01b	8/8/18 7:30	7.7/ 23.9	N/A	8-9-18 11:25 BU	AB15-3/24	N/A
#3	182393-01b	8/10/18 7:30	7.6/23.4	N/A	8/10/18 17:30 AF	AB15-3/24	N/A

Q/A Rev'd By _____



002 STORM WATER MONITORING

SAMPLE DATE:	8/20/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	2:00 PM
WEATHER CONDITIONS:	CLOUDY
CREEK CONDITIONS:	CLEAR
INIT STAFF LEVEL:	83" DATE: 8/20/2018
VOLUME:	17,084,425 GALLONS
FINAL STAFF LEVEL:	50" DATE: 8/25/2018
VOLUME:	9,563,853 GALLONS
TOTAL DISCHARGE VOLUME:	7,520,572 GALLONS
DAILY AVERAGE FLOW:	1.504 MGD

pH:	6.87 SU
TSS(mg/L):	8.4
NH3-N(ppd):	7.78
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE,T (mg/L):	0.522
IRON, T (mg/L):	0.667
O & G (mg/L)	BMDL

SAMPLE DATE:	
SAMPLE LOCATION:	
SAMPLER:	
SAMPLE TIME:	
WEATHER CONDITIONS:	
CREEK CONDITIONS:	
INIT STAFF LEVEL:	DATE:
VOLUME:	
FINAL STAFF LEVEL:	DATE:
VOLUME:	
TOTAL DISCHARGE VOLUME:	
DAILY AVERAGE FLOW:	

pH:	
TSS(mg/L):	
NH3-N(ppd):	
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE,T (mg/L):	
IRON, T (mg/L):	
O & G (mg/L)	

002 STORM WATER MONITORING

SAMPLE DATE:	8/1/2018	
SAMPLE LOCATION:	002 DISCHARGE	
SAMPLER:	NORMAN LOEBLER	
SAMPLE TIME:	1:10 PM	
WEATHER CONDITIONS:	CLOUDY	
CREEK CONDITIONS:	STAINED	
INIT STAFF LEVEL:	84"	DATE: 8/1/2018
	VOLUME: 17,372,016 GALLONS	
FINAL STAFF LEVEL:	44"	DATE: 8/6/2018
	VOLUME: 8,220,490 GALLONS	
TOTAL DISCHARGE VOLUME:	9,151,526 GALLONS	
DAILY AVERAGE FLOW:	1.830 MGD	

pH:	6.80 SU
TSS(mg/L):	18
NH3-N(ppd):	9.77
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE,T (mg/L):	0.354
IRON, T (mg/L):	0.691
O & G (mg/L)	BMDL

SAMPLE DATE:	8/9/2018	
SAMPLE LOCATION:	002 DISCHARGE	
SAMPLER:	NORMAN LOEBLER	
SAMPLE TIME:	2:00 PM	
WEATHER CONDITIONS:	RAIN	
CREEK CONDITIONS:	CLEAR	
INIT STAFF LEVEL:	65"	DATE: 8/9/2018
	VOLUME: 12,849,585 GALLONS	
FINAL STAFF LEVEL:	42"	DATE: 8/14/2018
	VOLUME: 7,688,183 GALLONS	
TOTAL DISCHARGE VOLUME:	5,161,402 GALLONS	
DAILY AVERAGE FLOW:	1.032 MGD	

pH:	6.85 SU
TSS(mg/L):	5.6
NH3-N(ppd):	5.34
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE,T (mg/L):	
IRON, T (mg/L):	
O & G (mg/L)	

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	24.88	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	08/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.34	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.70	*****	7.10		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	8.69	15.93		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	342 monthly average	513 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
OIL & GREASE	Sample Measurement	*B	*B		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	25.0 monthly average	37.5 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.60	2.35		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	33.0 monthly average	49.5 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	5.23	8.60		*****	*****	*****		0	Weekly	Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	66 monthly average	99 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	0.523	0.647		*****	*****	*****		0	2X Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	18.27 monthly average	26.11 maximum daily	26 lbs/day	*****	*****	*****	*****		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [] *****

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
IRON, TOTAL (AS FE)	Sample Measurement	0.74	0.74	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	7.5 monthly average	15.0 maximum daily		*****	*****	*****		*****	0	Monthly
MANGANESE, TOTAL (AS MN)	Sample Measurement	0.38	0.38	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	5.0 monthly average	10 maximum daily		*****	*****	*****		*****	0	Monthly
BENZO (A) PYRENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.0012 monthly average	0.0024 maximum daily		*****	*****	*****		*****	0	Weekly
NAPHTHALENE	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.15 monthly average	0.15 maximum daily		*****	*****	*****		*****	0	Monthly
PHENOLS	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.17 monthly average	0.30 maximum daily		*****	*****	*****		*****	0	2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.31143	0.38848	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	0.022	0.023	26 lbs/day	*****	*****	*****	*****	0	2X Monthly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.145 monthly average	0.475 maximum daily		*****	*****	*****		*****	0	2X Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0011

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 maximum daily		*****	*****	*****		*****	0	Monthly
SOLIDS, TOTAL DISSOLVED	Sample Measurement	*****	5597	26 lbs/day	*****	*****	*****	*****	0	Monthly	Composite
Parameter Code: 70295 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	0	Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	4.50	5.84	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	56 monthly average	84 maximum daily		*****	*****	*****		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 001Q

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	24.88	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Quarterly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	08/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.85	*****	7.15		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	7.07	9.20		0	Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	35 monthly average	70 maximum daily	19 mg/l		Weekly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	0.70	1.40		0	2X Monthly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	10.0 monthly average	15.0 maximum daily	19 mg/l		2X Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	4.13	4.69		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*B		*****	*****	*****		0	Monthly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	26 lbs/day	*****	*****	*****	*****		Monthly	Grab
IRON, TOTAL (AS FE)	Sample Measurement	*****	*****		*****	0.37	0.45		0	2X Monthly	Grab
Parameter Code: 01045 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	3.0 monthly average	6.0 maximum daily	19 mg/l		2X Monthly	Grab
MANGANESE, TOTAL (AS MN)	Sample Measurement	*****	*****		*****	0.22	0.27		0	2X Monthly	Grab
Parameter Code: 01055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	2.0 monthly average	4.0 maximum daily	19 mg/l		2X Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
MAILING ADDRESS: P O Box 10246 , Birmingham, AL 35202-0246

PERMIT NUMBER: AL0003417
MONITORING POINT: 0021

MAJOR COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BENZENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
BENZO (A) PYRENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34247 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
NAPHTHALENE	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
PHENOLS	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****	*****	0	Monthly	Grab
Parameter Code: 46000 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	1.574	1.669	03 MGD	*****	*****	*****	*****	0	Daily	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-849-1342	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2018-09-01 To 2018-09-30

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
OXYGEN, DISSOLVED (DO) PARAM CODE: 00300 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.34	*****	*****	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	*****				
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.70	*****	7.10	12 S.U.	0	Daily	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	9.0 Maximum Daily				
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	8.69	15.93	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	342 Monthly Average	513 Maximum Daily		*****	*****	*****				
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	25.0 Monthly Average	37.5 Maximum Daily		*****	*****	*****				
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	1.60	2.35	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	33.0 Monthly Average	49.5 Maximum Daily		*****	*****	*****				
NITROGEN, KJELDAHL TOTAL (AS N) PARAM CODE: 00625 Stage Code: 1 Final Effluent	Sample Measurement	5.23	8.60	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	66 Monthly Average	99 Maximum Daily		*****	*****	*****				
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	0.523	0.647	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	18.27 Monthly Average	26.11 Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abc Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011
 Monitoring Period : 2018-09-01 To 2018-09-30

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	0.74	0.74	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	7.5 Monthly Average	15.0 Maximum Daily		*****	*****	*****				
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	0.38	0.38	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	5.0 Monthly Average	10 Maximum Daily		*****	*****	*****				
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	0.0012 Monthly Average	0.0024 Maximum Daily		*****	*****	*****				
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	0.15 Monthly Average	0.15 Maximum Daily		*****	*****	*****				
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*B	*B	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.17 Monthly Average	0.30 Maximum Daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	0.31143	0.38848	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				
CYANIDE, FREE AVAILABLE PARAM CODE: 51173 Stage Code: 1 Final Effluent	Sample Measurement	0.022	0.023	26 lbs/day	*****	*****	*****		0	2X Monthly	Grab
	Permit Requirement	0.145 Monthly Average	0.475 Maximum Daily		*****	*****	*****				

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0011

COUNTY: Jefferson

Monitoring Period: 2018-09-01 To 2018-09-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		*****	0		*****	*****	*****				
TOXICITY, CERIODAPHNIA CHRONIC PARAM CODE: 61426 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****				
TOXICITY, PIMEPHIALES CHRONIC PARAM CODE: 61428 Stage Code: 1 Final Effluent	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	0 Maximum Daily		*****	*****	*****				
SOLIDS, TOTAL DISSOLVED PARAM CODE: 70295 Stage Code: 1 Final Effluent	Sample Measurement	*****	5597	26 lbs/day	*****	*****	*****		0	Monthly	Composite
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				
BOD, CARBONACEOUS 05 DAY, 20C PARAM CODE: 80082 Stage Code: 1 Final Effluent	Sample Measurement	4 50	5 84	26 lbs/day	*****	*****	*****		0	Weekly	Composite
	Permit Requirement	56 Monthly Average	84 Maximum Daily		*****	*****	*****				
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc
 MAILING ADDRESS: P O Box 10246
 Birmingham, AL 35202-0246
 FACILITY: Abe Coke Div Drummond Co Inc
 LOCATION: 900 Huntsville Avenue
 Tarrant, AL 35217

PERMIT NUMBER: AL0003417
 MONITORING POINT: 0021
 Monitoring Period: 2018-09-01 To 2018-09-30

COUNTY: Jefferson
 NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
PH PARAM CODE: 00400 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		6.85	*****	7.15	12 S.U.	0	Weekly	Grab
	Permit Requirement	*****	*****		6.0 Minimum Daily	*****	8.5 Maximum Daily				Weekly
SOLIDS, TOTAL SUSPENDED PARAM CODE: 00530 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	7.07	9.20	19 mg/l	0	Weekly	Grab
	Permit Requirement	*****	*****		*****	35 Monthly Average	70 Maximum Daily				Weekly
OIL & GREASE PARAM CODE: 00556 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.70	1.40	19 mg/l	0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	10.0 Monthly Average	15.0 Maximum Daily				2X Monthly
NITROGEN, AMMONIA TOTAL (AS N) PARAM CODE: 00610 Stage Code: 1 Final Effluent	Sample Measurement	4.13	4.69		*****	*****	*****	26 lbs/day	0	Weekly	Grab
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****				Weekly
CYANIDE, TOTAL (AS CN) PARAM CODE: 00720 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B		*****	*****	*****	26 lbs/day	0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****				Monthly
IRON, TOTAL (AS FE) PARAM CODE: 01045 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.37	0.45	19 mg/l	0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	3.0 Monthly Average	6.0 Maximum Daily				2X Monthly
MANGANESE, TOTAL (AS MN) PARAM CODE: 01055 Stage Code: 1 Final Effluent	Sample Measurement	*****	*****		*****	0.22	0.27	19 mg/l	0	2X Monthly	Grab
	Permit Requirement	*****	*****		*****	2.0 Monthly Average	4.0 Maximum Daily				2X Monthly
Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. <small>(Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 5 years.)</small>					Signature of Principal Executive Officer Or Authorized Agent		Telephone No	Date (MM/DD/YY)		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Drummond Company Inc

PERMIT NUMBER: AL0003417

MAILING ADDRESS: P O Box 10246
Birmingham, AL35202-0246

MONITORING POINT: 0021

COUNTY: Jefferson

FACILITY: Abc Coke Div Drummond Co Inc
LOCATION: 900 Huntsville Avenue
Tarrant, AL 35217

Monitoring Period : 2018-09-01 To 2018-09-30

NO DISCHARGE FROM SITE: ()

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
BENZENE PARAM CODE: 34030 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
BENZO(A)PYRENE PARAM CODE: 34247 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
NAPHTHALENE PARAM CODE: 34696 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
PHENOLS PARAM CODE: 46000 Stage Code: 1 Final Effluent	Sample Measurement	*****	*B	26 lbs/day	*****	*****	*****		0	Monthly	Grab
	Permit Requirement	*****	REPORT Maximum Daily		*****	*****	*****			Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT PARAM CODE: 50050 Stage Code: 1 Final Effluent	Sample Measurement	1 574	1 669	03 MGD	*****	*****	*****		0	Daily	Calculated
	Permit Requirement	REPORT Monthly Average	REPORT Maximum Daily		*****	*****	*****			Daily	Calculated

Name/Title of Principal Executive Officer Or Authorized Agent	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months to 3 years.	Signature of Principal Executive Officer Or Authorized Agent	Telephone No	Date (MM/DD/YY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)



LRS, Inc.

Laboratory Resources & Solutions, Inc.

P.O. Box 1260
205 6th Avenue
Ashville, AL 35953
(205) 594-1445
www.lab-resource.com

Analytical Data Report

Client: **ABC Coke**
P.O. Box 10246
Birmingham, AL 35202

Attention: Mr. David Vance

Project ID: **001 Chronic Toxicity – September 2018**

Date: October 11, 2018

Data Reviewed by:

Wayne J. Gaston

Wayne Gaston
Project Manager
Laboratory Resources & Solutions, Inc. (LRS)
wgaston@lab-resource.com

- * Unless otherwise noted, all analyses on this report performed at Environmental Resource Analysts, Inc. (ERA), 2975 Brown Court, Auburn, AL 36830.
- * These results relate only to the items tested. This report may only be reproduced in full.
- * Local support services for this project are provided by Laboratory Resources & Solutions, Inc. (LRS). All questions regarding this report should be directed to LRS, Inc.

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
TOXICITY TEST REPORT SUMMARY

1. GENERAL:

NPDES PERMIT NO.: AL0003417 DSN: 001 COUNTY: Jefferson
 Permittee: ABC Coke, Inc.
 Facility Name: ABC Coke, Inc.
 Agent Submitting Report: : Mr. Jeff McCord Lab
 Conducting Toxicity Test(s): ERA, 2975 Brown Court, Auburn, AL 36830
 Months To Test: Monthly
 This Report for Toxicity Test(s) Required for the Month of: Sept
 Scheduled Test(s): Yes No Accelerated Test(s): Yes No
 Accelerated Test Number of For Failed Scheduled Test Date:
 Test Type Required: 48 -Hr Acute Screening: -Hr Acute Definitive:
 Short-term Chronic Screening: Short-term Chronic Definitive:

Test Organism: Ceriodaphnia dubia Test Organism: Pimephales promelas

Sam	Date/Time Start	Date/Time Ended	Control	Date/Time Start	Date/Time Ended	Control
No.	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid	MM/DD/YY HH:MM	MM/DD/YY HH:MM	Valid
1	9/18/18 15:00	9/26/18 13:00	Yes	9/18/18 15:10	9/25/18 14:30	Yes

2.A. SUMMARY OF RESULTS FOR SCREENING TESTS:

Test	Eff.	Test Number											
		(1)			(2)			(3)			(4)		
Org.	Conc	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow	Surv	Repr	Grow
P.p.	16%	PASS	N/A	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
C.d.	16%	PASS	PASS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

3. LABORATORY ANALYSES OF UNDILUTED SAMPLE(S):

SAMPLE	BOD5	TSS	NH3	pH	Alk	Hard-EFF	TRC	Conductivity
Id.	mg/l	mg/l	mg/l	su	mg/l	mg/l	mg/l	uS
1	----	-----	<0.200	7.5	140	28.5	NA	4,150
2	----	-----	<0.200	7.5	134	42.8	NA	3,890
3	----	-----	<0.200	7.6	122	32.6	NA	4,200

Chemical Analyses Performed By (Lab): ERA

Total 24 Hour Flow: (1) 0.259 MGD (2) 0.199 MGD (3) 0.290 MGD

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF RESPONSIBLE OFFICIAL: _____ DATE: _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 09/18/18

4. SAMPLE COLLECTION:

Split Samples: N/A Yes (Explain) _____
 Samples Collected as Specified in the NPDES Permit: Yes No(Explain) _____
 Receiving Water: Five Mile Creek
 Design Flow: 0.406 (MGD)

Sample Id.	Sample(s) Collected	Arrival Temp. °C.	Used in Test(s)
	MM/DD/YY HHMM - MM/DD/YY HHMM		MM/DD/YY - MM/DD/YY
1	9/16/18 0730 - 9/17/18 0730	2.5	9/18/18 - 9/19/18
2	9/18/18 0730 - 9/19/18 0730	2.9	9/20/18 - 9/21/18
3	9/20/18 0730 - 9/21/18 0730	2.6	9/22/18 - 9/24/18

5. CONTROL/DILUTION WATER:

Type	Prepared	Begin Use	Initial Water Chemistries				
			MM/DD/YY	MM/DD/YY	Hard.	Alk.	pH
MHRW	9/14/18	9/18/18	100	59	7.8	313	@ 25
MHRW	9/14/18	9/19/18	100	59	7.7	317	@ 25
MHRW	9/14/18	9/20/18	96	59	7.4	321	@ 25
MHRW	9/19/18	9/22/18	92	59	7.7	319	@ 25
MHRW	9/19/18	9/23/18	98	59	7.6	313	@ 25

6. TOXICITY TEST INFORMATION:

Test	Organism	Organism	Test Solution Concentrations (%)				
Species	Age	Source					
P.p.	1-2 days	Florida Bioassay Supply	16%				
C.d.	0-8 hrs	ERA	16%				

Test	Test Vessel	Vessel	Solution	Org./Test	Replicates
Species	Type	Vol. (mL)	Vol. (mL)	Vessel	Per Conc.
P.p.	plastic beaker	500	250	10	2
C.d.	plastic beaker	25	20	5	4

Test	Temp. Range	D.O. Range	pH Range	Light Intensity
Species	{°C.}	(mg/L)	(su)	Average (ft.-c.)
P.p.	24.0 - 25.7	5.8 - 8.9	7.4 - 7.9	75
C.d.	24.0 - 25.9	7.7 - 8.9	7.6 - 7.9	75

7. FEEDING:

Not Fed: Fed Daily: Fed Irregular: (Explain in Comments Below)
 Brine Shrimp: Fed 0.15 g Suspension of Newly Hatched Larvae 2 Times Daily.
 YCT: Fed 0.130 mL Suspension Containing 1.85 g/L TS Daily.
 Algae: Fed 0.130 mL Suspension Containing 3.0 x 10⁷ Algal Cells/mL Daily.
COMMENTS:

8. REFERENCE TOXICANT TESTS:

TOXICANT: Sodium Chloride SOURCE: Fisher Scientific CAS#: 7647-14-5
 Solution Concentration Unit: mg/L _____ g/L X % _____ Other(specify)

Chronic:

Test Org.	Test Date MM/DD - MM/DD	Control Water	Reference Test Solution Concentrations (Control to Highest Conc.)					
P.p.	9/18/18-9/25/18	MHRW	0	2.0	4.0	6.0	8.0	10.0
C.d.	9/18/18-9/26/18	MHRW	0	0.5	1.0	1.5	2.0	2.5
Test Org.	Endpoint	NOEC (g/L)	CUSUM Chart Control Limit			NUMBER (N)		
P.p.	Survival	2.0	2.0 - 4.0			20		
P.p.	Growth	2.0	2.0 - 4.0			20		
C.d.	Survival	1.5	0.5 - 1.5			20		
C.d.	Reproduction	0.5	0.25- 1.0			20		

Raw Data on File With ADEM Toxics Unit

9. TEST CONDITION VARIABILITY:

9.A. Deviations From Standard Test Conditions:

None

9.B. Test Solution Manipulations or Test Modifications:

None

10. REQUIRED REPORT ATTACHMENTS:

Attach Copies Of Chain-of-Custody Forms, Reference Toxicant Tests, And Raw Data (Bench Sheets) Pertaining To Physical, Chemical, And Biological Measurements For All Tests. Include Suspended, Interrupted, or Discontinued Toxicity Tests Data.

11.C CHRONIC SCREENING TOXICITY TESTS RESULTS (Freshwater):

TEST ORGANISM: Ceriodaphnia dubia

Were Neonates Used to Begin the Test Within 8 hours of the same age?: Yes

Did 60% of the CONTROL Females Produce Their Third Brood? YES: X NO:

SURVIVAL

CHRONIC TOXICITY INDICATED: YES _____ NO X

NO SURVIVAL STATISTICAL ANALYSIS NECESSARY: X

CONTROL(%) 24h 100 48h 100 End 100 EFFLUENT(%): 24h 100 48h 100 End 100

Fishers Exact Test: A = _____, B = _____, a = _____, b = _____

FACILITY NAME: ABC Coke NPDES #: AL0003417 DSN: 001 DATE: 09/18/18

REPRODUCTION (Average Neonates/Female)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 22.9 EFFLUENT(%): 22.0

NO REPRODUCTION STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.923 Critical Value: 0.868 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 1.34 Critical F: 6.54

/ Test Statistic: 0.704 / Test Critical Value: 1.734

Sample Rank Sum: #Reps.: Critical Rank Sum: (Non-Parametric)

COMMENTS:

TEST ORGANISM: Pimephales promelas

MORTALITY

CHRONIC TOXICITY INDICATED: YES NO

CONTROL(%) 24h 100 48h 100 7day 98 EFFLUENT(%): 24h 95 48h 93 7day 93

NO MORTALITY STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.930 Critical Value: 0.749 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 1.00 Critical F: 47.5

/ Test Statistic: 1.414 / Test Critical Value: 1.943

Sample Rank Sum: #Reps.: Critical Rank Sum: (Non-Parametric)

GROWTH - Mean Dry Weight (mg)

CHRONIC TOXICITY INDICATED: YES NO

CONTROL: 0.437 mg EFFLUENT: 0.408 mg

NO GROWTH STATISTICAL ANALYSIS NECESSARY:

Normally Distributed: Yes No

Test Statistic: 0.979 Critical Value: 0.749 (Parametric)

Equal Variance: Unequal Variance:

F Statistic: 1.53 Critical F: 47.5

/ Test Statistic: 1.760 / Test Critical Value: 1.943

Sample Rank Sum: #Reps.: Critical Rank Sum: (Non-Parametric)

COMMENTS:

Billing Information:

LRS, Inc.
 P.O. Box 1260
 205 6th Avenue
 Ashville, Alabama 35953
 (205) 594-1445
 wgaston@lab-resource.com



LRS Client Information:

ABC Coke
 P.O. Box 10246
 Birmingham, AL 35202

[Signature]

"Report to" Contact:

Mr. David Vance

Analysis/Container/Preservative

Laboratory Resources & Solutions, Inc. (LRS)
 A Laboratory Service Provider



Laboratory:
 Environmental Resource Analysts, Inc.
 2975 Brown Court
 Auburn, AL 36830

Project Name: 001 Chronic Toxicity

Collected by: *A Baquero* Permit #: AL0003417

City/State collected:
 Birmingham, Alabama
 P.O.#

Collected by (signature):

A Baquero

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS
 Same Day (200%)
 Next Day (100%)
 Two Day (50%)
 Three Day (25%)

Date Results Needed:

Number of Containers

Chronic Toxicity E1000.0 / E1002.0
 (One 1-gallon HDPE, non-preserved)

Packed on Ice? N Y

Sample Remarks

10352302

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative						Sample Remarks		
001 Discharge	Comp.	9-16-18	0730	9-17-18	0730	1	X								

*Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____
 Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Relinquished by (Signature) <i>A Baquero</i>	Date: 9-17-18	Time: 12:00	Received by (Signature) <i>[Signature]</i>	Samples returned via: FedEx UPS Other <i>direct</i>	Condition
Relinquished by (Signature) <i>[Signature]</i>	Date: 9/18/18	Time: 1700	Received by (Signature) <i>[Signature]</i>	Temp: <i>25</i>	Bottles Received: <i>1</i>
Relinquished by (Signature) <i>[Signature]</i>	Date:	Time:	Received for lab by (Signature) <i>D. Vance</i>	Date: <i>09/18/18</i>	Time: <i>1200</i>

Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com



Client URS

Sample # 183523

ERA Cooler Receipt Form

183524

1. Condition of Cooler Upon Unpacking

A. Date & Time of Cooler Unpacking 9/18/18 1120 Receiving Analyst: AF

B. Method of Delivery:

Fed Ex UPS USPS ERA Driver Client Drop Off Other _____

Tracking Number _____

C. Condition of Custody Seal upon arrival: Absent by ERA Driver Present & Broken Present & sealed Present & broken

2. Condition of Cooler Contents

A. Chain Of Custody Information: Completed Incomplete, _____

B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____

C. Packaging Materials: Bubble Wrap None Other: _____

D. Broken Bottles? No Yes If yes, which? _____

E. Temperature °C 4.6 Thermometer ID: Utah Time: 1127 Initials: AF

Reason for incorrect temp: (>6.0°C) Frozen Beginning of Cooling process Ice melted Other _____

3. Sample Information and Verification

A. Sample Numbers match Chain of Custody? Yes No, Labels to be made.

Correct bottle types used for each sample? Yes No, _____

All samples arrived within holding time? Yes No, _____

B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, _____

C. Samples with preservative have been checked and are in the correct pH range? Yes, no preservatives needed No, see preservative info Not applicable

Additional Preservative information	
1	Preservative Type: _____
2	Preservative Lot # _____
3	pH Strip Lot # _____
4	Date/Time/Initials _____

D. Hexane Lot for O&G N/A

E. Trip Blanks Absent Present N/A

4. Comments and Resolutions

A. Was a non-conformance form needed for any samples received in the cooler? Yes No
If yes, Date Started: _____ Analyst: _____

B. Additional Comments: _____

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 9/18/18 1125 Initial: AF QA/QC Review By: [Signature]

Billing Information:

LRS, Inc.
 P.O. Box 1260
 205 6th Avenue
 Ashville, Alabama 35953
 (205) 594-1445
 wgaston@lab-resource.com



LRS Client Information:

ABC Coke
 P.O. Box 10246
 Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

Analysis/Container/Preservative

Laboratory Resources & Solutions, Inc. (LRS)
 A Laboratory Service Provider



Laboratory:
 Environmental Resource Analysts, Inc.
 2975 Brown Court
 Auburn, AL 36830

Project Name: 001 Chronic Toxicity

City/State collected:
 Birmingham, Alabama
 P.O. #

Collected by: **D. Vance** Permit #: **AL0003417**

Project Turnaround (Begins on Lab Login Date)		Date Results Needed:
RUSH?	Please Notify LRS	
<input type="checkbox"/>	Same Day (200%)	
<input type="checkbox"/>	Next Day (100%)	
<input type="checkbox"/>	Two Day (50%)	
<input type="checkbox"/>	Three Day (25%)	

Packed on ice? N Y

Number of Containers

Chronic Toxicity E1000.0 (One 1-gallon HDPE, non-preserve

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative
001 Discharge	Comp.	9-18-18	0730	9-19-18	0730	1	X
183536-01							

Sample Remarks

*Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____

Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler* Rainfall in Inches _____ Flow _____ Other _____

Relinquished by: (Signature) <i>[Signature]</i>	Date: 9-19-18	Time: 10:50	Received by: (Signature) <i>[Signature]</i>	Samples returned via: FedEx ___ UPS ___ Other ___	Condition (lab use only)
Relinquished by: (Signature) <i>[Signature]</i>	Date: 9/20/18	Time: 10:31	Received by: (Signature) <i>[Signature]</i>	Temp: 29°C	Bottles Received:
Relinquished by: (Signature) <i>[Signature]</i>	Date:	Time:	Received for lab by: (Signature) <i>[Signature]</i>	Date: 9/20/18	Time: 10:31
pH Checked:				NCF:	

Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com



Client URS ABC COKE Sample # _____

ERA Cooler Receipt Form

1. Condition of Cooler Upon Unpacking

A. Date & Time of Cooler Unpacking 9/20/18/1031 Receiving Analyst: AF

B. Method of Delivery:

Fed Ex UPS USPS ERA Driver Client Drop Off Other _____
Tracking Number MA Present & Broken by ERA Driver Present & sealed Present & broken

C. Condition of Custody Seal upon arrival: Absent by ERA Driver sealed broken

2. Condition of Cooler Contents

A. Chain Of Custody Information: Completed Incomplete, _____

B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____

C. Packaging Materials: Bubble Wrap None Other: _____

D. Broken Bottles? No Yes If yes, which? _____

E. Temperature °C 2.9 Thermometer ID: LOWA Time: 1032 Initials: AF

Reason for incorrect temp: (>6.0°C) Frozen Beginning of Cooling process Ice melted Other _____

3. Sample Information and Verification

A. Sample Numbers match Chain of Custody? Yes No, Labels to be made

Correct bottle types used for each sample? Yes No, _____

All samples arrived within holding time? Yes No, _____

B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, _____

C. Samples with preservative have been checked and are in the correct pH range? Yes, no preservatives needed No, see preservative info Not applicable

D. Hexane Lot for O&G N/A

E. Trip Blanks Absent Present N/A

Additional Preservative Information	
1 Preservative Type:	_____
2 Preservative Lot #	_____
3 pH Strip Lot #	_____
4 Date/Time/Initials	_____

4. Comments and Resolutions

A. Was a non-conformance form needed for any samples received in the cooler? Yes No
If yes, Date Started: _____ Analyst: _____

B. Additional Comments: _____

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 9/20/18 1033 Initial: AF QA/QC Review By: BT

Billing Information:

LRS, Inc.

P.O. Box 1260
 205 6th Avenue
 Ashville, Alabama 35953
 (205) 594-1445
 wqaston@lab-resource.com



LRS Client Information:

ABC Coke

P.O. Box 10246
 Birmingham, AL 35202

"Report to" Contact:
Mr. David Vance

Analysis/Container/Preservative

Chain of Custody
 Page 1 of 1

**Laboratory Resources
 & Solutions, Inc. (LRS)**
 A Laboratory Service Provider



Laboratory:
 Environmental Resource Analysts, Inc.
 2975 Brown Court
 Auburn, AL 36830

Project Name: 001 Chronic Toxicity

City/State collected:
 Birmingham, Alabama
 P.O. #

Collected by: *A. Barquard* Permit #: **AL0003417**

Collected by (signature):

a. Barquard

Project Turnaround (Begins on Lab Login Date)

RUSH? Please Notify LRS
 Same Day (200%)
 Next Day (100%)
 Two Day (50%)
 Three Day (25%)

Date Results Needed:

Packed on Ice? N Y

Number of Containers

Chronic Toxicity E1000.0 / E1002.0
 (One 1-gallon HDPE, non-preserved)

Sample ID	Comp/Grab	Start Date	Start Time	End Date*	End Time*	Number of Containers	Analysis/Container/Preservative	Sample Remarks
001 Discharge 183553-01	Comp.	9-2-18	0730	9-21-18	0730	1	X	

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater SW-Surface Water DW-Drinking Water OT- Other (Describe) _____ pH _____ Temp _____
 Project Remarks: *End Date and Time Indicates When Samples Were Removed from Composite Sampler Rainfall in Inches _____ Flow _____ Other _____

Relinquished by: (Signature) <i>a. Barquard</i>	Date: 9-21-18	Time: 8:15	Received by: (Signature) <i>Scott Smith</i>	Samples returned via: FedEx UPS Other _____	Condition (lab use only)
Relinquished by: (Signature) <i>Scott Smith</i>	Date: 9/21/18	Time: 12:27	Received by: (Signature) <i>Amber D. Freeman</i>	Temp: 2.6 °C	Bottles Received:
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 9/21/18	Time: 1227
Client signature implies acceptance of LRS Terms and Conditions, which can be viewed online at www.lab-resource.com				pH Checked:	NCF:



Client ABC Coke Sample # TBD

ERA Cooler Receipt Form

1. Condition of Cooler Upon Unpacking

- A. Date & Time of Cooler Unpacking 9-21-18/ 12:27 Receiving Analyst: BH/AF
- B. Method of Delivery:
 Fed Ex UPS USPS ERA Driver Client Drop Off Other _____
 Tracking Number _____ Present & Broken by ERA Driver Present & sealed Present & broken
- C. Condition of Custody Seal upon arrival: Absent Present & Broken by ERA Driver Present & sealed Present & broken

2. Condition of Cooler Contents

- A. Chain Of Custody Information: Completed Incomplete, _____
- B. Cooling Process Solid Ice Ice pack Dry Ice None Other _____
- C. Packaging Materials: Bubble Wrap None Other: _____
- D. Broken Bottles? No Yes If yes, which? _____
- E. Temperature °C 2.6 Thermometer ID: U+L Time: 12:27 Initials: BH
 Reason for incorrect temp: (>6.0°C) Frozen Beginning of Cooling process Ice melted Other _____

3. Sample Information and Verification

- A. Sample Numbers match Chain of Custody? Yes No, TBD
 Correct bottle types used for each sample? Yes No, _____
 All samples arrived within holding time? Yes No, _____
- B. Were all samples requiring preservation verified & marked on the Chain of Custody? Yes No, NA
- C. Samples with preservative have been checked and are in the correct pH range? Yes, no preservatives needed No, see preservative info Not applicable
- D. Hexane Lot for O&G _____ N/A
- E. Trip Blanks Absent Present N/A
- | Additional Preservative information | |
|-------------------------------------|-------|
| 1 Preservative Type: | _____ |
| 2 Preservative Lot # | _____ |
| 3 pH Strip Lot # | _____ |
| 4 Date/Time/Initials | _____ |

4. Comments and Resolutions

- A. Was a non-conformance form needed for any samples received in the cooler? Yes No
 If yes, Date Started: _____ Analyst: _____
- B. Additional Comments: _____

5. Analyst Conformation

The information regarding cooler, chain of custody, and sample receipt is correct and verified by the analyst. If conditions are not met the appropriate actions were taken by the receiving analyst and/or the lab manager.

Date/Time 9-21-18/ 12:27 Initial: BH/AF QA/QC Review By: _____

Evan Ansuya

SOP 609.5

3 BROOD CERIODAPHNIA TOXICITY TEST

EPA METHOD 1002.0

Date/Time Start 9/18/2018 15:00 Test # 74-166 Randomization Board #: 091718AF Age Of Test Organisms 0-8 Hrs
 Date/Time Finish 9/26/2018 13:00 pH Meter/Probe AB15-3/24
 DO Meter/Probe YSI 2/2
 Algae Lot 274 cells/mL 3*10⁷ Thermometer ID Indiana
 Yeast Lot 279 g/L Solids 1.85 Photoperiod: 16 hrs Light / 8 Hrs Dark
 Vol Fed Per Cup (µL) 130 Water Volume: 20 mLs

Test Day											TOTAL	pH OLD	DO OLD	Temp °C OLD	MHRW Dilution Lot	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.
	1	2	3	4	5	6	7	8	9	10		pH NEW	DO NEW	Temp °C NEW				
Start	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	3651	9/18/18 15:00 AF	17:00	N
1	1	1	1	1	1	1	1	1	1	1	10	7.8	8.1	25.5	3651	9/19/18 15:00 AF	17:00	N
2	1	1	1	1	1	1	1	1	1	1	10	7.8	8.2	25.6	3653	9/20/18 15:00 AF	17:00	N
3	1	1	1	1	1	1	1	1	1	1	10	7.7	8.2	25.9	3653	9/21/18 14:00 AF	16:00	N
4	1	1	1	1	1	1	1	1	1	1	10	7.7	8.3	25.3	3654	9/22/18 14:00 RR	16:00	N
5	1	1	1	1	1	1	1	1	1	1	10	7.7	8.1	25.6	3655	9/23/18 15:00 HA	17:00	N
6	1	1	1	1	1	1	1	1	1	1	10	7.7	7.7	25.3	3655	9/24/18 13:00 AF	17:00	N
7	1	1	1	1	1	1	1	1	1	1	10	7.7	7.9	25.6	3655	9/25/18 13:00 AF	17:10	N
8	1	1	1	1	1	1	1	1	1	1	10	7.7	8.2	25.7	N/A	No Water Change		
Neonates	21	19	25	23	21	26	20	24	27	23		7.6	7.7	24.0		Test Minimum		
Observations Key:												7.9	8.5	25.9		Test Maximum		

Comments:

N = Normal
 ON = On Bottom
 OS = On Surface
 LETH = Lethargic
 SM = Small
 PM = Particulate Matter
 ERR = Erratic Swimming
 UM = Undissolved Material
 PRE = Precipitate
 FC = Flared Carapace
 CL = Clear/Colorless
 F = Film
 CLDY = Cloudy
 CO = Caught ON
 N/A = Not Applicable
 End = End of Brood
 M = Male

AVERAGE # Neonates per Female

22.9

Environmental Resource Analysts, Inc.
 2975 Brown Ct.
 Auburn, AL 36830
 (334) 502-3444

Q/A Rev'd By _____

AF

SOP 609.5

3 BROOD CERIODAPHNIA TOXICITY TEST

EPA METHOD 1002.0

Client: LRS- ABC Coke

Age of Test organisms: 0-8 Hrs

Test # 74 -166
Sample Type: effluent
% Dilution: 16

Test Day											TOTAL	pH OLD	DO OLD	Temp °C OLD	Sample # Used	Analysis & Water Change Date/Time/Analyst	Feed Time	Obs.
	1	2	3	4	5	6	7	8	9	10		pH NEW	DO NEW	Temp °C NEW				
Start	1	1	1	1	1	1	1	1	1	1	10	N/A	N/A	N/A	183523-01b	9/18/18 15:05 AF	17:00	N
1	1	1	1	1	1	1	1	1	1	1	10	7.9	8.1	25.5	183523-01b	9/19/18 15:05 AF	17:00	N
2	1	1	1	1	1	1	1	1	1	1	10	7.8	8.1	25.5	183536-01b	9/20/18 15:05 AF	17:00	N
3	1	1	1	1	1	1	1	1	1	1	10	7.9	8.3	25.8	183536-01b	9/21/18 14:05 AF	16:00	N
4	1	1	1	1	1	1	1	1	1	1	10	7.6	8.6	25.5	183553-01b	9/22/18 14:05 RR	16:00	N
5	1	1	1	1	1	1	1	1	1	1	10	7.6	8.4	25.6	183553-01b	9/23/18 15:05 HA	17:00	N
6	1	1	1	1	1	1	1	1	1	1	10	7.7	8.7	25.0	183553-01b	9/24/18 13:05 AF	17:00	N
7	1	1	1	1	1	1	1	1	1	1	10	7.8	7.8	25.4	183553-01b	9/25/18 13:05 AF	17:10	N
8	1	1	1	1	1	1	1	1	1	1	10	7.7	7.9	25.5	183553-01b	9/25/18 13:05 AF	17:10	N
Neonates	22	18	23	19	25	18	24	25	20	26		7.6	7.8	24.2	Test Minimum			
Observations Key:												7.9	8.9	25.8	Test Maximum			
<p>Comments:</p> <p>N = Normal ON = On Bottom OS = On Surface LETH = Lethargic SM = Small</p> <p>PM = Particulate Matter ERR = Erratic Swimming UM = Undissolved Material PRE = Precipitate FC = Flared Carapace</p> <p>CL = Clear/Colorless F = Film CLDY = Cloudy CO = Caught ON</p> <p>N/A = Not Applicable End = End of Brood M = Male</p>													AVERAGE # Neonates per Female					
													22					
<p>Environmental Resource Analysts, Inc. 2975 Brown Ct. Auburn, AL 36830 (334) 502-3444</p>																		

Q/A Rev'd By _____

AP

SOP 610.5

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Date/Time Start	9/18/18 15:10	Randomization Board #	091818AF	Age Of Organisms	31-33 hrs
Date/Time Finish	9/25/18 14:30	pH Meter/Probe	AB15-3/24		
Test #:	74 - 166	DO Meter/Probe	YSI 2/2		
Source: ABS Lot: 842	CONTROL for Test	Thermometer ID	Indiana		
Brine Shrimp Lot # 30		Photoperiod:	16 hrs Light / 8 Hrs Dark		
		Water Volume:	250 mLs		

Test Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp °C OLD	MHRW Dilution Lot	Feed AM/ Shrimp Lot	Analysis & Water Change Date/Time/Analyst	Obs.
						pH NEW	DO NEW	Temp °C NEW		Feed PM/ Shrimp Lot		
Start	10	10	10	10	40	N/A	N/A	N/A		N/A	9/18/18 15:10 RR	N
1	10	10	10	10	40	7.9	8.3	24.0	3651	17:30/091718AF		
						7.6	7.1	25.4		8:55/091818AF		
						7.7	8.2	25.0	3652	17:30/091818AF	9/19/18 16:40 HA	N
2	10	10	10	10	40	7.6	7.7	24.9		0845/091918AF		
						7.6	8.4	24.1	3653	16:30/091918AF	9-20-18 13:10 BU	N
3	10	10	10	10	40	7.4	7.6	25.4		8:45/092018AF1		
						7.7	8.4	24.1	3653	16:30/092018AF2	09/21/18 13:10 HA	N
4	10	10	10	10	40	7.5	7.1	25.7		9:05/092118AF2		
						7.7	8.3	24.3	3654	14:00/092118AF2	09/22/18 13:10 HA	N
5	10	9	10	10	39	7.5	7.0	25.7		10:30/092218HA1		
						7.7	8.3	25.0	3655	19:00/092318RR1	9/23/18 13:10 RR	N
6	10	9	10	10	39	7.4	5.8	25.5		8:35/092318RR1		
						7.7	8.5	24.1	3655	15:30/092318HA2	9/24/18 15:00 AF	N
7	10	9	10	10	39	7.4	5.9	24.5		N/A	No Water Change	
						N/A	N/A	N/A	N/A	N/A	9/25/18 14:30 RR	N
Test Min						7.4	5.8	24.0				
Test Max						7.9	8.5	25.7				

Observations Key:

N = Normal
 ON = On Bottom
 OS = On Surface
 LETH = Lethargic
 SM = Small
 N/A = Not Applicable
 1 = Living
 0 = Dead
 PRE = Precipitate
 FC = Flared Carapace
 CO = Caught On
 CLDY = Cloudy
 F = Film
 UM = Undissolved Material
 CL = Clear/Colorless
 ERR = Erratic Swimming
 M = Male

Comments:

Environmental Resource Analysts, Inc.
 2975 Brown Ct.
 Auburn, AL 36830
 (334) 502-3444

Q/A Rev'd By

JF
AF

SOP 610.5

7 DAY FATHEAD MINNOW TOXICITY TEST

EPA METHOD 1000.0

Test #: 74 - 166

Client: LRS- ABC Coke

Sample Type effluent

% Dilution: 16

Test Day	1	2	3	4	# Alive	pH OLD	DO OLD	Temp °C OLD	Feed AM/ Shrimp Lot	Sample # Used	Analysis & Water Change Date/Time/Analyst	pH 100%	Obs.		
						pH NEW	DO NEW	Temp °C NEW	Feed PM/ Shrimp Lot						
Start	10	10	10	10	40	N/A	N/A	N/A	N/A	183523-01b	9/18/18 15:15 RR	7.5	N		
1	10	9	9	10	38	7.5	6.9	25.5	8:55/091818AF	183523-01b	9/19/18 16:45 HA	8.0	N		
						7.6	8.9	25.7	17:30/091818AF						
2	9	9	9	10	37	7.6	7.5	25.2	08:45/091918AF	183536-01b	9-20-18 13:15 BU	7.5	N		
						7.6	8.6	24.9	16:30/091918AF						
3	9	9	9	10	37	7.4	7.0	25.3	8:45/092018AF1	183536-01b	09/21/18 13:15 HA	7.6	N		
						7.6	8.7	25.6	16:30/092018AF2						
4	9	9	9	10	37	7.5	6.7	25.6	9:05/092118AF2	183553-01b	09/22/18 13:15 HA	7.6	N		
						7.6	8.7	25.4	14:00/092118AF2						
5	9	9	9	10	37	7.5	6.9	25.6	10:30/092218HA1	183553-01b	9/23/18 13:15 RR	7.6	N		
						7.7	8.7	25.0	19:00/092318RR1						
6	9	9	9	10	37	7.5	6.0	25.4	8:35/092318RR1	183553-01b	9/24/18 15:05 AF	7.8	N		
						7.6	8.5	24.8	15:30/092318HA2						
7	9	9	9	10	37	7.5	6.7	24.5	N/A	N/A	No Water Change	7.8	N		
						N/A	N/A	N/A	N/A		9/25/18 14:35 RR				
Test Min						7.4	6.0	24.2							
Test Max						7.7	8.9	25.7							
Observations Key:						Comments:									
N/A = Not Applicable I = Living 0 = Dead						N = Normal ON = On Bottom OS = On Surface LETH = Lethargic SM = Small		PRE = Precipitate FC = Flared Carapace CO = Caught On		CLDY = Cloudy F = Film UM = Undissolved Material		CL = Clear/Colorless ERR = Erratic Swimming			
Environmental Resource Analysts, Inc. 2975 Brown Ct. Auburn, AL 36830 (334) 502-3444															

Q/A Rev'd By JF

AF

DRY WEIGHT DETERMINATION FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Test # 74 -166 **Balance#:** 2
Date/Time/Analyst In Oven: 9/25/18 15:30 RR **Date/Time/Analyst Out Oven:** 9/26/18 15:30 HA
Temp C In: 60.0 **Thermometer ID:** Hawaii **Temp C Out:** 60.0

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
Blank	1	1.02372	1.02365	N/A	N/A	N/A
Control	1	1.03055	1.03515	10	0.460	0.437
	2	1.03444	1.03844	9	0.400	
	3	1.02351	1.02791	10	0.440	
	4	1.00741	1.01188	10	0.447	

QA'd by JE
AF

Test Number: 74 - 166 Client: LRS-ABC Coke

Sample & Concentration	Replicate #	Weight of Tin (g)	Weight of Tin Plus Dry Larvae (g)	Number of Larvae	Mean Dry Weight of Larvae (mg) n=10	Treatment Mean (mg)
% Dilution: 16 Sample Type: effluent	1	1.04139	1.04534	9	0.395	0.408
	2	1.04802	1.05206	9	0.404	
	3	1.05417	1.05810	9	0.393	
	4	1.01698	1.02136	10	0.438	
% Dilution: Sample Type:	1					
	2					
	3					
	4					
% Dilution: Sample Type:	1					
	2					
	3					
	4					
% Dilution: Sample Type:	1					
	2					
	3					
	4					
% Dilution: Sample Type:	1					
	2					
	3					
	4					

QA'd By JF
 AF

Ceriodaphnia Survival and Reproduction Test-Reproduction

Start Date: 9/18/2018	Test ID: 74-166c	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: CD-Ceriodaphnia dubia
Comments: stat analysis conducted by JF		

Conc-%	1	2	3	4	5	6	7	8	9	10
Control	21.000	19.000	25.000	23.000	21.000	26.000	20.000	24.000	27.000	23.000
Eff	22.000	18.000	23.000	19.000	25.000	18.000	24.000	25.000	20.000	26.000

Conc-%	Mean	N-Mean	Transform: Untransformed					N	t-Stat	1-Tailed	
			Mean	Min	Max	CV%	Critical			MSD	
Control	22.900	1.0000	22.900	19.000	27.000	11.544	10	0.704	1.734	2.215	
Eff	22.000	0.9607	22.000	18.000	26.000	13.887	10				

Auxiliary Tests	Statistic	Critical	Skew	Kurt		
Shapiro-Wilk's Test Indicates normal distribution (p > 0.01)	0.92266	0.868	-0.0656	-1.4027		
F-Test Indicates equal variances (p = 0.67)	1.33545	6.54109				
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs Control	2.21541	0.09674	4.05	8.16111	0.49016	1, 18

Larval Fish Growth and Survival Test-7 Day Survival

Start Date: 9/18/2018	Test ID: 74-166fh	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: PP-Pimephales promelas
Comments:		

Conc-%	1	2	3	4
Control	1.0000	0.9000	1.0000	1.0000
eff	0.9000	0.9000	0.9000	1.0000

Conc-%	Mean	N-Mean	Transform: Arcsin Square Root				N	t-Stat	1-Tailed	
			Mean	Min	Max	CV%			Critical	MSD
Control	0.9750	1.0000	1.3713	1.2490	1.4120	5.942	4			
eff	0.9250	0.9487	1.2898	1.2490	1.4120	6.318	4	1.414	1.943	0.1120

Auxiliary Tests	Statistic	Critical	Skew	Kurt		
Shapiro-Wilk's Test indicates normal distribution ($p > 0.01$)	0.93016	0.749	0	0		
F-Test indicates equal variances ($p = 1.00$)	1	47.4672				
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs Control	0.05464	0.05688	0.01328	0.00664	0.20703	1, 6

Larval Fish Growth and Survival Test-7 Day Growth

Start Date: 9/18/2018	Test ID: 74-166fh	Sample ID: EFF
End Date:	Lab ID: ERA	Sample Type: EFF2-Industrial
Sample Date:	Protocol: EPAF 94-EPA/600/4-91/002	Test Species: PP-Pimephales promelas
Comments:		

Conc-%	1	2	3	4
Control	0.4600	0.4000	0.4400	0.4470
eff	0.3950	0.4040	0.3930	0.4380

Conc-%	Mean	N-Mean	Transform: Untransformed				N	t-Stat	1-Tailed	
			Mean	Min	Max	CV%			Critical	MSD
Control	0.4368	1.0000	0.4368	0.4000	0.4600	5.922	4			
eff	0.4075	0.9330	0.4075	0.3930	0.4380	5.126	4	1.760	1.943	0.0323

Auxiliary Tests	Statistic	Critical	Skew	Kurt		
Shapiro-Wilk's Test indicates normal distribution (p > 0.01)	0.97945	0.749	-0.2333	-0.2218		
F-Test indicates equal variances (p = 0.73)	1.53304	47.4672				
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs Control	0.0323	0.07396	0.00171	0.00055	0.12896	1, 6

Toxicity Benchsheet

Client: 74 LRS- ABC Coke

Sample	Sample #	Collection Date/Time	pH 100%/ Temperature(°C)	TRC mg/L	Analysis Date/Time/ Analyst	pH Meter/Probe	TRC Meter
#1	183523-01b	9/17/18 7:30	7.5/24.3	N/A	9/18/18 14:00 AF	AB15-3/24	N/A
#2	183536-01b	9/19/18 7:30	7.5/24.8	N/A	9/20/2018 17:22 AF	AB15-3/24	N/A
#3	183553-01b	9/21/18 7:30	7.6/24.9	N/A	9/21/18 13:35 AF	AB15-3/24	N/A

Q/A Rev'd By _____

JF
AF

002 STORM WATER MONITORING

SAMPLE DATE:	9/4/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	8:35 AM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLEAR
INIT STAFF LEVEL:	84" DATE: 9/4/2018
	VOLUME: 17,372,016 GALLONS
FINAL STAFF LEVEL:	50" DATE: 9/9/2018
	VOLUME: 9,563,853 GALLONS
TOTAL DISCHARGE VOLUME:	7,808,163 GALLONS
DAILY AVERAGE FLOW:	1.562 MGD

pH:	7.06 SU
TSS(mg/L):	9.2
NH3-N(ppd):	4.69
CN(T)(ppd):	BMDL
BENZO(a)PYRENE (ppd):	BMDL
PHENOLS (ppd):	BMDL
BENZENE (ppd):	BMDL
NAPHTHALENE (ppd):	BMDL
MANGANESE,T (mg/L):	0.164
IRON, T (mg/L):	0.292
O & G (mg/L)	BMDL

SAMPLE DATE:	9/14/2018
SAMPLE LOCATION:	002 DISCHARGE
SAMPLER:	NORMAN LOEBLER
SAMPLE TIME:	10:45 AM
WEATHER CONDITIONS:	CLEAR
CREEK CONDITIONS:	CLEAR
INIT STAFF LEVEL:	78" DATE: 9/14/2018
	VOLUME: 15,940,897 GALLONS
FINAL STAFF LEVEL:	46" DATE: 9/19/2018
	VOLUME: 8,487,870 GALLONS
TOTAL DISCHARGE VOLUME:	7,453,027 GALLONS
DAILY AVERAGE FLOW:	1.491 MGD

pH:	7.15 SU
TSS(mg/L):	5.2
NH3-N(ppd):	4.23
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE,T (mg/L):	0.273
IRON, T (mg/L):	0.447
O & G (mg/L)	1.4

002 STORM WATER MONITORING

SAMPLE DATE:	9/24/2018	
SAMPLE LOCATION:	002 DISCHARGE	
SAMPLER:	NORMAN LOEBLER	
SAMPLE TIME:	10:55 AM	
WEATHER CONDITIONS:	CLOUDY	
CREEK CONDITIONS:	CLEAR	
INIT STAFF LEVEL:	84"	DATE: 9/24/2018
	VOLUME: 17,372,016 GALLONS	
FINAL STAFF LEVEL:	48"	DATE: 9/29/2018
	VOLUME: 9,024,672 GALLONS	
TOTAL DISCHARGE VOLUME:	8,347,344 GALLONS	
DAILY AVERAGE FLOW:	1.669 MGD	

pH:	6.85 SU
TSS(mg/L):	6.8
NH3-N(ppd):	3.48
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE, T (mg/L):	
IRON, T (mg/L):	
O & G (mg/L)	

SAMPLE DATE:	
SAMPLE LOCATION:	
SAMPLER:	
SAMPLE TIME:	
WEATHER CONDITIONS:	
CREEK CONDITIONS:	
INIT STAFF LEVEL:	DATE:
	VOLUME:
FINAL STAFF LEVEL:	DATE:
	VOLUME:
TOTAL DISCHARGE VOLUME:	
DAILY AVERAGE FLOW:	

pH:	
TSS(mg/L):	
NH3-N(ppd):	
CN(T)(ppd):	
BENZO(a)PYRENE (ppd):	
PHENOLS (ppd):	
BENZENE (ppd):	
NAPHTHALENE (ppd):	
MANGANESE, T (mg/L):	
IRON, T (mg/L):	
O & G (mg/L)	

Allworth LLC.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.36	*****	6.36	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Quarterly
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Quarterly
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	16.9	19 mg/l	0	Quarterly	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	25 maximum daily				Quarterly
BENZENE, ETHYLBENZENETOULENE, XYLEN	Sample Measurement	*****	*****		*****	*****	10	28 ug/l	0	Quarterly	Grab
Parameter Code: 30383 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.4 maximum daily				Quarterly
METHYLENE CHLORIDE	Sample Measurement	*****	*****		*****	*****	7	28 ug/l	0	Quarterly	Grab
Parameter Code: 34423 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	345.679 maximum daily				Quarterly
TETRACHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34475 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1.917 maximum daily				Quarterly
TRICHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 39180 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	17.470 maximum daily				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	01/11/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217


PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0010	03 MGD	*****	*****	*****	*****	0	Quarterly	Estimate
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****			Quarterly	Estimate
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	01/11/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 005S

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.12	*****	7.12	12 S.U.	0	Semi-Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Semi-Annually
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Semi-Annually	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Semi-Annually
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	3.7	19 mg/l	0	Semi-Annually	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
BENZENE, ETHYLBENZENETOULENE, XYLEN	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 30383 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
METHYLENE CHLORIDE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 34423 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
TETRACHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 34475 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
TRICHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 39180 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	01/11/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 005S

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0082	03 MGD	*****	*****	*****	*****	0	Semi-Annually	Estimate
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****				Semi-Annually
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Jamie Griffith	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	01/11/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.26	*****	6.26	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Quarterly
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Quarterly
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	5	19 mg/l	0	Quarterly	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	25 maximum daily				Quarterly
BENZENE, ETHYLBENZENETOULENE, XYLEN	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 30383 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.4 maximum daily				Quarterly
METHYLENE CHLORIDE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34423 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	345.679 maximum daily				Quarterly
TETRACHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34475 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1.917 maximum daily				Quarterly
TRICHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 39180 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	17.470 maximum daily				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	04/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217


PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0014	03 MGD	*****	*****	*****	*****	0	Quarterly	Estimate
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****			Quarterly	Estimate
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Jamie Griffith	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	04/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 005S

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.69	*****	6.69	12 S.U.	0	Semi-Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Semi-Annually
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Semi-Annually	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Semi-Annually
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	6	19 mg/l	0	Semi-Annually	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
BENZENE, ETHYLBENZENETOULENE, XYLEN	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 30383 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
METHYLENE CHLORIDE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 34423 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
TETRACHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 34475 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
TRICHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 39180 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	04/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217


PERMIT NUMBER: AL0032298
MONITORING POINT: 005S

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
		Average	Maximum		Minimum	Average	Maximum					
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0115	03 MGD	*****	*****	*****	*****	0	Semi-Annually	Estimate	
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Semi-Annually	Estimate
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	04/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.43	*****	6.43		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Quarterly	Grab
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	10		0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily	19 mg/l		Quarterly	Grab
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	9		0	Quarterly	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	25 maximum daily	19 mg/l		Quarterly	Grab
BENZENE, ETHYLBENZENETOULENE, XYLEN	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 30383 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.4 maximum daily	28 ug/l		Quarterly	Grab
METHYLENE CHLORIDE	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 34423 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	345.679 maximum daily	28 ug/l		Quarterly	Grab
TETRACHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 34475 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1.917 maximum daily	28 ug/l		Quarterly	Grab
TRICHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 39180 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	17.470 maximum daily	28 ug/l		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	06/22/2018

PERMITTEE COMMENT: Q2 2018 Storm Water Discharge Monitoring Report

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217


PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0007	03 MGD	*****	*****	*****	*****	0	Quarterly	Estimate
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	06/22/2018

PERMITTEE COMMENT: Q2 2018 Storm Water Discharge Monitoring Report

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 005S

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.69	*****	6.69	12 S.U.	0	Semi-Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Semi-Annually
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Semi-Annually	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Semi-Annually
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	6	19 mg/l	0	Semi-Annually	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
BENZENE, ETHYLBENZENETOULENE, XYLEN	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 30383 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
METHYLENE CHLORIDE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 34423 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
TETRACHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 34475 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually
TRICHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Semi-Annually	Grab
Parameter Code: 39180 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Semi-Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	04/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217


PERMIT NUMBER: AL0032298
MONITORING POINT: 005S

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
		Average	Maximum		Minimum	Average	Maximum					
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0115	03 MGD	*****	*****	*****	*****	0	Semi-Annually	Estimate	
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Semi-Annually	Estimate
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Jamie Griffith	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	04/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217

PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.5	*****	6.5	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Quarterly
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Quarterly
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	6.0	19 mg/l	0	Quarterly	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	25 maximum daily				Quarterly
BENZENE, ETHYLBENZENETOULENE, XYLEN	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 30383 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.4 maximum daily				Quarterly
METHYLENE CHLORIDE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34423 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	345.679 maximum daily				Quarterly
TETRACHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34475 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1.917 maximum daily				Quarterly
TRICHLOROETHYLENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 39180 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	17.470 maximum daily				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	10/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Allworth LLC
MAILING ADDRESS: 500 Medco Road , Birmingham, AL 35217


PERMIT NUMBER: AL0032298
MONITORING POINT: 001Q

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Allworth LLC
LOCATION: 500 Medco Road , Birmingham, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0003	03 MGD	*****	*****	*****	*****	0	Quarterly	Estimate
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-841-1707	10/18/2018

Amerex

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0014

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.64	*****	6.64	12 S.U.	0	Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Annually
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	10.5	19 mg/l	0	Annually	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	5.56	19 mg/l	0	Annually	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Annually
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	24.6	19 mg/l	0	Annually	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	8.97	19 mg/l	0	Annually	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*****		*****	*****	0.005	19 mg/l	0	Annually	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
ARSENIC, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.00182	19 mg/l	0	Annually	Grab
Parameter Code: 00978 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Vic Modic	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	03/20/2017

PERMITTEE COMMENT: Annual Stormwater report for January through December 2017.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0014

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NICKEL TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.01	19 mg/l	0	Annually	Grab
Parameter Code: 01074 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
SILVER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.005	19 mg/l	0	Annually	Grab
Parameter Code: 01079 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.371	19 mg/l	0	Annually	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
ALUMINUM, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.292	19 mg/l	0	Annually	Grab
Parameter Code: 01104 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
CADMIUM, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.002	19 mg/l	0	Annually	Grab
Parameter Code: 01113 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.005	19 mg/l	0	Annually	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
CHROMIUM TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.01	19 mg/l	0	Annually	Grab
Parameter Code: 01118 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	03/20/2017

PERMITTEE COMMENT: Annual Stormwater report for January through December 2017.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0014

COUNTY: MINOR Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.0218	19 mg/l	0	Annually	Grab
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
RAINFALL	Sample Measurement	*****	0.4	61 inches	*****	*****	*****	*****	0	Annually	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		
MERCURY, TOTAL (AS HG)	Sample Measurement	*****	*****		*****	*****	0.0002	19 mg/l	0	Annually	Grab
Parameter Code: 71900 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
TOTAL TOXIC ORGANICS (TTO) (40CFR433)	Sample Measurement	*****	*****		*****	*****	0	19 mg/l	0	Annually	Grab
Parameter Code: 78224 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Vic Modic	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	03/20/2017

PERMITTEE COMMENT: Annual Stormwater report for January through December 2017.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0014

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.64	*****	6.64	12 S.U.	0	Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Annually
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	10.5	19 mg/l	0	Annually	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	5.56	19 mg/l	0	Annually	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Annually
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	24.6	19 mg/l	0	Annually	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	8.97	19 mg/l	0	Annually	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
CYANIDE, TOTAL (AS CN)	Sample Measurement	*****	*****		*****	*****	0.005	19 mg/l	0	Annually	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
ARSENIC, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.00182	19 mg/l	0	Annually	Grab
Parameter Code: 00978 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Vic Modic	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	03/20/2017

PERMITTEE COMMENT: Annual Stormwater report for January through December 2017.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0014

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NICKEL TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	*****	0.01	19 mg/l	0	Annually	Grab
Parameter Code: 01074 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Annually	Grab
SILVER TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	*****	0.005	19 mg/l	0	Annually	Grab
Parameter Code: 01079 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Annually	Grab
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****	*****	*****	*****	0.371	19 mg/l	0	Annually	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Annually	Grab
ALUMINUM, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	*****	0.292	19 mg/l	0	Annually	Grab
Parameter Code: 01104 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Annually	Grab
CADMIUM, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	*****	0.002	19 mg/l	0	Annually	Grab
Parameter Code: 01113 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Annually	Grab
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	*****	0.005	19 mg/l	0	Annually	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Annually	Grab
CHROMIUM TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	*****	0.01	19 mg/l	0	Annually	Grab
Parameter Code: 01118 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Annually	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	03/20/2017

PERMITTEE COMMENT: Annual Stormwater report for January through December 2017.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0014

COUNTY: MINOR Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.0218	19 mg/l	0	Annually	Grab
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
RAINFALL	Sample Measurement	*****	0.4	61 inches	*****	*****	*****	*****	0	Annually	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		
MERCURY, TOTAL (AS HG)	Sample Measurement	*****	*****		*****	*****	0.0002	19 mg/l	0	Annually	Grab
Parameter Code: 71900 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
TOTAL TOXIC ORGANICS (TTO) (40CFR433)	Sample Measurement	*****	*****		*****	*****	0	19 mg/l	0	Annually	Grab
Parameter Code: 78224 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Vic Modic	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	03/20/2017

PERMITTEE COMMENT: Annual Stormwater report for January through December 2017.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.29	*****	6.35	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	10.6	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	5.81	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.991	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.05	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
CADMIUM, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.002	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01113 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.005	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Vic Modic	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	10/20/2017

PERMITTEE COMMENT: 2nd Biannual Stormwater monitoring report 2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	*****	0.01	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
TOLUENE	Sample Measurement	*****	*****	*****	*****	*****	1.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
BENZENE	Sample Measurement	*****	*****	*****	*****	*****	1.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
ETHYLBENZENE	Sample Measurement	*****	*****	*****	*****	*****	1.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
NAPHTHALENE	Sample Measurement	*****	*****	*****	*****	*****	5.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
RAINFALL	Sample Measurement	*****	.93	61 inches	*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	3.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		


NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Vic Modic	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	10/20/2017

PERMITTEE COMMENT: 2nd Biannual Stormwater monitoring report 2017

MESKER DOOR LLC

3440 STANWOOD BOULEVARD HUNTSVILLE, AL 35811 PHONE: 256-851-6670

FAX: 877-877-6839 CUSTOMER SERVICE FAX: 256-851-7896



February 28, 2018

ADEM
Permits and Services Division
Environmental Data Section
P.O. Box 301463
Montgomery, AL 36130-1463

RE: Discharge Monitoring Report
NPDES Permit Number: ALG120683
Mesker Door, LLC Facility
3440 Stanwood Boulevard
Huntsville, Alabama 35811

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations" _

A handwritten signature in black ink, appearing to read "Martin Skurka". The signature is fluid and cursive, with a long horizontal stroke at the end.

Martin Skurka
Plant Manager
Mesker Door LLC

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.58	*****	6.58	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	222	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	5.88	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	1.48	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.131	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
CADMIUM, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.002	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01113 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.005	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	04/27/2018

PERMITTEE COMMENT: Semi annual discharge monitoring report. DSN002.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Amerex Corporation
MAILING ADDRESS: PO Box 81 , Trussville, AL 35173

PERMIT NUMBER: ALG120187
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Amerex Corp Trussville
LOCATION: 7595 Gadsden Highway , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	*****	0.0106	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
TOLUENE	Sample Measurement	*****	*****	*****	*****	*****	1.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
BENZENE	Sample Measurement	*****	*****	*****	*****	*****	1.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
ETHYLBENZENE	Sample Measurement	*****	*****	*****	*****	*****	1.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
NAPHTHALENE	Sample Measurement	*****	*****	*****	*****	*****	5.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
RAINFALL	Sample Measurement	*****	0.81	61 inches	*****	*****	*****	*****	0	Annually	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	3.00	28 ug/l	0	Twice per Year	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-655-3271	04/27/2018

PERMITTEE COMMENT: Semi annual discharge monitoring report. DSN002.

Fieldstown Crossing On-site

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: November, 20 17

COMPANY: Arbor Utility Management

PERMIT#: ALS19937714

FACILITY: Fieldstown Crossing On-site
 LOCATION: Gardendale, Jefferson County, AL

PARAM	Flow	BOD5 Monitor	TSS Monitor	TKN Monitor	pH Monitor	Fecal Coliform sec permit
LIMIT	21,000				6.5-8.5	
FREQ	Daily	Monthly	Monthly	Monthly	standard units	col/100ml
UNITS	GPD	mg/L	mg/L	mg/L		
1	13781					
2	10766					
3	8414					
4	10168					
5	11652					
6	9799					
7	9060					
8	8531					
9	8735					
10	8594					
11	10692					
12	9202					
13	9800					
14	10279					
15	9444					
16	9284					
17	11569					
18	7442					
19	10811					
20	12050					
21	12790					
22	13279					
23	12291					
24	10327					
25	12303					
26	15878					
27	14147	15.6				
28	9861					
29	10481		13.0		38.65	
30	11670					7.5
31						800

RECEIVED
 ADEM
 ROUNDWATER BRANCH
 DEC 22 2017

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

SIGNATURE OF RESPONSIBLE OFFICIAL

[Handwritten Signature]

DATE

12/19/2017

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: December, 2017

PERMIT#: ALSI 9937714

COMPANY: Arbor Utility Management
 FACILITY: Fieldstown Crossing On-site
 LOCATION: Gardendale, Jefferson County, AL

PARAM	Flow	BOD5	TSS	TKN	pH	Fecal Coliform
LIMIT	21,000	Monitor	Monitor	Monitor	6.5-8.5	see permit
FREQ	Daily	Monthly	Monthly	mg/L	Monitor	col/100ml
UNITS	GPD	mg/L	mg/L	mg/L	standard units	col/100ml
1	12531					
2	10949					
3	12153					
4	8827					
5	11703					
6	11363					
7	9545					
8	10710					
9	11959					
10	13632					
11	12882					
12	13274					
13	13662					
14	12888					
15	15812					
16	12642					
17	16941					
18	16603					
19	12075					
20	11067					
21	14482					
22	12540					
23	15253					
24	11587					
25	12484					
26	11630					
27	12852					
28	11686	18.70	20.50	34.50	7.50	800
29	13319					
30	12873					
31	13221					

ADEM
 RECEIVED
 5 MAR - 5 2018
 GROUNDWATER BRANCH

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS

[Signature]

SIGNATURE OF RESPONSIBLE OFFICIAL

DATE: 1/28/18

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: January, 20 18

PERMIT#: ALSI 9937714

COMPANY: Arbor Utility Management

FACILITY: Fieldstown Crossing On-site

LOCATION: Gardendale, Jefferson County, AL

PARAM	Flow	BOD5	TSS	TKN	pH	Fecal Coliform
LIMIT	21,000	Monitor	Monitor	Monitor	6.5-8.5	see permit
FREQ	Daily	Monthly	Monthly	mg/L	Monitor	col/100ml
UNITS	GPD	mg/L	mg/L	mg/L	standard units	col/100ml
1	14667					
2	18490					
3	17439					
4	17952					
5	19073					
6	13069					
7	12221					
8	13053					
9	15475					
10	14004					
11	15473					
12	16542					
13	16629					
14	13699					
15	12619					
16	17882					
17	14920	14.70	15.00	36.85	7.30	800
18	16397					
19	14669					
20	14583					
21	13079					
22	16484					
23	12628					
24	13904					
25	12986					
26	11601					
27	9999					
28	10046					
29	10184					
30	12750					
31	12824					

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS

[Handwritten Signature]

SIGNATURE OF RESPONSIBLE OFFICIAL

DATE: 2/28/18

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: Feb, 2018

COMPANY: Arbor Utility Management

PERMIT#: ALS1 9937714

FACILITY: Fieldstown Crossing On-site
 LOCATION: Gardendale, Jefferson County, AL

PARAM	Flow	BOD5	TSS	TKN	pH	Fecal Coliform
LIMIT	21,000	Monitor	Monitor	Monitor	6.5-8.5	see permit
FREQ	Daily	Monthly	Monthly	Monthly	Monitor	col/100ml
UNITS	GPD	mg/L	mg/L	mg/L	standard units	
1	10481					
2	11993					
3	11950					
4	13731					
5	13816					
6	13156					
7	11099					
8	11904					
9	13253					
10	12049					
11	10459					
12	11988					
13	13128					
14	11991					
15	11875					
16	12445					
17	13082					
18	11213					
19	11978					
20	12257					
21	12666					
22	12322					
23	11719					
24	12418					
25	11617					
26	12426					
27	12409					
28	11879	11.40	10.50	19.45	7.20	800
29						
30						
31						

ADEM
 RECEIVED
 MAR 2 2018
 ROUNDWATER BRANCH

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

SIGNATURE OF RESPONSIBLE OFFICIAL

DATE

3/26/2018

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: April, 20 18

PERMIT#: ALSI 9937714

COMPANY: Arbor Utility Management
 FACILITY: Fieldstown Crossing On-site
 LOCATION: Gardendale, Jefferson County, AL

PARAM	Flow	BOD5 Monitor	TSS Monitor	TKN Monitor	pH	Fecal Coliform
LIMIT	21,000	Monthly	Monthly	Monthly	6.5-8.5	sec permit
FREQ	Daily	mg/L	mg/L	mg/L	standard units	col/100ml
UNITS	GPD					
1	12208					
2	11951					
3	11840					
4	16364					
5	11700					
6	14816					
7	14793					
8	15288					
9	14080					
10	14406					
11	14245					
12	12500					
13	11808					
14	13035					
15	15918					
16	12366					
17	12512					
18	11911					
19	11150					
20	13637					
21	12578					
22	11172					
23	11946	11.35	32.00	36.50	7.1	3000
24	13001					
25	11074					
26	12223					
27	12129					
28	11379					
29	12646					
30	10961					
31						

ADEM RECEIVED
 MAY 29 2018
 WINDY WATER BRANCH
 Jessica

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

SIGNATURE OF RESPONSIBLE OFFICIAL:  DATE: 5/24/2018

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: May, 2018

PERMIT#: ALS1 9937714

COMPANY: Arbor Utility Management
 FACILITY: Fieldstown Crossing On-site
 LOCATION: Gardendale, Jefferson County, AL

PARAM	Flow	BOD5	TSS	TKN	pH	Fecal Coliform
LIMIT	21,000	Monitor	Monitor	Monitor	6.5-8.5	sec permit
FREQ	Daily	Monthly	Monthly	Monthly	Monitor	col/100ml
UNITS	GPD	mg/L	mg/L	mg/L	standard units	
1	11328					
2	12695					
3	14204					
4	11688					
5	14972					
6	15768					
7	14690					
8	14935					
9	15149					
10	12372					
11	12911					
12	13494					
13	13405					
14	12783					
15	13100					
16	13365					
17	13358					
18	11961					
19	9660					
20	12047					
21	12649					
22	10428					
23	13720					
24	12628					
25	12432					
26	12246					
27	14507					
28	10941					
29	13075	14.00	17.00	39.85	7.20	900
30	12100					
31	12119					

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

SIGNATURE OF RESPONSIBLE OFFICIAL

DATE

6/28/2018

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: July, 2018

COMPANY: Arbor Utility Management

FACILITY: Fieldstown Crossing On-site

LOCATION: Gardendale, Jefferson County, AL

PERMIT#: ALSI 9937714

PARAM	Flow	BOD5 Monitor	TSS Monitor	TKN Monitor	pH Monitor	Fecal Coliform sec permit
LIMIT	21,000	Monthly	Monthly	Monthly	6.5-8.5	col/100ml
FREQ	Daily					
UNITS	GPD	mg/L	mg/L	mg/L	standard units	
1	11819					
2	13986					
3	11783					
4	11486					
5	10943					
6	11346					
7	12067					
8	12647					
9	12405					
10	12440					
11	11610					
12	13040					
13	12337					
14	11052					
15	12046					
16	13555					
17	11965					
18	12982					
19	9083					
20	1633					
21	0					
22	0					
23	0					
24	0					
25	0					
26	8040					
27	2168	12.90	9.00	22.40	7.0	13400
28	13902					
29	14897					
30	17168					
31	11847					

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS

SIGNATURE OF RESPONSIBLE OFFICIAL

[Handwritten Signature]

DATE

8/28/2018

RECEIVED
ADEM
WATER BRANCH
AUG 31 2018
CS

ADEM UIC DISCHARGE MONITORING REPORT

MONTH: August, 2018

COMPANY: Arbor Utility Management

FACILITY: Fieldstown Crossing On-site

LOCATION: Gardendale, Jefferson County, AL

PERMIT#: ALSI 9937714

PARAM	Flow	BOD5 Monitor Monthly mg/L	TSS Monitor Monthly mg/L	TKN Monitor mg/L	pH Monitor standard units	Fecal Coliform sec permit col/100ml
1	12855					
2	13414					
3	13016					
4	11936					
5	11895					
6	14414					
7	11580					
8	12686					
9	11394					
10	11195					
11	11649					
12	9142					
13	13481					
14	11012					
15	11181					
16	9907					
17	13112					
18	12766					
19	14935					
20	15217					
21	14120					
22	10338					
23	11095					
24	12339	15.40	15.50	39.75	7.2	800
25	12012					
26	10747					
27	11440					
28	10413					
29	11143					
30	11994					
31	12638					

ADEM
RECEIVED
SEPT - 3 2018
GROUNDWATER BRANCH

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECT SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

SIGNATURE OF RESPONSIBLE OFFICIAL

DATE

9/28/2018

Barber Dairies, Inc.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	79.88	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		7.1	*****	7.1	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	.010	.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	01/26/2018



36 Barber Court
Birmingham, AL 35209
205-942-2351



October 30, 2017

Ms. Glenda L. Dean, Chief
Water Division
Alabama Department of
Environmental Management
P.O. Box 301463
Montgomery, Alabama 36130-1463

RE: Consent Order No. 16-053-CWP
SID Permit No. IU393700329
NPDES Permit No. ALG150072
Dean Dairy Holdings, LLC
Jefferson County (073)

Dear Ms. Dean,

We are submitting this correspondence pursuant to Paragraph F of the referenced Consent Order. We trust this progress report is satisfactory.

SouthWest Water Company ("SouthWest") has substantially completed the upgrades and modifications of the storm water and process wastewater collection system as described in the Compliance Plan. SouthWest, Engineers of the South ("EOS") and Electric Machine Control ("EMC") introduced the remote monitoring and control system capabilities to the Mayfield/Barber's team on October 26, 2017.

The water quality monitoring instruments are measuring pH, turbidity and conductivity in real time and the system can now be remotely accessed. The design team has defined the water quality limits and established alarm conditions when the limits have been exceeded. The automatic closure of the storm water control gates occurs when water quality limits are outside of the established setpoints and alarm notification is sent via text and email to the personnel identified by the owner. Other actions will also occur either automatically or manually depending on the alarm event. A fuel detection device will alert personnel to a potential fuel spill which can be contained in a newly constructed trench drain and a pH probe or turbidity sensor installed in a storm inlet in the Barber's parking lot will cause a pump to transfer flow to a side stream holding tank for offsite removal.

Ms. Glenda Dean
August 10, 2017
Page 2 of 2



The system is currently being tested to ensure that it will respond as intended. Because the system is predominantly measuring storm water run-off (from both onsite and offsite), multiple rain events during our field testing period are desired for the evaluation of the water quality setpoints, the observation of turbidity readings during the first-flush of a rain period and troubleshooting nuisance alarms. During the week of October 30th, the design team will also simulate "spill" events to observe the response of the system.

With all of the physical components of the system complete, we anticipate there will be an additional 2 to 3 weeks of programming and tweaking of the system based on the performance of the system during "stress" tests and rain events. The system should be certified by the engineer of record as complete by mid-November.

Vanguard Environmental Group has completed improvements to the pretreatment facility on behalf of Dean Dairy Holdings, LLC as outlined in the Engineering Report and Compliance Plan prepared by Engineers of the South in July 2016.

Based on the projected work schedule provided by SouthWest Water and their sub-contractors, the work will be completed in accordance with the terms of the Consent Order.

We trust this Consent Order progress report is satisfactory. Should you have any questions regarding this matter, please contact me at 205-943-0361.

Best Regards,

A handwritten signature in blue ink that reads "E. Allen".

Eddie Allen
Senior Operations Manager

cc: Daphne Lutz, ADEM
Eddie Allen, Senior Operations Manager
Doug Hampton, EHS Manager
Ed Becker, Vanguard Environmental

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	71.42	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		6.8	*****	6.8	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	.010	.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0011

MINOR
 COUNTY: Jefferson
 PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BOD, 5-DAY (20 DEG. C)	Sample Measurement	*****	*****		*****	*****	14	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00310 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
PH	Sample Measurement	*****	*****		7.6	*****	7.6	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	156	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	6.97	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	3.37	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*9	19 mg/l	0	Annually	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	1.64	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0011

MINOR
 Jefferson
 Industrial

COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
			Average	Maximum	Minimum					Average
RAINFALL	Sample Measurement	****	.38	61 inches	****	****	****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	report maximum daily		****	****	****		Twice per Year	Measured
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	71.42	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		6.8	*****	6.8	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	.010	.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	71	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		6.8	*****	6.8	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	.010	.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	65	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		6.9	*****	6.9	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	0.010	0.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	X	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	62	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****	*****	6.5	*****	6.5	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	0.010	0.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	66	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		6.5	*****	6.5	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	0.010	0.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	70	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		6.9	*****	6.9	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	0.010	0.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BOD, 5-DAY (20 DEG. C)	Sample Measurement	*****	*****		*****	*****	25	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00310 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
PH	Sample Measurement	*****	*****		6.6	*****	6.6	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	42	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	3.16	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	1.51	19 mg/l	0	Annually	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0011

MINOR
 Jefferson
 Industrial

COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
			Average	Maximum	Minimum					Average
RAINFALL	Sample Measurement	*****	1.05	61 inches	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		Twice per Year	Measured
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Barber Dairies Inc.
MAILING ADDRESS: 36 Barber court , Birmingham, AL 35209

PERMIT NUMBER: ALG150072
MONITORING POINT: 0031

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Barber Dairies, Inc.
LOCATION: 36 Barber court , Birmingham, AL 35209

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	X	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TEMPERATURE, WATER DEG. FAHRENHEIT	Sample Measurement	*****	*****		*****	*****	73	15 F	0	Monthly	Grab
Parameter Code: 00011 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	90 maximum daily				Monthly
PH	Sample Measurement	*****	*****		6.6	*****	6.6	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	.0035		*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	07 GPD	*****	*****	*****				Monthly
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	0.010	0.010	19 mg/l	0	Once/2 Weeks	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Once/2 Weeks
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-943-0361	07/25/2018

Birmingham Hauling

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: BFI Waste Systems Of North America, Inc.
MAILING ADDRESS: 3950 50th Street SW , Birmingham, AL 35221

PERMIT NUMBER: ALG140372
MONITORING POINT: 0011

MINOR
 Jefferson
 Industrial

COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Birmingham Hauling
LOCATION: 3950 50th Street SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.58	*****	7.58	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	49	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.36	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
TOLUENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
BENZENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Amber Hoffman	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-929-5616	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: BFI Waste Systems Of North America, Inc.
MAILING ADDRESS: 3950 50th Street SW , Birmingham, AL 35221

PERMIT NUMBER: ALG140372
MONITORING POINT: 0011

MINOR
 Jefferson
 Industrial

COUNTY: Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [] ***

FACILITY: Birmingham Hauling
LOCATION: 3950 50th Street SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ETHYLBENZENE	Sample Measurement	*****	*****	*****	*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
NAPHTHALENE	Sample Measurement	*****	*****	*****	*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
RAINFALL	Sample Measurement	*****	0.38	61 inches	*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Amber Hoffman	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-929-5616	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: BFI Waste Services, LLC
MAILING ADDRESS: 3950 50th Street SW , Birmingham, AL 35221

PERMIT NUMBER: ALG140372
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Birmingham Hauling
LOCATION: 3950 50th Street SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.77	*****	7.77	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	104	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	6.55	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.24	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.05	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
TOLUENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
BENZENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Amber Hoffman	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-929-5616	07/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: BFI Waste Services, LLC
MAILING ADDRESS: 3950 50th Street SW , Birmingham, AL 35221

PERMIT NUMBER: ALG140372
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Birmingham Hauling
LOCATION: 3950 50th Street SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ETHYLBENZENE	Sample Measurement	*****	*****	*****	*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
NAPHTHALENE	Sample Measurement	*****	*****	*****	*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
RAINFALL	Sample Measurement	*****	0.17	61 inches	*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	*B	28 ug/l	0	Twice per Year	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Amber Hoffman	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-929-5616	07/24/2018

Bottenfield Jr. High School

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average		*****	90.0 monthly average	135 weekly average			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.35 monthly average	0.53 weekly average		*****	2.5 monthly average	3.7 weekly average			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Monthly	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average	26 lbs/day	*****	25.0 monthly average	37.5 weekly average			Monthly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85.0 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Jerry Speigle	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.35 monthly average	0.53 weekly average	26 lbs/day	*****	2.5 monthly average	3.7 weekly average	19 mg/l		Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****				
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Monthly	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****						
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average		*****	25.0 monthly average	37.5 weekly average				Monthly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****		*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85.0 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****	*****		*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		65.0 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.66 monthly average	0.99 weekly average	26 lbs/day	*****	4.7 monthly average	7.0 weekly average	19 mg/l		Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****				
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Monthly	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****						
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average		*****	25.0 monthly average	37.5 weekly average				Monthly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****		*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85.0 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****	*****		*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		65.0 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.7	*****	*****		0	Monthly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	Grab
PH	Sample Measurement	*****	*****	*****	7.8	*****	7.8		0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2.90	2.90		*****	248	248		0	Monthly	Grab
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.18	0.18		*****	15.0	15.0		0	Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.029	0.029		*****	2.49	2.49		0	Monthly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.66 monthly average	0.99 weekly average	26 lbs/day	*****	4.7 monthly average	7.0 weekly average	19 mg/l		Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0014	0.0014		*****	*****	*****		0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Monthly	Instantaneous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	*B	*B		0	Monthly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	20	20	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	2.07	2.07	26 lbs/day	*****	177	177	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.045	0.045	26 lbs/day	*****	3.85	3.85	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average		*****	25.0 monthly average	37.5 weekly average				Monthly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	97.8	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85.0 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****	*****	94.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		65.0 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average		*****	90.0 monthly average	135 weekly average			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.66 monthly average	0.99 weekly average		*****	4.7 monthly average	7.0 weekly average			Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement			03 MGD	*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****			Monthly	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
Jerry Speigle		Signed By E2	205-987-8352	03/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

MINOR
 Jefferson
 Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average		*****	25.0 monthly average	37.5 weekly average				
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****		*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85.0 monthly average	*****	*****				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****	*****		*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		65.0 monthly average	*****	*****				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.8	*****	*****		0	Monthly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	Grab
PH	Sample Measurement	*****	*****		7.9	*****	7.9		0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	7.41	7.41		*****	404	404		0	Monthly	Grab
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.22	0.22		*****	12.0	12.0		0	Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.0005	0.0005		*****	0.026	0.026		0	Monthly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.66 monthly average	0.99 weekly average	26 lbs/day	*****	4.7 monthly average	7.0 weekly average	19 mg/l		Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0033	0.0043		*****	*****	*****		0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Monthly	Instantaneous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	*B	*B		0	Monthly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*B	*B	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	6.24	6.24		*****	340	340	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.005	0.005		*****	0.25	0.25	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average	26 lbs/day	*****	25.0 monthly average	37.5 weekly average				Monthly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		99.9	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85.0 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		97.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.66 monthly average	0.99 weekly average	26 lbs/day	*****	4.7 monthly average	7.0 weekly average	19 mg/l		Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Monthly	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average	26 lbs/day	*****	25.0 monthly average	37.5 weekly average			Monthly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85.0 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
Jerry Speigle		Signed By E2	205-987-8352	05/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244


PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		5.1	*****	*****		0	Monthly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	Grab
PH	Sample Measurement	*****	*****		7.2	*****	7.2		0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	4.06	4.06		*****	348	348		0	Monthly	Grab
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.082	0.082		*****	7.00	7.00		0	Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.004	0.004		*****	0.36	0.36		0	Monthly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.35 monthly average	0.53 weekly average	26 lbs/day	*****	2.5 monthly average	3.7 weekly average	19 mg/l		Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.025	0.025		*****	2.14	2.14		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	0.006	0.006		*****	0.50	0.50		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
Jerry Speigle		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.033	0.033	26 lbs/day	*****	2.80	2.80	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0042	0.0070	03 MGD	*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*B	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily		
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	2.80	2.80	26 lbs/day	*****	240	240	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.003	0.003	26 lbs/day	*****	0.25	0.25	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average		*****	*****	25.0 monthly average		37.5 weekly average		
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99.9	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85.0 monthly average	*****		*****		

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244


PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

MINOR
 Jefferson
 Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.0	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Jerry Speigle	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.35 monthly average	0.53 weekly average	26 lbs/day	*****	2.5 monthly average	3.7 weekly average	19 mg/l		Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Monthly	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average	26 lbs/day	*****	25.0 monthly average	37.5 weekly average			Monthly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85.0 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average		*****	90.0 monthly average	135 weekly average			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.35 monthly average	0.53 weekly average		*****	2.5 monthly average	3.7 weekly average			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Monthly	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average	26 lbs/day	*****	25.0 monthly average	37.5 weekly average			Monthly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85.0 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244


PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		6.0	*****	*****	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****				Monthly
PH	Sample Measurement	*****	*****		6.9	*****	7.1	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*E	*E		*****	*E	*E	19 mg/l	4	Monthly	Grab
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.33	*9		*****	14.0	*9	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average				Monthly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.038	*9		*****	1.64	*9	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.35 monthly average	0.53 weekly average	26 lbs/day	*****	2.5 monthly average	3.7 weekly average				Monthly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.073	*9		*****	3.14	*9	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	0.023	*9		*****	1.00	*9	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/27/2018

PERMITTEE COMMENT: *9 Bottenfield School, AL0051161 - August 2018 - In accordance with the provisions of the permit, the monthly average falls in this month but the weekly maximum average does not. The weekly maximum average will be reported on next month's DMR.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

MINOR
 Jefferson
 Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.030	*9	26 lbs/day	*****	1.30	*9	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0020	0.0029	03 MGD	*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*B	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily		
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		487 maximum daily		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*E	*E	26 lbs/day	*****	*E	*E	19 mg/l	4	Monthly	Grab
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.063	*9	26 lbs/day	*****	2.70	*9	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average		*****	*****	25.0 monthly average		37.5 weekly average		
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	*E	*****	*****	23 %	1	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85.0 monthly average	*****		*****		

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/27/2018

PERMITTEE COMMENT: *9 Bottenfield School, AL0051161 - August 2018 - In accordance with the provisions of the permit, the monthly average falls in this month but the weekly maximum average does not. The weekly maximum average will be reported on next month's DMR.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		*E	*****	*****	23 %	1	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT William Atkins	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/27/2018

PERMITTEE COMMENT: *9 Bottenfield School, AL0051161 - August 2018 - In accordance with the provisions of the permit, the monthly average falls in this month but the weekly maximum average does not. The weekly maximum average will be reported on next month's DMR.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.1	*****	*****		0	Monthly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	*****	19 mg/l		Monthly	Grab
PH	Sample Measurement	*****	*****		7.2	*****	7.2		0	Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	265	265		*****	1104	1104		0	Monthly	Grab
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2.64	2.64		*****	11.0	14.0		0	Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.7 monthly average	19.1 weekly average	26 lbs/day	*****	90.0 monthly average	135 weekly average	19 mg/l		Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.016	0.038		*****	0.068	1.64		0	Monthly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.35 monthly average	0.53 weekly average	26 lbs/day	*****	2.5 monthly average	3.7 weekly average	19 mg/l		Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*B	0.073		*****	*B	3.14		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	2.86	2.86		*****	11.9	11.9		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244

PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.64	0.64	26 lbs/day	*****	2.68	2.68	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0288	0.0288	03 MGD	*****	*****	*****	*****	0	Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*B	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	162	162	26 lbs/day	*****	675	675	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	2.74	2.74	26 lbs/day	*****	11.4	11.4	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3.5 monthly average	5.3 weekly average		*****	25.0 monthly average	37.5 weekly average				
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.3	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85.0 monthly average	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: SWWC Services, Inc.
MAILING ADDRESS: 728 Volare Drive , Birmingham, AL 35244


PERMIT NUMBER: AL0051161
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Bottenfield Jr High School
LOCATION: 400 Hillcrest Road , Adamsville, AL 35005

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	65.0 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/26/2018

Diamond Rubber Products

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253

PERMIT NUMBER: ALG200008
MONITORING POINT: 0024

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BOD, 5-DAY (20 DEG. C)	Sample Measurement	*****	*****		*****	*****	12.3	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00310 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
PH	Sample Measurement	*****	*****		7.60	*****	7.60	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	74.0	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.320	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.060	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
CHROMIUM TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01118 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	12/18/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253

PERMIT NUMBER: ALG200008
MONITORING POINT: 0024

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****	0.380	61 inches	*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Twice per Year	Measured
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Blumenthal	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	12/18/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253

PERMIT NUMBER: ALG200008
MONITORING POINT: 0025

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BOD, 5-DAY (20 DEG. C)	Sample Measurement	*****	*****		*****	*****	2.72	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00310 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
PH	Sample Measurement	*****	*****		7.78	*****	7.78	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	19.0	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.030	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
CHROMIUM TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01118 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	12/18/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253

PERMIT NUMBER: ALG200008
MONITORING POINT: 0025

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
		Average	Maximum		Minimum	Average	Maximum					
RAINFALL	Sample Measurement	*****	0.380	61 inches	*****	*****	*****	*****	0	Twice per Year	Measured	
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Twice per Year	Measured	
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Blumenthal	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	12/18/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253

PERMIT NUMBER: ALG200008
MONITORING POINT: 0024

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BOD, 5-DAY (20 DEG. C)	Sample Measurement	*****	*****		*****	*****	4.98	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00310 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
PH	Sample Measurement	*****	*****		7.04	*****	7.04	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	66.0	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.320	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	0.060	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
CHROMIUM TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01118 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	02/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253

PERMIT NUMBER: ALG200008
MONITORING POINT: 0024

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
			Average	Maximum	Minimum				
RAINFALL	Sample Measurement	****	0.170	****	****	****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	report maximum daily	****	****	****		Twice per Year	Measured
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	02/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253

PERMIT NUMBER: ALG200008
MONITORING POINT: 0025

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BOD, 5-DAY (20 DEG. C)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00310 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
PH	Sample Measurement	*****	*****		7.17	*****	7.17	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	2.00	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
ZINC, TOTAL (AS ZN)	Sample Measurement	*****	*****		*****	*****	0.040	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
CHROMIUM TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 01118 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	02/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Diamond Rubber
MAILING ADDRESS: PO Box 531164 , Birmingham, AL 35253

PERMIT NUMBER: ALG200008
MONITORING POINT: 0025

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Diamond Rubber Products
LOCATION: 4000 50th St SW , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
		Average	Maximum		Minimum	Average	Maximum					
RAINFALL	Sample Measurement	*****	0.170	61 inches	*****	*****	*****	*****	0	Twice per Year	Measured	
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****	Twice per Year	Measured	
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											
	Sample Measurement											
	Permit Requirement											

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-3791	02/20/2018

Dolcito Quarry

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units		Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
		Average	Maximum	Minimum	Average	Maximum					
PH	Sample Measurement	*****	*****	*****	8.22	*****	8.28	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	5	8	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily				2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	03 MGD	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	*****	*****	*****	*****				2X Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	11/28/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.40	*****	8.40		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	9	9		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	11/28/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.25	*****	8.25		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	6	8		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	01/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.28	*****	8.32		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	7	8		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	01/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units		Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
		Average	Maximum	Minimum	Average	Maximum					
PH	Sample Measurement	*****	*****	*****	8.29	*****	8.46	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	2	3	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily				2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	03 MGD	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	*****	*****	*****	*****				2X Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	01/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Mining
***** NO DISCHARGE [X] *****

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****				
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	01/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

MINOR
 Jefferson
 Mining

COUNTY: Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Average	Maximum	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
					Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****	*****	8.28	*****	8.36	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*B	*B	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	03 MGD	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	04/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.38	*****	8.38		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	4	4		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	04/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Mining

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type		
			Average	Maximum	Minimum					Average	Maximum
PH	Sample Measurement	*****	*****	*****	8.27	*****	8.27	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	5	9	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	03 MGD	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****			2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	04/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.27	*****	8.35		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	5	7		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	04/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.22	*****	8.31		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*B	*B		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	04/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.28	*****	8.37		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	13	37		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	04/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type		
			Average	Maximum	Minimum					Average	Maximum
PH	Sample Measurement	*****	*****	*****	8.22	*****	8.26	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	3	4	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	03 MGD	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****			2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.33	*****	8.35		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	3	4		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.27	*****	8.29	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	3	5	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily				2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6		*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****				2X Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.28	*****	8.29		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	5	6		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type		
			Average	Maximum	Minimum					Average	Maximum
PH	Sample Measurement	*****	*****	*****	8.16	*****	8.18	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	3	3	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	03 MGD	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****			2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.04	*****	8.16		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	11	13		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.16	*****	8.18		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	2	2		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.24	*****	8.28		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	11	11		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
			Average	Maximum	Minimum					Average
PH	Sample Measurement	*****	*****	8.25	*****	8.25	12 S.U.	0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*B	1	19 mg/l	0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	25.0 monthly average	45.0 maximum daily				2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6	*****	*****	*****	*****	0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****				2X Monthly
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									
	Sample Measurement									
	Permit Requirement									

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

MINOR
 Jefferson
 Mining

COUNTY: Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.29	*****	8.30		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	6	10		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Mining

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.23	*****	8.26	12 S.U.	2	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	3	5	19 mg/l	2	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily				2X Monthly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6		*****	*****	*****	*****	2	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****				2X Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type		
			Average	Maximum	Minimum					Average	Maximum
PH	Sample Measurement	*****	*****	*****	8.26	*****	8.26	12 S.U.	1	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	16	16	19 mg/l	1	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily			2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144	03 MGD	*****	*****	*****	*****	1	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****			2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.23	*****	8.26		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	3	5		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	3.6	3.6		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Vulcan Construction Materials, LLC
MAILING ADDRESS: Post Office Box 385016 , Birmingham, AL 35238

PERMIT NUMBER: AL0023892
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Mining
 *** NO DISCHARGE [] ***

FACILITY: Dolcito Quarry
LOCATION: 2101 Pinson Valley Parkway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.26	*****	8.26		0	2X Monthly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	16	16		0	2X Monthly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	25.0 monthly average	45.0 maximum daily	19 mg/l		2X Monthly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.00144	0.00144		*****	*****	*****		0	2X Monthly	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		2X Monthly	Instantaneous
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Stacy Thompson	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-298-3482	10/26/2018

Dunn Construction Co. Inc.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Dunn Construction Co Inc
MAILING ADDRESS: PO Box 11967 , Birmingham, AL 35202

PERMIT NUMBER: ALG020033
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Dunn Const Co Inc
LOCATION: 2201 Pinson Valley Highway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.3	*****	7.3	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
RAINFALL	Sample Measurement	*****	0.62		*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	61 inches	*****	*****	*****				Twice per Year
CHEMICAL OXYGEN DEMAND (COD)	Sample Measurement	*****	*****		*****	*****	9.5	19 mg/l	0	Twice per Year	Grab
Parameter Code: 81017 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Carl Covington	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-510-0216	01/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Dunn Construction Company, Inc.
MAILING ADDRESS: PO Box 11967 , Birmingham, AL 35202

PERMIT NUMBER: ALG020033
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Dunn Const Co Inc
LOCATION: 2201 Pinson Valley Highway , Tarrant, AL 35217

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.10	*****	8.10	12 S.U.	0	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	42.0	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
RAINFALL	Sample Measurement	*****	.000001		*****	*****	*****	*****	0	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	61 inches	*****	*****	*****				Twice per Year
CHEMICAL OXYGEN DEMAND (COD)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Twice per Year	Grab
Parameter Code: 81017 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Carl Covington	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-510-0216	07/16/2018

Express Oil Change Distribution

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Express Oil Change Distribution
MAILING ADDRESS: P.O. Box 590 , Trussville, AL 35173

PERMIT NUMBER: ALG340357
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [X] *****

FACILITY: Express Oil Change Distributio
LOCATION: 7809 Highway 11 , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Quarterly	
OIL & GREASE	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily			Quarterly	
METHYL TERT-BUTYL ETHER	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 22417 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Quarterly	
TOLUENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	8723 maximum daily			Quarterly	
BENZENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.5 maximum daily			Quarterly	
ETHYLBENZENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1244 maximum daily			Quarterly	
NAPHTHALENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	620 maximum daily			Quarterly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-683-6731	01/10/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Express Oil Change Distribution
MAILING ADDRESS: P.O. Box 590 , Trussville, AL 35173

PERMIT NUMBER: ALG340357
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Express Oil Change Distributio
LOCATION: 7809 Highway 11 , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****			*****	*****	*****	*****			
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	61 inches	*****	*****	*****	*****		Quarterly	
XYLENE	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	28 ug/l		Quarterly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-683-6731	01/10/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Express Oil Change Distribution
MAILING ADDRESS: P.O. Box 590 , Trussville, AL 35173

PERMIT NUMBER: ALG340357
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial
 *** NO DISCHARGE [X] ***

FACILITY: Express Oil Change Distributio
LOCATION: 7809 Highway 11 , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Quarterly	
OIL & GREASE	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily			Quarterly	
METHYL TERT-BUTYL ETHER	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 22417 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Quarterly	
TOLUENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	8723 maximum daily			Quarterly	
BENZENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.5 maximum daily			Quarterly	
ETHYLBENZENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1244 maximum daily			Quarterly	
NAPHTHALENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	620 maximum daily			Quarterly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-594-1445	07/13/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Express Oil Change Distribution
MAILING ADDRESS: P.O. Box 590 , Trussville, AL 35173

PERMIT NUMBER: ALG340357
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Express Oil Change Distributio
LOCATION: 7809 Highway 11 , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****			*****	*****	*****	*****			
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	61 inches	*****	*****	*****	*****		Quarterly	
XYLENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily			Quarterly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-594-1445	07/13/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Express Oil Change Distribution
MAILING ADDRESS: P.O. Box 590 , Trussville, AL 35173

PERMIT NUMBER: ALG340357
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial
***** NO DISCHARGE [X] *****

FACILITY: Express Oil Change Distributio
LOCATION: 7809 Highway 11 , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Quarterly	
OIL & GREASE	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily			Quarterly	
METHYL TERT-BUTYL ETHER	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 22417 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Quarterly	
TOLUENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	8723 maximum daily			Quarterly	
BENZENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.5 maximum daily			Quarterly	
ETHYLBENZENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1244 maximum daily			Quarterly	
NAPHTHALENE	Sample Measurement	*****	*****	*****	*****	*****		28 ug/l			
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	620 maximum daily			Quarterly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-594-1445	07/13/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Express Oil Change Distribution
MAILING ADDRESS: P.O. Box 590 , Trussville, AL 35173

PERMIT NUMBER: ALG340357
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Express Oil Change Distributio
LOCATION: 7809 Highway 11 , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****			*****	*****	*****				
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	61 inches	*****	*****	*****	*****		Quarterly	
XYLENE	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	28 ug/l		Quarterly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-594-1445	07/13/2018

Hot Metal Coatings

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Birmingham Hot Metal Coatings, Inc.
MAILING ADDRESS: 1513 Industrial Blvd , Birmingham, AL 35221

PERMIT NUMBER: ALG230059
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Birmingham Hot Metal Coatings,
LOCATION: 1513 Industrial Blvd , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 07 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units		Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
		Average	Maximum	Minimum	Average	Maximum					
PH	Sample Measurement	*****	*****	*****	7.8	*****	7.8	12 S.U.	1	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	67	19 mg/l	1	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
RAINFALL	Sample Measurement	*****	0.62	61 inches	*****	*****	*****	*****	1	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****				Twice per Year
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Tim Powell	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-0429	01/19/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Birmingham Hot Metal Coatings, Inc.
MAILING ADDRESS: 1513 Industrial Blvd , Birmingham, AL 35221

PERMIT NUMBER: ALG230059
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Birmingham Hot Metal Coatings,
LOCATION: 1513 Industrial Blvd , Birmingham, AL 35221

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.3	*****	7.3	12 S.U.	1	Twice per Year	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Twice per Year
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	0	19 mg/l	1	Twice per Year	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Twice per Year
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	0	19 mg/l	1	Twice per Year	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Twice per Year
RAINFALL	Sample Measurement	*****	0.7		*****	*****	*****	*****	1	Twice per Year	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	61 inches	*****	*****	*****				Twice per Year
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-925-0429	07/11/2018

Jefferson County Valley Creek WWTP

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.8	*****	*****		0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****	19 mg/l		5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.1	*****	7.4		0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	51384	62356		*****	151	194		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2610	3754		*****	6.7	8.4		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	8.5	21		*****	0.03	0.10		0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	339	451		*****	0.94	1.1		0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1417 monthly average	2126 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	4564	4564		*****	16	16		0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	11/28/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart

PERMIT NUMBER: AL0023655

MAJOR

MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203

MONITORING POINT: 0012

COUNTY: Jefferson

FACILITY: Jefferson Co Valley Creek Wwtp

PROGRAM: Municipal

LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	513	513	26 lbs/day	*****	1.8	1.8	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	41	95	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	6	18	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	298 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	30506	34880	26 lbs/day	*****	95	142	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	788	1085	26 lbs/day	*****	2.4	5.4	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3544 monthly average	5316 weekly average		*****	5.0 monthly average	7.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	97.4	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	11/28/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		95.5	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	11/28/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.0	*****	*****		0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****	19 mg/l		5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.2	*****	7.3		0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	49174	58487		*****	195	210		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1434	2613		*****	5.4	7.0		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	7	16		*****	0.03	0.08		0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	256	342		*****	1.0	1.1		0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1417 monthly average	2126 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	5297	5297		*****	17	17		0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	12/20/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY: Jefferson
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	592	592	26 lbs/day	*****	1.9	1.9	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	31	41	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	16	48	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	29426	35026	26 lbs/day	*****	116	138	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	439	802	26 lbs/day	*****	1.7	2.9	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3544 monthly average	5316 weekly average		*****	5.0 monthly average	7.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.5	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	12/20/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		97.2	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	12/20/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 001Q

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*9	28 ug/l	0	Quarterly	24-Hr Composite
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	11/28/2017

PERMITTEE COMMENT: New permit effective 10/1/17 added this parameter. Permit states that monitoring begins first full quarter after effective date; should begin 1/1/18.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.4	*****	*****		0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****	19 mg/l		5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.1	*****	7.3		0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	51625	57918		*****	163	208		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1793	3197		*****	5.0	6.3		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	34	83		*****	0.11	0.26		0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	425	749		*****	1.2	1.5		0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	2835 monthly average	4253 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	4434	4434		*****	15	15		0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	562	562	26 lbs/day	*****	1.9	1.9	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	39	80	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	24	80	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	30677	42653	26 lbs/day	*****	94	109	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	806	1426	26 lbs/day	*****	2.2	2.9	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	4962 monthly average	7443 weekly average		*****	7.0 monthly average	10.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	97.6	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		96.9	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 001Q

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*9	28 ug/l	0	Quarterly	24-Hr Composite
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	11/28/2017

PERMITTEE COMMENT: New permit effective 10/1/17 added this parameter. Permit states that monitoring begins first full quarter after effective date; should begin 1/1/18.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson Co Comm Environmental Services Dept
MAILING ADDRESS: 716 Richard Arrington Jr Blvd N, Ste A-300, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 005S

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.4	*****	7.4	12 S.U.	0	Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Annually
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Annually	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	35	19 mg/l	1	Annually	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Annually
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.31	19 mg/l	0	Annually	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	1.2	19 mg/l	0	Annually	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.44	19 mg/l	0	Annually	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.31	19 mg/l	0	Annually	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson Co Comm Environmental Services Dept
MAILING ADDRESS: 716 Richard Arrington Jr Blvd N, Ste A-300 , Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 005S

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0129	03 MGD	*****	*****	*****	*****	0	Annually	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Annually
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	6.3	13 col/100mL	0	Annually	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Annually
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	1.6	19 mg/l	0	Annually	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Annually
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson Co Comm Environmental Services Dept
MAILING ADDRESS: 716 Richard Arrington Jr Blvd N, Ste A-300, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 007S

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.7	*****	7.7	12 S.U.	0	Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Annually
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	1.2	19 mg/l	0	Annually	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	19	19 mg/l	1	Annually	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Annually
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	1.0	19 mg/l	0	Annually	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	2.2	19 mg/l	0	Annually	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	2.3	19 mg/l	0	Annually	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.23	19 mg/l	0	Annually	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson Co Comm Environmental Services Dept
MAILING ADDRESS: 716 Richard Arrington Jr Blvd N, Ste A-300 , Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 007S

MAJOR Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.0035	03 MGD	*****	*****	*****	*****	0	Annually	Calculated
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Annually
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	169.0	13 col/100mL	0	Annually	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily	*****	Annually
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	3.4	19 mg/l	0	Annually	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily	*****	Annually
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson Co Comm Environmental Services Dept
MAILING ADDRESS: 716 Richard Arrington Jr Blvd N, Ste A-300, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 009G

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.3	*****	7.3		0	Annually	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Annually	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	1.3		0	Annually	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Annually	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.21		0	Annually	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Annually	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.61		0	Annually	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Annually	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.11		0	Annually	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Annually	Grab
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	1.6		0	Annually	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Annually	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.54		*****	*****	*****		0	Annually	Instantaneous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Annually	Instantaneous

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson Co Comm Environmental Services Dept
MAILING ADDRESS: 716 Richard Arrington Jr Blvd N, Ste A-300, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 009G

MAJOR
 Jefferson
COUNTY:
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 01 01	To: 17 12 31

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	3	13 col/100mL	0	Annually	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Annually	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Annually
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	01/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		9.0	*****	*****		0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****	19 mg/l		5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.0	*****	7.2		0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	57806	78248		*****	204	253		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1314	2421		*****	4.6	7.8		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	3.4	10		*****	0.01	0.04		0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	286	303		*****	1.0	1.1		0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	2835 monthly average	4253 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	4550	4550		*****	16	16		0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	02/28/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart

PERMIT NUMBER: AL0023655

MAJOR

MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203

MONITORING POINT: 0012

COUNTY: Jefferson

FACILITY: Jefferson Co Valley Creek Wwtp

PROGRAM: Municipal

LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	483	483	26 lbs/day	*****	1.7	1.7	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	34	42	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	5X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	12	36	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily	*****	5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	30755	34755	26 lbs/day	*****	109	121	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	469	685	26 lbs/day	*****	1.7	2.3	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	4962 monthly average	7443 weekly average		*****	*****	7.0 monthly average		10.5 weekly average	*****	5X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.5	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	02/28/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		97.8	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	02/28/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY: Jefferson
 PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.9	*****	*****	19 mg/l	0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****				5X Weekly
PH	Sample Measurement	*****	*****		7.0	*****	7.2	12 S.U.	0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	63624	73553		*****	108	234	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	3309	5273		*****	4.7	6.4	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				5X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	68	233		*****	0.09	0.32	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average				5X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	642	1095		*****	1.0	1.4	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	2835 monthly average	4253 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				5X Weekly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	5446	5446		*****	13	13	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	03/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart

PERMIT NUMBER: AL0023655

MAJOR

MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203

MONITORING POINT: 0012

COUNTY: Jefferson
PROGRAM: Municipal

FACILITY: Jefferson Co Valley Creek Wwtp

LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	628	628	26 lbs/day	*****	1.5	1.5	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	76	132	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	25	66	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	33376	42328	26 lbs/day	*****	55	100	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	1518	2683	26 lbs/day	*****	2.1	3.4	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	4962 monthly average	7443 weekly average		*****	7.0 monthly average	10.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	96.2	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	03/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		95.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	03/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.8	*****	*****		0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****	19 mg/l		5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.1	*****	7.2		0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	61798	64345		*****	145	214		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1829	3513		*****	3.6	5.1		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	22	53		*****	0.06	0.14		0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	525	667		*****	1.1	1.2		0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	2835 monthly average	4253 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	5661	5661		*****	15	15		0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart

PERMIT NUMBER: AL0023655

MAJOR

MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203

MONITORING POINT: 0012

COUNTY: Jefferson

FACILITY: Jefferson Co Valley Creek Wwtp

PROGRAM: Municipal

LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	642	642	26 lbs/day	*****	1.7	1.7	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	57	99	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	31	173	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	36274	39545	26 lbs/day	*****	86	124	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	944	1485	26 lbs/day	*****	1.9	2.4	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	4962 monthly average	7443 weekly average		*****	7.0 monthly average	10.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	97.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	04/26/2018


Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		97.5	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.8	*****	*****	19 mg/l	0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****				5X Weekly
PH	Sample Measurement	*****	*****		7.1	*****	7.2	12 S.U.	0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	61798	64345		*****	145	214	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1829	3513		*****	3.6	5.1	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				5X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	22	53		*****	0.06	0.14	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average				5X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	525	667		*****	1.1	1.2	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	2835 monthly average	4253 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				5X Weekly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	5661	5661		*****	15	15	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	642	642	26 lbs/day	*****	1.7	1.7	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	57	99	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	31	173	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	36274	39545	26 lbs/day	*****	86	124	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	944	1485	26 lbs/day	*****	1.9	2.4	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	4962 monthly average	7443 weekly average		*****	7.0 monthly average	10.5 weekly average				
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	97.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		97.5	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	04/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023


PERMIT NUMBER: AL0023655
MONITORING POINT: 001Q

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	24-Hr Composite
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.7	*****	*****	19 mg/l	0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****			5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.1	*****	7.3	12 S.U.	0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	69372	77442		*****	149	198	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1825	2966		*****	3.5	3.9	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average			5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	38	108		*****	0.06	0.20	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average			5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	431	541		*****	0.9	1.0	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	2835 monthly average	4253 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average			5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	5798	5798		*****	6	6	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart

PERMIT NUMBER: AL0023655

MAJOR

MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203

MONITORING POINT: 0012

COUNTY: Jefferson

FACILITY: Jefferson Co Valley Creek Wwtp

PROGRAM: Municipal

LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	884	884	26 lbs/day	*****	0.9	0.9	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	60	118	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	5X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	13	47	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily	*****	5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	40299	56487	26 lbs/day	*****	87	130	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	978	1781	26 lbs/day	*****	1.8	2.1	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	4962 monthly average	7443 weekly average		*****	*****	7.0 monthly average		10.5 weekly average	*****	5X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	05/24/2018


Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		97.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	05/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department

PERMIT NUMBER: AL0023655

MAJOR

MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203

MONITORING POINT: 0012

COUNTY: Jefferson

FACILITY: Jefferson Co Valley Creek Wwtp

LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

PROGRAM: Municipal
 *** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.0	*****	*****		0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****	19 mg/l		5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.2	*****	7.4		0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	63254	73105		*****	213	268		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1160	1527		*****	3.5	5.3		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	12	24		*****	0.03	0.06		0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	372	496		*****	1.2	1.5		0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1417 monthly average	2126 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	7208	7208		*****	26	26		0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	06/28/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	665	665	26 lbs/day	*****	2.4	2.4	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	38	105	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	4	16	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	298 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	36432	41096	26 lbs/day	*****	121	136	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	626	1320	26 lbs/day	*****	1.7	2.0	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3544 monthly average	5316 weekly average		*****	5.0 monthly average	7.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.6	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	06/28/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.4	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	06/28/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

***** NO DISCHARGE [] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.8	*****	*****	19 mg/l	0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****				5X Weekly
PH	Sample Measurement	*****	*****		7.2	*****	7.4	12 S.U.	0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	82403	85322		*****	227	238	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1269	1784		*****	3.5	5.2	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				5X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	10	16		*****	0.03	0.04	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average				5X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	412	526		*****	1.1	1.3	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1417 monthly average	2126 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				5X Weekly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	3825	3825		*****	12	12	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	07/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY: Jefferson
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	478	478	26 lbs/day	*****	1.5	1.5	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	45.3	89	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	14	54	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	298 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	39120	43065	26 lbs/day	*****	108	126	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	619	1249	26 lbs/day	*****	1.7	2.3	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3544 monthly average	5316 weekly average		*****	5.0 monthly average	7.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.4	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	07/20/2018


Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.5	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	07/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 001Q

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
			Average	Maximum	Minimum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*B	28 ug/l	0	Quarterly	24-Hr Composite
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report maximum daily			Quarterly	24-Hr Composite
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	07/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY:
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.4	*****	*****		0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****	19 mg/l		5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.2	*****	7.4		0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	54939	70461		*****	213	272		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	745	950		*****	2.9	3.6		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	15	20		*****	0.06	0.09		0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	291	349		*****	1.1	1.2		0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1417 monthly average	2126 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	4146	4146		*****	13	13		0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	478	478	26 lbs/day	*****	1.5	1.5	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	31	43	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	12.4	33	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	298 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	32224	36735	26 lbs/day	*****	124	148	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	418	514	26 lbs/day	*****	1.6	1.7	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3544 monthly average	5316 weekly average		*****	5.0 monthly average	7.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.3	*****	*****	19 mg/l	0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****				5X Weekly
PH	Sample Measurement	*****	*****		7.1	*****	7.4	12 S.U.	0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	49972	58557		*****	215	230	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				5X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	677	1111		*****	2.8	4.0	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				5X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	30	42		*****	0.13	0.20	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average				5X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	301	343		*****	1.3	1.6	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1417 monthly average	2126 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				5X Weekly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	3475	3475		*****	16	16	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	09/28/2018

PERMITTEE COMMENT: Attachments documenting August 30, 2018 effluent violation for Valley Creek Water Reclamation Facility (AL0023655), Outfall 0012 have been included with the discharge monitoring report.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY: Jefferson
 PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	608	608	26 lbs/day	*****	2.8	2.8	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	28.0	45	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	5X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	66	1414	13 col/100mL	1	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		298 maximum daily	*****	5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	27573	31686	26 lbs/day	*****	119	144	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	5X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	342	543	26 lbs/day	*****	1.4	1.9	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3544 monthly average	5316 weekly average		*****	*****	5.0 monthly average		7.5 weekly average	*****	5X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.8	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	09/28/2018

PERMITTEE COMMENT: Attachments documenting August 30, 2018 effluent violation for Valley Creek Water Reclamation Facility (AL0023655), Outfall 0012 have been included with the discharge monitoring report.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	09/28/2018

PERMITTEE COMMENT: Attachments documenting August 30, 2018 effluent violation for Valley Creek Water Reclamation Facility (AL0023655), Outfall 0012 have been included with the discharge monitoring report.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 001T

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	*****	0	pass(0)/fail	*****	*****	*****	*****	0	See Permit Requirements	24-Hr Composite
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 single sample		*****	*****	*****				
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	*****	0	9A pass(0)/fail (1)	*****	*****	*****	*****	0	See Permit Requirements	24-Hr Composite
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	0 single sample		*****	*****	*****				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	09/28/2018

PERMITTEE COMMENT: Attachments documenting August 30, 2018 effluent violation for Valley Creek Water Reclamation Facility (AL0023655), Outfall 0012 have been included with the discharge monitoring report.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023


PERMIT NUMBER: AL0023655
MONITORING POINT: 001Q

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

MAJOR COUNTY: Jefferson
PROGRAM: Municipal

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	24-Hr Composite
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Department

PERMIT NUMBER: AL0023655

MAJOR

MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203

MONITORING POINT: 0012

COUNTY: Jefferson
PROGRAM: Municipal

FACILITY: Jefferson Co Valley Creek Wwtp

LOCATION: 3923 Clearwater Drive, Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.2	*****	*****		0	5X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.5 minimum daily	*****	*****	19 mg/l		5X Weekly	Grab
PH	Sample Measurement	*****	*****		7.2	*****	7.5		0	5X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		5X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	53819	72935		*****	200	220		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		5X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1110	2349		*****	3.5	5.0		0	5X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	21267 monthly average	31900 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	43	55		*****	0.15	0.20		0	5X Weekly	24-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	708 monthly average	1063 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	390	666		*****	1.4	1.6		0	5X Weekly	24-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1417 monthly average	2126 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		5X Weekly	24-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	3169	3169		*****	15	15		0	Monthly	24-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	24-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MAJOR
 Jefferson
 COUNTY: Jefferson
 PROGRAM: Municipal

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	613	613	26 lbs/day	*****	2.9	2.9	19 mg/l	0	Monthly	24-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	Monthly	24-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	33.0	82.0	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	5X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	5X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	14	75	13 col/100mL	0	5X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	298 maximum daily		*****	5X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	35020	47891	26 lbs/day	*****	134	200	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	569	941	26 lbs/day	*****	1.9	2.2	19 mg/l	0	5X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	3544 monthly average	5316 weekly average		*****	5.0 monthly average	7.5 weekly average		*****	5X Weekly	24-Hr Composite
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.6	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	10/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 0012

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.3	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	10/26/2018


Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Jefferson County Commission Environmental Services Depart
MAILING ADDRESS: Suite A-300 716 Richard Arrington Jr Blvd N, Birmingham, AL 35203
FACILITY: Jefferson Co Valley Creek Wwtp
LOCATION: 3923 Clearwater Drive , Bessemer, AL 35023

PERMIT NUMBER: AL0023655
MONITORING POINT: 001Q

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

MAJOR
 Jefferson
COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COPPER TOTAL RECOVERABLE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	24-Hr Composite
Parameter Code: 01119 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT David Denard	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-325-5979	08/27/2018

Liberty Park WRRF

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR Jefferson
PROGRAM: Municipal
***** NO DISCHARGE [X] *****

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.1	*****	7.2		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	714	720		*****	140	171		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2.44	2.44		*****	1.50	1.50		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, TOTAL (AS N)	Sample Measurement	14.0	14.0		*****	7.51	7.51		0	2X Weekly	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.063	0.063		*****	0.035	0.035		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	17.9	17.9		*****	8.91	8.91		0	2X Weekly	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*B	*B		*****	*B	*B		0	2X Weekly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average	19 mg/l		2X Weekly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.27	0.27	26 lbs/day	*****	0.14	0.14	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.599	1.004	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.347	0.649	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily		*****	2X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	386	524	26 lbs/day	*****	76.4	102	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.68	0.68	26 lbs/day	*****	0.30	0.30	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average		*****	2X Weekly	Grab
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.2 monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.5	*****	*****		0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	Grab
PH	Sample Measurement	*****	*****		7.0	*****	7.2		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	714	720		*****	140	171		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	6.83	8.65		*****	1.00	1.25		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.18	0.27		*****	0.026	0.038		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.94	1.88		*****	0.14	0.29		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	48.2	57.7		*****	6.96	8.19		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****	7.3	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****	8.8	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PH	Sample Measurement	*****	*****	*****	8.9	*****	8.9	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	Grab
PH	Sample Measurement	*****	*****	*****	8.3	*****	8.3	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	33.5	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	9.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****	0.026	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
			Average	Maximum	Minimum				
COLIFORM, FECAL GENERAL	Sample Measurement	****	****	****	4400	13 col/100mL	0	See Permit Requirements	Grab
Parameter Code: 74055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	****	****	report maximum daily				See Permit Requirements
WATER LEVEL AT SAMP. COLLECTION TIME	Sample Measurement	****	29	****	****	****	0	See Permit Requirements	Grab
Parameter Code: 85327 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	report maximum daily	****	****				See Permit Requirements
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

***** NO DISCHARGE [] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	1.37	1.88	26 lbs/day	*****	0.20	0.27	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.2 monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.767	0.937	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	2X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily		*****	2X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	386	524	26 lbs/day	*****	76.4	102	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	7.18	7.98	26 lbs/day	*****	1.05	1.15	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	10.0 monthly average	15.0 weekly average		*****	2X Weekly	Grab
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.6	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.3	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR Jefferson
PROGRAM: Municipal
***** NO DISCHARGE [X] *****

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****	0.023	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****	0.054	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****	0.062	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	21	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	64	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	0.6	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	0.6	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****	0.016	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				
NITROGEN, NITRITE TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00615 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****	0.014	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****	*****	*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				
METHYLENE BLUE ACTIVE SUBSTANCES	Sample Measurement	*****	*****	*****	*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 47021 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL2

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.017	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRITE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00615 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.024	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	1.1	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
METHYLENE BLUE ACTIVE SUBSTANCES	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 47021 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL2

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units		Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
		Average	Maximum	Minimum	Average	Maximum					
COLIFORM, FECAL GENERAL	Sample Measurement	*****	*****	*****	*****	*****	*T	13 col/100mL	0	See Permit Requirements	Grab
Parameter Code: 74055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				See Permit Requirements
WATER LEVEL AT SAMP. COLLECTION TIME	Sample Measurement	*****	6.4	Z7 feet	*****	*****	*****	*****	0	See Permit Requirements	Grab
Parameter Code: 85327 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****				See Permit Requirements
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL3

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.48	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRITE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00615 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.048	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	1.5	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
METHYLENE BLUE ACTIVE SUBSTANCES	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 47021 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL3

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COLIFORM, FECAL GENERAL	Sample Measurement	*****	*****	*****	*****	*****	*T	13 col/100mL	0	See Permit Requirements	Grab
Parameter Code: 74055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				See Permit Requirements
WATER LEVEL AT SAMP. COLLECTION TIME	Sample Measurement	*****	10.3	Z7 feet	*****	*****	*****	*****	0	See Permit Requirements	Grab
Parameter Code: 85327 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****				See Permit Requirements
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	11/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		9.5	*****	*****		0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	Grab
PH	Sample Measurement	*****	*****		6.8	*****	7.3		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	817	1044		*****	176	228		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	5.69	7.23		*****	0.94	1.00		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.29	0.49		*****	0.047	0.066		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	1.12	1.72		*****	0.23	0.29		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	42.9	46.8		*****	7.15	7.56		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	6.23	9.26	26 lbs/day	*****	1.04	1.28	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.676	0.995	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily		
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	426	477	26 lbs/day	*****	91.8	106	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	7.12	10.8	26 lbs/day	*****	1.19	1.55	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	*****	10.0 monthly average		15.0 weekly average		
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****		

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.5	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average		*****	2.0 monthly average	3.0 weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 020T

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
			Average	Maximum	Minimum				
TOXICITY, CERIODAPHNIA CHRONIC	Sample Measurement	****	0	****	****	****	0	See Permit Requirements	24-Hr Composite
Parameter Code: 61426 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	0 single sample	****	****	****		See Permit Requirements	24-Hr Composite
TOXICITY, PIMEPHALES CHRONIC	Sample Measurement	****	0	****	****	****	0	See Permit Requirements	24-Hr Composite
Parameter Code: 61428 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	****	0 single sample	****	****	****		See Permit Requirements	24-Hr Composite
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								
	Sample Measurement								
	Permit Requirement								

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	12/21/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.5	*****	7.5	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Quarterly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	5.0	19 mg/l	0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.012	19 mg/l	0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.058	19 mg/l	0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.568		*****	*****	*****	03 MGD	0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	*****	*****	*****	*****				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.5	*****	7.5	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Quarterly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	20.5	19 mg/l	0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.039	19 mg/l	0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.99	19 mg/l	0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	4.50	19 mg/l	0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.87	19 mg/l	0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.568		*****	*****	*****	*****	0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.6	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	380	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	1.5	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.7	*****	7.7		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	131		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.013		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.90		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.072		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.568		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	*T	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	9.7	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	40	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	1.2	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.1	*****	*****	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****				2X Weekly
PH	Sample Measurement	*****	*****		6.8	*****	7.5	12 S.U.	0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1076	1618		*****	190	253	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	3.63	4.70		*****	0.81	1.00	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				2X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.45	5.16		*****	0.33	1.18	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				2X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	1.16	3.71		*****	0.27	0.85	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	30.6	34.7		*****	7.00	7.66	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	5.29	6.60	26 lbs/day	*****	1.22	1.62	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.531	0.671	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily		
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	1	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	644	1035	26 lbs/day	*****	112	144	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	7.40	11.6	26 lbs/day	*****	1.68	2.53	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	*****	10.0 monthly average		15.0 weekly average		
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.5	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****		

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		*****	*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242


PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	01/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.5	*****	*****	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****				2X Weekly
PH	Sample Measurement	*****	*****		6.3	*****	7.5	12 S.U.	0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	816	1320		*****	164	260	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	4.43	6.93		*****	1.00	1.75	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				2X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.85	1.15		*****	0.19	0.29	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				2X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*B	*B		*****	*B	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	39.8	45.8		*****	8.62	9.66	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	5.28	6.66	26 lbs/day	*****	1.14	1.36	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.547	0.743	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily		
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	483	521	26 lbs/day	*****	97.2	109	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	5.12	5.95	26 lbs/day	*****	1.13	1.28	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	*****	10.0 monthly average		15.0 weekly average		
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.8	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****		

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.4	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	02/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		*****	*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.1	*****	*****	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****				2X Weekly
PH	Sample Measurement	*****	*****		6.8	*****	7.3	12 S.U.	0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1056	1111		*****	149	186	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	7.99	10.2		*****	1.07	1.25	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				2X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.78	1.24		*****	0.12	0.21	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				2X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*B	*B		*****	*B	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	38.5	43.7		*****	5.46	6.40	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF

LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

***** NO DISCHARGE [X] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	7.68	10.5	26 lbs/day	*****	1.07	1.29	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.850	0.996	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily		
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	560	613	26 lbs/day	*****	79.2	98.8	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average		
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	8.54	9.87	26 lbs/day	*****	1.25	1.75	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	*****	10.0 monthly average		15.0 weekly average		
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.4	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****		

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.3	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	03/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.7	*****	7.7		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	17.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.78		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.43		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.72		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.12		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	1.549		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	700	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	0.4	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.2	*****	8.2		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	36.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.021		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.25		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.073		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	1.549		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	840	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	0.4	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.6	*****	8.6		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	103		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.015		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.097		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	1.549		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	25	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	0.8	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.3	*****	*****		0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	Grab
PH	Sample Measurement	*****	*****		6.8	*****	7.1		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1084	1858		*****	146	223		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	7.81	14.6		*****	1.00	2.00		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.58	0.86		*****	0.073	0.11		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	2.85	6.81		*****	0.35	0.84		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	48.2	51.5		*****	6.04	6.40		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	6.18	11.2	26 lbs/day	*****	0.79	1.42	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.948	1.041	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	633	956	26 lbs/day	*****	89.3	120	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	12.5	17.1	26 lbs/day	*****	1.56	2.13	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	10.0 monthly average	15.0 weekly average				
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.3	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****				

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.3	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	04/21/2018

PERMITTEE COMMENT: Liberty Park Influent, AL0067814 – March 2018 – Due to no effluent discharge during week 5 of this monitoring period there was an oversight to collect the influent samples.

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****								
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.2 monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.7	*****	*****		0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	Grab
PH	Sample Measurement	*****	*****		6.6	*****	7.1		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	864	993		*****	144	156		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	12.0	15.3		*****	1.63	2.00		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.47	0.79		*****	0.064	0.10		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.84	1.79		*****	0.13	0.29		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	44.4	53.5		*****	6.08	6.93		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.56	0.85	26 lbs/day	*****	0.080	0.11	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.2 monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.866	1.030	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	2X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	548 monthly average		2507 maximum daily	*****	2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	484	511	26 lbs/day	*****	81.6	83.8	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	13.1	18.0	26 lbs/day	*****	1.79	2.33	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	*****	10.0 monthly average		15.0 weekly average	*****	2X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	97.8	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.9	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average		*****	2.0 monthly average	3.0 weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			See Permit Requirements	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.024	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			See Permit Requirements	Grab
NITROGEN, NITRITE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00615 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			See Permit Requirements	Grab
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			See Permit Requirements	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.011	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			See Permit Requirements	Grab
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	1.0	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			See Permit Requirements	Grab
METHYLENE BLUE ACTIVE SUBSTANCES	Sample Measurement	*****	*****		*****	*****	0.04	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 47021 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			See Permit Requirements	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COLIFORM, FECAL GENERAL	Sample Measurement	*****	*****	*****	*****	*****	*B	13 col/100mL	0	See Permit Requirements	Grab
Parameter Code: 74055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	report maximum daily				See Permit Requirements
WATER LEVEL AT SAMP. COLLECTION TIME	Sample Measurement	*****	27.9	Z7 feet	*****	*****	*****	*****	0	See Permit Requirements	Grab
Parameter Code: 85327 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****				See Permit Requirements
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL2

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.034	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRITE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00615 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.021	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	1.6	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
METHYLENE BLUE ACTIVE SUBSTANCES	Sample Measurement	*****	*****		*****	*****	0.03	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 47021 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL2

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COLIFORM, FECAL GENERAL	Sample Measurement	*****	*****	*****	*****	*****	292	13 col/100mL	0	See Permit Requirements	Grab
Parameter Code: 74055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		See Permit Requirements
WATER LEVEL AT SAMP. COLLECTION TIME	Sample Measurement	*****	8.0	Z7 feet	*****	*****	*****	*****	0	See Permit Requirements	Grab
Parameter Code: 85327 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		See Permit Requirements
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL3

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	1.46	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.48	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRITE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00615 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.034	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
CARBON, TOT ORGANIC (TOC)	Sample Measurement	*****	*****		*****	*****	1.0	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 00680 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements
METHYLENE BLUE ACTIVE SUBSTANCES	Sample Measurement	*****	*****		*****	*****	0.02	19 mg/l	0	See Permit Requirements	Grab
Parameter Code: 47021 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				See Permit Requirements

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: WEL3

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
COLIFORM, FECAL GENERAL	Sample Measurement	*****	*****	*****	*****	*****	58	13 col/100mL	0	See Permit Requirements	Grab
Parameter Code: 74055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		See Permit Requirements
WATER LEVEL AT SAMP. COLLECTION TIME	Sample Measurement	*****	4.6	Z7 feet	*****	*****	*****	*****	0	See Permit Requirements	Grab
Parameter Code: 85327 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		See Permit Requirements
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	05/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.3	*****	7.0		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	876	934		*****	157	173		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2.68	3.55		*****	1.13	1.50		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, TOTAL (AS N)	Sample Measurement	12.6	20.1		*****	4.49	5.66		0	2X Weekly	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.37	1.00		*****	0.21	0.70		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	15.4	25.2		*****	5.46	6.74		0	2X Weekly	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*B	*B		*****	*B	*B		0	2X Weekly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average	19 mg/l		2X Weekly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.30	0.41	26 lbs/day	*****	0.12	0.18	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.635	0.972	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.285	0.509	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily		*****	2X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	481	642	26 lbs/day	*****	85.7	115	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	1.83	3.65	26 lbs/day	*****	0.63	1.03	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average		*****	2X Weekly	Grab
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.2 monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	548 monthly average	2507 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		*****	*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242


PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.1	*****	*****		0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	Grab
PH	Sample Measurement	*****	*****		6.8	*****	7.0		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	876	934		*****	157	173		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	12.7	11.2		*****	2.13	2.50		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	1.37	2.20		*****	0.29	0.51		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	1.66	3.32		*****	0.38	0.76		0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	29.8	20.3		*****	4.81	4.62		0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****	8.1	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****	7.8	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PH	Sample Measurement	*****	*****	*****	7.6	*****	7.6	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	Grab
PH	Sample Measurement	*****	*****	*****	7.5	*****	7.5	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	1.5	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	46.5	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****	0.040	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.66	0.57	26 lbs/day	*****	0.11	0.13	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.2 monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.780	0.990	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	2X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	548 monthly average	2507 maximum daily		*****	2X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	481	642	26 lbs/day	*****	85.7	115	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	10.4	8.06	26 lbs/day	*****	1.71	1.83	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	10.0 monthly average	15.0 weekly average		*****	2X Weekly	Grab
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.6	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average		*****	2.0 monthly average	3.0 weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Monthly	
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****					
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.052	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.036	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.041	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	100	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	84	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	0.7	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	2.0	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	06/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.8	*****	6.9		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	922	1009		*****	162	189		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	2.63	4.13		*****	1.50	2.25		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, TOTAL (AS N)	Sample Measurement	12.2	15.1		*****	6.33	6.78		0	2X Weekly	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.66	1.51		*****	0.23	0.46		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	14.5	19.2		*****	7.45	8.37		0	2X Weekly	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.063	0.19		*****	0.054	0.16		0	2X Weekly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average	19 mg/l		2X Weekly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.32	0.49	26 lbs/day	*****	0.17	0.21	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.671	0.844	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.234	0.411	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	2	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily		*****	2X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	471	584	26 lbs/day	*****	82.4	108	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.95	1.68	26 lbs/day	*****	0.41	0.58	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average		*****	2X Weekly	Grab
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.6	*****	7.6	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Quarterly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	4.0	19 mg/l	0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.042	19 mg/l	0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.31	19 mg/l	0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.026	19 mg/l	0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.866		*****	*****	*****	*****	0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	48	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	1.1	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.3	*****	7.3		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	79.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.039		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.075		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	1.22		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.056		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.866		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.6	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	125	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	0.5	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.4	*****	7.4		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	36.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.037		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	1.12		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.043		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.866		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	240	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	0.8	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.9	*****	*****	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****				2X Weekly
PH	Sample Measurement	*****	*****		6.9	*****	7.0	12 S.U.	0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	922	1009		*****	162	189	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	13.8	20.6		*****	2.19	3.50	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				2X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.26	0.64		*****	0.037	0.080	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				2X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.75	1.76		*****	0.12	0.30	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	43.7	47.7		*****	6.99	8.03	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	1.05	1.34	26 lbs/day	*****	0.17	0.22	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.2 monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.734	1.019	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	2X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		487 maximum daily	*****	2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	471	584	26 lbs/day	*****	82.4	108	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	11.1	20.6	26 lbs/day	*****	1.63	2.58	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	*****	10.0 monthly average		15.0 weekly average	*****	2X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	98.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average		*****	2.0 monthly average	3.0 weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.2 monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		*****	*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242


PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****	7.7	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****	8.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PH	Sample Measurement	*****	*****		7.7	*****	7.7	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Monthly
PH	Sample Measurement	*****	*****		7.6	*****	7.6	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	120	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	7.5	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.013	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.013	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.33	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.034	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.040	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	25	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	62	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	1.5	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	1.3	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	07/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.6	*****	7.1		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1013	1239		*****	217	229		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1.80	5.82		*****	1.13	2.00		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, TOTAL (AS N)	Sample Measurement	10.6	22.0		*****	6.86	7.56		0	2X Weekly	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.049	0.068		*****	0.033	0.042		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	12.6	29.0		*****	7.98	9.95		0	2X Weekly	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.16	0.15		*****	0.12	0.12		0	2X Weekly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average	19 mg/l		2X Weekly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.73	2.58	26 lbs/day	*****	0.43	0.89	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.539	0.686	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.203	0.591	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				
E. COLI	Sample Measurement	*****	*****	*****	*****	2	12	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	344	383	26 lbs/day	*****	73.9	84.8	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.61	1.12	26 lbs/day	*****	0.38	0.63	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average				
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.2 monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242


PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average	19 mg/l		2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.7	*****	*****	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****				2X Weekly
PH	Sample Measurement	*****	*****		6.7	*****	7.0	12 S.U.	0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1013	1239		*****	217	229	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	14.7	21.0		*****	2.88	4.25	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				2X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.15	0.24		*****	0.028	0.043	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				2X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.81	1.30		*****	0.16	0.25	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	43.2	50.5		*****	8.27	9.25	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****	8.6	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****	7.8	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PH	Sample Measurement	*****	*****		7.3	*****	7.3	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Monthly
PH	Sample Measurement	*****	*****		7.2	*****	7.2	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	5.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	1.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.020	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.97	0.99	26 lbs/day	*****	0.19	0.19	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.2 monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.670	0.861	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.011 monthly average	0.019 maximum daily		*****	2X Weekly	Grab
E. COLI	Sample Measurement	*****	*****	*****	*****	1	2	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily		*****	2X Weekly	Grab
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	344	383	26 lbs/day	*****	73.9	84.8	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		*****	2X Weekly	24-Hr Composite
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	3.90	6.43	26 lbs/day	*****	0.78	1.30	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	10.0 monthly average	15.0 weekly average		*****	2X Weekly	Grab
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		85 monthly average	*****	*****		*****	Monthly	Calculated

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98.7	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average		*****	2.0 monthly average	3.0 weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.035	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.43	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.34	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.079	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.018	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	41	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	440	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	0.6	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	0.3	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	08/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.5	*****	6.8		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	864	1757		*****	196	390		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1.65	2.12		*****	1.50	2.00		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, TOTAL (AS N)	Sample Measurement	8.03	13.4		*****	6.84	9.03		0	2X Weekly	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.048	0.062		*****	0.041	0.056		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	10.0	14.0		*****	8.40	9.34		0	2X Weekly	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*B	0.50		*****	*B	0.36		0	2X Weekly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average	19 mg/l		2X Weekly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.20	0.83	26 lbs/day	*****	0.17	0.55	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				2X Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.536	0.755	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				Daily
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.201	0.476	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****				Daily
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	1	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily				2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	442	590	26 lbs/day	*****	102	140	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average				2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.68	1.10	26 lbs/day	*****	0.53	0.80	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average				2X Weekly
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.2 monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.6	*****	*****	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****				2X Weekly
PH	Sample Measurement	*****	*****		6.5	*****	6.6	12 S.U.	0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	864	1757		*****	196	390	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	9.68	13.6		*****	1.58	2.50	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				2X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.18	0.19		*****	0.027	0.029	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				2X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.70	2.10		*****	0.11	0.33	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	56.6	59.3		*****	8.94	8.94	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****	7.2	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****	7.2	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PH	Sample Measurement	*****	*****		7.1	*****	7.1	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Monthly
PH	Sample Measurement	*****	*****		7.0	*****	7.0	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	1.5	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	3.5	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.017	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.73	1.04	26 lbs/day	*****	0.11	0.15	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.2 monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.728	0.873	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	2X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		487 maximum daily	*****	2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	442	590	26 lbs/day	*****	102	140	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	6.68	7.33	26 lbs/day	*****	1.06	1.08	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	*****	10.0 monthly average		15.0 weekly average	*****	2X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99.0	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.2	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average	19 mg/l		2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Monthly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.026	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.022	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.039	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	145	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	34	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	0.8	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	1.0	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	09/24/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l		2X Weekly	
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	20.0 monthly average	30.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0013

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	45.0 monthly average	67.5 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.6	*****	7.0		0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	818	1156		*****	172	200		0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	24-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	6.04	7.52		*****	1.50	1.50		0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, TOTAL (AS N)	Sample Measurement	32.6	40.4		*****	8.17	8.28		0	2X Weekly	Grab
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.25	0.36		*****	0.055	0.072		0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement	35.3	44.2		*****	8.76	8.85		0	2X Weekly	Grab
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		2X Weekly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*B	*B		*****	*B	*B		0	2X Weekly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average	19 mg/l		2X Weekly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0053

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	1.11	1.39	26 lbs/day	*****	0.28	0.28	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		2X Weekly	Grab	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.533	0.820	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		Daily	Continuous	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.483	0.630	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		Daily	Continuous	
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	126 monthly average	487 maximum daily		2X Weekly	Grab	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	449	544	26 lbs/day	*****	97.4	112	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average		2X Weekly	24-Hr Composite	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	2.53	3.02	26 lbs/day	*****	0.65	0.75	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average		2X Weekly	Grab	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.2	*****	7.2		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	7.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.022		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.61		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.089		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.755		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 016S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	118	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	1.5	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****			*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	9.0 maximum daily	12 S.U.		2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00600 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, NITRATE TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00620 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	10.0 monthly average	15.0 weekly average			2X Weekly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0054

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

***** NO DISCHARGE [X] *****
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.1	*****	7.1		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	20.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.017		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	2.09		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.10		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.755		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99.3	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 006S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	160	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	0.4	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		7.6	*****	7.6		0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily	12 S.U.		Quarterly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****	21.0		0	Quarterly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.014		0	Quarterly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B		0	Quarterly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.81		0	Quarterly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.059		0	Quarterly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily	19 mg/l		Quarterly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****	0.755		*****	*****	*****		0	Quarterly	Grab
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily	03 MGD	*****	*****	*****	*****		Quarterly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 007S

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****		*****	*****	4500	13 col/100mL	0	Quarterly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****		*****	*****	2.0	19 mg/l	0	Quarterly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.8	*****	*****	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****				2X Weekly
PH	Sample Measurement	*****	*****		6.5	*****	6.7	12 S.U.	0	2X Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	818	1156		*****	172	200	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				2X Weekly
SOLIDS, TOTAL SUSPENDED	Sample Measurement	6.83	8.67		*****	1.13	1.50	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	287 monthly average	431 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average				2X Weekly
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.12	0.16		*****	0.020	0.025	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	19.1 monthly average	28.7 weekly average	26 lbs/day	*****	2.0 monthly average	3.0 weekly average				2X Weekly
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.12	0.24		*****	0.020	0.040	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	53.6	59.6		*****	8.72	9.04	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0201

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.89	1.24	26 lbs/day	*****	0.15	0.21	19 mg/l	0	2X Weekly	Grab
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.2 monthly average	report weekly average		*****	2X Weekly	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.744	0.904	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	2X Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	2X Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	2X Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		487 maximum daily	*****	2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	449	544	26 lbs/day	*****	97.4	112	19 mg/l	0	2X Weekly	24-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	2X Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	5.36	7.25	26 lbs/day	*****	0.90	1.13	19 mg/l	0	2X Weekly	Grab
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	95.9 monthly average	143 weekly average		*****	*****	10.0 monthly average		15.0 weekly average	*****	2X Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99.1	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	7.0 minimum daily	*****	*****	19 mg/l		2X Weekly	
PH	Sample Measurement	*****	*****	*****		*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****			19 mg/l			
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	400 monthly average	600 weekly average		*****	30.0 monthly average	45.0 weekly average			2X Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	26.6 monthly average	40.0 weekly average		*****	2.0 monthly average	3.0 weekly average			2X Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement			26 lbs/day	*****			19 mg/l			
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	report monthly average	report weekly average			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF

LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

***** NO DISCHARGE [X] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.2 monthly average	report weekly average			2X Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			2X Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	487 maximum daily			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			2X Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	133 monthly average	200 weekly average	26 lbs/day	*****	10.0 monthly average	15.0 weekly average			2X Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		*****	*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242


PERMIT NUMBER: AL0067814
MONITORING POINT: 0202

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
PH	Sample Measurement	*****	*****			*****		12 S.U.			
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM1

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
E. COLI	Sample Measurement	*****	*****	*****	*****	*****		13 col/100mL			
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****		19 mg/l			
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****	7.7	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****	*****	*****	*****	8.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00300 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PH	Sample Measurement	*****	*****	*****	7.2	*****	7.2	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	Grab
PH	Sample Measurement	*****	*****	*****	7.2	*****	7.2	12 S.U.	0	Monthly	Grab
Parameter Code: 00400 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	6.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	*****	4.0	19 mg/l	0	Monthly	Grab
Parameter Code: 00530 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****	*****	*****	*****	0.011	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	0.008	19 mg/l	0	Monthly	Grab
Parameter Code: 00610 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00625 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	*****	*****		*****	*****	0.46	19 mg/l	0	Monthly	Grab
Parameter Code: 00630 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.060	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	*****	0.046	19 mg/l	0	Monthly	Grab
Parameter Code: 00665 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	Grab

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Enviro Services, L.L.C.
MAILING ADDRESS: 8000 Liberty Parkway, Suite 114 , Vestavia Hills, AL 35242

PERMIT NUMBER: AL0067814
MONITORING POINT: STM5

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Liberty Park WRRF
LOCATION: 13059 Liberty Parkway , Vestavia Hills, AL 35242

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	66	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
E. COLI	Sample Measurement	*****	*****	*****	*****	*****	48	13 col/100mL	0	Monthly	Grab
Parameter Code: 51040 Stage Code: 5 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	1.0	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 UPSTREAM MONITORING	Permit Requirement	*****	*****		*****	*****	report maximum daily				
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	*****	*****	*****	*****	*****	0.9	19 mg/l	0	Monthly	Grab
Parameter Code: 80082 DOWNSTREAM MONITOR	Permit Requirement	*****	*****		*****	*****	report maximum daily				
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Robert Adams	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-987-8352	10/23/2018

McPherson Companies Trussville

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.0	*****	8.5	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Quarterly
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	15.0	19 mg/l	0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Quarterly
METHYL TERT-BUTYL ETHER	Sample Measurement	*****	*****		*****	*****	5.0	28 ug/l	0	Quarterly	Grab
Parameter Code: 22417 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
TOLUENE	Sample Measurement	*****	*****		*****	*****	8723	28 ug/l	0	Quarterly	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	8723 maximum daily				Quarterly
BENZENE	Sample Measurement	*****	*****		*****	*****	15.5	28 ug/l	0	Quarterly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.5 maximum daily				Quarterly
ETHYLBENZENE	Sample Measurement	*****	*****		*****	*****	1244	28 ug/l	0	Quarterly	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1244 maximum daily				Quarterly
NAPHTHALENE	Sample Measurement	*****	*****		*****	*****	620	28 ug/l	0	Quarterly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	620 maximum daily				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	01/08/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****	3.7	61 inches	*****	*****	*****	*****	0	Quarterly	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	5.0	28 ug/l	0	Quarterly	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily	*****	Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	01/08/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.0	*****	8.5	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Quarterly
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	15.0	19 mg/l	0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Quarterly
METHYL TERT-BUTYL ETHER	Sample Measurement	*****	*****		*****	*****	5.0	28 ug/l	0	Quarterly	Grab
Parameter Code: 22417 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
TOLUENE	Sample Measurement	*****	*****		*****	*****	8723	28 ug/l	0	Quarterly	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	8723 maximum daily				Quarterly
BENZENE	Sample Measurement	*****	*****		*****	*****	15.5	28 ug/l	0	Quarterly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.5 maximum daily				Quarterly
ETHYLBENZENE	Sample Measurement	*****	*****		*****	*****	1244	28 ug/l	0	Quarterly	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1244 maximum daily				Quarterly
NAPHTHALENE	Sample Measurement	*****	*****		*****	*****	620	28 ug/l	0	Quarterly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	620 maximum daily				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	03/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****	4.53	61 inches	*****	*****	*****	*****	0	Quarterly	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	5.0	28 ug/l	0	Quarterly	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	03/23/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.0	*****	8.5	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Quarterly
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	15.0	19 mg/l	0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Quarterly
METHYL TERT-BUTYL ETHER	Sample Measurement	*****	*****		*****	*****	5.0	28 ug/l	0	Quarterly	Grab
Parameter Code: 22417 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
TOLUENE	Sample Measurement	*****	*****		*****	*****	8723	28 ug/l	0	Quarterly	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	8723 maximum daily				Quarterly
BENZENE	Sample Measurement	*****	*****		*****	*****	15.5	28 ug/l	0	Quarterly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.5 maximum daily				Quarterly
ETHYLBENZENE	Sample Measurement	*****	*****		*****	*****	1244	28 ug/l	0	Quarterly	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1244 maximum daily				Quarterly
NAPHTHALENE	Sample Measurement	*****	*****		*****	*****	620	28 ug/l	0	Quarterly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	620 maximum daily				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	07/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR
 Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****	4.43	61 inches	*****	*****	*****	*****	0	Quarterly	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	5.0	28 ug/l	0	Quarterly	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily	*****	Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	07/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		6.0	*****	6.75	12 S.U.	0	Quarterly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	report minimum daily	*****	report maximum daily				Quarterly
OIL & GREASE	Sample Measurement	*****	*****		*****	*****	*B	19 mg/l	0	Quarterly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15 maximum daily				Quarterly
METHYL TERT-BUTYL ETHER	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 22417 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily				Quarterly
TOLUENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34010 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	8723 maximum daily				Quarterly
BENZENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34030 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	15.5 maximum daily				Quarterly
ETHYLBENZENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34371 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	1244 maximum daily				Quarterly
NAPHTHALENE	Sample Measurement	*****	*****		*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 34696 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	620 maximum daily				Quarterly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	10/08/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: The Mcpherson Companies, Inc.
MAILING ADDRESS: 5051 Cardinal Street , Trussville, AL 35173

PERMIT NUMBER: ALG340339
MONITORING POINT: 0021

COUNTY: MINOR Jefferson
PROGRAM: Industrial

FACILITY: Mcpherson Companies Trussville
LOCATION: 5051 Cardinal Street , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
RAINFALL	Sample Measurement	*****	3.8	61 inches	*****	*****	*****	*****	0	Quarterly	Measured
Parameter Code: 46529 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	report maximum daily		*****	*****	*****		*****		Quarterly
XYLENE	Sample Measurement	*****	*****	*****	*****	*****	*B	28 ug/l	0	Quarterly	Grab
Parameter Code: 81551 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	*****		report maximum daily		Quarterly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-661-4441	10/08/2018

Mountain Brook High School

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.6	*****	*****	19 mg/l	0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****			Weekly	Grab
PH	Sample Measurement	*****	*****		8.2	*****	8.5	12 S.U.	0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily			Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	13.7	19.6		*****	822	1180	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.038	0.050		*****	2.25	3.00	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average			Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.011	0.015		*****	0.648	0.870	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average			Weekly	8-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.001	0.004		*****	0.200	0.240	19 mg/l	0	Monthly	8-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	8-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	1.23	1.23		*****	73.9	73.9	19 mg/l	0	Monthly	8-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Monthly	8-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	11/20/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.001	0.004	26 lbs/day	*****	0.2	0.24	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.3 monthly average	report weekly average		*****	Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.002	0.004	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	8.00	8.00	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		235 maximum daily	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	4.59	7.57	26 lbs/day	*****	275	454	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.020	0.060	26 lbs/day	*****	1.41	3.57	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average		*****	*****	4.0 monthly average		6.0 weekly average	*****	Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	11/20/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Units		Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type	
		Average	Maximum	Minimum	Average	Maximum					
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Sam Gaston	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	11/20/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		9.3	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		7.9	*****	8.3		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	9.54	18.3		*****	623	1100		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.04	0.05		*****	2.60	3.00		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.006	0.010		*****	0.40	0.57		0	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.001	0.003		*****	0.001	0.003		0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.002	0.002		*****	*****	*****		0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Daily	Continuous

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	12/18/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Weekly
E. COLI	Sample Measurement	*****	*****		*****	1.00	1.00	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	235 maximum daily				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	2.81	3.32		*****	187	199	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.020	0.060		*****	1.42	3.64	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		98	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	12/18/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		10	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		8.0	*****	8.0		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	12.4	12.4		*****	748	748		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.033	0.033		*****	2.00	2.00		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.36	0.36		*****	21	21		2	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.022	0.022		*****	1.29	1.29		0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.004	0.004		*****	*****	*****		0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Daily	Continuous

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	01/19/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Weekly
E. COLI	Sample Measurement	*****	*****		*****	96.0	96.0	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	235 maximum daily				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	5.17	5.17		*****	310	310	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.06	0.06		*****	3.3	3.3	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		98	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	01/19/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		10	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		7.8	*****	8.2		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	8.00	14.0		*****	478	852		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.13	0.30		*****	8.00	18.0		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.080	0.190		*****	4.5	11		2	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.006	0.010		*****	0.390	0.680		0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.002	0.005		*****	*****	*****		0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Daily	Continuous

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	02/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

MINOR
 Jefferson
 Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Weekly
E. COLI	Sample Measurement	*****	*****		*****	284	517	13 col/100mL	2	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	235 maximum daily				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	2.68	4.37		*****	161	262	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.020	0.040		*****	1.1	2.3	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		98	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	02/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.9	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		7.9	*****	8.4		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	10.1	14.0		*****	608	850		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.360	1.23		*****	21.5	74.0		1	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.020	0.060		*****	1.3	3.4		2	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.04	0.09		*****	2.44	5.40		0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.002	0.011		*****	*****	*****		0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Daily	Continuous

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	03/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Weekly
E. COLI	Sample Measurement	*****	*****		*****	96.9	*T	13 col/100mL	1	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	235 maximum daily				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	4.32	5.04		*****	259	302	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.020	0.040		*****	1.09	2.24	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		96	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	03/20/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.1	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		6.9	*****	7.0		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1.52	4.54		*****	183	544		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.050	0.130		*****	6.25	16.0		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.0025	0.005		*****	0.22	0.57		0	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.002	0.005		*****	0.28	0.55		0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0006	0.003		*****	*****	*****		0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****	*****		Daily	Continuous

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	04/17/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily				Weekly
E. COLI	Sample Measurement	*****	*****		*****	1.16	6.00	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	235 maximum daily				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.74	2.08		*****	89.0	249	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average				Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.010	0.030		*****	1.5	3.3	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average				Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****		98	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		96	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****				Monthly
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	04/17/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.1	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		7.0	*****	7.9		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	13.3	28.6		*****	863	1720		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.040	0.080		*****	3.25	10.0		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.004	0.014		*****	0.210	0.560		0	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.005	0.005		*****	0.580	0.580		0	Monthly	8-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	0.336	0.336		*****	40.4	40.4		0	Monthly	8-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	05/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.006	0.011	26 lbs/day	*****	0.44	0.65	19 mg/l	1	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.3 monthly average	report weekly average		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.002	0.009	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	1.40	4.00	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		235 maximum daily	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	3.24	5.85	26 lbs/day	*****	228	283	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.020	0.060	26 lbs/day	*****	1.10	2.24	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average		*****	*****	4.0 monthly average		6.0 weekly average	*****	Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	05/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Sam Gaston	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	05/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		8.5	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		8.4	*****	8.4		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	20.4	34.4		*****	1220	2060		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.050	0.083		*****	3.00	5.00		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.005	0.005		*****	0.280	0.280		0	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.003	0.004		*****	0.200	0.240		0	Monthly	8-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	0.900	0.900		*****	54.8	54.8		0	Monthly	8-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
Sam Gaston		Signed By E2	205-802-3803	06/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.003	0.004	26 lbs/day	*****	0.200	0.240	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.3 monthly average	report weekly average		*****	Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0006	0.0007	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		235 maximum daily	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	8.46	11.2	26 lbs/day	*****	507	669	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.020	0.040	26 lbs/day	*****	1.17	2.33	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average		*****	*****	4.0 monthly average		6.0 weekly average	*****	Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	06/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011


MINOR
 Jefferson
 Municipal

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	06/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [X] ***

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
Sam Gaston		Signed By E2	205-802-3803	07/17/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.3 monthly average	report weekly average			Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	235 maximum daily			Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average			Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	07/17/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Sam Gaston	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	07/17/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****			*****	*****				
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	
PH	Sample Measurement	*****	*****	*****		*****					
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement				*****						
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement				*****						
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement				*****						
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
Sam Gaston		Signed By E2	205-802-3803	08/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement				*****			19 mg/l			
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	0.3 monthly average	report weekly average			Weekly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement				*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily	03 MGD	*****	*****	*****			Daily	
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****		*****			19 mg/l			
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	0.011 monthly average	0.019 maximum daily			Weekly	
E. COLI	Sample Measurement	*****	*****		*****			13 col/100mL			
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	126 monthly average	235 maximum daily			Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average			Weekly	
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement				*****			19 mg/l			
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average	26 lbs/day	*****	4.0 monthly average	6.0 weekly average			Weekly	
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
Sam Gaston		Signed By E2	205-802-3803	08/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

*** NO DISCHARGE [X] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****			*****	*****	23 %			
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	08/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.4	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		7.5	*****	7.5		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1012	1012		*****	3280	3280		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	1.54	1.54		*****	5.00	5.00		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.089	0.089		*****	0.290	0.290		0	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.176	0.176		*****	0.570	0.570		0	Monthly	8-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	9.80	9.80		*****	31.6	31.6		0	Monthly	8-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	09/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.015	0.015	26 lbs/day	*****	0.050	0.050	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.3 monthly average	report weekly average		*****	Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0370	0.0370	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		235 maximum daily	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	179	179	26 lbs/day	*****	582	582	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	1.3	1.3	26 lbs/day	*****	4.20	4.2	19 mg/l	1	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average		*****	*****	4.0 monthly average		6.0 weekly average	*****	Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	09/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99	*****	*****		0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****	23 %		Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	09/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
OXYGEN, DISSOLVED (DO)	Sample Measurement	*****	*****		7.6	*****	*****		0	Weekly	Grab
Parameter Code: 00300 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	*****	19 mg/l		Weekly	Grab
PH	Sample Measurement	*****	*****		7.6	*****	8.1		0	Weekly	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	6.0 minimum daily	*****	8.5 maximum daily	12 S.U.		Weekly	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	137	43.0		*****	790	2580		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Weekly	8-Hr Composite
SOLIDS, TOTAL SUSPENDED	Sample Measurement	0.029	0.100		*****	1.25	4.00		0	Weekly	8-Hr Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	12.5 monthly average	18.7 weekly average	26 lbs/day	*****	30.0 monthly average	45.0 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, AMMONIA TOTAL (AS N)	Sample Measurement	0.005	0.010		*****	0.290	0.580		0	Weekly	8-Hr Composite
Parameter Code: 00610 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.41 monthly average	0.62 weekly average	26 lbs/day	*****	1.0 monthly average	1.5 weekly average	19 mg/l		Weekly	8-Hr Composite
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	0.007	0.007		*****	0.29	0.29		0	Monthly	8-Hr Composite
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	Sample Measurement	0.625	0.625		*****	25.0	25.0		0	Monthly	8-Hr Composite
Parameter Code: 00630 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average	26 lbs/day	*****	report monthly average	report weekly average	19 mg/l		Monthly	8-Hr Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	10/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

COUNTY: MINOR
 Jefferson
PROGRAM: Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	0.001	0.002	26 lbs/day	*****	0.058	0.100	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report weekly average		*****	0.3 monthly average	report weekly average		*****	Weekly	8-Hr Composite
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.003	0.006	03 MGD	*****	*****	*****	*****	0	Daily	Continuous
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	Daily	Continuous
CHLORINE, TOTAL RESIDUAL	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 50060 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	0.011 monthly average		0.019 maximum daily	*****	Weekly
E. COLI	Sample Measurement	*****	*****	*****	*****	*B	*B	13 col/100mL	0	Weekly	Grab
Parameter Code: 51040 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	*****	126 monthly average		235 maximum daily	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	3.24	5.38	26 lbs/day	*****	167	215	19 mg/l	0	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: G RAW SEW/INFLUENT	Permit Requirement	report monthly average	report weekly average		*****	*****	report monthly average		report weekly average	*****	Weekly
BOD, CARBONACEOUS 05 DAY, 20C	Sample Measurement	0.08	0.23	26 lbs/day	*****	3.7	9.2	19 mg/l	1	Weekly	8-Hr Composite
Parameter Code: 80082 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	1.6 monthly average	2.5 weekly average		*****	*****	4.0 monthly average		6.0 weekly average	*****	Weekly
BOD, CARB-5 DAY, 20 DEG C, PERCENT REM	Sample Measurement	*****	*****	*****	97	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 80091 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****		*****	85 monthly average	*****		*****	*****	Monthly

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	10/18/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: City of Mountain Brook
MAILING ADDRESS: Post Office Box 130009 , Mountain Brook, AL 35213

PERMIT NUMBER: AL0050971
MONITORING POINT: 0011

MINOR
 Jefferson
 Municipal

FACILITY: Mountain Brook High School
LOCATION: 3650 Bethune Drive , Mountain Brook, AL 35223

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

COUNTY: Jefferson
PROGRAM: Municipal
 *** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Quantity or Loading	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
SOLIDS, SUSPENDED PERCENT REMOVAL	Sample Measurement	*****	*****		99	*****	*****	23 %	0	Monthly	Calculated
Parameter Code: 81011 Stage Code: K PERCENTREMOVAL	Permit Requirement	*****	*****	*****	85 monthly average	*****	*****			Monthly	Calculated
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-802-3803	10/18/2018

Precoat Metals

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.94	*****	9.99		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	18	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	1.4	2.0		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.27	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.008	.012		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	.011	.022		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	11/26/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 10 01	To: 17 10 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	.027	.062	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	.0323	.0793	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	11/26/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****	*****	8.54	*****	9.93	12 S.U.	0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily			Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	11	*****	19 mg/l	0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****			Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****	*****	*****	3.22	10	19 mg/l	0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily			Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	0.18	*****	19 mg/l	0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****			Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9	26 lbs/day	*****	*****	*****	*****	0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily		*****	*****	*****			Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.011	0.017	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily		*****	*****	*****			Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.011	0.023	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily		*****	*****	*****			Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	12/14/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 11 01	To: 17 11 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.040	0.091	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0505	0.1437	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	12/14/2017

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.57	*****	9.98		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	25	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	0.80	1.60		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.77	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.018	0.035		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.010	0.013		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	01/19/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 17 12 01	To: 17 12 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.029	0.046	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0506	0.1143	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	01/19/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.99	*****	10.17		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	6.0	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	3.50	8.60		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.13	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.013	0.023		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.010	0.021		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	02/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 01 01	To: 18 01 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.028	0.043	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0668	0.1385	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	02/16/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.37	*****	10.11		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	35	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	3.85	7.2		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.67	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.021	0.034		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.018	0.030		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	03/19/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.051	0.086	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0645	0.1150	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	03/19/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.78	*****	10.17		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	20	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	12.48	53.2		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.72	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	.017	.024		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	.019	.041		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	04/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd. , Hueytown, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 03 01	To: 18 03 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	.055	.073	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	.0724	.1220	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	04/25/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.85	*****	10.14		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	22	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	2.00	2.60		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.44	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.011	0.016		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.011	0.025		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	06/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 04 01	To: 18 04 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.029	0.038	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0631	0.1139	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	06/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.24	*****	9.72		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	24	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	2.05	4.20		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.31	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.010	0.025		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.004	0.008		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	06/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 05 01	To: 18 05 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.025	0.042	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0683	0.1100	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	06/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.41	*****	10.37		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	13	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	0.92	1.2		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.31	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.012	0.024		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.008	0.019		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	07/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 06 01	To: 18 06 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.033	0.051	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0729	0.1118	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	07/26/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****	*****	9.04	*****	10.47	12 S.U.	0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily			Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****	*****	*****	27	*****	19 mg/l	0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****			Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****	*****	*****	2.10	3.60	19 mg/l	0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily			Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****	*****	*****	0.53	*****	19 mg/l	0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****			Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9	26 lbs/day	*****	*****	*****	*****	0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily		*****	*****	*****			Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.006	0.007	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily		*****	*****	*****			Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.010	0.016	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily		*****	*****	*****			Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 07 01	To: 18 07 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.029	0.055	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0671	0.1355	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	08/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		9.16	*****	10.45		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	28	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	0.88	1.4		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.41	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	0.025	0.081		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	0.005	0.007		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	09/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 08 01	To: 18 08 31

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	0.021	0.036	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	0.0672	0.1324	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	09/27/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

COUNTY: MINOR
 Jefferson
PROGRAM: SID

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

*** NO DISCHARGE [] ***
 NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
PH	Sample Measurement	*****	*****		8.80	*****	10.34		0	Daily	Grab
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	5.0 minimum daily	*****	10.5 maximum daily	12 S.U.		Daily	Grab
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	25	*****		0	Monthly	Composite
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
OIL & GREASE	Sample Measurement	*****	*****		*****	1.15	2.80		0	Weekly	Grab
Parameter Code: 00556 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	150 monthly average	report maximum daily	19 mg/l		Weekly	Grab
PHOSPHORUS, TOTAL (AS P)	Sample Measurement	*****	*****		*****	0.34	*****		0	Monthly	Composite
Parameter Code: 00665 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	report monthly average	*****	19 mg/l		Monthly	Composite
CYANIDE, TOTAL (AS CN)	Sample Measurement	*9	*9		*****	*****	*****		0	Weekly	Grab
Parameter Code: 00720 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.027 monthly average	0.069 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Grab
CHROMIUM, TOTAL (AS CR)	Sample Measurement	.011	.025		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01034 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.052 monthly average	0.126 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite
COPPER, TOTAL (AS CU)	Sample Measurement	.016	.026		*****	*****	*****		0	Weekly	Composite
Parameter Code: 01042 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.122 monthly average	0.255 maximum daily	26 lbs/day	*****	*****	*****	*****		Weekly	Composite

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	10/22/2018

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Precoat Metals Division Sequa Corp.
MAILING ADDRESS: 3399 Davey Allison Blvd. , Hueytown, AL 35023

PERMIT NUMBER: IU393700957
MONITORING POINT: S011

MINOR
 Jefferson
 SID

COUNTY: Jefferson
PROGRAM: SID
 *** NO DISCHARGE [] ***

FACILITY: Precoat Metals
LOCATION: 3399 Davey Allison Blvd , Bessemer, AL 35023

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 09 01	To: 18 09 30

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement / Permit Requirement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
ZINC, TOTAL (AS ZN)	Sample Measurement	.043	.057	26 lbs/day	*****	*****	*****	*****	0	Weekly	Composite
Parameter Code: 01092 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	0.141 monthly average	0.340 maximum daily		*****	*****	*****		*****	0	Weekly
LEAD, TOTAL RECOVERABLE	Sample Measurement	*****	*****	*****	*****	0.000	0.000	19 mg/l	0	Weekly	Composite
Parameter Code: 01114 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.05 monthly average	0.10 maximum daily		*****	0	Weekly
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	.0802	0.1252	03 MGD	*****	*****	*****	*****	0	Daily	Totalizer
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	report monthly average	report maximum daily		*****	*****	*****		*****	0	Daily
CYANIDE, FREE AVAILABLE	Sample Measurement	*****	*****	*****	*****	*9	*9	19 mg/l	0	Weekly	Grab
Parameter Code: 51173 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****		*****	0.04 monthly average	0.08 maximum daily		*****	0	Weekly
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-744-3200	10/22/2018

Winslow Parc WWTP

Alabama Department of Environmental Management Discharge Monitoring Report (DMR)

PERMITTEE NAME: Pinnacle Wastewater Systems, LLC
MAILING ADDRESS: 2025 First Avenue North Unit 100 , Birmingham, AL 35203

PERMIT NUMBER: ALSI9937715
MONITORING POINT: EFF-0

COUNTY: MINOR Jefferson
PROGRAM: UIC Sites

FACILITY: Winslow Parc WWTP

LOCATION: Liles Lane and Winslow Drive , Trussville, AL 35173

MONITORING PERIOD:	
YY MM DD	YY MM DD
From: 18 02 01	To: 18 02 28

***** NO DISCHARGE [X] *****

NOTE: Read instructions before completing this form.

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
		Average	Maximum		Minimum	Average	Maximum				
BOD, 5-DAY (20 DEG. C)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00310 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum			Monthly	
PH	Sample Measurement	*****	*****		*****	*****		12 S.U.			
Parameter Code: 00400 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum daily			Monthly	
SOLIDS, TOTAL SUSPENDED	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00530 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum			Monthly	
NITROGEN, KJELDAHL TOTAL (AS N)	Sample Measurement	*****	*****		*****	*****		19 mg/l			
Parameter Code: 00625 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum			Monthly	
FLOW, IN CONDUIT OR THRU TREATMENT PL	Sample Measurement	*****			*****	*****	*****	*****			
Parameter Code: 50050 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	26340 maximum daily	07 GPD	*****	*****	*****			Daily	
COLIFORM, FECAL GENERAL	Sample Measurement	*****	*****		*****	*****		13 col/100mL			
Parameter Code: 74055 Stage Code: 1 EFFLUENT GROSS VALUE	Permit Requirement	*****	*****	*****	*****	*****	report maximum			Monthly	
	Sample Measurement										
	Permit Requirement										

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE
		Signed By E2	205-396-3170	03/27/2018

Monitoring Data

2017-2018 Raw Data

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
MOU-SHC-068T	3/6/2018 7:30:00 AM	BIOCHEMICAL OXYGEN DEMAND	11	11	MG/L	WET	GRAB	1803-00074-001	5210B
HOM-SHC-071T	3/6/2018 8:00:00 AM	BIOCHEMICAL OXYGEN DEMAND	22	22	MG/L	WET	GRAB	1803-00075-001	5210B
HOM-SHC-087M	3/6/2018 8:30:00 AM	BIOCHEMICAL OXYGEN DEMAND	16	16	MG/L	WET	GRAB	1803-00076-001	5210B
VES-CAR-074T	3/29/2018 2:58:00 PM	BIOCHEMICAL OXYGEN DEMAND	5	5	MG/L	WET	GRAB	1803-0447-001	5210B
TRU-CAR-048T	3/29/2018 3:20:00 PM	BIOCHEMICAL OXYGEN DEMAND	13	13	MG/L	WET	GRAB	1803-0443-001	5210B
MOU-CAR-086T	3/29/2018 3:35:00 PM	BIOCHEMICAL OXYGEN DEMAND	3	3	MG/L	WET	GRAB	1803-0448-001	5210B
TRU-CAR-051T	3/29/2018 3:45:00 PM	BIOCHEMICAL OXYGEN DEMAND	13	13	MG/L	WET	GRAB	1803-0444-001	5210B
VES-CAR-085M	3/29/2018 4:32:00 PM	BIOCHEMICAL OXYGEN DEMAND	2	2	MG/L	WET	GRAB	1803-0449-001	5210B
LEE-CAR-053M	3/29/2018 4:50:00 PM	BIOCHEMICAL OXYGEN DEMAND	3	3	MG/L	WET	GRAB	1803-0445-001	5210B
IRO-CAR-057M	3/29/2018 5:03:00 PM	BIOCHEMICAL OXYGEN DEMAND	7	7	MG/L	WET	GRAB	1803-0446-001	5210B
FAI-VAC-010T	9/5/2018 10:07:00 AM	BIOCHEMICAL OXYGEN DEMAND	12	12	MG/L	WET	GRAB	1809-0051-001	5210B
BRI-VAC-018T	9/5/2018 10:29:00 AM	BIOCHEMICAL OXYGEN DEMAND	6	6	MG/L	WET	GRAB	1809-0052-001	5210B
BRI-VAC-015M	9/5/2018 10:39:00 AM	BIOCHEMICAL OXYGEN DEMAND	8	8	MG/L	WET	GRAB	1809-0053-001	5210B
HUE-VAC-003M	9/5/2018 11:02:00 AM	BIOCHEMICAL OXYGEN DEMAND	7	7	MG/L	WET	GRAB	1809-0054-001	5210B
ADA-VIC-023M	9/5/2018 11:15:00 AM	BIOCHEMICAL OXYGEN DEMAND	4	4	MG/L	WET	GRAB	1809-0050-001	5210B
HUE-VAC-014T	9/5/2018 11:22:00 AM	BIOCHEMICAL OXYGEN DEMAND	6	6	MG/L	WET	GRAB	1809-0055-001	5210B
PLE-VAC-006T	9/5/2018 11:43:00 AM	BIOCHEMICAL OXYGEN DEMAND	6	6	MG/L	WET	GRAB	1809-0056-001	5210B
MOU-SHC-065M	9/24/2018 6:18:00 PM	BIOCHEMICAL OXYGEN DEMAND	12	12	MG/L	WET	GRAB	1809-00380-001	5210B
MOU-SHC-069M	9/24/2018 6:38:00 PM	BIOCHEMICAL OXYGEN DEMAND	16	16	MG/L	WET	GRAB	1809-00381-001	5210B
HOM-SHC-072T	9/24/2018 7:01:00 PM	BIOCHEMICAL OXYGEN DEMAND	13	13	MG/L	WET	GRAB	1809-00383-001	5210B
GAR-FMC-031T	9/24/2018 7:25:00 PM	BIOCHEMICAL OXYGEN DEMAND	2	2	MG/L	WET	GRAB	1809-00379-001	5210B
TAR-FMC-036M	9/24/2018 7:50:00 PM	BIOCHEMICAL OXYGEN DEMAND	16	16	MG/L	WET	GRAB	1809-00382-001	5210B

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
BRO-FMC-029M	9/24/2018 8:15:00 PM	BIOCHEMICAL OXYGEN DEMAND	1	1	MG/L	WET	GRAB	1809-00378-001	5210B
MOU-SHC-068T	3/6/2018 7:30:00 AM	CALCIUM, TOTAL	41.5	41.5	MG/L	WET	GRAB	1803-00074-001	EPA 200.7
HOM-SHC-071T	3/6/2018 8:00:00 AM	CALCIUM, TOTAL	49.4	49.4	MG/L	WET	GRAB	1803-00075-001	EPA 200.7
HOM-SHC-087M	3/6/2018 8:30:00 AM	CALCIUM, TOTAL	42.1	42.1	MG/L	WET	GRAB	1803-00076-001	EPA 200.7
VES-CAR-074T	3/29/2018 2:58:00 PM	CALCIUM, TOTAL	30.5	30.5	MG/L	WET	GRAB	1803-0447-001	EPA 200.7
TRU-CAR-048T	3/29/2018 3:20:00 PM	CALCIUM, TOTAL	39.4	39.4	MG/L	WET	GRAB	1803-0443-001	EPA 200.7
MOU-CAR-086T	3/29/2018 3:35:00 PM	CALCIUM, TOTAL	24.1	24.1	MG/L	WET	GRAB	1803-0448-001	EPA 200.7
TRU-CAR-051T	3/29/2018 3:45:00 PM	CALCIUM, TOTAL	58.5	58.5	MG/L	WET	GRAB	1803-0444-001	EPA 200.7
VES-CAR-085M	3/29/2018 4:32:00 PM	CALCIUM, TOTAL	18.8	18.8	MG/L	WET	GRAB	1803-0449-001	EPA 200.7
LEE-CAR-053M	3/29/2018 4:50:00 PM	CALCIUM, TOTAL	26.8	26.8	MG/L	WET	GRAB	1803-0445-001	EPA 200.7
IRO-CAR-057M	3/29/2018 5:03:00 PM	CALCIUM, TOTAL	16.4	16.4	MG/L	WET	GRAB	1803-0446-001	EPA 200.7
FAI-VAC-010T	9/5/2018 10:07:00 AM	CALCIUM, TOTAL	41.7	41.7	MG/L	WET	GRAB	1809-0051-001	EPA 200.7
BRI-VAC-018T	9/5/2018 10:29:00 AM	CALCIUM, TOTAL	53.6	53.6	MG/L	WET	GRAB	1809-0052-001	EPA 200.7
BRI-VAC-015M	9/5/2018 10:39:00 AM	CALCIUM, TOTAL	58.4	58.4	MG/L	WET	GRAB	1809-0053-001	EPA 200.7
HUE-VAC-003M	9/5/2018 11:02:00 AM	CALCIUM, TOTAL	50.6	50.6	MG/L	WET	GRAB	1809-0054-001	EPA 200.7
ADA-VIC-023M	9/5/2018 11:15:00 AM	CALCIUM, TOTAL	60	60	MG/L	WET	GRAB	1809-0050-001	EPA 200.7
HUE-VAC-014T	9/5/2018 11:22:00 AM	CALCIUM, TOTAL	67.3	67.3	MG/L	WET	GRAB	1809-0055-001	EPA 200.7
PLE-VAC-006T	9/5/2018 11:43:00 AM	CALCIUM, TOTAL	16.5	16.5	MG/L	WET	GRAB	1809-0056-001	EPA 200.7
MOU-SHC-065M	9/24/2018 6:18:00 PM	CALCIUM, TOTAL	9.26	9.26	MG/L	WET	GRAB	1809-00380-001	EPA 200.7
MOU-SHC-069M	9/24/2018 6:38:00 PM	CALCIUM, TOTAL	10.2	10.2	MG/L	WET	GRAB	1809-00381-001	EPA 200.7
HOM-SHC-072T	9/24/2018 7:01:00 PM	CALCIUM, TOTAL	16.3	16.3	MG/L	WET	GRAB	1809-00383-001	EPA 200.7
GAR-FMC-031T	9/24/2018 7:25:00 PM	CALCIUM, TOTAL	31.8	31.8	MG/L	WET	GRAB	1809-00379-001	EPA 200.7
TAR-FMC-036M	9/24/2018 7:50:00 PM	CALCIUM, TOTAL	23.2	23.2	MG/L	WET	GRAB	1809-00382-001	EPA 200.7
BRO-FMC-030T	9/24/2018 7:55:00 PM	CALCIUM, TOTAL	22.5	22.5	MG/L	WET	GRAB	1809-00377-001	EPA 200.7
BRO-FMC-029M	9/24/2018 8:15:00 PM	CALCIUM, TOTAL	34.4	34.4	MG/L	WET	GRAB	1809-00378-001	EPA 200.7
MOU-SHC-068T	3/6/2018 7:30:00 AM	CHEMICAL OXYGEN DEMAND	112	112	MG/L	WET	GRAB	1803-00074-001	EPA 410.4
HOM-SHC-071T	3/6/2018 8:00:00 AM	CHEMICAL OXYGEN DEMAND	201	201	MG/L	WET	GRAB	1803-00075-001	EPA 410.4
HOM-SHC-087M	3/6/2018 8:30:00 AM	CHEMICAL OXYGEN DEMAND	318	318	MG/L	WET	GRAB	1803-00076-001	EPA 410.4
VES-CAR-074T	3/29/2018 2:58:00 PM	CHEMICAL OXYGEN DEMAND	41	41	MG/L	WET	GRAB	1803-0447-001	EPA 410.4
TRU-CAR-048T	3/29/2018 3:20:00 PM	CHEMICAL OXYGEN DEMAND	82	82	MG/L	WET	GRAB	1803-0443-001	EPA 410.4

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
MOU-CAR-086T	3/29/2018 3:35:00 PM	CHEMICAL OXYGEN DEMAND	14	14	MG/L	WET	GRAB	1803-0448-001	EPA 410.4
TRU-CAR-051T	3/29/2018 3:45:00 PM	CHEMICAL OXYGEN DEMAND	136	136	MG/L	WET	GRAB	1803-0444-001	EPA 410.4
VES-CAR-085M	3/29/2018 4:32:00 PM	CHEMICAL OXYGEN DEMAND	14	14	MG/L	WET	GRAB	1803-0449-001	EPA 410.4
LEE-CAR-053M	3/29/2018 4:50:00 PM	CHEMICAL OXYGEN DEMAND	22	22	MG/L	WET	GRAB	1803-0445-001	EPA 410.4
IRO-CAR-057M	3/29/2018 5:03:00 PM	CHEMICAL OXYGEN DEMAND	77	77	MG/L	WET	GRAB	1803-0446-001	EPA 410.4
FAI-VAC-010T	9/5/2018 10:07:00 AM	CHEMICAL OXYGEN DEMAND	47	47	MG/L	WET	GRAB	1809-0051-001	EPA 410.4
BRI-VAC-018T	9/5/2018 10:29:00 AM	CHEMICAL OXYGEN DEMAND	18	18	MG/L	WET	GRAB	1809-0052-001	EPA 410.4
BRI-VAC-015M	9/5/2018 10:39:00 AM	CHEMICAL OXYGEN DEMAND	18	18	MG/L	WET	GRAB	1809-0053-001	EPA 410.4
HUE-VAC-003M	9/5/2018 11:02:00 AM	CHEMICAL OXYGEN DEMAND	29	29	MG/L	WET	GRAB	1809-0054-001	EPA 410.4
ADA-VIC-023M	9/5/2018 11:15:00 AM	CHEMICAL OXYGEN DEMAND	18	18	MG/L	WET	GRAB	1809-0050-001	EPA 410.4
HUE-VAC-014T	9/5/2018 11:22:00 AM	CHEMICAL OXYGEN DEMAND	23	23	MG/L	WET	GRAB	1809-0055-001	EPA 410.4
PLE-VAC-006T	9/5/2018 11:43:00 AM	CHEMICAL OXYGEN DEMAND	16	16	MG/L	WET	GRAB	1809-0056-001	EPA 410.4
MOU-SHC-065M	9/24/2018 6:18:00 PM	CHEMICAL OXYGEN DEMAND	74	74	MG/L	WET	GRAB	1809-00380-001	EPA 410.4
MOU-SHC-069M	9/24/2018 6:38:00 PM	CHEMICAL OXYGEN DEMAND	74	74	MG/L	WET	GRAB	1809-00381-001	EPA 410.4
HOM-SHC-072T	9/24/2018 7:01:00 PM	CHEMICAL OXYGEN DEMAND	59	59	MG/L	WET	GRAB	1809-00383-001	EPA 410.4
GAR-FMC-031T	9/24/2018 7:25:00 PM	CHEMICAL OXYGEN DEMAND	10	10	MG/L	WET	GRAB	1809-00379-001	EPA 410.4
TAR-FMC-036M	9/24/2018 7:50:00 PM	CHEMICAL OXYGEN DEMAND	56	56	MG/L	WET	GRAB	1809-00382-001	EPA 410.4
BRO-FMC-030T	9/24/2018 7:55:00 PM	CHEMICAL OXYGEN DEMAND	15	15	MG/L	WET	GRAB	1809-00377-001	EPA 410.4
BRO-FMC-029M	9/24/2018 8:15:00 PM	CHEMICAL OXYGEN DEMAND	10	10	MG/L	WET	GRAB	1809-00378-001	EPA 410.4
LEE-CAR-053M	10/10/2017 1:45:00 PM	DISCHARGE	70.3	70.3	CFS	WET	MONTHLY	IN SITU	USGS GAGE
MUL-VIC-028M	10/12/2017 11:27:00 AM	DISCHARGE	83	83	CFS	DRY	MONTHLY	IN SITU	USGS GAGE
MUL-VIC-028M	11/3/2017 12:47:00 PM	DISCHARGE	75.3	75.3	CFS	WET	MONTHLY	IN SITU	USGS GAGE
TRU-CAR-050M	11/6/2017 11:19:00 AM	DISCHARGE	7.97	7.97	CFS	DRY	MONTHLY	IN SITU	USGS GAGE
LEE-CAR-053M	11/6/2017 11:57:00 AM	DISCHARGE	21.2	21.2	CFS	DRY	MONTHLY	IN SITU	USGS GAGE

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
TAR-FMC-035M	11/7/2017 10:52:00 AM	DISCHARGE	12.3	12.3	CFS	WET	MONTHLY	IN SITU	USGS GAGE
LEE-CAR-053M	12/15/2017 2:10:00 PM	DISCHARGE	21.9	21.9	CFS	DRY	MONTHLY	IN SITU	USGS GAGE
TRU-CAR-050M	12/19/2017 11:17:00 AM	DISCHARGE	11.4	11.4	CFS	DRY	MONTHLY	IN SITU	USGS GAGE
LEE-CAR-053M	1/2/2018 1:18:00 PM	DISCHARGE	41.4	41.4	CFS	DRY	MONTHLY	IN SITU	USGS GAGE
TRU-CAR-050M	1/3/2018 3:05:00 PM	DISCHARGE	19.3	19.3	CFS	DRY	MONTHLY	IN SITU	USGS GAGE
ADA-VIC-023M	10/9/2017 12:31:59 PM	DISSOLVED OXYGEN	8	8	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/9/2017 12:31:59 PM	DISSOLVED OXYGEN	8	8	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/9/2017 12:31:59 PM	DISSOLVED OXYGEN	8	8	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-074T	10/10/2017 10:45:00 AM	DISSOLVED OXYGEN	6.82	6.82	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-077T	10/10/2017 11:05:00 AM	DISSOLVED OXYGEN	7.01	7.01	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-076T	10/10/2017 11:32:00 AM	DISSOLVED OXYGEN	6.97	6.97	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
FAI-VAC-009T	10/11/2017 11:10:00 AM	DISSOLVED OXYGEN	6.42	6.42	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-013T	10/11/2017 12:01:00 PM	DISSOLVED OXYGEN	6.47	6.47	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-004M	10/11/2017 12:25:00 PM	DISSOLVED OXYGEN	7.61	7.61	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-005M	10/11/2017 1:21:00 PM	DISSOLVED OXYGEN	8.42	8.42	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
MUL-VIC-028M	10/12/2017 11:27:00 AM	DISSOLVED OXYGEN	7.42	7.42	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
BRI-VAC-015M	10/30/2017 2:09:00 PM	DISSOLVED OXYGEN	7.23	7.23	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	10/31/2017 11:13:59 AM	DISSOLVED OXYGEN	7.37	7.37	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	10/31/2017 11:13:59 AM	DISSOLVED OXYGEN	7.37	7.37	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	10/31/2017 11:13:59 AM	DISSOLVED OXYGEN	7.37	7.37	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-030T	11/3/2017 11:34:00 AM	DISSOLVED OXYGEN	6.72	6.72	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
GRA-FMC-082M	11/3/2017 12:02:00 PM	DISSOLVED OXYGEN	7.5	7.5	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-CAR-046M	11/6/2017 10:37:00 AM	DISSOLVED OXYGEN	5.87	5.87	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-055M	11/6/2017 12:31:00 PM	DISSOLVED OXYGEN	6.79	6.79	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-057M	11/6/2017 1:25:00 PM	DISSOLVED OXYGEN	7.05	7.05	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-SHC-062M	11/7/2017 10:24:00 AM	DISSOLVED OXYGEN	6.36	6.36	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-TUC-044M	11/7/2017 12:25:00 PM	DISSOLVED OXYGEN	6.17	6.17	MG/L	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HOM-SHC-073M	11/7/2017 12:41:00 PM	DISSOLVED OXYGEN	6.52	6.52	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
LEE-CAR-053M	12/15/2017 2:10:00 PM	DISSOLVED OXYGEN	7.58	7.58	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
PIN-TUC-039M	12/19/2017 2:47:00 PM	DISSOLVED OXYGEN	7.53	7.53	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-069M	1/5/2018 12:01:00 PM	DISSOLVED OXYGEN	6.28	6.28	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-065M	1/5/2018 2:05:00 PM	DISSOLVED OXYGEN	8.15	8.15	MG/L	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-074T	3/29/2018 2:58:00 PM	DISSOLVED OXYGEN	8.79	8.79	MG/L	WET	GRAB	1803-0447-001	EPA 150.1

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
TRU-CAR-048T	3/29/2018 3:20:00 PM	DISSOLVED OXYGEN	8.45	8.45	MG/L	WET	GRAB	1803-0443-001	EPA 150.1
TRU-CAR-051T	3/29/2018 3:45:00 PM	DISSOLVED OXYGEN	9.19	9.19	MG/L	WET	GRAB	1803-0444-001	EPA 150.1
VES-CAR-085M	3/29/2018 4:32:00 PM	DISSOLVED OXYGEN	9.82	9.82	MG/L	WET	GRAB	1803-0449-001	EPA 150.1
LEE-CAR-053M	3/29/2018 4:50:00 PM	DISSOLVED OXYGEN	9.82	9.82	MG/L	WET	GRAB	1803-0445-002	5210B
IRO-CAR-057M	3/29/2018 5:03:00 PM	DISSOLVED OXYGEN	9.75	9.75	MG/L	WET	GRAB	1803-0446-001	EPA 150.1
MOU-SHC-068T	3/6/2018 7:30:00 AM	E. COLI	144	144	COL/100ML	WET	GRAB	1803-00074-001	9222D
HOM-SHC-071T	3/6/2018 8:00:00 AM	E. COLI	0	0	COL/100ML	WET	GRAB	1803-00075-001	9222D
HOM-SHC-087M	3/6/2018 8:30:00 AM	E. COLI	0	0	COL/100ML	WET	GRAB	1803-00076-001	9222D
VES-CAR-074T	3/29/2018 2:58:00 PM	E. COLI	4	4	COL/100ML	WET	GRAB	1803-0447-001	9222D
TRU-CAR-048T	3/29/2018 3:20:00 PM	E. COLI	40	40	COL/100ML	WET	GRAB	1803-0443-001	9222D
MOU-CAR-086T	3/29/2018 3:35:00 PM	E. COLI	20	20	COL/100ML	WET	GRAB	1803-0448-001	9222D
TRU-CAR-051T	3/29/2018 3:45:00 PM	E. COLI	40	40	COL/100ML	WET	GRAB	1803-0444-001	9222D
VES-CAR-085M	3/29/2018 4:32:00 PM	E. COLI	0	0	COL/100ML	WET	GRAB	1803-0449-001	9222D
LEE-CAR-053M	3/29/2018 4:50:00 PM	E. COLI	0	0	COL/100ML	WET	GRAB	1803-0445-001	9222D
IRO-CAR-057M	3/29/2018 5:03:00 PM	E. COLI	10	10	COL/100ML	WET	GRAB	1803-0446-001	9222D
FAI-VAC-010T	9/5/2018 10:07:00 AM	E. COLI	0	NEGATIVE	COL/100ML	WET	GRAB	1809-0051-001	9222D
BRI-VAC-018T	9/5/2018 10:29:00 AM	E. COLI	2	2	COL/100ML	WET	GRAB	1809-0052-001	9222D
BRI-VAC-015M	9/5/2018 10:39:00 AM	E. COLI	0	NEGATIVE	COL/100ML	WET	GRAB	1809-0053-001	9222D
HUE-VAC-003M	9/5/2018 11:02:00 AM	E. COLI	84	84	COL/100ML	WET	GRAB	1809-0054-001	9222D
ADA-VIC-023M	9/5/2018 11:15:00 AM	E. COLI	42	42	COL/100ML	WET	GRAB	1809-0050-001	9222D
HUE-VAC-014T	9/5/2018 11:22:00 AM	E. COLI	156	156	COL/100ML	WET	GRAB	1809-0055-001	9222D
PLE-VAC-006T	9/5/2018 11:43:00 AM	E. COLI	100	100	COL/100ML	WET	GRAB	1809-0056-001	9222D
MOU-SHC-065M	9/24/2018 6:18:00 PM	E. COLI	0	NEGATIVE	COL/100ML	WET	GRAB	1809-00380-001	9222D
MOU-SHC-069M	9/24/2018 6:38:00 PM	E. COLI	0	NEGATIVE	COL/100ML	WET	GRAB	1809-00381-001	9222D
HOM-SHC-072T	9/24/2018 7:01:00 PM	E. COLI	0	NEGATIVE	COL/100ML	WET	GRAB	1809-00383-001	9222D
GAR-FMC-031T	9/24/2018 7:25:00 PM	E. COLI	92	92	COL/100ML	WET	GRAB	1809-00379-001	9222D
TAR-FMC-036M	9/24/2018 7:50:00 PM	E. COLI	0	NEGATIVE	COL/100ML	WET	GRAB	1809-00382-001	9222D
BRO-FMC-030T	9/24/2018 7:55:00 PM	E. COLI	480	480	COL/100ML	WET	GRAB	1809-00377-001	9222D
BRO-FMC-029M	9/24/2018 8:15:00 PM	E. COLI	100	100	COL/100ML	WET	GRAB	1809-00378-001	9222D
VES-CAR-074T	10/10/2017 10:45:00 AM	GAGE HEIGHT	12.2	12.2	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-077T	10/10/2017 11:05:00 AM	GAGE HEIGHT	15	15	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-076T	10/10/2017 11:32:00 AM	GAGE HEIGHT	12.75	12.75	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRO-FMC-030T	10/10/2017 12:16:00 PM	GAGE HEIGHT	28.5	28.5	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
VES-CAR-080M	10/10/2017 12:39:00 PM	GAGE HEIGHT	35.5	35.5	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
GRA-FMC-082M	10/10/2017 1:06:00 PM	GAGE HEIGHT	34.1	34.1	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
IRO-CAR-057M	10/10/2017 1:09:00 PM	GAGE HEIGHT	47.2	47.2	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
IRO-CAR-055M	10/10/2017 1:36:00 PM	GAGE HEIGHT	40	40	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
LEE-CAR-053M	10/10/2017 1:45:00 PM	GAGE HEIGHT	1.88	1.88	FT.	WET	MONTHLY	IN SITU	USGS GAGE
HOM-SHC-073M	10/11/2017 10:14:00 AM	GAGE HEIGHT	27.5	27.5	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
FAI-VAC-009T	10/11/2017 11:10:00 AM	GAGE HEIGHT	0.45	0.45	FT.	WET	MONTHLY	IN SITU	STAFF GAGE
MOU-SHC-069M	10/11/2017 11:19:00 AM	GAGE HEIGHT	12.8	12.8	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRI-VAC-015M	10/11/2017 11:47:00 AM	GAGE HEIGHT	16	16	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
MOU-SHC-065M	10/11/2017 12:00:00 PM	GAGE HEIGHT	15.75	15.75	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
HUE-VAC-013T	10/11/2017 12:01:00 PM	GAGE HEIGHT	10.4	10.4	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
HUE-VAC-004M	10/11/2017 12:25:00 PM	GAGE HEIGHT	28	28	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
IRO-SHC-062M	10/11/2017 12:47:00 PM	GAGE HEIGHT	2.5	2.5	FT.	WET	MONTHLY	IN SITU	STAFF GAGE
HUE-VAC-005M	10/11/2017 1:21:00 PM	GAGE HEIGHT	3.85	3.85	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
CLA-CAR-046M	10/11/2017 1:33:00 PM	GAGE HEIGHT	9.2	9.2	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
CLA-TUC-044M	10/11/2017 1:50:00 PM	GAGE HEIGHT	3.5	3.5	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
PIN-TUC-039M	10/11/2017 2:43:00 PM	GAGE HEIGHT	20.2	20.2	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
MUL-VIC-028M	10/12/2017 11:27:00 AM	GAGE HEIGHT	1.32	1.32	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
PLE-VIC-008T	10/12/2017 11:50:00 AM	GAGE HEIGHT	7.3	7.3	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
ADA-VIC-023M	10/12/2017 12:32:00 PM	GAGE HEIGHT	37.6	37.6	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
FAI-VAC-009T	11/2/2017 12:14:00 PM	GAGE HEIGHT	0.45	0.45	FT.	WET	MONTHLY	IN SITU	STAFF GAGE
MID-VAC-011M	11/2/2017 1:30:00 PM	GAGE HEIGHT	15.5	15.5	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRI-VAC-015M	11/2/2017 2:09:00 PM	GAGE HEIGHT	15.85	15.85	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
HUE-VAC-013T	11/2/2017 2:20:00 PM	GAGE HEIGHT	10.75	10.75	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
GAR-FMC-031T	11/3/2017 10:07:00 AM	GAGE HEIGHT	43.8	43.8	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRO-FMC-026M	11/3/2017 10:37:00 AM	GAGE HEIGHT	31.4	31.4	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRO-FMC-029M	11/3/2017 11:14:00 AM	GAGE HEIGHT	29.9	29.9	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRO-FMC-030T	11/3/2017 11:34:00 AM	GAGE HEIGHT	27.95	27.95	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
GRA-FMC-082M	11/3/2017 12:02:00 PM	GAGE HEIGHT	33.65	33.65	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
MUL-VIC-028M	11/3/2017 12:47:00 PM	GAGE HEIGHT	1.3	1.3	FT.	WET	MONTHLY	IN SITU	USGS GAGE
PLE-VIC-008T	11/3/2017 1:03:00 PM	GAGE HEIGHT	6.9	6.9	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
CLA-CAR-046M	11/6/2017 10:37:00 AM	GAGE HEIGHT	9.85	9.85	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
TRU-CAR-050M	11/6/2017 11:19:00 AM	GAGE HEIGHT	1.69	1.69	FT.	DRY	MONTHLY	IN SITU	USGS GAGE

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
LEE-CAR-053M	11/6/2017 11:57:00 AM	GAGE HEIGHT	1.52	1.52	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
IRO-CAR-055M	11/6/2017 12:31:00 PM	GAGE HEIGHT	40.85	40.85	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
ADA-VIC-023M	11/6/2017 12:43:00 PM	GAGE HEIGHT	38.2	38.2	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
IRO-CAR-057M	11/6/2017 1:25:00 PM	GAGE HEIGHT	48.5	48.5	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-080M	11/6/2017 2:01:00 PM	GAGE HEIGHT	34.7	34.7	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
HUE-VAC-003M	11/6/2017 2:46:00 PM	GAGE HEIGHT	26.1	26.1	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
HUE-VAC-004M	11/6/2017 3:08:00 PM	GAGE HEIGHT	28.35	28.35	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
IRO-SHC-062M	11/7/2017 10:24:00 AM	GAGE HEIGHT	0.5	0.5	FT.	DRY	MONTHLY	IN SITU	STAFF GAGE
TAR-FMC-035M	11/7/2017 10:52:00 AM	GAGE HEIGHT	0.58	0.58	FT.	WET	MONTHLY	IN SITU	USGS GAGE
MOU-SHC-065M	11/7/2017 11:03:00 AM	GAGE HEIGHT	15.65	15.65	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
PIN-TUC-039M	11/7/2017 11:33:00 AM	GAGE HEIGHT	19.65	19.65	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
MOU-SHC-069M	11/7/2017 11:52:00 AM	GAGE HEIGHT	12.85	12.85	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
CLA-TUC-044M	11/7/2017 12:25:00 PM	GAGE HEIGHT	3	3	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
HOM-SHC-073M	11/7/2017 12:41:00 PM	GAGE HEIGHT	30.5	30.5	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-074T	11/7/2017 1:43:00 PM	GAGE HEIGHT	12.45	12.45	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-077T	11/7/2017 2:33:00 PM	GAGE HEIGHT	15.5	15.5	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-076T	11/8/2017 10:47:00 AM	GAGE HEIGHT	12.8	12.8	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-074T	12/15/2017 10:52:00 AM	GAGE HEIGHT	12.4	12.4	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-085M	12/15/2017 11:50:00 AM	GAGE HEIGHT	0.97	0.97	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
IRO-CAR-057M	12/15/2017 12:35:00 PM	GAGE HEIGHT	47.95	47.95	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
LEE-CAR-053M	12/15/2017 2:10:00 PM	GAGE HEIGHT	1.53	1.53	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
GAR-FMC-031T	12/18/2017 1:55:00 PM	GAGE HEIGHT	42.75	42.75	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRO-FMC-030T	12/18/2017 2:29:00 PM	GAGE HEIGHT	26.8	26.8	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
BRO-FMC-029M	12/18/2017 2:43:00 PM	GAGE HEIGHT	27.7	27.7	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
TRU-CAR-050M	12/19/2017 11:17:00 AM	GAGE HEIGHT	1.88	1.88	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
HUE-VAC-003M	12/19/2017 11:34:00 AM	GAGE HEIGHT	25.8	25.8	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
PLE-VAC-006T	12/19/2017 12:24:00 PM	GAGE HEIGHT	25.5	25.5	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
CLA-CAR-046M	12/19/2017 1:14:00 PM	GAGE HEIGHT	9	9	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
BRI-VAC-015M	12/19/2017 2:05:00 PM	GAGE HEIGHT	14.95	14.95	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
CLA-TUC-044M	12/19/2017 2:24:00 PM	GAGE HEIGHT	3.9	3.9	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
PIN-TUC-039M	12/19/2017 2:47:00 PM	GAGE HEIGHT	18.9	18.9	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
ADA-VIC-023M	12/21/2017 1:26:00 PM	GAGE HEIGHT	37.65	37.65	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK
MOU-SHC-069M	12/21/2017 3:05:00 PM	GAGE HEIGHT	12	12	FT.	WET	MONTHLY	IN SITU	REFERENCE MARK

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
VES-CAR-074T	1/2/2018 10:43:00 AM	GAGE HEIGHT	12.85	12.85	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
VES-CAR-085M	1/2/2018 11:48:00 AM	GAGE HEIGHT	1.05	1.05	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
IRO-CAR-057M	1/2/2018 12:27:00 PM	GAGE HEIGHT	47.85	47.85	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
LEE-CAR-053M	1/2/2018 1:18:00 PM	GAGE HEIGHT	1.76	1.76	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
TRU-CAR-050M	1/3/2018 3:05:00 PM	GAGE HEIGHT	2.06	2.06	FT.	DRY	MONTHLY	IN SITU	USGS GAGE
CLA-CAR-046M	1/4/2018 12:22:00 PM	GAGE HEIGHT	9.2	9.2	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
CLA-TUC-044M	1/4/2018 1:47:00 PM	GAGE HEIGHT	4.8	4.8	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
PIN-TUC-039M	1/4/2018 3:32:00 PM	GAGE HEIGHT	20	20	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
BRI-VAC-015M	1/5/2018 10:57:00 AM	GAGE HEIGHT	16.15	16.15	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
MOU-SHC-069M	1/5/2018 12:01:00 PM	GAGE HEIGHT	12.95	12.95	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
HUE-VAC-003M	1/5/2018 1:19:00 PM	GAGE HEIGHT	26.85	26.85	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
MOU-SHC-065M	1/5/2018 2:05:00 PM	GAGE HEIGHT	19	19	FT.	DRY	MONTHLY	IN SITU	REFERENCE MARK
MOU-SHC-068T	3/6/2018 7:30:00 AM	HARDNESS	133	133	MG/L	WET	GRAB	1803-00074-001	EPA 200.7
HOM-SHC-071T	3/6/2018 8:00:00 AM	HARDNESS	163	163	MG/L	WET	GRAB	1803-00075-001	EPA 200.7
HOM-SHC-087M	3/6/2018 8:30:00 AM	HARDNESS	141	141	MG/L	WET	GRAB	1803-00076-001	EPA 200.7
VES-CAR-074T	3/29/2018 2:58:00 PM	HARDNESS	109	109	MG/L	WET	GRAB	1803-0447-001	EPA 200.7
TRU-CAR-048T	3/29/2018 3:20:00 PM	HARDNESS	112	112	MG/L	WET	GRAB	1803-0443-001	EPA 200.7
MOU-CAR-086T	3/29/2018 3:35:00 PM	HARDNESS	88	88	MG/L	WET	GRAB	1803-0448-001	EPA 200.7
TRU-CAR-051T	3/29/2018 3:45:00 PM	HARDNESS	168	168	MG/L	WET	GRAB	1803-0444-001	EPA 200.7
VES-CAR-085M	3/29/2018 4:32:00 PM	HARDNESS	72	72	MG/L	WET	GRAB	1803-0449-001	EPA 200.7
LEE-CAR-053M	3/29/2018 4:50:00 PM	HARDNESS	84	84	MG/L	WET	GRAB	1803-0445-001	EPA 200.7
IRO-CAR-057M	3/29/2018 5:03:00 PM	HARDNESS	67	67	MG/L	WET	GRAB	1803-0446-001	EPA 200.7
FAI-VAC-010T	9/5/2018 10:07:00 AM	HARDNESS	158	158	MG/L	WET	GRAB	1809-0051-001	EPA 200.7
BRI-VAC-018T	9/5/2018 10:29:00 AM	HARDNESS	216	216	MG/L	WET	GRAB	1809-0052-001	EPA 200.7
BRI-VAC-015M	9/5/2018 10:39:00 AM	HARDNESS	210	210	MG/L	WET	GRAB	1809-0053-001	EPA 200.7
HUE-VAC-003M	9/5/2018 11:02:00 AM	HARDNESS	195	195	MG/L	WET	GRAB	1809-0054-001	EPA 200.7
ADA-VIC-023M	9/5/2018 11:15:00 AM	HARDNESS	328	328	MG/L	WET	GRAB	1809-0050-001	EPA 200.7
HUE-VAC-014T	9/5/2018 11:22:00 AM	HARDNESS	226	226	MG/L	WET	GRAB	1809-0055-001	EPA 200.7
PLE-VAC-006T	9/5/2018 11:43:00 AM	HARDNESS	92	92	MG/L	WET	GRAB	1809-0056-001	EPA 200.7
MOU-SHC-065M	9/24/2018 6:18:00 PM	HARDNESS	30	30	MG/L	WET	GRAB	1809-00380-001	EPA 200.7
MOU-SHC-069M	9/24/2018 6:38:00 PM	HARDNESS	35	35	MG/L	WET	GRAB	1809-00381-001	EPA 200.7
HOM-SHC-072T	9/24/2018 7:01:00 PM	HARDNESS	54	54	MG/L	WET	GRAB	1809-00383-001	EPA 200.7
GAR-FMC-031T	9/24/2018 7:25:00 PM	HARDNESS	127	127	MG/L	WET	GRAB	1809-00379-001	EPA 200.7

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
TAR-FMC-036M	9/24/2018 7:50:00 PM	HARDNESS	104	104	MG/L	WET	GRAB	1809-00382-001	EPA 200.7
BRO-FMC-030T	9/24/2018 7:55:00 PM	HARDNESS	113	113	MG/L	WET	GRAB	1809-00377-001	EPA 200.7
BRO-FMC-029M	9/24/2018 8:15:00 PM	HARDNESS	150	150	MG/L	WET	GRAB	1809-00378-001	EPA 200.7
MOU-SHC-068T	3/6/2018 7:30:00 AM	MAGNESIUM, TOTAL	7.04	7.04	MG/L	WET	GRAB	1803-00074-001	EPA 200.7
HOM-SHC-071T	3/6/2018 8:00:00 AM	MAGNESIUM, TOTAL	9.55	9.55	MG/L	WET	GRAB	1803-00075-001	EPA 200.7
HOM-SHC-087M	3/6/2018 8:30:00 AM	MAGNESIUM, TOTAL	8.71	8.71	MG/L	WET	GRAB	1803-00076-001	EPA 200.7
VES-CAR-074T	3/29/2018 2:58:00 PM	MAGNESIUM, TOTAL	7.89	7.89	MG/L	WET	GRAB	1803-0447-001	EPA 200.7
TRU-CAR-048T	3/29/2018 3:20:00 PM	MAGNESIUM, TOTAL	3.42	3.42	MG/L	WET	GRAB	1803-0443-001	EPA 200.7
MOU-CAR-086T	3/29/2018 3:35:00 PM	MAGNESIUM, TOTAL	6.65	6.65	MG/L	WET	GRAB	1803-0448-001	EPA 200.7
TRU-CAR-051T	3/29/2018 3:45:00 PM	MAGNESIUM, TOTAL	5.39	5.39	MG/L	WET	GRAB	1803-0444-001	EPA 200.7
VES-CAR-085M	3/29/2018 4:32:00 PM	MAGNESIUM, TOTAL	5.99	5.99	MG/L	WET	GRAB	1803-0449-001	EPA 200.7
LEE-CAR-053M	3/29/2018 4:50:00 PM	MAGNESIUM, TOTAL	4.16	4.16	MG/L	WET	GRAB	1803-0445-001	EPA 200.7
IRO-CAR-057M	3/29/2018 5:03:00 PM	MAGNESIUM, TOTAL	6.36	6.36	MG/L	WET	GRAB	1803-0446-001	EPA 200.7
FAI-VAC-010T	9/5/2018 10:07:00 AM	MAGNESIUM, TOTAL	13.2	13.2	MG/L	WET	GRAB	1809-0051-001	EPA 200.7
BRI-VAC-018T	9/5/2018 10:29:00 AM	MAGNESIUM, TOTAL	20	20	MG/L	WET	GRAB	1809-0052-001	EPA 200.7
BRI-VAC-015M	9/5/2018 10:39:00 AM	MAGNESIUM, TOTAL	15.7	15.7	MG/L	WET	GRAB	1809-0053-001	EPA 200.7
HUE-VAC-003M	9/5/2018 11:02:00 AM	MAGNESIUM, TOTAL	16.8	16.8	MG/L	WET	GRAB	1809-0054-001	EPA 200.7
ADA-VIC-023M	9/5/2018 11:15:00 AM	MAGNESIUM, TOTAL	43.2	43.2	MG/L	WET	GRAB	1809-0050-001	EPA 200.7
HUE-VAC-014T	9/5/2018 11:22:00 AM	MAGNESIUM, TOTAL	14.1	14.1	MG/L	WET	GRAB	1809-0055-001	EPA 200.7
PLE-VAC-006T	9/5/2018 11:43:00 AM	MAGNESIUM, TOTAL	12.4	12.4	MG/L	WET	GRAB	1809-0056-001	EPA 200.7
MOU-SHC-065M	9/24/2018 6:18:00 PM	MAGNESIUM, TOTAL	1.65	1.65	MG/L	WET	GRAB	1809-00380-001	EPA 200.7
MOU-SHC-069M	9/24/2018 6:38:00 PM	MAGNESIUM, TOTAL	2.24	2.24	MG/L	WET	GRAB	1809-00381-001	EPA 200.7
HOM-SHC-072T	9/24/2018 7:01:00 PM	MAGNESIUM, TOTAL	3.24	3.24	MG/L	WET	GRAB	1809-00383-001	EPA 200.7
GAR-FMC-031T	9/24/2018 7:25:00 PM	MAGNESIUM, TOTAL	11.6	11.6	MG/L	WET	GRAB	1809-00379-001	EPA 200.7
TAR-FMC-036M	9/24/2018 7:50:00 PM	MAGNESIUM, TOTAL	11.2	11.2	MG/L	WET	GRAB	1809-00382-001	EPA 200.7
BRO-FMC-030T	9/24/2018 7:55:00 PM	MAGNESIUM, TOTAL	13.8	13.8	MG/L	WET	GRAB	1809-00377-001	EPA 200.7
BRO-FMC-029M	9/24/2018 8:15:00 PM	MAGNESIUM, TOTAL	15.5	15.5	MG/L	WET	GRAB	1809-00378-001	EPA 200.7
MOU-SHC-068T	3/6/2018 7:30:00 AM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1803-00074-001	EPA 350.2
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, AMMONIA	1.1	1.1	MG/L	WET	GRAB	1803-00075-001	EPA 350.2
HOM-SHC-087M	3/6/2018 8:30:00 AM	NITROGEN, AMMONIA	0.2	0.2	MG/L	WET	GRAB	1803-00076-001	EPA 350.2
VES-CAR-074T	3/29/2018 2:58:00 PM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1803-0447-001	EPA 350.2
TRU-CAR-048T	3/29/2018 3:20:00 PM	NITROGEN, AMMONIA	0.11	0.11	MG/L	WET	GRAB	1803-0443-001	EPA 350.2
MOU-CAR-086T	3/29/2018 3:35:00 PM	NITROGEN, AMMONIA	0.27	0.27	MG/L	WET	GRAB	1803-0448-001	EPA 350.2

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
TRU-CAR-051T	3/29/2018 3:45:00 PM	NITROGEN, AMMONIA	0.13	0.13	MG/L	WET	GRAB	1803-0444-001	EPA 350.2
VES-CAR-085M	3/29/2018 4:32:00 PM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1803-0449-001	EPA 350.2
LEE-CAR-053M	3/29/2018 4:50:00 PM	NITROGEN, AMMONIA	0.17	0.17	MG/L	WET	GRAB	1803-0445-001	EPA 350.2
IRO-CAR-057M	3/29/2018 5:03:00 PM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1803-0446-001	EPA 350.2
FAI-VAC-010T	9/5/2018 10:07:00 AM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1809-0051-001	EPA 350.2
BRI-VAC-018T	9/5/2018 10:29:00 AM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1809-0052-001	EPA 350.2
BRI-VAC-015M	9/5/2018 10:39:00 AM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1809-0053-001	EPA 350.2
HUE-VAC-003M	9/5/2018 11:02:00 AM	NITROGEN, AMMONIA	0.1	<0.10	MG/L	WET	GRAB	1809-0054-001	EPA 350.2
ADA-VIC-023M	9/5/2018 11:15:00 AM	NITROGEN, AMMONIA	0.1	<.01	MG/L	WET	GRAB	1809-0050-001	EPA 350.2
HUE-VAC-014T	9/5/2018 11:22:00 AM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1809-0055-001	EPA 350.2
PLE-VAC-006T	9/5/2018 11:43:00 AM	NITROGEN, AMMONIA	0.1	<0.1	MG/L	WET	GRAB	1809-0056-001	EPA 350.2
MOU-SHC-065M	9/24/2018 6:18:00 PM	NITROGEN, AMMONIA	0.46	0.46	MG/L	WET	GRAB	1809-00380-001	EPA 350.2
MOU-SHC-069M	9/24/2018 6:38:00 PM	NITROGEN, AMMONIA	0.85	0.85	MG/L	WET	GRAB	1809-00381-001	EPA 350.2
HOM-SHC-072T	9/24/2018 7:01:00 PM	NITROGEN, AMMONIA	0.41	0.41	MG/L	WET	GRAB	1809-00383-001	EPA 350.2
GAR-FMC-031T	9/24/2018 7:25:00 PM	NITROGEN, AMMONIA	0.35	0.35	MG/L	WET	GRAB	1809-00379-001	EPA 350.2
TAR-FMC-036M	9/24/2018 7:50:00 PM	NITROGEN, AMMONIA	0.21	0.21	MG/L	WET	GRAB	1809-00382-001	EPA 350.2
BRO-FMC-030T	9/24/2018 7:55:00 PM	NITROGEN, AMMONIA	0.29	0.29	MG/L	WET	GRAB	1809-00377-001	EPA 350.2
BRO-FMC-029M	9/24/2018 8:15:00 PM	NITROGEN, AMMONIA	0.48	0.48	MG/L	WET	GRAB	1809-00378-001	EPA 350.2
MOU-SHC-068T	3/6/2018 7:30:00 AM	NITROGEN, NITRATE	1	1	MG/L	WET	GRAB	1803-00074-001	EPA 300.0
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, NITRATE	0.69	0.69	MG/L	WET	GRAB	1803-00075-001	EPA 300.0
HOM-SHC-087M	3/6/2018 8:30:00 AM	NITROGEN, NITRATE	0.45	0.45	MG/L	WET	GRAB	1803-00076-001	EPA 300.0
VES-CAR-074T	3/29/2018 2:58:00 PM	NITROGEN, NITRATE	0.55	0.55	MG/L	WET	GRAB	1803-0447-001	EPA 300.0
TRU-CAR-048T	3/29/2018 3:20:00 PM	NITROGEN, NITRATE	0.29	0.29	MG/L	WET	GRAB	1803-0443-001	EPA 300.0
MOU-CAR-086T	3/29/2018 3:35:00 PM	NITROGEN, NITRATE	0.87	0.87	MG/L	WET	GRAB	1803-0448-001	EPA 300.0
TRU-CAR-051T	3/29/2018 3:45:00 PM	NITROGEN, NITRATE	0.35	0.35	MG/L	WET	GRAB	1803-0444-001	EPA 300.0
VES-CAR-085M	3/29/2018 4:32:00 PM	NITROGEN, NITRATE	0.26	0.26	MG/L	WET	GRAB	1803-0449-001	EPA 300.0
LEE-CAR-053M	3/29/2018 4:50:00 PM	NITROGEN, NITRATE	0.5	0.5	MG/L	WET	GRAB	1803-0445-001	EPA 300.0
IRO-CAR-057M	3/29/2018 5:03:00 PM	NITROGEN, NITRATE	0.22	0.22	MG/L	WET	GRAB	1803-0446-001	EPA 300.0
FAI-VAC-010T	9/5/2018 10:07:00 AM	NITROGEN, NITRATE	0.21	0.21	MG/L	WET	GRAB	1809-0051-001	EPA 300.0
BRI-VAC-018T	9/5/2018 10:29:00 AM	NITROGEN, NITRATE	0.3	0.3	MG/L	WET	GRAB	1809-0052-001	EPA 300.0
BRI-VAC-015M	9/5/2018 10:39:00 AM	NITROGEN, NITRATE	0.67	0.67	MG/L	WET	GRAB	1809-0053-001	EPA 300.0
HUE-VAC-003M	9/5/2018 11:02:00 AM	NITROGEN, NITRATE	0.88	0.88	MG/L	WET	GRAB	1809-0054-001	EPA 300.0
ADA-VIC-023M	9/5/2018 11:15:00 AM	NITROGEN, NITRATE	3.74	3.74	MG/L	WET	GRAB	1809-0050-001	EPA 300.0

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
HUE-VAC-014T	9/5/2018 11:22:00 AM	NITROGEN, NITRATE	0.16	0.16	MG/L	WET	GRAB	1809-0055-001	EPA 300.0
PLE-VAC-006T	9/5/2018 11:43:00 AM	NITROGEN, NITRATE	0.35	0.35	MG/L	WET	GRAB	1809-0056-001	EPA 300.0
MOU-SHC-065M	9/24/2018 6:18:00 PM	NITROGEN, NITRATE	0.3	0.3	MG/L	WET	GRAB	1809-00380-001	EPA 300.0
MOU-SHC-069M	9/24/2018 6:38:00 PM	NITROGEN, NITRATE	0.43	0.43	MG/L	WET	GRAB	1809-00381-001	EPA 300.0
HOM-SHC-072T	9/24/2018 7:01:00 PM	NITROGEN, NITRATE	0.38	0.38	MG/L	WET	GRAB	1809-00383-001	EPA 300.0
GAR-FMC-031T	9/24/2018 7:25:00 PM	NITROGEN, NITRATE	0.21	0.21	MG/L	WET	GRAB	1809-00379-001	EPA 300.0
TAR-FMC-036M	9/24/2018 7:50:00 PM	NITROGEN, NITRATE	0.58	0.58	MG/L	WET	GRAB	1809-00382-001	EPA 300.0
BRO-FMC-030T	9/24/2018 7:55:00 PM	NITROGEN, NITRATE	0.67	0.67	MG/L	WET	GRAB	1809-00377-001	EPA 300.0
BRO-FMC-029M	9/24/2018 8:15:00 PM	NITROGEN, NITRATE	4.47	4.47	MG/L	WET	GRAB	1809-00378-001	EPA 300.0
MOU-SHC-068T	3/6/2018 7:30:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-00074-001	EPA 300.0
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-00075-001	EPA 300.0
HOM-SHC-087M	3/6/2018 8:30:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-00076-001	EPA 300.0
VES-CAR-074T	3/29/2018 2:58:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-0447-001	EPA 300.0
TRU-CAR-048T	3/29/2018 3:20:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-0443-001	EPA 300.0
MOU-CAR-086T	3/29/2018 3:35:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-0448-001	EPA 300.0
TRU-CAR-051T	3/29/2018 3:45:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-0444-001	EPA 300.0
VES-CAR-085M	3/29/2018 4:32:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-0449-001	EPA 300.0
LEE-CAR-053M	3/29/2018 4:50:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-0445-001	EPA 300.0
IRO-CAR-057M	3/29/2018 5:03:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1803-0446-001	EPA 300.0
FAI-VAC-010T	9/5/2018 10:07:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-0051-001	EPA 300.0
BRI-VAC-018T	9/5/2018 10:29:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-0052-001	EPA 300.0
BRI-VAC-015M	9/5/2018 10:39:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-0053-001	EPA 300.0
HUE-VAC-003M	9/5/2018 11:02:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-0054-001	EPA 300.0
ADA-VIC-023M	9/5/2018 11:15:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-0050-001	EPA 300.0
HUE-VAC-014T	9/5/2018 11:22:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-0055-001	EPA 300.0
PLE-VAC-006T	9/5/2018 11:43:00 AM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-0056-001	EPA 300.0
MOU-SHC-065M	9/24/2018 6:18:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-00380-001	EPA 300.0
MOU-SHC-069M	9/24/2018 6:38:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-00381-001	EPA 300.0
HOM-SHC-072T	9/24/2018 7:01:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-00383-001	EPA 300.0
GAR-FMC-031T	9/24/2018 7:25:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-00379-001	EPA 300.0
TAR-FMC-036M	9/24/2018 7:50:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-00382-001	EPA 300.0
BRO-FMC-030T	9/24/2018 7:55:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-00377-001	EPA 300.0
BRO-FMC-029M	9/24/2018 8:15:00 PM	NITROGEN, NITRITE	0.1	<0.10	MG/L	WET	GRAB	1809-00378-001	EPA 300.0

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
MOU-SHC-068T	3/6/2018 7:30:00 AM	NITROGEN, TOTAL KJELDAHL	1.2	1.2	MG/L	WET	GRAB	1803-00074-001	EPA 351.2
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, TOTAL KJELDAHL	3.5	3.5	MG/L	WET	GRAB	1803-00075-001	EPA 351.2
HOM-SHC-087M	3/6/2018 8:30:00 AM	NITROGEN, TOTAL KJELDAHL	2.8	2.8	MG/L	WET	GRAB	1803-00076-001	EPA 351.2
VES-CAR-074T	3/29/2018 2:58:00 PM	NITROGEN, TOTAL KJELDAHL	0.56	0.56	MG/L	WET	GRAB	1803-0447-001	EPA 351.2
TRU-CAR-048T	3/29/2018 3:20:00 PM	NITROGEN, TOTAL KJELDAHL	1	1	MG/L	WET	GRAB	1803-0443-001	EPA 351.2
MOU-CAR-086T	3/29/2018 3:35:00 PM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1803-0448-001	EPA 351.2
TRU-CAR-051T	3/29/2018 3:45:00 PM	NITROGEN, TOTAL KJELDAHL	1.7	1.7	MG/L	WET	GRAB	1803-0444-001	EPA 351.2
VES-CAR-085M	3/29/2018 4:32:00 PM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1803-0449-001	EPA 351.2
LEE-CAR-053M	3/29/2018 4:50:00 PM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1803-0445-001	EPA 351.2
IRO-CAR-057M	3/29/2018 5:03:00 PM	NITROGEN, TOTAL KJELDAHL	1.1	1.1	MG/L	WET	GRAB	1803-0446-001	EPA 351.2
FAI-VAC-010T	9/5/2018 10:07:00 AM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-0051-001	EPA 351.2
BRI-VAC-018T	9/5/2018 10:29:00 AM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-0052-001	EPA 351.2
BRI-VAC-015M	9/5/2018 10:39:00 AM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-0053-001	EPA 351.2
HUE-VAC-003M	9/5/2018 11:02:00 AM	NITROGEN, TOTAL KJELDAHL	0.81	0.81	MG/L	WET	GRAB	1809-0054-001	EPA 351.2
ADA-VIC-023M	9/5/2018 11:15:00 AM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-0050-001	EPA 351.2
HUE-VAC-014T	9/5/2018 11:22:00 AM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-0055-001	EPA 351.2
PLE-VAC-006T	9/5/2018 11:43:00 AM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-0056-001	EPA 351.2
MOU-SHC-065M	9/24/2018 6:18:00 PM	NITROGEN, TOTAL KJELDAHL	1	1	MG/L	WET	GRAB	1809-00380-001	EPA 351.2
MOU-SHC-069M	9/24/2018 6:38:00 PM	NITROGEN, TOTAL KJELDAHL	1.1	1.1	MG/L	WET	GRAB	1809-00381-001	EPA 351.2
HOM-SHC-072T	9/24/2018 7:01:00 PM	NITROGEN, TOTAL KJELDAHL	0.84	0.84	MG/L	WET	GRAB	1809-00383-001	EPA 351.2
GAR-FMC-031T	9/24/2018 7:25:00 PM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-00379-001	EPA 351.2
TAR-FMC-036M	9/24/2018 7:50:00 PM	NITROGEN, TOTAL KJELDAHL	0.66	0.66	MG/L	WET	GRAB	1809-00382-001	EPA 351.2

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
BRO-FMC-030T	9/24/2018 7:55:00 PM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-00377-001	EPA 351.2
BRO-FMC-029M	9/24/2018 8:15:00 PM	NITROGEN, TOTAL KJELDAHL	0.5	<0.5	MG/L	WET	GRAB	1809-00378-001	EPA 351.2
MOU-SHC-068T	3/6/2018 7:30:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-00074-001	1664
HOM-SHC-071T	3/6/2018 8:00:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-00075-001	1664
HOM-SHC-087M	3/6/2018 8:30:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-00076-001	1664
VES-CAR-074T	3/29/2018 2:58:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-0447-001	1664
TRU-CAR-048T	3/29/2018 3:20:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-0443-001	1664
MOU-CAR-086T	3/29/2018 3:35:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-0448-001	1664
TRU-CAR-051T	3/29/2018 3:45:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-0444-001	1664
VES-CAR-085M	3/29/2018 4:32:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-0449-001	1664
LEE-CAR-053M	3/29/2018 4:50:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-0445-001	1664
IRO-CAR-057M	3/29/2018 5:03:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1803-0446-001	1664
FAI-VAC-010T	9/5/2018 10:07:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-0051-001	1664
BRI-VAC-018T	9/5/2018 10:29:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-0052-001	1664
BRI-VAC-015M	9/5/2018 10:39:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-0053-001	1664
HUE-VAC-003M	9/5/2018 11:02:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-0054-001	1664
ADA-VIC-023M	9/5/2018 11:15:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-0050-001	1664
HUE-VAC-014T	9/5/2018 11:22:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-0055-001	1664
PLE-VAC-006T	9/5/2018 11:43:00 AM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-0056-001	1664
MOU-SHC-065M	9/24/2018 6:18:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-00380-001	1664
MOU-SHC-069M	9/24/2018 6:38:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-00381-001	1664
HOM-SHC-072T	9/24/2018 7:01:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-00383-001	1664
GAR-FMC-031T	9/24/2018 7:25:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-00379-001	1664
TAR-FMC-036M	9/24/2018 7:50:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-00382-001	1664
BRO-FMC-030T	9/24/2018 7:55:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-00377-001	1664
BRO-FMC-029M	9/24/2018 8:15:00 PM	OIL AND GREASE	5	<5.0	MG/L	WET	GRAB	1809-00378-001	1664
VES-CAR-074T	10/10/2017 10:45:00 AM	PH	7.66	7.66	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-077T	10/10/2017 11:05:00 AM	PH	7.56	7.56	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-076T	10/10/2017 11:32:00 AM	PH	7.75	7.75	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/10/2017 12:31:59 PM	PH	7.92	7.92	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/10/2017 12:31:59 PM	PH	7.92	7.92	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/10/2017 12:31:59 PM	PH	7.92	7.92	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
FAI-VAC-009T	10/11/2017 11:10:00 AM	PH	7.8	7.8	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-013T	10/11/2017 12:01:00 PM	PH	7.53	7.53	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-004M	10/11/2017 12:25:00 PM	PH	7.88	7.88	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-005M	10/11/2017 1:21:00 PM	PH	8.16	8.16	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
MUL-VIC-028M	10/12/2017 11:27:00 AM	PH	7.58	7.58	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
BRI-VAC-015M	10/31/2017 2:09:00 PM	PH	7.92	7.92	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	11/1/2017 11:13:59 AM	PH	7.88	7.88	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	11/1/2017 11:13:59 AM	PH	7.88	7.88	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	11/1/2017 11:13:59 AM	PH	7.88	7.88	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-030T	11/3/2017 11:34:00 AM	PH	7.35	7.35	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
GRA-FMC-082M	11/3/2017 12:02:00 PM	PH	7.73	7.73	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-CAR-046M	11/6/2017 10:37:00 AM	PH	7.52	7.52	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-055M	11/6/2017 12:31:00 PM	PH	7.61	7.61	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-057M	11/6/2017 1:25:00 PM	PH	7.62	7.62	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-SHC-062M	11/7/2017 10:24:00 AM	PH	7.84	7.84	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-TUC-044M	11/7/2017 12:25:00 PM	PH	7.58	7.58	SU	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HOM-SHC-073M	11/7/2017 12:41:00 PM	PH	7.74	7.74	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
LEE-CAR-053M	12/15/2017 2:10:00 PM	PH	7.56	7.56	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
PIN-TUC-039M	12/19/2017 2:47:00 PM	PH	7.83	7.83	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-069M	1/5/2018 12:01:00 PM	PH	7.61	7.61	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-065M	1/5/2018 2:05:00 PM	PH	7.84	7.84	SU	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-068T	3/6/2018 7:30:00 AM	PH	7.69	7.69	SU	WET	GRAB	1803-00074-001	EPA 150.1
HOM-SHC-071T	3/6/2018 8:00:00 AM	PH	7.54	7.54	SU	WET	GRAB	1803-00075-001	EPA 150.1
HOM-SHC-087M	3/6/2018 8:30:00 AM	PH	7.7	7.7	SU	WET	GRAB	1803-00076-001	EPA 150.1
VES-CAR-074T	3/29/2018 2:58:00 PM	PH	6.23	6.23	SU	WET	GRAB	1803-0447-001	EPA 150.1
TRU-CAR-048T	3/29/2018 3:20:00 PM	PH	7.54	7.54	SU	WET	GRAB	1803-0443-001	EPA 150.1
MOU-CAR-086T	3/29/2018 3:35:00 PM	PH	6.87	6.87	SU	WET	GRAB	1803-0448-001	EPA 150.1
TRU-CAR-051T	3/29/2018 3:45:00 PM	PH	7.81	7.81	SU	WET	GRAB	1803-0444-001	EPA 150.1
VES-CAR-085M	3/29/2018 4:32:00 PM	PH	7.33	7.33	SU	WET	GRAB	1803-0449-001	EPA 150.1
LEE-CAR-053M	3/29/2018 4:50:00 PM	PH	7.88	7.88	SU	WET	GRAB	1803-0445-001	EPA 150.1
IRO-CAR-057M	3/29/2018 5:03:00 PM	PH	7.38	7.38	SU	WET	GRAB	1803-0446-001	EPA 150.1
FAI-VAC-010T	9/5/2018 10:07:00 AM	PH	7.4	7.4	SU	WET	GRAB	1809-0051-001	EPA 150.1
BRI-VAC-018T	9/5/2018 10:29:00 AM	PH	7.3	7.3	SU	WET	GRAB	1809-0052-001	EPA 150.1

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
BRI-VAC-015M	9/5/2018 10:39:00 AM	PH	7.39	7.39	SU	WET	GRAB	1809-0053-001	EPA 150.1
HUE-VAC-003M	9/5/2018 11:02:00 AM	PH	7.39	7.39	SU	WET	GRAB	1809-0054-001	EPA 150.1
ADA-VIC-023M	9/5/2018 11:15:00 AM	PH	7.3	7.3	SU	WET	GRAB	1809-0050-001	EPA 150.1
HUE-VAC-014T	9/5/2018 11:22:00 AM	PH	7.55	7.55	SU	WET	GRAB	1809-0055-001	EPA 150.1
PLE-VAC-006T	9/5/2018 11:43:00 AM	PH	7.48	7.48	SU	WET	GRAB	1809-0056-001	EPA 150.1
MOU-SHC-065M	9/24/2018 6:18:00 PM	PH	8.3	8.3	SU	WET	GRAB	1809-00380-001	EPA 150.1
MOU-SHC-069M	9/24/2018 6:38:00 PM	PH	8.05	8.05	SU	WET	GRAB	1809-00381-001	EPA 150.1
HOM-SHC-072T	9/24/2018 7:01:00 PM	PH	7.56	7.56	SU	WET	GRAB	1809-00383-001	EPA 150.1
GAR-FMC-031T	9/24/2018 7:25:00 PM	PH	7.63	7.63	SU	WET	GRAB	1809-00379-001	EPA 150.1
TAR-FMC-036M	9/24/2018 7:50:00 PM	PH	7.39	7.39	SU	WET	GRAB	1809-00382-001	EPA 150.1
BRO-FMC-030T	9/24/2018 7:55:00 PM	PH	7.05	7.05	SU	WET	GRAB	1809-00377-001	EPA 150.1
BRO-FMC-029M	9/24/2018 8:15:00 PM	PH	7.14	7.14	SU	WET	GRAB	1809-00378-001	EPA 150.1
MOU-SHC-068T	3/6/2018 7:30:00 AM	PHOSPHATE AS P	0.41	0.41	MG/L	WET	GRAB	1803-00074-001	EPA 365.2
HOM-SHC-071T	3/6/2018 8:00:00 AM	PHOSPHATE AS P	0.72	0.72	MG/L	WET	GRAB	1803-00075-001	EPA 365.2
HOM-SHC-087M	3/6/2018 8:30:00 AM	PHOSPHATE AS P	0.77	0.77	MG/L	WET	GRAB	1803-00076-001	EPA 365.2
VES-CAR-074T	3/29/2018 2:58:00 PM	PHOSPHATE AS P	0.1	0.1	MG/L	WET	GRAB	1803-0447-001	EPA 365.2
TRU-CAR-048T	3/29/2018 3:20:00 PM	PHOSPHATE AS P	0.13	0.13	MG/L	WET	GRAB	1803-0443-001	EPA 365.2
MOU-CAR-086T	3/29/2018 3:35:00 PM	PHOSPHATE AS P	0.05	0.05	MG/L	WET	GRAB	1803-0448-001	EPA 365.2
TRU-CAR-051T	3/29/2018 3:45:00 PM	PHOSPHATE AS P	0.31	0.31	MG/L	WET	GRAB	1803-0444-001	EPA 365.2
VES-CAR-085M	3/29/2018 4:32:00 PM	PHOSPHATE AS P	0.04	0.04	MG/L	WET	GRAB	1803-0449-001	EPA 365.2
LEE-CAR-053M	3/29/2018 4:50:00 PM	PHOSPHATE AS P	0.05	0.05	MG/L	WET	GRAB	1803-0445-001	EPA 365.2
IRO-CAR-057M	3/29/2018 5:03:00 PM	PHOSPHATE AS P	0.33	0.33	MG/L	WET	GRAB	1803-0446-001	EPA 365.2
FAI-VAC-010T	9/5/2018 10:07:00 AM	PHOSPHATE AS P	0.38	0.38	MG/L	WET	GRAB	1809-0051-001	EPA 365.2
BRI-VAC-018T	9/5/2018 10:29:00 AM	PHOSPHATE AS P	0.24	0.24	MG/L	WET	GRAB	1809-0052-001	EPA 365.2
BRI-VAC-015M	9/5/2018 10:39:00 AM	PHOSPHATE AS P	0.18	0.18	MG/L	WET	GRAB	1809-0053-001	EPA 365.2
HUE-VAC-003M	9/5/2018 11:02:00 AM	PHOSPHATE AS P	1.3	1.3	MG/L	WET	GRAB	1809-0054-001	EPA 365.2
ADA-VIC-023M	9/5/2018 11:15:00 AM	PHOSPHATE AS P	0.25	0.25	MG/L	WET	GRAB	1809-0050-001	EPA 365.2
HUE-VAC-014T	9/5/2018 11:22:00 AM	PHOSPHATE AS P	0.35	0.35	MG/L	WET	GRAB	1809-0055-001	EPA 365.2
PLE-VAC-006T	9/5/2018 11:43:00 AM	PHOSPHATE AS P	0.18	0.18	MG/L	WET	GRAB	1809-0056-001	EPA 365.2
MOU-SHC-065M	9/24/2018 6:18:00 PM	PHOSPHATE AS P	0.28	0.28	MG/L	WET	GRAB	1809-00380-001	EPA 365.2
MOU-SHC-069M	9/24/2018 6:38:00 PM	PHOSPHATE AS P	0.36	0.36	MG/L	WET	GRAB	1809-00381-001	EPA 365.2
HOM-SHC-072T	9/24/2018 7:01:00 PM	PHOSPHATE AS P	0.28	0.28	MG/L	WET	GRAB	1809-00383-001	EPA 365.2
GAR-FMC-031T	9/24/2018 7:25:00 PM	PHOSPHATE AS P	0.03	0.03	MG/L	WET	GRAB	1809-00379-001	EPA 365.2

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
TAR-FMC-036M	9/24/2018 7:50:00 PM	PHOSPHATE AS P	0.15	0.15	MG/L	WET	GRAB	1809-00382-001	EPA 365.2
BRO-FMC-030T	9/24/2018 7:55:00 PM	PHOSPHATE AS P	0.1	0.1	MG/L	WET	GRAB	1809-00377-001	EPA 365.2
BRO-FMC-029M	9/24/2018 8:15:00 PM	PHOSPHATE AS P	0.55	0.55	MG/L	WET	GRAB	1809-00378-001	EPA 365.2
VES-CAR-074T	10/10/2017 10:45:00 AM	SPECIFIC CONDUCTANCE	285.4	285.4	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-077T	10/10/2017 11:05:00 AM	SPECIFIC CONDUCTANCE	274.4	274.4	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-076T	10/10/2017 11:32:00 AM	SPECIFIC CONDUCTANCE	312.1	312.1	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
FAI-VAC-009T	10/11/2017 11:10:00 AM	SPECIFIC CONDUCTANCE	853.1	853.1	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-013T	10/11/2017 12:01:00 PM	SPECIFIC CONDUCTANCE	415.2	415.2	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-004M	10/11/2017 12:25:00 PM	SPECIFIC CONDUCTANCE	448.6	448.6	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/11/2017 12:31:59 PM	SPECIFIC CONDUCTANCE	464.2	464.2	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/11/2017 12:31:59 PM	SPECIFIC CONDUCTANCE	464.2	464.2	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/11/2017 12:31:59 PM	SPECIFIC CONDUCTANCE	464.2	464.2	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-005M	10/11/2017 1:21:00 PM	SPECIFIC CONDUCTANCE	428.9	428.9	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
MUL-VIC-028M	10/12/2017 11:27:00 AM	SPECIFIC CONDUCTANCE	458.3	458.3	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
BRI-VAC-015M	11/1/2017 2:09:00 PM	SPECIFIC CONDUCTANCE	447.1	447.1	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	11/2/2017 11:13:59 AM	SPECIFIC CONDUCTANCE	340.8	340.8	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	11/2/2017 11:13:59 AM	SPECIFIC CONDUCTANCE	340.8	340.8	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	11/2/2017 11:13:59 AM	SPECIFIC CONDUCTANCE	340.8	340.8	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-030T	11/3/2017 11:34:00 AM	SPECIFIC CONDUCTANCE	189.5	189.5	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
GRA-FMC-082M	11/3/2017 12:02:00 PM	SPECIFIC CONDUCTANCE	315.6	315.6	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-CAR-046M	11/6/2017 10:37:00 AM	SPECIFIC CONDUCTANCE	195.8	195.8	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-055M	11/6/2017 12:31:00 PM	SPECIFIC CONDUCTANCE	139.2	139.2	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-057M	11/6/2017 1:25:00 PM	SPECIFIC CONDUCTANCE	143.9	143.9	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
IRO-SHC-062M	11/7/2017 10:24:00 AM	SPECIFIC CONDUCTANCE	290.3	290.3	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-TUC-044M	11/7/2017 12:25:00 PM	SPECIFIC CONDUCTANCE	235.6	235.6	μS/CM	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HOM-SHC-073M	11/7/2017 12:41:00 PM	SPECIFIC CONDUCTANCE	321.3	321.3	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
LEE-CAR-053M	12/15/2017 2:10:00 PM	SPECIFIC CONDUCTANCE	182.9	182.9	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
PIN-TUC-039M	12/19/2017 2:47:00 PM	SPECIFIC CONDUCTANCE	298.7	298.7	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-069M	1/5/2018 12:01:00 PM	SPECIFIC CONDUCTANCE	298.5	298.5	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-065M	1/5/2018 2:05:00 PM	SPECIFIC CONDUCTANCE	301.1	301.1	μS/CM	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-068T	3/6/2018 7:30:00 AM	SPECIFIC CONDUCTANCE	300	300	UMHOS	WET	GRAB	1803-00074-001	EPA 120.1
HOM-SHC-071T	3/6/2018 8:00:00 AM	SPECIFIC CONDUCTANCE	350	350	UMHOS	WET	GRAB	1803-00075-001	EPA 120.1
HOM-SHC-087M	3/6/2018 8:30:00 AM	SPECIFIC CONDUCTANCE	280	280	UMHOS	WET	GRAB	1803-00076-001	EPA 120.1
VES-CAR-074T	3/29/2018 2:58:00 PM	SPECIFIC CONDUCTANCE	236.7	236.7	μS/CM	WET	GRAB	1803-0447-001	EPA 150.1
TRU-CAR-048T	3/29/2018 3:20:00 PM	SPECIFIC CONDUCTANCE	210	210	UMHOS	WET	GRAB	1803-0443-001	EPA 120.1
MOU-CAR-086T	3/29/2018 3:35:00 PM	SPECIFIC CONDUCTANCE	220	220	UMHOS	WET	GRAB	1803-0448-001	EPA 120.1
TRU-CAR-051T	3/29/2018 3:45:00 PM	SPECIFIC CONDUCTANCE	146.9	146.9	μS/CM	WET	GRAB	1803-0444-001	EPA 150.1
VES-CAR-085M	3/29/2018 4:32:00 PM	SPECIFIC CONDUCTANCE	168.4	168.4	μS/CM	WET	GRAB	1803-0449-001	EPA 150.1
LEE-CAR-053M	3/29/2018 4:50:00 PM	SPECIFIC CONDUCTANCE	170	170	UMHOS	WET	GRAB	1803-0445-001	EPA 120.1
IRO-CAR-057M	3/29/2018 5:03:00 PM	SPECIFIC CONDUCTANCE	140	140	UMHOS	WET	GRAB	1803-0446-001	EPA 120.1
FAI-VAC-010T	9/5/2018 10:07:00 AM	SPECIFIC CONDUCTANCE	300	300	UMHOS	WET	GRAB	1809-0051-001	EPA 120.1
BRI-VAC-018T	9/5/2018 10:29:00 AM	SPECIFIC CONDUCTANCE	410	410	UMHOS	WET	GRAB	1809-0052-001	EPA 120.1
BRI-VAC-015M	9/5/2018 10:39:00 AM	SPECIFIC CONDUCTANCE	430	430	UMHOS	WET	GRAB	1809-0053-001	EPA 120.1
HUE-VAC-003M	9/5/2018 11:02:00 AM	SPECIFIC CONDUCTANCE	460	460	UMHOS	WET	GRAB	1809-0054-001	EPA 120.1
ADA-VIC-023M	9/5/2018 11:15:00 AM	SPECIFIC CONDUCTANCE	730	730	UMHOS	WET	GRAB	1809-0050-001	EPA 120.1

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
HUE-VAC-014T	9/5/2018 11:22:00 AM	SPECIFIC CONDUCTANCE	420	420	UMHOS	WET	GRAB	1809-0055-001	EPA 120.1
PLE-VAC-006T	9/5/2018 11:43:00 AM	SPECIFIC CONDUCTANCE	1050	1050	UMHOS	WET	GRAB	1809-0056-001	EPA 120.1
MOU-SHC-065M	9/24/2018 6:18:00 PM	SPECIFIC CONDUCTANCE	80	80	UMHOS	WET	GRAB	1809-00380-001	EPA 120.1
MOU-SHC-069M	9/24/2018 6:38:00 PM	SPECIFIC CONDUCTANCE	90	90	UMHOS	WET	GRAB	1809-00381-001	EPA 120.1
HOM-SHC-072T	9/24/2018 7:01:00 PM	SPECIFIC CONDUCTANCE	110	110	UMHOS	WET	GRAB	1809-00383-001	EPA 120.1
GAR-FMC-031T	9/24/2018 7:25:00 PM	SPECIFIC CONDUCTANCE	270	270	UMHOS	WET	GRAB	1809-00379-001	EPA 120.1
TAR-FMC-036M	9/24/2018 7:50:00 PM	SPECIFIC CONDUCTANCE	250	250	UMHOS	WET	GRAB	1809-00382-001	EPA 120.1
BRO-FMC-030T	9/24/2018 7:55:00 PM	SPECIFIC CONDUCTANCE	260	260	UMHOS	WET	GRAB	1809-00377-001	EPA 120.1
BRO-FMC-029M	9/24/2018 8:15:00 PM	SPECIFIC CONDUCTANCE	520	520	UMHOS	WET	GRAB	1809-00378-001	EPA 120.1
ADA-VIC-023M	10/8/2017 12:31:59 PM	TEMPERATURE	25.92	25.92	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/8/2017 12:31:59 PM	TEMPERATURE	25.92	25.92	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
ADA-VIC-023M	10/8/2017 12:31:59 PM	TEMPERATURE	25.92	25.92	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-074T	10/10/2017 10:45:00 AM	TEMPERATURE	24.42	24.42	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-077T	10/10/2017 11:05:00 AM	TEMPERATURE	24.65	24.65	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-076T	10/10/2017 11:32:00 AM	TEMPERATURE	25.18	25.18	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
FAI-VAC-009T	10/11/2017 11:10:00 AM	TEMPERATURE	24.68	24.68	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-013T	10/11/2017 12:01:00 PM	TEMPERATURE	27.03	27.03	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-004M	10/11/2017 12:25:00 PM	TEMPERATURE	28.27	28.27	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HUE-VAC-005M	10/11/2017 1:21:00 PM	TEMPERATURE	26.92	26.92	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
MUL-VIC-028M	10/12/2017 11:27:00 AM	TEMPERATURE	21.78	21.78	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
BRI-VAC-015M	10/29/2017 2:09:00 PM	TEMPERATURE	26.48	26.48	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	10/30/2017 11:13:59 AM	TEMPERATURE	25.24	25.24	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	10/30/2017 11:13:59 AM	TEMPERATURE	25.24	25.24	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-029M	10/30/2017 11:13:59 AM	TEMPERATURE	25.24	25.24	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
BRO-FMC-030T	11/3/2017 11:34:00 AM	TEMPERATURE	27.29	27.29	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
GRA-FMC-082M	11/3/2017 12:02:00 PM	TEMPERATURE	28.31	28.31	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-CAR-046M	11/6/2017 10:37:00 AM	TEMPERATURE	24.74	24.74	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-055M	11/6/2017 12:31:00 PM	TEMPERATURE	27.08	27.08	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
IRO-CAR-057M	11/6/2017 1:25:00 PM	TEMPERATURE	26.65	26.65	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
IRO-SHC-062M	11/7/2017 10:24:00 AM	TEMPERATURE	25.33	25.33	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
CLA-TUC-044M	11/7/2017 12:25:00 PM	TEMPERATURE	27.45	27.45	CELSIUS	WET	MONTHLY	IN SITU	INSITU SMARTROLL
HOM-SHC-073M	11/7/2017 12:41:00 PM	TEMPERATURE	25.7	25.7	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
LEE-CAR-053M	12/15/2017 2:10:00 PM	TEMPERATURE	25.2	25.2	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
PIN-TUC-039M	12/19/2017 2:47:00 PM	TEMPERATURE	22.62	22.62	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-069M	1/5/2018 12:01:00 PM	TEMPERATURE	25.52	25.52	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
MOU-SHC-065M	1/5/2018 2:05:00 PM	TEMPERATURE	25.55	25.55	CELSIUS	DRY	MONTHLY	IN SITU	INSITU SMARTROLL
VES-CAR-074T	3/29/2018 2:58:00 PM	TEMPERATURE	18.63	18.63	CELSIUS	WET	GRAB	1803-0447-001	EPA 150.1
TRU-CAR-048T	3/29/2018 3:20:00 PM	TEMPERATURE	17.77	17.77	CELSIUS	WET	GRAB	1803-0443-001	EPA 150.1
TRU-CAR-051T	3/29/2018 3:45:00 PM	TEMPERATURE	17.21	17.21	CELSIUS	WET	GRAB	1803-0444-001	EPA 150.1
VES-CAR-085M	3/29/2018 4:32:00 PM	TEMPERATURE	18.15	18.15	CELSIUS	WET	GRAB	1803-0449-001	EPA 150.1
LEE-CAR-053M	3/29/2018 4:50:00 PM	TEMPERATURE	17.48	17.48	CELSIUS	WET	GRAB	1803-0445-003	5210B
IRO-CAR-057M	3/29/2018 5:03:00 PM	TEMPERATURE	17.54	17.54	CELSIUS	WET	GRAB	1803-0446-001	EPA 150.1
MOU-SHC-068T	3/6/2018 7:30:00 AM	TOTAL DISSOLVED SOLIDS	176	176	MG/L	WET	GRAB	1803-00074-001	2540C
HOM-SHC-071T	3/6/2018 8:00:00 AM	TOTAL DISSOLVED SOLIDS	186	186	MG/L	WET	GRAB	1803-00075-001	2540C
HOM-SHC-087M	3/6/2018 8:30:00 AM	TOTAL DISSOLVED SOLIDS	154	154	MG/L	WET	GRAB	1803-00076-001	2540C
VES-CAR-074T	3/29/2018 2:58:00 PM	TOTAL DISSOLVED SOLIDS	160	160	MG/L	WET	GRAB	1803-0447-001	2540C
TRU-CAR-048T	3/29/2018 3:20:00 PM	TOTAL DISSOLVED SOLIDS	160	160	MG/L	WET	GRAB	1803-0443-001	2540C
MOU-CAR-086T	3/29/2018 3:35:00 PM	TOTAL DISSOLVED SOLIDS	128	128	MG/L	WET	GRAB	1803-0448-001	2540C
TRU-CAR-051T	3/29/2018 3:45:00 PM	TOTAL DISSOLVED SOLIDS	156	156	MG/L	WET	GRAB	1803-0444-001	2540C
VES-CAR-085M	3/29/2018 4:32:00 PM	TOTAL DISSOLVED SOLIDS	108	108	MG/L	WET	GRAB	1803-0449-001	2540C
LEE-CAR-053M	3/29/2018 4:50:00 PM	TOTAL DISSOLVED SOLIDS	104	104	MG/L	WET	GRAB	1803-0445-001	2540C
IRO-CAR-057M	3/29/2018 5:03:00 PM	TOTAL DISSOLVED SOLIDS	100	100	MG/L	WET	GRAB	1803-0446-001	2540C
FAI-VAC-010T	9/5/2018 10:07:00 AM	TOTAL DISSOLVED SOLIDS	178	178	MG/L	WET	GRAB	1809-0051-001	2540C
BRI-VAC-018T	9/5/2018 10:29:00 AM	TOTAL DISSOLVED SOLIDS	232	232	MG/L	WET	GRAB	1809-0052-001	2540C
BRI-VAC-015M	9/5/2018 10:39:00 AM	TOTAL DISSOLVED SOLIDS	258	258	MG/L	WET	GRAB	1809-0053-001	2540C

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
HUE-VAC-003M	9/5/2018 11:02:00 AM	TOTAL DISSOLVED SOLIDS	316	316	MG/L	WET	GRAB	1809-0054-001	2540C
ADA-VIC-023M	9/5/2018 11:15:00 AM	TOTAL DISSOLVED SOLIDS	678	678	MG/L	WET	GRAB	1809-0050-001	2540C
HUE-VAC-014T	9/5/2018 11:22:00 AM	TOTAL DISSOLVED SOLIDS	248	248	MG/L	WET	GRAB	1809-0055-001	2540C
PLE-VAC-006T	9/5/2018 11:43:00 AM	TOTAL DISSOLVED SOLIDS	768	768	MG/L	WET	GRAB	1809-0056-001	2540C
MOU-SHC-065M	9/24/2018 6:18:00 PM	TOTAL DISSOLVED SOLIDS	70	70	MG/L	WET	GRAB	1809-00380-001	2540C
MOU-SHC-069M	9/24/2018 6:38:00 PM	TOTAL DISSOLVED SOLIDS	78	78	MG/L	WET	GRAB	1809-00381-001	2540C
HOM-SHC-072T	9/24/2018 7:01:00 PM	TOTAL DISSOLVED SOLIDS	112	112	MG/L	WET	GRAB	1809-00383-001	2540C
GAR-FMC-031T	9/24/2018 7:25:00 PM	TOTAL DISSOLVED SOLIDS	212	212	MG/L	WET	GRAB	1809-00379-001	2540C
TAR-FMC-036M	9/24/2018 7:50:00 PM	TOTAL DISSOLVED SOLIDS	182	182	MG/L	WET	GRAB	1809-00382-001	2540C
BRO-FMC-030T	9/24/2018 7:55:00 PM	TOTAL DISSOLVED SOLIDS	230	230	MG/L	WET	GRAB	1809-00377-001	2540C
BRO-FMC-029M	9/24/2018 8:15:00 PM	TOTAL DISSOLVED SOLIDS	410	410	MG/L	WET	GRAB	1809-00378-001	2540C
MOU-SHC-068T	3/6/2018 7:30:00 AM	TOTAL SUSPENDED SOLIDS	940	940	MG/L	WET	GRAB	1803-00074-001	2540D
HOM-SHC-071T	3/6/2018 8:00:00 AM	TOTAL SUSPENDED SOLIDS	2504	2504	MG/L	WET	GRAB	1803-00075-001	2540D
HOM-SHC-087M	3/6/2018 8:30:00 AM	TOTAL SUSPENDED SOLIDS	1680	1680	MG/L	WET	GRAB	1803-00076-001	2540D
VES-CAR-074T	3/29/2018 2:58:00 PM	TOTAL SUSPENDED SOLIDS	43	43	MG/L	WET	GRAB	1803-0447-001	2540D
TRU-CAR-048T	3/29/2018 3:20:00 PM	TOTAL SUSPENDED SOLIDS	30	30	MG/L	WET	GRAB	1803-0443-001	2540D
MOU-CAR-086T	3/29/2018 3:35:00 PM	TOTAL SUSPENDED SOLIDS	9	9	MG/L	WET	GRAB	1803-0448-001	2540D
TRU-CAR-051T	3/29/2018 3:45:00 PM	TOTAL SUSPENDED SOLIDS	350	350	MG/L	WET	GRAB	1803-0444-001	2540D
VES-CAR-085M	3/29/2018 4:32:00 PM	TOTAL SUSPENDED SOLIDS	5	5	MG/L	WET	GRAB	1803-0449-001	2540D
LEE-CAR-053M	3/29/2018 4:50:00 PM	TOTAL SUSPENDED SOLIDS	10	10	MG/L	WET	GRAB	1803-0445-001	2540D
IRO-CAR-057M	3/29/2018 5:03:00 PM	TOTAL SUSPENDED SOLIDS	398	398	MG/L	WET	GRAB	1803-0446-001	2540D
FAI-VAC-010T	9/5/2018 10:07:00 AM	TOTAL SUSPENDED SOLIDS	17	17	MG/L	WET	GRAB	1809-0051-001	2540D

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
BRI-VAC-018T	9/5/2018 10:29:00 AM	TOTAL SUSPENDED SOLIDS	10	10	MG/L	WET	GRAB	1809-0052-001	2540D
BRI-VAC-015M	9/5/2018 10:39:00 AM	TOTAL SUSPENDED SOLIDS	5	5	MG/L	WET	GRAB	1809-0053-001	2540D
HUE-VAC-003M	9/5/2018 11:02:00 AM	TOTAL SUSPENDED SOLIDS	6	6	MG/L	WET	GRAB	1809-0054-001	2540D
ADA-VIC-023M	9/5/2018 11:15:00 AM	TOTAL SUSPENDED SOLIDS	8	8	MG/L	WET	GRAB	1809-0050-001	2540D
HUE-VAC-014T	9/5/2018 11:22:00 AM	TOTAL SUSPENDED SOLIDS	7	7	MG/L	WET	GRAB	1809-0055-001	2540D
PLE-VAC-006T	9/5/2018 11:43:00 AM	TOTAL SUSPENDED SOLIDS	7	7	MG/L	WET	GRAB	1809-0056-001	2540D
MOU-SHC-065M	9/24/2018 6:18:00 PM	TOTAL SUSPENDED SOLIDS	245	245	MG/L	WET	GRAB	1809-00380-001	2540D
MOU-SHC-069M	9/24/2018 6:38:00 PM	TOTAL SUSPENDED SOLIDS	199	199	MG/L	WET	GRAB	1809-00381-001	2540D
HOM-SHC-072T	9/24/2018 7:01:00 PM	TOTAL SUSPENDED SOLIDS	134	134	MG/L	WET	GRAB	1809-00383-001	2540D
GAR-FMC-031T	9/24/2018 7:25:00 PM	TOTAL SUSPENDED SOLIDS	1	1	MG/L	WET	GRAB	1809-00379-001	2540D
TAR-FMC-036M	9/24/2018 7:50:00 PM	TOTAL SUSPENDED SOLIDS	58	58	MG/L	WET	GRAB	1809-00382-001	2540D
BRO-FMC-030T	9/24/2018 7:55:00 PM	TOTAL SUSPENDED SOLIDS	3	3	MG/L	WET	GRAB	1809-00377-001	2540D
BRO-FMC-029M	9/24/2018 8:15:00 PM	TOTAL SUSPENDED SOLIDS	4	4	MG/L	WET	GRAB	1809-00378-001	2540D
VES-CAR-074T	10/10/2017 10:45:00 AM	TURBIDITY	2.6	2.6	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-077T	10/10/2017 11:05:00 AM	TURBIDITY	3.9	3.9	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-076T	10/10/2017 11:32:00 AM	TURBIDITY	2.03	2.03	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRO-FMC-030T	10/10/2017 12:16:00 PM	TURBIDITY	10.3	10.3	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-080M	10/10/2017 12:39:00 PM	TURBIDITY	21.1	21.1	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
GRA-FMC-082M	10/10/2017 1:06:00 PM	TURBIDITY	13.7	13.7	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
IRO-CAR-057M	10/10/2017 1:09:00 PM	TURBIDITY	15.1	15.1	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
IRO-CAR-055M	10/10/2017 1:36:00 PM	TURBIDITY	13.4	13.4	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
LEE-CAR-053M	10/10/2017 1:51:00 PM	TURBIDITY	9.8	9.8	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
HOM-SHC-073M	10/11/2017 10:14:00 AM	TURBIDITY	5.9	5.9	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
FAI-VAC-009T	10/11/2017 11:10:00 AM	TURBIDITY	2.8	2.8	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-069M	10/11/2017 11:19:00 AM	TURBIDITY	5.21	5.21	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRI-VAC-015M	10/11/2017 11:47:00 AM	TURBIDITY	1.97	1.97	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-065M	10/11/2017 12:00:00 PM	TURBIDITY	5.2	5.2	NTU	WET	MONTHLY	IN SITU	HACH 2100Q

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
HUE-VAC-013T	10/11/2017 12:01:00 PM	TURBIDITY	3	3	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-004M	10/11/2017 12:25:00 PM	TURBIDITY	3.69	3.69	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
IRO-SHC-062M	10/11/2017 12:47:00 PM	TURBIDITY	5.2	5.2	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-005M	10/11/2017 1:21:00 PM	TURBIDITY	3.84	3.84	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
CLA-CAR-046M	10/11/2017 1:33:00 PM	TURBIDITY	5.3	5.3	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
CLA-TUC-044M	10/11/2017 1:50:00 PM	TURBIDITY	2.43	2.43	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
PIN-TUC-039M	10/11/2017 2:43:00 PM	TURBIDITY	6.05	6.05	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MUL-VIC-028M	10/12/2017 11:27:00 AM	TURBIDITY	2.21	2.21	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
PLE-VIC-008T	10/12/2017 11:50:00 AM	TURBIDITY	4.17	4.17	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
ADA-VIC-023M	10/12/2017 12:32:00 PM	TURBIDITY	2.91	2.91	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
FAI-VAC-009T	11/2/2017 12:14:00 PM	TURBIDITY	3.9	3.9	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MID-VAC-011M	11/2/2017 1:30:00 PM	TURBIDITY	2.7	2.7	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRI-VAC-015M	11/2/2017 2:09:00 PM	TURBIDITY	2.71	2.71	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-013T	11/2/2017 2:20:00 PM	TURBIDITY	2.43	2.43	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
GAR-FMC-031T	11/3/2017 10:07:00 AM	TURBIDITY	5.12	5.12	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRO-FMC-026M	11/3/2017 10:37:00 AM	TURBIDITY	2.93	2.93	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRO-FMC-029M	11/3/2017 11:14:00 AM	TURBIDITY	3.93	3.93	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRO-FMC-030T	11/3/2017 11:34:00 AM	TURBIDITY	5.39	5.39	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
GRA-FMC-082M	11/3/2017 12:02:00 PM	TURBIDITY	6.58	6.58	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MUL-VIC-028M	11/3/2017 12:47:00 PM	TURBIDITY	1.88	1.88	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
PLE-VIC-008T	11/3/2017 1:03:00 PM	TURBIDITY	3.33	3.33	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
TAR-FMC-036M	11/3/2017 3:10:00 PM	TURBIDITY	10.1	10.1	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
CLA-CAR-046M	11/6/2017 10:37:00 AM	TURBIDITY	1.81	1.81	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
TRU-CAR-050M	11/6/2017 11:19:00 AM	TURBIDITY	3.63	3.63	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
LEE-CAR-053M	11/6/2017 11:57:00 AM	TURBIDITY	8.14	8.14	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
IRO-CAR-055M	11/6/2017 12:31:00 PM	TURBIDITY	10.5	10.5	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
ADA-VIC-023M	11/6/2017 12:43:00 PM	TURBIDITY	3.71	3.71	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
IRO-CAR-057M	11/6/2017 1:25:00 PM	TURBIDITY	11.7	11.7	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-080M	11/6/2017 2:01:00 PM	TURBIDITY	13.4	13.4	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-003M	11/6/2017 2:46:00 PM	TURBIDITY	2.68	2.68	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-004M	11/6/2017 3:08:00 PM	TURBIDITY	2.95	2.95	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
IRO-SHC-062M	11/7/2017 10:24:00 AM	TURBIDITY	6.19	6.19	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
TAR-FMC-035M	11/7/2017 10:52:00 AM	TURBIDITY	4.22	4.22	NTU	WET	MONTHLY	IN SITU	HACH 2100Q

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
MOU-SHC-065M	11/7/2017 11:03:00 AM	TURBIDITY	5.45	5.45	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
PIN-TUC-039M	11/7/2017 11:33:00 AM	TURBIDITY	3.01	3.01	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-069M	11/7/2017 11:52:00 AM	TURBIDITY	5.42	5.42	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
CLA-TUC-044M	11/7/2017 12:25:00 PM	TURBIDITY	2.72	2.72	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
HOM-SHC-073M	11/7/2017 12:41:00 PM	TURBIDITY	17.3	17.3	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-074T	11/7/2017 1:43:00 PM	TURBIDITY	13.6	13.6	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-077T	11/7/2017 2:33:00 PM	TURBIDITY	7.62	7.62	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-076T	11/8/2017 10:47:00 AM	TURBIDITY	1.74	1.74	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-074T	12/15/2017 10:52:00 AM	TURBIDITY	2.73	2.73	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-085M	12/15/2017 11:50:00 AM	TURBIDITY	4.75	4.75	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
MOU-CAR-086T	12/15/2017 12:04:00 PM	TURBIDITY	2.64	2.64	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
IRO-CAR-057M	12/15/2017 12:35:00 PM	TURBIDITY	3.46	3.46	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
LEE-CAR-053M	12/15/2017 2:10:00 PM	TURBIDITY	3.19	3.19	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
TRU-CAR-051T	12/15/2017 2:26:00 PM	TURBIDITY	3.11	3.11	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
TAR-FMC-036M	12/18/2017 12:58:00 PM	TURBIDITY	25.1	25.1	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
GAR-FMC-031T	12/18/2017 1:55:00 PM	TURBIDITY	28.4	28.4	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRO-FMC-030T	12/18/2017 2:29:00 PM	TURBIDITY	6.67	6.67	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRO-FMC-029M	12/18/2017 2:43:00 PM	TURBIDITY	18	18	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
TRU-CAR-050M	12/19/2017 11:17:00 AM	TURBIDITY	4.56	4.56	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-003M	12/19/2017 11:34:00 AM	TURBIDITY	10.6	10.6	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
PLE-VAC-006T	12/19/2017 12:24:00 PM	TURBIDITY	10.6	10.6	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
CLA-CAR-046M	12/19/2017 1:14:00 PM	TURBIDITY	3.56	3.56	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-014T	12/19/2017 1:56:00 PM	TURBIDITY	8.82	8.82	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
BRI-VAC-015M	12/19/2017 2:05:00 PM	TURBIDITY	8.61	8.61	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
CLA-TUC-044M	12/19/2017 2:24:00 PM	TURBIDITY	6.54	6.54	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
PIN-TUC-039M	12/19/2017 2:47:00 PM	TURBIDITY	3.7	3.7	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
BRI-VAC-018T	12/21/2017 10:48:00 AM	TURBIDITY	26.1	26.1	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
LIP-VAC-017T	12/21/2017 11:23:00 AM	TURBIDITY	13.6	13.6	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
FAI-VAC-010T	12/21/2017 11:48:00 AM	TURBIDITY	11	11	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
ADA-VIC-023M	12/21/2017 1:26:00 PM	TURBIDITY	60.23	60.23	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-069M	12/21/2017 3:05:00 PM	TURBIDITY	2.45	2.45	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-068T	12/21/2017 3:18:00 PM	TURBIDITY	4.53	4.53	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
HOM-SHC-072T	12/22/2017 8:30:00 AM	TURBIDITY	6.75	6.75	NTU	WET	MONTHLY	IN SITU	HACH 2100Q

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
HOM-SHC-087M	12/22/2017 9:04:00 AM	TURBIDITY	3.25	3.25	NTU	WET	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-074T	1/2/2018 10:43:00 AM	TURBIDITY	4.1	4.1	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
VES-CAR-085M	1/2/2018 11:48:00 AM	TURBIDITY	4.5	4.5	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
MOU-CAR-086T	1/2/2018 11:59:00 AM	TURBIDITY	3.9	3.9	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
IRO-CAR-057M	1/2/2018 12:27:00 PM	TURBIDITY	5.42	5.42	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
LEE-CAR-053M	1/2/2018 1:18:00 PM	TURBIDITY	3.52	3.52	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
TRU-CAR-051T	1/2/2018 2:03:00 PM	TURBIDITY	3.88	3.88	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
TRU-CAR-050M	1/3/2018 3:05:00 PM	TURBIDITY	5.2	5.2	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
CLA-CAR-046M	1/4/2018 12:22:00 PM	TURBIDITY	5.9	5.9	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
CLA-TUC-044M	1/4/2018 1:47:00 PM	TURBIDITY	5.23	5.23	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
TAR-FMC-036M	1/4/2018 2:34:00 PM	TURBIDITY	9.44	9.44	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
PIN-TUC-039M	1/4/2018 3:32:00 PM	TURBIDITY	4.3	4.3	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
FAI-VAC-010T	1/5/2018 9:41:00 AM	TURBIDITY	2.61	2.61	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HOM-SHC-072T	1/5/2018 9:54:00 AM	TURBIDITY	4.3	4.3	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HOM-SHC-087M	1/5/2018 10:30:00 AM	TURBIDITY	3.97	3.97	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
LIP-VAC-017T	1/5/2018 10:50:00 AM	TURBIDITY	3.45	3.45	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
BRI-VAC-015M	1/5/2018 10:57:00 AM	TURBIDITY	2.14	2.14	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
BRI-VAC-018T	1/5/2018 11:04:00 AM	TURBIDITY	4.24	4.24	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HOM-SHC-071T	1/5/2018 11:11:00 AM	TURBIDITY	5.13	5.13	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-068T	1/5/2018 11:35:00 AM	TURBIDITY	3.1	3.1	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-069M	1/5/2018 12:01:00 PM	TURBIDITY	4.66	4.66	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-014T	1/5/2018 12:26:00 PM	TURBIDITY	4.19	4.19	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
HUE-VAC-003M	1/5/2018 1:19:00 PM	TURBIDITY	2.81	2.81	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-065M	1/5/2018 2:05:00 PM	TURBIDITY	5.96	5.96	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
PLE-VAC-006T	1/5/2018 2:13:00 PM	TURBIDITY	2.38	2.38	NTU	DRY	MONTHLY	IN SITU	HACH 2100Q
MOU-SHC-068T	3/6/2018 7:30:00 AM	TURBIDITY	19.2	19.2	NTU	WET	GRAB	1803-00074-001	EPA 180.1
HOM-SHC-071T	3/6/2018 8:00:00 AM	TURBIDITY	25.2	25.2	NTU	WET	GRAB	1803-00075-001	EPA 180.1
HOM-SHC-087M	3/6/2018 8:30:00 AM	TURBIDITY	26.7	26.7	NTU	WET	GRAB	1803-00076-001	EPA 180.1
VES-CAR-074T	3/29/2018 2:58:00 PM	TURBIDITY	25.9	25.9	NTU	WET	GRAB	1803-0447-001	EPA 180.1
TRU-CAR-048T	3/29/2018 3:20:00 PM	TURBIDITY	38.1	38.1	NTU	WET	GRAB	1803-0443-001	EPA 180.1
MOU-CAR-086T	3/29/2018 3:35:00 PM	TURBIDITY	8.25	8.25	NTU	WET	GRAB	1803-0448-001	EPA 180.1
TRU-CAR-051T	3/29/2018 3:45:00 PM	TURBIDITY	79.1	79.1	NTU	WET	GRAB	1803-0444-001	EPA 180.1
VES-CAR-085M	3/29/2018 4:32:00 PM	TURBIDITY	6.6	6.6	NTU	WET	GRAB	1803-0449-001	EPA 180.1

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
LEE-CAR-053M	3/29/2018 4:50:00 PM	TURBIDITY	18.1	18.1	NTU	WET	GRAB	1803-0445-001	EPA 180.1
IRO-CAR-057M	3/29/2018 5:03:00 PM	TURBIDITY	28.5	28.5	NTU	WET	GRAB	1803-0446-001	EPA 180.1
FAI-VAC-010T	9/5/2018 10:07:00 AM	TURBIDITY	13.6	13.6	NTU	WET	GRAB	1809-0051-001	EPA 180.1
BRI-VAC-018T	9/5/2018 10:29:00 AM	TURBIDITY	4.37	4.37	NTU	WET	GRAB	1809-0052-001	EPA 180.1
BRI-VAC-015M	9/5/2018 10:39:00 AM	TURBIDITY	3.59	3.59	NTU	WET	GRAB	1809-0053-001	EPA 180.1
HUE-VAC-003M	9/5/2018 11:02:00 AM	TURBIDITY	2.74	2.74	NTU	WET	GRAB	1809-0054-001	EPA 180.1
ADA-VIC-023M	9/5/2018 11:15:00 AM	TURBIDITY	5.41	5.41	NTU	WET	GRAB	1809-0050-001	EPA 180.1
HUE-VAC-014T	9/5/2018 11:22:00 AM	TURBIDITY	4.57	4.57	NTU	WET	GRAB	1809-0055-001	EPA 180.1
PLE-VAC-006T	9/5/2018 11:43:00 AM	TURBIDITY	4.39	4.39	NTU	WET	GRAB	1809-0056-001	EPA 180.1
MOU-SHC-065M	9/24/2018 6:18:00 PM	TURBIDITY	37.4	37.4	NTU	WET	GRAB	1809-00380-001	EPA 180.1
MOU-SHC-069M	9/24/2018 6:38:00 PM	TURBIDITY	63.3	63.3	NTU	WET	GRAB	1809-00381-001	EPA 180.1
HOM-SHC-072T	9/24/2018 7:01:00 PM	TURBIDITY	112	112	NTU	WET	GRAB	1809-00383-001	EPA 180.1
GAR-FMC-031T	9/24/2018 7:25:00 PM	TURBIDITY	1.79	1.79	NTU	WET	GRAB	1809-00379-001	EPA 180.1
TAR-FMC-036M	9/24/2018 7:50:00 PM	TURBIDITY	20.5	20.5	NTU	WET	GRAB	1809-00382-001	EPA 180.1
BRO-FMC-030T	9/24/2018 7:55:00 PM	TURBIDITY	2.63	2.63	NTU	WET	GRAB	1809-00377-001	EPA 180.1
BRO-FMC-029M	9/24/2018 8:15:00 PM	TURBIDITY	2.8	2.8	NTU	WET	GRAB	1809-00378-001	EPA 180.1
ADA-VIC-023M	9/5/2018 11:15:00 AM	TOTAL NITROGEN	4.34	4.34	MG/L	WET	GRAB		Calculated
BRI-VAC-015M	9/5/2018 10:39:00 AM	TOTAL NITROGEN	1.27	1.27	MG/L	WET	GRAB		Calculated
BRI-VAC-018T	9/5/2018 10:29:00 AM	TOTAL NITROGEN	0.90	0.90	MG/L	WET	GRAB		Calculated
BRO-FMC-029M	9/24/2018 8:15:00 PM	TOTAL NITROGEN	5.07	5.07	MG/L	WET	GRAB		Calculated
BRO-FMC-030T	9/24/2018 7:55:00 PM	TOTAL NITROGEN	1.27	1.27	MG/L	WET	GRAB		Calculated
FAI-VAC-010T	9/5/2018 10:07:00 AM	TOTAL NITROGEN	0.81	0.81	MG/L	WET	GRAB		Calculated
GAR-FMC-031T	9/24/2018 7:25:00 PM	TOTAL NITROGEN	0.81	0.81	MG/L	WET	GRAB		Calculated
HOM-SHC-071T	3/6/2018 8:00:00 AM	TOTAL NITROGEN	4.29	4.29	MG/L	WET	GRAB		Calculated
HOM-SHC-072T	9/24/2018 7:01:00 PM	TOTAL NITROGEN	1.32	1.32	MG/L	WET	GRAB		Calculated
HOM-SHC-087M	3/6/2018 8:30:00 AM	TOTAL NITROGEN	3.35	3.35	MG/L	WET	GRAB		Calculated
HUE-VAC-003M	9/5/2018 11:02:00 AM	TOTAL NITROGEN	1.79	1.79	MG/L	WET	GRAB		Calculated
HUE-VAC-014T	9/5/2018 11:22:00 AM	TOTAL NITROGEN	0.76	0.76	MG/L	WET	GRAB		Calculated
IRO-CAR-057M	3/29/2018 5:03:00 PM	TOTAL NITROGEN	1.42	1.42	MG/L	WET	GRAB		Calculated
LEE-CAR-053M	3/29/2018 4:50:00 PM	TOTAL NITROGEN	1.10	1.10	MG/L	WET	GRAB		Calculated
MOU-CAR-086T	3/29/2018 3:35:00 PM	TOTAL NITROGEN	1.47	1.47	MG/L	WET	GRAB		Calculated
MOU-SHC-065M	9/24/2018 6:18:00 PM	TOTAL NITROGEN	1.40	1.40	MG/L	WET	GRAB		Calculated
MOU-SHC-068T	3/6/2018 7:30:00 AM	TOTAL NITROGEN	2.30	2.30	MG/L	WET	GRAB		Calculated

Site Name	Sample Date	Test Name	Value	Result Text	Unit	Weather	Sample Type	Lab Id	Lab Method
MOU-SHC-069M	9/24/2018 6:38:00 PM	TOTAL NITROGEN	1.63	1.63	MG/L	WET	GRAB		Calculated
PLE-VAC-006T	9/5/2018 11:43:00 AM	TOTAL NITROGEN	0.95	0.95	MG/L	WET	GRAB		Calculated
TAR-FMC-036M	9/24/2018 7:50:00 PM	TOTAL NITROGEN	1.34	1.34	MG/L	WET	GRAB		Calculated
TRU-CAR-048T	3/29/2018 3:20:00 PM	TOTAL NITROGEN	1.39	1.39	MG/L	WET	GRAB		Calculated
TRU-CAR-051T	3/29/2018 3:45:00 PM	TOTAL NITROGEN	2.15	2.15	MG/L	WET	GRAB		Calculated
VES-CAR-074T	3/29/2018 2:58:00 PM	TOTAL NITROGEN	1.21	1.21	MG/L	WET	GRAB		Calculated
VES-CAR-085M	3/29/2018 4:32:00 PM	TOTAL NITROGEN	0.86	0.86	MG/L	WET	GRAB		Calculated

2017-2018 Scoring Results


Parameter Results and Rating

Site Name	Sample Date	Test Name	Result Value	Sample Type	Parameter Rating
HOM-SHC-071T	3/6/2018 8:00:00 AM	BIOCHEMICAL OXYGEN DEMAND	22	GRAB	3
TAR-FMC-036M	9/24/18 07:50 PM	BIOCHEMICAL OXYGEN DEMAND	16	GRAB	2
MOU-SHC-069M	9/24/18 06:38 PM	BIOCHEMICAL OXYGEN DEMAND	16	GRAB	2
HOM-SHC-087M	3/6/2018 8:30:00 AM	BIOCHEMICAL OXYGEN DEMAND	16	GRAB	2
HOM-SHC-087M	3/6/2018 8:30:00 AM	CHEMICAL OXYGEN DEMAND	318	GRAB	3
HOM-SHC-071T	3/6/2018 8:00:00 AM	CHEMICAL OXYGEN DEMAND	201	GRAB	2
TRU-CAR-051T	3/29/2018 3:45:00 PM	CHEMICAL OXYGEN DEMAND	136	GRAB	1
BRO-FMC-030T	9/24/18 07:55 PM	E. COLI	480	GRAB	3
HUE-VAC-014T	9/5/2018 11:22:00 AM	E. COLI	156	GRAB	2
MOU-SHC-068T	3/6/2018 7:30:00 AM	E. COLI	144	GRAB	1
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, AMMONIA	1.1	GRAB	3
MOU-SHC-069M	9/24/18 06:38 PM	NITROGEN, AMMONIA	0.85	GRAB	2
BRO-FMC-029M	9/24/18 08:15 PM	NITROGEN, AMMONIA	0.48	GRAB	1
BRO-FMC-029M	9/24/18 08:15 PM	NITROGEN, NITRATE	4.57	GRAB	3
ADA-VIC-023M	9/5/2018 11:15:00 AM	NITROGEN, NITRATE	3.84	GRAB	2
MOU-SHC-068T	3/6/2018 7:30:00 AM	NITROGEN, NITRATE	1.1	GRAB	1
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, TOTAL KJELDAHL	3.5	GRAB	3
HOM-SHC-087M	3/6/2018 8:30:00 AM	NITROGEN, TOTAL KJELDAHL	2.8	GRAB	2
TRU-CAR-051T	3/29/2018 3:45:00 PM	NITROGEN, TOTAL KJELDAHL	1.7	GRAB	1
VES-CAR-074T	3/29/2018 2:58:00 PM	PH	6.23	GRAB	3
MOU-CAR-086T	3/29/2018 3:35:00 PM	PH	6.87	GRAB	2
BRO-FMC-030T	9/24/18 07:55 PM	pH	7.05	GRAB	1
HUE-VAC-003M	9/5/2018 11:02:00 AM	PHOSPHATE AS P	1.3	GRAB	3
HOM-SHC-087M	3/6/2018 8:30:00 AM	PHOSPHATE AS P	0.77	GRAB	2
HOM-SHC-071T	3/6/2018 8:00:00 AM	PHOSPHATE AS P	0.72	GRAB	1
PLE-VAC-006T	9/5/2018 11:43:00 AM	SPECIFIC CONDUCTANCE	1050	GRAB	3
ADA-VIC-023M	9/5/2018 11:15:00 AM	SPECIFIC CONDUCTANCE	730	GRAB	2
BRO-FMC-029M	9/24/18 08:15 PM	SPECIFIC CONDUCTANCE	520	GRAB	1
PLE-VAC-006T	9/5/2018 11:43:00 AM	TOTAL DISSOLVED SOLIDS	768	GRAB	3
ADA-VIC-023M	9/5/2018 11:15:00 AM	TOTAL DISSOLVED SOLIDS	678	GRAB	2
BRO-FMC-029M	9/24/18 08:15 PM	TOTAL DISSOLVED SOLIDS	410	GRAB	1
BRO-FMC-029M	9/24/2018 8:15:00 PM	TOTAL NITROGEN	5.07	GRAB	3
ADA-VIC-023M	9/5/2018 11:15:00 AM	TOTAL NITROGEN	4.34	GRAB	2
HOM-SHC-071T	3/6/2018 8:00:00 AM	TOTAL NITROGEN	4.29	GRAB	1
HOM-SHC-071T	3/6/2018 8:00:00 AM	TOTAL SUSPENDED SOLIDS	2504	GRAB	3
HOM-SHC-087M	3/6/2018 8:30:00 AM	TOTAL SUSPENDED SOLIDS	1680	GRAB	2
MOU-SHC-068T	3/6/2018 7:30:00 AM	TOTAL SUSPENDED SOLIDS	940	GRAB	1
HOM-SHC-072T	9/24/18 07:01 PM	TURBIDITY	112	GRAB	3
TRU-CAR-051T	3/29/2018 3:45:00 PM	TURBIDITY	79.1	GRAB	2
MOU-SHC-069M	9/24/18 06:38 PM	TURBIDITY	63.3	GRAB	1

Sites and Score Summation

Site Name	Sample Date	Test Name	Result Value	Sample Type	Parameter Rating	Site Score (Sum of Parameter Ratings)
VES-CAR-074T	3/29/2018 2:58:00 PM	PH	6.23	GRAB	3	3
TRU-CAR-051T	3/29/2018 3:45:00 PM	CHEMICAL OXYGEN DEMAND	136	GRAB	1	4
TRU-CAR-051T	3/29/2018 3:45:00 PM	NITROGEN, TOTAL KJELDAHL	1.7	GRAB	1	
TRU-CAR-051T	3/29/2018 3:45:00 PM	TURBIDITY	79.1	GRAB	2	
TAR-FMC-036M	9/24/18 07:50 PM	BIOCHEMICAL OXYGEN DEMAND	16	Grab	2	2
PLE-VAC-006T	9/5/2018 11:43:00 AM	SPECIFIC CONDUCTANCE	1050	GRAB	3	6
PLE-VAC-006T	9/5/2018 11:43:00 AM	TOTAL DISSOLVED SOLIDS	768	GRAB	3	
MOU-SHC-069M	9/24/18 06:38 PM	BIOCHEMICAL OXYGEN DEMAND	16	Grab	2	5
MOU-SHC-069M	9/24/18 06:38 PM	NITROGEN, AMMONIA	0.85	Grab	2	
MOU-SHC-069M	9/24/18 06:38 PM	TURBIDITY	63.3	Grab	1	
MOU-SHC-068T	3/6/2018 7:30:00 AM	E. COLI	144	GRAB	1	3
MOU-SHC-068T	3/6/2018 7:30:00 AM	NITROGEN, NITRATE	1.1	GRAB	1	
MOU-SHC-068T	3/6/2018 7:30:00 AM	TOTAL SUSPENDED SOLIDS	940	GRAB	1	
MOU-CAR-086T	3/29/2018 3:35:00 PM	PH	6.87	GRAB	2	2
HUE-VAC-014T	9/5/2018 11:22:00 AM	E. COLI	156	GRAB	2	2
HUE-VAC-003M	9/5/2018 11:02:00 AM	PHOSPHATE AS P	1.3	GRAB	3	3
HOM-SHC-087M	3/6/2018 8:30:00 AM	BIOCHEMICAL OXYGEN DEMAND	16	GRAB	2	11
HOM-SHC-087M	3/6/2018 8:30:00 AM	CHEMICAL OXYGEN DEMAND	318	GRAB	3	
HOM-SHC-087M	3/6/2018 8:30:00 AM	NITROGEN, TOTAL KJELDAHL	2.8	GRAB	2	
HOM-SHC-087M	3/6/2018 8:30:00 AM	PHOSPHATE AS P	0.77	GRAB	2	
HOM-SHC-087M	3/6/2018 8:30:00 AM	TOTAL SUSPENDED SOLIDS	1680	GRAB	2	
HOM-SHC-072T	9/24/18 07:01 PM	TURBIDITY	112	Grab	3	3
HOM-SHC-071T	3/6/2018 8:00:00 AM	BIOCHEMICAL OXYGEN DEMAND	22	GRAB	3	16
HOM-SHC-071T	3/6/2018 8:00:00 AM	CHEMICAL OXYGEN DEMAND	201	GRAB	2	
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, AMMONIA	1.1	GRAB	3	
HOM-SHC-071T	3/6/2018 8:00:00 AM	NITROGEN, TOTAL KJELDAHL	3.5	GRAB	3	
HOM-SHC-071T	3/6/2018 8:00:00 AM	PHOSPHATE AS P	0.72	GRAB	1	
HOM-SHC-071T	3/6/2018 8:00:00 AM	TOTAL NITROGEN	4.29	grab	1	
HOM-SHC-071T	3/6/2018 8:00:00 AM	TOTAL SUSPENDED SOLIDS	2504	GRAB	3	
BRO-FMC-030T	9/24/18 07:55 PM	E. COLI	480	Grab	3	4
BRO-FMC-030T	9/24/18 07:55 PM	pH	7.05	Grab	1	
BRO-FMC-029M	9/24/18 08:15 PM	NITROGEN, AMMONIA	0.48	Grab	1	9
BRO-FMC-029M	9/24/18 08:15 PM	NITROGEN, NITRATE	4.57	Grab	3	
BRO-FMC-029M	9/24/18 08:15 PM	SPECIFIC CONDUCTANCE	520	Grab	1	
BRO-FMC-029M	9/24/18 08:15 PM	TOTAL DISSOLVED SOLIDS	410	Grab	1	
BRO-FMC-029M	9/24/2018 8:15:00 PM	TOTAL NITROGEN	5.07	grab	3	
ADA-VIC-023M	9/5/2018 11:15:00 AM	NITROGEN, NITRATE	3.84	GRAB	2	8
ADA-VIC-023M	9/5/2018 11:15:00 AM	SPECIFIC CONDUCTANCE	730	GRAB	2	
ADA-VIC-023M	9/5/2018 11:15:00 AM	TOTAL DISSOLVED SOLIDS	678	GRAB	2	
ADA-VIC-023M	9/5/2018 11:15:00 AM	TOTAL NITROGEN	4.34	grab	2	

Wet Weather Site Rating Results



Fiscal Analysis

STORM WATER MANAGEMENT AUTHORITY, INC.

COMPILED FINANCIAL STATEMENTS

SEPTEMBER 30, 2018



Cork, Hill & Company, L.L.C.

Certified Public Accountants
2100 Southbridge Parkway
Suite 530
Birmingham, AL 35209

P. 205.879.3292
F. 205.879.3295

TABLE OF CONTENTS
STORM WATER MANAGEMENT AUTHORITY, INC.
SEPTEMBER 30, 2018

Accountants' Report 1

Financial Statements:

Statement of Assets, Liabilities, and Fund Balance – Cash Basis 2

Statement of Revenues, Expenses, and Fund Balance – Cash Basis 3



Cork, Hill & Company, L.L.C.

ACCOUNTANTS' COMPILATION REPORT

To the Board of Directors of the
Storm Water Management Authority, Inc.

Management is responsible for the accompanying financial statements of the Storm Water Management Authority, Inc., which comprise the statement of assets, liabilities, and fund balance – cash basis as of September 30, 2018, and the related statement of revenues, expenses and fund balance – cash basis for the one month and twelve months then ended, and for determining that the cash basis of accounting is an acceptable financial reporting framework. We have performed a compilation engagement in accordance with Statements on Standards for Accounting and Review Services promulgated by the Accounting and Review Services Committee of the AICPA. We did not audit or review the financial statements nor were we required to perform any procedures to verify the accuracy or completeness of the information provided by management. Accordingly, we do not express an opinion, a conclusion, not provide any form of assurance on these financial statements.

The financial statements are prepared in accordance with the cash basis of accounting, which is a basis of accounting other than accounting principles generally accepted in the United States of America.

Management has elected to omit substantially all the disclosures ordinarily included in financial statements prepared in accordance with the cash basis of accounting. If the omitted disclosures were included in the financial statements, they might influence the user's conclusions about the Organization's assets, liabilities, fund balance, revenues and expenses. Accordingly, the financial statements are not designed for those who are not informed about such matters.

We are not independent with respect to Storm Water Management Authority, Inc.

Cork, Hill & Company, L.L.C.

Birmingham, Alabama
October 8, 2018

Certified Public Accountants

2100 Southbridge Parkway
Suite 530
Birmingham, AL 35209

P. 205.879.3292
F. 205.879.3295

STATEMENT OF ASSETS, LIABILITIES AND FUND BALANCE – CASH BASIS
STORM WATER MANAGEMENT AUTHORITY, INC.
SEPTEMBER 30, 2018

ASSETS

CURRENT ASSETS

Cash and cash equivalents	\$ 184,525
TOTAL CURRENT ASSETS	<u>184,525</u>

FIXED ASSETS

Equipment	<u>6,281</u>
-----------	--------------

TOTAL ASSETS	<u><u>\$ 190,806</u></u>
---------------------	--------------------------

LIABILITIES AND FUND BALANCE

TOTAL LIABILITIES	\$ -
--------------------------	------

FUND BALANCE

Fund balance	<u>190,806</u>
--------------	----------------

TOTAL LIABILITIES AND FUND BALANCE	<u><u>\$ 190,806</u></u>
---	--------------------------

See Accountants' Compilation Report

**STATEMENT OF REVENUES, EXPENSES AND FUND BALANCE – CASH BASIS
STORM WATER MANAGEMENT AUTHORITY, INC.
FOR THE ONE MONTH AND TWELVE MONTHS ENDED SEPTEMBER 30, 2018**

	MONTH TO DATE	YEAR TO DATE
REVENUES:		
Storm water fees	\$ 3,204	\$ 700,646
Interest income	47	787
TOTAL REVENUES	3,251	701,433
EXPENSES:		
Jefferson County Health Department fees	57,000	684,000
Insurance expense	-	3,000
Accounting fees	225	2,700
TOTAL EXPENSES	57,225	689,700
INCREASE / (DECREASE) IN FUND BALANCE	\$ (53,974)	11,733
FUND BALANCE - BEGINNING OF YEAR		179,073
FUND BALANCE - END OF PERIOD		\$ 190,806

See Accountants' Compilation Report